## Emacs support for Elixir

<u>Description</u>	<u>Keystroke</u>	Function	<u>Note</u>
ElixirProgrammi ng Language Support	Elixir support is very basic, it is not yet fully implemented nor fully documented. This is on my todo list.		
Open this PDF file. See also: <u>Nelp/Info</u>	<f11> SPC x <f1></f1></f11>	(pel-help-pdf &optional	Open the local copy of the <u><b>3</b>I - Elixir PDF</u> file unless a command prefix (like <b>C-u</b> ) was used. In that case it opens the Github-hosted file instead.
	<f12> <f1></f1></f12>	OPEN-WEB-PAGE)	
∑ Customize PEL Elixir support	<f11> SPC x <f2></f2></f11>	(pel-customize-pel &optional OTHER-WINDOW)	Customize PEL Elixir support: alchemist, alchemist-iex.  • If OTHER-WINDOW is non-nil (use <b>C-u</b> ), display in another window.
	<f12> <f2></f2></f12>		
∑ Customize Emacs Elixir support	<f11> SPC x <f3></f3></f11>	(pel-customize-library &optional OTHER-WINDOW)	Customize Emacs Elixir support: alchemist, alchemist-iex.  • If OTHER-WINDOW is non-nil (use <b>C-u</b> ), display in another window.
	<f12> <f3></f3></f12>		
Search Support	In Elixir mode, the superword mode can be useful since snake case is often used. Using superword-mode helps searching.  PEL activates the superword mode by default in Elixir mode. To change this use the <f11> t <f2> to access the customize buffer.</f2></f11>		
Toggle superword- mode	<f11> t m p</f11>		Toggle superword-mode: a minor mode that treats <a href="snake_case">snake_case</a> as one word. In Elixir '_' are treated as part of words.  • With a prefix argument ARG, enable superword mode if ARG is positive, and disable it
	<f12> M-p</f12>		
See also:  • <u>&gt; Text Modes</u> • <u>&gt; Search/Replace</u>			otherwise. • PEL provides the <f12> M-p key for the programming language modes where snake case is popular (Emacs Lisp, C, C++, Erlang, Python, etc)</f12>

## Emacs & Elixir - References

Document	Notes
company-mode ; Modular in-buffer completion framework for Emacs	