

Emacs support for Gleam 🚧

Description	Keystroke	Function	Note
Gleam Support <ul style="list-style-type: none"> File associations See also: ⌘ Speedbar 	Gleam is an experimental functional static-type checking language for the Erlang BEAM. Its support is very basic, it is not yet fully implemented nor fully documented. This is on my todo list. <ul style="list-style-type: none"> 📦 Requires the gleam-mode file 🔗 PEL installs it in the utils directory when pel-use-gleam user-option is set to t. PEL associates the files with the .gleam file extension with gleam-mode. PEL activates ⌘ Speedbar support for the Gleam files when pel-use-speedbar user-option is on (set to t). <ul style="list-style-type: none"> ⚠️ However the imenu support is not yet implemented, therefore identification of functions and other elements is not yet done. 		
Open this PDF file. See also: ⌘ Help/Info	<div><f1> SPC M-G <f1></div> <div><f12> <f1></div>	(pel-help-pdf &optional OPEN-WEB-PAGE)	Open the ⌘I - Gleam local PDF. If the prefix argument (like C-u or M--) is used, then it opens the remote GitHub hosted raw PDF instead. If the pel-flip-help-pdf-arg user-option is set it's the other way around.
⌘ Customize PEL Gleam support	<div><f11> SPC M-G <f2></div> <div><f12> <f2></div>	(pel-customize-pel &optional OTHER-WINDOW)	Customize PEL Gleam support. <ul style="list-style-type: none"> If OTHER-WINDOW is non-nil (use C-u), display in another window.

Emacs & Gleam— References

Document	Notes
Gleam home	
gleam implementation @ Github	
Interview with Gleam creator	
gleam-mode - Emacs support	Very early code.