

✓ 축하합니다! 통과하셨습니다!

받은 학점 100% 최신 제출물 학점 100% 통과 점수: 80% 이상

다음 항목으로 이동

1. Using Image Generator, how do you label images?

1 / 1점

- ☐ You have to manually do it
- ☒ It's based on the directory the image is contained in
- ☐ It's based on the file name
- ☐ TensorFlow figures it out from the contents

✓ 맞습니다

That's right! The directory of the image is the label.

2. What method on the Image Generator is used to normalize the image?

1 / 1점

- ☐ Rescale_image
- ☐ normalize_image
- ☒ rescale
- ☐ normalize

✓ 맞습니다

You've got it! This is the correct method for normalizing images.

3. How did we specify the training size for the images?

1 / 1점

- ☐ The target_size parameter on the validation generator
- ☒ The target_size parameter on the training generator
- ☐ The training_size parameter on the training generator
- ☐ The training_size parameter on the validation generator

✓ 맞습니다

Exactly! target_size specifies the image training size

4. When we specify the input_shape to be (300, 300, 3), what does that mean?

1 / 1점

- ☐ There will be 300 images, each size 300, loaded in batches of 3
- ☐ Every Image will be 300x300 pixels, and there should be 3 Convolutional Layers
- ☐ There will be 300 horses and 300 humans, loaded in batches of 3
- ☒ Every Image will be 300x300 pixels, with 3 bytes to define color

✓ 맞습니다

Nailed it! input_shape specifies image resolution.

5. If your training data is close to 1.000 accuracy, but your validation data isn't, what's the risk here?

1 / 1점

- ☐ No risk, that's a great result
- ☐ You're underfitting on your validation data
- ☐ You're overfitting on your validation data
- ☒ You're overfitting on your training data

✓ 맞습니다

Great job! The analysis corresponds too closely to the training data, and may therefore fail to fit additional data.

6. Convolutional Neural Networks are better for classifying images like horses and humans because:

1 / 1점

☒ In these images, the features may be in different parts of the frame

☒ 맞습니다

Correct! The receptive fields of different neurons partially overlap such that they cover the entire visual field.

☒ There's a wide variety of horses

☒ 맞습니다

Way to go! CNNs are better in this case as they are independent from prior knowledge and human intervention in feature extraction.

☒ There's a wide variety of humans

☒ 맞습니다

You've got it! CNNs are better in this case as they are independent from prior knowledge and human intervention in feature extraction.

7. After reducing the size of the images, the training results were different. Why?

1 / 1점

☐ There was more condensed information in the images

☐ The training was faster

☐ There was less information in the images

☒ We removed some convolutions to handle the smaller images

☒ 맞습니다

Yes! Removing some convolutions modifies the training results.