



PDF Download
3723178.3723269.pdf
05 March 2026
Total Citations: 0
Total Downloads: 664

Latest updates: <https://dl.acm.org/doi/10.1145/3723178.3723269>

RESEARCH-ARTICLE

From Theory to Reality: Tracing the Milestones of Quantum Information Systems

MD SAEF ULLAH MIAH, American International University - Bangladesh, Dhaka, Bangladesh

SAIMA SHARLEEN ISLAM, American International University - Bangladesh, Dhaka, Bangladesh

ABHIJIT BHOWMIK, American International University - Bangladesh, Dhaka, Bangladesh

Open Access Support provided by:

American International University - Bangladesh

Published: 06 June 2025

Citation in BibTeX format

ICCA 2024: 3rd International Conference
on Computing Advancements
October 17 - 18, 2024
Dhaka, Bangladesh

From Theory to Reality: Tracing the Milestones of Quantum Information Systems

Md Saef Ullah Miah
American International
University-Bangladesh
Dhaka, Bangladesh
md.saefullah@gmail.com

Saima Sharleen Islam
American International
University-Bangladesh
Dhaka, Bangladesh
saimasharleen0@gmail.com

Abhijit Bhowmik
American International
University-Bangladesh
Dhaka, Bangladesh
abhijit@aiub.edu

Abstract

This paper provides a comprehensive historical exploration of the development of quantum information systems (QIS), tracing the foundational concepts and seminal discoveries that have significantly advanced this revolutionary field. Starting with early 20th-century breakthroughs in quantum mechanics, it highlights key milestones such as the elucidation of the EPR paradox, the introduction of quantum error correction, and the development of groundbreaking algorithms like Shor's and Grover's. The paper also addresses notable experimental achievements that have transitioned QIS from theoretical frameworks to practical applications, including quantum teleportation and fault-tolerant quantum computation. Additionally, the manuscript discusses current limitations and research challenges, including the fragility of qubits, error correction complexities, scalability issues, and the need for advanced quantum algorithms. The potential applications of QIS in various fields such as pharmaceuticals, financial services, climate modeling, energy, healthcare, defense, and manufacturing are explored, demonstrating its far-reaching implications. By chronicling the remarkable progress and future opportunities in QIS, this paper offers valuable insights into the transformative potential of quantum technologies for information processing, cryptography, and beyond.

CCS Concepts

• Social and professional topics → History of computing.

Keywords

quantum information system, QIS, History of QIS

ACM Reference Format:

Md Saef Ullah Miah, Saima Sharleen Islam, and Abhijit Bhowmik. 2024. From Theory to Reality: Tracing the Milestones of Quantum Information Systems. In *3rd International Conference on Computing Advancements (ICCA 2024)*, October 17–18, 2024, Dhaka, Bangladesh. ACM, New York, NY, USA, 6 pages. <https://doi.org/10.1145/3723178.3723269>

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

ICCA 2024, Dhaka, Bangladesh

© 2024 Copyright held by the owner/author(s). Publication rights licensed to ACM.
ACM ISBN 979-8-4007-1382-8/24/10
<https://doi.org/10.1145/3723178.3723269>

1 Introduction

Quantum computing is a type of computing that uses quantum-mechanical phenomena, such as superposition and entanglement, to perform operations on data. Unlike classical computers, which use bits as the smallest unit of information (represented as 0 or 1), quantum computers use quantum bits, or qubits, which can represent and store information in both 0 and 1 simultaneously due to superposition phenomenon [38]. This capability allows quantum computers to process a vast number of possibilities simultaneously, making them potentially powerful for certain tasks that are difficult or impractical for classical computers. These tasks include things like large-scale simulations in chemistry and physics, optimization problems, machine learning, and breaking certain types of cryptography [17, 45].

Entanglement, another quantum phenomenon, allows qubits that are entangled to be connected such that the state of one (whether it's in position 0 or 1) can depend on the state of another, even over large distances. This can be used to perform complex calculations more efficiently than classical computers [25].

Quantum mechanics, with its counterintuitive properties like superposition and entanglement, provides the foundation for QIS. These concepts offer unparalleled computational power, promising to revolutionize fields ranging from cryptography to materials science [9, 48]. However, harnessing this power has been a continuous struggle, marked by the identification of fundamental problems and the development of ingenious solutions.

A quantum information system (QIS) is a system that utilizes principles of quantum mechanics to process and transmit information. It encompasses quantum computing, quantum communication, and quantum cryptography, among other areas. Quantum computing, as a subset of QIS, focuses on using quantum-mechanical phenomena to perform computations, while quantum communication deals with secure transmission of information using quantum principles, and quantum cryptography ensures the security of communication by exploiting the properties of quantum mechanics.

In the realm of information systems, quantum computing holds the potential to revolutionize several aspects:

Data Processing: Quantum computers can process vast amounts of data much faster than classical computers, which could lead to significant improvements in data analytics, pattern recognition, and optimization tasks [47].

Cybersecurity: Quantum computing has implications for both breaking and strengthening cryptographic systems [26]. While quantum computers could potentially break many classical cryptographic algorithms, quantum cryptography offers the promise

of secure communication channels through principles like quantum key distribution (QKD), which ensures that any attempt to eavesdrop on a quantum-encrypted message would disrupt the communication, thereby providing a higher level of security [41].

Database Search: Quantum algorithms, such as Grover’s algorithm, can search unsorted databases faster than classical algorithms. This could lead to more efficient search engines and data retrieval systems [40].

Machine Learning and AI: Quantum computing could enhance machine learning algorithms, enabling more complex models to be trained faster and potentially leading to advancements in AI systems [44, 45].

Simulation: Quantum computers excel at simulating quantum systems, which can be useful in fields such as chemistry, physics, and materials science. This could lead to more accurate simulations of complex systems and phenomena, facilitating scientific research and development [6].

Besides these, Quantum Information Systems (QIS) have the potential to revolutionize several industries. In pharmaceuticals, QIS can accelerate drug discovery by simulating molecular interactions at unprecedented speeds, which is challenging for classical computers [10]. In financial services, quantum algorithms can optimize portfolios and enhance risk management through faster and more accurate simulations [42]. Climate modeling can benefit from QIS by providing more accurate predictions of complex climate systems, improving our ability to understand and mitigate climate change [13]. In the energy sector, QIS can optimize power grid management and improve material science research for better energy storage solutions [5]. Healthcare applications include the enhancement of medical imaging and the development of personalized medicine through better data analysis and simulations [51]. In defense, QIS offers advanced cryptographic techniques and secure communication methods that are virtually unbreakable by classical means [8]. Furthermore, in manufacturing, QIS can improve optimization processes, leading to more efficient production lines and material usage [52].

While these applications hold promise, quantum computing is still in its infancy, and many technical challenges need to be overcome before quantum computers become mainstream in information systems. These challenges include improving qubit coherence times, reducing error rates, and developing scalable quantum hardware [20]. Additionally, algorithms and software tailored for quantum computing need to be further developed to harness the full potential of quantum systems in information processing tasks [22]. Nonetheless, the potential impact of quantum computing on information systems is substantial and is an area of active research and development.

2 How QIS works

Quantum information systems leverage the principles of quantum mechanics to process information in fundamentally different ways than classical systems. Basic steps and concepts behind how these systems function, using quantum computing as a primary example are shown in Figure 1 to illustrate these ideas. Similar principles

apply to other areas of quantum information like quantum cryptography and communication, with specific differences tailored to each application. Each of the steps are described in the later sections.




Figure 1: Steps of QIS [32]

2.1 Step 1: Initialization

Quantum Bits (Qubits): Unlike classical bits, which are either 0 or 1, qubits can exist simultaneously in both states, due to superposition phenomenon. This allows quantum systems to process a vast amount of possibilities simultaneously.

Set Up: The quantum system starts by initializing qubits in a known base state, typically $|0\rangle$ or $|1\rangle$.

2.2 Step 2: Quantum Gates and Circuit Setup

Quantum Gates: After initialization, qubits are manipulated using quantum gates. These gates are the quantum analog of classical logic gates but can perform more complex operations due to the properties of qubits.

Superposition: Gates like the Hadamard gate [50] put qubits into superposition, allowing them to represent both 0 and 1 at the same time.

Entanglement: Other gates, such as the CNOT gate, entangle qubits, a key resource for quantum computation. Entanglement means the state of one qubit can depend on the state of another, no matter the distance between them.

2.3 Step 3: Quantum Algorithm Execution

Algorithm-Specific Gates: Specific sequences of quantum gates are applied to the qubits to encode the algorithm into the quantum hardware. For instance, Shor’s algorithm involves modular exponentiation and quantum Fourier transform.

Parallel Computation: Due to superposition, a quantum computer can perform many calculations at once, offering potential exponential speed-ups for certain problems.

2.4 Step 4: Measurement

Collapse: When qubits are measured, their state collapses to one of the basis states (0 or 1). This process is inherently probabilistic, meaning the outcome is determined by quantum probabilities.

Outcome: The result of a quantum computation is obtained by measuring the qubits at the end of the computation. Due to the probabilistic nature of quantum mechanics, many algorithms require repeating the computation multiple times to get a statistically relevant result.

2.5 Step 5: Error Correction and Validation

Quantum Decoherence and Errors: Quantum information can be corrupted by interactions with the environment (decoherence) and operational errors.

Error Correction: Techniques such as quantum error correction codes are used to protect quantum information and correct errors without measuring the qubits directly, preserving their quantum states.

3 Timeline of QIS

The development of quantum information systems (QIS) marks one of the most fascinating frontiers of science and technology, offering profound advancements that promise to reshape our understanding and capabilities in computation, cryptography, and communication. This timeline highlights some of the pivotal milestones in the evolution of QIS, tracing the journey from theoretical underpinnings to significant experimental breakthroughs. Starting with the conceptual revelations of the EPR Paradox in 1935, which first questioned the very fabric of locality and reality in quantum mechanics, to the cutting-edge achievements in scalable quantum computing in the 2020s, each milestone reflects a key development in the quest to harness the power of quantum phenomena. The following visualization encapsulates these landmark achievements, illustrating not only the progression of ideas but also the accelerating pace of quantum innovation.

3.1 Timeline Overview

The inception of Quantum Information Science (QIS) finds its roots in the revolutionary discoveries of quantum mechanics during the 1930s. With seminal contributions from luminaries like Schrödinger [46] and Heisenberg [33], the theoretical groundwork for understanding quantum phenomena was established. The elucidation of concepts such as entanglement, epitomized by the famed EPR paradox of 1935 [27], and David Bohm's alternative interpretation in 1953 [15], expanded the horizons of quantum theory. However, it was John Bell's seminal work in 1964 that unequivocally underscored the profound implications of entanglement through Bell's inequality [11]. The visionary insights of Richard Feynman in 1982 ignited a fervor for quantum computation, setting the stage for a new era of exploration [28]. Concurrently, Peter Shor's pioneering work on quantum error correction in 1970 laid the foundation for practical quantum computing. The subsequent decades, particularly the 1980s and 1990s, witnessed a pivotal transition from theoretical abstraction to experimental realization. Breakthrough algorithms such as Deutsch-Josza [23] and Shor's algorithms [49] exemplified the quantum advantage over classical computation. Advances in

qubit manipulation and control, notably through platforms like trapped-ion and cavity Quantum Electrodynamics (QED) [16], heralded a paradigm shift towards tangible quantum technologies.

3.2 The detailed Timeline

This section presents a more detailed timeline of some key milestones in quantum information systems (QIS), incorporating advancements beyond the previous overview:

1935: EPR Paradox: Albert Einstein, Boris Podolsky, and Nathan Rosen publish a paper introducing the "EPR paradox" highlighting the counterintuitive aspects of quantum entanglement. This sparks further investigation into this crucial QIS concept [27].

1953: David Bohm's Formulation of Quantum Mechanics: David Bohm introduces his interpretation of quantum mechanics, offering an alternative view to the prevailing Copenhagen interpretation. This paves the way for deeper understanding of quantum phenomena [15].

1964: Bell's Inequality: John Bell publishes his famous inequality, which demonstrates that no local hidden variable theory can reproduce all the predictions of quantum mechanics, further solidifying the importance of entanglement [11].

1970: Quantum Error Correction: Peter Shor introduces the concept of quantum error correction, a crucial element for building robust quantum computers.

1982: Feynman Lectures on Quantum Computation: Richard Feynman delivers his influential lectures on the potential of quantum computation, igniting widespread interest in the field [28].

1985: Quantum Key Distribution (QKD): Charles Bennett and Gilles Brassard propose the idea of quantum key distribution, a provably secure communication protocol based on quantum mechanics [12].

1994: Shor's Algorithm: Peter Shor introduces his groundbreaking algorithm, demonstrating that quantum computers could efficiently break widely used public-key cryptography like RSA.

1996: Grover's Algorithm: Lov Grover presents his algorithm, showcasing the advantage of quantum computers for searching unsorted databases [30].

1998: DiVincenzo Criteria: David DiVincenzo proposes five criteria for a successful physical implementation of a quantum computer, providing a framework for evaluating potential technologies [24].

2000: Quantum Error Correction Experiment: Fault-tolerant quantum error correction is demonstrated for the first time in a laboratory setting using NMR (Nuclear Magnetic Resonance) [36].

2001: First Implementation of Shor's Algorithm: IBM and Stanford University achieve the first demonstration of Shor's algorithm by factoring 15 into its prime factors using a 7-qubit quantum computer [34].

2003: Teleportation of Entangled States: Successful teleportation of entangled states over long distances is achieved, paving the way for secure quantum communication networks [37].

2005: Topological Quantum Codes: Alexei Kitaev introduces the concept of topological quantum codes, offering a promising approach to fault-tolerant quantum computation [35].

2012: Universal Fault-Tolerant Gate Set: A universal set of quantum gates for fault-tolerant quantum computation is identified,




Figure 2: Timeline of QIS

demonstrating the theoretical possibility of performing any desired quantum operation with high fidelity [19].

2016: D-Wave Announces 1000-Qubit Quantum Computer: D-Wave unveils a 1000-qubit quantum computer, though its architecture is specialized for certain types of optimization problems rather than general-purpose quantum computation [1].

2019: Google's Sycamore Processor: Google announces its Sycamore quantum processor, achieving "quantum supremacy" for a specific task of sampling random quantum circuits [2].

2021: IBM unveils its 127-qubit quantum processor, named Eagle, marking a significant step towards scalable quantum computing [3].

2024: D-Wave Announces 1,200+ Qubit Quantum Computer: D-Wave Announces Availability of 1,200+ Qubit Advantage2™ Prototype in the Leap™ Quantum Cloud Service, Making its Most Performant System Available to Customers on February 12, 20204 [4].

4 Challenges and Opportunities in Quantum Information Systems

The remarkable journey of Quantum Information Systems (QIS) has been a testament to human ingenuity. From the early theoretical foundations laid in the 20th century, we have witnessed groundbreaking advancements in error correction, entanglement manipulation, and more. However, as we stand at the precipice of unlocking QIS's true potential, several exciting challenges and promising avenues beckon further exploration.

4.1 Ongoing Challenges

Error Correction: Qubits are inherently fragile, susceptible to noise and decoherence, which can cause them to lose their quantum state rapidly. This fragility necessitates the development of robust quantum error correction techniques to protect quantum information. Shor's introduction of quantum error correction in 1970 provided a theoretical solution. The 2000s witnessed experimental demonstrations of fault-tolerant error correction using NMR ([21])

and ongoing advancements in trapped-ion ([7]), superconducting ([29]), and re-configurable atom array experiments ([14]).

Scalability: Building large-scale quantum computers remains a challenge. While significant strides have been made in increasing the number of qubits in quantum systems, building large-scale, fault-tolerant quantum computers remains elusive. Current efforts focus on improving qubit coherence times and developing scalable quantum architectures. Technologies such as trapped ions and superconducting qubits show promise, but integrating a large number of qubits while maintaining low error rates is an ongoing challenge [29]. The race to increase qubit count is ongoing, with companies like D-Wave unveiling a 1200-qubit system in 2024, though its architecture is specialized for certain optimization problems rather than general-purpose quantum computation [4].

Entanglement Distribution and Teleportation: Entanglement, a crucial resource in QIS, needs to be manipulated and distributed efficiently. Successful teleportation of entangled states over long distances was achieved in 2003 ([39]), paving the way for secure quantum communication networks. Current research explores satellite-based networks for entanglement distribution ([18]).

Additionally, there is a pressing need for advanced quantum algorithms that can leverage the unique capabilities of quantum computers. While landmark algorithms like Shor's for factoring and Grover's for database search have demonstrated quantum advantage, the development of new algorithms that can solve a broader range of practical problems is essential. This includes algorithms for quantum simulation, optimization, and machine learning, which could revolutionize fields like chemistry, materials science, and artificial intelligence [30, 44].

4.2 Opportunities

While challenges persist, the future of QIS brims with possibilities.

Topological Materials: Topological materials offer a revolutionary approach to building fault-tolerant quantum chips. These materials possess unique properties that inherently protect qubits from errors

([35]). Recent progress in creating and manipulating these materials for quantum computation signifies a potentially transformative path forward ([54]).

Turning Noise into Advantage: Traditionally, noise has been considered the bane of quantum systems. However, a paradigm shift is emerging. Recent research explores the possibility of utilizing controlled noise to improve quantum control and performance ([55]). This counterintuitive approach could streamline quantum algorithms and enhance their efficiency.

Quantum Machine Learning: The marriage of quantum computation's power with machine learning algorithms holds immense potential for various fields. Researchers are actively developing quantum machine learning algorithms that could outperform classical counterparts in tasks like drug discovery and materials science ([43]). This synergy could lead to groundbreaking advancements across diverse disciplines.

Quantum Communication and Distributed Computing: Building secure and scalable quantum communication networks is crucial for harnessing the true power of QIS. Satellite-based networks combined with theoretical frameworks like "virtual quantum broadcasting" offer exciting possibilities for revolutionizing communication and distributed quantum computing ([31, 53]).

5 Taxonomy of Quantum Information Systems (QIS)

The field of Quantum Information Systems (QIS) encompasses a broad range of concepts, theories, and findings. To provide a systematic framework for understanding these diverse elements, we present a taxonomy that categorizes the key areas of QIS.

5.1 Fundamental Concepts

- **Quantum Mechanics Principles:** Superposition, entanglement, and decoherence.
- **Qubits:** The basic units of quantum information, capable of representing 0 and 1 simultaneously.

5.2 Theoretical Foundations

- **Quantum Algorithms:**
 - **Shor's Algorithm:** For integer factorization, demonstrating quantum speedup.
 - **Grover's Algorithm:** For unsorted database search, providing quadratic speedup.
 - **Deutsch-Jozsa Algorithm:** Early demonstration of quantum parallelism.
- **Quantum Error Correction:** Techniques to protect quantum information from errors.
- **Quantum Gate Theories:** The foundation of quantum circuits and computation.

5.3 Experimental Achievements

- **Quantum Teleportation:** Transfer of quantum states over distances.
- **Fault-Tolerant Quantum Computation:** Implementation of error correction in physical systems.

- **Quantum Supremacy:** Demonstration of a quantum processor performing a task beyond classical capabilities.

5.4 Quantum Computing Platforms

- **Trapped Ions:** Using ions trapped in electromagnetic fields for qubits.
- **Superconducting Qubits:** Utilizing superconducting circuits for quantum operations.
- **Topological Qubits:** Leveraging topological states of matter to protect quantum information.

5.5 Quantum Communication

- **Quantum Key Distribution (QKD):** Secure communication using quantum principles.
- **Entanglement Distribution:** Methods to distribute entangled states over long distances.

5.6 Applications of QIS

- **Pharmaceuticals:** Accelerating drug discovery through molecular simulations.
- **Financial Services:** Enhancing optimization and risk management.
- **Climate Modeling:** Improving predictions of complex climate systems.
- **Energy:** Optimizing power grids and improving energy storage.
- **Healthcare:** Advancing medical imaging and personalized medicine.
- **Defense:** Strengthening cryptographic systems and secure communication.
- **Manufacturing:** Enhancing optimization processes in production.

6 Conclusion

The field of QIS stands at a pivotal juncture. By addressing the existing challenges and embracing the promising directions, we pave the way for a quantum leap in information processing. As research continues to push the boundaries, QIS holds the potential to revolutionize numerous fields, from cryptography and materials science to medicine and artificial intelligence. This transformative technology has the power to reshape our understanding of information and usher in a new era of scientific and technological advancement.

Acknowledgments

ChatGPT and Grammarly were used for improving the structure and refining language. The use of AI tools was limited to enhancing clarity and coherence, and no content was directly copied or generated by these tools.

References

- [1] 2015. D-Wave Systems Announces Availability of 1000-Qubit D-Wave 2X Quantum Computer. <https://www.bctechology.com/news/2015/8/21/D-Wave-Systems-Announces-Availability-of-1000-Qubit-D-Wave-2X-Quantum-Computer.cfm>
- [2] 2019. Google Claims Quantum Computing Achievement; IBM Says Not So Fast. <https://www.pcmag.com/news/google-claims-quantum-computing-achievement-ibm-says-not-so-fast>

- [3] 2021. IBM Unveils Breakthrough 127-Qubit Quantum Processor. <https://newsroom.ibm.com/2021-11-16-IBM-Unveils-Breakthrough-127-Qubit-Quantum-Processor>
- [4] 2024. D-Wave Announces Availability of 1,200-Qubit Advantage2 Prototype. <https://www.dwavesys.com/company/newsroom/press-release/d-wave-announces-availability-of-1-200-qubit-advantage2-prototype/>
- [5] Akshay Ajagekar and Fengqi You. 2019. Quantum computing for energy systems optimization: Challenges and opportunities. *Energy* 179 (2019), 76–89. <https://doi.org/10.1016/j.energy.2019.04.186>
- [6] Ehud Altman, Kenneth R Brown, Giuseppe Carleo, Lincoln D Carr, Eugene Demler, Cheng Chin, Brian DeMarco, Sophia E Economou, Mark A Eriksson, Kai-Mei C Fu, et al. 2021. Quantum simulators: Architectures and opportunities. *PRX quantum* 2, 1 (2021), 017003.
- [7] David Awschalom, Karl K Berggren, Hannes Bernien, Sunil Bhave, Lincoln D Carr, Paul Davids, Sophia E Economou, Dirk Englund, Andrei Faraon, Martin Fejer, et al. 2021. Development of quantum interconnects (quics) for next-generation information technologies. *PRX Quantum* 2, 1 (2021), 017002.
- [8] Francesco Basso Basset, Mauro Valeri, Emanuele Rocca, Valerio Muredda, Davide Poderini, Julia Neuwirth, Nicolò Spagnolo, Michele B Rota, Gonzalo Carvacho, Fabio Sciarrino, et al. 2021. Quantum key distribution with entangled photons generated on demand by a quantum dot. *Science advances* 7, 12 (2021), eabe6379.
- [9] Bela Bauer, Sergey Bravyi, Mario Motta, and Garnet Kin-Lic Chan. 2020. Quantum algorithms for quantum chemistry and quantum materials science. *Chemical Reviews* 120, 22 (2020), 12685–12717.
- [10] Bela Bauer, Sergey Bravyi, Mario Motta, and Garnet Kin-Lic Chan. 2020. Quantum algorithms for quantum chemistry and quantum materials science. *Chemical Reviews* 120, 22 (2020), 12685–12717.
- [11] John S Bell. 1964. On the einstein podolsky rosen paradox. *Physics Physique Fizika* 1, 3 (1964), 195.
- [12] Charles H Bennett and Gilles Brassard. 2014. Quantum cryptography: Public key distribution and coin tossing. *Theoretical computer science* 560 (2014), 7–11.
- [13] Casey Berger, Agustin Di Paolo, Tracey Forrest, Stuart Hadfield, Nicolas Sawaya, Michał Stechly, and Karl Thibault. 2021. Quantum technologies for climate change: Preliminary assessment. arXiv:quant-ph/2107.05362 <https://arxiv.org/abs/2107.05362>
- [14] Dolev Bluvstein, Simon J Evered, Alexandra A Geim, Sophie H Li, Hengyun Zhou, Tom Manovitz, Sepehr Ebadi, Madelyn Cain, Marcin Kalinowski, Dominik Hangleiter, et al. 2024. Logical quantum processor based on reconfigurable atom arrays. *Nature* 626, 7997 (2024), 58–65.
- [15] David Bohm. 1952. A suggested interpretation of the quantum theory in terms of "hidden" variables. I. *Physical review* 85, 2 (1952), 166.
- [16] V Bužek, G Drobny, MS Kim, G Adam, and PL Knight. 1997. Cavity QED with cold trapped ions. *Physical Review A* 56, 3 (1997), 2352.
- [17] Hans Hon Sang Chan, Richard Meister, Tyson Jones, David P Tew, and Simon C Benjamin. 2023. Grid-based methods for chemistry simulations on a quantum computer. *Science Advances* 9, 9 (2023), eabo7484.
- [18] Alena Chang, Yinxin Wan, Guoliang Xue, and Arunabha Sen. 2023. Entanglement Distribution in Satellite-based Dynamic Quantum Networks. *IEEE Network* (2023).
- [19] Jerry M Chow, Jay M Gambetta, Antonio D Corcoles, Seth T Merkel, John A Smolin, Chad Rigetti, Stefano Poletto, George A Keefe, Mary B Rothwell, John R Rozen, et al. 2012. Universal quantum gate set approaching fault-tolerant thresholds with superconducting qubits. *Physical review letters* 109, 6 (2012), 060501.
- [20] Antonio D Corcoles, Abhinav Kandala, Ali Javadi-Abhari, Douglas T McClure, Andrew W Cross, Kristan Temme, Paul D Nation, Matthias Steffen, and Jay M Gambetta. 2019. Challenges and opportunities of near-term quantum computing systems. *Proc. IEEE* 108, 8 (2019), 1338–1352.
- [21] David G Cory, Mark D Price, and Timothy F Havel. 1998. Nuclear magnetic resonance spectroscopy: An experimentally accessible paradigm for quantum computing. *Physica D: Nonlinear Phenomena* 120, 1-2 (1998), 82–101.
- [22] Nathalie P De Leon, Kohei M Itoh, Dohun Kim, Karan K Mehta, Tracy E Northup, Hanhee Paik, BS Palmer, Nitin Samarth, Sorawis Sangtawesin, and David W Steuerman. 2021. Materials challenges and opportunities for quantum computing hardware. *Science* 372, 6539 (2021), eabb2823.
- [23] David Deutsch and Richard Jozsa. 1992. Rapid solution of problems by quantum computation. *Proceedings of the Royal Society of London. Series A: Mathematical and Physical Sciences* 439, 1907 (1992), 553–558.
- [24] David P DiVincenzo. 2000. The physical implementation of quantum computation. *Fortschritte der Physik: Progress of Physics* 48, 9-11 (2000), 771–783.
- [25] Frank J Duarte. 2022. *Fundamentals of quantum entanglement*. IOP Publishing.
- [26] Chuck Easttom. 2022. Quantum computing and cryptography. In *Modern Cryptography: Applied Mathematics for Encryption and Information Security*. Springer, 397–407.
- [27] A. Einstein, B. Podolsky, and N. Rosen. 1935. Can Quantum-Mechanical Description of Physical Reality Be Considered Complete? *Phys. Rev.* 47 (May 1935), 777–780. Issue 10. <https://doi.org/10.1103/PhysRev.47.777>
- [28] Richard P. Feynman. 1982. Simulating physics with computers. *International Journal of Theoretical Physics* 21, 6 (1982), 467–488. <https://doi.org/10.1007/BF02650179>
- [29] Austin G Fowler, Matteo Mariantoni, John M Martinis, and Andrew N Cleland. 2012. Surface codes: Towards practical large-scale quantum computation. *Physical Review A* 86, 3 (2012), 032324.
- [30] Lov K Grover. 1996. A fast quantum mechanical algorithm for database search. In *Proceedings of the twenty-eighth annual ACM symposium on Theory of computing*. 212–219.
- [31] Syed Rakib Hasan, Mostafa Zaman Chowdhury, Md Saïam, and Yeong Min Jang. 2023. Quantum communication systems: vision, protocols, applications, and challenges. *IEEE Access* (2023).
- [32] Masahito Hayashi, Satoshi Ishizaka, Akinori Kawachi, Gen Kimura, and Tomohiro Ogawa. 2014. *Introduction to quantum information science*. Springer.
- [33] Werner Heisenberg. 1949. *The physical principles of the quantum theory*. Courier Corporation.
- [34] IBM Research Division. 2001. IBM's Test-Tube Quantum Computer Makes History; First Demonstration Of Shor's Historic Factoring Algorithm. *ScienceDaily* (December 20 2001). www.sciencedaily.com/releases/2001/12/011220081620.htm
- [35] Alexei Kitaev. 2002. Topological quantum codes and anyons. In *Proceedings of Symposia in Applied Mathematics*, Vol. 58. 267–272.
- [36] Emanuel Knill, Raymond Laflamme, and Gerald J Milburn. 2001. A scheme for efficient quantum computation with linear optics. *nature* 409, 6816 (2001), 46–52.
- [37] Shang-Bin Li and Jing-Bo Xu. 2003. Quantum probabilistic teleportation via entangled coherent states. *Physics Letters A* 309, 5-6 (2003), 321–328.
- [38] Surya Teja Marella and Hemanth Sai Kumar Parisa. 2020. Introduction to quantum computing. *Quantum Computing and Communications* (2020).
- [39] William Marshall, Christoph Simon, Roger Penrose, and Dik Bouwmeester. 2003. Towards quantum superpositions of a mirror. *Physical Review Letters* 91, 13 (2003), 130401.
- [40] Manan Mehta, Jason D'souza, Mahek Karia, Vedant Kadam, Mihir Lad, and S Shanthi Therese. 2023. From Classical to Quantum: Evolution of Information Retrieval Systems. In *International Conference on Trends in Sustainable Computing and Machine Intelligence*. Springer, 299–312.
- [41] Ali Ibnun Nurbadi and Nana Rachmana Syambas. 2018. Quantum key distribution (QKD) protocols: A survey. In *2018 4th International Conference on Wireless and Teleomatics (ICWT)*. IEEE, 1–5.
- [42] Román Orús, Samuel Mugel, and Enrique Lizaso. 2019. Quantum computing for finance: Overview and prospects. *Reviews in Physics* 4 (2019), 100028.
- [43] David Peral-García, Juan Cruz-Benito, and Francisco José García-Peñalvo. 2024. Systematic literature review: Quantum machine learning and its applications. *Computer Science Review* 51 (2024), 100619.
- [44] Alejandro Perdomo-Ortiz, Marcello Benedetti, John Realpe-Gómez, and Rupak Biswas. 2018. Opportunities and challenges for quantum-assisted machine learning in near-term quantum computers. *Quantum Science and Technology* 3, 3 (2018), 030502.
- [45] Somayeh Bakhtiari Ramezani, Alexander Sommers, Harish Kumar Manchukonda, Shahram Rahimi, and Amin Amirlatifi. 2020. Machine learning algorithms in quantum computing: A survey. In *2020 International joint conference on neural networks (IJCNN)*. IEEE, 1–8.
- [46] Erwin Schrödinger. 1935. The present status of quantum mechanics. *Die Naturwissenschaften* 23, 48 (1935), 1–26.
- [47] Tawseef Ayoub Shaikh and Rashid Ali. 2016. Quantum computing in big data analytics: A survey. In *2016 IEEE international conference on computer and information technology (CIT)*. IEEE, 112–115.
- [48] P.W. Shor. 1994. Algorithms for quantum computation: discrete logarithms and factoring. In *Proceedings 35th Annual Symposium on Foundations of Computer Science*. 124–134. <https://doi.org/10.1109/SFCS.1994.365700>
- [49] Peter W Shor. 1995. Scheme for reducing decoherence in quantum computer memory. *Physical review A* 52, 4 (1995), R2493.
- [50] Anders Tipsmark, Ruifang Dong, Amine Laghaout, Petr Marek, Miroslav Ježek, and Ulrik L Andersen. 2011. Experimental demonstration of a Hadamard gate for coherent state qubits. *Physical Review A* 84, 5 (2011), 050301.
- [51] Ubaid Ullah and Begonya Garcia-Zapirain. 2024. Quantum Machine Learning Revolution in Healthcare: A Systematic Review of Emerging Perspectives and Applications. *IEEE Access* 12 (2024), 11423–11450. <https://doi.org/10.1109/ACCESS.2024.3353461>
- [52] Tim van Erp and Bartłomiej Gładysz. 2022. Quantum technologies in manufacturing systems: perspectives for application and sustainable development. *Procedia CIRP* 107 (2022), 1120–1125.
- [53] Zebo Yang, Maede Zolanvari, and Raj Jain. 2023. A survey of important issues in quantum computing and communications. *IEEE Communications Surveys & Tutorials* (2023).
- [54] Zisheng Ye, Xiaoping Qian, and Wenxiao Pan. 2023. Quantum topology optimization via quantum annealing. *IEEE Transactions on Quantum Engineering* (2023).
- [55] Zeyuan Zhou, Ryan Sitler, Yasuo Oda, Kevin Schultz, and Gregory Quiroz. 2023. Quantum crosstalk robust quantum control. *Physical Review Letters* 131, 21 (2023), 210802.