

Solution

Section 2.1– Angles

Exercise

Indicate the angle if it is an acute or obtuse. Then give the complement and the supplement of each angle.

- a) 10° b) 52° c) 90° d) 120° e) 150°

Solution

- a) Acute;
Complement is $90^\circ - 10^\circ = 80^\circ$;
Supplement is $180^\circ - 10^\circ = 170^\circ$.
- b) Acute;
Complement is $90^\circ - 52^\circ = 38^\circ$;
Supplement is $180^\circ - 52^\circ = 128^\circ$.
- c) Neither (*right angle*);
Complement is $90^\circ - 90^\circ = 0^\circ$;
Supplement is $180^\circ - 90^\circ = 90^\circ$.
- d) Obtuse;
Complement is $90^\circ - 120^\circ = -30^\circ$;
Supplement is $180^\circ - 120^\circ = 60^\circ$.
- e) Obtuse;
Complement is $90^\circ - 150^\circ = -60^\circ$;
Supplement is $180^\circ - 150^\circ = 30^\circ$.

Exercise

Change to decimal degrees

- a) $10^\circ 45'$ c) $274^\circ 18' 59''$ e) $98^\circ 22' 45''$ g) $1^\circ 2' 3''$
b) $34^\circ 51' 35''$ d) $74^\circ 8' 14''$ f) $9^\circ 9' 9''$ h) $73^\circ 40' 40''$

Solution

- a) $10^\circ 45' = 10^\circ + 45'$
 $= 10^\circ + 45' \cdot \frac{1^\circ}{60'}$
 $= 10^\circ + 0.75^\circ$
 $= \underline{10.75^\circ}$
- b) $34^\circ 51' 35'' = 34^\circ + 51' + 35''$
 $= 34^\circ + 51' \cdot \frac{1^\circ}{60'} + 35'' \cdot \frac{1^\circ}{3600''}$
 $= 34^\circ + 0.85^\circ + 0.00972^\circ$

$$= 34.85972^\circ]$$

$$\begin{aligned} c) \quad 274^\circ 18' 59'' &= 274^\circ + 18' + 59'' \\ &= 274^\circ + 18' \cdot \frac{1^\circ}{60'} + 59'' \cdot \frac{1^\circ}{3600''} \\ &= 274^\circ + 0.3^\circ + 0.016389^\circ \\ &= 274.316389^\circ] \end{aligned}$$

$$\begin{aligned} d) \quad 74^\circ 8' 14'' &= 74^\circ + \frac{8'}{60} + \frac{14''}{3600} \\ &= 74^\circ + 0.1333^\circ + 0.0039^\circ \\ &= 74.137^\circ] \end{aligned}$$

$$\begin{aligned} e) \quad 98^\circ 22' 45'' &= 98^\circ + 22' + 45'' \\ &= 98^\circ + 22' \cdot \frac{1^\circ}{60'} + 45'' \cdot \frac{1^\circ}{3600''} \\ &= 98^\circ + 0.36667^\circ + 0.0125^\circ \\ &= 98.37917^\circ] \end{aligned}$$

$$\begin{aligned} f) \quad 9^\circ 9' 9'' &= 9^\circ + 9' + 9'' \\ &= 9^\circ + 9' \cdot \frac{1^\circ}{60'} + 9'' \cdot \frac{1^\circ}{3600''} \\ &= 9^\circ + 0.15^\circ + 0.0025^\circ \\ &= 9.1525^\circ] \end{aligned}$$

$$\begin{aligned} g) \quad 1^\circ 2' 3'' &= 1^\circ + 2' + 3'' \\ &= 1^\circ + 2' \cdot \frac{1^\circ}{60'} + 3'' \cdot \frac{1^\circ}{3600''} \\ &= 1^\circ + 0.03333^\circ + 0.000833^\circ \\ &= 1.034163^\circ] \end{aligned}$$

$$\begin{aligned} h) \quad 73^\circ 40' 40'' &= 73^\circ + 40' + 40'' \\ &= 73^\circ + 40' \cdot \frac{1^\circ}{60'} + 40'' \cdot \frac{1^\circ}{3600''} \\ &= 73^\circ + 0.66667^\circ + 0.0111^\circ \\ &= 73.67778^\circ] \end{aligned}$$

Exercise

Convert to degrees, minutes, and seconds.

a) 89.9004°

c) 122.6853°

e) 44.01°

g) 29.411°

b) 34.817°

d) 178.5994°

f) 19.99°

h) 18.255°

Solution

$$\begin{aligned} \text{a)} \quad 89.9004^\circ &= 89^\circ + 0.9004^\circ \\ &= 89^\circ + 0.9004^\circ \cdot (60') \\ &= 89^\circ \quad 54.024' \\ &= 89^\circ \quad 54' + 0.024' \\ &= 89^\circ \quad 54' \quad 0.024' \cdot (60'') \\ &= 89^\circ \quad 54' \quad 1.44'' \end{aligned}$$

$$\begin{aligned} \text{b)} \quad 34.817^\circ &= 34^\circ + 0.817^\circ \\ &= 34^\circ + 0.817^\circ (60') \\ &= 34^\circ + 49.02' \\ &= 34^\circ + 49' + .02 (60'') \\ &= 34^\circ + 49' + 1.2'' \\ &= 34^\circ \quad 49' \quad 1.2'' \end{aligned}$$

$$\begin{aligned} \text{c)} \quad 122.6853^\circ &= 122^\circ + .6853^\circ \\ &= 122^\circ + \quad 0.6853^\circ \cdot (60') \\ &= 122^\circ \quad 41.118' \\ &= 122^\circ \quad 41' + 0.118' \\ &= 122^\circ \quad 41' \quad 0.118^\circ \cdot (60'') \\ &= 122^\circ \quad 41' \quad 7.1'' \end{aligned}$$

$$\begin{aligned} \text{d)} \quad 178.5994^\circ &= 178^\circ + .5994^\circ \\ &= 178^\circ + \quad .5994^\circ \cdot (60') \\ &= 178^\circ \quad 35.964' \\ &= 178^\circ \quad 35' + .964' \\ &= 178^\circ \quad 35' \quad 0.964^\circ \cdot (60'') \\ &= 178^\circ \quad 35' \quad 57.84'' \end{aligned}$$

$$\begin{aligned} \text{e)} \quad 44.01^\circ &= 44^\circ + .01^\circ \\ &= 44^\circ + \quad .01^\circ \cdot (60') \\ &= 44^\circ \quad 0.6' \\ &= 44^\circ \quad 0.6^\circ \cdot (60'') \\ &= 44^\circ \quad 36'' \end{aligned}$$

$$\begin{aligned} \text{f)} \quad 19.99^\circ &= 19^\circ + .99^\circ \\ &= 19^\circ + \quad .99^\circ \cdot (60') \\ &= 19^\circ \quad 59.4' \\ &= 19^\circ \quad 59' + 0.4' \\ &= 19^\circ \quad 59' \quad 0.4^\circ \cdot (60'') \\ &= 19^\circ \quad 59' \quad 24'' \end{aligned}$$

$$\begin{aligned} \text{g)} \quad 29.411^\circ &= 29^\circ + 0.411^\circ \\ &= 29^\circ + \quad 0.411^\circ \cdot (60') \\ &= 29^\circ \quad 24.66' \\ &= 29^\circ \quad 24' + 0.66' \\ &= 29^\circ \quad 24' \quad 0.66^\circ \cdot (60'') \\ &= 29^\circ \quad 24' \quad 39.6'' \end{aligned}$$

$$\begin{aligned} \text{h)} \quad 18.255^\circ &= 18^\circ + 0.255^\circ \\ &= 18^\circ + \quad 0.255^\circ \cdot (60') \\ &= 18^\circ \quad 15.3' \\ &= 18^\circ \quad 15' + 0.3' \\ &= 18^\circ \quad 15' \quad 0.3^\circ \cdot (60'') \\ &= 18^\circ \quad 15' \quad 18'' \end{aligned}$$

Exercise

Perform each calculation

a) $51^\circ 29' + 32^\circ 46'$ b) $90^\circ - 73^\circ 12'$ c) $90^\circ - 36^\circ 18' 47''$ d) $75^\circ 15' + 83^\circ 32'$

Solution

a) $51^\circ 29' + 32^\circ 46'$

$$\begin{array}{r} 51^\circ \ 29' \\ + 32^\circ \ 46' \\ \hline 83^\circ \ 75' \end{array}$$

$$83^\circ \ 75' = 1^\circ 15' \quad \boxed{84^\circ \ 15'}$$

b) $90^\circ - 73^\circ 12'$

$$\begin{array}{r} 89^\circ \ 60' \\ - 73^\circ \ 12' \\ \hline 16^\circ \ 48' \end{array}$$

c) $90^\circ - 36^\circ 18' 47''$

$$\begin{array}{r} 90^\circ \\ - 36^\circ \ 18' \ 47'' \\ \hline \end{array} \Rightarrow \begin{array}{r} 89^\circ \ 59' \ 60'' \\ - 36^\circ \ 18' \ 47'' \\ \hline 53^\circ \ 41' \ 13'' \end{array}$$

d) $75^\circ 15' + 83^\circ 32'$

$$\begin{array}{r} 75^\circ \ 15' \\ + 83^\circ \ 32' \\ \hline 158^\circ \ 47' \end{array}$$

Exercise

Find the angle of least possible positive measure coterminal with an angle of

a) -75° b) -800° c) 270°

Solution

a) $360^\circ - 75^\circ = \underline{285^\circ}$ |

b) $3(360^\circ) - 800^\circ = \underline{280^\circ}$ |

c) $360^\circ + 270^\circ = \underline{630^\circ}$ |

Exercise

A vertical rise of the Forest Double chair lift 1,170 *feet* and the length of the chair lift as 5,570 *feet*. To the nearest foot, find the horizontal distance covered by a person riding this lift.


Solution

$$x^2 + 1170^2 = 5570^2$$

$$x^2 = 5570^2 - 1170^2$$

$$x = \sqrt{5570^2 - 1170^2}$$

$$\underline{x = 5,445.73 \text{ ft}}$$



Exercise

A tire is rotating 600 times per minute. Through how many degrees does a point of the edge of the tire move in $\frac{1}{2}$ second?

Solution

$$\frac{1}{2} 600 \frac{\text{rev}}{\text{min}} \cdot \frac{1 \text{ min}}{60 \text{ sec}} \cdot \frac{360^\circ}{1 \text{ rev}} = \underline{1800 \text{ deg / sec}}$$

Exercise

A windmill makes 90 *revolutions per minute*. How many revolutions does it make per *second*?

Solution

$$90 \frac{\text{rev}}{\text{min}} \cdot \frac{1 \text{ min}}{60 \text{ sec}} = \underline{1.5 \text{ rev / sec}}$$

Exercise

Convert to radians

- a) $256^\circ 20'$ b) -78.4° c) 330° d) -60° e) -225°

Solution

$$\begin{aligned} \text{a) } 256^\circ 20' &= 256^\circ + \frac{20^\circ}{60} \\ &= 256^\circ + \frac{2^\circ}{6} \\ &= \frac{1538^\circ}{6} = \left(\frac{769}{3} \right)^\circ \end{aligned}$$

$$\frac{769^\circ}{3} \cdot \frac{\pi}{180^\circ} = \underline{\frac{769\pi}{540} \text{ rad}} \approx \underline{4.47 \text{ rad}}$$

$$b) \quad -78.4^\circ = -78.4^\circ \left(\frac{\pi}{180^\circ} \right) rad$$

$$\approx -1.37 \text{ rad} \quad |$$

$$c) \quad 330^\circ = 330^\circ \left(\frac{\pi}{180^\circ} \right) rad$$

$$= \frac{11\pi}{6} \text{ rad} \quad |$$

$$d) \quad -60^\circ = -60^\circ \left(\frac{\pi}{180^\circ} \right) rad$$

$$= -\frac{\pi}{3} \text{ rad} \quad |$$

$$e) \quad -225^\circ = -225^\circ \left(\frac{\pi}{180^\circ} \right) rad$$

$$= -\frac{5\pi}{4} \text{ rad} \quad |$$

Exercise

Convert to degrees

$$a) \quad \frac{11\pi}{6}$$

$$c) \quad \frac{\pi}{6}$$

$$e) \quad \frac{\pi}{3}$$

$$g) \quad -4\pi$$

$$b) \quad -\frac{5\pi}{3}$$

$$d) \quad 2.4$$

$$f) \quad -\frac{5\pi}{12}$$

$$h) \quad \frac{7\pi}{13}$$

Solution

$$a) \quad \frac{11\pi}{6} \text{ (rad)} = \frac{11\pi}{6} \cdot \frac{180^\circ}{\pi}$$

$$= 330^\circ \quad |$$

$$b) \quad -\frac{5\pi}{3} \text{ (rad)} = -\frac{5\pi}{3} \cdot \frac{180^\circ}{\pi}$$

$$= -300^\circ \quad |$$

$$c) \quad \frac{\pi}{6} \text{ (rad)} = \frac{\pi}{6} \left(\frac{180}{\pi} \right)^\circ$$

$$= 30^\circ \quad |$$

$$d) \quad 2.4 \text{ rad} = 2.4 \cdot \frac{180^\circ}{\pi}$$

$$= \frac{432^\circ}{\pi}$$

$$\approx 137.5^\circ \quad |$$

$$e) \quad \frac{\pi}{3} \text{ (rad)} = \frac{\pi}{3} \left(\frac{180}{\pi} \right)^\circ$$

$$\boxed{= 60^\circ}$$

$$f) \quad -\frac{5\pi}{12}(\text{rad}) = -\frac{5\pi}{12}\left(\frac{180}{\pi}\right)^\circ$$

$$\boxed{= -75^\circ}$$

$$g) \quad -4\pi(\text{rad}) = -4\pi\left(\frac{180}{\pi}\right)^\circ$$

$$\boxed{= -720^\circ}$$

$$h) \quad \frac{7\pi}{13}(\text{rad}) = \frac{7\pi}{13}\left(\frac{180}{\pi}\right)^\circ$$

$$\boxed{\approx 96.923^\circ}$$

Exercise

The minute hand of a clock is 1.2 *cm* long. How far does the tip of the minute hand travel in 40 *minutes*?

Solution

$$40 \text{ min} = 40 \text{ min} \frac{2\pi \text{ rad}}{60 \text{ min}}$$

$$= \frac{4\pi}{3} \text{ rad.}$$

$$s = (1.2) \frac{4\pi}{3}$$

$$= \frac{(12)(4)\pi}{30}$$

$$\boxed{\approx \frac{8\pi}{5} \text{ cm}}$$

$$s = r\theta$$

Exercise

Find the radian measure if angle θ , if θ is a central angle in a circle of radius $r = 4$ *inches*, and θ cuts off an arc of length $s = 12\pi$ *inches*.

Solution

$$\theta = \frac{12\pi}{4}$$

$$\boxed{= 3\pi \text{ rad}}$$

$$\theta = \frac{s}{r}$$

Exercise

Give the length of the arc cut off by a central angle of 2 *radians* in a circle of radius 4.3 *inches*

Solution

Given: $\theta = 2 \text{ rad}$, $r = 4.3 \text{ in}$

$$\begin{aligned} s &= 4.3(2) & s &= r\theta \\ &= 8.6 \text{ in} \end{aligned}$$

Exercise

A space shuttle 200 *miles* above the earth is orbiting the earth once every 6 *hours*. How long, in hours, does it take the space shuttle to travel 8,400 *miles*? (Assume the radius of the earth is 4,000 *miles*.) Give both the exact value and an approximate value for your answer.


Solution

$$\begin{aligned} \theta &= \frac{8400}{4200} \\ &= 2 \text{ rad} \end{aligned}$$

$$\theta = \frac{s}{r}$$

$$\frac{2 \text{ rad}}{2\pi \text{ rad}} = \frac{x \text{ hr}}{6 \text{ hr}}$$

$$\begin{aligned} x &= \frac{2(6)}{2\pi} \\ &= \frac{6}{\pi} \text{ hrs} \\ &\approx 1.91 \text{ hrs} \end{aligned}$$



Exercise

The pendulum on a grandfather clock swings from side to side once every second. If the length of the pendulum is 4 *feet* and the angle through which it swings is 20° . Find the total distance traveled in 1 *minute* by the tip of the pendulum on the grandfather clock.

Solution

$$\begin{aligned} \text{Since } 20^\circ &= 20 \cdot \frac{\pi}{180} \\ &= \frac{\pi}{9} \text{ rad} \end{aligned}$$

The length of the pendulum swings in 1 second:

$$\begin{aligned} s &= r\theta = 4 \cdot \frac{\pi}{9} \\ &= \frac{4\pi}{9} \text{ ft} \end{aligned}$$

In 60 seconds, the total distance traveled

$$d = 60 \cdot \frac{4\pi}{9}$$

$$= \frac{80\pi}{3} \text{ feet} \quad \approx 83.8 \text{ feet}$$

Exercise

Reno, Nevada is due north of Los Angeles. The latitude of Reno is 40° , while that of Los Angeles is 34° N. The radius of Earth is about 4000 *mi*. Find the north-south distance between the two cities.

Solution


The central angle between two cities: $40^\circ - 34^\circ = 6^\circ$

$$6^\circ = 6 \left(\frac{\pi}{180} \right)$$

$$= \frac{\pi}{30} \text{ rad}$$

$$s = 4000 \frac{\pi}{30} \quad s = r\theta$$

$$= \frac{400\pi}{3} \text{ miles} \quad \approx 419 \text{ miles}$$



Exercise

The first cable railway to make use of the figure-eight drive system was a Sutter Street Railway. Each drive sheave was 12 *feet* in diameter. Find the length of cable riding on one of the drive sheaves.

Solution

$$\text{Since } 270^\circ = 270 \cdot \frac{\pi}{180}$$


$$= \frac{3\pi}{2} \text{ rad}$$

The length of the cable riding on one of the drive sheaves is:

$$s = 6 \cdot \frac{3\pi}{2} \quad s = r\theta$$

$$= 9\pi \text{ feet}$$

$$\approx 28.3 \text{ feet}$$



Exercise

The diameter of a model of George Ferris's Ferris wheel is 250 feet, and θ is the central angle formed as a rider travels from his or her initial position P_0 to position P_1 . Find the distance traveled by the rider if $\theta = 45^\circ$ and if $\theta = 105^\circ$.


Solution

$$r = \frac{D}{2} = \frac{250}{2} = 125 \text{ ft}$$

$$\text{For } \theta = 45^\circ = \frac{\pi}{4}$$

$$\begin{aligned} s &= 125 \left(\frac{\pi}{4} \right) \\ &= \frac{125\pi}{4} \text{ feet} \\ &\approx 98 \text{ ft} \end{aligned}$$

$$s = r\theta$$



$$\text{For } \theta = 105^\circ$$

$$\begin{aligned} &= 105 \frac{\pi}{180} \\ &= \frac{7\pi}{12} \end{aligned}$$

$$\begin{aligned} s &= 125 \frac{7\pi}{12} \\ &= \frac{875\pi}{12} \text{ feet} \\ &\approx 230 \text{ ft} \end{aligned}$$

Exercise

Two gears are adjusted so that the smaller gear drives the larger one. If the smaller gear rotates through an angle of 225° , through how many degrees will the larger gear rotate?

Solution

$$s = r_1 \theta_1 = r_2 \theta_2$$


$$2.5(225^\circ) = 4.8\theta_2$$

$$\theta_2 = \frac{2.5(225^\circ)}{4.8}$$

$$= \frac{25(225^\circ)}{48}$$

$$= \left(\frac{5,625}{48} \right)^\circ$$

$$= 117.1875^\circ$$



Exercise

If a central angle with its vertex at the center of the earth has a measure of $1'$, then the arc on the surface of the earth that is cut off by this angle (known as the great circle distance) has a measure of 1 *nautical mile*.

Solution

$$\theta = 1'$$

$$= \frac{1}{60}^{\circ}$$

$$= \frac{1}{60} \cdot \frac{\pi}{180}$$


$$= \frac{\pi}{10800} \text{ rad}$$

$$\frac{\pi}{10800} = \frac{s}{4000}$$

$$s = \frac{4000}{10800} \pi$$

$$= \frac{10\pi}{27} \text{ miles} \quad \approx 1.16 \text{ mi}$$

$$\theta = \frac{s}{r}$$



Exercise

If two ships are 20 *nautical miles* apart on the ocean, how many statute miles apart are they?

Solution

$$\theta = 20'$$

$$= \frac{20}{60}^{\circ}$$

$$= \frac{1}{3}^{\circ}$$

$$= \frac{1}{3} \cdot \frac{\pi}{180}$$

$$= \frac{\pi}{540} \text{ rad}$$

$$\frac{\pi}{540} = \frac{s}{4000}$$

$$s = \frac{4000\pi}{540}$$

$$= \frac{200\pi}{27} \text{ miles}$$

$$s \approx 23.27 \text{ mi}$$

$$\theta = \frac{s}{r}$$

Exercise

Two gears are adjusted so that the smaller gear drives the larger one. If the smaller gear rotates through an angle of 300° , through how many degrees will the larger rotate?


Solution

Both gears travel the same arc distance (s), therefore:

$$s = r_1 \theta_1 = r_2 \theta_2$$

$$3.7(300^\circ) = 7.1 \theta_2$$

$$\begin{aligned} \theta_2 &= \frac{37}{71}(300^\circ) \\ &= \left(\frac{11,100}{71} \right)^\circ \\ &\approx 156.34^\circ \end{aligned}$$



Exercise

The rotation of the smaller wheel causes the larger wheel to rotate. Through how many degrees will the larger wheel rotate if the smaller one rotates through 60.0° ?


Solution

Both gears travel the same arc distance (s), therefore:

$$s = r_1 \theta_1 = r_2 \theta_2$$

$$5.23(60.0^\circ) = 8.16 \theta_2$$

$$\begin{aligned} \theta_2 &= \frac{523}{816}(60^\circ) \\ &= \left(\frac{2,615}{68} \right)^\circ \approx 38.5^\circ \end{aligned}$$



Exercise


Find the radius of the larger wheel if the smaller wheel rotates 80° when the larger wheel rotates 50° .

Solution

$$s = r_1 \theta_1 = r_2 \theta_2$$

$$11.7(80^\circ) = r_2 (50^\circ)$$

$$\begin{aligned} r_2 &= \frac{11.7(80^\circ)}{50^\circ} \\ &= 18.72 \text{ cm} \end{aligned}$$



Exercise

How many inches will the weight rise if the pulley is rotated through an angle of $71^\circ 50'$?
Through what angle, to the nearest minute, must the pulley be rotated to raise the weight 6 in?

Solution

$$\theta = \left(71^\circ + 50' \frac{1^\circ}{60'}\right) \frac{\pi}{180^\circ}$$

$$s = r\theta$$

$$= 9.27 \left(71^\circ + 50' \frac{1^\circ}{60'}\right) \frac{\pi}{180^\circ}$$

$$\approx 11.622 \text{ in}$$

$$\theta = \frac{s}{r} = \frac{6}{9.27} \text{ rad}$$

$$= \frac{6}{9.27} \frac{180^\circ}{\pi}$$

$$= 37.0846^\circ$$

$$= 37^\circ + .0846(60')$$

$$\approx 37^\circ 5'$$



Exercise

Find the radius of the pulley if a rotation of 51.6° raises the weight 11.4 cm.

Solution

$$r = \frac{s}{\theta} = \frac{11.4}{51.6^\circ \frac{\pi}{180^\circ}}$$

$$= \frac{1,710}{43\pi} \text{ cm} \quad \approx 12.7 \text{ cm}$$



Exercise


A rope is being wound around a drum with radius 6 inches. How much rope will be wound around the drum if the drum is rotated through an angle of 30° ?

Solution

$$s = 6 \left(30^\circ \frac{\pi}{180^\circ}\right)$$

$$s = r\theta$$

$$= \pi \text{ in}$$




Exercise

A rope is being wound around a drum with radius 6 inches. How much rope will be wound around the drum if the drum is rotated through an angle of 45° ?

Solution

$$s = 6 \left(45^\circ \frac{\pi}{180^\circ} \right) \quad s = r\theta$$
$$= \frac{3\pi}{2} \text{ in}$$



Exercise

The figure shows the chain drive of a bicycle. How far will the bicycle move if the pedals are rotated through 180° ? Assume the radius of the bicycle wheel is 13.6 in.

Solution

$$\theta = 180^\circ = \pi \text{ rad}$$

The distance for the pedal gear:


$$s = r_2 \theta = 4.72\pi$$

For the smaller gear:

$$\theta_2 = \frac{s}{r_2} = \frac{4.72\pi}{1.38}$$
$$= \frac{472\pi}{138}$$
$$= \frac{236\pi}{69}$$

The wheel distance:

$$s = r_3 \theta_2 = \frac{136}{10} \left(\frac{236\pi}{69} \right)$$
$$= \frac{16,048\pi}{345} \text{ in} = 146.12 \text{ in}$$




Exercise

The circular of a Medicine Wheel is 2500 yrs old. There are 27 aboriginal spokes in the wheel, all equally spaced.

- Find the measure of each central angle in degrees and in radians.
- The radius measure of each of the wheel is 76.0 ft, find the circumference.
- Find the length of each arc intercepted by consecutive pairs of spokes.
- Find the area of each sector formed by consecutive spokes,

Solution

$$\begin{aligned}
 a) \text{ The central angle: } \theta &= \frac{360^\circ}{27} = \frac{40^\circ}{3} \\
 &= \frac{40^\circ}{3} \frac{\pi \text{ rad}}{180^\circ} \\
 &= \frac{2\pi}{27} \text{ rad}
 \end{aligned}$$



$$\begin{aligned}
 b) \quad C &= 2\pi r = 2\pi(76) \\
 &= 152\pi \text{ ft} \quad \approx 477.5 \text{ ft}
 \end{aligned}$$

$$\begin{aligned}
 c) \text{ Since } r &= 76 \\
 s &= 76 \frac{2\pi}{27} \qquad s = r\theta \\
 &= \frac{152\pi}{27} \text{ ft} \quad \approx 17.7 \text{ ft}
 \end{aligned}$$

$$\begin{aligned}
 d) \text{ Area} &= \frac{1}{2} r^2 \theta \\
 &= \frac{1}{2} (76)^2 \frac{2\pi}{27} \\
 &= \frac{5,776\pi}{27} \text{ ft}^2 \quad \approx 672 \text{ ft}^2
 \end{aligned}$$

Exercise

The total arm and blade of a single windshield wiper was 10 in. long and rotated back and forth through an angle of 95° . The shaded region in the figure is the portion of the windshield cleaned by the 7-in. wiper blade. What is the area of the region cleaned?

Solution

The total angle:


$$\begin{aligned}
 \theta &= 95^\circ \frac{\pi}{180^\circ} \\
 &= \frac{19\pi}{36} \text{ rad}
 \end{aligned}$$

A_1 : The area of arm only (not cleaned by the blade).

$$\begin{aligned}
 A_1 &= \frac{1}{2} (10 - 7)^2 \frac{19\pi}{36} \\
 &= \frac{19\pi}{8}
 \end{aligned}$$

A_2 : The area of arm and the blade.

$$\begin{aligned}
 A_2 &= \frac{1}{2} (10)^2 \frac{19\pi}{36} \\
 &= \frac{475\pi}{18}
 \end{aligned}$$



The total cleaned area:

$$\begin{aligned}
 A &= A_2 - A_1 \\
 &= \frac{475\pi}{18} - \frac{19\pi}{8} \\
 &= \frac{1900 - 171}{72} \pi \\
 &= \frac{1729\pi}{72} \text{ in}^2 \quad = 75.4 \text{ in}^2
 \end{aligned}$$

Exercise

A frequent problem in surveying city lots and rural lands adjacent to curves of highways and railways is that of finding the area when one or more of the boundary lines is the arc of the circle. Find the area of the lot.


Solution

Using the Pythagorean theorem:

$$AC = \sqrt{30^2 + 40^2} = 50 = r$$

Total area = Area of the sector (ADC) + Area of the triangle (ABC)

$$\begin{aligned}
 \text{Total area} &= \frac{1}{2} r^2 (60^\circ) \frac{\pi}{180^\circ} + \frac{1}{2} (AB)(BC) \\
 &= \frac{1}{2} 50^2 (60^\circ) \frac{\pi}{180^\circ} + \frac{1}{2} (30)(40) \\
 &= \frac{1250}{3} \pi + 600 \text{ yd}^2 \\
 &\approx 1909 \text{ yd}^2
 \end{aligned}$$



Exercise


Nautical miles are used by ships and airplanes. They are different from statute miles, which equal 5280 ft. A nautical mile is defined to be the arc length along the equator intercepted by a central angle AOB of 1 min. If the equatorial radius is 3963 mi, use the arc length formula to approximate the number of statute miles in 1 nautical mile.

Solution

$$\begin{aligned}
 \theta &= 1' \frac{1^\circ}{60'} \frac{\pi}{180^\circ} \\
 &= \frac{\pi}{10800} \text{ rad}
 \end{aligned}$$

The arc length:

$$\begin{aligned}
 s &= 3963 \frac{\pi}{10800} & s &= r\theta \\
 &= \frac{1321\pi}{3600}
 \end{aligned}$$




There are $\frac{1321\pi}{3600} \approx 1.15$ statute miles in 1 nautical mile.

Exercise

The distance to the moon is approximately 238,900 *mi*. Use the arc length formula to estimate the diameter d of the moon if angle θ is measured to be 0.5170° .

Solution

$$\begin{aligned} s &= 238900 \times 0.517^\circ \frac{\pi}{180^\circ} \\ &= \frac{1,235,113\pi}{1800} \text{ mi} \\ &\approx 2156 \text{ mi} \end{aligned} \quad s = r\theta$$



Exercise

The minute hand of a clock is 1.2 *cm* long. To two significant digits, how far does the tip of the minute hand move in 20 minutes?

Solution

Given: $r = 1.2 \text{ cm}$

One complete rotation = 1 hour = 60 minutes = 2π

$$\frac{\theta}{2\pi} = \frac{20}{60}$$

$$\theta = \frac{2\pi}{3}$$

$$\begin{aligned} s &= 1.2 \frac{2\pi}{3} \\ &= 12 \frac{2\pi}{30} \\ &= \frac{4\pi}{5} \text{ cm} \\ &\approx 2.5 \text{ cm} \end{aligned} \quad s = r\theta$$

Exercise

If the sector formed by a central angle of 15° has an area of $\frac{\pi}{3} \text{ cm}^2$, find the radius of a circle.

Solution

$$\text{Given: } \theta = 15^\circ \frac{\pi}{180} = \frac{\pi}{12}; \quad A = \frac{\pi}{3}$$

$$A = \frac{1}{2} r^2 \theta$$

$$\frac{\pi}{3} = \frac{1}{2} r^2 \frac{\pi}{12}$$

$$\frac{24}{\pi} \frac{\pi}{3} = \frac{1}{2} r^2 \frac{\pi}{12} \frac{24}{\pi}$$

$$8 = r^2$$

$$\underline{r = 2\sqrt{2} \text{ cm}}$$

Exercise


A person standing on the earth notices that a 747 jet flying overhead subtends an angle 0.45° . If the length of the jet is 230 ft., find its altitude to the nearest thousand feet.

Solution

$$r = \frac{230}{0.45 \left(\frac{\pi}{180} \right)} \quad r = \frac{s}{\theta}$$

$$\underline{= \frac{92,000}{\pi} \text{ ft}}$$

$$\underline{\approx 29,285 \text{ ft}}$$



Exercise

Suppose that P is on a circle with radius 10 cm, and ray OP is rotating with angular speed $\frac{\pi}{18} \text{ rad / sec}$.

- Find the angle generated by P in 6 seconds
- Find the distance traveled by P along the circle in 6 seconds.
- Find the linear speed of P in cm per sec.

Solution

$$a) \quad \theta = \frac{\pi}{18} \cdot 6 \quad \theta = \omega t$$

$$\underline{= \frac{\pi}{3} \text{ rad}}$$

$$b) \quad s = 10 \left(\frac{\pi}{3} \right) \quad s = r\theta$$

$$\underline{= \frac{10\pi}{3} \text{ cm}}$$

$$c) \quad v = \frac{10\pi}{3} \frac{1}{6} \quad v = \frac{s}{t}$$

$$\underline{= \frac{5\pi}{9} \text{ cm / sec}}$$

Exercise

A belt runs a pulley of radius 6 cm at 80 rev / min.

- Find the angular speed of the pulley in radians per sec.
- Find the linear speed of the belt in cm per sec.

Solution

$$\begin{aligned} a) \quad \omega &= 80 \frac{\text{rev}}{\text{min}} \cdot \frac{1 \text{ min}}{60 \text{ sec}} \cdot \frac{2\pi}{1 \text{ rev}} \\ &= \frac{8\pi}{3} \text{ rad / sec} \end{aligned}$$

$$\begin{aligned} b) \quad v &= 6 \left(\frac{8\pi}{3} \right) & v = r\omega \\ &= 16\pi \text{ cm/sec} & \approx 50 \text{ cm / sec} \end{aligned}$$

Exercise

Find the linear velocity of a point moving with uniform circular motion, if $s = 12$ cm and $t = 2$ sec.

Solution

$$\begin{aligned} v &= \frac{12 \text{ cm}}{2 \text{ sec}} & v = \frac{s}{t} \\ &= 6 \text{ cm / sec} \end{aligned}$$

Exercise

Find the distance s covered by a point moving with linear velocity $v = 55$ mi/hr and $t = 0.5$ hr.

Solution

$$\begin{aligned} s &= 55 \frac{\text{mi}}{\text{hr}} \times 0.5 \text{ hr} & s = vt \\ &= 27.5 \text{ miles} \end{aligned}$$

Exercise

Point P sweeps out central angle $\theta = 12\pi$ as it rotates on a circle of radius r with $t = 5\pi$ sec. Find the angular velocity of point P .

Solution

$$\begin{aligned} \omega &= \frac{12\pi \text{ rad}}{5\pi \text{ sec}} & \omega = \frac{\theta}{t} \\ &= \frac{12}{5} \\ &= 2.4 \text{ rad / sec} \end{aligned}$$

Exercise

When Lance Armstrong blazed up Mount Ventoux in the 2002 tour, he was equipped with a 150-millimeter-diameter chainring and a 95-millimeter-diameter sprocket. Lance is known for maintaining a very high cadence, or pedal rate. If he was pedaling at a rate of 90 *revolutions per minute*, find his speed in *kilometers per hour*. (1 km = 1,000,000 mm or 10^6 mm)

Solution

Chainring:


$$\begin{aligned}\omega &= \frac{v}{r} \\ &= 90 \frac{\text{rev}}{\text{min}} \times 2\pi \frac{\text{radians}}{\text{rev}} \times \frac{60 \text{ min}}{1 \text{ hr}} \\ &= 10,800\pi \frac{\text{rad}}{\text{hr}}\end{aligned}$$

$$\begin{aligned}v &= r\omega \\ &= \frac{150}{2}(\text{mm}) \times 10800\pi \frac{\text{rad}}{\text{hr}} \\ &= 810,000\pi \frac{\text{mm}}{\text{hr}}\end{aligned}$$

Sprocket:

$$\begin{aligned}\omega &= \frac{v}{r} \\ &= \frac{810000\pi \frac{\text{mm}}{\text{hr}}}{\frac{95}{2}\text{mm}} \\ &= 17,052.63\pi \frac{\text{rad}}{\text{hr}}\end{aligned}$$

$$\begin{aligned}v &= r\omega \\ &= 350(\text{mm}) \times \frac{1}{10^6} \frac{\text{km}}{\text{mm}} \times 17052.63\pi \frac{\text{rad}}{\text{hr}} \\ &= 18.8 \frac{\text{km}}{\text{hr}}\end{aligned}$$



Exercise

Find the angular velocity, in radians per minute, associated with given 7.2 *rpm*.

Solution

$$\begin{aligned}\omega &= 7.2 \frac{\text{rev}}{\text{min}} \times 2\pi \frac{\text{radians}}{\text{rev}} \\ &= \frac{144}{10} \pi \\ &= \frac{72\pi}{5} \text{ rad/min} \quad \approx 45.2 \frac{\text{rad}}{\text{min}}\end{aligned}$$

Exercise

Suppose that point P is on a circle with radius 60 cm , and ray OP is rotating with angular speed $\frac{\pi}{12}$ *radian per sec.*

- Find the angle generated by P in 8 sec.
- Find the distance traveled by P along the circle in 8 sec.
- Find the linear speed of P .

Solution

$$a) \quad \theta = \omega t = \frac{\pi}{12} \cdot 8$$

$$= \frac{2\pi}{3} \text{ rad}$$

$$b) \quad s = r\theta = 60 \left(\frac{2\pi}{3} \right)$$

$$= 40\pi \text{ cm}$$

$$c) \quad v = \frac{s}{t} = \frac{40\pi}{6} \text{ cm / sec}$$

Exercise

Tires of a bicycle have radius 13 in. and are turning at the rate of $215\text{ revolutions per min.}$ How fast is the bicycle traveling in miles per hour? (*Hint: 1 mi = 5280 ft.*)

Solution

$$\omega = 215 \text{ rev} \frac{2\pi \text{ rad}}{1 \text{ rev}}$$

$$= 430\pi \text{ rad / min}$$

$$v = r\omega = 13(430\pi)$$

$$= 5590\pi \text{ in / min}$$

$$v = 5590\pi \frac{\text{in}}{\text{min}} \frac{60 \text{ min}}{1 \text{ hr}} \frac{1 \text{ ft}}{12 \text{ in}} \frac{1 \text{ mi}}{5280 \text{ ft}}$$

$$= \frac{2,795\pi}{528} \text{ mph} \approx 16.6 \text{ mph}$$



Exercise

Earth travels about the sun in an orbit that is almost circular. Assume that the orbit is a circle with radius $93,000,000\text{ mi.}$ Its angular and linear speeds are used in designing solar-power facilities.


- Assume that a year is 365 days , and find the angle formed by Earth's movement in one day.
- Give the angular speed in *radians per hour.*
- Find the linear speed of Earth in *miles per hour.*

Solution

$$\begin{aligned} a) \quad \theta &= \frac{1}{365}(2\pi) \\ &= \frac{2\pi}{365} \text{ rad} \end{aligned}$$

$$\begin{aligned} b) \quad \omega &= \frac{2\pi \text{ rad}}{365 \text{ days}} \frac{1 \text{ day}}{24 \text{ hr}} \\ &= \frac{\pi}{4380} \text{ rad / hr} \end{aligned}$$

$$\begin{aligned} c) \quad v &= r\omega = (93,000,000) \frac{\pi}{4380} \\ &\approx 67,000 \text{ mph} \end{aligned}$$



Exercise

Earth revolves on its axis once every 24 *hr*. Assuming that earth's radius is 6400 *km*, find the following.

- Angular speed of Earth in radians per day and radians per hour.
- Linear speed at the North Pole or South Pole
- Linear speed at a city on the equator

Solution

$$\begin{aligned} a) \quad \omega &= \frac{2\pi \text{ rad}}{1 \text{ day}} & \omega &= \frac{\theta}{t} \\ &= \frac{2\pi \text{ rad}}{1 \text{ day}} \frac{1 \text{ day}}{24 \text{ hr}} \\ &= \frac{\pi}{12} \text{ rad / hr} \end{aligned}$$

b) At the poles, $r = 0$ so $v = r\omega = 0$

c) At the equator, $r = 6400 \text{ km}$

$$\begin{aligned} v &= 6400(2\pi) & v &= r\omega \\ &= 12,800\pi \text{ km / day} \\ &= 12,800\pi \frac{\text{km}}{\text{day}} \frac{1 \text{ day}}{24 \text{ hr}} \\ &\approx 533\pi \text{ km / hr} \end{aligned}$$

Exercise

The pulley has a radius of 12.96 cm . Suppose it takes 18 sec for 56 cm of belt to go around the pulley.


- Find the linear speed of the belt in cm per sec .
- Find the angular speed of the pulley in rad per sec .

Solution

Given: $s = 56 \text{ cm}$ in $t = 18 \text{ sec}$ $r = 12.96 \text{ cm}$

$$\begin{aligned} a) \quad v &= \frac{s}{t} = \frac{56}{18} \\ &\approx 3.1 \text{ cm / sec} \end{aligned}$$

$$\begin{aligned} b) \quad \omega &= \frac{v}{r} = \frac{3.1}{12.96} \\ &= \frac{310}{1296} \\ &= \frac{155}{648} \text{ rad / sec} \quad \approx .24 \text{ rad / sec} \end{aligned}$$



Exercise

The two pulleys have radii of 15 cm and 8 cm , respectively. The larger pulley rotates 25 times in 36 sec . Find the angular speed of each pulley in rad per sec .

Solution

Given: $\omega = \frac{25}{36} \text{ times / sec}$ $r_1 = 15 \text{ cm}$ $r_2 = 8 \text{ cm}$

The angular velocity of the larger pulley is:


$$\begin{aligned} \omega &= \frac{25 \text{ times}}{36 \text{ sec}} \cdot \frac{2\pi \text{ rad}}{1 \text{ time}} \\ &= \frac{25\pi}{18} \text{ rad / sec} \end{aligned}$$

The linear velocity of the larger pulley is:

$$\begin{aligned} v &= r\omega = 15 \left(\frac{25\pi}{18} \right) \\ &= \frac{125\pi}{6} \text{ cm / sec} \end{aligned}$$

The angular velocity of the smaller pulley is:

$$\begin{aligned} \omega &= \frac{v}{r} = \frac{1}{8} \cdot \frac{125\pi}{6} \\ &= \frac{125\pi}{48} \text{ rad / sec} \end{aligned}$$



Exercise

A thread is being pulled off a spool at the rate of 59.4 cm per sec . Find the radius of the spool if it makes 152 revolutions per min.

Solution

Given: $\omega = 152 \text{ rev / min}$; $v = 59.4 \text{ cm / sec}$

$$\begin{aligned} r &= \frac{1}{152 \frac{\text{rev}}{\text{min}}} 59.4 \frac{\text{cm}}{\text{sec}} & r = \frac{v}{\omega} = \frac{1}{\omega} v \\ &= \left(\frac{1}{152} \frac{\text{min}}{\text{rev}} \frac{60 \text{ sec}}{1 \text{ min}} \frac{1 \text{ rev}}{2\pi \text{ rad}} \right) \left(\frac{594 \text{ cm}}{10 \text{ sec}} \right) \\ &= \frac{891}{76\pi} \text{ cm} \\ &\approx 3.7 \text{ cm} \end{aligned}$$

Exercise

A railroad track is laid along the arc of a circle of radius 1800 feet. The circular part of the track subtends a central angle of 40° . How long (in seconds) will it take a point on the front of a train traveling 30 mph to go around this portion of the track?

Solution

Given: $r = 1800 \text{ ft}$.

$$\theta = 40^\circ = 40^\circ \frac{\pi}{180^\circ} = \frac{2\pi}{9} \text{ rad}$$

$$v = 30 \text{ mph}$$

The arc length:

$$\begin{aligned} s &= 1800 \left(\frac{2\pi}{9} \right) & s &= r\theta \\ &= 400\pi \text{ ft} \end{aligned}$$

$$v = \frac{s}{t} \Rightarrow t = \frac{s}{v}$$

$$\begin{aligned} t &= \frac{400\pi \text{ ft}}{30 \frac{\text{mi}}{\text{hr}}} \\ &= \frac{40\pi}{3} \text{ ft} \frac{\text{hr}}{\text{mi}} \frac{1 \text{ mi}}{5280 \text{ ft}} \frac{3600 \text{ sec}}{1 \text{ hr}} \\ &= \frac{1200\pi}{132} \text{ sec} \\ &\approx 29 \text{ sec} \end{aligned}$$

Exercise

A 90-horsepower outboard motor at full throttle will rotate its propeller at exactly 5,000 *revolutions per min.* Find the angular speed of the propeller in radians per second.

Solution

$$\begin{aligned}\omega &= 5000 \frac{\text{rev}}{\text{min}} \frac{2\pi \text{ rad}}{1 \text{ rev}} \frac{1 \text{ min}}{60 \text{ sec}} \\ &= \frac{500\pi}{3} \text{ rad / sec} \\ &\approx 523.6 \text{ rad / sec}\end{aligned}$$

Exercise

The shoulder joint can rotate at 25 *rad/min.* If a golfer's arm is straight and the distance from the shoulder to the club head is 5.00 *feet.*, find the linear speed of the club head from the shoulder rotation.

Solution

Given: $\omega = 25 \text{ rad / min}$ $r = 5 \text{ ft}$

$$\begin{aligned}v &= r\omega = 5(25) \\ &= 125 \text{ ft / min}\end{aligned}$$

Exercise

A vendor sells two sizes of pizza by the slice. The small slice is $\frac{1}{6}$ of a circular 18-inch-diameter pizza, and it sells for \$2.00. The large slice is $\frac{1}{8}$ of a circular 26-inch-diameter pizza, and it sells for \$3.00. Which slice provides more pizza per dollar?

Solution

Area of 18-inch-diameter: $A = \pi r^2 = \pi \left(\frac{18}{2}\right)^2 = 81\pi$

Area of 26-inch-diameter: $A = \pi r^2 = \pi \left(\frac{26}{2}\right)^2 = 169\pi$

For the small slice: $\frac{1}{6}81\pi \frac{1}{\$2} = 6.75\pi$

For the large slice: $\frac{1}{8}169\pi \frac{1}{\$3} \approx 7.04\pi$

\therefore the Large size will provide more pizza per dollar

Exercise

A cone-shaped tent is made from a circular piece of canvas 24 *feet* in diameter by removing a sector with central angle 100° and connecting the ends. What is the surface area of the tent?

Solution

$$\theta = 360^\circ - 100^\circ$$

$$= 260^\circ \frac{\pi}{180^\circ}$$

$$= \frac{13\pi}{9}$$

$$A_{\text{sector}} = \frac{1}{2} 12^2 \left(\frac{13\pi}{9} \right) \quad A_{\text{sector}} = \frac{1}{2} r^2 \theta$$

$$= 104\pi \text{ ft}^2 \quad \approx 326.73 \text{ ft}^2$$

Exercise

A conical paper cup is constructed by removing a sector from a circle of radius 5 *inches* and attaching edge OA to OB . Find angle AOB so that the cap has a depth of 4 *inches*.

Solution

$$r^2 + 4^2 = 5^2 \rightarrow r = 3 \text{ in}$$


The circumference of the rim of the cone is:

$$2\pi r = 6\pi$$

$$\theta = \frac{s}{r} = \frac{6\pi}{5} \text{ rad}$$

$$= \frac{6(180)}{5}$$

$$= 216^\circ$$



Exercise


The sprocket assembly for a bicycle is shown in the figure. If the sprocket of radius r_1 rotates through an angle of θ_1 radians, find the corresponding angle of rotation for the sprocket of radius r_2 .

Solution

$$s_1 = s_2$$

$$r_1 \theta_1 = r_2 \theta_2$$

$$\theta_2 = \frac{r_1 \theta_1}{r_2}$$



Exercise

A simple model of the core of a tornado is a right circular cylinder that rotates about its axis. If a tornado has a core diameter of 200 *feet* and maximum wind speed of 180 *mi/hr.* (or 264 *ft/sec*) at the perimeter of the core, approximate the number of revolutions the core makes each minute.

Solution

$$r = \frac{D}{2} = \frac{200}{2}$$
$$= 100 \text{ ft}$$

$$264 = 100\theta$$

$$v = r\omega$$

$$\theta = 2.64 \frac{\text{rad}}{\text{sec}} \frac{60 \text{ sec}}{1 \text{ min}} \frac{1 \text{ rev}}{2\pi \text{ rad}}$$
$$\approx 25.2 \text{ rev / min}$$

Exercise

Earth rotates about its axis once every 23 *hours*, 56 *minutes*, and 4 *seconds*. Approximate the number of radians Earth rotates in one second.

Solution

$$23 \text{ hr} \frac{3600 \text{ sec}}{1 \text{ h}} + 53 \text{ min} \frac{60 \text{ sec}}{1 \text{ min}} + 4 \text{ sec} = 85,984 \text{ sec}$$

Earth rotates in one second:

$$\frac{1 \text{ rev}}{85,984 \text{ sec}} = 2\pi \text{ rad} \left(\frac{1}{85,984 \text{ sec}} \right)$$
$$\approx 7.31 \times 10^{-5} \text{ rad / sec}$$

Exercise

A typical tire for a compact car is 22 *inches* in diameter. If the car is traveling at a speed of 60 *mi/hr.*, find the number of revolutions the tire makes per minute.

Solution

$$r = \frac{D}{2} = \frac{22}{2}$$
$$= 11 \text{ in}$$

$$60 = 11\theta$$

$$v = r\omega$$

$$\theta = \frac{1}{11 \text{ in}} 60 \frac{\text{mi}}{\text{hr}} \frac{12 \text{ in}}{1 \text{ ft}} \frac{5280 \text{ ft}}{1 \text{ mil}} \frac{1 \text{ hr}}{60 \text{ min}} \frac{1 \text{ rev}}{2\pi \text{ rad}}$$
$$\approx 916.73 \text{ rev / min}$$

Exercise

A pendulum in a grandfather clock is 4 *feet* long and swings back and forth along a 6-*inch* arc. Approximate the angle (in *degrees*) through which the pendulum passes during one swing.

Solution

Given: $r = 4 \text{ ft} = 48 \text{ in}$ $s = 6 \text{ in}$

$$\begin{aligned}\theta &= \frac{6}{48} = 0.125 \text{ rad} \\ &= 0.125 \text{ rad} \frac{180^\circ}{\pi \text{ rad}} \\ &= \underline{7.162^\circ}\end{aligned}$$

Exercise

A large winch of diameter 3 *feet* is used to hoist cargo.

- Find the distance the cargo is lifted if the winch rotates through an angle measure $\frac{7\pi}{4}$.
- Find the angle (in *radians*) through which the winch must rotate in order to lift the cargo d *feet*.

Solution

$$\begin{aligned}\text{a) } s &= \frac{3}{2} \frac{7\pi}{4} \\ &= \underline{\frac{21\pi}{8} \text{ ft} \approx 8.25 \text{ ft}}\end{aligned}$$

$$s = r\theta$$

$$\begin{aligned}\text{b) } \theta &= \frac{d}{\frac{3}{2}} \\ &= \underline{\frac{2}{3} d}\end{aligned}$$

$$\theta = \frac{s}{r}$$

