

## ***Solution***      ***Section R.2 – Linear and Rational Equations***

### ***Exercise***

Solve:       $5x - 8 = 72$

### **Solution**

$$5x - 8 + 8 = 72 + 8$$

$$5x = 80$$

$$\underline{x = 16}$$

### ***Exercise***

Solve:       $14 - 5x = -41$

### **Solution**

$$14 - 5x = -41$$

$$5x = 14 + 41$$

$$5x = 55$$

$$\underline{x = 11}$$

### ***Exercise***

Solve:       $2x + 6 = 3x - 2$

### **Solution**

$$2x + 6 - 3x - 6 = 3x - 2 - 3x - 6$$

$$-x = -8$$

$$\underline{x = 8}$$

### ***Exercise***

Solve:       $11x - (6x - 5) = 40$

### **Solution**

$$11x - 6x + 5 = 40$$

$$5x + 5 - 5 = 40 - 5$$

$$5x = 35$$

$$\underline{x = 7}$$

### ***Exercise***

Solve:  $9x + 11 = 7x + 1$

#### **Solution**

$$9x + 11 - 7x - 11 = 7x + 1 - 7x - 11$$

$$2x = -10$$

$$\underline{x = -5}$$

### ***Exercise***

Solve:  $2x - 7 = 6 + x$

#### **Solution**

$$2x - 7 - x + 7 = 6 + x - x + 7$$

$$\underline{x = 13}$$

### ***Exercise***

Solve:  $5x - 2 = 9x + 2$

#### **Solution**

$$5x - 2 - 9x + 2 = 9x + 2 - 9x + 2$$

$$-4x = 4$$

$$\underline{x = -1}$$

### ***Exercise***

Solve:  $3(x - 2) + 7 = 2(x + 5)$

#### **Solution**

$$3x - 6 + 7 = 2x + 10$$

$$3x = 9$$

$$\underline{x = 3}$$

### ***Exercise***

Solve:  $3x + 5 - 5(x + 1) = 6x + 7$

#### **Solution**

$$3x + 5 - 5x - 5 = 6x + 7$$

$$-8x = 7$$

$$\underline{x = -\frac{7}{8}}$$

### ***Exercise***

Solve:  $4(-2x + 1) = 6 - (2x - 4)$

#### **Solution**

$$-8x + 4 = 6 - 2x + 4$$

$$-6x = 6$$

$$\underline{x = -1}$$

### ***Exercise***

Solve:  $4(x + 7) = 2(x + 12) + 2(x + 1)$

#### **Solution**

$$4x + 28 = 2x + 24 + 2x + 2$$

$$4x - 4x = 26 - 28$$

$$0 = -2 \times$$

***No solution***

### ***Exercise***

Solve:  $6(3x - 1) = 8 - 10(10x - 14)$

#### **Solution**

$$18x - 6 = 8 - 100x + 140$$

$$118x = 154$$

$$x = \frac{154}{118}$$

$$\underline{= \frac{77}{59}}$$

### ***Exercise***

Solve:  $5x - (2x - 8) = 35$

#### **Solution**

$$5x - 2x + 8 = 35$$

$$3x = 27$$

$$\underline{x = 9}$$

### ***Exercise***

Solve:  $\frac{1}{14}(3x - 2) = \frac{x + 10}{10}$

### **Solution**

$$\frac{1}{14}(3x - 2) = \frac{x + 10}{10}$$

$$(70) \frac{1}{14}(3x - 2) = (70) \frac{x + 10}{10}$$

$$5(3x - 2) = 7(x + 10)$$

$$15x - 10 = 7x + 70$$

$$15x - 7x = 10 + 70$$

$$8x = 80$$

$$\underline{x = 10}$$

### ***Exercise***

Solve:  $\frac{5}{6}x - 2x + \frac{4}{3} = \frac{5}{3}$

### **Solution**

$$6 \times \frac{5}{6}x - 2x + \frac{4}{3} = \frac{5}{3}$$

$$5x - 12x + 8 = 10$$

$$-7x = 2$$

$$\underline{x = -\frac{2}{7}}$$

### ***Exercise***

Solve:  $\frac{7}{4} + \frac{1}{5}x - \frac{3}{2} = \frac{4}{5}x$

### **Solution**

$$20 \times \frac{7}{4} + \frac{1}{5}x - \frac{3}{2} = \frac{4}{5}x$$

$$35 + 4x - 30 = 16x$$

$$5 = 12x$$

$$\underline{x = \frac{5}{12}}$$

### Exercise

Solve:  $5(x + 3) + 4x - 3 = -(2x - 4) + 2$

#### Solution

$$5x + 15 + 4x - 3 = -2x + 4 + 2$$

$$9x + 12 = -2x + 6$$

$$9x + 12 + 2x - 12 = -2x + 6 + 2x - 12$$

$$11x = -6$$

$$\underline{x = -\frac{6}{11}}$$

### Exercise

Solve:  $2[x - (4 + 2x) + 3] = 2x + 3$

#### Solution

$$2x - 2(4 + 2x) + 6 = 2x + 3$$

$$2x - 8 - 4x + 6 = 2x + 3$$

$$-2x - 2 = 2x + 3$$

$$-2x - 2 - 2x + 2 = 2x + 3 - 2x + 2$$

$$-4x = 5$$

$$\underline{x = -\frac{5}{4}}$$

### Exercise

Solve:  $2x - \{x - [3x - (8x + 6)]\} = 2x - 2$

#### Solution

$$2x - x + [3x - (8x + 6)] = 2x - 2$$

$$2x - x + 3x - (8x + 6) = 2x - 2$$

$$2x - x + 3x - 8x - 6 = 2x - 2$$

$$-4x - 6 = 2x - 2$$

$$-4x - 2x - 6 + 6 = 2x - 2x - 2 + 2$$

$$-6x = 4$$

$$x = \frac{4}{-6}$$

$$\underline{= -\frac{2}{3}}$$

*Distribute the minus*

*Distribute the plus*

*Distribute the minus*

*Divide by -6*

### ***Exercise***

Solve:  $4(2x + 7) = 2x + 22 + 3(2x + 3)$

#### **Solution**

$$8x + 28 = 2x + 22 + 6x + 9$$

$$8x + 28 = 8x + 31$$

$$8x + 28 - 8x = 8x + 31 - 8x$$

$$28 = 31 \quad \text{False statement}$$

***No Solution***

### ***Exercise***

Solve:  $4[2x - (3 - x) + 5] = -7x - 2$

#### **Solution**

$$8x - 4(3 - x) + 20 = -7x - 2$$

$$8x - 12 + 4x + 20 = -7x - 2$$

$$12x - 8 = -7x - 2$$

$$12x - 8 + 7x + 8 = -7x - 2 + 7x + 8$$

$$19x = 6$$

$$\underline{x = \frac{6}{19}}$$

### ***Exercise***

Solve:  $3[2x - (4 - x) + 5] = 7x - 2$

#### **Solution**

$$6x - 3(4 - x) + 15 = 7x - 2$$

$$6x - 12 + 3x + 15 = 7x - 2$$

$$9x + 3 = 7x - 2$$

$$2x = -5$$

$$\underline{x = -\frac{5}{2}}$$

### ***Exercise***

Solve:  $-4(2x - 6) + 8x = 5x + 24 + x$

#### **Solution**

$$-8x + 24 + 8x = 6x + 24$$

$$6x = 0$$

$$\underline{x = 0}$$

### ***Exercise***

Solve:  $-8(3x + 4) + 6x = 4(x - 8) + 4x$

### **Solution**

$$-24x - 32 + 6x = 4x - 32 + 4x$$

$$-18x = 8x$$

$$26x = 0$$

$$\underline{x = 0}$$

### ***Exercise***

Solve:  $4(x + 7) = 2(x + 12) + 2(x + 1)$

### **Solution**

$$4x + 28 = 2x + 24 + 2x + 2$$

$$4x + 28 = 4x + 26$$

$$4x - 4x = 26 - 28$$

$$0 = -2 \quad (\text{False})$$

$$\text{Solution: } \{\emptyset\}$$

### ***Exercise***

Solve:  $-6(2x + 1) - 3(x - 4) = -15x + 1$

### **Solution**

$$-12x - 6 - 3x + 12 = -15x + 1$$

$$-15x + 6 = -15x + 1$$

$$6 = 1 \quad \text{False statement}$$

***No Solution***

### ***Exercise***

Solve:  $2(x - 1) + 3 = x - 3(x + 1)$

### **Solution**

$$2x - 2 + 3 = x - 3x - 3$$

$$2x + 1 = -2x - 3$$

$$4x = -4$$

$$\underline{x = -1}$$

### ***Exercise***

$$\text{Solve: } 3(x - 4) - 4(x - 3) = x + 3 - (x - 2)$$

### **Solution**

$$3x - 12 - 4x + 12 = x + 3 - x + 2$$

$$-x = 5$$

$$\underline{x = -5}$$

### ***Exercise***

$$\text{Solve: } 2 - (7x + 5) = 13 - 3x$$

### **Solution**

$$2 - 7x - 5 = 13 - 3x$$

$$-7x - 3 = 13 - 3x$$

$$-4x = 16$$

$$\underline{x = -4}$$

### ***Exercise***

$$\text{Solve: } 16 = 3(x - 1) - (x - 7)$$

### **Solution**

$$16 = 3x - 3 - x + 7$$

$$16 = 2x + 4$$

$$2x = 12$$

$$\underline{x = 6}$$

### ***Exercise***

$$\text{Solve: } 5x - 2(x + 1) = x + (3x - 5)$$

### **Solution**

$$5x - 2x - 2 = x + 3x - 5$$

$$3x - 2 = 4x - 5$$

$$-x = -3$$



$$\underline{x=3}$$

### ***Exercise***

Solve:  $7(x+1) = 4[x - (3-x)]$

### **Solution**

$$7x + 7 = 4x - 4(3 - x)$$

$$3x = -7 - 12 + 4x$$

$$-x = -19$$

$$\underline{x = 19}$$

### ***Exercise***

Solve:  $2[3x - 2(2x - 3)] = 5(x - 6)$

### **Solution**

$$6x - 4(2x - 3) = 5x - 30$$

$$6x - 8x + 12 = 5x - 30$$

$$-2x - 5x = -42$$

$$-7x = -42$$

$$\underline{x = 6}$$

### ***Exercise***

Solve:  $.2x - .5 = .1x + 7$

### **Solution**

$$10 \times .2x - .5 = .1x + 7$$

$$2x - 5 = x + 70$$

$$\underline{x = 75}$$

### ***Exercise***

Solve:  $.01x + 3.1 = 2.03x - 2.96$

### **Solution**

$$100 \times .01x + 3.1 = 2.03x - 2.96$$

$$x + 310 = 203x - 296$$

$$202x = 606$$

$$x = \frac{606}{202}$$

$$\underline{= 3}$$

### ***Exercise***

Solve:  $.08x - .06(x + 12) = 7.72$

#### **Solution**

$$100 \times .08x - .06(x + 12) = 7.72$$

$$8x - 6(x + 12) = 772$$

$$8x - 6x - 72 = 772$$

$$2x = 700$$

$$x = 350$$

### ***Exercise***

Solve:  $.04(x - 12) + .06x = 1.52$

#### **Solution**

$$100 \times .04(x - 12) + .06x = 1.52$$

$$4(x - 12) + 6x = 152$$

$$4x - 48 + 6x = 152$$

$$10x = 200$$

$$x = 20$$

### ***Exercise***

Solve:  $.3(x + 2) - .5(x + 2) = -.2x - .4$

#### **Solution**

$$10 \times .3(x + 2) - .5(x + 2) = -.2x - .4$$

$$3(x + 2) - 5(x + 2) = -2x - 4$$

$$3x + 6 - 5x - 10 = -2x - 4$$

$$-2x - 4 = -2x - 4$$

$$0 = 0 \text{ True statement}$$

**Solution:**  $\mathbb{R}$

### ***Exercise***

Solve:  $.6(x - 5) + .8(x - 6) = .2x - 1.8$

#### **Solution**

$$10 \times .6(x - 5) + .8(x - 6) = .2x - 1.8$$

$$6(x-5) + 8(x-6) = 2x - 18$$

$$6x - 30 + 8x - 48 = 2x - 18$$

$$14x - 78 = 2x - 18$$

$$12x = 60$$

$$\underline{x = 5}$$

### ***Exercise***

Solve:  $.5x + \frac{4}{3}x = x + 10$

### **Solution**

$$30 \times .5x + \frac{4}{3}x = x + 10$$

$$15x + 40x = 30x + 300$$

$$55x = 30x + 300$$

$$25x = 300$$

$$x = \frac{300}{25}$$

$$\underline{x = 12}$$

***Or***

$$\frac{1}{2}x + \frac{4}{3}x = x + 10$$

$$6 \times \frac{1}{2}x + \frac{4}{3}x = x + 10$$

$$3x + 8x = 6x + 60$$

$$5x = 60$$

$$\underline{x = 12}$$

### ***Exercise***

Solve:  $.25x + \frac{2}{3}x = x + 2$

### **Solution**

$$\frac{1}{4}x + \frac{2}{3}x = x + 2$$

$$12 \times \frac{1}{4}x + \frac{2}{3}x = 12x + 24$$

$$3x + 8x = 12x + 24$$

$$-x = 24$$

$$\underline{x = -24}$$

### ***Exercise***

Solve:  $\frac{1}{4}(x-2) = \frac{1}{6}(x-5)$

#### **Solution**

$$6(x-2) = 4(x-5)$$

$$6x - 12 = 4x - 20$$

$$2x = -8$$

$$\underline{x = -4}$$

### ***Exercise***

Solve:  $\frac{1}{4}(3x-2) = \frac{1}{5}(x+5)$

#### **Solution**

$$5(3x-2) = 4(x+5)$$

$$15x - 10 = 4x + 20$$

$$11x = 30$$

$$\underline{x = \frac{30}{11}}$$

### ***Exercise***

Solve:  $\frac{1}{9}(x+2) = \frac{1}{15}(2x+5)$

#### **Solution**

$$15(x+2) = 9(2x+5)$$

$$15x + 30 = 18x + 45$$

$$3x = -15$$

$$\underline{x = -5}$$

### ***Exercise***

Solve:  $\frac{1}{2}(4x+8) - 16 = -\frac{2}{3}(9x-12)$

#### **Solution**

$$6 \times \frac{1}{2}(4x+8) - 16 = -\frac{2}{3}(9x-12)$$

$$3(4x+8) - 96 = -4(9x-12)$$

$$12x + 24 - 96 = -36x + 48$$

$$12x + 36x = 48 + 72$$

$$48x = 120$$

$$x = \frac{120}{48}$$

$$= \frac{5}{2} \quad |$$

### ***Exercise***

Solve:  $\frac{3}{4}(24 - 8x) - 16 = -\frac{2}{3}(6x - 9)$

### **Solution**

$$12 \times \frac{3}{4}(24 - 8x) - 16 = -\frac{2}{3}(6x - 9)$$

$$9(24 - 8x) - 192 = -8(6x - 9)$$

$$216 - 72x - 192 = -48x + 72$$

$$24x = 24 - 72$$

$$24x = -48$$

$$x = -2 \quad |$$

### ***Exercise***

Solve:  $\frac{x-3}{4} = \frac{5}{14} - \frac{x+5}{7}$

### **Solution**

$$(28) \frac{x-3}{4} = (28) \frac{5}{14} - (28) \frac{x+5}{7}$$

$$LCD : 4 \quad 14 \quad 7 \rightarrow 28$$

$$7(x-3) = 2(5) - 4(x+5)$$

$$7x - 21 = 10 - 4x - 20$$

$$7x + 4x = 21 - 10$$

$$11x = 11$$

$$x = 1 \quad |$$

### ***Exercise***

Solve:  $\frac{x+1}{4} = \frac{1}{6} + \frac{2-x}{3}$

### **Solution**

$$12 \frac{x+1}{4} = 12 \frac{1}{6} + 12 \frac{2-x}{3}$$

$$3(x+1) = 2 + 4(2-x)$$

$$3x + 3 = 2 + 8 - 4x$$

$$3x + 4x = 2 + 8 - 3$$

$$7x = 7$$

$$\underline{x = 1}$$

### Exercise

Solve  $\frac{x-8}{3} + \frac{x-3}{2} = 0$

### Solution

$$(6)\frac{x-8}{3} + (6)\frac{x-3}{2} = 0(6)$$

**LCD: 2, 3: 6**

$$2(x-8) + 3(x-3) = 0$$

$$2x - 16 + 3x - 9 = 0$$

$$5x - 25 = 0$$

$$5x = 25$$

$$\underline{x = 5}$$

### Exercise

Solve:  $\frac{5}{2x} - \frac{8}{9} = \frac{1}{18} - \frac{1}{3x}$

### Solution

**Restriction:  $x \neq 0$**

$$18x \frac{5}{2x} - 18x \frac{8}{9} = 18x \frac{1}{18} - 18x \frac{1}{3x}$$

$$2x \cdot 9 - 18 \cdot 3x \rightarrow 18x$$

$$9(5) - 2x(8) = x - 6$$

$$45 - 16x = x - 6$$

$$45 + 6 = x + 16x$$

$$51 = 17x$$

$$x = \frac{51}{17}$$

$$\underline{= 3}$$

### Exercise

Solve:  $\frac{1}{x+4} + \frac{1}{x-4} = \frac{22}{x^2-16}$

### Solution

**Restrictions:**  $x \neq \pm 4$

$$(x+4)(x-4)\frac{1}{x+4} + (x+4)(x-4)\frac{1}{x-4} = (x+4)(x-4)\frac{22}{x^2-16}$$

$$x - 4 + x + 4 = 22$$

$$2x = 22$$

$$\underline{x = 11}$$

### Exercise

Solve:  $\frac{3x-1}{3} - \frac{2x}{x-1} = x$

### Solution

**Condition (Restriction):**  $x - 1 \neq 0 \Rightarrow x \neq 1$

$$3(x-1)\frac{3x-1}{3} - 3(x-1)\frac{2x}{x-1} = 3(x-1)x$$

$$3x^2 - x - 3x + 1 - 6x = 3x^2 - 3x$$

$$3x^2 - x - 3x + 1 - 6x - 3x^2 + 3x = 0$$

$$-7x + 1 = 0$$

$$-7x = -1$$

$$\underline{x = \frac{1}{7}}$$

### Exercise

Solve:  $\frac{x}{x-2} = \frac{2}{x-2} + 2$

### Solution

**Restriction:**  $x - 2 \neq 0 \Rightarrow x \neq 2$

$$(x-2)\frac{x}{x-2} = (x-2)\frac{2}{x-2} + 2(x-2)$$

$$x = 2 + 2x - 4$$

$$-x = -2$$

$$x = 2$$

$\Rightarrow$  No *Solution* or  $\{\emptyset\}$  because of the restriction.



### Exercise

Solve the equation  $\frac{x}{x-7} = \frac{7}{x-7} + 8$

### Solution

Restriction:  $x - 7 \neq 0 \Rightarrow \boxed{x \neq 7}$

$$(x-7)\frac{x}{x-7} = (x-7)\frac{7}{x-7} + 8(x-7)$$

$$x = 7 + 8x - 56$$

$$x - 8x = -49$$

$$-7x = -49$$

$$x = \frac{-49}{-7} = 7$$

But  $x \neq 7$  (restriction), therefore there is **no solution**

### Exercise

Solve:  $\frac{3x}{5} - x = \frac{x}{10} - \frac{5}{2}$

### Solution

$$10 \times \frac{3x}{5} - x = \frac{x}{10} - \frac{5}{2}$$

$$6x - 10x = x - 25$$

$$-4x = x - 25$$

$$-5x = -25$$

$$\underline{x = 5}$$

### Exercise

Solve:  $2x - \frac{2x}{7} = \frac{x}{2} + \frac{17}{2}$

### Solution

$$\frac{14x - 2x}{7} = \frac{x + 17}{2}$$

$$\frac{12x}{7} = \frac{x + 17}{2}$$

$$24x = 7x + 119$$

$$17x = 119$$

$$\underline{x = 7}$$

### ***Exercise***

Solve:  $\frac{x+3}{6} = \frac{2}{3} + \frac{x-5}{4}$

#### **Solution**

$$12 \times \frac{x+3}{6} = \frac{2}{3} + \frac{x-5}{4}$$

$$2x + 6 = 8 + 3x - 15$$

$$2x - 3x = 8 - 15 - 6$$

$$-x = -13$$

$$\underline{x = 13}$$

### ***Exercise***

Solve:  $\frac{x+1}{4} = \frac{1}{6} + \frac{2-x}{3}$

#### **Solution**

$$12 \times \frac{x+1}{4} = \frac{1}{6} + \frac{2-x}{3}$$

$$3x + 3 = 2 + 8 - 4x$$

$$7x = 7$$

$$\underline{x = 1}$$

### ***Exercise***

Solve:  $\frac{x}{4} = 2 + \frac{x-3}{3}$

#### **Solution**

$$12 \times \frac{x}{4} = 2 + \frac{x-3}{3}$$

$$3x = 24 - 4x - 12$$

$$7x = 12$$

$$\underline{x = \frac{12}{7}}$$

### ***Exercise***

Solve:  $5 + \frac{x-2}{3} = \frac{x+3}{8}$

#### **Solution**

$$24 \times 5 + \frac{x-2}{3} = \frac{x+3}{8}$$

$$120 + 8x - 16 = 3x + 9$$

$$5x = 9 - 104$$

$$5x = -95$$

$$x = -19$$

### Exercise

Solve:  $\frac{x+1}{3} = 5 - \frac{x+2}{7}$

### Solution

$$21 \times \frac{x+1}{3} = 5 - \frac{x+2}{7}$$

$$7x + 7 = 105 - 3x - 6$$

$$10x = 92$$

$$x = \frac{46}{5}$$

### Exercise

Solve:  $\frac{3x}{5} - \frac{x-3}{2} = \frac{x+2}{3}$

### Solution

$$30 \times \frac{3x}{5} - \frac{x-3}{2} = \frac{x+2}{3}$$

$$18x - 15x + 45 = 10x + 20$$

$$3x - 10x = 20 - 45$$

$$-7x = -25$$

$$x = \frac{25}{7}$$

### Exercise

Solve:  $\frac{3x+2}{x-2} + \frac{1}{x} = \frac{-2}{x^2 - 2x}$

### Solution

$$\text{Restriction: } \begin{cases} x - 2 \neq 0 \Rightarrow x \neq 2 \\ x \neq 0 \end{cases}$$

$$x(x-2) \frac{3x+2}{x-2} + x(x-2) \frac{1}{x} = x(x-2) \frac{-2}{x^2 - 2x}$$

$$3x^2 + 2x + x - 2 = -2$$

$$3x^2 + 3x = 0$$

$$3x(x+1) = 0$$

$$3x = 0 \quad x+1 = 0$$

$$x = 0 \quad x = -1$$

$x = -1$  is the only solution

### Exercise

Solve:  $\frac{-4x}{x-1} + \frac{4}{x+1} = \frac{-8}{x^2-1}$

### Solution

Restriction:  $x \neq \pm 1$

$$(x-1)(x+1) \frac{-4x}{x-1} + (x-1)(x+1) \frac{4}{x+1} = (x-1)(x+1) \frac{-8}{x^2-1}$$

$$-4x(x+1) + 4(x-1) = -8$$

$$-4x^2 - 4x + 4x - 4 = -8$$

$$-4x^2 = -4$$

$$x^2 = 1$$

$x = \pm 1$  The solution is  $\{\emptyset\}$

### Exercise

Solve:  $\frac{4x+3}{x+1} + \frac{2}{x} = \frac{1}{x^2+x}$

### Solution

Restriction:  $x+1 \neq 0 \rightarrow x \neq -1, 0$

$$x(x+1) \frac{4x+3}{x+1} + x(x+1) \frac{2}{x} = x(x+1) \frac{1}{x^2+x}$$

$$x(4x+3) + 2(x+1) = 1$$

$$4x^2 + 3x + 2x + 2 = 1$$

$$4x^2 + 5x + 2 - 1 = 1 - 1$$

$$4x^2 + 5x + 1 = 0$$

$$(4x+1)(x+1) = 0$$

$$4x+1 = 0 \quad x+1 = 0$$

$$\underline{x = -\frac{1}{4}} \quad \cancel{x = -1}$$

### Exercise

Solve:  $\frac{6}{x+3} - \frac{5}{x-2} = \frac{-20}{x^2+x-6}$

#### Solution

$$\frac{6}{x+3} - \frac{5}{x-2} = \frac{-20}{x^2+x-6}$$

**Restriction:**  $x \neq -3, 2$

$$(x+3)(x-2)\frac{6}{x+3} - (x+3)(x-2)\frac{5}{x-2} = (x+3)(x-2)\frac{-20}{x^2+x-6}$$

$$6(x-2) - 5(x+3) = -20$$

$$6x - 12 - 5x - 15 = -20$$

$$x = -20 + 12 + 15$$

$$\underline{x = 7}$$

### Exercise

Solve:  $\frac{6}{x+1} - \frac{5}{x+2} = \frac{10}{x^2+3x+2}$

#### Solution

**Restriction:**  $x \neq -1, -2$

$$6(x+2) - 5(x+1) = 10$$

$$6x + 12 - 5x - 5 = 10$$

$$\underline{x = 3}$$

### Exercise

Solve:  $3(x-4) - 5(x+2) = 3[2 - (x+24)] - 2(x-2)$

#### Solution

$$3x - 12 - 5x - 10 = 6 - 3(x+24) - 2x + 4$$

$$-2x - 22 = -3x - 72 - 2x + 10$$

$$3x = -62 + 22$$

$$3x = -42$$

$$\underline{x = -14}$$

### Exercise

Solve:  $(2x+3)(6x-1) - 9 = 15x^2 - (3x-2)(x-2)$

#### Solution

$$12x^2 + 16x - 3 - 9 = 15x^2 - (3x^2 - 8x + 4)$$

$$12x^2 + 16x - 12 = 15x^2 - 3x^2 + 8x - 4$$

$$12x^2 + 16x - 8x = 12x^2 - 4 + 12$$

$$8x = 8$$

$$\underline{x = 1}$$

### ***Exercise***

Solve:  $(3x - 1)^2 - 2x(x - 1) = 7x^2 - 5x + 2$

### **Solution**

$$9x^2 - 6x + 1 - 2x^2 + 2x = 7x^2 - 5x + 2$$

$$7x^2 - 4x + 1 = 7x^2 - 5x + 2$$

$$\underline{x = 1}$$

### ***Exercise***

Solve:  $(2x + 3)(x - 1) + (x + 1)(x - 4) = 3x^2$

### **Solution**

$$2x^2 + x - 3 + x^2 - 3x - 4 = 3x^2$$

$$3x^2 - 2x - 7 = 3x^2$$

$$2x = 7$$

$$\underline{x = \frac{7}{2}}$$

### ***Exercise***

Solve:  $4x + 13 - \{2x - [4(x - 3) - 5]\} = 2(x - 6)$

### **Solution**

$$4x + 13 - 2x + 4(x - 3) - 5 = 2x - 12$$

$$2x + 8 + 4x - 12 = 2x - 12$$

$$4x = -8$$

$$\underline{x = -2}$$

### ***Exercise***

Solve:  $-2\{7 - [4 - 2(1 - x) + 3]\} = 10 - [4x - 2(x - 3)]$

#### **Solution**

$$-14 + 2[7 - 2 + 2x] = 10 - 4x + 2x - 6$$

$$-14 + 2(5 + 2x) = 2 - 2x$$

$$-14 + 10 + 4x = 2 - 2x$$

$$6x = 6$$

$$\underline{x = 1}$$

### ***Exercise***

Solve:  $2(y + 2) + (y + 3)^2 = y(y + 5) + 2\left(\frac{17}{2} + y\right)$

#### **Solution**

$$2y + 4 + y^2 + 6y + 9 = y^2 + 5y + 17 + 2y$$

$$8y + 13 = 7y + 17$$

$$\underline{y = 4}$$

### ***Exercise***

Solve:  $(y + 1)(y - 1) = (y + 2)(y - 3) + 4$

#### **Solution**

$$y^2 - 1 = y^2 - y - 6 + 4$$

$$-1 = -y - 2$$

$$\underline{y = -1}$$

### ***Exercise***

Solve:  $45 - [4 - 2y - 4(y + 7)] = -4(1 + 3y) - [4 - 3(y + 2) - 2(2y - 5)]$

#### **Solution**

$$45 - [4 - 2y - 4y - 28] = -4 - 12y - [4 - 3y - 6 - 4y + 10]$$

$$45 - 4 + 2y + 4y + 28 = -4 - 12y - 4 + 3y + 6 + 4y - 10$$

$$69 + 6y = -12 - 5y$$

$$6y + 5y = -12 - 69$$

$$11y = -81$$

$$\underline{y = -\frac{81}{11}}$$

### ***Exercise***

Solve:  $35 - [2 - 3y - 4(y + 7)] = -3(1 + 3y) + 4 - 3(y + 2) - 2(2y - 5)$

### **Solution**

$$35 - 2 + 3y + 4(y + 7) = -33 - 9y + 4 - 3y - 6 - 4y + 10$$

$$33 + 3y + 4y + 28 = -25 - 16y$$

$$61 + 7y = -25 - 16y$$

$$23y = -86$$

$$\underline{y = -\frac{86}{23}}$$

### ***Exercise***

Solve:  $25 - [2 + 5y - 3(y + 2)] = -3(2y - 5) - [5(y - 1) - 3y + 3]$

### **Solution**

$$25 - [2 + 5y - 3y - 6] = -6y + 15 - [5y - 5 - 3y + 3]$$

$$25 - (2y - 4) = -6y + 15 - (2y - 2)$$

$$25 - 2y + 4 = -6y + 15 - 2y + 2$$

$$-2y + 29 = -8y + 17$$

$$6y = -12$$

$$\underline{y = -2}$$

### ***Exercise***

Solve:  $V = lwh$ , for  $h$

### **Solution**

$$\underline{h = \frac{V}{lw}}$$

### ***Exercise***

Solve:  $A = \frac{1}{2}h(B + b)$  for  $B$

### **Solution**



$$2A = h(B + b) \quad \text{Multiply both sides by 2}$$

$$\frac{2A}{h} = B + b \quad \text{Divide both sides by } h$$

$$\underline{B = \frac{2A}{h} - b}$$

### Exercise

Solve:  $A = \frac{1}{2}h(a + b)$  for  $a$

### Solution

$$2A = 2 \cdot \frac{1}{2}h(a + b)$$

$$2A = h(a + b)$$

$$\frac{2A}{h} = \frac{h}{h}(a + b)$$

$$\frac{2A}{h} = a + b$$

$$\frac{2A}{h} - b = a$$

$$\underline{a = \frac{2A}{h} - b} \quad \text{or} \quad a = \frac{2A - bh}{h}$$

### Exercise

Solve:  $S = 2\pi rh + 2\pi r^2$  for  $h$

### Solution

$$2\pi rh = S - 2\pi r^2$$

$$\underline{h = \frac{S - 2\pi r^2}{2\pi r}}$$

### Exercise

Solve:  $A = \frac{1}{2}h(b_1 + b_2)$ , for  $h$

### Solution

$$2A = h(b_1 + b_2)$$

$$\underline{h = \frac{2A}{b_1 + b_2}}$$

### ***Exercise***

Solve:  $A = \frac{1}{2}h(b_1 + b_2)$ , for  $b_2$

### **Solution**

$$2A = h(b_1 + b_2)$$

$$\frac{2A}{h} = b_1 + b_2$$

$$b_2 = \frac{2A}{h} - b_1$$

### ***Exercise***

Solve:  $A = \frac{1}{2}h(b_1 + b_2)$ , for  $b_1$

### **Solution**

$$\frac{2A}{h} = b_1 + b_2$$

$$b_1 = \frac{2A}{h} - b_2$$

### ***Exercise***

Solve:  $S = P + Prt$  for  $t$ .

### **Solution**

$$S - P = Prt$$

$$\frac{S - P}{Pr} = \frac{Pr}{Pr}t$$

$$t = \frac{S - P}{Pr}$$

### ***Exercise***

Solve:  $S = 2lw + 2wh + 2hl$  for  $h$

### **Solution**

$$S = 2lw + (2w + 2l)h$$

$$(2w + 2l)h = S - 2lw$$

$$h = \frac{S - 2lw}{2w + 2l}$$

### Exercise

Solve:  $S = 2lw + 2wh + 2hl$  for  $w$

#### Solution

$$S = (2l + 2h)w + 2hl$$

$$(2l + 2h)w = S - 2hl$$

$$w = \frac{S - 2hl}{2l + 2h}$$

### Exercise

Solve:  $\frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2}$  for  $R_1$

#### Solution

1st Method

$$RR_1R_2 \frac{1}{R} = RR_1R_2 \frac{1}{R_1} + RR_1R_2 \frac{1}{R_2}$$

$$R_1R_2 = RR_2 + RR_1$$

$$R_1R_2 - RR_1 = RR_2$$

$$R_1(R_2 - R) = RR_2$$

$$R_1 = \frac{RR_2}{R_2 - R}$$

2nd Method

$$\frac{1}{R} - \frac{1}{R_2} = \frac{1}{R_1}$$

$$\frac{R_2 - R}{RR_2} = \frac{1}{R_1}$$

$$R_1R_2 - RR_1 = RR_2$$

$$R_1(R_2 - R) = RR_2$$

$$R_1 = \frac{RR_2}{R_2 - R}$$

3rd Method

$$\frac{1}{R} - \frac{1}{R_2} = \frac{1}{R_1}$$

$$\frac{R_2 - R}{RR_2} = \frac{1}{R_1}$$

Multiply by the common denominator  $RR_1R_2$

Simplify

Move  $R_1$  to one side

Factor  $R_1$

Divide by  $R_2 - R$

Common denominator on one side of the equality

Cross multiplication

Factor  $R_1$

Divide by  $R_2 - R$

Cross multiplication

$$\underline{R_1 = \frac{RR_2}{R_2 - R}}$$

*Flip*

### ***Exercise***

Solve:  $\frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2}$  for  $R$

### **Solution**

$$\frac{1}{R} = \frac{R_1 + R_2}{R_1 R_2}$$

$$\underline{R = \frac{R_1 R_2}{R_1 + R_2}}$$

### ***Exercise***

Solve:  $V = \frac{d_1 - d_2}{t}$  for  $d_1$

### **Solution**

$$d_1 - d_2 = Vt$$

$$\underline{d_1 = Vt + d_2}$$

### ***Exercise***

Solve:  $V = \frac{d_1 - d_2}{t}$  for  $d_2$

### **Solution**

$$d_1 - d_2 = Vt$$

$$\underline{d_2 = d_1 - Vt}$$

### ***Exercise***

Solve:  $z = \frac{x - \mu}{s}$  for  $x$

### **Solution**

$$x - \mu = sz$$

$$\underline{x = sz + \mu}$$

### ***Exercise***

Solve:  $z = \frac{x - \mu}{s}$  for  $\mu$

#### **Solution**

$$x - \mu = sz$$

$$\mu = x - sz$$

### ***Exercise***

Solve:  $s = \frac{1}{2}at^2 + vt$  for  $v$

#### **Solution**

$$vt = s - \frac{1}{2}at^2$$

$$v = \frac{s}{t} - \frac{1}{2}at$$

### ***Exercise***

Solve:  $s = \frac{1}{2}at^2 + vt$  for  $a$

#### **Solution**

$$\frac{1}{2}at^2 = s - vt$$

$$at^2 = 2s - 2vt$$

$$a = \frac{2s - 2vt}{t^2}$$

### ***Exercise***

Solve:  $L = a + (n - 1)d$  for  $n$

#### **Solution**

$$(n - 1)d = L - a$$

$$n - 1 = \frac{L - a}{d}$$

$$n = \frac{L - a}{d} + 1$$

### ***Exercise***

Solve:  $L = a + (n-1)d$  for  $d$

#### **Solution**

$$(n-1)d = L - a$$

$$\underline{d = \frac{L - a}{n - 1}}$$

### ***Exercise***

Solve:  $A = \frac{x_1 + x_2 + x_3}{n}$  for  $x_2$

#### **Solution**

$$x_1 + x_2 + x_3 = nA$$

$$\underline{x_2 = nA - x_1 - x_3}$$

### ***Exercise***

Solve:  $A = \frac{x_1 + x_2 + x_3}{n}$  for  $n$

#### **Solution**

$$\underline{n = \frac{x_1 + x_2 + x_3}{A}}$$

***Solution******Section R.3 – Applications & Modeling With Linear Eqns.******Exercise***

When a number is decreased by 30% of itself, the result is 28. What is the number?

**Solution**

$$n - 0.3n = 28$$

$$0.7n = 28$$

$$n = \frac{28}{0.7}$$

$$= 40$$

***Exercise***

When 80% a number is added to the number, the result is 252. What is the number?

**Solution**

$$0.8n + n = 252$$

$$1.8n = 252$$

$$n = \frac{252}{1.8}$$

$$= 140$$

***Exercise***

If the length of each side of a square is increased by 3 *cm*, the perimeter of the new square is 40 *cm* more than twice of each side of the original square. Find the dimensions of the original square.

**Solution**

$$\text{New perimeter: } P = 4(x + 3)$$

New square is 40 *cm* more than twice of each side of the original square.


$$P = 40 + 2x$$

$$40 + 2x = 4(x + 3)$$

$$40 + 2x = 4x + 12$$

$$28 = 2x$$

$$x = 14 \text{ cm}$$



### ***Exercise***

The length of a rectangular label is 2.5 *cm* less than twice the width. The perimeter is 40.6 *cm*. Find the width.

### **Solution**

$$l = 2w - 2.5$$

$$P = 2w + 2l$$

$$40.6 = 2w + 2(2w - 2.5)$$

$$= 2w + 4w - 5$$

$$= 6w - 5$$

$$40.6 + 5 = 6w$$

$$6w = 45.6$$

$$w = \frac{45.6}{6}$$

$$= \frac{456}{60}$$

$$= \frac{38}{5} \text{ cm}$$

$$l = 2\frac{38}{5} - \frac{5}{2}$$

$$= \frac{76}{5} - \frac{5}{2}$$

$$= \frac{152 - 25}{10}$$

$$= \frac{127}{10} \text{ cm}$$

### ***Exercise***

An Automobile repair shop charged a customer \$448, listing \$63 for parts and the remainder for labor. If the cost of labor is \$35 per hour, how many hours of labor did it take to repair the car?

### **Solution**

$$448 = 63 + 35x$$

$$448 - 63 = 35x$$

$$385 = 35x$$

$$x = \frac{385}{35}$$

$$= 11 \text{ hrs}$$



### Exercise

In the morning, Margaret drove to a business appointment at 50 *mph*. Her average speed on the return trip in the afternoon was 40 *mph*. The return trip took  $\frac{1}{4}$  *hr.* longer because of heavy traffic. How far did she travel to the appointment?

#### Solution

The same distance

$$50x = 40\left(x + \frac{1}{4}\right)$$

$$50x = 40x + 10$$

$$10x = 10$$

$$x = 1 \text{ hr}$$

$$\text{Distance} = 50x$$

$$= 50 \text{ mi}$$

	<i>r</i>	<i>t</i>	<i>d</i>
<b>Morning</b>	50	<i>x</i>	50 <i>x</i>
<b>Afternoon</b>	40	$x + \frac{1}{4}$	$40\left(x + \frac{1}{4}\right)$

### Exercise

Marie borrowed \$5240 for new furniture. She will pay it off in 11 months at an annual simple interest rate of 4.5%. How much interest will she pay?

#### Solution

$$\text{Given: } P = 5240$$

$$r = 4.5\% = \frac{4.5}{100} = 0.045$$

$$t = \frac{11}{12}$$

$$I = Prt$$

$$= (5240)(0.045)\left(\frac{11}{12}\right)$$

$$= \$216.15$$

### Exercise

One of the most effective ways of removing contaminants such as carbon monoxide and nitrogen dioxide from the air while cooking is to use a vented range hood. If a range hood removes contaminants at a rate of *F* liters of air per second, then the percent *P* of contaminants that are also removed from the surrounding air can be modeled by the linear equation

$$P = 1.06F + 7.18$$

Where  $10 \leq F \leq 75$ . What flow *F* must a range hood have to remove 50% of the contaminants from the air?

#### Solution

$$50 = 1.06F + 7.18$$

$$50 - 7.18 = 1.06F$$

$$42.82 = 1.06F$$

$$F = \frac{42.82}{1.06}$$

$$\approx 40.40$$

### ***Exercise***

Americans spent about \$511 billion dining out in 2006. This was a 5.1% increase over the amount spent in 2005. How much was spent dining out in 2005?

### **Solution**

Let  $x$  be the amount spent in 2005

511 is the amount spent in 2006

$$5.1\% = \frac{5.1}{100} = 0.051$$

$$x + .051x = 511$$

$$1.051x = 511$$

$$x = \frac{511}{1.051}$$

$$= \$486 \text{ billion}$$

### ***Exercise***

For households with at least one credit card, the average U.S. credit-card debt per household was \$9312 in 2004. This was \$6346 more than the average credit-card debt in 1990. What was the average credit-card debt per household in 1990?

### **Solution**

1990 :  $x$

2004 :  $y = 9312$

$$y = x + 6346$$

$$9312 - 6346 = x$$

$$x = \$2966$$

### ***Exercise***

Morgan's Seeds has a rectangular test plot with a perimeter of 322  $m$ . The length is 25  $m$  more than the width. Find the dimensions of the plot?

### **Solution**

$$P = 322 = 2l + 2w \quad \text{Divide by 2}$$

$$l + w = 161 \quad (1)$$

$$l = w + 25 \quad (2)$$

$$\text{From (2)} \rightarrow (1) \Rightarrow w + 25 + w = 161$$

$$2w = 161 - 25$$

$$w = \frac{136}{2}$$

$$= 68 \text{ m}$$

$$l = w + 25$$

$$= 68 + 25$$

$$= 93 \text{ m}$$

### ***Exercise***

Together, a dog owner and a cat owner spend an average of \$376 annually for veterinary-related expenses. A dog owner spends \$150 more per year than a cat owner. Find the average annual veterinary-related expenses of a dog owner and of a cat owner.

### **Solution**

*A dog owner and a cat owner spend an average of \$376*

$$d + c = 376 \quad (1)$$

*A dog owner spends \$150 more per year than a cat owner*

$$d = c + 150 \quad (2)$$

$$\text{From (2); (1)} \quad d + c = 376$$

$$c + 150 + c = 376$$

$$2c = 376 - 150$$

$$2c = 226$$

$$c = \frac{226}{2} = \$113$$

$$(2) \quad d = c + 150$$

$$= 113 + 150$$

$$= \$263$$

### ***Exercise***

America West Airlines fleet includes Boeing, each with a cruising speed of 500 *mph*, and Bombardier Dash each with a cruising speed of 302 *mph*. Suppose that a Dash takes off and travels at its cruising speed. One hour later, a Boeing takes off and follows the same route, traveling at its cruising speed. How long will it take the Boeing to overtake the Dash?

### **Solution**

$$d = 500t$$

$$d = 302(t + 1)$$

$$500t = 302t + 302$$

$$500t - 302t = 302$$

$$198t = 302$$

$$t = \frac{302}{198}$$

$$\approx 1.53 \text{ hrs}$$

	Distance	Rate	Time
Boeing	$d$	500	$t$
Dash	$d$	302	$t + 1$

### Exercise

Two airline jets, jet **A** with a cruising speed of 517 *mph*, and jet **B** with a cruising speed of 290 *mph*. Suppose that jet **B** takes off and travels at its cruising speed. One hour later, jet **A** takes off and follows the same route, traveling at its cruising speed. How long will it take the jet **A** to overtake the jet **B**?



### Solution

$$d = 517t = 290(t + 1)$$

$$517t = 290t + 290$$

$$517t - 290t = 290$$

$$227t = 290$$

$$t = \frac{290}{227} \approx 1.28$$

	Distance	Rate	Time
Jet <b>A</b>	$d$	517	$t$
Jet <b>B</b>	$d$	290	$t + 1$

$\therefore$  Jet **A** will overtake the jet **B** in  $\frac{290}{227} \approx 1.28$  hours.

### Exercise

Two airline jets, jet **A** with a cruising speed of 900 *km/h*, and jet **B** with a cruising speed of 180 *km/h*. Suppose that jet **B** takes off and travels at its cruising speed. Two hours later, jet **A** takes off and follows the same route, traveling at its cruising speed. How long will it take the jet **A** to overtake the jet **B**?



### Solution

$$d = 900t = 180(t + 2)$$

$$\frac{900}{180}t = t + 2$$

$$5t - t = 2$$

$$4t = 2$$

$$t = \frac{1}{2} = 0.5$$

$\therefore$  Jet A will overtake the jet B in *half – hour*.

	<i>Distance</i>	<i>Rate</i>	<i>Time</i>
Jet A	$d$	900	$t$
Jet B	$d$	180	$t + 2$

### *Exercise*

A central Railway freight train leaves a station and travels due north at a speed of 60 *mph*. One hour later, An Amtrak passenger train leaves the same station and travels due north on a parallel track at a speed of 80 *mph*. How long will it take the passenger train to overtake the freight train?

### Solution

$$d = 80t = 60(t + 1)$$

$$8t = 6t + 6$$

$$2t = 6$$

$$t = 3$$

$\therefore$  Amtrak will overtake the freight train in *3 hours*.

	<i>Distance</i>	<i>Rate</i>	<i>Time</i>
Amtrak	$d$	80	$t$
Freight	$d$	60	$t + 1$

### *Exercise*

An airplane that travels 450 *mph* in still air encounters a 30-*mph* headwind. How long will it take the plane to travel 1050 *mi* into the wind?

### Solution

The speed of the plane into the wind is:  $450 - 30$  *mph*

$$(450 - 30)t = 1050$$

$$420t = 1050$$

$$t = \frac{1050}{420}$$

$$= \frac{5}{2} \Big|$$

∴ It will take the plane **2.5 hours** to travel 1050 miles into the wind

### ***Exercise***

An airplane that travels 375 mph in still air is flying with a 25-mph tailwind. How long will it take the plane to travel 700 mi with the wind?

### **Solution**

The speed of the plane with the wind is:  $375 + 25$  mph

$$(375 + 25)t = 700$$

$$400t = 700$$

$$t = \frac{700}{400}$$

$$= \frac{7}{4} \Big|$$

∴ It will take the plane **1.75 hours** to travel 700 miles with the wind

### ***Exercise***

A kayak moves at a rate of 12 mph in still water. If the river's current flows at a rate of 4 mph, how long does it take the boat to travel 36 miles upstream?

### **Solution**

Kayak travels upstream at a rate of  $12 - 4 = 8$  mph.

$$8t = 36$$

$$t = \frac{36}{8}$$

$$= \frac{9}{2}$$

$$= 4.5 \Big|$$

∴ It takes the kayak **4.5 hrs** to travel 36 miles upstream.

### ***Exercise***

A kayak travels at a rate of 14 km/h in still water. If the river's current flows at a rate of 2 km/h, how long does it take the boat to travel 20 km downstream?

### **Solution**

Kayak travels upstream at a rate of  $14 + 2 = 16$  km/h.

$$16t = 20$$

$$\begin{aligned}
 t &= \frac{20}{16} \\
 &= \frac{5}{4} \\
 &= 1.25
 \end{aligned}$$

∴ It takes the kayak **1.25 hrs** to travel 20 km downstream.

### Exercise

Ron's two student loans total \$28,000. One loan is at 5% simple interest and the other is at 3% simple interest. After 1 year, Ron owes \$1,040 in interest. What is the amount of each loan?

### Solution

$$0.03(28,000 - x) + 0.05x = 1040$$

$$840 - 0.03x + 0.05x = 1040$$

$$0.02x = 1040 - 840$$

$$\begin{aligned}
 x &= \frac{200}{.02} \\
 &= \frac{20,000}{2} \\
 &= 10,000
 \end{aligned}$$

<i>Amount</i>	<i>Rate</i>	<i>Year</i>	<i>I = Prt</i>
$x$	.05	1	$0.05x$
$28,000 - x$	.03	1	$0.03(28,000 - x)$
\$28,000			\$1,040

∴ the amount of 3% rate was **\$10,000**, and 5% loan =  $28,000 - 10,000 =$  **\$18,000**

### Exercise

You borrowed money at 5% simple interest rate to pay your tuition. At the end of 1 year, you owed a total of \$1,365 in principal and interest. How much did you borrow?

### Solution

$$(1 + .05)P = 1365$$

$$\begin{aligned}
 P &= \frac{1365}{1.05} \\
 &= \frac{136500}{105} \\
 &= 1,300
 \end{aligned}$$

∴ the amount of the loan was **\$1,300**.

### Exercise

You make an investment at 4% simple interest rate. At the end of 1 year, the total value of the investment is \$1,560 in principal and interest. How much did you invest originally?

### Solution

$$(1 + 0.04)P = 1560$$

$$P = \frac{1560}{1.04}$$

$$= \frac{156,000}{104}$$

$$= \underline{1,500}$$

∴ the amount of the investment was \$1,500.

### Exercise

You invested a total of \$5,000, part at 3% simple interest and a part at 4% simple interest. At the end of 1 year the investments had earned \$176 interest. How much was invested at each rate?

### Solution

$$0.04(5,000 - x) + 0.03x = 176$$

$$200 - 0.04x + 0.03x = 176$$

$$-0.01x = -24$$

$$x = \frac{24}{0.01}$$

$$= \underline{2,400}$$

	<i>Amount invested</i>	<i>Interest Rate</i>	<i>Time</i>	<i>Amount of Interest</i>
<b>3%</b>	$x$	0.03	1	$0.03x$
<b>4%</b>	$5,000 - x$	0.04	1	$0.04(5,000 - x)$
<b>Total</b>	5,000			176

You invest \$2,400 at 3% and  $5,000 - 2,400 = 2,600$  for 4%

### Exercise

You worked 48 hr. one week and earned a \$1066 paycheck. You earn time and a half (1.5 times your regular hourly wage) for the number of hours you work in excess of 40. What is your regular hourly wage?

### Solution

$$40x + (48 - 40)\left(\frac{3}{2}x\right) = 1066$$

$$40x + 12x = 1066$$

$$52x = 1066$$

$$x = \frac{1066}{52}$$

$$= \underline{\frac{41}{2}}$$

∴ your hourly wage is \$20.5



### Exercise

In 2010, 40.9% of federal tax returns had zero or negative tax liability. This amount is 15.7% more than the percentage of filers who had zero or negative tax liability in 2000. Find the percentage of tax filers in 2000 who had zero or negative tax liability.

### Solution

Let  $P$  = the percentage of federal tax filers in 2000 who had zero or negative tax liability.

The percentage of federal tax filers in 2010 is:  $P + 15.7$

$$P + 15.7 = 40.9$$

$$P = \underline{25.2\%}$$

$\therefore$  the percentage of tax filers in 2000 who had zero or negative tax liability is **25.2%**

### Exercise

The average annual salary of a restaurant manager is 24.8% less than the average annual salary of an office manager. The average annual salary of a restaurant manager is \$48,533. Find the average annual salary of an office manager.

### Solution

Let  $A$  = the average annual salary of an office manager.

$$(1 - 0.248)A = 48,533$$

$$\begin{aligned} A &= \frac{48,533}{0.752} \\ &= \frac{48,533,000}{752} \\ &= \underline{\frac{6,066,625}{94}} \approx 64,539 \end{aligned}$$

$\therefore$  the average annual salary of an office manager  $\approx$  **64,539**

### Exercise

Jared's two student loans total \$12,000. One loan is at 5% simple interest and the other is at 8% simple interest. After 1 yr. Jared owes \$750 in interest. What is the amount of each loan?

### Solution

$$0.05x + 0.08(12000 - x) = 750$$

$$0.05x + 960 - 0.08x = 750$$

$$-0.03x = 750 - 960$$

$$-0.03x = -210$$

	<i>Amount Borrowed</i>	<i>Interest Rate</i>	<i>Time</i>	<i>Amount of Interest</i>
<b>5%</b>	$x$	0.05	1	$0.05x$
<b>8%</b>	$12,000 - x$	0.08	1	$0.08(12000 - x)$
<b>Total</b>	12,000			750

$$x = \frac{-210}{-0.03} = 7000$$

**5% loan:** \$7000

**8% loan:** 12000-7000= \$5000

### ***Exercise***

Cody wishes to sell a piece of property for \$240,000. He wants the money to be paid off in two ways – a short-term note at 6% interest and a long-term note at 5%. Find the amount of each note if the total annual interest paid is \$13,000.

#### **Solution**

$$.06x + .05(240,000 - x) = 13000$$

$$.06x + 12000 - .05x = 13000$$

$$.01x = 1000$$

$$x = \frac{1000}{.01}$$

$$= \$100,000$$

<i>Amount</i>	<i>Rate</i>	<i>Year</i>	<i>I = Prt</i>
$x$	.06	1	$.06x$
$240,000 - x$	.05	1	$.05(240,000 - x)$
240,000			\$13,000

Cody should invest **\$100,000** at 6% and  $240,000 - \$100,000 = \mathbf{\$140,000}$  for 5%

### ***Exercise***

You inherit \$5000 with the stipulation that for the first year the money had to be invested in two funds paying 9% and 11% annual interest. How much did you invest at each rate if the total interest earned for the year was \$487?

#### **Solution**

$$.09x + .11(5,000 - x) = 487$$

$$.09x + 550 - .11x = 487$$

$$-.02x = -63$$

$$x = \frac{63}{.02}$$

$$= \frac{6300}{2}$$

$$= \$3,150$$

<i>Amount</i>	<i>Rate</i>	<i>Year</i>	<i>I = Prt</i>
$x$	.09	1	$.09x$
$5,000 - x$	.11	1	$.11(5,000 - x)$
5,000			\$487

Invested \$3,150 in 9% rate and  $5000 - 3150 = \mathbf{\$1,850}$  in 11% rate.

### Exercise

An artist has sold a painting for \$410,000. He needs some of the money in 6 months and the rest in 1 yr. He can get a treasury bond for 6 months at 4.65% and for one year at 4.91%. His broker tells him the two investments will earn a total of \$14,961. How much should be invested at each rate to obtain that amount of interest?

### Solution

<i>Amount</i>	<i>Rate</i>	<i>Year</i>	<i>I = Prt</i>
$x$	.0465	0.5	$.0465(0.5) x$
$410,000 - x$	.0491	1	$.0491(1) (410,000 - x)$
410,000			\$14,961

$$.0465(0.5) x + .0491(1) (410,000 - x) = 14,961$$

$$.02325 x + 20,131 - 0.0491 x = 14,961$$

$$- 0.025851 x = 14,961 - 20,131$$

$$- 0.025851 x = - 5170$$

$$x = \$200,000$$

The artist should invest \$200,000 at 4.65% and  $\$410,000 - \$200,000 = \$210,000$  for 4.91%.

### Exercise

The number of steps needed to burn off a Cheeseburger exceeds the number needed to burn off a 12-*ounce* Soda by 4140. The number needed to burn off a Doughnut exceeds the number needed to burn off 12-*ounce* soda by 2300. If you chow down a cheeseburger, doughnut, and 12-*ounce* soda, a 16790 step walk is needed to burn off the calories (and perhaps alleviate the guilt). Determine the number of steps it takes to burn off a cheeseburger, a doughnut, and a 12-*ounce* soda.

### Solution

$$C = S + 4140$$

$$D = S + 2300$$

$$C + D + S = 16790$$

$$S + 4140 + S + 2300 + S = 16790$$

$$3S = 16790 - 4140 - 2300$$

$$3S = 10350$$

$$S = 3,450$$

$$C = S + 4140$$

$$= 7,590$$

$$D = S + 2300$$

$$= 5,750$$

### Exercise

Although organic milk accounts for only 12% of the market, consumption is increasing. In 2004, Americans purchased 40.7 million gallons of organic milk, increasing at a rate of 5.6 million gallons per year. If this trend continues, when will Americans purchase 79.9 million gallons of organic milk?

### Solution

$$79.9 = 40.7 + 5.6x$$

$$5.6x = 39.2$$

$$x = 7 \text{ years}$$

$$\begin{aligned} \text{Year} &= 2004 + 7 \\ &= \underline{2011} \end{aligned}$$

### Exercise

How many gallons of a 5% acid solution must be fixed with 5 gal of a 10% solution to obtain 7% solution?

### Solution

$$.05x + .5 = .07(x + 5)$$

$$.05x + .5 = .07x + .35$$

$$.05x - .07x = .35 - .5$$

$$-.02x = -.15$$

$$x = \frac{-.15}{-.02}$$

$$= \frac{15}{2}$$

$$= \underline{7.5 \text{ L}}$$

<i>Strength</i>	<i>Liters of Solution</i>	<i>Liters of Pure Alcohol</i>
5%	$x$	$.05x$
10%	5	$.10(5)$
7%	$x + 5$	$.07(x + 5)$

### Exercise

In 1969, 88% of the women considered this objective essential or very important. Since then, this percentage has decreased by approximately 1.1 each year. If this trend continues, by which year will only 33% of female freshmen consider "developing a meaningful philosophy of life" essential or very important?

### Solution

$$88 - 1.1x = 33$$

$$88 - 1.1x - 88 = 33 - 88$$

$$-1.1x = -55$$

$$x = \frac{-55}{-1.1}$$

$$= \frac{550}{11}$$

$$= \underline{50 \text{ years}}$$

$$\begin{aligned} \text{year} &= 1969 + 50 \\ &= \underline{2019} \end{aligned}$$

### Exercise

Charlotte is a chemist. She needs a 20% solution of alcohol. She has a 15% solution on hand, as well as a 30% solution. How many liters of the 15% solution should she add to 3 L of the 30% solution to obtain her 20% solution?

### Solution

$$\begin{aligned} \text{Liters in 15\%} + \text{Liters in 30\%} &= \text{Liters in 20\%} \\ .15x + .30(3) &= .20(3 + x) \end{aligned}$$

$$.15x + .9 = .6 + .2x$$

$$.15x - .2x = .6 - .9$$

$$-.05x = -.3$$

$$x = \frac{-.3}{-.05}$$

$$= \frac{30}{5}$$

$$= \underline{6 \text{ L}}$$

<i>Strength</i>	<i>Liters of Solution</i>	<i>Liters of Pure Alcohol</i>
15%	$x$	$.15x$
30%	3	$.30(3)$
20%	$3 + x$	$.20(3 + x)$

### Exercise

You are choosing between two texting plans. Plan *A* has a monthly fee of \$20 with a charge of \$0.05 per text. Plan *B* has monthly fee of \$5 with charge of \$0.10 per text.

Both plans include photo and video texts. For how many text messages will the costs for the two plans be the same?

### Solution

$$\text{Plan A} = \text{Plan B}$$

$$20 + .05x = 5 + .1x$$

$$15 = .05x$$

$$x = \frac{15}{.05}$$

$$= \frac{1500}{5}$$

$$= \underline{300}$$

### Exercise

A computer store is having a sale on digital cameras. After a 40% price reduction, your purchase a digital camera for \$276. What was the camera's price before the reduction?

### Solution

$$(100 - 40)\% x = 276$$

$$0.6x = 276$$

$$x = \frac{276}{0.6}$$

$$= \frac{2760}{6}$$

$$= \$460$$

### Exercise

In a triangle, the measure of the first angle is twice the measure of the second angle. The measure of the third angle is  $8^\circ$  less than the measure of the second angle. What is the measure of each angle?

### Solution

$$A = 2B$$

$$C = B - 8^\circ$$

$$A + B + C = 180^\circ$$

$$2B + B + B - 8^\circ = 180^\circ$$

$$4B = 188^\circ$$

$$B = \frac{188^\circ}{4}$$


$$= 47^\circ$$

$$A = 2(47^\circ)$$

$$= 94^\circ$$

$$C = 47^\circ - 8^\circ$$

$$= 39^\circ$$



### Exercise

In a triangle, the measure of the first angle is three times the measure of the second angle. The measure of the third angle is  $35^\circ$  less than the measure of the second angle. What is the measure of each angle?

### Solution

$$A = 3B$$

$$C = B - 35^\circ$$

$$A + B + C = 180^\circ$$

$$3B + B + B - 35^\circ = 180^\circ$$

$$5B = 215^\circ$$

$$B = 43^\circ$$

$$A = 3(43^\circ)$$

$$\begin{aligned}
 &= 129^\circ \\
 C &= 43^\circ - 35^\circ \\
 &= 8^\circ
 \end{aligned}$$

### ***Exercise***

In a triangle, the measure of the first angle is *five* times the measure of the second angle. The measure of the third angle is  $2^\circ$  less than the measure of the second angle. What is the measure of each angle?

### **Solution**

$$\begin{aligned}
 A &= 5B \\
 C &= B - 2^\circ \\
 A + B + C &= 180^\circ \\
 5B + B + B - 2^\circ &= 180^\circ \\
 7B &= 182^\circ \\
 B &= \frac{182}{7} \\
 &= 26^\circ \\
 A &= 5(26^\circ) \\
 &= 130^\circ \\
 C &= 26^\circ - 2^\circ \\
 &= 24^\circ
 \end{aligned}$$

$\therefore$  the measure of each angle:  $24^\circ$ ,  $26^\circ$ , &  $130^\circ$

### ***Exercise***

In a triangle, the measure of the first angle is *twice* as large as the second angle. The measure of the third angle is  $20^\circ$  more than the measure of the second angle. What is the measure of each angle?

### **Solution**

$$\begin{aligned}
 A &= 2B \\
 C &= B + 20^\circ \\
 A + B + C &= 180^\circ \\
 2B + B + B + 20^\circ &= 180^\circ \\
 4B &= 160^\circ \\
 B &= \frac{160}{4} \\
 &= 40^\circ
 \end{aligned}$$

$$A = 2(40^\circ)$$

$$\underline{= 80^\circ}$$

$$C = 40^\circ + 20^\circ$$

$$\underline{= 60^\circ}$$

$\therefore$  the measure of each angle:  $40^\circ$ ,  $60^\circ$ , &  $80^\circ$

### ***Exercise***

In a triangle, the measures of the three angles are consecutive integers. What is the measure of each angle?

### **Solution**

Let  $A$  be the lowest integer angle and since the three angles are consecutive integers, then

$$A + (A + 1) + (A + 2) = 180^\circ$$

$$3A + 3 = 180^\circ$$

$$3A = 177^\circ$$

$$\underline{A = 59^\circ}$$

$\therefore$  The three angles are  $59^\circ$ ,  $60^\circ$ , and  $61^\circ$

### ***Exercise***

In a triangle, the measures of the three angles are consecutive **even** integers. What is the measure of each angle?

### **Solution**

Let  $A$  be the lowest even integer angle and since the three angles are consecutive even integers, then

$$A + (A + 2) + (A + 4) = 180^\circ$$

$$3A + 6 = 180^\circ$$

$$3A = 174^\circ$$

$$\underline{A = 58^\circ}$$

$\therefore$  The three angles are  $58^\circ$ ,  $60^\circ$ , and  $62^\circ$

### ***Exercise***

In 2000, 31% of U.S. adults viewed a college education as essential for success. For the period 2000 through 2010, the percentage viewing a college education as essential for success increased on average by approximately 2.4 each year. If this trend continues, by which year will be 67% of all American adults view college education as essential for success?

### **Solution**



Let  $x$  be the number of years, then

$$31 + 2.4x = 67$$

$$2.4x = 36$$

$$x = \frac{36}{2.4}$$

$$= \frac{360}{24}$$

$$= 15$$

$\therefore$  By the year  $2000 + 15 = 2015$

### Exercise

Each day, the number of births in the world exceeds twice the number of deaths by 61 *thousand*.

- a) If the population increase in a single day is 214 *thousand*, determine the number of births and deaths per day.
- b) If the population increase in a single day is 214 *thousand*, by how many millions of people does the worldwide population increase each year?
- c) Based on your answer to part (b), approximately how many years does it take for the population of the world to increase by an amount greater than the entire U.S. population (308 million)?

### Solution

Let  $x$  = the number of deaths, in *thousand* per day.

Then, the number of births is  $2x + 61$ , in *thousand* per day.

a)  $2x + 61 - x = 214$

$$x = 214 - 61$$

$$x = 153$$

$\therefore$  The number of deaths is 153,000

$$2x + 61 = 2(153,000) + 61$$

$$= 367$$

$\therefore$  The number of births is 367,000

b)  $214,000 \times 365 = 78,110,000$

$$\approx 78 \text{ million}$$

c)  $\frac{306 \text{ million}}{78 \text{ million}} \approx 4$

It will take about 4 years.

### ***Exercise***

You are choosing between two health clubs. Club **A** offers membership for a fee of \$40 plus a monthly fee of \$25. Club **B** offers membership for a fee of \$15 plus a monthly fee of \$30. After how many months will the total cost at each health club be the same? What will be the total cost for each club?

### **Solution**

Let  $x$  = the number of months.

Club **A** = Club **B**

$$40 + 25x = 15 + 30x$$

$$40 - 15 = 30x - 25x$$

$$5x = 25$$

$$\underline{x = 5}$$

∴ It will take **5** months for the two clubs to be the same.

$$40 + 25(\mathbf{5}) = 40 + 125$$

$$\underline{= 165}$$

∴ The total cost for each club is \$165

### ***Exercise***

Video Store **A** charges \$9 to rent a video game for one week. Although only members can rent from the store, membership is free. Video Store **B** charges \$4 to rent a video game for one week. Only members can rent from the store and membership is \$50 per year. After how many video-game rentals will the total amount spent at each store be the same? What will be the total amount spent at each store?

### **Solution**

Let  $x$  = the number of video games rented

Store **A** = Store **B**

$$9x = 4x + 50$$

$$5x = 50$$

$$\underline{x = 10}$$

∴ The total amount spent at each store is **10** video-game rentals.

$$9x = 9(10)$$

$$\underline{= 90}$$

∴ The total amount spent will be **\$90**.

### ***Exercise***

The bus fare in a city is \$1.25. people who use the bus have the option of purchasing a monthly discount pass for \$15.00. with the discount pass, the fare is reduced to \$0.75. Determine the number of times in a month the bus must be used so that the total monthly cost without the discount pass is the same as the total monthly cost with the discount pass.

### **Solution**

Let  $x$  = the number of times in a month.

without discount = with discount

$$1.25x = 15 + .75x$$

$$1.25x - .75x = 15$$

$$.5x = 15$$

$$x = \frac{15}{.5}$$

$$= \frac{150}{5}$$

$$= 30 \mid$$

∴ The number of times in a month the bus cost to be the same is 30 times.

### ***Exercise***

A discount pass for a bridge costs \$30 per month. The toll for the bridge is normally \$5.00, but it is reduced to \$3.50 for people who have purchased the discount pass. Determine the number of times in a month the bridge must be crossed so that the total monthly cost without the discount pass is the same as the total monthly cost with the discount pass.

### **Solution**

Let  $x$  = the number of crossing.

without discount = with discount

$$5x = 30 + 3.5x$$

$$5x - 3.5x = 30$$

$$1.5x = 30$$

$$x = \frac{30}{1.5}$$

$$= \frac{300}{15}$$

$$= 20 \mid$$

The bridge must be used 20 times in a month for the costs to be equal.

### ***Exercise***

After a 30% reduction, you purchase a dictionary for \$30.80. What was the dictionary's price before the reduction?

### **Solution**

Let  $x$  = the cost of the dictionary

$$x - .3x = 30.80$$

$$.7x = 30.80$$

$$x = \frac{30.80}{.7}$$

$$= \frac{308}{7}$$

$$= 44 \mid$$

∴ The dictionary's price before the reduction was \$44.00.

### ***Exercise***

After a 20% reduction, you purchase a television for \$336. What was the television's price before the reduction?

### **Solution**

Let  $x$  = the cost of the television

$$x - .2x = 336$$

$$.8x = 336$$

$$x = \frac{336}{.8}$$

$$= \frac{3360}{8}$$

$$= 420 \mid$$

∴ The television's price before the reduction was \$420.00.

### ***Exercise***

Including 8% sales tax, an inn charges \$162 per night. Find the inn's nightly cost before the tax is added.

### **Solution**

Let  $x$  = the nightly cost

$$x + .08x = 162$$

$$1.08x = 162$$

$$x = \frac{162}{1.08}$$

$$= \frac{16200}{108}$$

$$= 150 \quad |$$

∴ The inn's nightly cost is \$150.00.

### ***Exercise***

Including 5% sales tax, an inn charges \$252 per night. Find the inn's nightly cost before the tax is added.

### **Solution**

Let  $x$  = the nightly cost

$$x + .05x = 252$$

$$1.05x = 252$$

$$x = \frac{252}{1.05}$$

$$= \frac{25200}{105}$$

$$= 240 \quad |$$

∴ The inn's nightly cost is \$240.00.

### ***Exercise***

The selling price of a refrigerator is \$584. If the markup is 25% of the dealer's cost, what is the dealer's cost of the refrigerator?

### **Solution**

Let  $x$  = the dealer's cost

$$15 = x + 0.25x$$

$$1.25x = 15$$

$$x = \frac{15}{1.25}$$

$$= \frac{1500}{125}$$

$$= 12 \quad |$$

∴ The dealer's cost is \$12.00

### ***Exercise***

The selling price of a scientific calculator is \$15. If the markup is 25% of the dealer's cost, what is the dealer's cost of the calculator?

### **Solution**

Let  $x$  = the dealer's cost

$$15 = x + 0.25x$$

$$1.25x = 15$$

$$x = \frac{15}{1.25}$$

$$= \frac{1500}{125}$$

$$= \underline{12}$$

∴ The dealer's cost is \$12.00

### ***Exercise***

For an international call, a telephone company charges \$0.43 for the first minute, \$0.32 for each additional minute, and a \$2.10 service charge. If the cost of a call is \$5.73, how long did the person talk?

### **Solution**

Let  $x$  = the number of minutes person talk

$$0.43 + 0.32x + 2.10 = 5.73$$

$$0.32x = 5.73 - 2.53$$

$$x = \frac{3.2}{0.32}$$

$$= \frac{320}{32}$$

$$= \underline{10}$$

∴ The person talks 10 minutes.

### ***Exercise***

Metro taxi charges \$2.50 pickup fee and \$2 per mile traveled. The cab fare from the airport to his hotel is \$32.50. how many miles did you travel in the cab?

### **Solution**

Let  $m$  = number of miles that you travel.

$$2.5 + 2m = 32.50$$

$$2m = 30$$

$$m = \underline{15}$$

∴ You travel 15 miles to get to the airport.

### Exercise

The children at Tiny Tots Day Care plant a rectangular vegetable garden with a perimeter of 39 *m*. The length is twice the width. Find the dimensions of the garden.

#### Solution

Let  $w$  = the width of the garden.

$\ell$  = the length of the garden.

$$\ell = 2w$$

$$P = 2(\ell + w)$$

$$2(2w + w) = 39$$

$$6w = 39$$

$$w = \frac{39}{6}$$

$$= 6.5 \text{ m}$$

$$\ell = 2(6.5)$$

$$= 13 \text{ m}$$

$\therefore$  the dimensions of the garden are 6.5 by 13 *m*

### Exercise

A job pays an annual salary of \$33,150, which includes a holiday bonus of \$750. If paychecks are issued twice a month, what is the gross amount for each paycheck?

#### Solution

Let  $x$  = the gross amount for paycheck

$$2(12x) + 750 = 33,150$$

$$24x = 33,150 - 750$$

$$x = \frac{32,400}{24}$$

$$= 1,350$$

$\therefore$  The gross amount for each paycheck \$1,350.

### Exercise

The price of a coat is reduced by 40%. Where the coat still does not sell, it is reduced by 40% of the reduced price. If the price of the dress after both reductions is \$72. What was the original price?

#### Solution

Let  $x$  = the amount of the original price.

Price is reduced by 40%, then you pay 60% of the price.

$$0.6(0.6x) = 72$$

$$0.36x = 72$$

$$x = \frac{72}{0.36}$$

$$= \frac{7200}{36}$$

$$= 200$$

∴ The original price \$200.

### ***Exercise***

A rectangular field is twice as long as it is wide. If the perimeter of the field is 300 *yards*, what are its dimensions?

### **Solution**

Let  $l$  = the length of the field

Let  $w$  = the width of the field

$$l = 2w$$

$$P = 2(l + w)$$

$$300 = 2(2w + w)$$

$$6w = 300$$

$$w = \frac{300}{6}$$

$$= 50$$

$$l = 2(50)$$

$$= 100$$

∴ the dimensions are 50 *yards* by 100 *yards*.

### ***Exercise***

A rectangular swimming pool is three times as long as it is wide. If the perimeter of the pool is 320 *feet*, what are its dimensions?

### **Solution**

Let  $l$  = the length of the swimming pool

Let  $w$  = the width of the swimming pool

$$l = 3w$$

$$P = 2(l + w)$$

$$320 = 2(3w + w)$$

$$8w = 320$$



$$w = \frac{320}{8}$$

$$= 40 \text{ |}$$

$$l = 3(40)$$

$$= 120 \text{ |}$$

$\therefore$  the dimensions are 40 feet by 120 feet.

### ***Exercise***

The length of the rectangular tennis court is 6 feet longer than twice the width. If the court's perimeter is 228 feet, what are its dimensions?

#### **Solution**

Let  $l$  = the length of the court

Let  $w$  = the width of the court

$$l = 2w + 6$$

$$P = 2(l + w)$$

$$228 = 2(2w + 6 + w)$$

$$3w + 6 = \frac{228}{2}$$

$$3w = 114 - 6$$

$$w = \frac{108}{3}$$

$$= 36 \text{ |}$$

$$l = 2(36) + 6$$

$$= 78 \text{ |}$$

$\therefore$  the dimensions are 36 feet by 78 feet.

### ***Exercise***

The length of the rectangular pool is 6 meters less than twice the width. If the pool's perimeter is 126 meters, what are its dimensions?

#### **Solution**

Let  $l$  = the length of the pool

Let  $w$  = the width of the pool

$$l = 2w - 6$$

$$P = 2(l + w)$$

$$126 = 2(2w - 6 + w)$$

$$3w - 6 = \frac{126}{2}$$

$$3w = 63 + 6$$

$$w = \frac{69}{3}$$

$$= 23$$

$$l = 2(23) - 6$$

$$= 40$$

$\therefore$  the dimensions are 23 meters by 40 meters.

### Exercise

The rectangular painting measures 12 inches by 16 inches and contains a frame of uniform width around the four edges. The perimeter of the rectangle formed by the painting and its frame is 72 inches. Determine the width of the frame.

### Solution

Let  $x$  = the width of the frame

Let  $l$  = the length of the painting and frame

Let  $w$  = the width of the painting and frame

$$l = 2x + 16$$

$$w = 2x + 12$$

$$72 = 2(2x + 16 + 2x + 12) \quad P = 2(l + w)$$


$$4x + 28 = \frac{72}{2}$$

$$4x = 36 - 28$$

$$x = \frac{12}{4}$$

$$= 3$$

$\therefore$  The width of the frame is 3 inches.



### Exercise

The rectangular swimming pool measures 40 feet by 60 feet and contains a path of uniform width around the four edges. The perimeter of the rectangle formed by the pool and the surrounding path is 248 feet. Determine the width of the path.

### Solution

Let  $x$  = the width of the path

$l$  = the length of the pool and path

$w$  = the width of the pool and path

$$l = 2x + 60$$

$$w = 2x + 40$$

$$2(2x + 60 + 2x + 40) = 248$$

$$P = 2(l + w)$$


$$4x + 100 = \frac{248}{2}$$

$$4x = 124 - 100$$

$$x = \frac{24}{4}$$

$$= 6$$

$\therefore$  The width of the path is 6 feet.



### Exercise

You paved your vegetable garden measuring 15 meters by 12 meters with stones. A path of uniform width is to surround the garden. If the perimeter of the garden and path combined is 70 meters, find the width of the path.

#### Solution

Let  $x$  = the width of the path

$l$  = the length of the pool and path

$w$  = the width of the pool and path

$$l = 2x + 15$$

$$w = 2x + 12$$

$$2(2x + 15 + 2x + 12) = 70$$

$$P = 2(l + w)$$


$$4x + 27 = \frac{70}{2}$$

$$4x = 35 - 27$$

$$x = \frac{8}{4}$$

$$= 2$$

$\therefore$  The width of the path is 2 meters.



### Exercise

A pool measuring 10 m by 20 m is surrounded by a path of uniform width. If the perimeter of the pool and the path combined is 92 m, what is the width of the path?

#### Solution

Let  $x$  = the width of the path

$l$  = the length of the pool and path

$w$  = the width of the pool and path

$$l = 2x + 20$$

$$w = 2x + 10$$

$$2(2x + 20 + 2x + 10) = 92$$

$$P = 2(l + w)$$


$$4x + 30 = \frac{92}{2}$$

$$4x = 46 - 30$$

$$x = \frac{16}{4}$$

$$= 4$$

$\therefore$  The width of the path is 4 meters.



### Exercise

A thief steals a number of rare plants from a nursery. On the way out, the thief meets three security guards, one after another. To each security guard, the thief is forced to give one-half the plants that he still has, plus 2 more. Finally, the thief leaves the nursery with 1 lone palm. How many plants were originally stolen?

### Solution

Let  $x$  = the number of plants originally stolen.

1 <sup>st</sup> Guard	2 <sup>nd</sup> Guard	3 <sup>rd</sup> Guard
$y_1 = x - \left(\frac{1}{2}x + 2\right)$ $= x - \frac{1}{2}x - 2$ $= \frac{1}{2}x - 2$	$y_2 = y_1 - \left(\frac{1}{2}y_1 + 2\right)$ $= y_1 - \frac{1}{2}y_1 - 2$ $= \frac{1}{2}y_1 - 2$	$y_3 = y_2 - \left(\frac{1}{2}y_2 + 2\right)$ $= y_2 - \frac{1}{2}y_2 - 2$ $= \frac{1}{2}y_2 - 2$

$$\begin{aligned}
 y_3 &= \frac{1}{2}y_2 - 2 \\
 &= \frac{1}{2}\left(\frac{1}{2}y_1 - 2\right) - 2 \\
 &= \frac{1}{4}y_1 - 1 - 2 \\
 &= \frac{1}{4}\left(\frac{1}{2}x - 2\right) - 3 \\
 &= \frac{1}{8}x - \frac{1}{2} - 3 \\
 &= \frac{1}{8}x - \frac{7}{2}
 \end{aligned}$$

$$\frac{1}{8}x - \frac{7}{2} = 1$$

$$\frac{1}{8}x = 1 + \frac{7}{2}$$

$$\frac{1}{8}x = \frac{9}{2}$$

$$\underline{x = 36}$$

$\therefore$  The thief originally stole **36** *plants*.

## ***Solution***      ***Section R.4 – Circles***

### ***Exercise***

Find the distance between  $P(8, 2)$  and  $Q(3, 5)$

### **Solution**

$$\begin{aligned}d &= \sqrt{(3-8)^2 + (5-2)^2} \\&= \sqrt{(-5)^2 + (3)^2} \\&= \sqrt{25+9} \\&= \sqrt{34} \quad | \end{aligned}$$

### ***Exercise***

Find the distance between  $P(-4, 3)$  and  $Q(2, -5)$

### **Solution**

$$\begin{aligned}d &= \sqrt{(-4-2)^2 + (3+5)^2} \\&= \sqrt{36+64} \\&= \sqrt{100} \\&= 10 \quad | \end{aligned}$$

### ***Exercise***

Find the distance between  $(-4, -1)$  and  $(2, -3)$

### **Solution**

$$\begin{aligned}d &= \sqrt{(2+4)^2 + (-3+1)^2} \\&= \sqrt{(6)^2 + (-2)^2} \\&= \sqrt{36+4} \\&= \sqrt{40} \\&= 2\sqrt{10} \quad | \end{aligned}$$

### ***Exercise***

Find the distance between  $(2\sqrt{3}, \sqrt{6})$  and  $(-\sqrt{3}, 5\sqrt{6})$

### **Solution**

$$\begin{aligned}d &= \sqrt{(2\sqrt{3} + \sqrt{3})^2 + (\sqrt{6} - 5\sqrt{6})^2} \\&= \sqrt{(3\sqrt{3})^2 + (-4\sqrt{6})^2} \\&= \sqrt{9(3) + 16(6)} \\&= \sqrt{123} \quad | \end{aligned}$$

### ***Exercise***

Find the distance between  $(-1, -5)$  and  $(-1, 2)$

### **Solution**

$$\begin{aligned}d &= \sqrt{(-1 - (-1))^2 + (-5 - 2)^2} \\&= \sqrt{0^2 + (-7)^2} \\&= \sqrt{49} \\&= 7 \quad | \end{aligned}$$

### ***Exercise***

Find the distance between  $(-4, 9)$  and  $(1, -3)$

### **Solution**

$$\begin{aligned}d &= \sqrt{(1 + 4)^2 + (-3 - 9)^2} \\&= \sqrt{25 + 144} \\&= \sqrt{169} \\&= 13 \quad | \end{aligned}$$

### Exercise

Find the distance between  $(-2, 2)$  and  $(3, -6)$

#### Solution

$$\begin{aligned}d &= \sqrt{(3 - (-2))^2 + (-6 - 2)^2} \\&= \sqrt{5^2 + (-8)^2} \\&= \sqrt{25 + 64} \\&= \sqrt{89} \quad | \end{aligned}$$

### Exercise

Find the distance between the points  $(\sqrt{5}, -\sqrt{3})$  and  $(-\sqrt{7}, \sqrt{7})$ . Give an exact answer and an approximation to three decimal places.

#### Solution

$$\begin{aligned}d &= \sqrt{(-\sqrt{7} - \sqrt{5})^2 + (\sqrt{7} + \sqrt{3})^2} & (a + b)^2 &= a^2 + 2ab + b^2 \\&= \sqrt{(\sqrt{7})^2 + 2\sqrt{7}\sqrt{5} + (\sqrt{5})^2 + (\sqrt{7})^2 + 2\sqrt{7}\sqrt{3} + (\sqrt{3})^2} \\&= \sqrt{7 + 2\sqrt{35} + 5 + 7 + 2\sqrt{21} + 3} \\&= \sqrt{22 + 2\sqrt{35} + 2\sqrt{21}} \quad | \end{aligned}$$

### Exercise

Find the distance between the points. Give an exact answer and an approximation to three decimal places.  
 $(\sqrt{7}, -\sqrt{2})$  and  $(-\sqrt{3}, \sqrt{3})$

#### Solution

$$\begin{aligned}d &= \sqrt{(\sqrt{3} + \sqrt{2})^2 + (-\sqrt{3} - \sqrt{7})^2} & (a + b)^2 &= a^2 + 2ab + b^2 \\&= \sqrt{(\sqrt{3})^2 + 2\sqrt{3}\sqrt{2} + (\sqrt{2})^2 + (-\sqrt{3})^2 + 2(-\sqrt{3})(-\sqrt{7}) + (-\sqrt{7})^2} \\&= \sqrt{3 + 2\sqrt{6} + 2 + 3 + 2\sqrt{21} + 7} \\&= \sqrt{15 + 2\sqrt{21} + 2\sqrt{6}} \quad | \end{aligned}$$



### Exercise

Find the distance between the points. Give an exact answer and an approximation to three decimal places.

$$(\sqrt{7}, -\sqrt{2}) \text{ and } (-\sqrt{3}, \sqrt{7})$$

### Solution

$$\begin{aligned} d &= \sqrt{(\sqrt{7} - (-\sqrt{2}))^2 + (-\sqrt{3} - \sqrt{7})^2} \\ &= \sqrt{(\sqrt{7} - \sqrt{2})^2 + (-\sqrt{3} - \sqrt{7})^2} & (a+b)^2 &= a^2 + 2ab + b^2 \\ &= \sqrt{(\sqrt{7})^2 + 2\sqrt{7}\sqrt{2} + (-\sqrt{2})^2 + (-\sqrt{3})^2 + 2(-\sqrt{3})(-\sqrt{7}) + (-\sqrt{7})^2} \\ &= \sqrt{7 + 2\sqrt{14} + 2 + 3 + 2\sqrt{21} + 7} \\ &= \sqrt{19 + 2\sqrt{21} + 2\sqrt{14}} \end{aligned}$$

### Exercise

Find the midpoint of the line segment with endpoints (1, 2) and (7, -3)

### Solution

$$\begin{aligned} &\left(\frac{1+7}{2}, \frac{2-3}{2}\right) \\ &\rightarrow \left(\frac{8}{2}, \frac{-1}{2}\right) \\ &\left(4, \frac{-1}{2}\right) \end{aligned}$$

### Exercise

Find the midpoint of the segment with endpoints  $P(8, 2)$  and  $Q(3, 5)$

### Solution

$$\begin{aligned} &M\left(\frac{8+3}{2}, \frac{2+5}{2}\right) \\ &M\left(\frac{11}{2}, \frac{7}{2}\right) \end{aligned}$$

### ***Exercise***

Find the midpoint of the segment with endpoints  $P(-4, 3)$  and  $Q(2, -5)$

#### **Solution**

$$M\left(\frac{-4+2}{2}, \frac{3-5}{2}\right)$$

$$\underline{M(-1, -1)}$$

### ***Exercise***

Find the midpoint of the segment whose endpoints are  $(4, -9)$  and  $(-12, -3)$ .

#### **Solution**

$$\left(\frac{4-12}{2}, \frac{-9-3}{2}\right)$$

$$\left(\frac{-8}{2}, \frac{-12}{2}\right)$$

$$\underline{(-4, -6)}$$

### ***Exercise***

Find the midpoint of the segment whose endpoints are  $(7, -2)$  and  $(9, 5)$ .

#### **Solution**

$$\left(\frac{7+9}{2}, \frac{-2+5}{2}\right)$$

$$\underline{\left(8, \frac{3}{2}\right)}$$

### ***Exercise***

Find the midpoint of the line segment with endpoints  $(-2, -1)$  and  $(-8, 6)$

#### **Solution**

$$\left(\frac{-2-8}{2}, \frac{-1+6}{2}\right)$$

$$\underline{\left(-5, \frac{5}{2}\right)}$$

### ***Exercise***

Find the midpoint of the line segment with endpoints  $(7\sqrt{3}, -6)$  and  $(3\sqrt{3}, -2)$

### **Solution**

$$\left( \frac{7\sqrt{3} + 3\sqrt{3}}{2}, \frac{-6 - 2}{2} \right)$$
$$\underline{(5\sqrt{3}, -4)}$$

### ***Exercise***

Find the center-radius form of the equation of center  $(-\sqrt{3}, -\sqrt{3})$ , radius  $\sqrt{3}$

### **Solution**

$$(x + \sqrt{3})^2 + (y + \sqrt{3})^2 = (\sqrt{3})^2$$
$$\underline{(x + \sqrt{3})^2 + (y + \sqrt{3})^2 = 3}$$

### ***Exercise***

Write the standard form of the equation of the circle with center  $(0, 0)$  and radius 4.

### **Solution**

$$(x - 0)^2 + (y - 0)^2 = 4^2$$
$$\underline{x^2 + y^2 = 16}$$

### ***Exercise***

Write the standard form of the equation of the circle with center  $(5, -6)$  and radius 10.

### **Solution**

$$(x - 5)^2 + (y + 6)^2 = 10^2$$
$$\underline{(x - 5)^2 + (y + 6)^2 = 100}$$

### Exercise

Write the standard form of the equation of the circle with center  $(2, -1)$  and  $r = 4$ .

### Solution

$$\underline{(x - 2)^2 + (y + 1)^2 = 16}$$

### Exercise

Write the standard form of the equation of the circle with center  $(-5, -3)$  and  $r = \sqrt{5}$ .

### Solution

$$\underline{(x + 5)^2 + (y + 3)^2 = 5}$$

### Exercise

Find an equation of the circle having radius 5 and center  $(3, -7)$

### Solution

$$(x - 3)^2 + (y - (-7))^2 = 5^2$$

$$\underline{(x - 3)^2 + (y + 7)^2 = 25}$$

### Exercise

Find the equation for the circle with center  $(-5, 2)$  passing through  $(-1, 5)$

### Solution

$$\begin{aligned}\text{Radius} &= \sqrt{(-1 - (-5))^2 + (2 - 5)^2} \\ &= \sqrt{(-1 + 5)^2 + (-3)^2} \\ &= \sqrt{(4)^2 + (-3)^2} \\ &= \sqrt{16 + 9} \\ &= \sqrt{25}\end{aligned}$$

$$\text{Equation of the circle: } \underline{(x + 5)^2 + (y - 2)^2 = 25}$$

$$(x - h)^2 + (y - k)^2 = r^2$$

### Exercise

Find the equation for the circle with a diameter whose endpoints are (4, 4) and (-2, 3)

#### Solution

Center = midpoint of the endpoints

$$= \left( \frac{4-2}{2}, \frac{4+3}{2} \right)$$

$$= \left( 1, \frac{7}{2} \right)$$

$$\text{Radius} = \sqrt{(1-4)^2 + \left(\frac{7}{2}-4\right)^2}$$

$$= \sqrt{(-3)^2 + \left(-\frac{1}{2}\right)^2}$$

$$= \sqrt{9 + \frac{1}{4}}$$

$$9 + \frac{1}{4} = \frac{4(9)+1}{4} = \frac{37}{4}$$

$$9 + \frac{1}{4} = 9\frac{4}{4} + \frac{1}{4} = \frac{4(9)+1}{4} = \frac{37}{4}$$

$$= \sqrt{\frac{37}{4}}$$

$$\text{Equation of the circle: } \underline{(x-1)^2 + \left(y-\frac{7}{2}\right)^2 = \frac{37}{4}}$$

$$(x-h)^2 + (y-k)^2 = r^2$$

### Exercise


Find the center and the radius of  $x^2 + y^2 + 6x + 2y + 6 = 0$

#### Solution

$$x^2 + 6x + \left(\frac{6}{2}\right)^2 + y^2 + 2y + \left(\frac{2}{2}\right)^2 = -6 + 9 + 1$$

$$(x+3)^2 + (y+1)^2 = 4$$

**Center** (-3, -1) and  $r = 2$



### Exercise

Find the center and the radius of  $x^2 + y^2 + 8x + 4y + 16 = 0$

#### Solution

$$x^2 + 8x + \left(\frac{8}{2}\right)^2 + y^2 + 4y + \left(\frac{4}{2}\right)^2 = -16 + 16 + 4$$

$$(x+4)^2 + (y+2)^2 = 4$$

**Center** (-4, -2) and  $r = 2$

### ***Exercise***

Find the center and the radius of  $x^2 + y^2 - 10x - 6y - 30 = 0$

### **Solution**

$$x^2 - 10x + \left(\frac{-10}{2}\right)^2 + y^2 - 6y + \left(\frac{-6}{2}\right)^2 = 30 + 25 + 9$$

$$(x - 5)^2 + (y - 3)^2 = 64$$

**Center** (5, 3) and ***r*** = 8

### ***Exercise***

Find the center and the radius of  $x^2 - 6x + y^2 + 10y + 25 = 0$

### **Solution**

$$x^2 - 6x + y^2 + 10y = -25$$

$$x^2 - 6x + \left(\frac{1}{2}(-6)\right)^2 + y^2 + 10y + \left(\frac{1}{2}(10)\right)^2 = -25 + \left(\frac{1}{2}(-6)\right)^2 + \left(\frac{1}{2}(10)\right)^2$$

$$(x - 3)^2 + (y + 5)^2 = -25 + 9 + 25$$

$$(x - 3)^2 + (y + 5)^2 = 9$$

The equation represents a circle with ***center*** at (3, -5) and ***radius*** 3