

## Section 2.2 – Trigonometric Integrals

### Products of Powers of *Sines* and *Cosines*

We begin with integrals of the form

$$\int \sin^m x \cos^n x dx$$

#### *Example*

Evaluate  $\int \sin^3 x \cos^2 x dx$

#### *Solution*

$$\begin{aligned} \int \sin^3 x \cos^2 x dx &= \int \sin x \sin^2 x \cos^2 x dx \\ &= \int (1 - \cos^2 x) \cos^2 x (-d(\cos x)) && d(\cos x) = -\sin x dx \Rightarrow \sin x dx = -d(\cos x) \\ &= -\int (\cos^2 x - \cos^4 x) d(\cos x) && \text{or Assume } u = \cos x \\ &= -\left(\frac{1}{3}\cos^3 x - \frac{1}{5}\cos^5 x\right) + C \\ &= \underline{\underline{\frac{1}{5}\cos^5 x - \frac{1}{3}\cos^3 x + C}} \end{aligned}$$

#### *Example*

Evaluate  $\int \cos^5 x dx$

#### *Solution*

$$\begin{aligned} \int \cos^5 x dx &= \int \cos^4 x \cos x dx && \cos x dx = d(\sin x) \quad \cos^2 x = 1 - \sin^2 x \\ &= \int (1 - \sin^2 x)^2 d(\sin x) \\ &= \int (1 - 2\sin^2 x + \sin^4 x) d\sin x \\ &= \underline{\underline{\sin x - \frac{2}{3}\sin^3 x + \frac{1}{5}\sin^5 x + C}} \end{aligned}$$

**Example**

Evaluate  $\int \sin^2 x \cos^4 x \, dx$

**Solution**

$$\begin{aligned} \int \sin^2 x \cos^4 x \, dx &= \int \left( \frac{1 - \cos 2x}{2} \right) \left( \frac{1 + \cos 2x}{2} \right)^2 dx & \sin^2 x &= \frac{1 - \cos 2x}{2} & \cos^2 x &= \frac{1 + \cos 2x}{2} \\ &= \frac{1}{8} \int (1 - \cos 2x) (1 + 2 \cos 2x + \cos^2 2x) dx \\ &= \frac{1}{8} \int (1 + 2 \cos 2x + \cos^2 2x - \cos 2x - 2 \cos^2 2x - \cos^3 2x) dx \\ &= \frac{1}{8} \int (1 + \cos 2x - \cos^2 2x - \cos^3 2x) dx \\ &= \frac{1}{8} \left[ x + \frac{1}{2} \sin 2x - \int (\cos^3 2x + \cos^2 2x) dx \right] \end{aligned}$$

$$\begin{aligned} \int \cos^3 2x \, dx &= \int (1 - \sin^2 2x) \cos 2x \, dx \\ &= \frac{1}{2} \int (1 - \sin^2 2x) d(\sin 2x) \\ &= \frac{1}{2} \left( \sin 2x - \frac{1}{3} \sin^3 2x \right) \end{aligned}$$

$$\begin{aligned} \int \cos^2 2x \, dx &= \frac{1}{2} \int (1 + \cos 4x) \, dx \\ &= \frac{1}{2} \left( x + \frac{1}{4} \sin 4x \right) \end{aligned}$$

$$\begin{aligned} \int \sin^2 x \cos^4 x \, dx &= \frac{1}{8} \left[ x + \frac{1}{2} \sin 2x - \frac{1}{2} \left( \sin 2x - \frac{1}{3} \sin^3 2x \right) - \frac{1}{2} \left( x + \frac{1}{4} \sin 4x \right) \right] + C \\ &= \frac{1}{8} \left[ x + \frac{1}{2} \sin 2x - \frac{1}{2} \sin 2x + \frac{1}{6} \sin^3 2x - \frac{1}{2} x - \frac{1}{8} \sin 4x \right] + C \\ &= \frac{1}{8} \left( \frac{1}{2} x + \frac{1}{6} \sin^3 2x - \frac{1}{8} \sin 4x \right) + C \\ &= \underline{\underline{\frac{1}{16} \left( x + \frac{1}{3} \sin^3 2x - \frac{1}{4} \sin 4x \right) + C}} \end{aligned}$$

### Example

Evaluate  $\int_0^{\pi/4} \sqrt{1 + \cos 4x} \, dx$

### Solution

$$\cos^2 \theta = \frac{1 + \cos 2\theta}{2} \Rightarrow 1 + \cos 2\theta = 2 \cos^2 \theta$$

$$\theta = 2x \Rightarrow 1 + \cos 4x = 2 \cos^2 2x$$

$$\int_0^{\pi/4} \sqrt{1 + \cos 4x} \, dx = \int_0^{\pi/4} \sqrt{2 \cos^2 2x} \, dx$$

$$= \sqrt{2} \int_0^{\pi/4} |\cos 2x| \, dx$$

$$= \sqrt{2} \int_0^{\pi/4} \cos 2x \, dx$$

$$= \sqrt{2} \left[ \frac{\sin 2x}{2} \right]_0^{\pi/4}$$

$$= \frac{\sqrt{2}}{2} \left[ \sin \frac{\pi}{2} - 0 \right]$$

$$= \frac{\sqrt{2}}{2}$$

$$\sqrt{2 \cos^2 2x} = \sqrt{2} \sqrt{\cos^2 2x} = \sqrt{2} |\cos 2x|$$

$$\cos 2x \geq 0 \quad \text{on} \quad \left[ 0, \frac{\pi}{4} \right]$$

### Example

Evaluate  $\int \sin^3 x \cos^{-2} x \, dx$

### Solution

$$\int \sin^3 x \cos^{-2} x \, dx = \int \sin^2 x \cos^{-2} x \sin x \, dx$$

$$= - \int (1 - \cos^2 x) \cos^{-2} x \, d(\cos x)$$

$$= - \int (\cos^{-2} x - 1) \, d(\cos x)$$

$$= -(-\cos^{-1} x - \cos x) + C$$

$$= \cos x + \sec x + C$$

## Products of Powers of $\tan x$ and $\sec x$

### Example

Evaluate  $\int \tan^4 x \, dx$

### Solution

$$\begin{aligned}\int \tan^4 x \, dx &= \int \tan^2 x \cdot \tan^2 x \, dx \\&= \int \tan^2 x \cdot (\sec^2 x - 1) \, dx \\&= \int \tan^2 x \sec^2 x \, dx - \int \tan^2 x \, dx \\&= \int \tan^2 x \sec^2 x \, dx - \int (\sec^2 x - 1) \, dx \\&= \int \tan^2 x \sec^2 x \, dx - \int \sec^2 x \, dx + \int dx \\&= \int \tan^2 x \, d(\tan x) - \int \sec^2 x \, dx + \int dx \\&= \frac{1}{3} \tan^3 x - \tan x + x + C\end{aligned}$$

$$\tan^2 x = \sec^2 x - 1$$

$$d(\tan x) = \sec^2 x \, dx$$

### Example

Evaluate  $\int \sec^3 x \, dx$

### Solution

Let:  $u = \sec x$        $dv = \sec^2 x \, dx$   
 $du = \sec x \tan x \, dx$        $v = \tan x$

$$\begin{aligned}\int \sec^3 x \, dx &= \sec x \tan x - \int \tan x (\sec x \tan x \, dx) \\&= \sec x \tan x - \int \tan^2 x \sec x \, dx \\&= \sec x \tan x - \int (\sec^2 x - 1) \sec x \, dx \\&= \sec x \tan x - \int (\sec^3 x - \sec x) \, dx\end{aligned}$$

$$= \sec x \tan x - \int \sec^3 x \, dx + \int \sec x \, dx$$

$$\int \sec^3 x \, dx + \int \sec^3 x \, dx = \sec x \tan x - \int \sec^3 x \, dx + \int \sec^3 x \, dx + \int \sec x \, dx$$

$$2 \int \sec^3 x \, dx = \sec x \tan x + \int \sec x \, dx$$

$$= \sec x \tan x + \ln |\sec x + \tan x| + C_1$$

$$\int \sec^3 x \, dx = \underline{\frac{1}{2} \sec x \tan x + \frac{1}{2} \ln |\sec x + \tan x| + C}$$

## Products of Sines and Cosines

Recall the identities

$$\sin mx \sin nx = \frac{1}{2} [\cos(m-n)x - \cos(m+n)x]$$

$$\sin mx \cos nx = \frac{1}{2} [\sin(m-n)x + \sin(m+n)x]$$

$$\cos mx \cos nx = \frac{1}{2} [\cos(m-n)x + \cos(m+n)x]$$

### Example

Evaluate  $\int \sin 3x \cos 5x \, dx$

### Solution

$$\begin{aligned} \int \sin 3x \cos 5x \, dx &= \frac{1}{2} \int [\sin(-2x) + \sin 8x] \, dx \\ &= \frac{1}{2} \int [-\sin(2x) + \sin 8x] \, dx \\ &= \frac{1}{2} \left( \frac{1}{2} \cos 2x - \frac{1}{8} \cos 8x \right) + C \\ &= \underline{\frac{1}{4} \cos 2x - \frac{1}{16} \cos 8x + C} \end{aligned}$$

## Guidelines for Cosine & Sine

**Case 1** If  $m$  is *odd*, we write  $m$  as  $2k + 1$  and use the identity  $\sin^2 x = 1 - \cos^2 x$  to obtain

$$\sin^m x = \sin^{2k+1} x = (\sin^2 x)^k \sin x = (1 - \cos^2 x)^k \sin x$$

Then we combine the single  $\sin x$  with  $dx$  in the integral and set  $\sin x dx = -d(\cos x)$

**Case 2** If  $m$  is *even* and  $n$  is *odd*, in  $\int \sin^m x \cos^n x dx$  we write  $n$  as  $2k + 1$  and use the identity

$$\cos^2 x = 1 - \sin^2 x \text{ to obtain}$$

$$\cos^n x = \cos^{2k+1} x = (\cos^2 x)^k \cos x = (1 - \sin^2 x)^k \cos x$$

Then we combine the single  $\cos x$  with  $dx$  in the integral and set  $\cos x dx = d(\sin x)$

**Case 3** If both  $m$  and  $n$  are *even*, in  $\int \sin^m x \cos^n x dx$ , we substitute

$$\text{To reduce the integrand to one in lower powers of } \cos 2x \quad \int \cos ax dx = \frac{1}{a} \sin ax + C$$

## Guidelines for Tangent & Secant

**Case 1** When the power of the tangent is *odd* and positive.

$$\begin{aligned} \int \sec^m x \tan^{2k+1} x dx &= \int \sec^{m-1} x (\tan^2 x)^k \sec x \tan x dx \\ &= \int \sec^{m-1} x (\sec^2 x - 1)^k d(\sec x) \end{aligned}$$

**Case 2** When the power of the secant is *even* and positive.

$$\int \sec^{2k} x \tan^n x dx = \int (\sec^2 x)^{k-1} \tan^n x \sec^2 x dx = \int (1 + \tan^2 x)^{k-1} \tan^n x d(\tan x)$$

**Case 3** When there are no secant factors

$$\int \tan^n x dx = \int \tan^{n-2} x (\tan^2 x) dx = \int \tan^{n-2} x (\sec^2 x - 1) dx$$

**Case 4** When there are only secant, use integration by parts.

**Case 5** Otherwise, convert to cosines and sines.

## Wallis's Formulas

<b>1.</b> If $n$ is odd ( $n \geq 3$ ), then	$\int_0^{\pi/2} \cos^n x \, dx = \left(\frac{2}{3}\right)\left(\frac{4}{5}\right)\left(\frac{6}{7}\right) \cdots \left(\frac{n-1}{n}\right)$
<b>2.</b> If $n$ is even ( $n \geq 2$ ), then	$\int_0^{\pi/2} \cos^n x \, dx = \left(\frac{1}{2}\right)\left(\frac{3}{4}\right)\left(\frac{5}{6}\right) \cdots \left(\frac{n-1}{n}\right)\left(\frac{\pi}{2}\right)$

## Formulas

$$\int \cos^n x \, dx = \frac{1}{n} \cos^{n-1} x \sin x + \frac{n-1}{n} \int \cos^{n-2} x \, dx$$

$$\int \sec^n x \, dx = \frac{1}{n-1} \sec^{n-2} x \tan x + \frac{n-2}{n-1} \int \sec^{n-2} x \, dx$$

$$\int \sin^n x \, dx = \frac{1}{n} \sin^{n-1} x \cos x + \frac{n-1}{n} \int \sin^{n-2} x \, dx$$

$$\int \tan^n x \, dx = \frac{1}{n-1} \tan^{n-1} x - \int \tan^{n-2} x \, dx$$

$$\int \tan x \, dx = -\ln |\cos x| + C = \ln |\sec x| + C$$

$$\int \sec x \, dx = \ln |\sec x + \tan x| + C$$

$$\int \csc x \, dx = -\ln |\csc x + \cot x| + C$$

## Exercises      Section 2.2 – Trigonometric Integrals

(1 – 149) Evaluate the integrals

1.  $\int \sin^5 \frac{x}{2} dx$

2.  $\int \sin^4 6\theta d\theta$

3.  $\int x^2 \sin^2 x dx$

4.  $\int \sin^3 3x dx$

5.  $\int \sin^5 x dx$

6.  $\int 8 \cos^4 2\pi x dx$

7.  $\int x \cos^3 x dx$

8.  $\int \cos^4 x dx$

9.  $\int \cos^4 5x dx$

10.  $\int \cos^2 3x dx$

11.  $\int \cos^3 \frac{x}{3} dx$

12.  $\int \cos^2 4x dx$

13.  $\int \sqrt{1 + \cos \frac{x}{2}} dx$

14.  $\int \sec^4 2x dx$

15.  $\int 6 \sec^4 x dx$

16.  $\int \sec^3 \pi x dx$

17.  $\int \sec 4x dx$

18.  $\int \csc^6 x dx$

19.  $\int \tan^5 \frac{x}{2} dx$

20.  $\int \tan^5 x dx$

21.  $\int \tan^5 3x dx$

22.  $\int \tan^6 3x dx$

23.  $\int 20 \tan^6 x dx$

24.  $\int \tan^4 x dx$

25.  $\int \tan^3 \theta d\theta$

26.  $\int \tan^3 4x dx$

27.  $\int \cot^3 2x dx$

28.  $\int \cot^4 x dx$

29.  $\int \cot^4 3x dx$

30.  $\int \cot^5 3x dx$

31.  $\int \sin^2 x \cos^2 x dx$

32.  $\int \sin^2 x \cos^3 x dx$

33.  $\int \sin^2 x \cos^4 x dx$

34.  $\int \sin^2 x \cos^5 x dx$

35.  $\int \sin^3 x \cos^5 x dx$

36.  $\int \sin^3 x \cos^4 x dx$

37.  $\int \sin^3 2x \cos^4 x dx$

38.  $\int \sin^3 2x \cos^3 2x dx$

39.  $\int \sin^4 x \cos^2 x dx$

40.  $\int \sin^4 x \cos^3 x dx$

41.  $\int \sin^4 x \cos^4 x dx$

42.  $\int \sin^4 x \cos^5 x dx$

43.  $\int \sin^5 x \cos^5 x dx$

44.  $\int \sin^5 x \cos^{-2} x dx$

45.  $\int \sin 3x \cos^6 3x dx$



46.  $\int \sin^4 2x \cos 2x \, dx$
47.  $\int \cos^3 2x \sin^5 2x \, dx$
48.  $\int 16 \sin^2 x \cos^2 x \, dx$
49.  $\int \sin 2x \cos 3x \, dx$
50.  $\int \sin^2 \theta \cos 3\theta \, d\theta$
51.  $\int \cos^3 \theta \sin 2\theta \, d\theta$
52.  $\int \sin^{-3/2} x \cos^3 x \, dx$
53.  $\int \sin^3 x \cos^{3/2} x \, dx$
54.  $\int \sin \theta \sin 2\theta \sin 3\theta \, d\theta$
55.  $\int \sin 3x \cos 6x \, dx$
56.  $\int \sin 3x \cos 7x \, dx$
57.  $\int \sin 5x \cos 4x \, dx$
58.  $\int \cos 2\theta \cos 6\theta \, d\theta$
59.  $\int \cos 5\theta \cos 3\theta \, d\theta$
60.  $\int \sin 2\theta \cos 4\theta \, d\theta$
61.  $\int \sin(-7\theta) \cos 6\theta \, d\theta$
62.  $\int \sin \theta \sin 3\theta \, d\theta$
63.  $\int \sin 5\theta \sin 4\theta \, d\theta$
64.  $\int \sin x \cos^5 x \, dx$
65.  $\int \sin^7 2x \cos 2x \, dx$
66.  $\int \sin^3 2x \sqrt{\cos 2x} \, dx$
67.  $\int \sin^3 x \cos^2 x \, dx$
68.  $\int \frac{\cos^3 \theta}{\sqrt{\sin \theta}} \, d\theta$
69.  $\int \frac{\cos^5 \theta}{\sqrt{\sin \theta}} \, d\theta$
70.  $\int \frac{\cos^2 x}{\sin^5 x} \, dx$
71.  $\int \frac{\sin^3 x}{\cos^4 x} \, dx$
72.  $\int \frac{\sin^4 x}{\cos^6 x} \, dx$
73.  $\int \frac{2 \cos x + 3 \sin x}{\sin^3 x} \, dx$
74.  $\int \frac{\sin 2x}{1 + \sin^2 x} \, dx$
75.  $\int \frac{2 + \sin x + 2 \cos x}{1 + \cos x} \, dx$
76.  $\int \frac{dx}{1 - \cos x}$
77.  $\int \frac{dx}{1 - \sin x}$
78.  $\int \frac{\sin \theta \cos \theta}{2 - \cos \theta} \, d\theta$
79.  $\int \tan^3 x \sec^3 x \, dx$
80.  $\int \sec x \tan^2 x \, dx$
81.  $\int \sec^2 x \tan^2 x \, dx$
82.  $\int \sec^4 x \tan^2 x \, dx$
83.  $\int \sec^6 4x \tan 4x \, dx$
84.  $\int \sec^2 \frac{x}{2} \tan \frac{x}{2} \, dx$
85.  $\int \tan^3 2x \sec^3 2x \, dx$
86.  $\int \tan^5 2x \sec^4 2x \, dx$
87.  $\int \tan^3 x \sec^5 x \, dx$
88.  $\int \tan^3 x \sec^4 x \, dx$
89.  $\int \tan^5 \theta \sec^4 \theta \, d\theta$
90.  $\int \tan^5 \theta \sec^7 \theta \, d\theta$
91.  $\int \tan^7 \theta \sec^5 \theta \, d\theta$
92.  $\int \sec^4 3x \tan^3 3x \, dx$
93.  $\int \tan^3 \frac{\pi x}{2} \sec^2 \frac{\pi x}{2} \, dx$
94.  $\int \sec^{-2} x \tan^3 x \, dx$
95.  $\int \sqrt{\tan x} \sec^4 x \, dx$

96.  $\int \tan^5 \theta \csc^2 \theta d\theta$
97.  $\int \csc^2 x \cot x dx$
98.  $\int \csc^{10} x \cot x dx$
99.  $\int (\cot 2x - \csc 2x)^2 dx$
100.  $\int \operatorname{sech}^4 x dx$
101.  $\int \sinh^3 x \cosh^2 x dx$
102.  $\int \operatorname{sech}^2 x \sinh x dx$
103.  $\int \frac{\tan^3 x}{\sqrt{\sec x}} dx$
104.  $\int \frac{\tan^2 x}{\sec x} dx$
105.  $\int \frac{\sec x}{\tan^2 x} dx$
106.  $\int \frac{\sec^2 x}{\tan^5 x} dx$
107.  $\int \frac{\csc^4 x}{\cot^2 x} dx$
108.  $\int \frac{\sec^4(\ln x)}{x} dx$
109.  $\int e^x \sec(e^x + 1) dx$
110.  $\int e^x \sec^3 e^x dx$
111.  $\int e^x \sqrt{\tan^2 e^x + 1} dx$
112.  $\int_0^{\sqrt{\frac{\pi}{2}}} x \sin^3(x^2) dx$
113.  $\int_{\pi/6}^{\pi/3} \frac{\cos^3 x}{\sqrt{\sin x}} dx$
114.  $\int_{\pi/6}^{\pi/2} \frac{dx}{\sin x}$
115.  $\int_{\pi/6}^{\pi/3} \cot^3 \theta d\theta$
116.  $\int_0^{\pi/3} \tan^2 x dx$
117.  $\int_0^{\pi/4} 6 \tan^3 x dx$
118.  $\int_0^{\pi/4} \tan^4 x dx$
119.  $\int_0^{\pi} 8 \sin^4 y \cos^2 y dy$
120.  $\int_0^{\pi/6} 3 \cos^5 3x dx$
121.  $\int_0^{\pi/2} \sin^2 2\theta \cos^3 2\theta d\theta$
122.  $\int_0^{2\pi} \sqrt{\frac{1 - \cos x}{2}} dx$
123.  $\int_0^{\pi} \sqrt{1 - \cos^2 \theta} d\theta$
124.  $\int_0^{\pi/6} \sqrt{1 + \sin x} dx$
125.  $\int_{-\pi/3}^{\pi/3} \sqrt{\sec^2 \theta - 1} d\theta$
126.  $\int_0^{\pi} (1 - \cos 2x)^{3/2} dx$
127.  $\int_0^{\pi} (1 - \cos^2 x)^{3/2} dx$
128.  $\int_{-\pi}^{\pi} (1 - \cos^2 x)^{3/2} dx$
129.  $\int_{\pi/4}^{\pi/2} \csc^4 \theta d\theta$
130.  $\int_{-\pi}^{\pi} \sin 3x \sin 3x dx$
131.  $\int_{-\pi/2}^{\pi/2} \cos x \cos 7x dx$
132.  $\int_0^{\pi/4} \cos^5 2x \sin^2 2x dx$
133.  $\int_0^{\pi/6} \sin^5 x dx$
134.  $\int_{-\pi}^{\pi} \sin^2 x dx$
135.  $\int_{-\pi/2}^{\pi/2} (\sin^2 x + 1) dx$
136.  $\int_0^{\pi/3} \sec^{3/2} x \tan x dx$
137.  $\int_0^{\pi/2} \frac{\cos x}{1 + \sin x} dx$
138.  $\int_{\pi/6}^{\pi/3} \sin 6x \cos 4x dx$
139.  $\int_{-\pi/2}^{\pi/2} 3 \cos^3 x dx$

$$140. \int_0^{\pi} \sec^2 x \, dx$$

$$144. \int_0^{\pi/2} \cos^7 x \, dx$$

$$147. \int_0^{\pi/2} \sin^6 x \, dx$$

$$141. \int_0^{\ln(\sqrt{3}+2)} \frac{\cosh x}{\sqrt{4 - \sinh^2 x}} \, dx$$

$$145. \int_0^{\pi/2} \cos^9 x \, dx$$

$$148. \int_0^{\pi/2} \sin^8 x \, dx$$

$$142. \int_0^{\pi/2} \cos^4 x \, dx$$

$$146. \int_0^{\pi/2} \sin^5 x \, dx$$

$$149. \int_0^{\pi/2} \tan^2 \frac{x}{2} \, dx$$

$$143. \int_0^{\pi/2} \cos^{10} \theta \, d\theta$$

150. Find the area of the region bounded by the graphs of  $y = \tan x$  and  $y = \sec x$  on the interval  $\left[0, \frac{\pi}{4}\right]$

Find the area of the region bounded by the graphs of the equations

$$151. y = \sin x, \quad y = \sin^3 x, \quad x = 0, \quad x = \frac{\pi}{2}$$

$$152. y = \sin^2 \pi x, \quad y = 0, \quad x = 0, \quad x = 1$$

$$153. y = \cos^2 x, \quad y = \sin^2 x, \quad x = -\frac{\pi}{4}, \quad x = \frac{\pi}{4}$$

$$154. y = \cos^2 x, \quad y = \sin x \cos x, \quad x = -\frac{\pi}{2}, \quad x = \frac{\pi}{4}$$

Find the volume of the solid generated by revolving the region bounded by the graphs of the equations about the  $x$ -axis

$$155. y = \tan x, \quad y = 0, \quad x = -\frac{\pi}{4}, \quad x = \frac{\pi}{4}$$

$$156. y = \cos \frac{x}{2}, \quad y = \sin \frac{x}{2}, \quad x = 0, \quad x = \frac{\pi}{2}$$

Find the **volume** of the solid generated by revolving the region bounded by the graphs of the equations about the  $x$ -axis, then find the **centroid** of the region

$$157. y = \sin x, \quad y = 0, \quad x = 0, \quad x = \pi$$

$$158. y = \cos x, \quad y = \sin 0, \quad x = 0, \quad x = \frac{\pi}{2}$$