Sec 4.5

$$7 S = \frac{1}{2}(-4.5), (0,0)^{2}$$
 $\begin{vmatrix} -4 & 0 \\ 5 & 0 \end{vmatrix} = 0$
Sincolly dependent

 $11 S = \frac{1}{2}(1.2), (1,0), (0,1)^{2}$
 $(\frac{1}{2} \cdot 0) R_{2} - 2R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow 2C_{2} = C_{2}$
 $(\frac{1}{2} \cdot 0 \cdot 1) R_{2} - 2R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow 2C_{3} = C_{3}$
 $(\frac{1}{2} \cdot 0) R_{2} - 2R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow 2C_{3} = C_{3}$
 $(\frac{1}{2} \cdot 0) R_{2} - 2R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow 2C_{3} = C_{3}$
 $(\frac{1}{2} \cdot 0) R_{2} - 2R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow 2C_{3} = C_{3}$
 $(\frac{1}{2} \cdot 0) R_{2} - 2R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow 2C_{3} = C_{3}$
 $(\frac{1}{2} \cdot 0) R_{3} - 3R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} - 2R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} - 2R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} - 2R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} - 2R_{1} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} = 0$
 $(\frac{1}{2} \cdot 0) R_{3} \rightarrow (0 - 2 \cdot 1) \Rightarrow C_{3} \rightarrow (0 - 2 \cdot 1) \Rightarrow$

3/ == ((00), (00)) $\begin{pmatrix} 0 & 1 \\ 0 & 1 \end{pmatrix} \rightarrow C_1 = C_2 = 0.$ S devent span Maxa 39/ 5= ? (4,-3), (5,2)3 for R2 1 4 5 = 23 \$0 basis. (92 0) \frac{1}{92} \frac{1}{23} \frac{1}{23 S & a basis uly 5= ?(1,5,3), (0,1,2), (0,0,6)} R3 | 5 1 0 | = 6 ±0 sis a basis 43/ S= {(0,3,-2), (4,0,3), (-8,15,-16)} for R3 $\begin{vmatrix} 0 & 4 & -8 \\ 3 & 0 & 15 \\ -2 & 3 & -16 \end{vmatrix} = 0$ s is nota basis

Sec 4.5 cont 47/ S= } 1-2+2+13, -4++2, 2+++2, 5+3 $\begin{pmatrix} 1 & 0 & -4 & 0 \\ 0 & 5 & 0 & 2 \\ -2 & 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix} \xrightarrow{15R_2} \begin{pmatrix} 1 & 0 & -4 & 0 \\ 0 & 1 & 0 & 2/5 \\ 0 & 0 & -7 & 0 \\ 0 & 0 & 4 & 1 \end{pmatrix} \xrightarrow{1} \xrightarrow{R_3}$ $\begin{pmatrix} 1 & 0 & -4 & 0 \\ 0 & 1 & 0 & 2/5 \\ 0 & 0 & 0 & 1 \end{pmatrix} \xrightarrow{R_1 + 4R_3} \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 2/5 \\ 0 & 0 & 0 & 1 \end{pmatrix} \xrightarrow{R_2 - \frac{5}{2}R_4} \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \end{pmatrix} \xrightarrow{R_3 - \frac{5}{2}R_4} \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \end{pmatrix}$ (00000) S babasis 5/ 5= { [03]. [0, 4]. [32]. [20] $\begin{vmatrix} 2 & 1 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 0 & 3 & 2 \end{vmatrix} = 2 \begin{vmatrix} 4 & 1 & 1 \\ 0 & 3 & 2 \\ 1 & 2 & 0 \end{vmatrix} - \begin{vmatrix} 0 & 3 & 2 \\ 3 & 2 & 0 \end{vmatrix}$ $\begin{vmatrix} 3 & 1 & 2 & 0 \\ 3 & 1 & 2 & 0 \end{vmatrix} = -34 + 3$ Sisabasis.