

Solution **Section 3.4 – Permutations and Combinations**

Exercise

Decide whether the situation involves ***permutations*** or ***combinations***

- a) A batting order for 9 players for a baseball game
- b) An arrangement of 8 people for a picture
- c) A committee of 7 delegates chosen from a class of 30 students to bring a petition to the administration
- d) A selection of a chairman and a secretary from a committee of 14 people
- e) A sample of 5 items taken from 71 items on an assembly line
- f) A blend of 3 spices taken from 7 spices on a spice rack
- g) From the 7 male and 10 female sales representatives for an insurance company, team of 8 will be selected to attend a national conference on insurance fraud.
- h) Marbles are being drawn without replacement from a bag containing 15 marbles.
- i) The new university president named 3 new officers a vice-president of finance, a vice-president of academic affairs, and a vice-president of student affairs.
- j) A student checked out 4 novels from the library to read over the holiday.
- k) A father ordered an ice cream cone (chocolate, vanilla, or strawberry) for each of his 4 children.

Solution

- a) Permutation
- b) Permutation
- c) Combination
- d) Permutation
- e) Combination
- f) Combination
- g) Combination
- h) Combination
- i) Permutation
- j) Combination
- k) Neither

Exercise

Wing has different books to arrange on a shelf: 4 blue, 3 green, and 2 red.

- a) In how many ways can the books be arranged on a shelf?
- b) If books of the same color are to be grouped together, how many arrangements are possible?
- c) In how many distinguishable ways can the books be arranged if books of the same color are identical but need not be grouped together?

- d) In how many ways can you select 3 books, one of each color, if the order in which the books are selected does not matter?
- e) In how many ways can you select 3 books, one of each color, if the order in which the books are selected matters?

Solution

- a) $P(9,9) = 362,880$ ways
- b) $4! \cdot 3! \cdot 2! \cdot 3! = 1728$ possibilities
- c) $\frac{9!}{4!3!2!} = 1260$
- d) $4 \cdot 3 \cdot 2 = 24$
- e) $24 \cdot 3! = 144$ (24 from part-d)

Exercise

A child has a set of differently shaped plastic objects. There are 3 pyramids, 4 cubes, and 7 spheres.

- a) In how many ways can she arrange the objects in a row if each is a different color?
- b) How many arrangements are possible if objects of the same shape must be grouped together and each object is a different color?
- c) In how many distinguishable ways can the objects be arranged in a row if objects of the same shape are also the same color, but need not be grouped together?
- d) In how many ways can you select 3 objects, one of each shape, if the order in which the objects are selected does not matter and each object is a different color?
- e) In how many ways can you select 3 objects, one of each shape, if the order in which the objects are selected matters and each object is a different color?

Solution

- a) $P(14,14) = 8.7178291 \times 10^{10}$
- b) $3!4!7!3! = 4,354,560$ ($3!$ number of ways to arrange the order of 3 groups)
- c) $\frac{14!}{3!4!7!} = 120,120$
- d) $3 \cdot 4 \cdot 7 = 84$
- e) $84 \cdot 3! = 504$

Exercise

In a club with 16 members, how many ways can a slate of 3 officers consisting of president, vice-president, and secretary/treasurer be chosen?

Solution

$$P(16,3) = 3360$$

Exercise

Twelve drugs have been found to be effective in the treatment of a disease. It is believed that the sequence in which the drugs are administered is important in the effectiveness of the treatment. In how many different sequences can 5 of the 12 drugs be administered?

Solution

$$P(12,5) = \underline{95,040}$$

Exercise

In how many ways can 7 of 11 monkeys be arranged in a row for a genetics experiment?

Solution

$$P(11,7) = \underline{1,663,200}$$

Exercise

In an experiment on social interaction, 6 people will sit in 6 seats in a row. In how many ways can this be done?

Solution

$$P(6,6) = \underline{720}$$

Exercise

In an election with 3 candidates for one office and 6 candidates for another office, how many different ballots may be printed?

Solution

Office 1: $P(3,3)$

Office2: $P(6,6)$

Multiplication principle: $2 \cdot P(3,3)P(6,6) = \underline{8640}$

Exercise

A business school gives courses in typing, shorthand, transcription, business English, technical writing, and accounting. In how many ways can a student arrange a schedule if 3 courses are taken? assume that the order in which courses are schedules matters.

Solution

$$P(6,3) = \underline{120}$$

Exercise

If your college offers 400 courses, 25 of which are in mathematics, and your counselor arranges your schedule of 4 courses by random selection, how many schedules are possible that do not include a math course? Assume that the order in which courses are scheduled matters.

Solution

$$P(\text{nonmath}) = P(375, 4) = \underline{1.946 \times 10^{10}}$$

Exercise

A baseball team has 19 players. How many 9-player batting orders are possible?

Solution

$$P(19, 9) = \underline{3.352 \times 10^{10}}$$

Exercise

A chapter of union Local 715 has 35 members. In how many different ways can the chapter select a president, a vice-president, a treasurer, and a secretary?

Solution

$$P(35, 4) = \underline{1,256,640}$$

Exercise

A concert to raise money for an economics prize is to consist of 5 works; 2 overtures, 2 sonatas, and a piano concerto.

- a) In how many ways can the program be arranged?
- b) In how many ways can the program be arranged if an overture must come first?

Solution

$$a) \quad P(5, 5) = \underline{120}$$

$$b) \quad P(2, 1) \cdot P(4, 4) = \underline{48}$$

Exercise

A zydeco band from Louisiana will play 5 traditional and 3 original Cajun compositions at a concert. In how many ways can they arrange the program if

- a) The begin with a traditional piece?
- b) An original piece will be played last?

Solution

$$a) \quad P(5, 1) \cdot P(7, 7) = \underline{25,200}$$

$$b) \quad P(7, 7) \cdot P(3, 1) = \underline{15,120}$$

Exercise

Given the set $\{A, B, C, D\}$, how many permutations are there of this set of 4 object taken 2 at a time?

- a) Using the multiplication principle
- b) Using the Permutation

Solution

a) $4 \cdot 3 = 12$

b) $P_{4,2} = \frac{4!}{2!} = 12$

Exercise

Find the number of permutations of 30 objects taken 4 at a time.

Solution

$$P_{30,4} = \frac{30!}{(30-4)!} = 657,720$$

Exercise

Five cards are marked with the numbers 1, 2, 3, 4, and 5, then shuffled, and 2 cards are drawn.

- a) How many different 2-card combinations are possible?
- b) How many 2-card hands contain a number less than 3?

Solution

a) $C_{5,2} = 10$

b) $\left\{ \{1,2\}, \{1,3\}, \{1,4\}, \{1,5\}, \{2,3\} \right\}$
 $\left\{ \{2,4\}, \{2,5\}, \{3,4\}, \{3,5\}, \{4,5\} \right\}$
7 contain a card numbered less than 3.

Exercise

An economics club has 31 members.

- a) If a committee of 4 is to be selected, in how many ways can the selection be made?
- b) In how many ways can a committee of at least 1 and at most 3 be selected?

Solution

a) $C_{31,4} = 31,465$

b) $P(\text{at least 1 and at most 3 be selected}) = C_{31,1} + C_{31,2} + C_{31,3}$
 $= 31 + 465 + 4495$
 $= 4991$

Exercise

In a club with 9 male and 11 female members, how many 5-member committees can be chosen that have

- a) All men?
- b) All women?
- c) 3 men and 2 women?

Solution

- a) $C(9,5) = 126$
- b) $C(11,5) = 462$
- c) $C(9,3) \cdot C(11,2) = (84)(55) = 4620$

Exercise

In a club with 9 male and 11 female members, how many 5-member committees can be selected that have

- a) At least 4 women?
- b) No more than 2 men?

Solution

- a) $C(11,4)C(9,1) + C(11,5)C(9,0) = 3432$
- b) $C(9,0)C(11,5) + C(9,1)C(11,4) + C(9,2)C(11,3) = 9372$


Exercise

Use a tree diagram for the following


- a) Find the number of ways 2 letters can be chosen from the set $\{L, M, N\}$ if order is important and repetition is allowed.
- b) Reconsider part a if no repeats are allowed
- c) Find the number of combinations of 3 elements taken 2 at a time. Does this answer differ from part a or b?

Solution

- a) There are 9 ways to choose 2 letters if repetition is allowed



b) There are 9 ways to choose 2 letters if repetition is allowed



c) The number of 3 elements taken 2 at a time is:

$$C_{3,2} = \underline{3}$$

Exercise

In a game of musical chairs, 12 children will sit in 11 chairs arranged in a row (one will be left out). In how many ways can this happen, if we count rearrangements of the children in the chairs as different outcomes?

Solution

$$P(12,11) = \underline{479,001,600}$$

Exercise

A group of 3 students is to be selected from a group of 14 students to take part in a class in cell biology.

- In how many ways can this be done?
- In how many ways can the group who will not take part be chosen?

Solution

$$a) \binom{14}{3} = \underline{364}$$

$$b) \binom{14}{11} = \underline{364}$$

Exercise

Marbles are being drawn without replacement from a bag containing 16 marbles.

- How many samples of 2 marbles can be drawn?
- How many samples of 2 marbles can be drawn?
- If the bag contains 3 yellow, 4 white, and 9 blue marbles, how many samples of 2 marbles can be drawn in which both marbles are blue?

Solution

- a) $C(16, 2) = 120$
- b) $C(16, 4) = 1820$
- c) $C(9, 2) = 36$

Exercise

There are 7 rotten apples in a crate of 26 apples

- a) How many samples of 3 apples can be drawn from the crate?
- b) How many samples of 3 could be drawn in which all 3 are rotten?
- c) How many samples of 3 could be drawn in which there are two good apples and one rotten one?

Solution

- a) $C_{26,3} = 2600$
- b) $C_{7,3} = 35$
- c) $C_{26,3} = 2600$

Exercise

A bag contains 5 black, 1 red, and 3 yellow jelly beans; you take 3 at random. How many samples are possible in which the jelly beans are

- a) All black?
- b) All red?
- c) All yellow?
- d) 2 black and 1 red?
- e) 2 black and 1 yellow?
- f) 2 yellow and 1 black?
- g) 2 red and 1 yellow?

Solution

- a) $C_{5,3} = 10$
- b) No 3 red. $C_{1,3} = 0$
- c) $C_{3,3} = 1$
- d) $C_{5,2} C_{1,1} = 10$
- e) $C_{5,2} C_{3,1} = 30$
- f) $C_{3,2} C_{5,1} = 15$
- g) There is only 1 red.

Exercise

In how many ways can 5 out of 9 plants be arranged in a row on a windowsill?

Solution

$$P_{9,5} = \underline{15,120}$$

Exercise

From a pool of 8 secretaries, 3 are selected to be assigned to 3 managers, one per manager. In how many ways can they be selected and assigned?

Solution

$$P_{8,3} = \underline{336}$$

Exercise

A salesperson has the names of 6 prospects.

- a) In how many ways can she arrange her schedule if she calls on all 6?
- b) In how many ways can she arrange her schedule if she can call on only 4 of the 6?

Solution

$$a) \quad P_{6,6} = \underline{720}$$

$$b) \quad P_{6,4} = \underline{360}$$

Exercise

Five items are to be randomly selected from the first 50 items on an assembly line to determine the defect rate. How many different samples of 5 items can be chosen?

Solution

$$C_{50,5} = \underline{2,118,760}$$

Exercise

A group of 9 workers decides to send a delegation of 3 to their supervisor to discuss their grievances.

- a) How many delegations are possible?
- b) If it is decided that a particular worker must be in the delegation, how many different delegations are possible?
- c) If there are 4 women and 5 men in the group, how many delegations would include at least 1 woman?

Solution

$$a) C_{9,3} = 84$$

$$b) 1.C_{8,2} = 28$$

$$c) C_{4,1} C_{5,2} + C_{4,2} C_{5,1} + C_{4,3} = 74$$

Exercise

From a group of 16 smokers and 22 nonsmokers, a researcher wants to randomly select 8 smokers and 8 nonsmokers for a study. in how many ways can the study group be selected?

Solution

$$C_{16,8} C_{22,8} = 4,115,439,900$$

Exercise

Hamburger Hut sells regular hamburgers as well as a larger burger. Either type can include cheese, relish, lettuce, tomato, mustard, or catsup.

- How many different hamburgers can be ordered with exactly three extras?
- How many different regular hamburgers can be ordered with exactly three extras?
- How many different regular hamburgers can be ordered with at least five extras?

Solution

$$a) C_{2,1} C_{6,3} = 40$$

$$b) C_{6,3} = 20$$

$$c) C_{6,5} + C_{6,6} = 7$$

Exercise

In an experiment on plant hardiness, a researcher gathers 6 wheat plants, 3 barley plants, and 2 rye plants. She wishes to select 4 plants at random.

- In how many ways can this be done?
- In how many ways can this be done if exactly 2 wheat plants must be included?

Solution

$$a) C_{11,4} = 330$$

$$b) C_{6,2} C_{5,2} = 150$$

Exercise

A legislative committee consists of 5 Democrats and 4 Republicans. A delegation of 3 is to be selected to visit a small Pacific island republic.

- a) How many different delegations are possible?
- b) How many delegations would have all Democrats?
- c) How many delegations would have 2 Democrats and 1 Republican?
- d) How many delegations would have at least 1 Republican?

Solution

- a) $C_{9,3} = 84$
- b) $C_{5,3} = 10$
- c) $C_{5,2} C_{4,1} = 40$
- d) $C_{9,3} - C_{5,3} = 84 - 10 = 74$

Exercise

From 10 names on a ballot, 4 will be elected to a political party committee. in how many ways can the committee of 4 be formed if each person will have a different responsibility, and different assignments of responsibility are considered different committees?

Solution

$$P_{10,4} = 5040$$

Exercise

How many different 13-card bridge hands can be selected from an ordinary deck?

Solution

$$C_{52,13} = 635,013,559,600$$

Exercise

Five cards are chosen from an ordinary deck to form a hand in poker. In how many ways is it possible to get the following results?

- a) 4 queens
- b) No face card
- c) Exactly 2 face cards
- d) At least 2 face cards
- e) 1 heart, 2 diamonds, and 2 clubs

Solution

$$a) C_{4,4} C_{48,1} = 48$$

$$b) C_{40,5} = \underline{658,008}$$

$$c) C_{12,2} C_{40,3} = \underline{652,080}$$

$$d) C_{12,2} C_{40,3} + C_{12,3} C_{40,2} + C_{12,4} C_{40,1} + C_{12,5} = \underline{844,272}$$

$$e) C_{13,1} C_{13,2} C_{13,2} = \underline{79,092}$$

Exercise

In poker, a flush consists of 5 cards with the same suit, such as 5 diamonds.

- Find the number of ways of getting a flush consisting of cards with values from 5 to 10 by listing all the possibilities.
- Find the number of ways of getting a flush consisting of cards with values from 5 to 10 by using combinations

Solution

$$a) \{(5, 6, 7, 8, 9); (5, 6, 7, 8, 10); (5, 7, 8, 9, 10); (5, 6, 8, 9, 10); (5, 7, 8, 9, 10); (6, 7, 8, 9, 10)\}$$

There are 6 possibilities for each suit and there are 4 suits: $4 \cdot 6 = 24$

$$b) {}^4C_{6,5} = \underline{24}$$

Exercise

If a baseball coach has 5 good hitters and 4 poor hitters on the bench and chooses 3 players at random, in how many ways can he choose at least 2 good hitters?

Solution

$$C_{5,2} C_{4,1} + C_{5,3} C_{4,0} = \underline{50}$$

Exercise

The coach of a softball team has 6 good hitters and 8 poor hitters. He chooses 3 hitters at random.

- In how many ways can he choose 2 good hitters and 1 poor hitter?
- In how many ways can he choose 3 good hitters?
- In how many ways can he choose at least 3 good hitters?

Solution

$$a) C_{6,2} C_{8,1} = \underline{120}$$

$$b) C_{6,3} = \underline{20}$$

$$c) C_{6,2} C_{8,1} + C_{6,3} = \underline{140}$$

Exercise

How many 5 card hands will have 3 aces and 2 kings?

Solution

$$\begin{aligned}\text{Number of hands} &= C_{4,3} \cdot C_{4,2} \\ &= 24\end{aligned}$$

Exercise

How many 5 card hands will have 3 hearts and 2 spades?

Solution

$$\text{Number of hands} = C_{13,3} \cdot C_{13,2} = 22,308$$

Exercise

2 letters follow by 3 numbers; 2 letters out of 8 & 3 numbers out of 10

Solution

$$\text{Number} = P_{8,2} \cdot P_{10,3} = 40320$$

Exercise

Serial numbers for a product are to be made using 3 letters follow by 2 digits (0 – 9 no repeats). If the letters are to be taken from the first 8 letters of the alphabet with no repeats, how many serial numbers are possible?

Solution

$$\text{Possible} = P_{8,3} \cdot P_{10,2} = 30,240$$

Exercise

A company has 7 senior and 5 junior officers. An ad hoc legislative committee is to be formed.

- How many 4-officer committees with 1 senior officer and 3 junior officers can be formed?
- How many 4-officer committees with 4 junior officers can be formed?
- How many 4-officer committees with at least 2 junior officers can be formed?

Solution

$$a) \quad C_{7,1} \cdot C_{5,3} = 70$$

$$b) \quad C_{5,4} = 5$$

$$c) \quad C_{7,2} \cdot C_{5,2} + C_{7,1} \cdot C_{5,3} + C_{7,0} \cdot C_{5,4} = 285$$

Exercise

From a committee of 12 people,

- a) In how many ways can we choose a chairperson, a vice-chairperson, a secretary, and a treasurer, assuming that one person can't hold more than one position
- b) In how many ways can we choose a subcommittee of 4 people?

Solution

$$a) P_{12,4} = \underline{11,880 \text{ ways}}$$

$$b) C_{12,4} = \underline{495 \text{ ways}}$$

Exercise

Find the number of combinations of 30 objects taken 4 at a time.

Solution

$$C_{30,4} = \frac{30!}{4!(30-4)!} = \underline{27,405}$$

Exercise

How many different permutations are there of the set $\{a, b, c, d, e, f, g\}$?

Solution

$$P(7, 7) = \underline{5040}$$

Exercise

How many permutations of $\{a, b, c, d, e, f, g\}$ end with a ?

Solution

To find the permutation to with a , then we may forget about the a , and leave us $\{b, c, d, e, f, g\}$

$$P(6, 6) = \underline{720}$$

Exercise

Find the number of 5-permutations of a set with nine elements

Solution

$$P(9, 5) = \underline{15,120}$$

Exercise

In how many different orders can five runners finish a race if no ties are allowed?

Solution

$$P(5, 5) = \underline{120}$$

Exercise

A coin flipped eight times where each flip comes up either heads or tails. How many possible outcomes

- a) Are there in total?
- b) Contain exactly three heads?
- c) Contain at least three heads?
- d) Contain the same number of heads and tails?

Solution

a) Each flip can be either heads or tails: There are $2^8 = \underline{256 \text{ possible outcomes}}$

b) $C(8, 3) = \underline{56 \text{ outcomes}}$

c) At least three heads means: 3, 4, 5, 6, 7, 8 heads.

$$C(8, 3) + C(8, 4) + C(8, 5) + C(8, 6) + C(8, 7) + C(8, 8) = \underline{219 \text{ outcomes}}$$

OR

$$256 - C(8, 0) - C(8, 1) - C(8, 2) = 256 - 28 - 8 - 1 = \underline{219 \text{ outcomes}}$$

d) To have an equal number of heads and tails means 4 heads and 4 tails.

$$\text{Therefore; } C(8, 4) = \underline{70 \text{ outcomes}}$$

Exercise

In how many ways can a set of two positive integers less than 100 be chosen?

Solution

$$C_{99, 2} = \underline{4851 \text{ ways}}$$

Exercise

In how many ways can a set of five letters be selected from the English alphabet?

Solution

$$C_{26, 5} = \underline{65,780 \text{ ways}}$$