Solution

Exercise

Find the limit: $\lim_{x\to 3} (-1)$

Solution

$$\lim_{x \to 3} \left(-1 \right) = -1$$

Exercise

Find the limit: $\lim_{x \to -1} (3)$

Solution

$$\lim_{x \to -1} (3) = 3$$

Exercise

Find the limit: $\lim_{x\to 1000} 18\pi^2$

Solution

$$\lim_{x \to 1000} 18\pi^2 = 18\pi^2$$

Exercise

Find the limit: $\lim_{x \to 1} \sqrt{5x + 6}$

Solution

$$\lim_{x \to 1} \sqrt{5x + 6} = \sqrt{11}$$

Exercise

Find the limit: $\lim_{x \to 9} \sqrt{x}$

$$\lim_{x \to 9} \sqrt{x} = \sqrt{9}$$

$$= 3$$

Find the limit: $\lim_{x \to -3} (x^2 + 3x)$

Solution

$$\lim_{x \to -3} (x^2 + 3x) = (-3)^2 + 3(-3)$$

$$= 9 - 9$$

$$= 0 \mid$$

Exercise

Find the limit: $\lim_{x \to -4} |x-4|$

Solution

$$\lim_{x \to -4} |x - 4| = |-4 - 4|$$
$$= |-8|$$
$$= 8$$

Exercise

Find the limit: $\lim_{x \to 4} (x+2)$

Solution

$$\lim_{x \to 4} (x+2) = 4+2$$

$$= 6$$

Exercise

Find the limit: $\lim_{x \to 4} (x-4)$

$$\lim_{x \to 4} (x-4) = 4-4$$

$$= 0$$

Find the limit: $\lim_{x\to 2} (5x-6)^{3/2}$

Solution

$$\lim_{x \to 2} (5x - 6)^{3/2} = (10 - 6)^{3/2}$$
$$= \sqrt{4^3}$$
$$= 8$$

Exercise

Find the limit: $\lim_{x\to 9} \frac{x-9}{\sqrt{x}-3}$

Solution

$$\lim_{x \to 9} \frac{x-9}{\sqrt{x}-3} = \frac{9-9}{3-3} = \frac{0}{0}$$

$$= \lim_{x \to 9} \frac{\left(\sqrt{x}-3\right)\left(\sqrt{x}+3\right)}{\sqrt{x}-3}$$

$$= \lim_{x \to 9} \left(\sqrt{x}+3\right)$$

$$= \frac{1}{3}$$

$$= \lim_{x \to 9} \left(\sqrt{x}+3\right)$$

$$= \frac{6}{3}$$

Exercise

Find the limit: $\lim_{x \to 1} (2x + 4)$

Solution

$$\lim_{x \to 1} (2x+4) = 2(1) + 4$$
= 6

Exercise

Find the limit: $\lim_{x \to 1} \frac{x^2 - 4}{x - 2}$

$$\lim_{x \to 1} \frac{x^2 - 4}{x - 2} = \frac{1^2 - 4}{1 - 2}$$
$$= \frac{-3}{-1}$$


Find the limit: $\lim_{x\to 2} \frac{x^2+4}{x-2}$

Solution

$$\lim_{x \to 2} \frac{x^2 + 4}{x - 2} = \frac{2^2 + 4}{2 - 2}$$

$$= \frac{8}{0}$$

$$= \infty \qquad (Doesn't exist)$$



Exercise

Find the limit: $\lim_{x \to 0} \frac{|x|}{x}$

Solution

$$\lim_{x \to 0} \frac{|x|}{x} = \frac{0}{0}$$

$$\lim_{x \to 0^{-}} \frac{|x|}{x} = \frac{x}{-x} = -1$$

$$\lim_{x \to 0^{+}} \frac{|x|}{x} = \frac{x}{x} = 1$$

Doesn't exist

Exercise

Find:
$$\lim_{x \to 3} \frac{x^2 - x - 1}{\sqrt{x + 1}}$$

Solution

$$\lim_{x \to 3} \frac{x^2 - x - 1}{\sqrt{x + 1}} = \frac{3^2 - 3 - 1}{\sqrt{3 + 1}}$$

$$= \frac{5}{2}$$

Exercise

Find:
$$\lim_{x \to 2} \frac{x^2 + x - 6}{x - 2}$$

$$\lim_{x \to 2} \frac{x^2 + x - 6}{x - 2} = \frac{2^2 + 2 - 6}{2 - 2} = \frac{0}{0}$$

$$= \lim_{x \to 2} \frac{(x + 3)(x - 2)}{x - 2}$$

$$= \lim_{x \to 2} (x + 3)$$

$$= 5$$

Find the limit: $\lim_{x\to 0} (3x-2)$

Solution

$$\lim_{x \to 0} (3x - 2) = 3(0) - 2$$

$$= -2$$

Exercise

Find the limit: $\lim_{x\to 1} (2x^2 - x + 4)$

Solution

$$\lim_{x \to 1} (2x^2 - x + 4) = 2(1)^2 - (1) + 4$$

$$= 5$$

Exercise

Find the limit: $\lim_{x \to -2} \left(x^3 - 2x^2 + 4x + 8 \right)$

Solution

$$\lim_{x \to -2} \left(x^3 - 2x^2 + 4x + 8 \right) = \left(-\frac{2}{3} \right)^3 - 2\left(-\frac{2}{3} \right)^2 + 4\left(-\frac{2}{3} \right) + 8$$

$$= -16$$

Exercise

Find the limit: $\lim_{x \to 2} \frac{x^2 - 4}{x - 2}$

$$\lim_{x \to 2} \frac{x^2 - 4}{x - 2} = \frac{2^2 - 4}{2 - 2} = \frac{0}{0}$$

$$= \lim_{x \to 2} \frac{(x - 2)(x + 2)}{x - 2}$$

$$= \lim_{x \to 2} (x + 2)$$

$$= 4$$

Find the limit: $\lim_{x\to 2} \frac{x^3-8}{x-2}$

Solution

$$\lim_{x \to 2} \frac{x^3 - 8}{x - 2} = \frac{0}{0}$$

$$= \lim_{x \to 2} \frac{(x - 2)(x^2 + 2x + 4)}{x - 2}$$

$$= \lim_{x \to 2} x^2 + 2x + 4$$

$$= 2^2 + 2(2) + 4$$

$$= 12$$

Exercise

Find the limit: $\lim_{x\to 3} \frac{x^2+x-12}{x-3}$

$$\lim_{x \to 3} \frac{x^2 + x - 12}{x - 3} = \frac{0}{0}$$

$$= \lim_{x \to 3} \frac{(x - 3)(x + 4)}{x - 3}$$

$$= \lim_{x \to 3} (x + 4)$$

$$= \frac{7}{1}$$

Find the limit:
$$\lim_{x\to 0} \frac{\sqrt{x+4}-2}{x}$$

Solution

$$\lim_{x \to 0} \frac{\sqrt{x+4} - 2}{x} = \frac{\sqrt{4} - 2}{0} = \frac{0}{0}$$

$$= \lim_{x \to 0} \frac{\sqrt{x+4} - 2}{x} \cdot \frac{\sqrt{x+4} + 2}{\sqrt{x+4} + 2}$$

$$= \lim_{x \to 0} \frac{x+4-4}{x(\sqrt{x+4} + 2)}$$

$$= \lim_{x \to 0} \frac{x}{x(\sqrt{x+4} + 2)}$$

$$= \lim_{x \to 0} \frac{1}{\sqrt{x+4} + 2}$$

$$= \frac{1}{\sqrt{4} + 2}$$

$$= \frac{1}{4}$$

Exercise

Find the limit:
$$\lim_{x\to 0} \frac{3}{\sqrt{3x+1}+1}$$

Solution

$$\lim_{x \to 0} \frac{3}{\sqrt{3x+1}+1} = \frac{3}{\sqrt{3(0)+1}+1}$$
$$= \frac{3}{1+1}$$
$$= \frac{3}{2}$$

Exercise

Find the limit:
$$\lim_{x\to 0} f(x)$$

$$f(x) = \begin{cases} x^2 + 1 & x < 0 \\ 2x + 1 & x > 0 \end{cases}$$

$$\lim_{x \to 0^{-}} x^{2} + 1 = 1$$

$$\lim_{x \to 0^{+}} 2x + 1 = 1$$

$$\lim_{x \to 0} f(x) = 1$$

Find the limit: $\lim_{x \to -2} \frac{5}{x+2}$

Solution

$$\lim_{x \to -2} \frac{5}{x+2} = \frac{5}{0}$$
$$= \infty$$

Exercise

Find the limit: $\lim_{x \to 3} \frac{\sqrt{x+1} - 1}{x}$

Solution

$$\lim_{x \to 3} \frac{\sqrt{x+1} - 1}{x} = \frac{\sqrt{3+1} - 1}{3} = \frac{2-1}{3}$$

$$= \frac{1}{3}$$

Exercise

Find the limit: $\lim_{x \to 1} \frac{x^2 - 1}{x - 1}$

$$\lim_{x \to 1} \frac{x^2 - 1}{x - 1} = \frac{0}{0}$$

$$= \lim_{x \to 1} \frac{(x - 1)(x + 1)}{x - 1}$$

$$= \lim_{x \to 1} (x + 1)$$

$$= 2$$

Find the limit: $\lim_{x \to -2} \frac{|x+2|}{x+2}$

Solution

$$\lim_{x \to -2} \frac{|x+2|}{x+2} = \frac{|-2+2|}{-2+2} = \frac{0}{0}$$

$$\lim_{x \to -2^+} \frac{|x+2|}{x+2} = \frac{(x+2)}{(x+2)} = 1$$

$$\lim_{x \to -2^-} \frac{|x+2|}{x+2} = \frac{(x+2)}{-(x+2)} = -1$$

Doesn't exist

Exercise

Find the limit: $\lim_{x \to 0} (2x - 8)^{1/3}$

Solution

$$\lim_{x \to 0} (2x - 8)^{1/3} = (2(0) - 8)^{1/3}$$
$$= (-8)^{1/3}$$
$$= -2$$

Exercise

Find the limit: $\lim_{x \to 2} \frac{x^2 - 7x + 10}{x - 2}$

$$\lim_{x \to 2} \frac{x^2 - 7x + 10}{x - 2} = \frac{2^2 - 7(2) + 10}{2 - 2} = \frac{0}{0}$$

$$= \lim_{x \to 2} \frac{(x - 2)(x - 5)}{x - 2}$$

$$= \lim_{x \to 2} (x - 5)$$

$$= 2 - 5$$

$$= -3$$

Find the limit: $\lim_{x \to 0} \frac{5x^3 + 8x^2}{3x^4 - 16x^2}$

Solution

$$\lim_{x \to 0} \frac{5x^3 + 8x^2}{3x^4 - 16x^2} = \frac{0}{0}$$

$$\lim_{x \to 0} \frac{5x^3 + 8x^2}{3x^4 - 16x^2} = \lim_{x \to 0} \frac{x^2(5x + 8)}{x^2(3x^2 - 16)}$$

$$= \lim_{x \to 0} \frac{5x + 8}{3x^2 - 16}$$

$$= \frac{8}{-16}$$

$$= -\frac{1}{2}$$

Exercise

Find the limit: $\lim_{x \to 1} \frac{\frac{1}{x} - 1}{x - 1}$

Solution

$$\lim_{x \to 1} \frac{\frac{1}{x} - 1}{x - 1} = \frac{1 - 1}{1 - 1} = \frac{0}{0}$$

$$\lim_{x \to 1} \frac{\frac{1}{x} - 1}{x - 1} = \lim_{x \to 1} \frac{\frac{1 - x}{x}}{x - 1}$$

$$= \lim_{x \to 1} \left(\frac{1 - x}{x}\right) \left(\frac{1}{x - 1}\right)$$

$$= \lim_{x \to 1} \left(\frac{-(x - 1)}{x}\right) \left(\frac{1}{x - 1}\right)$$

$$= \lim_{x \to 1} \frac{-1}{x}$$

$$= -1$$

Exercise

Find the limit: $\lim_{u \to 1} \frac{u^4 - 1}{u^3 - 1}$

$$\lim_{u \to 1} \frac{u^4 - 1}{u^3 - 1} = \lim_{u \to 1} \frac{\left(u^2 - 1\right)\left(u^2 + 1\right)}{\left(u - 1\right)\left(u^2 + u + 1\right)}$$

$$= \lim_{u \to 1} \frac{\left(u - 1\right)\left(u + 1\right)\left(u^2 + 1\right)}{\left(u - 1\right)\left(u^2 + u + 1\right)}$$

$$= \lim_{u \to 1} \frac{\left(u + 1\right)\left(u^2 + 1\right)}{u^2 + u + 1}$$

$$= \frac{\left(1 + 1\right)\left(1^2 + 1\right)}{1^2 + 1 + 1}$$

$$= \frac{4}{3}$$

Find the limit:
$$\lim_{x \to 1} \frac{x-1}{\sqrt{x+3}-2}$$

Solution

$$\lim_{x \to 1} \frac{x-1}{\sqrt{x+3}-2} = \frac{1-1}{\sqrt{1+3}-2} = \frac{0}{\sqrt{4}-2} = \frac{0}{0}$$

$$= \lim_{x \to 1} \frac{x-1}{\sqrt{x+3}-2} \cdot \frac{\sqrt{x+3}+2}{\sqrt{x+3}+2}$$

$$= \lim_{x \to 1} \frac{(x-1)(\sqrt{x+3}+2)}{x+3-4}$$

$$= \lim_{x \to 1} \frac{(x-1)(\sqrt{x+3}+2)}{x-1}$$

$$= \lim_{x \to 1} (\sqrt{x+3}+2)$$

$$= \sqrt{1+3}+2$$

$$= 4$$

Exercise

Find the limit:
$$\lim_{x \to -1} \frac{\sqrt{x^2 + 8} - 3}{x + 1}$$

$$\lim_{x \to -1} \frac{\sqrt{x^2 + 8} - 3}{x + 1} = \frac{\sqrt{(-1)^2 + 8} - 3}{-1 + 1} = \frac{\sqrt{9} - 3}{0} = \frac{0}{0}$$

$$= \lim_{x \to -1} \frac{\sqrt{x^2 + 8} - 3}{x + 1} \cdot \frac{\sqrt{x^2 + 8} + 3}{\sqrt{x^2 + 8} + 3}$$

$$= \lim_{x \to -1} \frac{x^2 + 8 - 9}{(x + 1)\left(\sqrt{x^2 + 8} + 3\right)}$$

$$= \lim_{x \to -1} \frac{x^2 - 1}{(x + 1)\left(\sqrt{x^2 + 8} + 3\right)}$$

$$= \lim_{x \to -1} \frac{(x - 1)(x + 1)}{(x + 1)\left(\sqrt{x^2 + 8} + 3\right)}$$

$$= \lim_{x \to -1} \frac{(x - 1)}{\sqrt{x^2 + 8} + 3}$$

$$= \frac{-2}{\sqrt{9} + 3} = \frac{-2}{6}$$

$$= -\frac{1}{3}$$

Find the limit: $\lim_{x \to -3} \frac{2 - \sqrt{x^2 - 5}}{x + 3}$

$$\lim_{x \to -3} \frac{2 - \sqrt{x^2 - 5}}{x + 3} = \frac{2 - \sqrt{(-3)^2 - 5}}{-3 + 3} = \frac{2 - \sqrt{9 - 5}}{0} = \frac{2 - \sqrt{4}}{0} = \frac{0}{0}$$

$$= \lim_{x \to -3} \frac{2 - \sqrt{x^2 - 5}}{x + 3} \cdot \frac{2 + \sqrt{x^2 - 5}}{2 + \sqrt{x^2 - 5}}$$

$$= \lim_{x \to -3} \frac{4 - (x^2 - 5)}{(x + 3)(2 + \sqrt{x^2 - 5})}$$

$$= \lim_{x \to -3} \frac{4 - x^2 + 5}{(x + 3)(2 + \sqrt{x^2 - 5})}$$

$$= \lim_{x \to -3} \frac{9 - x^2}{(x + 3)(2 + \sqrt{x^2 - 5})}$$

$$= \lim_{x \to -3} \frac{(x-3)(x+3)}{(x+3)\left(2+\sqrt{x^2-5}\right)}$$

$$= \lim_{x \to -3} \frac{(x-3)}{2+\sqrt{x^2-5}}$$

$$= \frac{-6}{2+\sqrt{9-5}}$$

$$= \frac{-6}{2+\sqrt{4}}$$

$$= -\frac{3}{2}$$

Find the limit: $\lim_{x\to 0} (2\sin x - 1)$

Solution

$$\lim_{x \to 0} (2\sin x - 1) = 2\sin(0) - 1$$
$$= 0 - 1$$
$$= -1$$

Exercise

Find the limit: $\lim_{x \to 0} \sin^2 x$

Solution

$$\lim_{x \to 0} \sin^2 x = \sin^2(0)$$

$$= 0$$

Exercise

Find the limit: $\limsup_{x\to 0} \sec x$

$$\lim_{x \to 0} \sec x = \sec(0)$$

$$= \frac{1}{\cos(0)}$$

$$= 1$$

Find the limit: $\lim_{x\to 0} \frac{1+x+\sin x}{3\cos x}$

Solution

$$\lim_{x \to 0} \frac{1 + x + \sin x}{3\cos x} = \frac{1 + 0 + \sin(0)}{3\cos(0)}$$
$$= \frac{1}{3}$$

Exercise

Find the limit: $\lim_{x \to -\pi} \sqrt{x+4} \cos(x+\pi)$

Solution

$$\lim_{x \to -\pi} \sqrt{x+4} \cos(x+\pi) = \sqrt{-\pi+4} \cos(-\pi+\pi)$$

$$= \sqrt{-\pi+4} \cos(0)$$

$$= \sqrt{4-\pi}$$

Exercise

Find
$$\lim_{x \to -0.5^{-}} \sqrt{\frac{x+2}{x+1}}$$

Solution

$$\lim_{x \to -0.5^{-}} \sqrt{\frac{x+2}{x+1}} = \sqrt{\frac{-0.5+2}{-0.5+1}}$$
$$= \sqrt{\frac{1.5}{0.5}}$$
$$= \sqrt{3}$$

Exercise

Find
$$\lim_{x \to 1^+} \sqrt{\frac{x-1}{x+2}}$$

$$\lim_{x \to 1^{+}} \sqrt{\frac{x-1}{x+2}} = \sqrt{\frac{1-1}{1+2}}$$
= 0

Find
$$\lim_{x \to -2^+} \left(\frac{x}{x+1} \right) \left(\frac{2x+5}{x^2+x} \right)$$

Solution

$$\lim_{x \to -2^{+}} \left(\frac{x}{x+1} \right) \left(\frac{2x+5}{x^2+x} \right) = \left(\frac{-2}{-2+1} \right) \left(\frac{2(-2)+5}{(-2)^2+(-2)} \right)$$
$$= \left(\frac{-2}{-1} \right) \left(\frac{1}{2} \right)$$
$$= 1$$

Exercise

Find
$$\lim_{x \to 0^+} \frac{\sqrt{x^2 + 4x + 5} - \sqrt{5}}{x}$$

$$\lim_{x \to 0^{+}} \frac{\sqrt{x^{2} + 4x + 5} - \sqrt{5}}{x} = \frac{\sqrt{5} - \sqrt{5}}{0} = \frac{0}{0}$$

$$= \lim_{x \to 0^{+}} \frac{\sqrt{x^{2} + 4x + 5} - \sqrt{5}}{x} \frac{\sqrt{x^{2} + 4x + 5} + \sqrt{5}}{\sqrt{x^{2} + 4x + 5} + \sqrt{5}}$$

$$= \lim_{x \to 0^{+}} \frac{x^{2} + 4x + 5 - 5}{x \left(\sqrt{x^{2} + 4x + 5} + \sqrt{5}\right)}$$

$$= \lim_{x \to 0^{+}} \frac{x^{2} + 4x}{x \left(\sqrt{x^{2} + 4x + 5} + \sqrt{5}\right)}$$

$$= \lim_{x \to 0^{+}} \frac{x(x + 4)}{x \left(\sqrt{x^{2} + 4x + 5} + \sqrt{5}\right)}$$

$$= \lim_{x \to 0^{+}} \frac{x + 4}{\sqrt{x^{2} + 4x + 5} + \sqrt{5}}$$

$$= \frac{0 + 4}{\sqrt{0^{2} + 4(0) + 5} + \sqrt{5}}$$

$$= \frac{4}{2\sqrt{5}}$$

$$= \frac{4}{2\sqrt{5}}$$

$$= \frac{2}{\sqrt{5}}$$

$$\lim_{x \to -2^{+}} (x+3) \frac{|x+2|}{x+2}$$

Solution

$$\lim_{x \to -2^{+}} (x+3) \frac{|x+2|}{x+2} = (x+3) \frac{|-2+2|}{-2+2} = \frac{0}{0}$$

Since
$$x \to -2^+ \implies x > -2$$

$$\Rightarrow |x+2| = (x+2)$$

$$\lim_{x \to -2^{+}} (x+3) \frac{|x+2|}{x+2} = \lim_{x \to -2^{+}} (x+3) \frac{x+2}{x+2}$$

$$= \lim_{x \to -2^{+}} (x+3)$$

$$= -2 + 3$$

Exercise

$$\lim_{x \to 1^+} \frac{\sqrt{2x}(x-1)}{|x-1|}$$

Solution

$$\lim_{x \to 1^{+}} \frac{\sqrt{2x}(x-1)}{|x-1|} = \frac{\sqrt{2(1)}(1-1)}{|1-1|} = \frac{0}{0}$$

Since
$$x \to 1^+ \implies x > 1 \implies |x-1| = x - 1$$

$$\lim_{x \to 1^{+}} \frac{\sqrt{2x}(x-1)}{|x-1|} = \lim_{x \to 1^{+}} \frac{\sqrt{2x}(x-1)}{x-1}$$
$$= \lim_{x \to 1^{+}} \sqrt{2x}$$
$$= \sqrt{2}$$

Exercise

$$\lim_{\theta \to 0} \frac{\sin \sqrt{2}.\theta}{\sqrt{2}.\theta}$$

Let:
$$\sqrt{2}\theta = x \rightarrow 0$$

$$\lim_{\theta \to 0} \frac{\sin \sqrt{2}.\theta}{\sqrt{2}.\theta} = \lim_{x \to 0} \frac{\sin x}{x}$$

$$= 1$$

Find $\lim_{x \to 0} \frac{\sin 3x}{4x}$

Solution

$$\lim_{x \to 0} \frac{\sin 3x}{4x} = \lim_{x \to 0} \frac{\sin 3x}{4x} \frac{3}{3}$$

$$= \frac{3}{4} \lim_{x \to 0} \frac{\sin 3x}{3x}$$
Let: $3x = u$

$$= \frac{3}{4} \lim_{u \to 0} \frac{\sin u}{u}$$

$$= \frac{3}{4} \lim_{u \to 0} \frac{\sin u}{u}$$
By definition: $\lim_{x \to 0} \frac{\sin x}{x} = 1$

$$= \frac{3}{4}$$

Exercise

Find $\lim_{x \to 0^{-}} \frac{x}{\sin 3x}$

Solution

$$\lim_{x \to 0^{-}} \frac{x}{\sin 3x} = \lim_{x \to 0^{-}} \frac{x}{\sin 3x} \left(\frac{3}{3}\right)$$

$$= \frac{1}{3} \lim_{x \to 0^{-}} \frac{3x}{\sin 3x}$$

$$= \frac{1}{3} \lim_{x \to 0^{-}} \frac{1}{\frac{\sin 3x}{3x}}$$

Exercise

Find $\lim_{x \to 0} \frac{\tan 2x}{x}$

$$\lim_{x \to 0} \frac{\tan 2x}{x} = \lim_{x \to 0} \frac{\frac{\sin 2x}{\cos 2x}}{x}$$
$$= \lim_{x \to 0} \left(\frac{\sin 2x}{x} \cdot \frac{1}{\cos 2x} \right)$$

$$= \lim_{x \to 0} \left(\frac{2 \sin 2x}{2x} \right) \lim_{x \to 0} \left(\frac{1}{\cos 2x} \right)$$

$$= 2 \cdot \frac{1}{\cos 0}$$

$$= 2 \cdot \frac{1}{\cos 0}$$

Find $\lim_{x \to 0} 6x^2 (\cot x)(\csc 2x)$

Solution

$$\lim_{x \to 0} 6x^{2} (\cot x)(\csc 2x) = \lim_{x \to 0} 6x^{2} \left(\frac{\cos x}{\sin x}\right) \left(\frac{1}{\sin 2x}\right)$$

$$= \lim_{x \to 0} 3\cos x \left(\frac{x}{\sin x}\right) \left(\frac{2x}{\sin 2x}\right)$$

$$= 3 \lim_{x \to 0} (\cos x) \lim_{x \to 0} \left(\frac{x}{\sin x}\right) \lim_{x \to 0} \left(\frac{2x}{\sin 2x}\right) = 3 \cdot 1 \cdot 1 \cdot 1$$

$$= 3$$

Exercise

Find $\lim_{\theta \to 0} \frac{\sin \theta}{\sin 2\theta}$

Solution

$$\lim_{\theta \to 0} \frac{\sin \theta}{\sin 2\theta} = \lim_{\theta \to 0} \frac{\sin \theta}{\sin 2\theta} \frac{2\theta}{2\theta}$$

$$= \frac{1}{2} \lim_{\theta \to 0} \left(\frac{2\theta}{\sin 2\theta} \cdot \frac{\sin \theta}{\theta} \right) = \frac{1}{2} \cdot 1 \cdot 1$$

$$= \frac{1}{2}$$

Exercise

Find
$$\lim_{h \to 0} \frac{\sin(\sin h)}{\sin h}$$

Let:
$$\sin h = \theta$$
 $\theta = \sin h \xrightarrow{h \to 0} 0$

$$\lim_{h \to 0} \frac{\sin(\sin h)}{\sin h} = \lim_{\theta \to 0} \frac{\sin(\theta)}{\theta}$$

$$= 1$$

Find
$$\lim_{\theta \to 0} \frac{\theta \cot 4\theta}{\sin^2 \theta \cot^2 2\theta}$$

Solution

$$\lim_{\theta \to 0} \frac{\theta \cot 4\theta}{\sin^2 \theta \cot^2 2\theta} = \lim_{\theta \to 0} \frac{\theta \frac{\cos 4\theta}{\sin 4\theta}}{\sin^2 \theta \frac{\cos^2 2\theta}{\sin^2 2\theta}}$$

$$= \lim_{\theta \to 0} \theta \frac{\cos 4\theta}{2\sin 2\theta \cos 2\theta} \frac{\sin^2 2\theta}{\sin^2 \theta \cos^2 2\theta}$$

$$= \lim_{\theta \to 0} \left(\frac{1}{2} \cdot \theta \cdot \cos 4\theta \cdot \frac{2\sin \theta \cos \theta}{\sin^2 \theta} \cdot \frac{1}{\cos^3 2\theta} \right)$$

$$= \lim_{\theta \to 0} \left(\cos 4\theta \cdot \frac{\theta}{\sin \theta} \cdot \cos \theta \cdot \frac{1}{\cos^3 2\theta} \right)$$

$$= \lim_{\theta \to 0} \left(\cos 4\theta \right) \cdot \lim_{\theta \to 0} \left(\frac{\theta}{\sin \theta} \right) \cdot \lim_{\theta \to 0} \left(\frac{\cos \theta}{\cos^3 2\theta} \right)$$

$$= 1 \cdot 1 \cdot 1$$

$$= 1$$

Exercise

Find
$$\lim_{\theta \to \pi/4} \frac{\sin^2 \theta - \cos^2 \theta}{\sin \theta - \cos \theta}$$

$$\lim_{\theta \to \pi/4} \frac{\sin^2 \theta - \cos^2 \theta}{\sin \theta - \cos \theta} = \frac{\frac{1}{2} - \frac{1}{2}}{\frac{1}{\sqrt{2}} - \frac{1}{\sqrt{2}}} = \frac{0}{0}$$

$$= \lim_{\theta \to \pi/4} \frac{(\sin \theta - \cos \theta)(\sin \theta + \cos \theta)}{\sin \theta - \cos \theta}$$

$$= \lim_{\theta \to \pi/4} (\sin \theta + \cos \theta)$$

$$= \frac{\sqrt{2}}{2} + \frac{\sqrt{2}}{2}$$

$$= \sqrt{2} \mid$$

$$\lim_{x \to \pi/2} \frac{\frac{1}{\sqrt{\sin x}} - 1}{x + \frac{\pi}{2}}$$

Solution

$$\lim_{x \to \pi/2} \frac{\frac{1}{\sqrt{\sin x}} - 1}{x + \frac{\pi}{2}} = \frac{1 - 1}{\frac{\pi}{2} + \frac{\pi}{2}}$$

$$= 0$$

Exercise

$$\lim_{x \to 1} \frac{x^3 - 7x^2 + 12x}{4 - x}$$

Solution

$$\lim_{x \to 1} \frac{x^3 - 7x^2 + 12x}{4 - x} = \frac{1 - 7 + 12}{4 - 1}$$

$$= 2$$

Exercise

$$\lim_{x \to 4} \frac{x^3 - 7x^2 + 12x}{4 - x}$$

Solution

$$\lim_{x \to 4} \frac{x^3 - 7x^2 + 12x}{4 - x} = \frac{64 - 112 + 48}{4 - 4} = \frac{0}{0}$$

$$= \lim_{x \to 4} \frac{x(x - 3)(x - 4)}{4 - x}$$

$$= \lim_{x \to 4} -x(x - 3)$$

$$= -4$$

Exercise

$$\lim_{x \to 1} \frac{1 - x^2}{x^2 - 8x + 7}$$

$$\lim_{x \to 1} \frac{1 - x^2}{x^2 - 8x + 7} = \frac{0}{0}$$

$$= \lim_{x \to 1} \frac{(1-x)(1+x)}{(x-1)(x-7)}$$

$$= -\lim_{x \to 1} \frac{1+x}{x-7}$$

$$= \frac{1}{3}$$

Find
$$\lim_{x \to 3} \frac{\sqrt{3x+16}-5}{x-3}$$

Solution

$$\lim_{x \to 3} \frac{\sqrt{3x+16}-5}{x-3} = \frac{\sqrt{9+16}-5}{3-3} = \frac{5-5}{0} = \frac{0}{0}$$

$$= \lim_{x \to 3} \frac{\sqrt{3x+16}-5}{x-3} \frac{\sqrt{3x+16}+5}{\sqrt{3x+16}+5}$$

$$= \lim_{x \to 3} \frac{3x+16-25}{(x-3)(\sqrt{3x+16}+5)}$$

$$= \lim_{x \to 3} \frac{3(x-3)}{(x-3)(\sqrt{3x+16}+5)}$$

$$= \lim_{x \to 3} \frac{3}{\sqrt{3x+16}+5}$$

$$= \frac{3}{5+5}$$

$$= \frac{3}{10}$$

Exercise

Find
$$\lim_{x \to 3} \frac{1}{x-3} \left(\frac{1}{\sqrt{x+1}} - \frac{1}{2} \right)$$

$$\lim_{x \to 3} \frac{1}{x - 3} \left(\frac{1}{\sqrt{x + 1}} - \frac{1}{2} \right) = \frac{1}{0} \left(\frac{1}{2} - \frac{1}{2} \right) = \frac{0}{0}$$

$$= \lim_{x \to 3} \frac{1}{x - 3} \left(\frac{2 - \sqrt{x + 1}}{\sqrt{x + 1}} \right) \left(\frac{2 + \sqrt{x + 1}}{2 + \sqrt{x + 1}} \right)$$

$$= \lim_{x \to 3} \frac{1}{x - 3} \left(\frac{4 - x - 1}{2\sqrt{x + 1} + x + 1} \right)$$

$$= \lim_{x \to 3} \frac{x - 3}{x - 3} \left(\frac{-1}{2\sqrt{x + 1} + x + 1} \right)$$

$$= \lim_{x \to 3} \frac{-1}{2\sqrt{x+1} + x + 1}$$
$$= -\frac{1}{8}$$

Find
$$\lim_{x \to 1/3} \frac{x - \frac{1}{3}}{(3x - 1)^2}$$

Solution

$$\lim_{x \to 1/3} \frac{x - \frac{1}{3}}{(3x - 1)^2} = \frac{\frac{1}{3} - \frac{1}{3}}{\left(3\frac{1}{3} - 1\right)^2} = \frac{0}{0}$$

$$= \lim_{x \to 1/3} \frac{x - \frac{1}{3}}{9\left(x - \frac{1}{3}\right)^2}$$

$$= \lim_{x \to 1/3} \frac{1}{9\left(x - \frac{1}{3}\right)} = \frac{1}{0}$$

$$= \infty$$

Exercise

Find
$$\lim_{x \to 3} \frac{x^4 - 81}{x - 3}$$

Solution

$$\lim_{x \to 3} \frac{x^4 - 81}{x - 3} = \frac{81 - 81}{3 - 3} = \frac{0}{0}$$

$$= \lim_{x \to 3} \frac{(x - 3)(x + 3)(x^2 + 9)}{x - 3} \qquad a^4 - b^4 = (a^2 - b^2)(a^2 + b^2) = (a - b)(a + b)(a^2 + b^2)$$

$$= \lim_{x \to 3} (x + 3)(x^2 + 9) = 6(18)$$

$$= 108$$

Exercise

Find
$$\lim_{x \to 1} \frac{x^5 - 1}{x - 1}$$

$$\lim_{x \to 1} \frac{x^5 - 1}{x - 1} = \frac{1 - 1}{1 - 1} = \frac{0}{0} \qquad \left(a^5 - b^5\right) = (a - b)\left(a^4 + a^3b + a^2b^2 + ab^3 + b^4\right)$$

$$= \lim_{x \to 1} \frac{(x - 1)\left(x^4 + x^3 + x^2 + x + 1\right)}{x - 1}$$

$$= \lim_{x \to 1} \left(x^4 + x^3 + x^2 + x + 1\right)$$

$$= 5$$

Find
$$\lim_{x \to 81} \frac{\sqrt[4]{x} - 3}{x - 81}$$

Solution

$$\lim_{x \to 81} \frac{\sqrt[4]{x} - 3}{x - 81} = \frac{3 - 3}{81 - 81} = \frac{0}{0}$$

$$= \lim_{x \to 81} \frac{\sqrt[4]{x} - 3}{(\sqrt{x} + 9)(\sqrt{x} - 9)}$$

$$= \lim_{x \to 81} \frac{\sqrt[4]{x} - 3}{(\sqrt{x} + 9)(\sqrt[4]{x} + 3)(\sqrt[4]{x} - 3)}$$

$$= \lim_{x \to 81} \frac{1}{(\sqrt{x} + 9)(\sqrt[4]{x} + 3)}$$

$$= \frac{1}{(18)(6)}$$

$$= \frac{1}{108}$$

Exercise

Find the limit:
$$\lim_{x \to 1} \frac{\sqrt[3]{x} - 1}{x - 1}$$

$$\lim_{x \to 1} \frac{\sqrt[3]{x} - 1}{x - 1} = \frac{0}{0}$$

$$= \lim_{x \to 1} \frac{\sqrt[3]{x} - 1}{\left(\sqrt[3]{x}\right)^3 - 1^3}$$

$$= \lim_{x \to 1} \frac{\sqrt[3]{x} - 1}{\left(\sqrt[3]{x} - 1\right)\left(x^{2/3} + \sqrt[3]{x} + 1\right)}$$

$$= \lim_{x \to 1} \frac{1}{x^{2/3} + \sqrt[3]{x} + 1}$$

$$= \frac{1}{3}$$

Find the limit: $\lim_{x \to 2} \frac{x^5 - 32}{x - 2}$

Solution

$$\lim_{x \to 2} \frac{x^5 - 32}{x - 2} = \frac{2^5 - 32}{2 - 2} = \frac{0}{0}$$

$$= \lim_{x \to 2} \frac{(x - 2)(x^4 + 2x^3 + 4x^2 + 8x + 16)}{x - 2}$$

$$= \lim_{x \to 2} (x^4 + 2x^3 + 4x^2 + 8x + 16)$$

$$= 16 + 16 + 16 + 16 + 16$$

$$= 80$$

Exercise

Find the limit: $\lim_{x \to 1} \frac{x^6 - 1}{x - 1}$

$$\lim_{x \to 1} \frac{x^6 - 1}{x - 1} = \frac{0}{0}$$

$$= \lim_{x \to 1} \frac{(x - 1)(x^5 + x^4 + x^3 + x^2 + x + 1)}{x - 1}$$

$$= \lim_{x \to 1} \left(x^5 + x^4 + x^3 + x^2 + x + 1 \right)$$

$$= 6$$

Find the limit: $\lim_{x \to -1} \frac{x^7 + 1}{x + 1}$

Solution

$$\lim_{x \to -1} \frac{x^7 + 1}{x + 1} = \frac{-1 + 1}{-1 + 1} = \frac{0}{0}$$

$$= \lim_{x \to 1} \frac{(x + 1)(x^6 - x^5 + x^4 - x^3 + x^2 - x + 1)}{x + 1}$$

$$= \lim_{x \to 1} (x^6 - x^5 + x^4 - x^3 + x^2 - x + 1)$$

$$= 1$$

Exercise

Find the limit: $\lim_{x \to a} \frac{x^5 - a^5}{x - a}$

$$\lim_{x \to a} \frac{x^5 - a^5}{x - a} = \frac{a^5 - a^5}{a - a} = \frac{0}{0}$$

$$= \lim_{x \to a} \frac{(x - a)(x^4 + ax^3 + a^2x^2 + a^3x + a^4)}{x - a}$$

$$= \lim_{x \to a} (x^4 + ax^3 + a^2x^2 + a^3x + a^4)$$

$$= a^4 + a^4 + a^4 + a^4 + a^4$$

$$= 5a^4$$

Find the limit:
$$\lim_{x \to a} \frac{x^n - a^n}{x - a}$$
 $n \in \mathbb{Z}^+$

Solution

$$\lim_{x \to a} \frac{x^n - a^n}{x - a} = \frac{a^n - a^n}{a - a} = \frac{0}{0}$$

$$= \lim_{x \to a} \frac{(x - a)(x^{n-1} + ax^{n-2} + a^2x^{n-3} + \dots + a^{n-2}x + a^{n-1})}{x - a}$$

$$= \lim_{x \to a} (x^{n-1} + ax^{n-2} + a^2x^{n-3} + \dots + a^{n-2}x + a^{n-1})$$

$$= a^{n-1} + a^{n-1} + a^{n-1} + \dots + a^{n-1} + a^{n-1}$$

$$= na^{n-1} \mid$$

Exercise

Find the limit:
$$\lim_{h \to 0} \frac{100}{(10h-1)^{11} + 2}$$

Solution

$$\lim_{h \to 0} \frac{100}{(10h-1)^{11} + 2} = \frac{100}{(-1)^{11} + 2}$$
$$= \frac{100}{-1+2}$$
$$= 100$$

Exercise

Find the limit:
$$\lim_{h \to 0} \frac{(5+h)^2 - 25}{h}$$

$$\lim_{h \to 0} \frac{(5+h)^2 - 25}{h} = \frac{5^2 - 25}{0} = \frac{0}{0}$$

$$= \lim_{h \to 0} \frac{((5+h) - 5)((5+h) + 5)}{h}$$

$$= \lim_{h \to 0} \frac{h(h+10)}{h}$$

$$= \lim_{h \to 0} (h+10)$$

$$= 10$$

Find the limit: $\lim_{x \to 3} \frac{\frac{1}{x^2 + 2x} - \frac{1}{15}}{x - 3}$

Solution

$$\lim_{x \to 3} \frac{\frac{1}{x^2 + 2x} - \frac{1}{15}}{x - 3} = \frac{\frac{1}{15} - \frac{1}{15}}{0} = \frac{0}{0}$$

$$= \lim_{x \to 3} \frac{1}{x - 3} \left(\frac{1}{x(x + 2)} - \frac{1}{15} \right)$$

$$= \lim_{x \to 3} \frac{1}{x - 3} \left(\frac{15 - x^2 - 2x}{15x(x + 2)} \right)$$

$$= \lim_{x \to 3} \frac{-(x - 3)(x + 5)}{15x(x + 2)(x - 3)}$$

$$= \lim_{x \to 3} \frac{-(x + 5)}{15x(x + 2)}$$

$$= -\frac{8}{15(3)(5)}$$

$$= -\frac{8}{225}$$

Exercise

Find the limit: $\lim_{x \to 1} \frac{\sqrt{10x - 9} - 1}{x - 1}$

$$\lim_{x \to 1} \frac{\sqrt{10x - 9} - 1}{x - 1} = \frac{1 - 1}{0} = \frac{0}{0}$$

$$= \lim_{x \to 1} \frac{\sqrt{10x - 9} - 1}{x - 1} \cdot \frac{\sqrt{10x - 9} + 1}{\sqrt{10x - 9} + 1}$$

$$= \lim_{x \to 1} \frac{10x - 9 - 1}{(x - 1)(\sqrt{10x - 9} + 1)}$$

$$= \lim_{x \to 1} \frac{10(x-1)}{(x-1)(\sqrt{10x-9}+1)}$$

$$= \lim_{x \to 1} \frac{10}{\sqrt{10x-9}+1}$$

$$= \frac{10}{2}$$

$$= 5$$

Find the limit: $\lim_{x \to 2} \left(\frac{1}{x-2} - \frac{2}{x^2 - 2x} \right)$

Solution

$$\lim_{x \to 2} \left(\frac{1}{x-2} - \frac{2}{x^2 - 2x} \right) = \frac{1}{0} - \frac{2}{0} = \infty - \infty$$

$$= \lim_{x \to 2} \left(\frac{1}{x-2} - \frac{2}{x(x-2)} \right)$$

$$= \lim_{x \to 2} \frac{x-2}{x(x-2)}$$

$$= \lim_{x \to 2} \frac{1}{x}$$

$$= \frac{1}{2}$$

Exercise

Find the limit: $\lim_{x \to c} \frac{x^2 - 2cx + c^2}{x - c}$

$$\lim_{x \to c} \frac{x^2 - 2cx + c^2}{x - c} = \frac{c^2 - 2c^2 + c^2}{0} = \frac{0}{0}$$

$$= \lim_{x \to c} \frac{(x - c)^2}{x - c}$$

$$= \lim_{x \to c} (x - c)$$

$$= 0$$

Find the limit:
$$\lim_{x \to -c} \frac{x^2 + 5cx + 4c^2}{x^2 + cx}$$

Solution

$$\lim_{x \to -c} \frac{x^2 + 5cx + 4c^2}{x^2 + cx} = \frac{c^2 - 5c^2 + 4c^2}{c^2 - c^2} = \frac{0}{0}$$

$$= \lim_{x \to -c} \frac{(x+c)(x+4c)}{x(x+c)}$$

$$= \lim_{x \to -c} \frac{x+4c}{x}$$

$$= \frac{-c+4c}{-c}$$

$$= \frac{3c}{-c}$$

$$= -3$$

Exercise

Find the limit:
$$\lim_{x \to 16} \frac{\sqrt[4]{x} - 2}{x - 16}$$

$$\lim_{x \to 16} \frac{\sqrt[4]{x} - 2}{x - 16} = \frac{\sqrt[4]{16} - 2}{16 - 16} = \frac{2 - 2}{0} = \frac{0}{0}$$

$$\lim_{x \to 16} \frac{\sqrt[4]{x} - 2}{\left(\sqrt[4]{x}\right)^4 - 2^4} \qquad a^4 - b^4 = \left(a^2 + b^2\right)(a - b)(a + b)$$

$$= \lim_{x \to 16} \frac{\sqrt[4]{x} - 2}{\left(\sqrt{x} + 2^2\right)\left(\sqrt[4]{x} + 2\right)\left(\sqrt[4]{x} - 2\right)}$$

$$= \lim_{x \to 16} \frac{1}{\left(\sqrt{x} + 4\right)\left(\sqrt[4]{x} + 2\right)}$$

$$= \frac{1}{\left(\sqrt{16} + 4\right)\left(\sqrt[4]{16} + 2\right)}$$

$$= \frac{1}{(4 + 4)(2 + 2)}$$

$$= \frac{1}{(8)(4)}$$

$$= \frac{1}{32}$$

Find the limit: $\lim_{x \to 1} \frac{x-1}{\sqrt{x}-1}$

Solution

$$\lim_{x \to 1} \frac{x-1}{\sqrt{x}-1} = \frac{0}{0}$$

$$= \lim_{x \to 1} \frac{\left(\sqrt{x}-1\right)\left(\sqrt{x}+1\right)}{\sqrt{x}-1}$$

$$= \lim_{x \to 1} \left(\sqrt{x}+1\right)$$

$$= 2$$

Exercise

Find the limit: $\lim_{x \to 1} \frac{x-1}{\sqrt{4x+5}-3}$

Solution

$$\lim_{x \to 1} \frac{x-1}{\sqrt{4x+5}-3} = \frac{0}{0}$$

$$= \lim_{x \to 1} \frac{x-1}{\sqrt{4x+5}-3} \cdot \frac{\sqrt{4x+5}+3}{\sqrt{4x+5}+3}$$

$$= \lim_{x \to 1} \frac{(x-1)(\sqrt{4x+5}+3)}{4x+5-9}$$

$$= \lim_{x \to 1} \frac{(x-1)(\sqrt{4x+5}+3)}{4(x-1)}$$

$$= \frac{1}{5} \lim_{x \to 1} (\sqrt{4x+5}+3)$$

$$= \frac{6}{5}$$

Exercise

Find the limit: $\lim_{x \to 4} \frac{3(x-4)\sqrt{x+5}}{3-\sqrt{x+5}}$

$$\lim_{x \to 4} \frac{3(x-4)\sqrt{x+5}}{3-\sqrt{x+5}} = \frac{0}{3-3} = \frac{0}{0}$$

$$= \lim_{x \to 4} \frac{3(x-4)\sqrt{x+5}}{3-\sqrt{x+5}} \underbrace{\frac{3+\sqrt{x+5}}{3+\sqrt{x+5}}}_{3+\sqrt{x+5}}$$

$$= 3 \lim_{x \to 4} \frac{(x-4)(3+\sqrt{x+5})\sqrt{x+5}}{9-(x+5)}$$

$$= 3 \lim_{x \to 4} \frac{(x-4)(3+\sqrt{x+5})\sqrt{x+5}}{4-x}$$

$$= -3 \lim_{x \to 4} (3+\sqrt{x+5})\sqrt{x+5}$$

$$= -3 (6)(3)$$

$$= -54 \mid$$

Find the limit:
$$\lim_{x\to 0} \frac{x}{\sqrt{ax+1}-1} \quad (a \neq 0)$$

Solution

$$\lim_{x \to 0} \frac{x}{\sqrt{ax+1}-1} = \frac{0}{0}$$

$$= \lim_{x \to 0} \frac{x}{\sqrt{ax+1}-1} \cdot \frac{\sqrt{ax+1}+1}{\sqrt{ax+1}+1}$$

$$= \lim_{x \to 0} \frac{x(\sqrt{ax+1}+1)}{ax+1-1}$$

$$= \lim_{x \to 0} \frac{x(\sqrt{ax+1}+1)}{ax}$$

$$= \frac{1}{a} \lim_{x \to 0} (\sqrt{ax+1}+1)$$

$$= \frac{2}{a}$$

Exercise

Find the limit:
$$\lim_{x \to \pi} \frac{\cos^2 x + 3\cos x + 2}{\cos x + 1}$$

$$\lim_{x \to \pi} \frac{\cos^2 x + 3\cos x + 2}{\cos x + 1} = \frac{1 - 3 + 2}{-1 + 1} = \frac{0}{0}$$

$$= \lim_{x \to \pi} \frac{(\cos x + 1)(\cos x + 2)}{\cos x + 1}$$

$$= \lim_{x \to \pi} (\cos x + 2)$$
$$= -1 + 2$$
$$= 1$$

Find the limit:
$$\lim_{x \to \frac{3\pi}{2}} \frac{\sin^2 x + 6\sin x + 5}{\sin^2 x - 1}$$

Solution

$$\lim_{x \to \frac{3\pi}{2}} \frac{\sin^2 x + 6\sin x + 5}{\sin^2 x - 1} = \frac{1 - 6 + 5}{1 - 1} = \frac{0}{0}$$

$$= \lim_{x \to \frac{3\pi}{2}} \frac{(\sin x + 1)(\sin x + 5)}{(\sin x - 1)(\sin x + 1)}$$

$$= \lim_{x \to \frac{3\pi}{2}} \frac{\sin x + 5}{\sin x - 1}$$

$$= \frac{-1 + 5}{-1 - 1}$$

$$= -2$$

Exercise

Find the limit:
$$\lim_{x \to \frac{\pi}{2}} \frac{\sin x - 1}{\sqrt{\sin x} - 1}$$

$$\lim_{x \to \frac{\pi}{2}} \frac{\sin x - 1}{\sqrt{\sin x} - 1} = \frac{1 - 1}{1 - 1} = \frac{0}{0}$$

$$= \lim_{x \to \frac{\pi}{2}} \frac{\left(\sqrt{\sin x} - 1\right)\left(\sqrt{\sin x} + 1\right)}{\sqrt{\sin x} - 1}$$

$$= \lim_{x \to \frac{\pi}{2}} \left(\sqrt{\sin x} + 1\right)$$

$$= \frac{1}{2}$$

$$= \frac{1}{2}$$

Find the limit:
$$\lim_{x \to 0} \frac{\frac{1}{2 + \sin x} - \frac{1}{2}}{\sin x}$$

Solution

$$\lim_{x \to 0} \frac{\frac{1}{2 + \sin x} - \frac{1}{2}}{\sin x} = \frac{\frac{1}{2} - \frac{1}{2}}{0} = \frac{0}{0}$$

$$= \lim_{x \to 0} \frac{1}{\sin x} \cdot \frac{2 - \sin x - 2}{2(2 + \sin x)}$$

$$= \frac{1}{2} \lim_{x \to 0} \frac{1}{\sin x} \cdot \frac{-\sin x}{(2 + \sin x)}$$

$$= -\frac{1}{2} \lim_{x \to 0} \frac{1}{2 + \sin x}$$

$$= -\frac{1}{2} \left(\frac{1}{2}\right)$$

$$= -\frac{1}{4}$$

Exercise

Find the limit:
$$\lim_{x\to 0} \frac{e^{2x}-1}{e^x-1}$$

Solution

$$\lim_{x \to 0} \frac{e^{2x} - 1}{e^x - 1} = \frac{1 - 1}{1 - 1} = \frac{0}{0}$$

$$= \lim_{x \to 0} \frac{\left(e^x - 1\right)\left(e^x + 1\right)}{e^x - 1}$$

$$= \lim_{x \to 0} \left(e^x + 1\right)$$

$$= 2$$

Exercise

Find the limit:
$$\lim_{x \to \frac{\pi}{4}} \csc x$$

$$\lim_{x \to \frac{\pi}{4}} \csc x = \csc \frac{\pi}{4}$$

$$= \frac{1}{\cos \frac{\pi}{4}}$$

$$= \sqrt{2}$$

Find the limit:
$$\lim_{x \to 4} \frac{x-5}{\left(x^2-10x+24\right)^2}$$

Solution

$$\lim_{x \to 4} \frac{x-5}{\left(x^2 - 10x + 24\right)^2} = \frac{-1}{\left(16 - 41 + 24\right)^2}$$

$$= -1$$

Exercise

Find the limit:
$$\lim_{x\to 0} \frac{\cos x - 1}{\sin^2 x}$$

Solution

$$\lim_{x \to 0} \frac{\cos x - 1}{\sin^2 x} = \frac{0}{0}$$

$$= \lim_{x \to 0} \frac{\cos x - 1}{(1 - \cos x)(1 + \cos x)}$$

$$= -\lim_{x \to 0} \frac{1}{1 + \cos x}$$

$$= -\frac{1}{2}$$

Exercise

Find the limit:
$$\lim_{x \to 0} \frac{1 - \cos^2 x}{\sin x}$$

$$\lim_{x \to 0} \frac{1 - \cos^2 x}{\sin x} = \frac{0}{0}$$

$$= \lim_{x \to 0} \frac{\sin^2 x}{\sin x}$$

$$= \lim_{x \to 0} \sin x$$

$$= 0$$

$$\lim_{x \to 0} \frac{x^3 - 5x^2}{x^2}$$

Solution

$$\lim_{x \to 0} \frac{x^3 - 5x^2}{x^2} = \frac{0}{0}$$

$$= \lim_{x \to 0} (x - 5)$$

$$= -5$$

Exercise

$$\lim_{x \to 5} \frac{4x^2 - 100}{x - 5}$$

Solution

$$\lim_{x \to 5} \frac{4x^2 - 100}{x - 5} = \frac{0}{0}$$

$$= \lim_{x \to 5} \frac{4(x - 5)(x + 5)}{x - 5}$$

$$= \lim_{x \to 5} 4(x + 5)$$

$$= 40$$

Exercise

$$\lim_{x \to 3} \frac{\sqrt{9 - 6x + x^2}}{x - 3}$$

$$\lim_{x \to 3} \frac{\sqrt{9 - 6x + x^2}}{x - 3} = \frac{\sqrt{9 - 18 + 9}}{3 - 3} = \frac{0}{0}$$

$$= \lim_{x \to 3} \frac{\sqrt{(x - 3)^2}}{x - 3}$$

$$= \lim_{x \to 3} \frac{x - 3}{x - 3}$$

$$= 1$$

$$\lim_{x \to 3} \frac{\sqrt{9 + 6x + x^2}}{x - 3}$$

Solution

$$\lim_{x \to 3} \frac{\sqrt{9 + 6x + x^2}}{x - 3} = \frac{\sqrt{9 + 18 + 9}}{3 - 3}$$
$$= \frac{\sqrt{36}}{0}$$
$$= \infty$$

Exercise

Find

$$\lim_{x \to 3} \frac{\sqrt{x^2 - 9}}{x - 3}$$

Solution

$$\lim_{x \to 3} \frac{\sqrt{x^2 - 9}}{x - 3} = \frac{\sqrt{9 - 9}}{3 - 3} = \frac{0}{0}$$

$$= \lim_{x \to 3} \frac{\sqrt{(x - 3)(x + 3)}}{x - 3}$$

$$= \lim_{x \to 3} \sqrt{\frac{x + 3}{x - 3}}$$

$$= \sqrt{\frac{6}{0}}$$

$$= \infty$$

Exercise

Find

$$\lim_{x \to \frac{4\pi}{3}} \sin x$$

$$\lim_{x \to \frac{4\pi}{3}} \sin x = \sin \frac{4\pi}{3}$$
$$= -\frac{\sqrt{3}}{2}$$

$$=-\frac{\sqrt{3}}{2}$$

$$\lim_{x \to \frac{2\pi}{3}} \cos x$$

Solution

$$\lim_{x \to \frac{2\pi}{3}} \cos x = \cos \frac{2\pi}{3}$$

$$=-\frac{1}{2}$$

Exercise

Find

$$\lim_{x \to \frac{7\pi}{4}} \sin x$$

Solution

$$\lim_{x \to \frac{7\pi}{4}} \sin x = \sin \frac{7\pi}{4}$$

$$=-\frac{\sqrt{2}}{2}$$

Exercise

Find

$$\lim_{x \to 1} \frac{\sin \sqrt{1-x}}{\sqrt{1-x^2}}$$

$$\lim_{x \to 1} \frac{\sin \sqrt{1-x^2}}{\sqrt{1-x^2}} = \frac{\sin 0}{0} = \frac{0}{0}$$

$$= \lim_{x \to 1} \frac{\sin \sqrt{1-x}}{\sqrt{1-x}} \frac{1}{\sqrt{1+x}}$$

$$= \lim_{(1-x)\to 0} \frac{\sin \sqrt{1-x}}{\sqrt{1-x}} \lim_{x \to 1} \frac{1}{\sqrt{1+x}}$$

$$= 1\left(\frac{1}{\sqrt{2}}\right)$$

$$= \frac{1}{\sqrt{x}}$$

Find
$$\lim_{x \to 2} \frac{\sin \sqrt{2-x}}{\sqrt{4-x^2}}$$

Solution

$$\lim_{x \to 2} \frac{\sin \sqrt{2 - x}}{\sqrt{4 - x^2}} = \frac{\sin 0}{0} = \frac{0}{0}$$

$$= \lim_{x \to 2} \frac{\sin \sqrt{2 - x}}{\sqrt{2 - x}} \frac{1}{\sqrt{2 + x}}$$

$$= \lim_{\sqrt{2 - x} \to 0} \frac{\sin \sqrt{2 - x}}{\sqrt{2 - x}} \lim_{x \to 2} \frac{1}{\sqrt{2 + x}}$$

$$= 1\left(\frac{1}{2}\right)$$

$$= \frac{1}{2}$$

Exercise

Find
$$\lim_{x \to 0} \frac{\sin(\sqrt{5} x)}{\sin(\sqrt{3} x)}$$

$$\lim_{x \to 0} \frac{\sin\left(\sqrt{5} x\right)}{\sin\left(\sqrt{3} x\right)} = \frac{\sin 0}{\sin 0} = \frac{0}{0}$$

$$= \lim_{x \to 0} \frac{\sqrt{5} x}{\sqrt{3} x} \frac{\sin\left(\sqrt{5} x\right)}{\sqrt{5} x} \cdot \frac{1}{\frac{\sin\left(\sqrt{3} x\right)}{\sqrt{3} x}}$$

$$= \frac{\sqrt{5}}{\sqrt{3}} \lim_{x \to 0} \frac{\sin\left(\sqrt{5} x\right)}{\sqrt{5} x} \cdot \frac{1}{\frac{\sin\left(\sqrt{3} x\right)}{\sqrt{3} x}}$$

$$= \frac{\sqrt{5}}{\sqrt{3}}$$

$$= \frac{\sqrt{5}}{\sqrt{3}}$$

Find
$$\lim_{x \to 0} \frac{\sin(\sqrt{15} x)}{\sin(\sqrt{3} x)}$$

Solution

$$\lim_{x \to 0} \frac{\sin(\sqrt{15} x)}{\sin(\sqrt{3} x)} = \frac{\sin 0}{\sin 0} = \frac{0}{0}$$

$$= \lim_{x \to 0} \frac{\sqrt{15} x}{\sqrt{3} x} \frac{\sin(\sqrt{5} x)}{\sqrt{15} x} \cdot \frac{1}{\frac{\sin(\sqrt{3} x)}{\sqrt{3} x}}$$

$$= \sqrt{\frac{15}{3}} \lim_{\sqrt{15} x \to 0} \frac{\sin(\sqrt{15} x)}{\sqrt{15} x} \cdot \frac{1}{\frac{\sin(\sqrt{3} x)}{\sqrt{3} x}}$$

$$= \sqrt{\frac{15}{3}} \lim_{\sqrt{15} x \to 0} \frac{\sin(\sqrt{15} x)}{\sqrt{15} x} \cdot \frac{1}{\frac{\sin(\sqrt{3} x)}{\sqrt{3} x}}$$

$$= \sqrt{\frac{15}{3}} \lim_{\sqrt{15} x \to 0} \frac{\sin(\sqrt{15} x)}{\sqrt{15} x} \cdot \frac{1}{\frac{\sin(\sqrt{3} x)}{\sqrt{3} x}}$$

$$= \sqrt{\frac{15}{3}} \lim_{\sqrt{15} x \to 0} \frac{\sin(\sqrt{15} x)}{\sqrt{15} x} \cdot \frac{1}{\frac{\sin(\sqrt{3} x)}{\sqrt{3} x}}$$

Exercise

Find
$$\lim_{x \to 0^+} \frac{x - \sqrt{x}}{\sqrt{\sin x}}$$

$$\lim_{x \to 0^{+}} \frac{x - \sqrt{x}}{\sqrt{\sin x}} = \frac{0}{0}$$

$$= \lim_{x \to 0^{+}} \frac{x - \sqrt{x}}{\sqrt{\sin x}} \cdot \frac{1}{\sqrt{x}}$$

$$= \lim_{x \to 0^{+}} \frac{1}{\sqrt{\frac{\sin x}{x}}} \lim_{x \to 0^{+}} \frac{x - \sqrt{x}}{\sqrt{x}}$$

$$= (1) \lim_{x \to 0^{+}} \left(\frac{x}{\sqrt{x}} - \frac{\sqrt{x}}{\sqrt{x}}\right)$$

$$= \lim_{x \to 0^{+}} \left(\sqrt{x} - 1\right)$$

$$= -1$$

$$\lim_{x \to 1} \frac{x - \sqrt{x}}{\sqrt{\sin x}}$$

Solution

$$\lim_{x \to 1} \frac{x - \sqrt{x}}{\sqrt{\sin x}} = \frac{0}{\sqrt{\sin 1}}$$

Exercise

$$\lim_{x \to \pi} \frac{x - \sqrt{x}}{\sqrt{\sin x}}$$

Solution

$$\lim_{x \to \pi} \frac{x - \sqrt{x}}{\sqrt{\sin x}} = \frac{\pi - \sqrt{\pi}}{\sqrt{\sin \pi}}$$
$$= \frac{\pi - \sqrt{\pi}}{0}$$
$$= \infty$$

Exercise

$$\lim_{x \to 0} e^{x^3}$$

Solution

$$\lim_{x \to 0} e^{x^3} = e^0$$

Exercise

$$\lim_{x \to 1} e^{x^2}$$

$$\lim_{x \to 1} e^{x^2} = e^1$$

$$=e$$

$$\lim_{x \to 1} e^{x^3 - 1}$$

Solution

$$\lim_{x \to 1} e^{x^3 - 1} = e^{1 - 1}$$

$$= e^0$$

$$= 1$$

Exercise

Find

$$\lim_{x \to -1} e^{x^3 - 1}$$

Solution

$$\lim_{x \to -1} e^{x^3 - 1} = e^{-1 - 1}$$

$$= e^{-2}$$

$$= \frac{1}{e^2}$$

Exercise

Find

$$\lim_{x \to 2} \left(e^{x^2} - \ln x \right)$$

Solution

$$\lim_{x \to 2} \left(e^{x^2} - \ln x \right) = e^4 - \ln 2$$

Exercise

Find

$$\lim_{x \to 1} \left(e^{x^2} - \ln x \right)$$

$$\lim_{x \to 1} \left(e^{x^2} - \ln x \right) = e - \ln 1$$
$$= e$$

$$\lim_{x \to e} \ln x$$

Solution

$$\lim_{x \to e} \ln x = \ln e$$

Exercise

$$\lim_{x \to e} \ln x^2$$

Solution

$$\lim_{x \to e} \ln x^2 = \ln e^2$$

$$=2\ln e$$

Exercise

Find

$$\lim_{x \to 0^+} \ln x$$

Solution

$$\lim_{x \to 0^+} \ln x = \ln 0^+$$

Exercise

$$\lim_{x \to 1} \frac{1}{\ln x}$$

$$\lim_{x \to 1} \frac{1}{\ln x} = \frac{1}{\ln 1}$$

$$=\frac{1}{0}$$

$$=\infty$$

$$\lim_{x \to e} \ln e^{2x}$$

Solution

$$\lim_{x \to e} \ln e^{2x} = \ln e^{2e}$$
$$= 2e \ln e$$
$$= 2e \mid$$

Exercise

Find

$$\lim_{x \to 1} \ln e^{x^2}$$

Solution

$$\lim_{x \to 1} \ln e^{x^2} = \ln e$$

Exercise

For the function f(t) graphed, find the following limits or explain why they do not exist.

a)
$$\lim_{t \to -2} f(t)$$

b)
$$\lim_{t \to -1} f(t)$$
 c) $\lim_{t \to 0} f(t)$

c)
$$\lim_{t \to 0} f(t)$$


$$d) \lim_{t \to -0.5} f(t)$$

$$a) \quad \lim_{t \to -2} f(t) = 0$$

$$b) \quad \lim_{t \to -1} f(t) = -1$$

c)
$$\lim_{t\to 0} f(t) = doesn't exist$$

$$d) \quad \lim_{t \to -.5} f(t) = -1$$



Suppose $\lim_{x \to c} f(x) = 5$ and $\lim_{x \to c} g(x) = -2$. Find

a)
$$\lim_{x \to c} f(x)g(x)$$

b)
$$\lim_{x \to c} 2f(x)g(x)$$

c)
$$\lim_{x \to c} (f(x) + 3g(x))$$

d)
$$\lim_{x \to c} \frac{f(x)}{f(x) - g(x)}$$

Solution

a)
$$\lim_{x \to c} f(x)g(x) = \lim_{x \to c} f(x) \cdot \lim_{x \to c} g(x)$$
$$= (5)(-2)$$
$$= -10 \mid$$

b)
$$\lim_{x \to c} 2f(x)g(x) = 2\lim_{x \to c} f(x) \cdot \lim_{x \to c} g(x)$$
$$= 2(-10)$$
$$= -20 \mid$$

c)
$$\lim_{x \to c} (f(x) + 3g(x)) = \lim_{x \to c} f(x) + 3 \lim_{x \to c} g(x)$$
$$= 5 + 3(-2)$$
$$= -1$$

d)
$$\lim_{x \to c} \frac{f(x)}{f(x) - g(x)} = \frac{\lim_{x \to c} f(x)}{\lim_{x \to c} f(x) - \lim_{x \to c} g(x)}$$
$$= \frac{5}{5 - (-2)}$$
$$= \frac{5}{7}$$

Exercise

Explain why the limits do not exist for $\lim_{x\to 0} \frac{x}{|x|}$

$$\lim_{x \to 0} \frac{x}{|x|} = \frac{0}{0}$$

$$\lim_{x \to 0^{-}} \frac{x}{|x|} = \frac{-x}{x} = -1$$

$$\lim_{x \to 0^{+}} \frac{x}{|x|} = \frac{x}{x} = 1$$
Doesn't exist

Evaluate the limit using the form $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ for $f(x)=x^2$, x=1

Solution

$$\lim_{h \to 0} \frac{f(x+h) - f(x)}{h} = \lim_{h \to 0} \frac{(x+h)^2 - x^2}{h}$$

$$= \lim_{h \to 0} \frac{x^2 + 2xh + h^2 - x^2}{h}$$

$$= \lim_{h \to 0} \left(\frac{2xh}{h} + \frac{h^2}{h}\right)$$

$$= \lim_{h \to 0} (2x+h)$$

$$= 2x$$

Exercise

Evaluate the limit using the form $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ for $f(x)=\sqrt{3x+1}$, x=0

$$\lim_{h \to 0} \frac{f(x+h) - f(x)}{h} = \lim_{h \to 0} \frac{\sqrt{3(x+h) + 1} - \sqrt{3x + 1}}{h}$$

$$= \lim_{h \to 0} \frac{\sqrt{3x + 3h + 1} - \sqrt{3x + 1}}{h}$$

$$= \lim_{h \to 0} \frac{\sqrt{3x + 3h + 1} - \sqrt{3x + 1}}{h} \cdot \frac{\sqrt{3x + 3h + 1} + \sqrt{3x + 1}}{\sqrt{3x + 3h + 1} + \sqrt{3x + 1}}$$

$$= \lim_{h \to 0} \frac{3x + 3h + 1 - (3x + 1)}{h(\sqrt{3x + 3h + 1} + \sqrt{3x + 1})}$$

$$= \lim_{h \to 0} \frac{3x + 3h + 1 - 3x - 1}{h(\sqrt{3x + 3h + 1} + \sqrt{3x + 1})}$$

$$= \lim_{h \to 0} \frac{3h}{h(\sqrt{3x + 3h + 1} + \sqrt{3x + 1})}$$

$$= \lim_{h \to 0} \frac{3}{\sqrt{3x + 3h + 1} + \sqrt{3x + 1}}$$

$$= \lim_{h \to 0} \frac{3}{\sqrt{3(0) + 1} + \sqrt{3(0) + 1}}$$
Given: $x = 0$

$$= \frac{3}{2}$$

If
$$\lim_{x \to 4} \frac{f(x)-5}{x-2} = 1$$
, find $\lim_{x \to 4} f(x)$

Solution

$$\lim_{x \to 4} \frac{f(x) - 5}{x - 2} = 1$$

$$\lim_{x \to 4} f(x) - 5$$

$$4 - 2$$

$$\lim_{x \to 4} f(x) - 5$$

$$= 1$$

Multiply both sides by 2

$$\lim_{x \to 4} f(x) - 5 = 2$$

Add 5 on both sides

$$\lim_{x \to 4} f(x) = 7$$

Exercise

If
$$\lim_{x\to 0} \frac{f(x)}{x^2} = 1$$
, find $\lim_{x\to 0} f(x)$ and $\lim_{x\to 0} \frac{f(x)}{x}$

$$\lim_{x \to 0} \frac{f(x)}{x^2} = 1$$

$$\frac{\lim_{x \to 0} f(x)}{\lim_{x \to 0} x^2} = 1$$

$$\lim_{x \to 0} f(x) = \lim_{x \to 0} x^2$$

$$= 0$$

$$\lim_{x \to 0} \frac{f(x)}{x} = \lim_{x \to 0} \left(\frac{f(x)}{x^2} \cdot x \right)$$

$$= \lim_{x \to 0} \frac{f(x)}{x^2} \cdot \lim_{x \to 0} x$$

$$= 1 \cdot 0$$

$$= 0$$

If $x^4 \le f(x) \le x^2$; $-1 \le x \le 1$ and $x^2 \le f(x) \le x^4$; x < -1 and x > 1. At what points c do you automatically know $\lim_{x \to c} f(x)$? What can you say about the value of the limits at these points?

Solution

$$\lim_{x \to c} x^4 = \lim_{x \to c} x^2 \implies c^4 = c^2$$

$$c^4 - c^2 = 0$$

$$c^2 \left(c^2 - 1\right) = 0$$

$$c^2 = 0$$

$$c^2 = 0$$

$$c = 0$$


$$c = \pm 1$$

$$c = 0$$

$$\lim_{x \to 0} f(x) = \lim_{x \to 0} x^2$$


$$= 0$$

$$\lim_{x \to -1} f(x) = \lim_{x \to 1} f(x)$$
$$= 1$$



Exercise

Let
$$f(x) = \begin{cases} 0, & x \le 0\\ \sin\frac{1}{x}, & x > 0 \end{cases}$$



a) Does $\lim_{x\to 0^+} f(x)$ exist? If so, what is it? If not, why not?

b) Does $\lim_{x\to 0^{-}} f(x)$ exist? If so, what is it? If not, why not?

c) Does $\lim_{x\to 0} f(x)$ exist? If so, what is it? If not, why not?

Solution


a) $\lim_{x\to 0^+} f(x)$ doesn't exist, since $\sin\left(\frac{1}{x}\right)$ doesn't approach any single value as $x\to 0$

b) $\lim_{x \to 0^{-}} f(x) = \lim_{x \to 0^{-}} 0 = 0$

c) $\lim_{x\to 0} f(x)$ doesn't exist, since $\lim_{x\to 0^+} f(x)$ doesn't exist

Exercise

Let $g(x) = \sqrt{x} \sin \frac{1}{x}$



a) Does $\lim_{x\to 0^+} g(x)$ exist? If so, what is it? If not, why not?

b) Does $\lim_{x\to 0^{-}} g(x)$ exist? If so, what is it? If not, why not?

c) Does $\lim_{x\to 0} g(x)$ exist? If so, what is it? If not, why not?

Solution

a) $\lim_{x\to 0^+} g(x)$ exists, by the sandwich theorem $-\sqrt{x} \le g(x) \le \sqrt{x}$. for x > 0

b) $\lim_{x\to 0^-} g(x)$ doesn't exist, since \sqrt{x} is not defined for x < 0

c) $\lim_{x\to 0} g(x)$ doesn't exist, since $\lim_{x\to 0^{-}} g(x)$ doesn't exist.

Exercise

Which of the following statements about the function y = f(x) graphed here are true, and which are false?

- a) $\lim_{x \to -1^+} f(x) = 1$ True
- **b**) $\lim_{x \to 0^{-}} f(x) = 0$ **True**
- c) $\lim_{x\to 0^-} f(x) = 1$ False
- d) $\lim_{x \to 0^{-}} f(x) = \lim_{x \to 0^{+}} f(x)$ True
- e) $\lim_{x\to 0} f(x)$ exists **True**
- $f) \quad \lim_{x \to 0} f(x) = 0 \qquad \qquad True$
- $\mathbf{g}) \quad \lim_{x \to 0} f(x) = 1 \qquad \qquad \mathbf{False}$
- **h**) $\lim_{x \to 1} f(x) = 1$ **False**
- i) $\lim_{x \to 1} f(x) = 0$ False
- j) $\lim_{x\to 2^{-}} f(x) = 2$ False
- k) $\lim_{x \to -1^{-}} f(x) = 0$ does not exist **True**
- $\lim_{x \to 2^+} f(x) = 0 \qquad False$

