# Solution

# Section 3.5 – Exponential and logarithmic Equations

# Exercise

Solve the equation:  $2^x = 128$ 

# **Solution**

$$2^x = 2^7$$

$$x = 7$$

# Exercise

Solve the equation:  $3^x = 243$ 

# **Solution**

$$3^{x} = 3^{5}$$

$$x = 5$$

# Exercise

Solve the equation:  $5^x = 70$ 

# **Solution**

$$x = \log_5 70$$

# Exercise

Solve the equation:  $6^x = 50$ 

# **Solution**

$$x = \log_6 50$$

# Exercise

Solve the equation:  $5^x = 134$ 

$$x = \log_5 134$$

Solve the equation:  $7^x = 12$ 

# **Solution**

$$x = \log_7 12$$

# Exercise

Solve the equation:  $9^x = \frac{1}{\sqrt[3]{3}}$ 

# **Solution**

$$\left(3^{2}\right)^{x} = \frac{1}{3^{1/3}}$$

$$3^{2x} = 3^{-1/3}$$

$$2x = -\frac{1}{3}$$

$$x = -\frac{1}{6}$$

# Exercise

Solve the equation:  $49^x = \frac{1}{343}$ 

# **Solution**

$$\left(7^2\right)^x = \frac{1}{7^3}$$

$$7^{2x} = 7^{-3}$$

$$2x = -3$$

$$x = -\frac{3}{2}$$

# Exercise

Solve the equation:  $2^{5x+3} = \frac{1}{16}$ 

$$2^{5x+3} = 2^{-4}$$

$$5x + 3 = -4$$

$$5x = -7$$

$$x = -\frac{7}{5}$$

Solve the equation:  $\left(\frac{2}{5}\right)^x = \frac{8}{125}$ 

# **Solution**

$$\left(\frac{2}{5}\right)^x = \left(\frac{2}{5}\right)^3$$

$$x = 3$$

# Exercise

Solve the equation:  $2^{3x-7} = 32$ 

# **Solution**

$$2^{3x-7} = 32$$
$$= 2^5$$

$$3x - 7 = 5$$

add 7 on both sides

$$3x = 12$$

Divide by 3

$$x = 4$$

# Exercise

Solve the equation:  $4^{2x-1} = 64$ 

# **Solution**

$$4^{2x-1} = 4^3$$

$$2x - 1 = 3$$

$$2x = 4$$

$$x = 2$$

# Exercise

Solve the equation:  $3^{1-x} = \frac{1}{27}$ 

$$3^{1-x} = \frac{1}{3^3}$$

$$3^{1-x} = 3^{-3}$$

$$1 - x = -3$$

$$x = 4$$

Solve the equation:  $2^{-x^2} = 5$ 

# **Solution**

$$\ln 2^{-x^2} = \ln 5$$

$$-x^2 \ln 2 = \ln 5$$

$$x^2 = -\frac{\ln 5}{\ln 2} \implies \text{No Solution}$$

### Exercise

Solve the equation:  $2^{-x} = 8$ 

### **Solution**

$$2^{-x} = 2^3$$
$$-x = 3$$
$$x = -3$$

# Exercise

Solve the equation:  $\left(\frac{1}{3}\right)^x = 81$ 

# **Solution**

$$\left(\frac{1}{3}\right)^{x} = 81$$

$$\left(3^{-1}\right)^{x} = 3^{4}$$

$$3^{-x} = 3^{4}$$

$$-x = 4$$

$$x = -4$$

# **Exercise**

Solve the equation:  $3^{-x} = 120$ 

$$-x = \log_3 120$$
 Convert to Log  
 $x = -\log_3 120$ 

$$= \log_3 \frac{1}{120}$$

Solve the equation:  $27 = 3^{5x} 9^{x^2}$ 

# **Solution**

$$3^{3} = 3^{5x} \left(3^{2}\right)^{x^{2}}$$

$$= 3^{5x} 3^{2x^{2}}$$

$$= 3^{5x+2x^{2}}$$

$$2x^{2} + 5x = 3$$

$$2x^{2} + 5x - 3 = 0$$

$$x = \frac{-5 \pm \sqrt{25 + 24}}{6}$$

$$x = \begin{cases} \frac{-5 - 7}{6} = -2 \\ \frac{-5 + 7}{6} = \frac{1}{3} \end{cases}$$

# Exercise

Solve the equation:  $4^{x+3} = 3^{-x}$ 

# **Solution**

$$\ln 4^{x+3} = \ln 3^{-x}$$

$$(x+3) \ln 4 = -x \ln 3$$

$$x \ln 4 + 3 \ln 4 = -x \ln 3$$

$$x \ln 4 + x \ln 3 = -3 \ln 4$$

$$x(\ln 4 + \ln 3) = -3 \ln 4$$

$$x = \frac{-3 \ln 4}{(\ln 4 + \ln 3)}$$

# Exercise

Solve the equation:  $2^{x+4} = 8^{x-6}$ 

$$2^{x+4} = (2^3)^{x-6}$$

$$2^{x+4} = 2^{3x-18}$$

$$x+4=3x-18$$

$$2x = 22$$

$$x = 11$$

Solve the equation:  $8^{x+2} = 4^{x-3}$ 

### **Solution**

$$(2^3)^{x+2} = (2^2)^{x-3}$$

$$2^{3(x+2)} = 2^{2(x-3)}$$

$$3(x+2) = 2(x-3)$$

$$3x+6=2x-6$$

$$3x-2x=-6-6$$

$$x=-12$$

### Exercise

Solve the equation:  $7^x = 12$ 

# **Solution**

$$x = \log_7 12$$
 Convert to Log

# **Exercise**

Solve the equation:  $5^{x+4} = 4^{x+5}$ 

$$\ln 5^{x+4} = \ln 4^{x+5}$$

$$(x+4)\ln 5 = (x+5)\ln 4$$

$$x\ln 5 + 4\ln 5 = x\ln 4 + 5\ln 4$$

$$(\ln 5 - \ln 4)x = 5\ln 4 - 4\ln 5$$

$$x = \frac{5\ln 4 - 4\ln 5}{\ln 5 - \ln 4}$$

Solve the equation:  $5^{x+2} = 4^{1-x}$ 

### **Solution**

$$\ln 5^{x+2} = \ln 4^{1-x}$$

$$(x+2)\ln 5 = (1-x)\ln 4$$

$$x\ln 5 + 2\ln 5 = \ln 4 - x\ln 4$$

$$(\ln 5 + \ln 4)x = \ln 4 - 2\ln 5$$

$$x = \frac{\ln 4 - 2\ln 5}{\ln 5 + \ln 4}$$

# Exercise

Solve the equation:  $3^{2x-1} = 0.4^{x+2}$ 

# **Solution**

$$\ln 3^{2x-1} = \ln \left( 0.4^{x+2} \right)$$

$$(2x-1)\ln 3 = (x+2)\ln \frac{4}{10}$$

$$2x\ln 3 - \ln 3 = x\ln \frac{2}{5} + 2\ln \frac{2}{5}$$

$$\left( 2\ln 3 - \ln \frac{2}{5} \right) x = \ln 3 + 2\ln \frac{2}{5}$$

$$x = \frac{\ln 3 + 2\ln 0.4}{2\ln 3 - \ln 0.4}$$

# Exercise

Solve the equation:  $4^{3x-5} = 16$ 

$$4^{3x-5} = 4^{2}$$
$$3x-5=2$$
$$3x=7$$
$$x = \frac{7}{3}$$

Solve the equation:  $4^{x+3} = 3^{-x}$ 

### **Solution**

$$\ln 4^{x+3} = \ln 3^{-x}$$

$$(x+3)\ln 4 = -x\ln 3$$

$$x\ln 4 + 3\ln 4 = -x\ln 3$$

$$(\ln 4 + \ln 3)x = -3\ln 4$$

$$x = -\frac{3\ln 4}{\ln 4 + \ln 3}$$

### Exercise

Solve the equation:  $7^{2x+1} = 3^{x+2}$ 

# **Solution**

$$\ln 7^{2x+1} = \ln 3^{x+2}$$

$$(2x+1)\ln 7 = (x+2)\ln 3$$

$$2x\ln 7 + \ln 7 = x\ln 3 + 2\ln 3$$

$$2x\ln 7 - x\ln 3 = 2\ln 3 - \ln 7$$

$$x(2\ln 7 - \ln 3) = 2\ln 3 - \ln 7$$

$$x = \frac{2\ln 3 - \ln 7}{2\ln 7 - \ln 3}$$

# Exercise

Solve the equation:  $3^{x-1} = 7^{2x+5}$ 

$$\ln 3^{x-1} = \ln 7^{2x+5}$$

$$(x-1)\ln 3 = (2x+5)\ln 7$$

$$x\ln 3 - \ln 3 = 2x\ln 7 + 5\ln 7$$

$$x\ln 3 - 2x\ln 7 = \ln 3 + 5\ln 7$$

$$x(\ln 3 - 2\ln 7) = \ln 3 + 5\ln 7$$

$$x = \frac{\ln 3 + 5\ln 7}{\ln 3 - 2\ln 7}$$

Solve the equation:  $4^{x-2} = 2^{3x+3}$ 

#### **Solution**

$$\left(2^{2}\right)^{x-2} = 2^{3x+3}$$

$$2^{2x-4} = 2^{3x+3}$$

$$2x - 4 = 3x + 3$$

$$2x - 3x = 4 + 3$$

$$-x = 7$$

$$x = -7$$

### Exercise

Solve the equation:  $3^{5x-8} = 9^{x+2}$ 

# **Solution**

$$3^{5x-8} = \left(3^2\right)^{x+2}$$

$$3^{5x-8} = 3^{2x+4}$$

$$5x - 8 = 2x + 4$$

$$5x - 2x = 8 + 4$$

$$3x = 12$$

$$x = 4$$

# Exercise

Solve the equation:  $3^{x+4} = 2^{1-3x}$ 

# Solution

$$\ln 3^{x+4} = \ln 2^{1-3x}$$

$$(x+4)\ln 3 = (1-3x)\ln 2$$

$$x \ln 3 + 4 \ln 3 = \ln 2 - 3x \ln 2$$

$$x \ln 3 + 3x \ln 2 = \ln 2 - 4 \ln 3$$

$$x(\ln 3 + 3\ln 2) = \ln 2 - 4\ln 3$$

$$x = \frac{\ln 2 - 4 \ln 3}{\ln 3 + 3 \ln 2}$$

'In' both sides

Power Rule

Distribute

Solve the equation:  $3^{2-3x} = 4^{2x+1}$ 

**Solution** 

$$\ln 3^{2-3x} = \ln 4^{2x+1}$$

In' both sides

$$(2-3x)\ln 3 = (2x+1)\ln 4$$

Power Rule

$$2 \ln 3 - 3x \ln 3 = 2x \ln 4 + \ln 4$$

$$-3x \ln 3 - 2x \ln 4 = \ln 4 - 2 \ln 3$$

$$-x(3 \ln 3 + 2 \ln 4) = \ln 4 - 2 \ln 3$$

$$x = -\frac{\ln 4 - 2\ln 3}{3\ln 3 + 2\ln 4}$$

$$= -\frac{\ln 4 - \ln 3^2}{\ln 3^3 + \ln 4^2}$$

$$= \frac{\ln 9 - \ln 4}{\ln 27 + \ln 16}$$

$$= \frac{\ln \frac{9}{4}}{\ln 432}$$

$$= \log_{\frac{432}{4}} \frac{9}{4}$$

#### Exercise

Solve the equation:  $4^{x+3} = 3^{-x}$ 

**Solution** 

$$\ln 4^{x+3} = \ln 3^{-x}$$

$$(x+3)\ln 4 = -x\ln 3$$

$$x \ln 4 + 3 \ln 4 = -x \ln 3$$

$$x \ln 4 + x \ln 3 = -3 \ln 4$$

$$x(\ln 4 + \ln 3) = -3 \ln 4$$

$$x = \frac{-3\ln 4}{(\ln 4 + \ln 3)}$$

# Exercise

Solve the equation:  $7^{x+6} = 7^{3x-4}$ 

$$x+6=3x-4$$

$$4+6=3x-x$$

$$10=2x$$

$$x=5$$

Solve the equation:  $2^{-100x} = (0.5)^{x-4}$ 

#### **Solution**

$$2^{-100x} = \left(\frac{1}{2}\right)^{x-4}$$

$$2^{-100x} = \left(2^{-1}\right)^{x-4}$$

$$2^{-100x} = 2^{-x+4}$$

$$-100x = -x+4$$

$$-100x + x = 4$$

$$-99x = 4$$

$$x = -\frac{4}{99}$$

# Exercise

Solve the equation:  $4^x \left(\frac{1}{2}\right)^{3-2x} = 8 \cdot \left(2^x\right)^2$ 

$$(2^{2})^{x}(2^{-1})^{3-2x} = 2^{3} \cdot 2^{2x}$$

$$2^{2x}2^{2x-3} = 2^{3+2x}$$

$$2^{2x+2x-3} = 2^{3+2x}$$

$$2^{4x-3} = 2^{3+2x}$$

$$4x-3=3+2x$$

$$4x-2x=3+3$$

$$2x=6$$

$$x=3$$

Solve the equation:  $5^x + 125(5^{-x}) = 30$ 

### **Solution**

$$5^{x}5^{x} + 125(5^{-x})5^{x} = 30(5^{x})$$

$$5^{2x} + 125 = 30(5^{x})$$

$$5^{2x} - 30(5^{x}) + 125 = 0$$
Solve for  $5^{x}$ 

$$5^{x} = 5$$

$$x = 1$$

$$5^{x} = 25 = 5^{2}$$

$$x = 1$$

$$x = 2$$

#### Exercise

Solve the equation:  $4^x - 3(4^{-x}) = 8$ 

#### **Solution**

$$4^{x}4^{x} - 3(4^{-x})4^{x} = 8(4^{x})$$

$$4^{2x} - 3 = 8(4^{x})$$

$$4^{2x} - 8(4^{x}) - 3 = 0$$

$$50 \text{ Ve for } 4^{x}$$

$$4^{x} = 4 + \sqrt{19}$$

$$x \ln 4 = \ln(4 + \sqrt{19})$$

$$x = \frac{\ln(4 + \sqrt{19})}{\ln 4}$$

#### Exercise

Solve the equation:  $5^{3x-6} = 125$ 

$$5^{3x-6} = 5^3$$
$$3x-6=3$$
$$3x = 9$$
$$x = 3$$

Solve the equation:  $e^x = 15$ 

# **Solution**

$$x = \ln 5$$
 Convert to Log

# Exercise

Solve the equation:  $e^{x+1} = 20$ 

# **Solution**

$$x + 1 = \ln 20$$
 Convert to Log  
 $x = -1 + \ln 20$ 

# Exercise

Solve the equation:  $9e^x = 107$ 

# **Solution**

$$e^{x} = \frac{107}{9}$$

$$\ln e^{x} = \ln\left(\frac{107}{9}\right)$$

$$x \ln e = \ln\left(\frac{107}{9}\right)$$

# Exercise

Solve the equation:  $e^{x \ln 3} = 27$ 

$$x \ln 3 = \ln 27$$

$$x \ln 3 = \ln 3^{3}$$

$$x = \frac{3 \ln 3}{\ln 3}$$

$$= 3$$

Solve the equation:  $e^{x^2} = e^{7x-12}$ 

# **Solution**

$$e^{x^2} = e^{7x-12}$$

$$x^2 = 7x - 12$$

$$x^2 - 7x + 12 = 0$$

$$x = 3, 4$$

# Exercise

Solve the equation:  $f(x) = xe^x + e^x$ 

### **Solution**

$$xe^{x} + e^{x} = 0$$

$$e^{x}(x+1)=0$$

$$e^x \neq 0$$
  $x+1=0$ 

$$\underline{x = -1}$$
 (Only solution)

# Exercise

Solve the equation  $f(x) = x^3 \left(4e^{4x}\right) + 3x^2e^{4x}$ 

# **Solution**

$$x^3 \left( 4e^{4x} \right) + 3x^2 e^{4x} = 0$$

$$x^2 e^{4x} (4x + 3) = 0$$

$$x^2 = 0$$
  $4x + 3 = 0$ 

$$x = 0, \ 0$$
  $x = -\frac{3}{4}$ 

The solutions are:  $x = 0, 0, -\frac{3}{4}$ 

# Exercise

Solve the equation:  $e^{2x} - 2e^x - 3 = 0$ 

$$\left(e^x\right)^2 - 2e^x - 3 = 0$$

$$\begin{cases} e^{x} = -1 \times \rightarrow Impossible \\ e^{x} = 3 \rightarrow \underline{x} = \ln 3 \end{cases}$$

Solve the equation:  $e^{0.08t} = 2500$ 

#### **Solution**

$$\ln(e^{0.08t}) = \ln 2500$$
$$0.08t = \ln(50)^2$$

$$t = \frac{200 \ln 50}{8} = 25 \ln 50$$

# Exercise

Solve the equation:  $e^{x^2} = 200$ 

# **Solution**

$$\ln e^{x^2} = \ln 200$$
 Natural Log both sides

$$x^2 = \ln 200 \qquad \qquad \ln e = 1$$

$$x = \pm \sqrt{\ln 200}$$

# Exercise

Solve the equation:  $e^{2x+1} \cdot e^{-4x} = 3e$ 

$$e^{2x+1-4x} = 3e$$

$$e^{-2x+1} = 3e$$

$$e^{-2x}e = 3e$$
 Divide by  $e$ 

$$e^{-2x} = 3$$

$$\ln e^{-2x} = \ln 3$$

$$-2x = \ln 3$$

$$x = -\frac{1}{2} \ln 3$$

Solve the equation:  $e^{2x} - 8e^x + 7 = 0$ 

**Solution** 

$$(e^{x})^{2} - 8e^{x} + 7 = 0 \qquad a + b + c = 0 \rightarrow x = 1, \frac{c}{a}$$

$$\begin{cases} e^{x} = 1 \rightarrow \underline{x} = 0 \\ e^{x} = 7 \rightarrow \underline{x} = \ln 7 \end{cases}$$

# Exercise

Solve the equation without using the calculator:  $e^{2x} + 2e^x - 15 = 0$ 

**Solution** 

$$(e^{x})^{2} + 2e^{x} - 15 = 0$$

$$e^{x} = 3$$

$$x = \ln 3$$
Solve for  $e^{x}$ 

$$e^{x} \neq -5 < 0$$

# Exercise

Solve the equation:  $e^x + e^{-x} - 6 = 0$ 

$$e^{x}e^{x} + e^{x}e^{-x} - e^{x}6 = e^{x}0$$

$$e^{2x} + 1 - 6e^{x} = 0$$

$$\left(e^{x}\right)^{2} - 6e^{x} + 1 = 0$$

$$e^{x} = \frac{6 \pm \sqrt{36 - 4}}{2}$$

$$= \frac{6 \pm 4\sqrt{2}}{2}$$

$$e^{x} = 3 \pm 2\sqrt{2}$$

$$x = \ln\left(3 \pm 2\sqrt{2}\right)$$

Solve the equation:  $e^{1-3x} \cdot e^{5x} = 2e$ 

# **Solution**

$$e^{1-3x+5x} = 2e$$

$$e^{1+2x} = 2e$$

$$e^1 e^{2x} = 2e$$

Divide by e

$$e^{2x} = 2$$

Natural Log both sides

$$\ln e^{2x} = \ln 2$$

$$2x = \ln 2$$

$$x = \frac{1}{2} \ln 2$$

# Exercise

Solve the equation:  $6 \ln (2x) = 30$ 

# **Solution**

$$\ln\left(2x\right) = \frac{30}{6}$$

$$\ln(2x) = 5$$

$$2x = e^5$$

$$x = \frac{1}{2}e^5$$

# Exercise

Solve the equation:  $\log_5(x-7) = 2$ 

# **Solution**

$$x - 7 = 5^2$$

$$x = 25 + 7$$

$$x = 32$$

# Exercise

Solve the equation:  $\log_4 (5+x) = 3$ 

Solve the equation:  $\log(4x-18) = 1$ 

### **Solution**

$$4x - 18 = 10$$
$$4x = 28$$

$$x = 7$$

# Exercise

Solve the equation:  $\log(x^2 + 19) = 2$ 

### **Solution**

$$x^2 + 19 = 10^2$$

$$x^2 = 81$$

$$\underline{x = \pm 9} \qquad (\pm 9)^2 + 19 > 0$$

# Exercise

Solve the equation:  $\ln(x^2 - 12) = \ln x$ 

### **Solution**

$$\ln\left(x^2 - 12\right) = \ln x$$

$$x^2 - 12 = x$$

$$x^2 - x - 12 = 0$$

$$x = -3, 4$$

**Check**:  $x = -3 \ln(9-12) = \ln(-3)$ 

$$x = 4 \ln(16 - 12) = \ln(4)$$

∴ *Solution*: x = 4

Solve the equation: 
$$\log(2x^2 + 3x) = \log(10x + 30)$$

#### Solution

$$\log\left(2x^{2} + 3x\right) = \log\left(10x + 30\right)$$

$$2x^{2} + 3x = 10x + 30$$

$$2x^{2} - 7x - 30 = 0$$

$$x = \frac{7 \pm \sqrt{49 + 240}}{4}$$

$$= \begin{cases} \frac{7 - 17}{4} = -\frac{5}{2} \\ \frac{7 + 17}{4} = 6 \end{cases}$$
Check:  $x = -\frac{5}{2} \log\left(\frac{25}{2} - \frac{15}{2}\right) = \log\left(-25 + 30\right)$ 

$$x = 4 \log\left(32 + 12\right) = \log\left(40 + 30\right)$$

$$\therefore Solution: x = -\frac{5}{2}, 4$$

### Exercise

Solve the equation: 
$$\log_5 (2x+3) = \log_5 11 + \log_5 3$$

### **Solution**

$$\log_5 (2x+3) = \log_5 (11\times3)$$

$$2x+3=33$$

$$2x = 30$$

$$\underline{x=15}$$
Check:  $\log_5 (30+3)$ 

#### Exercise

Solve the equation: 
$$\log_3 x - \log_9 (x + 42) = 0$$

$$\frac{\log x}{\log 3} - \frac{\log(x+42)}{\log 9} = 0$$
$$\frac{\log x}{\log 3} - \frac{\log(x+42)}{\log 3^2} = 0$$

$$\frac{\log x}{\log 3} - \frac{1}{2} \frac{\log(x+42)}{\log 3} = 0$$

$$\log x - \frac{1}{2} \log(x+42) = 0$$

$$2 \log x = \log(x+42)$$

$$\log x^2 = \log(x+42)$$

$$x^2 = x+42$$

$$x^2 - x - 42 = 0$$

$$x = -6, 7$$

$$\frac{x = -6, 7}{2}$$
Check:  $x = -6$   $\log_2(-6) - \log_2(-6+42)$ 

Check: 
$$x = -6 \log_3(-6) - \log_9(-6 + 42) \times$$
  
 $x = 7 \log_3 7 - \log_9(7 + 42) = 0$ 

∴ *Solution*: x = 7

# Exercise

Solve the equation:  $\log_5 x + \log_5 (4x - 1) = 1$ 

### **Solution**

$$\log_{5} x(4x-1) = 1$$

$$4x^{2} - x = 5$$

$$4x^{2} - x - 5 = 0 \qquad a - b + c = 0 \implies x = -1, -\frac{c}{a}$$

$$x = -\frac{5}{2}, 4$$

$$Check: \quad x = -\frac{5}{2} \log_{5} \left(-\frac{5}{2}\right) + \log_{5} \left(10 - 1\right) \times 1$$

 $x = 4 \quad \log_5(4) + \log_5(15)$ 

∴ *Solution*:  $\underline{x=4}$ 

### Exercise

Solve the equation:  $\log x - \log(x+3) = 1$ 

$$\log \frac{x}{x+3} = 1$$

$$\frac{x}{x+3} = 10$$

$$x = 10x + 30$$

$$9x = -30$$

$$x = -\frac{10}{3}$$

$$Check: \quad x = -\frac{10}{3} \quad \log\left(-\frac{10}{3}\right) - \log\left(x + 3\right) \times$$

$$\therefore \text{ No Solution}$$

Solve the equation:  $\log x + \log (x - 9) = 1$ 

### **Solution**

$$\log x(x-9) = 1$$

$$x^{2} - 9x = 10$$

$$x^{2} - 9x - 10 = 0 \qquad a - b + c = 0 \rightarrow x = -1, -\frac{c}{a}$$

$$\underline{x = -1, 10}$$

$$Check: \quad x = -1 \quad \log(-1) + \log(x-9) \times x = 10 \quad \log(10) + \log(10-9)$$

 $\therefore$  *Solution*: x = 10

# Exercise

Solve the equation: 
$$\log_2(x+1) + \log_2(x-1) = 3$$

#### **Solution**

$$\log_{2}(x+1)(x-1) = 3$$

$$x^{2} - 1 = 2^{3}$$

$$x^{2} = 9$$

$$x = \pm 3$$

$$Check: x = -3 \log_{2}(-2) + \log_{2}(x-1) \times x = 3 \log_{2}(4) + \log_{2}(2)$$

 $\therefore$  *Solution*: x = 3

Solve the equation:  $\log_8(x+1) - \log_8 x = 2$ 

# **Solution**

$$\log_8 \frac{x+1}{x} = 2$$

$$\frac{x+1}{x} = 8^2$$

$$x + 1 = 64x$$

$$63x = 1$$

$$x = \frac{1}{63}$$

**Check**: 
$$x = \frac{1}{63} \log_8 \left( \frac{1}{63} + 1 \right) - \log_8 \frac{1}{63}$$

$$\therefore Solution: x = \frac{1}{63}$$

# Exercise

Solve the equation:  $\ln(x+8) + \ln(x-1) = 2 \ln x$ 

# **Solution**

$$\ln(x+8)(x-1) = \ln x^2$$

$$x^2 + 7x - 8 = x^2$$

$$7x - 8 = 0$$

$$x = \frac{8}{7}$$

**Check**: 
$$x = \frac{8}{7} \ln \left( \frac{8}{7} + 8 \right) + \ln \left( \frac{8}{7} - 1 \right) = 2 \ln \frac{8}{7}$$

$$\therefore Solution: x = \frac{8}{7}$$

# Exercise

Solve the equation:  $\ln(4x+6) - \ln(x+5) = \ln x$ 

$$\ln \frac{4x+6}{x+5} = \ln x$$

$$\frac{4x+6}{x+5} = x$$

$$4x + 6 = x^2 + 5x$$

$$x^{2} + x - 6 = 0$$
  
 $x = -3, 2$   
Check:  $x = -3$   $\ln(-6) - \ln(x + 5) = \ln x$   
 $x = 2$   $\ln(14) - \ln(7) = \ln 2$ 

 $\therefore$  *Solution*: x = 2

### Exercise

Solve the equation:  $\ln(5+4x) - \ln(x+3) = \ln 3$ 

# **Solution**

$$\ln \frac{5+4x}{x+3} = \ln 3$$

$$\frac{5+4x}{x+3} = 3$$

$$5 + 4x = 3x + 9$$

$$x = 4$$

**Check**: 
$$x = 4 \ln(21) - \ln(7) = \ln 3$$

 $\therefore$  *Solution*: x = 4

# Exercise

Solve the equation:  $\ln \sqrt[4]{x} = \sqrt{\ln x}$ 

# **Solution**

**Domain**:  $x \ge 1$ 

$$\ln x^{1/4} = \sqrt{\ln x}$$

$$\frac{1}{4}\ln x = \sqrt{\ln x}$$

$$\left(\frac{1}{4}\ln x\right)^2 = \left(\sqrt{\ln x}\right)^2$$

$$\frac{1}{6}\ln^2 x = \ln x$$

$$\ln^2 x = 6 \ln x$$

$$\ln^2 x - 6 \ln x = 0$$

$$(\ln x)(\ln x - 6) = 0$$

$$\begin{cases} \ln x = 0 \rightarrow \underline{x = 1} \\ \ln x = 6 \rightarrow \underline{x = e^6} \end{cases}$$

 $\therefore Solution: \underline{x=1, e^6}$ 

Solve the equation:  $\sqrt{\ln x} = \ln \sqrt{x}$ 

### **Solution**

**Domain**:  $x \ge 1$ 

$$\sqrt{\ln x} = \ln x^{1/2}$$

$$\sqrt{\ln x} = \frac{1}{2} \ln x$$

$$\left(\sqrt{\ln x}\right)^2 = \left(\frac{1}{2}\ln x\right)^2$$

$$\ln x = \frac{1}{4} \ln^2 x$$

$$4 \ln x = \ln^2 x$$

$$\ln^2 x - 4 \ln x = 0$$

$$\ln x(\ln x - 4) = 0$$

$$\begin{cases} \ln x = 0 \rightarrow \underline{x = 1} \\ \ln x = 4 \rightarrow \underline{x = e^4} \end{cases}$$

$$\therefore Solution: x = 1, e^4$$

# Exercise

Solve the equation:  $\log x^2 = (\log x)^2$ 

# **Solution**

**Domain**:  $x \ge 1$ 

$$2\log x = (\log x)^2$$

$$\left(\log x\right)^2 - 2\log x = 0$$

$$\log x (\log x - 2) = 0$$

$$\begin{cases} \log x = 0 \rightarrow \underline{x = 1} \\ \log x = 2 \rightarrow \underline{x = 100} \end{cases}$$

$$\therefore$$
 Solution:  $x = 1, 100$ 

# Exercise

Solve the equation:  $\log x^3 = (\log x)^2$ 

**Domain**:  $x \ge 1$ 

$$3\log x = (\log x)^2$$

$$\left(\log x\right)^2 - 3\log x = 0$$

$$\log x (\log x - 3) = 0$$

$$\begin{cases} \log x = 0 \rightarrow \underline{x = 1} \\ \log x = 3 \rightarrow \underline{x = 10^3} \end{cases}$$

Convert to exponential

 $\therefore Solution: x = 1, 10^3$ 

# Exercise

Solve the equation:  $\log(\log x) = 1$ 

**Solution** 

$$\log x = 10$$

Convert to exponential

$$\therefore Solution: \underline{x = 10^{10}}$$

# Exercise

Solve the equation:  $\log(\log x) = 2$ 

**Solution** 

$$\log x = 10^2$$

Convert to exponential

 $\therefore Solution: \underline{x = 10^{100}}$ 

# Exercise

Solve the equation:  $\ln(\ln x) = 2$ 

**Solution** 

$$\ln x = e^2$$

Convert to exponential

$$\therefore Solution: \underline{x = e^{e^2}}$$

Solve the equation: 
$$\ln\left(e^{x^2}\right) = 64$$

# **Solution**

$$e^{x^2} = e^{64}$$
 Convert to exponential  $x^2 = 64$ 

$$\therefore$$
 *Solution*:  $x = \pm 8$ 

# Exercise

Solve the equation:  $e^{\ln(x-1)} = 4$ 

# **Solution**

$$x - 1 = 4$$

∴ *Solution*: 
$$x = 5$$

# Exercise

Solve the equation:  $10^{\log(2x+5)} = 9$ 

# **Solution**

$$2x + 5 = 9$$

$$2x = 4$$

∴ *Solution*: 
$$x = 2$$

# Exercise

Solve the equation:  $\log \sqrt{x^3 - 9} = 2$ 

$$\sqrt{x^3 - 9} = 10^2$$

$$x^3 - 9 = 10^4$$

$$x^3 = 10,009$$

∴ *Solution*: 
$$x = \sqrt[3]{10,009}$$

 $\log \sqrt{x^3 - 17} = \frac{1}{2}$ Solve the equation:

# Solution

$$\log(x^{3} - 17)^{1/2} = \frac{1}{2}$$

$$\frac{1}{2}\log(x^{3} - 17) = \frac{1}{2}$$

$$\log(x^{3} - 17) = 1$$

$$x^{3} - 17 = 10$$

$$x^{3} = 27$$

$$x = 3$$

$$Check: x = 3 \log \sqrt{27 - 17}$$

# ∴ *Solution*: x = 3

# Exercise

Solve the equation:  $\log_4 x = \log_4 (8 - x)$ 

### **Solution**

$$x = 8 - x$$

$$x + x = 8$$

$$2x = 8$$

$$\underline{x = 4}$$

$$Check: \quad x = 4 \quad \log_4 4 = \log_4 (8 - 4)$$

∴ *Solution*: 
$$x = 4$$

# Exercise

Solve the equation:  $\log_{7} (x-5) = \log_{7} (6x)$ 

# **Solution**

$$x-5 = 6x$$

$$x-6x = 5$$

$$-5x = 5$$

$$x = -1$$

**Check**: 
$$x = -1$$
  $\log_7(-6) = \log_7(6x)$ 

∴ No Solution

Solve the equation:  $\ln x^2 = \ln (12 - x)$ 

# **Solution**

$$\ln x^{2} = \ln (12 - x)$$

$$x^{2} = 12 - x$$

$$x^{2} + x - 12 = 0$$

$$x = -4, 3$$

$$Check: x = -4 ln (16) = ln (16)$$

$$x = 3 ln (9) = ln (12 - 3)$$

 $\therefore$  Solution: x = -4, 3

#### Exercise

Solve the equation  $\log_2(x+7) + \log_2 x = 3$ 

#### **Solution**

$$\log_2 x(x+7) = 3$$
  
 $x(x+7) = 2^3$   
Convert to Exponential Form  
 $x^2 + 7x = 8$   
 $x^2 + 7x - 8 = 0$   
 $x = 1, -8$   
Check:  $x = -8 \log_2 (x+7) + \log_2 (-8) \times 1$   
 $x = 1 \log_2 (1+7) + \log_2 1$ 

 $\therefore Solution: \underline{x=1}$ 

# Exercise

Solve the equation  $\ln x = 1 - \ln (x + 2)$ 

$$\ln x + \ln (x+2) = 1$$

$$\ln x(x+2) = 1$$

$$x^{2} + 2x = e$$

$$x^{2} + 2x - e = 0$$

$$x = \frac{-2 \pm \sqrt{4 + 4e}}{2}$$

$$= \frac{-2 \pm 2\sqrt{1 + e}}{2}$$

$$= \begin{cases} -1 - \sqrt{1 + e} < 0 \\ -1 + \sqrt{1 + e} > 0 \end{cases}$$

$$\therefore Solution: \underline{x = -1 + \sqrt{1 + e}}$$

Solve the equation  $\ln x = 1 + \ln (x+1)$ 

### **Solution**

$$\ln x - \ln (x+1) = 1$$

$$\ln \frac{x}{x+1} = 1$$

$$\frac{x}{x+1} = e^1$$

$$x = (x+1)e$$

$$x = ex + e$$

$$x - ex = e$$

$$x(1-e)=e$$

$$x = \frac{e}{1 - e} < 0$$

: No solution

### Exercise

Solve the equation  $\log_6 (2x-3) = \log_6 12 - \log_6 3$ 

$$\log_6 (2x-3) = \log_6 \frac{12}{3}$$

$$\log_6(2x-3) = \log_6 4$$

$$2x - 3 = 4$$

$$2x = 7$$

$$x = \frac{7}{2}$$

**Check**: 
$$x = \frac{7}{2} \log_6 (7-3) = \log_6 12 - \log_6 3$$

$$\therefore Solution: x = \frac{7}{2}$$

Solve the equation:  $\log(3x+2) + \log(x-1) = 1$ 

#### **Solution**

**Domain**: x > 1

$$\log(3x+2)(x-1)=1$$

Convert to exponential form

$$3x^2 - x - 2 = 10$$

$$3x^2 - x - 12 = 0$$

Solve for x

$$x = \frac{1 \pm \sqrt{1 + 144}}{6}$$

$$= \begin{cases} \frac{1 - \sqrt{145}}{6} < 0\\ \frac{1 + \sqrt{145}}{6} > 1 \end{cases}$$

$$\therefore Solution: \underline{x = \frac{1 + \sqrt{145}}{6}}$$

# Exercise

Solve the equation:  $\log_5(x+2) + \log_5(x-2) = 1$ 

# Solution

$$\log_5(x+2)(x-2) = 1$$

$$(x+2)(x-2) = 5^1$$

$$x^2 - 4 = 5$$

$$x^2 = 5 + 4$$

$$x^2 = 9$$

$$x = \pm 3$$

**Check**:  $x = -3 \log_5(-1) + \log_5(x - 2) \times$ 

$$x = 3 \log_5 (3+2) + \log_5 (3-2)$$

 $\therefore$  *Solution*: x = 3

# Exercise

Solve the equation:  $\log_2 x + \log_2 (x - 4) = 2$ 

**Domain**: 
$$x > 4$$

$$\log_2 x(x-4) = 2$$

$$x^2 - 4x = 2^2$$

$$x^2 - 4x - 4 = 0$$

$$x = \frac{4 \pm \sqrt{32}}{2}$$

$$= \begin{cases} 2 - 2\sqrt{2} < 4 \\ 2 + 2\sqrt{2} > 4 \end{cases}$$

$$\therefore Solution: \underline{x = 2 + 2\sqrt{2}}$$

Solve the equation: 
$$\log_3 x + \log_3 (x+6) = 3$$

### **Solution**

**Domain**: 
$$x > 0$$

$$\log_3 x(x+6) = 3$$

$$x^2 + 6x = 3^3$$

$$x^2 + 6x - 27 = 0$$
$$x = \frac{-6 \pm \sqrt{36 + 108}}{2}$$

$$= \begin{cases} \frac{-6-12}{2} = -9 < 0 \\ \frac{-6+12}{2} = 3 > 0 \end{cases}$$

∴ *Solution*: 
$$x = 3$$

# Exercise

Solve the equation: 
$$\log_3(x+3) + \log_3(x+5) = 1$$

**Domain**: 
$$x > -3$$

$$\log_3(x+3)(x+5) = 1$$

$$x^2 + 8x + 15 = 3$$

$$x^2 + 8x + 12 = 0$$

$$x = \frac{-8 \pm \sqrt{64 - 48}}{2}$$

$$= \begin{cases} \frac{-8-4}{2} = -6 < -3 \\ \frac{-8+4}{2} = -2 > -3 \end{cases}$$

∴ *Solution*: x = -2

# Exercise

Solve the equation:  $\ln x = \frac{1}{2} \ln \left( 2x + \frac{5}{2} \right) + \frac{1}{2} \ln 2$ 

### **Solution**

**Domain**: x > 0

$$2\ln x = \ln\left(2x + \frac{5}{2}\right) + \ln 2$$

$$\ln x^2 = \ln 2 \left( 2x + \frac{5}{2} \right)$$

$$x^2 = 4x + 5$$

$$x^2 - 4x - 5 = 0$$

$$a-b+c=0 \rightarrow x=-1, -\frac{c}{a}$$

$$x = -1, 5$$

 $\therefore$  *Solution*: x = 5

### Exercise

Solve the equation  $\ln(-4-x) + \ln 3 = \ln(2-x)$ 

# **Solution**

**Domain**: x < 5

$$\ln 3(-4-x) = \ln (2-x)$$

$$-12 - 3x = 2 - x$$

$$-12-2=3x-x$$

$$-14 = 2x$$

∴ *Solution*: x = -7

# Exercise

Solve the equation:  $\log_4 x + \log_4 (x-2) = \log_4 (15)$ 

**Solution** 

**Domain**: x > 2

$$\log_4 x(x-2) = \log_4 (15)$$

$$x^2 - 2x = 15$$

$$x^2 - 2x - 15 = 0$$

$$x = \frac{2 \pm \sqrt{4 + 60}}{2}$$

$$= \begin{cases} \frac{2 - 8}{2} = -4 < 2 \\ \frac{2 + 8}{2} = 5 > 2 \end{cases}$$

 $\therefore$  *Solution*: x = 5

#### Exercise

Solve the equation:  $\ln(x-5) - \ln(x+4) = \ln(x-1) - \ln(x+2)$ 

#### **Solution**

**Domain**: x > 5

$$\ln \frac{x-5}{x+4} = \ln \frac{x-1}{x+2}$$

$$\frac{x-5}{x+4} = \frac{x-1}{x+2}$$

$$(x-5)(x+2) = (x-1)(x+4)$$

$$x^2 + 2x - 5x - 10 = x^2 + 4x - x - 4$$

$$x^2 - 3x - 10 = x^2 + 3x - 4$$

$$x^2 - 3x - 10 - x^2 - 3x + 4 = 0$$

$$-6x - 6 = 0$$

$$x = -1$$

· No solution

#### Exercise

Solve the equation: 
$$\log(x^2+4) - \log(x+2) = 2 + \log(x-2)$$

#### **Solution**

**Domain**: x > -2

$$\log(x^{2} + 4) - \log(x + 2) - \log(x - 2) = 2$$
$$\log(x^{2} + 4) - [\log(x + 2) + \log(x - 2)] = 2$$
$$\log(x^{2} + 4) - \log(x + 2)(x - 2) = 2$$

$$\log\left(\frac{x^2+4}{x^2-4}\right) = 2$$

$$\frac{x^2+4}{x^2-4}=10^2$$

$$x^2 + 4 = 100x^2 - 400$$

$$400 + 4 = 100x^2 - x^2$$

$$99x^2 = 404$$

$$x^2 = \frac{404}{99}$$

$$\therefore Solution: x = \frac{2\sqrt{101}}{3\sqrt{11}}$$
 is the only solution

Solve the equation  $\log_3(x-2) = \log_3 27 - \log_3(x-4) - 5^{\log_5 1}$ 

# **Solution**

**Domain**: x > 4

$$\log_3(x-2) + \log_3(x-4) = \log_3 3^3 - 1$$

$$\log_3(x-2)(x-4) = 3-1$$

$$\log_3\left(x^2 - 6x + 8\right) = 2$$

$$x^2 - 6x + 8 = 3^2$$

$$x^2 - 6x + 8 = 9$$

$$x^2 - 6x - 1 = 0$$

$$\rightarrow x = 3 \pm \sqrt{10}$$

**Check**:  $x = 3 + \sqrt{10} > 4$ 

$$x = 3 - \sqrt{10} < 4$$

$$\therefore Solution: x = 3 + \sqrt{10}$$

### Exercise

Solve the equation  $\log_2(x+3) = \log_2(x-3) + \log_3 9 + 4^{\log_4 3}$ 

# **Solution**

**Domain**: x > 3

$$\log_{2}(x+3) - \log_{2}(x-3) = 2+3$$

$$\log_{2}\frac{x+3}{x-3} = 5$$

$$\frac{x+3}{x-3} = 2^{5}$$

$$x+3 = 32(x-3)$$

$$x+3 = 32x-96$$

$$96+3 = 32x-x$$

$$31x = 99$$

$$x = \frac{99}{31} > 3$$

$$\therefore Solution: x = \frac{99}{31}$$

Solve for *t* using logarithms with base *a*:  $2a^{t/3} = 5$ 

# **Solution**

$$a^{t/3} = \frac{5}{2}$$

$$\log a^{t/3} = \log \frac{5}{2}$$

$$\frac{t}{3} \log a = \log \frac{5}{2}$$

$$\frac{t}{3} = \frac{\log \frac{5}{2}}{\log a}$$

$$\frac{t}{3} = \log_{a} \frac{5}{2}$$

$$t = 3\log_{a} \frac{5}{2}$$

# Exercise

Solve for *t* using logarithms with base *a*:  $K = H - Ca^t$ 

$$Ca^{t} = H - K$$

$$a^{t} = \frac{H - K}{C}$$

$$\log a^{t} = \log \frac{H - K}{C}$$

$$t \log a = \log \frac{H - K}{C}$$

$$t = \frac{\log \frac{H - K}{C}}{\log a}$$
$$= \log_a \frac{H - K}{C}$$