

7 - Electrostatics

PJ Gibson - Peace Corps Tanzania

May 2020

7 Electrostatics

7.1 The Electric Field

- (1998) The distance between the electron and proton in the hydrogen atom is about 5.3×10^{11} m. Calculate the electrical and gravitational forces between these particles. How do they compare?
- (1999) Explain why an uncharged metal is attracted by a charged one?
- (1999) Charges $Q_1 = 1.2 \times 10^{-12}$ C and $Q_2 = -4 \times 10^{-12}$ C are placed 5.0 m apart in air. A third charge $Q_3 = 1 \times 10^{-14}$ C is introduced midway between them. Find the resultant force on the third charge.
- (2000) Derive an expression for an electric potential at a point a distance a from a positive point charge Q .
- (2000) Positive charge is distributed over a solid spherical volume of radius R and the charge per unit volume is σ
 - Show that the electric field inside the volume at a distance $r < R$ from the centre is given by $E = (\sigma r / 3\epsilon_0)$
 - What is the electric field at a point $r > R$ (i.e. outside the spherical volume).
- (2000) A proton is placed in a uniform electric field E . What must be the magnitude and direction of the field if the electrostatic force acting on the proton is just to balance its weight?
- (2000) Give the statement of Coulombs law.
- (2000) A 100 V battery terminals are connected to two large and parallel plates which are 2 cm apart. The field in the region between the plates is nearly uniform.
 - If electric field intensity E is 10^6 N C $^{-1}$ and points vertically upwards, determine the force of an electron in this field and compare it with the weight of an electron. An electron is released from rest from the upper plate inside the field above.
 - At what velocity will it hit the lower plate?
 - Determine its kinetic energy and the time it takes for the whole journey.
- (2007) Two similar balls of mass m are hung from silk thread of length "a" and carry a similar charge q . Assume θ is small enough that $X = (\frac{q^2 a}{2\pi\epsilon_0 m g})^{1/3}$

- where X is the distance of separation.
- (2010) State Coulombs law for charged particles.
- (2010) Does the coulomb force that one charge exert on another charge change when a third charge is brought nearby? Explain.
- (2010) The electric field intensity inside a capacitor is E . What is the work done in displacing a charge q over a closed rectangular surface?
- (2010) Explain the following observations:
 - A dressing table mirror becomes dusty when wiped with a dry cloth on a warm day.
 - A charged metal ball comes into contact with an uncharged identical ball. (Illustrate your answer by using diagrams).
- (2010) Without giving any experimental or theoretical detail explain how the results of Millikans experiment led to the idea that charge comes in packets, the size of the smallest packet being carried by an electron.
- (2013) Describe Coulombs law and give the dimensions of each quantity.
- (2015) Two bodies A and B are 0.1 m apart. A point charge of $3 \times 10^{-3} \mu\text{C}$ is placed at A and a point charge of $1 \times 10^{-9} \mu\text{C}$ is placed at B . C is the point on the straight line between A and B , where the electric potential is zero. Calculate the distance between A and C .
- (2016) State coulombs law of electrostatics.
- (2016) Define electric field strength, E at any point.
- (2016) Mention two common properties of electric field lines.
- (2016) By using the coulombs law of electrostatics, derive an expression for the electric field strength E , due to a point charge if the material is surrounded by a material of permittivity ϵ , and hence show how it relates with charge density ρ .
- (2018) Two point charges of equal mass m and charge Q are suspended at a common point by two threads of negligible mass and length L . If the two point charges are at equilibrium, show that;
 - The distance of separation $x = (Q^2 L / 2\pi\epsilon_0 m g)^{1/3}$
 - The angle of inclination $\beta = \sqrt[3]{(Q^2) / (16\pi\epsilon_0 m g L^2)}$
- (2018) Two point charges, $q_A = +3 \mu\text{C}$ and $q_b = -3 \mu\text{C}$, are located 0.2 m apart in vacuum. Find;
 - the electric field at the midpoint of the line joining two charges.
 - the force experienced by the negative test charge of magnitude $1.5 \times 10^{-9} \text{ C}$ placed at this point.
- (2019) State Coulombs law of force between two electrically charged bodies.

7.2 Electric Potential

- (1998) Describe and explain briefly a method for measuring the specific charge. Mention the errors expected in this method.
- (1999) Write down an expression for the forces on an electron when moving perpendicular to: an electric field
 - Write down an expression for the forces on an electron when moving perpendicular to: a magnetic field.
- (1999) An electron is moving in a uniform electric field of intensity $1.2 \times 10^5 \text{ Vm}^{-1}$. Find the acceleration of the electron.
- (2000) What is electric potential at a point in an electrostatic field?
- (2000) A proton of mass $1.673 \times 10^{-27} \text{ kg}$ falls through a distance of 1.5 cm in a uniform electric field of magnitude $2.0 \times 10^4 \text{ N C}^{-1}$. Determine the time of fall [Neglect g and air resistance.]
- (2007) What is the potential at the centre of the square of side 1.0 m, due to charges:
 - $q_1 = +1.0 \times 10^{-8} \text{ C}$, $q_2 = -2.0 \times 10^{-8} \text{ C}$, $q_3 = +3.0 \times 10^{-8} \text{ C}$, $q_4 = +2.0 \times 10^{-8} \text{ C}$
 - situated at the corners of the square?
- (2007) A charge Q is distributed over the concentric hollow spheres of radii r and R ($R > r$) such that the surface densities are the same. Calculate the potential at the common centre of the two spheres.
- (2010) Show that the path of an electron moving in an electric field is a parabola.
- (2013) Define electric potential.
- (2013) A radioactive source in the form of metallic sphere of radius 1.0 cm emits Beta particles at the rate of 5.0×10^{10} particles per second. If the source is electrically insulated, how long will it take for its electric potential to be raised by 2.0 V? (assuming that 40% of the emitted Beta-particles escape the source).
- (2013) A silver and copper voltammeter are connected in parallel across a 6 V battery of negligible internal resistance. In half an hour 1.0 g of copper and 2.0 g of silver are deposited. Calculate the rate at which the energy is supplied by the battery.
- (2015) Differentiate electric potential from electric potential difference.
- (2015) Sketch a graph of variation of electrical potential from the centre of a hollow charged conducting sphere of radius, r , up to infinity. Explain the shape of the graph.
- (2015) A square ABCD has each side of 100 cm. Four point charges of $+0.04 \mu\text{C}$, $-0.05 \mu\text{C}$, $+0.06 \mu\text{C}$, and $+0.05 \mu\text{C}$ are placed at A , B , C , and D respectively. Calculate the electric potential at the centre of the square.
- (2016) A proton of mass $1.67 \times 10^{-27} \text{ kg}$ falls through a distance of 2.5 cm in a uniform electric field of magnitude $2.65 \times 10^4 \text{ V/m}$. Determine the time of fall if the air resistance and the acceleration due to gravity, g , are neglected.

- (2017) Define the terms capacitance and electric potential.
- (2018) Why the emf of a cell is sometimes called a special terminal potential difference?
- (2019) What is the potential difference between two points if 5 Joules of work are required to move 10 Coulombs from one point to another?
- (2019) Define the terms electric potential and electric field-strength E at a point in the electrostatic field.
 - How the two quantities above related?
- (2019) Can there be a potential difference between two adjacent conductors carrying the same positive charge? Give a reason.

7.3 Capacitance

- (1998) A girl is holding a metal rod in her hand and rubs its surface with fur. Explain what happens to the rod.
- (1998) Can charge be conserved? Give at least two examples to support your answer.
- (1998) A capacitor of capacitance 3 micro- F is charged until a potential difference of 200 V is developed across its plates. Another capacitor of capacitance 2 micro- F developed a p.d. of 100 V across its plates on being charged.
 - What is the energy stored in each capacitor?
 - The capacitors are then connected by wires of negligible resistance, so that the plates carrying like charges are connected together. What is the total energy stored in the combined capacitors?
 - What would the time constant of the circuit be, if the resistance of each wire connecting the plates was 10Ω ?
- (1999) What is "capacitance"?
- (1999) List three factors that govern the capacitance of a parallel plate capacitor.
- (1999) Show that the energy per unit volume stored in a parallel plate capacitor is given by: $U = 1/2\epsilon E^2$ and define all the symbols in this equation.
- (1999) Given that the distance of separation between the parallel plates of a capacitor is 5 mm, and the plates have an area of 5 m^2 . A potential difference of 10 kV is applied across the capacitor which is
 - parallel in vacuum. Compute:
 - the capacitance
 - the electric intensity in the space between the plates
 - the change in the stored energy if the separation of the plates is increased from 5 mm to 5.5 mm.

- (1999) When an impedance consisting of an inductance L and a resistance R in series is connected across a 12 V, 50 Hz power supply, a current of 0.050 A flows, which differs in phase from that of the applied potential difference by 60° .
 - Find the value of R and L .
 - Find the capacitance of the capacitor which, when connected in series in the above circuit, has the effect of bringing the current into phase with the applied voltage.
- (1999) (i) Show that the possible energy levels (in Joules) for the hydrogen atom are given by the formula:
 - $E_n = -me^4/(8h^2\epsilon_0^2 * 1/n^2)$
 - where m = mass of the electron
 - e = electronic charge
 - h = Planck's constant
 - ϵ_0 = permittivity constant of vacuum
 - What does the negative sign signify in the formula for E , in above?
- (2000) Electrons in a certain television tube are accelerated through a potential difference of 2.0 kV
 - Calculate the velocity acquired by the electrons.
 - If these electrons lose all their energy on impact and given that 10^{12} electrons pass per second in the TV tube, calculate the power dissipated.
- (2000) A coil and a capacitor in parallel are used to make a tuning circuit for a radio receiver. Sketch the resonance curve for the circuit. State two ways of changing the circuit to increase the resonant frequency.
- (2007) What do you understand by an electrostatic generator?
- (2007) The belt of a Van de Graaf generator carries a charge of $100 \mu\text{C}$ per metre. If the diameter of the lower pulley is 10 cm and its angular velocity is 5 rad/s, what p.d. will the upper conductor attain in 5 minutes if its capacitance to ground is 5×10^{-12} F and if there is no leakage of charge?
- (2010) Describe the action of dielectric in a capacitor.
- (2010) A capacitor of $12 \mu\text{F}$ is connected in series with a resistor of $0.7 \text{ M}\Omega$ across a 250 V d.c supply. Calculate the current and p.d across the capacitor after 4.2 seconds.
- (2010) Show that the unit of CR (time constant) is seconds and prove that for a discharging capacitor it is the time taken for the charge to fall by 37% .
- (2010) The variable radio capacitor can be charged from 50 pF to 950 pF by turning the dial from 0 degrees to 180 degrees. With the dial at 180 degrees, the capacitor is connected to a 400 V battery. After charging the capacitor is disconnected from the battery and the dial is turned to 0 degrees. What is the charge on the capacitor? What is the p.d across the capacitor when the dial reads 0 degrees and the work done required to turn the dial to 0 degrees? (Neglect frictional effects).

- (2013) Define electric discharge and give one example.
- (2013) An alternating current (a.c) of 0.2 A r.m.s and frequency of $110/2\pi$ Hz flow in a circuit containing a series arrangement of a resistor R of resistance 20Ω , an inductor L of 0.15 H and a capacitor C of capacitance $500\ \mu\text{F}$. Calculate the potential difference (p.d) and the impedance of the circuit.
- (2015) What do you understand by dielectric constant?
- (2015) When are the capacitors said to be connected in parallel?
- (2015) The parallel plate capacitor consisting of two metal plates each of area 20 cm^2 placed at 1 cm apart are connected to the terminals of an electrostatic voltmeter. The system is charged to give a reading of 120 V on the voltmeter scale. When the space between the plates is filled with a glass of dielectric constant of 5 , the voltmeter reading falls to 50 V. What is the capacitance of the voltmeter? You may assume that volutage recorded by a voltmeter is directly proportional to the scale reading.
- (2015) A $4.0\ \mu\text{F}$ capacitor is charged by 12 V supply and is then discharged through $1.5M\Omega$ resistor.
 - Obtain the time constant.
 - Calculate the charge on the capacitor at the start of the discharge.
 - What will the value of the charge on the capacitor, the potential difference across the capacitor and the current in the circuit be 2 seconds after the discharge starts?
- (2016) A $25\ \mu\text{F}$ capacitor, a 0.10 H inductor and a 25Ω resistor are connected in series with an a.c. source whose e.m.f. is given by $E = 310\sin(314t)$. Determine the;
 - Frequency of the e.m.f.
 - Net reactance of the circuit.
- (2016) Two capacitors C_1 and C_2 each of area 36 cm^2 separated by 4 cm have capacities of $6\ \mu\text{C}$ and $8\ \mu\text{C}$ respectively. The capacitor C_1 is charged to a potential difference of 110 V whereas the capacitor C_2 is charged to a potential difference of 140 V. The capacitors are now joined with plates of like charges connected together.
 - What will be the loss of energy transferred to heat in the connecting wires?
 - What will be the loss of energy per unit volume transferred to heat in the connecting wires?
- (2016) Define the following terms:
 - Capacitance
 - Charge density
 - Equipotential surface
- (2016) Identify any three factors on which the capacitance of parallel plate capacitor depends.
- (2016) A parallel plate capacitor is made of a paper 40 mm wider and 3.0×10^{-2} mm thick. Determine the length of the paper sheet required to construct a capacitance of $15\ \mu\text{F}$, if its relative perimittig is 2.5 .

- (2016) Show that the possible energy levels (in joules) for the hydrogen atom are given by the formula: $E_n = -k^2(2\pi^2me^4/h^2)(1/n^2)$. Where m is the mass of electron, e is the electronic charge, h is the Plancks constant, $k = 1/4\pi\epsilon_0$ and ϵ_0 is the permittivity constant of vacuum.
 - What does the negative sign signify in the formula above?
- (2017) A parallel plate capacitor has plates each of area 0.24 m^2 separated by a small distance
 - 0.50 mm . If the capacitor is full charged by a battery of electromotive force of 24 V , calculate:
 - the capacitance of the capacitor.
 - the energy stored in the capacitor.
- (2017) Comment on the assertion that, the safest way of protecting yourself from lightning is to be inside a car.
- (2018) A series LCR circuit with inductance, $L = 0.12 \text{ H}$, capacitance, $C = 480 \text{ nF}$ and resistance, $R = 23 \Omega$ is connected to a 230 V variable frequency supply. Determine the:
 - Maximum current flowing in the circuit.
 - Source frequency for which the current is maximum.
- (2018) Briefly explain the effect of the dielectric material on the capacitance of a capacitor when the capacitor is:
 - Isolated.
 - Connected to the battery.
- (2018) How are the electrolytic capacitors made?
- (2019) Elaborate three significance of dielectric material in a capacitor.
- (2019) Give the reason behind a loss of electrical energy when two capacitors are joined either in series or parallel.
- (2019) Why does a room light turn on at once when the switch is closed? Give comment.
- (2019) Outside the sphere, a charged sphere behaves like its charges were concentrated at the centre. If the electric field strength inside the sphere is zero and one sphere of radius 5.0 cm carries a positive charge of 6.7 nC , calculate;
 - the potential at the surface of the sphere.
 - the capacitance of the sphere.
- (2019) What is meant by dielectric constant?
- (2019) A parallel plate capacitor with air as a dielectric has plates of area $4.0 \times 10^{-2} \text{ m}^2$ which are 2.0 mm apart. The capacitor is charged to 100 V battery and connected in parallel with a similar unchanged capacitor with plates of half the area and twice the distance apart. If the edge effect is neglected, calculate the final charge on each plate.
- (2019) Derive an expression for the total capacitance of two capacitors C_1 and C_2 connected in series.
- (2019) Two capacitor of $15 \mu\text{F}$ and $20 \mu\text{F}$ are connected in series with a 600 V supply. Calculate the charge and Potential difference across each capacitor.