

Funcons-beta: Continuing *

The PPlanCompS Project

Continuing.cbs | PLAIN | PRETTY

Continuing

```
[ Datatype continuing
  Funcon continued
  Funcon finalise-continuing
  Funcon continue
  Funcon handle-continue ]
```

Meta-variables $T <: \text{values}$

Datatype continuing ::= continued

continued is a reason for abrupt termination.

Funcon finalise-continuing($X : \Rightarrow T$) : $\Rightarrow T$ | null-type
 \rightsquigarrow finalise-abrupting(X)

finalise-continuing(X) handles abrupt termination of X due to executing continue.

Funcon continue : $\Rightarrow \text{empty-type}$
 \rightsquigarrow abrupt(continued)

continue abruptly terminates all enclosing computations until it is handled.

Funcon handle-continue($_ : \Rightarrow \text{null-type}$) : $\Rightarrow \text{null-type}$

handle-continue(X) terminates normally when X terminates abruptly for the reason continued.

Rule
$$\frac{X \xrightarrow{\text{abrupted}(\)} X'}{\text{handle-continue}(X) \xrightarrow{\text{abrupted}(\)} \text{handle-continue}(X')}$$

Rule
$$\frac{X \xrightarrow{\text{abrupted}(\text{continued})} _}{\text{handle-continue}(X) \xrightarrow{\text{abrupted}(\)} \text{null-value}}$$

Rule
$$\frac{X \xrightarrow{\text{abrupted}(V:\sim \text{continuing})} X'}{\text{handle-continue}(X) \xrightarrow{\text{abrupted}(V)} \text{handle-continue}(X')}$$

Rule
$$\text{handle-continue}(\text{null-value}) \rightsquigarrow \text{null-value}$$

*Suggestions for improvement: plancomps@gmail.com.
Reports of issues: <https://github.com/plancomps/CBS-beta/issues>.