

# How to Read and Use This Data: A Simple Guide

Evan Wesley - Vivi The Physics Slayer!

October 1, 2025

This dataset presents a compact, integer-based encoding of fundamental physical constants—structured like a **“Periodic Table of Constants.”** All values are derived from whole numbers and modular arithmetic, revealing hidden patterns and enabling exact reconstruction.

## The Core Idea

Every physical constant is approximated by a large integer  $k$  (its “atomic number”) scaled by a Circular Ball/Universal quantum unit  $U$ :

$$\text{Constant} \approx k \cdot U$$

where the Circular Ball/Universal unit is defined as:

$$U = \frac{1}{49 \cdot 50 \cdot 137^6}.$$

Most entries use depth  $p = 6$ , meaning the denominator includes  $137^6$ . A few (e.g., the upper bound on  $\bar{\theta}_{\text{QCD}}$ ) use higher depth and are noted accordingly.

This formulation allows physical constants to be represented exactly as integers, with extremely small relative errors (often below  $10^{-15}$ ).

## The Two Tables

### 1. Master Table (Output Data EZ Read.txt)

This table lists the encoded constants:

**Sector:** Category of the constant (e.g., CORE, CKM, HIGGS/YUKAWA)

**Symbol:** Standard physics notation

**Value:** Experimental or best-fit numerical value

$k$  (**Atomic Number**): The integer that encodes the constant

**Relative Error:** Accuracy of the approximation  $k \cdot U$  vs. the true value

Sector	Symbol	Value	$k$ (Atomic Number)	Relative Error
CORE	$\alpha^{-1}$ (CODATA)	137.035999207	2219852703392369647	$1.37 \times 10^{-19}$
CORE	$\alpha^{-1}(M_Z, \text{eff})$	127.955	2072749163039352758	$1.21 \times 10^{-19}$
CORE	$\sin^2 \theta_W(M_Z, \text{MS})$	0.23122	3745543835551242	$5.31 \times 10^{-17}$
CORE	$\mu/e$ mass	206.768283	3349449302734039554	$4.48 \times 10^{-20}$
CORE	$\tau/\mu$ mass	16.816706	272414624567846991	$6.88 \times 10^{-19}$
CORE	$p/e$ mass	1836.15267343	29743924950681899968	$8.95 \times 10^{-21}$
CORE	$a_e$ (leptonic)	0.001159652181	18785261127619	$8.68 \times 10^{-15}$
CORE	$a_\mu$ (exp)	0.0011659206	18886803546718	$1.58 \times 10^{-14}$

Sector	Symbol	Value	$k$	Relative Error
CORE	$\Delta\alpha$ (models)	$5.02501 \times 10^{-7}$	8140037726	$5.17 \times 10^{-11}$
CORE	$\Delta c$ (models)	$6.8842637 \times 10^{-5}$	1115185168404	$2.67 \times 10^{-13}$
MASS RATIOS	$\tau/e$	3477.161425	56326704185983339375	$8.63 \times 10^{-21}$
MASS RATIOS	$\mu/p$	0.112609526	1824167102878840	$1.08 \times 10^{-16}$
MASS RATIOS	$\tau/p$	1.893721299	30676481863985203	$1.33 \times 10^{-17}$
MASS RATIOS	$e/p$	$5.446170 \times 10^{-4}$	8822277171392	$1.05 \times 10^{-14}$
MASS RATIOS	$e/\mu$	0.004836331	78343968325123	$1.14 \times 10^{-15}$
MASS RATIOS	$e/\tau$	$2.875909 \times 10^{-4}$	4658698815637	$9.29 \times 10^{-14}$
MASS RATIOS	$p/\mu$	8.880243366	143851486887289672	$1.17 \times 10^{-18}$
MASS RATIOS	$p/\tau$	0.528060808	8554082285037847	$2.80 \times 10^{-19}$
CKM	$ V_{ud} $	0.97435	15783542237563154	$5.23 \times 10^{-18}$
CKM	$ V_{us} $	0.22501	3644947748626351	$4.68 \times 10^{-17}$
CKM	$ V_{ub} $	0.003732	60454846441818	$5.47 \times 10^{-15}$
CKM	$ V_{cd} $	0.22487	3642679881932392	$7.78 \times 10^{-17}$
CKM	$ V_{cs} $	0.97349	15769611056443121	$1.56 \times 10^{-17}$
CKM	$ V_{cb} $	0.04183	677606170059287	$6.66 \times 10^{-16}$
CKM	$ V_{td} $	0.00858	138987830244052	$1.52 \times 10^{-15}$
CKM	$ V_{ts} $	0.04111	665942855633213	$2.64 \times 10^{-16}$
CKM	$ V_{tb} $	0.999118	16184760253820109	$7.35 \times 10^{-19}$
CKM	$J_{\text{CKM}}$	$3.12 \times 10^{-5}$	505410291797	$8.86 \times 10^{-13}$
CKM	$\lambda$	0.22501	3644947748626351	$4.68 \times 10^{-17}$
CKM	$A$	0.826	13380413494357433	$2.24 \times 10^{-17}$
CKM	$\bar{\rho}$	0.1591	2577268507206135	$6.01 \times 10^{-17}$
CKM	$\bar{\eta}$	0.3523	5706924544869399	$3.77 \times 10^{-17}$
PMNS	$\sin^2 \theta_{12}$	0.307	4973107678895559	$7.04 \times 10^{-17}$
PMNS	$\sin^2 \theta_{23}$	0.545	8828481058625667	$2.83 \times 10^{-17}$
PMNS	$\sin^2 \theta_{13}$	0.0218	353139242345027	$8.78 \times 10^{-16}$
PMNS	$\delta_{\text{CP}}/\pi$	1.083	17543568782553390	$8.55 \times 10^{-18}$
PMNS	$r_\nu$	0.0294795	477540463964327	$7.90 \times 10^{-16}$
EW/QCD	$\alpha_s(M_Z)$	0.1179	1909867737269663	$1.60 \times 10^{-16}$
EW/QCD	$\sin^2 \theta_W^{\text{eff},\ell}$	0.23153	3750565540373579	$8.97 \times 10^{-17}$
EW/QCD	$G_F M_Z^2$	0.09698647	1571088459200101	$8.31 \times 10^{-17}$
EW/QCD	$M_W/M_Z$	0.88153	14279946619468412	$1.14 \times 10^{-17}$
EW/QCD	$\rho_{\text{check}}$	1.011223783	16380862419430803	$7.56 \times 10^{-18}$
EW/QCD	$\Gamma_Z/M_Z$	0.02736337	443260532193774	$5.65 \times 10^{-16}$
EW/QCD	$\alpha_1$ [GUT]	0.01694296	274459899034155	$6.18 \times 10^{-16}$
EW/QCD	$\alpha_2$	0.03380005	547528625152178	$7.07 \times 10^{-16}$
EW/QCD	$\alpha_3$	0.1179	1909867737269663	$1.60 \times 10^{-16}$
EW/QCD	$g_1$ [GUT]	0.46142342	7474620115207141	$4.35 \times 10^{-17}$
EW/QCD	$g_2$	0.65172383	10557305530735293	$4.35 \times 10^{-18}$
EW/QCD	$g_3$	1.21719969	19717476044673042	$1.39 \times 10^{-17}$
EW/QCD	$\theta_{\text{QCD}}$ (null)	0	0	(exact)
EW/QCD	$\theta_{\text{QCD}}$ (upper)	$2.5 \times 10^{-10}$ (p=10)	1426631354132577	(snap-down)
HIGGS/YUKAWA	$M_H/M_Z$	1.3735420	22250072802689228	$7.55 \times 10^{-18}$
HIGGS/YUKAWA	$\lambda$ (Higgs Quartic)	0.1293838	2095895082329058	$1.76 \times 10^{-16}$
HIGGS/YUKAWA	$m_e/M_Z$	$5.6038 \times 10^{-6}$	90776557602	$4.64 \times 10^{-12}$
HIGGS/YUKAWA	$m_\mu/M_Z$	0.0011587	18769712773164	$5.14 \times 10^{-15}$
HIGGS/YUKAWA	$m_\tau/M_Z$	0.0194858	315650813254981	$2.96 \times 10^{-16}$
HIGGS/YUKAWA	$y_e$	$2.0754 \times 10^{-6}$	33619154268	$1.07 \times 10^{-11}$
HIGGS/YUKAWA	$y_\mu$	$4.2912 \times 10^{-4}$	6951374737775	$1.73 \times 10^{-14}$

Sector	Symbol	Value	$k$	Relative Error
HIGGS/YUKAWA	$y_\tau$	0.0072166	116901473972260	$4.07 \times 10^{-15}$
HIGGS/YUKAWA	$m_u/M_Z$	$2.4126 \times 10^{-5}$	390819642043	$6.24 \times 10^{-13}$
HIGGS/YUKAWA	$y_u$	$1.0626 \times 10^{-5}$	172126190091	$1.42 \times 10^{-12}$
HIGGS/YUKAWA	$m_d/M_Z$	$5.1542 \times 10^{-5}$	834932871638	$1.92 \times 10^{-13}$
HIGGS/YUKAWA	$y_d$	$2.2700 \times 10^{-5}$	367724133376	$8.06 \times 10^{-13}$
HIGGS/YUKAWA	$m_s/M_Z$	0.0010528	17053948016432	$2.71 \times 10^{-14}$
HIGGS/YUKAWA	$y_s$	0.0004637	7510961022142	$3.92 \times 10^{-15}$
HIGGS/YUKAWA	$m_c/M_Z$	0.0139273	225609520634054	$1.99 \times 10^{-15}$
HIGGS/YUKAWA	$y_c$	0.0061339	99363755188754	$6.96 \times 10^{-16}$
HIGGS/YUKAWA	$m_b/M_Z$	0.0458396	742557319882163	$6.24 \times 10^{-16}$
HIGGS/YUKAWA	$y_b$	0.0201888	327039761172434	$6.04 \times 10^{-16}$
HIGGS/YUKAWA	$m_t/M_Z$	1.8945558	30690000617904919	$1.21 \times 10^{-17}$
HIGGS/YUKAWA	$y_t$	0.8344071	13516600272763094	$1.70 \times 10^{-17}$
HIGGS/YUKAWA	$m_{\nu 1}/M_Z$	$1.0966 \times 10^{-13}$	625800593121	$3.96 \times 10^{-13}$
HIGGS/YUKAWA	$m_{\nu 2}/M_Z$	$1.4474 \times 10^{-13}$	825961959206	$1.00 \times 10^{-13}$
HIGGS/YUKAWA	$m_{\nu 3}/M_Z$	$5.6100 \times 10^{-13}$	3201384454595	$3.29 \times 10^{-14}$
HIGGS/YUKAWA	$y_{\nu 1}$	$4.8299 \times 10^{-14}$	275617344326	$9.12 \times 10^{-13}$
HIGGS/YUKAWA	$y_{\nu 2}$	$6.3747 \times 10^{-14}$	363773131910	$4.16 \times 10^{-14}$
HIGGS/YUKAWA	$y_{\nu 3}$	$2.4708 \times 10^{-13}$	1409965236917	$1.72 \times 10^{-13}$

## 2. DNA Fingerprint Table (Output Data (DNA) EZ Read.txt)

This table provides the modular “fingerprint” of each  $k$ :

**Residue (mod 23, 49, 50, 137):** The tuple ( $k \bmod 23$ ,  $k \bmod 49$ ,  $k \bmod 50$ ,  $k \bmod 137$ )

This 4-number signature acts as a unique identifier—useful for detecting algebraic relationships, symmetries, or families among constants

Sector	Symbol	Residue (mod 23, 49, 50, 137)
CORE	$\alpha^{-1}$ (CODATA)	(3, 42, 47, 5)
CORE	$\alpha^{-1}(M_Z, \text{eff})$	(0, 37, 8, 103)
CORE	$\sin^2 \theta_W(M_Z, \text{MS})$	(18, 32, 42, 65)
CORE	$\mu/e$ mass	(15, 35, 4, 63)
CORE	$\tau/\mu$ mass	(8, 34, 41, 92)
CORE	$p/e$ mass	(21, 38, 18, 60)
CORE	$a_e$ (leptonic)	(12, 42, 19, 25)
CORE	$a_\mu$ (exp)	(10, 9, 18, 7)
CORE	$\Delta\alpha$ (models)	(17, 44, 26, 105)
CORE	$\Delta c$ (models)	(17, 41, 4, 79)
MASS RATIOS	$\tau/e$	(10, 8, 25, 48)
MASS RATIOS	$\mu/p$	(5, 41, 40, 43)
MASS RATIOS	$\tau/p$	(21, 15, 3, 73)
MASS RATIOS	$e/p$	(9, 27, 42, 108)
MASS RATIOS	$e/\mu$	(15, 4, 23, 8)
MASS RATIOS	$e/\tau$	(0, 20, 37, 9)
MASS RATIOS	$p/\mu$	(12, 22, 22, 57)
MASS RATIOS	$p/\tau$	(1, 12, 47, 106)
CKM	$ V_{ud} $	(21, 47, 4, 134)
CKM	$ V_{us} $	(21, 27, 1, 61)
CKM	$ V_{ub} $	(20, 31, 18, 18)

Sector	Symbol	Residue
CKM	$ V_{cd} $	(13, 14, 42, 95)
CKM	$ V_{cs} $	(22, 38, 21, 11)
CKM	$ V_{cb} $	(15, 35, 37, 131)
CKM	$ V_{td} $	(17, 13, 2, 82)
CKM	$ V_{ts} $	(1, 39, 13, 111)
CKM	$ V_{tb} $	(6, 7, 9, 119)
CKM	$J_{\text{CKM}}$	(21, 47, 47, 68)
CKM	$\lambda$	(21, 27, 1, 61)
CKM	$A$	(4, 34, 33, 123)
CKM	$\bar{\rho}$	(6, 29, 35, 43)
CKM	$\bar{\eta}$	(11, 26, 49, 95)
PMNS	$\sin^2 \theta_{12}$	(2, 7, 9, 75)
PMNS	$\sin^2 \theta_{23}$	(1, 12, 17, 34)
PMNS	$\sin^2 \theta_{13}$	(16, 40, 27, 51)
PMNS	$\delta_{\text{CP}}/\pi$	(22, 17, 40, 130)
PMNS	$r_\nu$	(5, 1, 27, 118)
EW/QCD	$\alpha_s(M_Z)$	(15, 3, 13, 101)
EW/QCD	$\sin^2 \theta_W^{\text{eff}, \ell}$	(7, 4, 29, 77)
EW/QCD	$G_F M_Z^2$	(6, 44, 1, 70)
EW/QCD	$M_W/M_Z$	(13, 29, 12, 9)
EW/QCD	$\rho_{\text{check}}$	(16, 14, 3, 9)
EW/QCD	$\Gamma_Z/M_Z$	(5, 1, 24, 114)
EW/QCD	$\alpha_1$ [GUT]	(12, 23, 5, 83)
EW/QCD	$\alpha_2$	(18, 12, 28, 18)
EW/QCD	$\alpha_3$	(15, 3, 13, 101)
EW/QCD	$g_1$ [GUT]	(16, 29, 41, 101)
EW/QCD	$g_2$	(17, 8, 43, 61)
EW/QCD	$g_3$	(11, 41, 42, 58)
EW/QCD	$\bar{\theta}_{\text{QCD}}$ (null)	(0, 0, 0, 0)
EW/QCD	$\bar{\theta}_{\text{QCD}}$ (upper)	(6, 19, 27, 133)
HIGGS/YUKAWA	$M_H/M_Z$	(8, 7, 28, 42)
HIGGS/YUKAWA	$\lambda$ (Higgs Quartic)	(15, 31, 8, 9)
HIGGS/YUKAWA	$m_e/M_Z$	(6, 10, 2, 32)
HIGGS/YUKAWA	$m_\mu/M_Z$	(10, 31, 14, 113)
HIGGS/YUKAWA	$m_\tau/M_Z$	(11, 15, 31, 122)
HIGGS/YUKAWA	$y_e$	(11, 7, 18, 86)
HIGGS/YUKAWA	$y_\mu$	(2, 41, 25, 82)
HIGGS/YUKAWA	$y_\tau$	(14, 40, 10, 62)
HIGGS/YUKAWA	$m_u/M_Z$	(16, 5, 43, 14)
HIGGS/YUKAWA	$y_u$	(6, 30, 41, 15)
HIGGS/YUKAWA	$m_d/M_Z$	(15, 47, 38, 124)
HIGGS/YUKAWA	$y_d$	(22, 26, 26, 119)
HIGGS/YUKAWA	$m_s/M_Z$	(10, 19, 32, 98)
HIGGS/YUKAWA	$y_s$	(19, 11, 42, 46)
HIGGS/YUKAWA	$m_c/M_Z$	(22, 11, 4, 52)
HIGGS/YUKAWA	$y_c$	(6, 0, 4, 61)
HIGGS/YUKAWA	$m_b/M_Z$	(20, 16, 13, 74)
HIGGS/YUKAWA	$y_b$	(9, 37, 34, 86)
HIGGS/YUKAWA	$m_t/M_Z$	(18, 18, 19, 119)
HIGGS/YUKAWA	$y_t$	(4, 24, 44, 86)
HIGGS/YUKAWA	$m_{\nu 1}/M_Z$	(1, 46, 21, 4)

Sector	Symbol	Residue
HIGGS/YUKAWA	$m_{\nu 2}/M_Z$	(16, 20, 6, 36)
HIGGS/YUKAWA	$m_{\nu 3}/M_Z$	(15, 19, 45, 78)
HIGGS/YUKAWA	$y_{\nu 1}$	(18, 37, 26, 5)
HIGGS/YUKAWA	$y_{\nu 2}$	(12, 27, 10, 15)
HIGGS/YUKAWA	$y_{\nu 3}$	(16, 20, 17, 108)

## Why This Format Is Useful

Enables **exact arithmetic** with physical constants using only integers

Reveals **number-theoretic structure** in the Standard Model parameters

Simplifies **reproduction, validation, and extension** of the dataset in code

Facilitates pattern searches via **modular residue comparisons**

To reconstruct any constant: multiply its  $k$  by  $U$ .

To explore relationships: compare residue tuples across sectors.