

# CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet


<b>GENERAL INFORMATION</b>			
Project Label:	PCAP		
Project Name:	DINC2013		
Plot Name:	BackTails		
Plot No.:	1356		
<input type="checkbox"/> Level 4 (no nested corners sampled) <input checked="" type="checkbox"/> Level 5 (nested corners sampled)			
Date (mm/dd/yyyy):	08-29-2013		
End date (if > 1 day):			
Party:	S. Catella		
Role:	Plot leader		
A. Berkowski			
C. Lemmo			
P. Perm. water <input checked="" type="checkbox"/> Paved <input type="checkbox"/> Slope <input type="checkbox"/> Safety <input type="checkbox"/> Other <input type="checkbox"/>			
<b>SAMPLING QUALITY*</b>			
Effort Level:	subjective evaluation of how much effort put into sampling. Hurred plots may still provide good data		
<input type="checkbox"/> Very thorough			
<input type="checkbox"/> Accurate			
<input checked="" type="checkbox"/> Hurred			
<b>TAXONOMIC ACCURACY</b>			
	high	moder.	low
vascul.			n/a
bryo			x
lichen			x
<b>TAXONOMIC STANDARD</b>			
Authority:	G&C	Pub Date:	1998

Minimum required fields in Bold and Underlined

<b>LOCATION</b>	
State:	OH
County:	Cuyahoga
Quadrangle:	
Local Place Names:	Park at
Landowner:	Caneybury
X-axis Bearing of plot:	[ ] °
Data Confidentiality:	<input type="checkbox"/> Public data <input type="checkbox"/> Private Data <input type="checkbox"/> Fuzz 100m <input type="checkbox"/> Fuzz 250m <input type="checkbox"/> Fuzz 500m
Check one:	<input type="checkbox"/> Public data <input type="checkbox"/> Private Data <input type="checkbox"/> Fuzz 100m <input type="checkbox"/> Fuzz 250m <input type="checkbox"/> Fuzz 500m
Reason:	
If data not public why?	
Source of coordinates:	<input type="checkbox"/> MAP <input type="checkbox"/> GPS <input type="checkbox"/> Lat/Long <input type="checkbox"/> UTM <input type="checkbox"/> StatePlane <input type="checkbox"/> deg <input type="checkbox"/> deg min <input type="checkbox"/> Other (specify):
GPS location in plot x=0 to 5, y=-1.0, +1.0:	
x = y =	(base of plot x=0, y=0)
Coordinate system:	<input type="checkbox"/> NAD83/WGS84 <input type="checkbox"/> NAD27 <input type="checkbox"/> m <input type="checkbox"/> ft
Latitude:	41.568065
Longitude:	81.439208
Coord. Accuracy:	m ft
GPS File Name:	
Plot size for cover data:	0.05 (hectares)
Stems not sampled on this plot:	Stems absent
Stems present:	Plot size stems: (ha)
Depth: (1-5):	
Intensive modules:	2, 3, 8, 9 (+DIT if MODIFIED)
Camera No.:	CS
Photo Nos.:	2308 - 2311

\*Definitions and values in CM PCAP FOM v. 1.0 and CVS Field Guide

OVER



**Plot placement:** ☐ Representative ☐ GRITS ☐ Random ☐ Stratified Random

**NOTES:** Include Layout (any unusual shape details), Location (directions and landscape context), Rationale (why here), and Veg Characterization (description of community, dominants, strata, BROWSE). Additional notes in space on back.

have not sampled A 1x5 could fit in the two lane road.  
 Location ~100m S of Sunset Ln. entrance on 91  
 Rahogale GRITS  
 Veg Char.: No canopy, no shrub layer, paved road.

# CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

Plot No.: 201356 Page 2 of 2

Project Name: 01NC2013

PCAP

Project Label:

## CLASSIFICATION

(FIT = excellent, good, fair, poor; CONF = high, med, low)

### Hydrogeomorphic class (WETLANDS ONLY):

- ☐ DEPRESSION ☐ BEAVER ☐ HUMAN
- ☐ IMPOUNDMENT ☐ BEAVER ☐ HUMAN
- ☐ RIVERINE ☐ HEADWATER ☐ MAINSTEM ☐ CHANNEL
- ☐ SLOPE (ground water hydrology or on a physical slope)
- ☐ FRINGING ☐ RESERVOIR ☐ NATURAL LAKE
- ☐ COASTAL (specify subclass)
- ☐ BOG (strongly, moderately, weakly ombrotrophic)

### Ohio EPA VIBI Plant Community Class (WETLANDS ONLY):

- ☐ FOREST ☐ SWAMP ☐ FOREST ☐ FOREST SCRP
- ☐ EMERGENT ☐ MARSH ☐ WET MEADOW ☐ OPEN BOG
- ☐ SHRUB ☐ SWAMP ☐ TALL SH. BOG ☐ TALL SH. FEN

### MODIFIED NATURESERVE CLASS\*

CODE (on separate form) 703a

### COMMUNITY NAME:

Paved Road

### LANDFORM TYPE\*:

### HOMOGENEITY

- ☐ Homogeneous
- ☐ Compositional trend across the plot
- ☐ Conspicuous inclusions
- ☐ Irregular/pattern mosaic

## STAND SIZE

- ☒ > 1,000 x plot size
- ☐ > 100 x plot size
- ☐ 10-100 x plot size
- ☐ 3-10 x plot size
- ☐ 1-3 x plot size
- ☐ < plot size

## DRAINAGE\*

- ☐ Excessively drained
- ☐ Somewhat excessively
- ☐ Well drained
- ☐ Moderately well dr.
- ☐ Somewhat poorly dr.
- ☐ Very poorly dr.
- ☐ Impermeable surface

## SALINITY\*

- ☐ Saltwater
- ☐ Brackish
- ☐ Fresh
- ☒ Upland (n/a)

## DISTURBANCES

type*	severity**	yrs ago	% of plot	description
Human	VH	0	100	road.
Natural				
Fire				
Cut				
Animal				
Other				

\*L=low, ML=med low, M=med, MH=med high, H=high, VH=very high

## Current Land Use:

## Former Land Use:

## HYDROLOGIC REGIME\*

- ☒ Upland (seldom flooded)
- ☐ Intermittently/seasonally saturated
- ☐ Intermittently flooded
- ☐ Seldom flooded
- ☐ Permanently/seasonally saturated
- ☐ Permanently flooded
- ☐ Permanent/Semipermanent saturated
- ☐ Tidal/Schiche flooded daily
- ☐ (dry <1/yr. seldom flooded)
- ☐ Tidal/Schiche flooded monthly
- ☐ Occasionally flooded (<1/yr)
- ☐ Tidal/Schiche flooded irregular
- ☐ Temporarily flooded
- ☐ (e.g. wind, storms)
- ☐ Unknown


Additional notes & diagrams: (Representativeness of plot to the stand, successional status, maturity, etc.)





# EXAMPLES OF PERCENT OF AREA COVERED

The following graphs can be used for various data elements to convey "Amount" or "Quantity". **NOTE:** When an open box with a quadrant contains the same total area covered just different sized objects.



## Nested Corners




Depth 1 = 100m²


Depth 4 = 0.1m²

Depth 5 = 0.01m²

Depth 3 = 1m²



Typical Plot



KEY: Plot Origin Post Module Number Tape Intensive Corner

## BROWSE RATING NARRATIVE DESCRIPTION

**LOW OR NONE:** there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.

**MEDIUM LOW** values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

**MEDIUM:** browse affects greater than 10 percent and less than 25 percent of stems in the 1 m2 nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

**MEDIUM HIGH** values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

**HIGH:** greater than 25 percent of the stems of plants in the 1 m2 nested quadrat and intensive module AND a browse line is evident.

**VERY HIGH** values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.