


CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

GENERAL INFORMATION

Project Label: PCAP
Project Name: 02 NC 2015
Plot Name: Between 8 + 1
Plot No.: 1049
 Level 4 (no nested corners sampled)
 Level 5 (nested corners sampled)
Date (mm/dd/yyyy): 9/18/2015
End date (if > 1 day):
Party: C. Minney
Role: Plot leader
Plot NOT SAMPLED: M. Sweet, M. Gidney
SAMPLING QUALITY:
 Effort Level: ☒ Very thorough, ☐ Accurate
 Subjective evaluation of how much effort put into sampling. Turned plots may still provide good data
TAXONOMIC ACCURACY:
 high, modera., low, not simpl.
 vascu., bryo., lichen.
TAXONOMIC STANDARD:
 Authority: G&C Pub Date: 1998

LOCATION

State: OH **County:** Lake
Quadrangle: Mayfield Heights
Local Place Names: Mahakiki Golf Course
Landowner: CMP
X-axis Bearing of plot: [] °
Data Confidentiality:
 Check one: ☐ Public data, ☐ Private Data
 n Fuzz 100m n Fuzz 250m n Fuzz 500m
Reason:
 If data not public why?
 Source of coordinates: ☐ MAP ☒ GPS
 GPS location in plot x=0 to 5, y=-1.0 to 1.0:
 x = y = (base of plot x=0, y=0)
Coordinate system:
 Lat/Long UTM StatePlane ☒ deg ☐ deg min
 Datum: NAD83/WGS84 NAD27
Latitude:
Longitude:
 Coord. Accuracy: n m n ft
GPS File Name:
Plot size for cover data: (hectares)
 Stems not sampled on this plot: Stems absent
 Stems present Plot size stems: (ha)
 Depth: (1-5):
 Intensive modules: 2, 3, 8, 9
 Camera No.: 4
 Photo Nos.: 4, 973-976, 5-975, 6-976



Plot placement: ☐ Representative ☐ GRYS ☐ Random ☐ Stratified Random
 NOTES: Include Layout (any unusual shape details), Location (directions and landscape context), Rationale (why here), and Veg Characterization (description of community, dominants, strata, BROWSE). Additional notes in space on back.

Plot unchanged since 2010, falls between holes 8 + 1

Minimum required fields in Bold and Underlined

OVER

1049



CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

Plot No.: 02NLC2015

Project Name: 02NLC2015

Project Label: PCAP

Page 2 of 2

CLASSIFICATION		STAND SIZE		DISTURBANCES	
(FIT = excellent, good, fair, poor; CONF = high, med, low)	Fit and Confidence	> 1,000 x plot size	100 - 1,000 x plot size	type*	severity**
Hydrogeomorphic class (WETLANDS ONLY):				Human	VH
DEPRESSION				Natural	0
IMPOUNDMENT				Fire	100
RIVERINE				Cut	
SLOPE (ground water hydrology or on a physical slope)				Animal	
FRINGING				Other	
COASTAL (specify subclass)				**L=low, ML=med low, M=med, MH=med high, H=high, VH=very high	
BOG (strongly, moderately, weakly ombrotrophic)				Current Land Use:	
Ohio EPA VIBI Plant Community Class (WETLANDS ONLY):				Former Land Use:	
FOREST				HYDROLOGIC REGIME#	
EMERGENT				Upland (seldom flooded)	
SHRUB				Intermittently/seasonally saturated	
MODIFIED NATURESERVE CLASS*				(seldom flooded)	
CODE (on separate form):				Permanently/Semipermanent saturated	
COMMUNITY NAME				(dry <1/yr, seldom flooded)	
LANDFORM TYPE#				Occasionally flooded (<1/yr)	
HOMOGENEITY				Temporarily flooded	
Homogeneous				(e.g. wind, storms)	
Compositional trend across the plot				Unknown	
Conspicuous inclusions					
Irregular/pattern mosaic					


Additional notes & diagrams: (Representativeness of plot to the stand, successional status, maturity, etc.)

Disturbed Soil


Flat/rolling

EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Quantity." NOTE: Within any nested box, each quadrant contains the same total area covered, just different sized objects.



cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975



BROWSE RATING NARRATIVE DESCRIPTION
LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.
MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m2 nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m2 nested quadrat and intensive module AND a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.

