# Modeling progress: Event types, causal models, and the imperfective paradox

Prerna Nadathur, *University of Konstanz* (joint work with Elitzur Bar-Asher Siegal, *Hebrew University*)

Leiden University Centre for Linguistics

June 2, 2022

### Telicity and culmination

**Durative telic predicates** (accomplishments) are associated with:

- **culmination (conditions):** object creation/destruction (*bake/eat a cookie*), terminus (*run a marathon*), state transition (*open a door*)
- culmination assumption: telic Ps only denote culminated events

#### Observation: we can refer to non-culminated stages of telic events

- (1) Henny wrote a symphony.  $o He \ completed \ it.$ 
  - a. Henny began to write a symphony (but gave up right away).
  - b. Henny stopped writing a symphony (and never began again).

#### Two questions:

- Analytical: what governs truth, felicity of non/culminated uses?
- What (conceptually, lexically, semantically) links relevant processes and culmination conditions?

# Telicity and the imperfective paradox

The puzzle of telic predicates is linked to the **imperfective paradox**:

(Dowty 1979)

- telic progressives are acceptable where culmination is precluded, clashing with the culmination assumption
- (2) Henny was writing a symphony when she died. PAST+PROG

  → The symphony was eventually completed.

#### Roadmap:

- The imperfective paradox
- Expectation and culmination: generalizing from the data
- Proposal: causal models for telic predicates
- Revisiting the data
- Summary and outlook


# The imperfective (progressive) paradox

Telic perfectives often have culmination entailments:

(3) Maya wrote a book.  $\rightarrow$  A complete book came into being.

Prevalent explanation:

- (i) Culmination assumption:  $e \in \llbracket P_{\mathsf{tel}} \rrbracket$  contains process + culmination
- (ii) **Aspects instantiate** *P***-eventualities** relative to reference time *t* 
  - (4)  $[PFV] := \lambda w \lambda t \lambda P$ .  $\exists e[\tau(e) \subseteq t \land P(e)(w)]$  (cf. Klein 1994, Kratzer 1998, Bhatt & Pancheva 2005, a.o.)




# The imperfective (progressive) paradox

### Wrong predictions for telic progressives:

If PROG instantiates  $e \in \llbracket P \rrbracket$  as ongoing at  $t \dots$ 

$$[PROG] := \lambda w \lambda t \lambda P . \exists e[\tau(e) \supseteq t \wedge P(e)(w)]$$

... culmination assumption requires culmination in  $w^*$ 



### **Contradicts empirical data,** leading to 'paradox':

# Two assumptions, two approaches

**Puzzle:** why/when does PROG(P) apply to partial P-eventualities?

- (A) Intensional PROG: culmination takes place in alternative worlds (Dowty 1979, Landman 1992, Asher 1992, Bonomi 1997, a.o.)
  - maintain culmination assumption, but allow PROG to introduce modal alternatives
  - analytical challenge: constrain the modal relationship so that some P-eventuality 'begins' in  $w^*$

# Two assumptions, two approaches

**Puzzle:** why/when does PROG(P) apply to partial P-eventualities?

- (A) Intensional PROG: culmination takes place in alternative worlds (Dowty 1979, Landman 1992, Asher 1992, Bonomi 1997, a.o.)
- (B) **Extensional** PROG: instantiate **non-culminated** *P*-eventualities (e.g., Bach's 1986 'partitive puzzle', Parsons 1990, Szabó 2008)
  - maintain extensional PROG, but revise the culmination assumption
  - analytical challenge:
     what properties qualify a partial ('process') eventuality as making progress towards culmination

# Two assumptions, two approaches

**Puzzle:** why/when does PROG(P) apply to partial P-eventualities?

- (A) Intensional PROG: culmination takes place in alternative worlds (Dowty 1979, Landman 1992, Asher 1992, Bonomi 1997, a.o.)
- (B) Extensional PROG: instantiate non-culminated P-eventualities (e.g., Bach's 1986 'partitive puzzle', Parsons 1990, Szabó 2008)

Our approach: ultimately, we need both perspectives

### Culmination, expectation on the intensional view

Intensional PROG:

(Dowty 1979, Asher 1992, a.o.)

A *P*-eventuality is ongoing if reference time facts predict culmination

PROG(P) = 1 iff events at t develop to culmination in all normal/inertial alternatives to w\*

Inertial alternatives  $\sim$  ongoing processes continue uninterrupted

- alternatives are projected from circumscribed perspectives (Asher)
  - (5) Henrietta was crossing the street (when the truck hit her).

A set of facts including Henrietta, the truck, & their physical properties predicts collision as 'inertial' outcome

**Upshot:** truth of telic PROG is tied to likelihood, expectation (necessity) of culmination in relevant alternatives

### Culmination, expectation on the intensional view

#### Intensional PROG:

PROG(P) = 1 iff ref time events develop into culminated P-eventualities in **all normal alternatives** 

### Impossible event (IE) progressives are out:

(6) **Context.** Meena's 5 year old daughter Maya wrongly believes that the earth is made entirely of sand and soil. She is digging a hole (with the intention of tunnelling all the way through).

Meena: ?/X Maya is digging a hole to China.

• false: no (objective) perspective has normal culmination alternatives

### Culmination and expectation on the intensional view

### Local culmination accessibility is a problem for unlikely events (UEs):

- (7) Henrietta was crossing a minefield
- (8) The sailing competition

(Bonomi 1997)

An international association organizes a sailing competition to circumnavigate the globe. 100 boats take part, and they all set sail from the same point. A few days later, a spokesman says:

√ 100 boats are circumnavigating the globe. Most will fail.

- intensional PROG requires all normal continuations to culminate
- so: (7)-(8) are predicted to be false
- because: 'typical' attempts will not end successfully (failure is normal)

Empirically: (7)-(8) are both acceptable and true

### Culmination, expectation on the intensional view

**Solution?** Capture **IE/UE contrast** by weakening intensional PROG to an existential\*

### Still too strong for **out of reach (OOR)** contexts:

- (9) The un(der)trained runner (cf. Szabó 2008, Varasdi 2014)
  Benny began an ultramarathon for which he (knowingly) undertrained;
  it was certain before the start that he lacked the stamina to complete
  the run, but he meant go as far as he could.
  - a. Friend/observer: ✓ Benny was running an ultramarathon (when he collapsed from exhaustion).
  - b. Benny: ✓I was running an ultramarathon (when I collapsed).
- predicted false: no situation containing Benny (+ relevant properties) is expected to continue to culmination

**Empirically:** (9)a-b are both acceptable and **true** in context

### Culmination, expectation . . . intentions?

#### An alternative generalization?

 in the UE, OOR cases, agents' intentions appear to supersede culmination potential

Benny is running an ultramarathon because his intention is to do so

#### Intention (alone) does not generalize:

- telic predicates are not necessarily agentive
- **IE, OOR** cases differ with changes in information about intentions: compare (6) to the case of Benny in (9)
- (7) **Context.** Meena's 5 year old daughter Maya wrongly believes that the earth is made entirely of sand and soil. She is digging a hole (with the intention of tunnelling all the way through).
  - a. Meena: ?/X Maya is digging a hole to China.
  - b. *Maya:* ✓I am digging a hole to China.

# Beyond culmination and expectation

Acceptable **UE**, **OOR** cases show that telic PROGs don't need locally-accessible culmination alternatives, instead:

- what matters for (9): is Benny doing what he would need to be doing to complete an ultramarathon?
- (9)a-b are true because he is pursuing a plausible culmination procedure
- UE, OOR PROGS differ from IE PROGS w.r.t. (world-historical)
   existence of culmination procedures
- intentions can be evidence for a culmination strategy

### Two requirements for telic PROGS:

- the existence of a realistic strategy/process for realizing culmination (per speaker's epistemic state)
- ② actual events match the culmination strategy: ref time events must *make progress towards culmination*

### Modeling progress: preview

**Goal:** combine intensionality, partitivity in the mereological structure of telic predicates

- process-culmination relationship is modal in nature process leads to culmination in some normative sense
- actual events constitute part of a P-eventuality (but without local culmination expectation)

**Idea:** telic *P*s invoke knowledge about necessary, sufficient conditions for initiating, developing, completing culmination processes

- a type-level causal model for culmination condition C<sub>P</sub> provides 'recipe(s)' for realizing C<sub>P</sub>
  - + relevant preconditions (properties, facts, events) and relationships
- model induces a (causal) mereological structure, mediated through the relationship between process and C<sub>P</sub>
- actual eventualities partially realize P if they conform to a causal pathway (~ normative/teleologically-optimal process) for C<sub>P</sub>

# Overview: structural equation models (Pearl 2000)

### **Causal information** is represented by a **directed acyclic graph** *D*:

- **nodes** (finite set  $\Sigma$ ): salient prop. variables (can be valued u, 0, 1)
- edges: atomic relations of causal relevance  $(P \xrightarrow{c-influences} Q)$
- structural equations: specify how nodes' values are determined from their ancestors'

```
Function \Theta_D assigns to each X \in \Sigma a pair \langle Z_X, \theta_X \rangle where Z_X is the set X's immediate ancestors, \theta_X : \{0,1\}^{|Z_X|} \to \{0,1\}
```

• causal consequences: of a situation s (3-way valuation of  $\Sigma$ ) are calculated using D and  $\Theta_D$ 

#### In lexical semantics:

Causal language refers to (predicates, presupposes) particular structural configurations as different causal dependency types


(cf. Nadathur & Lauer 2020, Baglini & Bar-Asher Siegal 2021)

### Illustration: the Lifschitz circuit

### (10) The circuit example:

(Lifschitz 1990)

- Suppose there is a circuit with two switches and one light, such that the light is on (L) exactly when both switches are in the same position (up or not up).
- b. At the moment switch 1 is down, and switch 2 is up.



- (a) states the causal laws
- (b) gives us an initial setting (background situation)
- given (b), we expect the **causal consequences** to include that the light is off (L=0)

### Causal relationships in a model

Model structure allows us to define different causal relations:

(Nadathur & Lauer 2020, Baglini & Bar-Asher Siegal 2021)

- background: causation is a property of sets; effects are realized as the result of collections of conditions acting together
- causative predicates pick out causes with particular (binary) relationships to an effect within a set of causes acting together

### Relations of interest (informally):

- Causal necessity:
  - Within a situation s with both C and E, fact C is causally necessary for fact E iff changing C changes E
- Causal sufficiency (of sets):  $SUFF^{M}(s, E)$ A set s is sufficient for E iff E is true in s and s otherwise comprises necessary causes for E.

# Causal necessity and causal sufficiency, formally

Let  $M = \langle D, \Theta_D \rangle$  be a causal model over set  $\Sigma$ , s a situation (set of pairs  $\langle A, a \rangle$  with  $A \in \Sigma$ ,  $a \in \{0, 1\}$ ).

- (11) a. Causal ancestors: For  $X \in \Sigma$ , the set  $A_X$  of causal ancestors of X is given by  $A_X = \{Y \in \Sigma | R_{\Theta_D}^T(X, Y)\}$  (where  $R_{\Theta_D}^T$  is the transitive closure of immediate ancestry)
  - **b.** Domain of a situation: For s a situation, let  $DOM(s) = \{X \in \Sigma | \langle X, 1 \rangle \in s \lor \langle X, 0 \rangle \in s\}$

### (12) Causal necessity.

A fact  $\langle X, x \rangle \in s$  is **causally necessary** for fact  $\langle Y, y \rangle \in s$  iff:

- a.  $X \in A_Y$
- b. for any situation s' such that  $DOM(s) = DOM(s'), s(X) \neq s'(X) \rightarrow s s' = \{\langle X, x' \rangle, \langle Y, y' \rangle\}$ , where  $x \neq x', y \neq y'$

### (13) Causal sufficiency (of sets).

A situation s is a **sufficient set** for a fact  $\langle Y, y \rangle \in s$  iff:  $\forall X \in \{Z | Z \in A_Y \land Z \in \text{DOM}(s)\}, \langle X, s(X) \rangle$  is causally necessary for  $\langle Y, y \rangle$ 

(12)-(13) adapted from Baglini & Bar-Asher Siegal

# Causal models: from the specific to the general

Past work: (Bar-Asher Siegal & Boneh 2020, Nadathur & Lauer 2020, a.o.)

- statements of singular causation (causative claims): about token instances of causation (actual relations between specific events)
- licensed by models of local relationships; truth depends on variables taking values at specific places/times

(Hausman 1998, 2005; Woodward 2003)

#### Today: language also draws on type-level causal models

- models are built from experience, capture idealized representations of world knowledge: how things work and/or how to do things
- generalized representations of events capture causal regularity, correspond to claims about typical relationships between properties
- type models support specific (token) expectations, but need not be falsified by singular failures

**Claim:** type-level models underlie lexicalization, use of complex eventuality predicates

# Motivating type-level causal models in language

Abilities: (cf. Nadathur 2019, 2021)

- $x can_{ab} A \not\equiv circumstantial possibility$
- instead: x has a way to bring A(x) about
   Indicates speaker belief that A(x) generally depends on prior action by x
- ability claims are not falsified by occasional failure

### **Accomplishments** (durative telic predicates):

today

- bake a cake ~ perform a series of actions which, taken together, bring a cake into being
- presuppose a type-level causal model; truth depends on match between model and actuality
- type vs. token: it is possible to engage in an appropriate process without realizing the type-level result . . .
- ...resulting (for instance) in imperfective paradox effects

### Imperfective paradox: the view from causal models

**Causal models:** a framework for modeling progress that combines intensional, partitive perspectives on paradox effects

An **accomplishment event type** is a causal model  $M_P$  for predicate P:

- culmination condition  $C_P$  occurs in  $M_P$  as a dependent variable
- $M_P$  links certain conditions/steps to one another and to  $C_P$
- a **process** for P (a **causal pathway** S for  $C_P$ ) is a set of jointly sufficient conditions for  $C_P$  (SUFF<sup> $M_P$ </sup>(S,  $C_P$ ))
- the model also specifies sufficient sets for **non-culmination**  $(\neg C_P)$

Beyond progressives:  $M_P$  induces a mereological structure where  $[\![P]\!]$  contains (non-)culminated eventualities;  $e_1, e_2$  are comparable as subsets if they belong to the same causal pathway for  $C_P$ 

# Imperfective paradox: truth conditions for PROG(P)

#### Informally:

Given a model  $M_P$  for telic P with culmination condition  $C_P$ , the progressive is true at time t iff the situation s at t is a **possible** cross-section of a non-culminated P-eventuality:

- (a) s realizes some part (condition Q) of a causal pathway for  $C_P$
- (b) s does not realize a complete pathway for  $C_P$
- (c) s does not realize a sufficient set for non-culmination  $(\neg C_P)$

#### Formally:

For telic predicate P with culmination condition  $C_P$ :

(14) 
$$\operatorname{PROG}(P, t) = 1$$
 iff
$$\exists s [\tau(s) \circ t \wedge [\exists Q \exists S : Q \in S \wedge \operatorname{SUFF}^{M_P}(S, C_P) \wedge Q(s)] \qquad (a)$$

$$\wedge [(\forall S' : \operatorname{SUFF}^{M_P}(S', C_P)[\exists Q' \in S' : Q'(s) \to \exists Q'' \in S' : \neg Q''(s)]] \qquad (b)$$

$$\wedge [\forall \Omega : \operatorname{SUFF}^{M_P}(\Omega, \neg C_P)[\exists \omega \in \Omega : \neg \omega(s)]]] \qquad (c)$$

### Culmination puzzles from a causal perspective

Intensional PROG accounts cannot differentiate between **IE**, **UE**, and **OOR** PROGs, but the causal approach does:

- IE PROGS are infelicitous (not false): event model does not exist
  - e.g., no set of conditions sufficient for digging a hole to China
- **② UEs, OORs** have models: truth thus depends on actual events
  - to complete an ultramarathon, one must show up at the start, take steps along the path, . . .
  - even though Benny's properties ensure eventual failure, PROG holds because his actions up to collapse match a culmination pathway
  - **upshot:** it's predictable that his endurance will fail, but Benny's actions until then can *make progress towards culmination*

### Globally necessary conditions

**Globally necessary conditions** have a special status in the model: they must be sustained throughout the development of a *P*-eventuality

$$Q$$
 is a **GNC** iff  $\mathrm{SUFF}^{M_P}(\{\neg Q\}, \neg C_P)$ 

**Observation:** Intentions act as GNCs for agentive accomplishments

(15) **Context.** Benny began running in a marathon at 9am. He sat down exhausted at 11:35, intending to end his run. But since he felt better after a short rest and refreshment, he decided to continue; he started running again at 11:50am.

Target: Benny was running a marathon

• true at 11:30, 11:55, false at 11:40 (additional judgements needed)

Captured by condition (c) for telic progressives:

(c) s does not realize a sufficient set for non-culmination

See also Varasdi (2014) on sustaining vs. indicative conditions for telic Ps

# Globally necessary conditions: a refinement

$$Q$$
 is a **GNC** iff  $\mathrm{SUFF}^{M_P}(\{\neg Q\}, \neg C_P)$ 

**GNCs** are minimal conditions for *P*-eventualities to be in progress:

(cf. Bonomi 1997)

- no truth judgements where GNCs are underdetermined
- (16) Context. Benny began running in a marathon (42K). Knowing he had undertrained, he intended to stop early. He planned to decide at 15K whether to stop there or continue to 21K. He collapsed at 10K, before making a decision. Later, he says:

Benny: ? I was running a 15K/half marathon.

**Presupposition:**  $\forall Q : SUFF^{M_P}(\{\neg Q\}, \neg C_P), Q(s) \neq u$ 

Non-agentive GNCs: momentum, velocity (conserved quantities) for inanimate objects; see Bonomi (1997) for relevant examples

# Summary and outlook

Imperfective paradox needs a combined intensional, mereological view:

- (locally-assessed) culmination potential cannot be the whole story
- the model provides a structure against which to measure the conditions under which a token qualifies as partial realization (of type-defined whole)

Progressives of accomplishments require causal knowledge but are **not themselves causal statements**:

- ullet we need a (plausible) causal model to license PROG(P)
- use of PROG(P) indirectly (via presupposition) conveys a speaker's belief in a causal model for P's culmination (a belief that there is a way to do P)
- **but:** asserted content only reports a match between actual events and the structure of the type-level model

### Outlook, questions

Debate has centered on whether (uninflected) telic predicates or PROGS are responsible for paradox effects: (Zucchi 1999, a.o.)

- Event type models are naturally tied to a predicate's meaning/representation (see also Nadathur & Filip 2021)
- How can non-telic (and punctual) predicates be linked to event-type causal models?
- What precisely is contributed by PROG, and what needs to be different for other cases of non-culmination (non-culminating perfectives, aspectual verbs)?
- Can the special status of GNCs/sustaining conditions be used to explain links between agentivity and (non-)culmination?

(e.g., Martin & Schäfer 2012's defeasible causatives)

### Acknowledgements

#### Prerna Nadathur:

My research is part of the project *Linguistic inference and the* representation of causation, funded by a two-year postdoctoral fellowship at the Zukunftskolleg at the University of Konstanz

Universität Konstanz

Zukunftskolleg



### Elitzur Bar-Asher Siegal:


This work is part of the project *Talking about causation: linguistic and psychological perspectives* funded by the Niedersachsen-Israel Grant [Elitzur Bar-Asher Siegal and Nora Boneh (HUJI) and York Hagmayer (University of Göttingen)]



# Appendix: comparison with Landman (1992)

Landman: check for culmination in continuation branch of e in w

• building a continuation branch of event, world pairs:



Follow max development f of e in w, then move to closest v where f does not stop, iterate:

- e is a stage of  $f, g, \ldots$
- $v, z, \dots \in R(e, w)$
- reasonable options:  $v \in R(e, w)$  iff there is a reasonable chance based on what is internal to e in w that e continues in w as far as in v

#### Like the causal approach:

- Landman's PROG centers the possibility of *continuation* or *continued* development of a partial *P*-eventuality at each modal transition
- relies on notions of partial realization (via stage of relation)

# Comparison with Landman (1992)

### **Continuation branches** capture the difference between **IE**, **UE** PROGS:

- CB construction removes interruptors in series, so UE PROGS are fine as long as each interruption could be 'reasonably' avoided
  - (6) Maya is digging a hole to China NB: X for Landman
  - (7) Henrietta was crossing a minefield.
- predicts past-tense IE PROGs acceptable if task is unexpectedly completed: CB only looks at w\* continuations of e
  - (17) (I would never have believed it at the time, but) Maya was digging a hole to China!

### On the causal approach:

- Maya's success is evidence of a legitimate causal pathway (i.e., whatever she did); the truth-conditional match follows
- prediction: difficult to apply in other scenarios (model lacks detail)

# Comparison with Landman (1992)

**Ultimately:** Landman's PROG is intensional, existential ( $\exists P$ -culmination in R(e, w)):

- does not explain OOR PROGS (locally no reasonable chance of completion)
- wrong preds for disjunctive/underdetermined cases (Bonomi 1997)
- (18) Context. Meena was driving north from Monterey, intending to go to either SF or Oakland. At San Jose, she had not yet decided, when she got into a trip-ending accident.
  - a. ✓ Meena was driving to a Bay Area city (SF or Oakland)
  - b. ? Meena was driving to SF
  - c. ? Meena was driving to Oakland
  - Landman: (18a) requires CB of  $w^*$  trip to culminate (in SF or Oak)
  - but: neither of (18b,c) holds, not improved by overt uncertainty
    - (18) d. ? Meena was driving to SF or she was driving to Oakland, but I don't know which

# Comparison with Landman (1992)

#### The causal approach:

- **gives content** to the notions of *partial realization* (via causal structure), *stage of* (subset of a culmination pathway; condition a)
- makes good on the intuition that continuation possibilities matter more than culmination: condition b, condition c
- actual events are normative parts of culminating P-eventualities, culmination need not be locally reasonable (thus UE, OOR PROGS)
- un(der)determination: GNCs only met for undistributed disjunction
  - Meena intends trip to culminate in [SF  $\lor$  Oakland]  $\checkmark$ (18a)
  - lacks specific intention for SF, Oakland ?(18)b,c
- NB: epistemic uncertainty in non-agentive cases compare (18)d
  - (19) [while fair coin is in the air] The coin is coming up heads or it is coming up tails, but I don't know which.

#### References

- 4 Asher 1992. A default, truth-conditional semantics for the progressive. L&P 15.
- 2 Bach 1986. The algebra of events. L&P 9.
- Baglini & Bar-Asher Siegal 2021. Modelling linguistic causation. Ms.
- Bonomi 1997. The progressive and the structure of events. JSem 14.
- 5 Dowty 1979. Word meaning and Montague grammar.
- Mausman 1998. Causal asymmetries.
- Hausman 2005. Causal relata: tokens, types, or variables? Erkenntnis 63.
- Kaufmann 2013. Causal premise semantics. Cognition 37.
- Landman 1992. The progressive. JSem 1.
- Mackie 1965. Causes and conditions. Am Phil Quarterly 2.
- Martin 2019. Non-culminating accomplishments. Lang & Ling Compass 13.
- Nadathur & Filip 2021. Telicity, teleological modality, and (non-)culmination. WCCFL 39.
- Nadathur & Lauer 2020. Causal necessity, causal sufficiency, and the implications of causative verbs. Glossa 5.
- 4 Parsons 1990. Events in the semantics of English.
- Pearl 2000. Causality.
- 6 Schulz 2011. If you'd wiggled A, then B would've changed. Synthese 179.
- Szabó 2008. Things in progress. Phil Pers 22.
- Varasdi 2014. Making progressives: necessary conditions are sufficient. JSem 31.
- Vendler 1957. Verbs and times. Phil Rev 66.
- Woodward 2003. Making things happen: a theory of causal explanation.
- 2 Zucchi 1999. Incomplete events, intensionality, and imperfective aspect. NLS 7.