

Modeling progress: Causal models and the imperfective paradox

Perna Nadathur

The Ohio State University

(joint work with Elitzur Bar-Asher Siegal, *Hebrew University*)

NYU Semantics Group

May 5, 2023

Causal reasoning and causal language

'Practical' causal intuitions vs. linguistic causation

- causal reasoning draws on complex networks of relationships:
causal models
- linguistic causation: typically binary *cause-effect* relations

An alternative:

- causal language describes structures in online language-independent representations
- models can operate as 'discourse parameters' (providing relevant background for causatives and related predicates)
- discourse contributions interact (in familiar ways) with such representations; model relationships explicate linguistic effects
- causal models can also provide formal structure encapsulating generalized 'world knowledge' relevant for judgements about *causal* (but non-causative) language

(Nadathur & Lauer 2020, Baglini & Bar-Asher Siegal 2021, a.o.)

Telicity and culmination

Durative telic predicates (accomplishments) are associated with:

- **culmination (conditions):** object creation/destruction (*bake/eat a cookie*), terminus (*run a marathon*), state transition (*open a door*)
- **culmination assumption:** telic *Ps* *only denote culminated events*

Observation: we can refer to **non-culminated stages** of telic events

- (1) Henny wrote a symphony. → *He completed it.*
- a. Henny **began** to write a symphony (but gave up right away).
 - b. Henny **stopped** writing a symphony (and never began again).

Two questions:

- ① **Analytical:** what governs truth, felicity of non/culminated uses?
- ② What (**conceptually, lexically, semantically**) links relevant processes and culmination conditions?

Telicity and the imperfective paradox

The puzzle of telic predicates is linked to the **imperfective paradox**:

(Dowty 1979)

- telic **progressives** are acceptable where culmination is precluded, clashing with the **culmination assumption**

- (2) Henny **was writing** a symphony when she died.
↗ The symphony was eventually completed.

PAST+PROG

Roadmap:

- 1 The imperfective paradox
- 2 Expectation and culmination: generalizing from the data
- 3 Proposal: causal models for telic predicates
- 4 Revisiting the data
- 5 Summary and outlook

Outline of the talk

- 1 Introduction
- 2 The imperfective paradox
- 3 Expectation and culmination: generalizing from the data
- 4 Causal models for telic predicates
- 5 Revisiting the data
- 6 Summary and outlook

The imperfective (progressive) paradox

Telic **perfectives** often have **culmination entailments**:

(3) Maya wrote a book. \rightarrow *A complete book came into being.*

Prevalent explanation:


(i) **Culmination assumption**: $e \in \llbracket P_{\text{tel}} \rrbracket$ contains process + culmination

(ii) **Aspects instantiate P -eventualities** relative to reference time t

(4) $\llbracket \text{PFV} \rrbracket := \lambda w \lambda t \lambda P. \exists e [\tau(e) \subseteq t \wedge P(e)(w)]$

(cf. Klein 1994, Kratzer 1998, Bhatt & Pancheva 2005, a.o.)

Result: $e \in \llbracket P \rrbracket$ **culminates**, so t includes **culmination** ...



...leading to **culmination entailment**


The imperfective (progressive) paradox

Wrong predictions for telic **progressives**:

If **PROG** instantiates $e \in \llbracket P \rrbracket$ as **ongoing** at $t \dots$

$$\llbracket \text{PROG} \rrbracket := \lambda w \lambda t \lambda P. \exists e [\tau(e) \supseteq t \wedge P(e)(w)]$$

\dots **culmination assumption** requires culmination in w^*



Contradicts empirical data, leading to 'paradox':

- (5) Henrietta **was crossing** the street (when she was hit by a truck).
no entailment: \nrightarrow Henrietta reached the opposite side.

Two assumptions, two approaches

Puzzle: why/when does $\text{PROG}(P)$ apply to **partial** P -eventualities?

- (A) **Intensional** PROG : **culmination** takes place in alternative worlds
(Dowty 1979, Landman 1992, Asher 1992, Bonomi 1997, a.o.)
- maintain **culmination assumption**, but allow PROG to **introduce modal alternatives**
 - **analytical challenge:**
constrain the modal relationship so that some P -eventuality 'begins' in w^*

Two assumptions, two approaches

Puzzle: why/when does $\text{PROG}(P)$ apply to **partial** P -eventualities?

- (A) **Intensional** PROG: **culmination** takes place in alternative worlds
(Dowty 1979, Landman 1992, Asher 1992, Bonomi 1997, a.o.)
- (B) **Extensional** PROG: instantiate **non-culminated** P -eventualities
(e.g., Bach's 1986 'partitive puzzle', Parsons 1990, Szabó 2008)
- maintain **extensional** PROG, but **revise the culmination assumption**
 - **analytical challenge:**
what properties **qualify a partial ('process') eventuality as making progress** towards culmination

Two assumptions, two approaches

Puzzle: why/when does $\text{PROG}(P)$ apply to **partial** P -eventualities?

- (A) **Intensional** PROG: **culmination** takes place in alternative worlds
(Dowty 1979, Landman 1992, Asher 1992, Bonomi 1997, a.o.)
- (B) **Extensional** PROG: instantiate **non-culminated** P -eventualities
(e.g., Bach's 1986 'partitive puzzle', Parsons 1990, Szabó 2008)

Our approach: ultimately, we need both perspectives

Outline of the talk

- 1 Introduction
- 2 The imperfective paradox
- 3 Expectation and culmination: generalizing from the data
- 4 Causal models for telic predicates
- 5 Revisiting the data
- 6 Summary and outlook

Culmination, expectation on the intensional view

Intensional PROG: (Dowty 1979, Asher 1992, a.o.)
A *P*-eventuality is ongoing if reference time facts predict culmination

- $\text{PROG}(P) = 1$ iff events at t develop to culmination in **all normal/ inertial alternatives** to w^*

Inertial alternatives \sim ongoing processes continue uninterrupted

- alternatives are projected from circumscribed **perspectives** (Asher)

(5) Henrietta was crossing the street (when the truck hit her).

A set of facts including Henrietta, the truck, & their physical properties predicts collision as 'inertial' outcome

Upshot: truth of telic PROG is tied to likelihood, expectation (necessity) of culmination in relevant alternatives

Culmination, expectation on the intensional view

Intensional PROG:

$\text{PROG}(P) = 1$ iff ref time events develop into culminated P -eventualities in **all normal alternatives**

Impossible event (IE) progressives are out:

- (6) **Context.** Meena's 5 year old daughter Maya wrongly believes that the earth is made entirely of sand and soil. She is digging a hole (with the intention of tunnelling all the way through).

Meena: ?/✗ **Maya is digging a hole to China.**

- **false:** no (objective) perspective has normal culmination alternatives

Culmination and expectation on the intensional view

Local culmination accessibility is a problem for **unlikely events (UEs)**:

(7) Henrietta was crossing a minefield

(8) **The sailing competition** (Bonomi 1997)

An international association organizes a sailing competition to circumnavigate the globe. 100 boats take part, and they all set sail from the same point. A few days later, a spokesman says:

✓ 100 boats are circumnavigating the globe. Most will fail.

- **intensional** PROG requires all normal continuations to culminate
- **so:** (7)-(8) are predicted to be **false**
- **because:** 'typical' attempts will not end successfully (failure is normal)

Empirically: (7)-(8) are both acceptable and **true**

Culmination, expectation on the intensional view

Solution? Capture **IE/UE contrast** by weakening intensional PROG to an existential

Dowty (1979) rejects this option based on an example attributed to Thomason:

- (9) **The coin toss.** A fair coin is tossed and is still rising at utterance time.
- The coin is coming up heads.
 - The coin is coming up tails.
- (9a) is true in half of the inertial futures, (9b) in the other half
 - existential PROG makes both (9a), (9b) **true**, counter to intuition
- (9) c. The coin is coming up heads or tails (but I don't know which)

Culmination, expectation on the intensional view

Solution? Capture **IE/UE contrast** by weakening intensional PROG to an existential

Still too strong for **out of reach (OOR)** contexts:

(10) **The un(der)trained runner** (cf. Szabó 2008, Varasdi 2014)

Benny began an ultramarathon for which he (knowingly) undertrained; it was certain before the start that he lacked the stamina to complete the run, but he meant go as far as he could.

- a. *Friend/observer*: ✓Benny was running an ultramarathon (when he collapsed from exhaustion).
- b. *Benny*: ✓I was running an ultramarathon (when I collapsed).

- predicted **false**: no situation containing Benny (+ relevant properties) is expected to continue to culmination

Empirically: (10)a-b are both acceptable and **true** in context

Culmination, expectation ... intentions?

An alternative generalization?

- in the **UE, OOR** cases, agents' intentions appear to supersede culmination potential

Benny is *running an ultramarathon* because his intention is to do so

Intention (alone) does not generalize:

- telic predicates are not necessarily agentive
- **IE, OOR** cases differ with changes in information about intentions: compare (6) to the case of Benny in (10)

(6) **Context.** Meena's 5 year old daughter Maya wrongly believes that the earth is made entirely of sand and soil. She is digging a hole (with the intention of tunnelling all the way through).

- a. Meena: ?/✗ Maya is digging a hole to China.
- b. Maya: ✓I am digging a hole to China.

Beyond culmination and expectation

Acceptable **UE, OOR** cases show that telic PROGs don't need locally-accessible culmination alternatives, instead:

- what matters for (10): is Benny doing what he *would need to be doing* to complete an ultramarathon?
- (10)a-b are **true** because he is pursuing a plausible **culmination procedure**
- **UE, OOR PROGs** differ from **IE PROGs** w.r.t. (world-historical) existence of **culmination procedures**
- intentions can be evidence for a culmination strategy

Two requirements for telic PROGs:

- ① the existence of a realistic strategy/process for realizing culmination (per speaker's epistemic state)
- ② actual events match the culmination strategy: ref time events must *make progress towards culmination*

Outline of the talk

- 1 Introduction
- 2 The imperfective paradox
- 3 Expectation and culmination: generalizing from the data
- 4 Causal models for telic predicates
- 5 Revisiting the data
- 6 Summary and outlook

Modeling progress: preview

Goal: combine intensionality, partitivity in the structure of telic predicates

- process-culmination relationship is **modal** in nature
process leads to culmination in some *normative* sense
- actual events constitute **part of a P -eventuality**
(but without local culmination expectation)

Idea: telic P s invoke knowledge about necessary, sufficient conditions for initiating, developing, completing culmination processes

- a **type-level causal model** for culmination condition C_P provides 'recipe(s)' for realizing C_P
+ relevant preconditions (properties, facts, events) and relationships
- model induces a **(causal) mereological structure**, mediated through the relationship between process and C_P
- actual eventualities *partially realize* P if they conform to a causal pathway (\sim normative/teleologically-optimal process) for C_P

Overview: structural equation models (Pearl 2000)

Causal information is represented by a **directed acyclic graph** D :

- **nodes** (finite set Σ): salient prop. variables (can be valued $u, 0, 1$)
- **edges**: atomic relations of **causal relevance** ($P \xrightarrow{\text{c-influences}} Q$)
- **structural equations**: specify how nodes' values are determined from their ancestors'

Function Θ_D assigns to each $X \in \Sigma$ a pair $\langle Z_X, \theta_X \rangle$ where Z_X is the set X 's immediate ancestors, $\theta_X : \{0, 1\}^{|Z_X|} \rightarrow \{0, 1\}$

- **causal consequences**: of a *situation* s (3-way valuation of Σ) are calculated using D and Θ_D

In lexical semantics:

Causal language refers to (predicates, presupposes) particular structural configurations as different causal dependency types


(cf. Nadathur & Lauer 2020, Baglini & Bar-Asher Siegal 2021)

Illustration: the Lifschitz circuit

(11) The circuit example:

(Lifschitz 1990)

- Suppose there is a circuit with two switches and one light, such that the light is on (L) exactly when both switches are in the same position (up or not up).
- At the moment switch 1 is down, and switch 2 is up.



- (a) states the causal laws
- (b) gives us an initial setting (background situation)
- given (b), we expect the **causal consequences** to include that the light is off ($L = 0$)

Causal relationships in a model

Model structure allows us to define different causal relations:

(Nadathur & Lauer 2020, Baglini & Bar-Asher Siegal 2021)

- **background:** causation is a property of sets; effects are realized as the result of collections of conditions acting together
- causative predicates pick out causes with particular (binary) relationships to an effect *within a set of causes acting together*

Relations of interest (informally):

- **Causal necessity:**
Within a situation s with both C and E , fact C is causally necessary for fact E iff changing C changes E
- **Causal sufficiency (of sets):** $\text{SUFF}^M(s, E)$
A set s is sufficient for E iff E is true in s and s otherwise comprises necessary causes for E .

Causal necessity and causal sufficiency, formally

Let $M = \langle D, \Theta_D \rangle$ be a causal model over set Σ , s a situation (set of pairs $\langle A, a \rangle$ with $A \in \Sigma$, $a \in \{0, 1\}$).

- (12) a. **Causal ancestors:** For $X \in \Sigma$, the set A_X of **causal ancestors** of X is given by $A_X = \{Y \in \Sigma \mid R_{\Theta_D}^T(X, Y)\}$ (where $R_{\Theta_D}^T$ is the transitive closure of immediate ancestry)
- b. **Domain of a situation:** For s a situation, let $\text{DOM}(s) = \{X \in \Sigma \mid \langle X, 1 \rangle \in s \vee \langle X, 0 \rangle \in s\}$

(13) **Causal necessity.**

A fact $\langle X, x \rangle \in s$ is **causally necessary** for fact $\langle Y, y \rangle \in s$ iff:

- a. $X \in A_Y$
- b. for any situation s' such that $\text{DOM}(s) = \text{DOM}(s'), s(X) \neq s'(X) \rightarrow s - s' = \{\langle X, x' \rangle, \langle Y, y' \rangle\}$, where $x \neq x', y \neq y'$

(14) **Causal sufficiency (of sets).**

A situation s is a **sufficient set** for a fact $\langle Y, y \rangle \in s$ iff:

$\forall X \in \{Z \mid Z \in A_Y \wedge Z \in \text{DOM}(s)\}, \langle X, s(X) \rangle$ is causally necessary for $\langle Y, y \rangle$

Causal models: from the specific to the general

Past work: (Bar-Asher Siegal & Boneh 2020, Nadathur & Lauer 2020, a.o.)

- **statements of singular causation** (causative claims): about **token instances** of causation (actual relations between specific events)
- licensed by models of local relationships; truth depends on variables taking values at specific places/times

(Hausman 1998, 2005; Woodward 2003)

Today: language also draws on **type-level causal models**

- models are built from experience, capture idealized representations of world knowledge: *how things work* and/or *how to do things*
- generalized representations of events capture causal regularity, correspond to claims about typical relationships between properties
- type models support specific (token) expectations, but need not be falsified by singular failures

Claim: type-level models underlie lexicalization, use of complex eventuality predicates

Motivating type-level causal models in language

Abilities:

(cf. Nadathur 2021, 2023)

- x *can*_{ab} $A \not\equiv$ circumstantial possibility
- instead: x *has a way to bring* $A(x)$ *about*
Indicates speaker belief that $A(x)$ generally depends on prior action by x
- causal structure can explain logical properties, temporal asymmetries in the interpretation of abilitative claims
- **crucially:** ability claims are not falsified by occasional failure

Accomplishments (durative telic predicates):

today

- *bake a cake* \sim perform a series of actions which, taken together, bring a cake into being
- *presuppose* a type-level causal model; truth depends on match between model and actuality
- type vs. token: it is possible to engage in an appropriate process *without realizing the type-level result* . . .
- . . . resulting (for instance) in imperfective paradox effects

Imperfective paradox: the view from causal models

Causal models: a framework for modeling progress that combines intensional, partitive perspectives on paradox effects

An **accomplishment event type** is a causal model M_P for predicate P :

- culmination condition C_P occurs in M_P as a dependent variable
- M_P links certain conditions/steps to one another and to C_P
- a **process** for P (a **causal pathway** S for C_P) is a set of jointly sufficient conditions for C_P $(\text{SUFF}^{M_P}(S, C_P))$
- the model also specifies sufficient sets for **non-culmination** ($\neg C_P$)

Beyond progressives: M_P induces a **mereological structure** where $\llbracket P \rrbracket$ contains (non-)culminated eventualities; e_1, e_2 are comparable as subsets if they belong to the same causal pathway for C_P

Imperfective paradox: truth conditions for $\text{PROG}(P)$

Informally:

Given a model M_P for telic P with culmination condition C_P , the progressive is true at time t iff the situation s at t is a **possible cross-section of a non-culminated P -eventuality**:

- (a) s realizes some part (condition Q) of a causal pathway for C_P
- (b) s does not realize a complete pathway for C_P
- (c) s does not realize a sufficient set for non-culmination ($\neg C_P$)

Formally:

For telic predicate P with culmination condition C_P :

$$(15) \quad \text{PROG}(P, t) = 1 \text{ iff}$$

$$\exists s[\tau(s) \circ t \wedge [\exists Q \exists S : Q \in S \wedge \text{SUFF}^{M_P}(S, C_P) \wedge Q(s)]] \quad (a)$$

$$\wedge [(\forall S' : \text{SUFF}^{M_P}(S', C_P)[\exists Q' \in S' : Q'(s) \rightarrow \exists Q'' \in S' : \neg Q''(s)]] \quad (b)$$

$$\wedge [\forall \Omega : \text{SUFF}^{M_P}(\Omega, \neg C_P)[\exists \omega \in \Omega : \neg \omega(s)]] \quad (c)$$

Outline of the talk

- 1 Introduction
- 2 The imperfective paradox
- 3 Expectation and culmination: generalizing from the data
- 4 Causal models for telic predicates
- 5 Revisiting the data
- 6 Summary and outlook

Culmination puzzles from a causal perspective

Intensional PROG accounts cannot differentiate between **IE**, **UE**, and **OOR** PROGs, but the causal approach does:

- ① **IE** PROGs are **infelicitous** (not **false**): event model does not exist
 - e.g., no set of conditions sufficient for digging a hole to China
- ② **UEs**, **OORs** have models: truth thus depends on actual events
 - to complete an ultramarathon, one must show up at the start, take steps along the path, ...
 - even though Benny's properties ensure eventual failure, PROG holds because his actions up to collapse match a culmination pathway
 - **upshot**: it's predictable that his endurance will fail, but Benny's actions until then can *make progress towards culmination*

Globally necessary conditions

Globally necessary conditions have a special status in the model: they must be sustained throughout the development of a P -eventuality

Q is a **GNC** iff $\text{SUFF}^{M_P}(\{\neg Q\}, \neg C_P)$

Observation: Intentions act as GNCs for agentive accomplishments

- (16) **Context.** Benny began running in a marathon at 9am. He sat down exhausted at 11:35, intending to end his run. But since he felt better after a short rest and refreshment, he decided to continue; he started running again at 11:50am.

Target: Benny was running a marathon

- **true at 11:30, 11:55, false at 11:40** (additional judgements needed)

Captured by condition (c) for telic progressives:

(c) s does not realize a sufficient set for non-culmination

See also Varasdi (2014) on sustaining vs. indicative conditions for telic P s

Globally necessary conditions: a refinement

$$Q \text{ is a GNC iff } \text{SUFF}^{MP}(\{\neg Q\}, \neg C_P)$$

GNCs are minimal conditions for P -eventualities to be in progress:

(cf. Bonomi 1997)

- no truth judgements where GNCs are underdetermined

(17) **Context.** Benny began running in a marathon (42K). Knowing he had undertrained, he intended to stop early. He planned to decide at 15K whether to stop there or continue to 21K. He collapsed at 10K, before making a decision. Later, he says:

Benny: ? I was running a 15K/half marathon.

Presupposition: $\forall Q : \text{SUFF}^{MP}(\{\neg Q\}, \neg C_P), Q(s) \neq u$

Non-agentive GNCs: momentum, velocity (conserved quantities) for inanimate objects; see Bonomi (1997) for relevant examples

Outline of the talk

- 1 Introduction
- 2 The imperfective paradox
- 3 Expectation and culmination: generalizing from the data
- 4 Causal models for telic predicates
- 5 Revisiting the data
- 6 Summary and outlook

Summary and outlook

Imperfective paradox needs a combined intensional, mereological view:

- (locally-assessed) **culmination potential** cannot be the whole story
- the model provides a structure against which to measure the conditions under which a **token qualifies as partial realization (of type-defined whole)**

Progressives of accomplishments require causal knowledge but are **not themselves causal statements**:

- we need a (plausible) causal model to license $\text{PROG}(P)$
- use of $\text{PROG}(P)$ indirectly (via presupposition) conveys a speaker's belief in a causal model for P 's culmination (a belief that there is a way to do P)
- **but:** asserted content only reports a match between actual events and the structure of the type-level model

Outlook, questions

Debate has centered on **whether (uninflected) telic predicates or** PROG's are responsible for paradox effects: (Zucchi 1999, a.o.)

- **Event type models** are naturally tied to a predicate's meaning/representation (see also Nadathur & Filip 2021)
- How can non-telic (and punctual) predicates be linked to event-type causal models?
- What precisely is contributed by PROG, and what needs to be different for other cases of non-culmination (non-culminating perfectives, aspectual verbs)? (e.g., Martin 2020)
- Can the special status of **GNCs/sustaining conditions** be used to explain links between agentivity and (non-)culmination? (e.g., Martin & Schäfer 2012's *defeasible causatives*)

Acknowledgements

Prerna Nadathur:

Parts of this research were conducted within the project *Linguistic inference and the representation of causation*, funded by the Zukunftscolleg at the University of Konstanz

Universität
Konstanz



Zukunftscolleg



Elitzur Bar-Asher Siegal:

This work is part of the project *Talking about causation: linguistic and psychological perspectives* funded by the Niedersachsen-Israel Grant [Elitzur Bar-Asher Siegal and Nora Boneh (HUJI) and York Hagmayer (University of Göttingen)]




VolkswagenStiftung

Appendix: comparison with Landman (1992)

Landman: check for culmination in **continuation branch** of e in w

- building a continuation branch of event, world pairs:



Follow max development f of e in w , then move to closest v where f does not stop, iterate:

- e is a **stage of** f, g, \dots
- $v, z, \dots \in R(e, w)$
- reasonable options:** $v \in R(e, w)$ iff there is a reasonable chance based on *what is internal to e in w* that e continues in w as far as in v

Like the causal approach:

- Landman's PROG centers the possibility of *continuation* or *continued development* of a partial P -eventuality at each modal transition
- relies on notions of *partial realization* (via *stage of relation*)

Comparison with Landman (1992)

Continuation branches capture the difference between **IE**, **UE** PROGS:

- CB construction removes interruptors in series, so **UE** PROGS are fine as long as each interruption could be 'reasonably' avoided

(6) **Maya is digging a hole to China**

NB: **X** for Landman

(7) **Henrietta was crossing a minefield.**

- **predicts** past-tense **IE** PROGS **acceptable** if task is unexpectedly completed: CB only looks at w^* continuations of e

(18) (I would never have believed it at the time, but) Maya was digging a hole to China!

On the causal approach:

- Maya's success is evidence of a legitimate causal pathway (i.e., whatever she did); the truth-conditional match follows
- **prediction:** difficult to apply in other scenarios (model lacks detail)

Comparison with Landman (1992)

Ultimately: Landman's PROG is intensional, existential (\exists P -culmination in $R(e, w)$):

- does not explain **OOR** PROGS (locally no reasonable chance of completion)
- wrong preds for disjunctive/underdetermined cases (Bonomi 1997)

(19) **Context.** Meena was driving north from Monterey, intending to go to either SF or Oakland. At San Jose, she had not yet decided, when she got into a trip-ending accident.

- ✓ Meena was driving to a Bay Area city (SF or Oakland)
- ? Meena was driving to SF
- ? Meena was driving to Oakland

- Landman: (18a) requires CB of w^* trip to culminate (in SF or Oak)
- **but:** neither of (18b,c) holds, not improved by overt uncertainty

(19) d. ? Meena was driving to SF or she was driving to Oakland, but I don't know which

Comparison with Landman (1992)

The causal approach:

- **gives content** to the notions of *partial realization* (via causal structure), *stage of* (subset of a culmination pathway; **condition a**)
 - **makes good on the intuition** that *continuation possibilities* matter more than culmination: **condition b**, **condition c**
 - **actual events are normative parts** of culminating *P*-eventualities, culmination need not be locally *reasonable* (thus **UE**, **OOR** PROGS)
 - un(der)determination: GNCs only met for undistributed disjunction
 - Meena intends trip to culminate in [SF \vee Oakland] ✓(19a)
 - lacks specific intention for SF, Oakland ?(19)b,c
 - **NB:** epistemic uncertainty in non-agentive cases compare (19)d
- (20) [while fair coin is in the air]
 The coin is coming up heads or it is coming up tails, but I don't know which.

References

- ① Asher 1992. A default, truth-conditional semantics for the progressive. *L&P* 15.
- ② Bach 1986. The algebra of events. *L&P* 9.
- ③ Baglini & Bar-Asher Siegal 2021. Modelling linguistic causation. Ms.
- ④ Bonomi 1997. The progressive and the structure of events. *JSem* 14.
- ⑤ Dowty 1979. *Word meaning and Montague grammar*.
- ⑥ Hausman 1998. *Causal asymmetries*.
- ⑦ Hausman 2005. Causal relata: tokens, types, or variables? *Erkenntnis* 63.
- ⑧ Kaufmann 2013. Causal premise semantics. *Cognition* 37.
- ⑨ Landman 1992. The progressive. *JSem* 1.
- ⑩ Mackie 1965. Causes and conditions. *Am Phil Quarterly* 2.
- ⑪ Martin 2019. Non-culminating accomplishments. *Lang & Ling Compass* 13.
- ⑫ Nadathur & Filip 2021. Telicity, teleological modality, and (non-)culmination. *WCCFL* 39.
- ⑬ Nadathur & Lauer 2020. Causal necessity, causal sufficiency, and the implications of causative verbs. *Glossa* 5.
- ⑭ Parsons 1990. *Events in the semantics of English*.
- ⑮ Pearl 2000. *Causality*.
- ⑯ Schulz 2011. If you'd wiggled A, then B would've changed. *Synthese* 179.
- ⑰ Szabó 2008. Things in progress. *Phil Pers* 22.
- ⑱ Varasdi 2014. Making progressives: necessary conditions are sufficient. *JSem* 31.
- ⑲ Vendler 1957. Verbs and times. *Phil Rev* 66.
- ⑳ Woodward 2003. *Making things happen: a theory of causal explanation*.
- ㉑ Zucchi 1999. Incomplete events, intensionality, and imperfective aspect. *NLS* 7.