

# How to get software updates for a Full Wasta-Offline Mirror residing on a 1TB USB hard drive

## by Bill Martin (revised 28. August 2017)

### What is this document?



**wasta [Linux]**

This document is an illustrated guide that shows how to retrieve the latest Linux software and updates for use by the Wasta-Offline program from the Internet repositories (or software mirrors) saving those updates on an external 1TB USB drive

(known as a “full software mirror”). Wasta Linux users can then use the external 1TB USB drive to update the software on one or more Wasta Linux computers using the Wasta-Offline program which is pre-installed on all Wasta Linux systems.

### Who is this document for?

This document is designed to be a guide for an Advisor, Consultant, or Technician, as it involves the running of a script and interacting with prompts in a terminal window. But, don’t worry. The steps are well illustrated with screen shots and should be relatively easy for most users of Wasta Linux to follow.

### When does it make sense to use this procedure

It makes sense:

- When the 1TB drive containing the Full Wasta-Offline Mirror can be periodically updated using a reasonably fast, reliable, and inexpensive local Internet connection, or
- When the 1TB drive can be periodically taken to a location where Internet access is “free” or low cost, such as a regional center (like Ukarumpa) where the center keeps its own Linux software mirrors that you can access, to obtain the latest software updates for the Full Wasta-Offline Mirror
- Where you need to Install Wasta Linux on potentially many computers and bring those computers up to date in the most efficient way possible
- Where new software needs to be installed and that software doesn’t exist yet on any available Wasta computer

### Related How To documents

- [“How to obtain a Full Wasta-Offline Mirror residing on a 1TB USB hard drive”](#)
- [“How to update your Wasta-Linux software offline by memory stick or external hard drive”](#)
- [“How to get software updates from one Wasta computer and transfer them to another Wasta computer using wasta-offline-setup”](#)

## Where does Linux software reside? Is it secure?

Most Linux software is stored and maintained on public servers known as software repositories or mirrors. Those repositories and mirrors are highly secure and designed so that only trusted software developers are allowed to contribute and upload software to them. Anyone can “read” or “copy” software packages from them, but only software that has been “signed” by the use of encrypted “keys” is allowed into them.

## How is Linux software kept up to date?

Linux software is open source and the software used in Wasta Linux is being regularly updated by its developers who may enhance the software with new features, fix bugs, and issue security updates. Those developers securely post updates to the appropriate software repositories.


The software on your Wasta Linux computer can be kept up to date directly from the Internet, or indirectly - by accessing a “mirror” of the Internet repositories that have been previously downloaded onto an external USB hard drive – without needing to access the Internet.

This guide tells how to get the latest updates from the Internet (or other already updated mirror) and ensure that those updates are stored on an external USB hard drive that is dedicated for that purpose. The program we use to retrieve Linux software and updates from the repositories and mirrors is called **apt-mirror**. It is a command-line only program so it does not have a nice graphical interface, so I’ve created a script that makes it relatively easy to use apt-mirror. The script file is named **update-mirror.sh** and is located in the root directory of the 1 TB Full Wasta-Offline Mirror external USB drives that I distribute.

## Getting Started

### ***Step 1. Plug in the Full Wasta-Offline Mirror USB external hard drive***


With Wasta Linux booted up and running, insert the latest wasta-offline external drive you received from Bill Martin that contains the Full Wasta Offline Mirror already installed on it.



The wasta-offline program should start automatically within a few seconds after a the wasta-offline external hard drive is plugged in.

## Step 2. Cancel at the password prompt

You will be updating the wasta-offline software on this external drive so you will **not** be running wasta-offline in this case. So click the **Cancel** button on the “Authentication is required to run wasta [Offline]” dialog:




Clicking **Cancel** will quit the wasta-offline program.


## Step 3. Start up the File Manager (“Files”)

Keep the external 1TB drive plugged into the computer for the following steps.

Hover your mouse over the icons in the panel of programs near the lower left corner of your screen until you see the **Files** program. Run the **File Manager** program by clicking once on the **Files** tray icon:




We usually refer to the **Files** program as the **File Manager** (or by its real Linux name, which is **Nemo**). Here is a view of what you should see when the **File Manager** program is running - with the 1TB external Full Wasta-Offline Mirror plugged into the computer:



Under **Devices** in the left panel you should see the **LM-UPDATES** device, which is the label Bill has given to the external drive containing the full wasta-offline mirror. The presence of the little round icon to its right indicates that the LM-UPDATES device is “mounted” in the computer’s file system.

#### **Step 4. Select the external USB device (“LM-UPDATES”)**

Now select the **LM-UPDATES** device by clicking on it with your mouse pointer. The Files program should now display the contents of the LM-UPDATES device in the right hand pane of the Files’ window as shown below:



The **update-mirror.sh** file is a script file that we will run to update the software package data on the external hard drive. It is shown highlighted in the illustration above.


The **update-mirror.sh** script is one of a collection of wasta-scripts created by Bill Martin to manage the creation and maintenance of Full Wasta-Offline Mirrors on multiple 1TB USB hard drives. The scripts are maintained in a GitHub repository located at: <https://github.com/pngbill-scripts/wasta-scripts>. A copy of this repository that includes all of the wasta-scripts is provided on the USB external drive provided by Bill Martin.

### **Step 5. Run the update-mirror.sh script**


To run the update-mirror.sh script you will need to access the Internet, so make sure that your computer has access to the Internet.

**WARNING: You should continue this procedure only if your Internet data plan is capable of downloading gigabytes of data at no extra cost or at reasonable cost. The update procedure that we are about to do may need to download anywhere from a few kilobytes up to a few gigabytes.**

With your mouse double click on the update-mirror.sh file. You should see the following dialog:



Click on the **Run in Terminal** button. The computer will open a Terminal window and the **update-mirror.sh** script will start running inside that Terminal window:




## Step 6. Type your password (“blindly”)

The Terminal prompts the user (in this case the user is bill) for **[sudo] password for bill**: The password is the password that I enter when Wasta starts up at login. If the user is not an administrator, the password needs to be the password for the administrator. The prompt will have your user name instead of bill.

When typing your password you need to take care, because in a Terminal, Linux does not echo the keys you are typing for security reasons. Hence, **you will need to type your password blindly with the screen giving no feedback to help you**. Press the Enter key after typing your password. If you have typed your password correctly, the script will move on. If you make a mistake, the Terminal will say “Sorry, try again.” and continue to ask for your password until you type it correctly – or you can abort the running of the script by typing Ctrl + C (hold down the Ctrl key and press the C key, then release both) if you decide not to proceed.

## Step 7. Tell the script where to get software updates (type number 1, 2, 3, or 4)

Once you have successfully entered your password into the Terminal, the script continues to run and will output some information to the screen. In a short time, it will pause for 60 seconds and wait for you to respond to the prompt illustrated in the screen shot below:



```
Terminal
File Edit View Search Terminal Help

The current working directory is: /media/bill/LM-UPDATES
The mirror to receive updates is at: /media/bill/LM-UPDATES/wasta-offline/apt-mirror

Are we updating a master copy of the mirror? NO

Copying postmirror*.sh files to /media/bill/LM-UPDATES/wasta-offline/apt-mirror/var...
sending incremental file list

sent 80 bytes  received 12 bytes  184.00 bytes/sec
total size is 28,228  speedup is 306.83

wasta-offline is already installed on this computer.

addgroup: The group `apt-mirror' already exists.
User bill is in the apt-mirror group
Where should the Wasta-Offline Mirror get its software updates?
 1) Get software updates from the SIL Ukarumpa local network FTP server.
 2) Get software updates directly from the Internet (might be expensive!)
 3) Get software updates from a custom network path that I will provide.
 4) Quit - I don't want to get any software updates at this time.
Please press the 1, 2, 3, or 4 key, or hit any key to abort - countdown 53
```



This documentation assumes that you have good/affordable Internet access so you should type the number **2** to indicate to the script that you have selected the following option:

## 2) Get software updates directly from the Internet (might be expensive!)

If you do not respond within 60 seconds the **4) Quit** option will automatically be selected and the script will abort without downloading any information (and show the following message in the Terminal):

```
No selection made, or no response within 60 seconds. Assuming response of 4)
No software updates will be downloaded at this time. Script completed.

FINISHED: Press <ENTER> to exit...
```

and you can press the **Enter** key to close the terminal window. If the countdown gets to 1 before you can respond, you can simply run the `update-mirror.sh` script more than once if necessary to complete the operation of downloading software updates.

The number 1 option would be selected by users located at Ukarumpa who have access to the Linux mirrors that are kept up to date on the Ukarumpa PNG servers. The number 3 option would be selected by someone who has good access to a different server (in which case the script would ask you to type in a network path to that server). The number 4 option will just quit running the update-mirror script before downloading any data.

### Step 8. Wait for the software updates to download

Assuming that you select option **2** the script continues. The script makes some checks and installs and configures the apt-mirror program if necessary. It then begins the download of some index files that it uses to determine what software packages need to be updated in the existing mirror:

[illegible]

The above processing will take a few minutes. Once the “Processing indexes...” step has finished, the script will automatically start the actual download of the software updates:

[illegible]

Note the amount of data that “will be downloaded into archive.” Depending on how long since you last updated the mirror, this amount can range from 0 bytes to a number of Gigabytes of data. The time needed will depend on the speed of your Internet/network connection and amount of data to download.

The process continues automatically until the download process has completed. Once the download has completed, the script does some house-cleaning:

```
4.7 GiB will be downloaded into archive.
Downloading 1231 archive files using 20 threads...
Begin time: Wed Jul 12 16:48:49 2017
[20]... [19]... [18]... [17]... [16]... [15]... [14]... [13]... [12]... [11]...
[10]... [9]... [8]... [7]... [6]... [5]... [4]... [3]... [2]... [1]... [0]...
End time: Wed Jul 12 17:25:27 2017

4.5 GiB in 1130 files and 0 directories can be freed.
Run /media/bill/LM-UPDATES/wasta-offline/apt-mirror/var/clean.sh for this purpose.

Running the Post Mirror script ...
(/media/bill/LM-UPDATES/wasta-offline/apt-mirror/var/postmirror.sh)
```

and will present another (optional) timed prompt that looks like this:



```
Run the postmirror2.sh script to correct Hash Sum mismatches errors?
 1) No, don't run the script. There are no Hash Sum mismatches (default)
 2) Yes, run the script and get (75MB) of metadata from the Internet, or
 3) Yes, run the script and get (75MB) of metadata from the local FTP site
Please press the 1, 2, or 3 key, or hit any key to abort - countdown 1

No selection made, or no response within 60 seconds. Assuming response of 1
The postmirror2.sh script was not called. Script completed.
```

If you are watching the script run when this prompt appears, you can safely type **1** or just allow the countdown to go down to 1, after which the script will finish normally:

```
Post Mirror script has completed. See above output for any possible errors.

Make /media/bill/LM-UPDATES/wasta-offline/apt-mirror dir owner be apt-mirror:apt-mirror

The update-mirror.sh script has finished.
FINISHED: Press <ENTER> to exit...
```

Press Enter to close the Terminal window

At this point just press the **Enter** key to close the Terminal window.

You would only run the postmirror2.sh script if you saw a warning message in the script's output that indicated that it encountered "Hash Sum mismatch errors".

### **Step 9. Press Enter to exit and close the Terminal session**

Once the script has finished and you have pressed **Enter** to close the Terminal window.

### **Step 10. Remove the USB external hard drive**

You can now "Safely Remove" the external USB hard drive mirror. Hover the mouse over the icons found on the lower right corner of the desktop as you look for the **Removable drives** icon:



Click on the **Removable drives** icon to display the pop up menu:




The external USB drive mirror we are demonstrating is named **LM-UPDATES**. In this case it is the only device listed in the removable drives menu list (there may be other drives listed for your computer). Click on the icon shown in the illustration above to safely remove the external drive containing the wasta-offline updates (mirror).

You may see a brief notification at the top of your screen that says:



Unplug the external USB drive.

If instead, you see a brief notification that says:



make sure that you have pressed the Enter key within the Terminal window and the Terminal window has closed:

```
Post Mirror script has completed. See above output for any possible errors.  
Make /media/bill/LM-UPDATES/wasta-offline/apt-mirror dir owner be apt-mirror:apt-mirror  
The update-mirror.sh script has finished.  
FINISHED: Press <ENTER> to exit...
```

Press Enter to close the Terminal window

If the “Failed to unmount...” notification persists even after you have closed the Terminal (and it is not minimized on the task bar), it is generally safe to go ahead and unplug the external USB hard drive even if the “Failed to unmount...” notification persists when you try to “safely remove” the drive with the “Removable drives” pop up menu as shown farther above.

### **Step 11. Keep your Full Wasta-Offline Mirror up to date**

You may run the update-mirror.sh script periodically as described in this document. Update your mirror as often as you want to collect any software updates to bring the external 1TB mirror up to date.

### **Step 12. Use your Full Wasta-Offline Mirror to update and install software on any Wasta Computer**

**Next logical step** – use the updated 1TB Full Wasta-Offline Mirror to update the Wasta Linux system and install Linux software on your computers! That process is described and illustrated in the document named: [“How to update your Wasta-Linux software offline by memory stick or external hard drive”](#).