
Box

Setup for my personal (pet) server.

Felix Pojtinger

2021-12-11

Contents

1	Introduction	3
1.1	Contributing	3
1.2	License	3
2	Debian	4
3	IPv6	4
4	DNS	4
5	SSH	5
6	firewalld	5
7	APT	6
8	Traefik	6
9	Cockpit	9
10	Gitea	9

1 Introduction

1.1 Contributing

Found an error or have a suggestion? Please open an issue on GitHub (github.com/pojntfx/box):



Figure 1: QR-Code to the source code on GitHub

1.2 License

This document and included source code is Free Culture/Free Software.



Figure 2: Badge of the AGPL-3.0 license

Box (c) 2021 Felix Pojtinger

SPDX-License-Identifier: AGPL-3.0

2 Debian

```
1 sudo umount /dev/mmcblk0{,p1,p0}
2 curl -L 'https://raspi.debian.net/tested/20210823_raspi_3_bullseye.img.xz' | xzcat >/tmp/debian.img
3 sudo dd if=/tmp/debian.img of=/dev/mmcblk0 bs=4M status=progress
4 sync
5
6 sudo mkdir -p /mnt/raspi-boot
7 sudo mount /dev/mmcblk0p1 /mnt/raspi-boot
8 {
9     echo "root_pw=$(openssl rand -base64 12)"
10    echo "root_authorized_key=$(cat ~/.ssh/id_rsa.pub)"
11    echo "hostname=jeans-box"
12 } >>/mnt/raspi-boot/sysconf.txt
13 sudo umount /dev/mmcblk0{,p1,p0}
```

3 IPv6

```
1 ssh root@jeans-box
2 tee /etc/sysctl.d/privacy.conf <<'EOT'
3 net.ipv6.conf.all.use_tempaddr=2
4 EOT
5 sysctl -p
6
7 tee /etc/network/interfaces.d/eth0 <<'EOT'
8 auto eth0
9 iface eth0 inet dhcp
10
11 iface eth0 inet6 static
12     address 2001:7c7:2121:8d00::3
13     autoconf 1
14     accept_ra 2
15 EOT
16 systemctl restart networking
17
18 tee /etc/resolv.conf <<'EOT'
19 nameserver 2606:4700:4700::1111
20 nameserver 2606:4700:4700::1001
21 EOT
22 chatr +i /etc/resolv.conf
23 sed -i /etc/hosts -e 's/\tlocalhost/\tlocalhost jeans-box/g'
```

4 DNS

1	jeans-box	10800	IN	AAAA	2001:7c7:2121:8d00::3
2	*.jeans-box	10800	IN	AAAA	2001:7c7:2121:8d00::3

5 SSH

```
1 ssh root@jeans-box.example.com
2 apt update
3 apt install -y sudo curl openssh-server locales
4 systemctl enable --now ssh
5
6 echo "LC_ALL=en_US.UTF-8" | tee -a /etc/environment
7 echo "en_US.UTF-8 UTF-8" | tee /etc/locale.gen
8 echo "LANG=en_US.UTF-8" | tee /etc/locale.conf
9 locale-gen en_US.UTF-8
10
11 adduser jean
12 su jean -c "mkdir -m 700 -p ~/.ssh && curl 'https://github.com/jean.
    keys' | tee -a ~/.ssh/authorized_keys && chmod 600 ~/.ssh/
    authorized_keys"
13 usermod -aG sudo jean
14
15 echo 'PermitRootLogin no' | tee /etc/ssh/ssh_config.d/no-root.conf
16
17 passwd -d root
18 passwd -l root
19 chsh -s /sbin/nologin
20 rm ~/.ssh/authorized_keys
21
22 systemctl restart ssh
```

6 firewalld

```
1 ssh jean@jeans-box.example.com
2 sudo apt update
3 sudo apt install -y firewalld
4 sudo systemctl enable --now firewalld
5 sudo firewall-cmd --zone=public --add-interface=eth0 --permanent
6 sudo firewall-cmd --permanent --add-service=mdns
7 sudo firewall-cmd --permanent --add-service=llmnr
8 sudo firewall-cmd --reload
```

7 APT

```
1 ssh jean@jeans-box.example.com
2 sudo apt update
3 sudo apt install -y unattended-upgrades
4
5 sudo tee /etc/apt/apt.conf.d/50unattended-upgrades <<'EOT'
6 Unattended-Upgrade::Origins-Pattern {
7     "origin=*";
8 }
9 Unattended-Upgrade::Automatic-Reboot "true";
10 Unattended-Upgrade::Automatic-Reboot-Time "02:00";
11 EOT
12 sudo systemctl enable --now unattended-upgrades
13 sudo unattended-upgrades --debug
```

8 Traefik

```
1 ssh jean@jeans-box.example.com
2 sudo apt update
3 sudo apt install -y podman
4 echo 'unqualified-search-registries=["docker.io"]' | sudo tee /etc/
   containers/registries.conf.d/docker.conf
5 sudo systemctl enable --now podman-auto-update.timer
6
7 sudo mkdir -p /etc/traefik
8 sudo tee /etc/traefik/traefik.yaml<<'EOT'
9 entryPoints:
10     web:
11         address: ":80"
12
13     websecure:
14         address: ":443"
15
16     sshalt:
17         address: ":2222"
18
19     websecurealt:
20         address: ":8443"
21
22 providers:
23     file:
24         filename: /etc/traefik/services.yaml
25         watch: true
26
27 api:
28     dashboard: true
```

```
29
30 certificatesResolvers:
31   letsencrypt:
32     acme:
33       email: jean@example.com
34       storage: /var/lib/traefik/acme.json
35       httpChallenge:
36         entryPoint: web
37
38 log:
39   level: INFO
40 EOT
41
42 sudo tee /etc/traefik/services.yaml<<'EOT'
43 tcp:
44   routers:
45     ssh:
46       entryPoints:
47         - websecurealt
48       rule: HostSNI(`*`)
49       service: ssh
50     giteaSSH:
51       entryPoints:
52         - sshalt
53       rule: HostSNI(`*`)
54       service: giteaSSH
55     sshOverTLS:
56       entryPoints:
57         - websecure
58       rule: HostSNI(`ssh.jeans-box.example.com`)
59       service: ssh
60     tls:
61       certResolver: letsencrypt
62       domains:
63         - main: ssh.jeans-box.example.com
64   services:
65     ssh:
66       loadBalancer:
67         servers:
68           - address: localhost:22
69     giteaSSH:
70       loadBalancer:
71         servers:
72           - address: localhost:3022
73
74 http:
75   routers:
76     dashboard:
77       rule: Host(`traefik.jeans-box.example.com`)
78     tls:
79       certResolver: letsencrypt
```

```
80     domains:
81         - main: traefik.jeans-box.example.com
82     service: api@internal
83     entryPoints:
84         - websecure
85     middlewares:
86         - dashboard
87     cockpit:
88         rule: Host(`cockpit.jeans-box.example.com`)
89         tls:
90             certResolver: letsencrypt
91             domains:
92                 - main: cockpit.jeans-box.example.com
93         service: cockpit
94         entryPoints:
95             - websecure
96     gitea:
97         rule: Host(`gitea.jeans-box.example.com`)
98         tls:
99             certResolver: letsencrypt
100         domains:
101             - main: gitea.jeans-box.example.com
102         service: gitea
103         entryPoints:
104             - websecure
105     dex:
106         rule: Host(`dex.jeans-box.example.com`)
107         tls:
108             certResolver: letsencrypt
109             domains:
110                 - main: dex.jeans-box.example.com
111         service: dex
112         entryPoints:
113             - websecure
114
115     middlewares:
116         dashboard:
117             basicauth:
118                 users:
119                     - "jean:$apr1$dYdt8Zrl$TsEfzaedPGyjdrDk8EfRN." # htpasswd -nb
120                               htpasswd -nb jean asdf
121
122     services:
123         cockpit:
124             loadBalancer:
125                 serversTransport: cockpit
126                 servers:
127                     - url: https://localhost:9090
128         gitea:
129             loadBalancer:
130                 servers:
```



```
130         - url: http://localhost:3000
131     dex:
132         loadBalancer:
133             servers:
134                 - url: http://localhost:5556
135
136     serversTransports:
137         cockpit:
138             insecureSkipVerify: true
139 EOT
140
141 sudo podman run -d --restart=always --net=host --label "io.containers.
    autoupdate=image" -v /var/lib/traefik:/var/lib/traefik -v /etc/
    traefik:/etc/traefik --name traefik traefik
142
143 sudo firewall-cmd --permanent --add-service=http
144 sudo firewall-cmd --permanent --add-service=https
145 sudo firewall-cmd --permanent --add-port=8443/tcp
146 sudo firewall-cmd --reload
147
148 curl -Lu jean:asdf https://traefik.jeans-box.example.com/ # Test the
    Traefik dashboard
149 ssh -p 8443 pojntfx@jeans-box.example.com # Test SSH over TCP
150 ssh -o ProxyCommand="openssl s_client -connect ssh.jeans-box.example.
    com:443 -quiet" pojntfx # Test SSH over TLS
```

9 Cockpit

```
1 echo 'deb http://deb.debian.org/debian bullseye-backports main' | sudo
    tee /etc/apt/sources.list.d/backports.list
2 sudo apt update
3 sudo apt install -t bullseye-backports -y cockpit cockpit-podman
4
5 curl https://cockpit.jeans-box.example.com/ # Test Cockpit
```

10 Gitea

```
1 sudo mkdir -p /var/lib/gitea
2 sudo podman run -d --restart=always --label "io.containers.autoupdate=
    image" --net slirp4netns:allow_host_loopback=true,enable_ipv6=true -
    p 3000:3000 -p 3022:22 -v /var/lib/gitea:/data -v /etc/timezone:/
    etc/timezone:ro -v /etc/localtime:/etc/localtime:ro -e 'USER_UID
    =1000' -e 'USER_GID=1000' --name gitea gitea/gitea
3 sudo firewall-cmd --permanent --add-port=2222/tcp
4 sudo firewall-cmd --reload
```

```
5
6 curl https://gitea.jeans-box.example.com/ # Test Cockpit
```

Now visit <https://gitea.jeans-box.example.com/> and run the Wizard; use the following values:

- SSH Server Domain: gitea.jeans-box.example.com
- SSH Server Port: 2222
- Gitea Base URL: <https://gitea.felicias-box.alphahorizon.io/>
- Use your email SMTP server in [Email Settings](#), enable [Email Notifications](#) and [Require Email Confirmation to Register](#)
- Under [Server and Third-Party Service Settings](#), enable [Disable Self-Registration](#) (if you want to prevent others from using Gitea)
- Under [Administrator Account Settings](#), create your admin account

Note that the installation might take a while (about 1 minute)