

# Uni App Security Notes

Felix Pojtinger

October 12, 2021

Introduction

Contributing

License

Organization

Overview

Elements of a Secure Development Process

Support Hierarchy

Basics

What is Secure Software?

What is Security?

CISSP Domains/Certificates

Why Security?

Common Terms

Threat Agents

Developing Malware Utilizing

# Introduction

Contributing

## Contributing

These study materials are heavily based on [professor Heuzeroth's "Anwendungssicherheit" lecture at HdM Stuttgart](#).

**Found an error or have a suggestion?** Please open an issue on GitHub ([github.com/poijntfx/uni-appsecurity-notes](https://github.com/poijntfx/uni-appsecurity-notes)):



Figure 1: QR code to source repository

If you like the study materials, a GitHub star is always appreciated :)

License

# License



Figure 2: AGPL-3.0 license badge

Uni App Security Notes (c) 2021 Felix Pojtinger and contributors

SPDX-License-Identifier: AGPL-3.0

# Organization



# Organization

- ▶ 60 Minutes of test at the end
- ▶ Will have practical examples
- ▶ Threat detection plays a fundamental role in tests

## Overview

## Elements of a Secure Development Process

# Elements of a Secure Development Process

**Primary purpose:** Analysis of the data flow; data is both protected by the GDPR and represents value of the corporation

## ▶ Requirements

- ▶ Security-Requirements
- ▶ Anti-Requirements
- ▶ Abuse cases
- ▶ Protection poker
- ▶ → **Security analysis/architecture analysis**

## ▶ Draft

- ▶ AuthN/AuthZ
- ▶ Drafting concepts
- ▶ **Risk modelling**

## ▶ Implementation

- ▶ Secure implementation guidelines
- ▶ **Code review, dynamic analysis**

## ▶ Tests

- ▶ Security testing plans
- ▶ Security testing cases
- ▶ **Ethical hacking, pentesting, dynamic analysis**

## Support Hierarchy

# Support Hierarchy

- ▶ **Level 1:** Direct support with customers; call center, non-technical
- ▶ **Level 2:** People who know about typical problems with the software
- ▶ **Level 3:** Developers of the software

## Basics

What is Secure Software?



# What is Secure Software?

- ▶ Software which is protected against intentional attacks
- ▶ Every participant in the software development process should be interested in this objective
- ▶ Software must be hardened against all known attacks (and future, unknown attacks)

What is Security?

# What is Security?

- ▶  $Risk = \frac{Cost\ of\ breach}{Probability\ of\ breach}$
- ▶ A system is protected against threats compromising valuable data using measures which lead to a reduced, accepted risk.
- ▶ Accepted risk is defined by context of use (i.e. nuclear power: very low accepted risks)
- ▶ **Safety:** Protection of the environment from the functional effects a system
- ▶ **Security:** Protection of the system from threats from the environment
- ▶ Concrete definitions: [uni-itsec-notes#security-objectives](#); most importantly (“CIA objectives”):
  - ▶ Confidentiality
  - ▶ Integrity
  - ▶ Availability
- ▶ If there are contractions between the security objectives (anonymity vs. accountability): The context defines which objectives dominate over others

## CISSP Domains/Certificates

## CISSP Domains/Certificates

- ▶ **Security Engineering:** Engineering and Management of Security
- ▶ **Security Assessment and Testing:** Designing, Performing and Analyzing Security Testing
- ▶ **Security Operations:** Foundational Concepts, Investigations, Incident Management and Disaster Recovery
- ▶ **Software Development Security:** Understanding, Applying and Enforcing Software Security
- ▶ → This course strives for 80% of TPSSE compliance

Why Security?

# Why Security?

- ▶ Security is context dependent: On localhost and unprotected UNIX socket isn't an issue, but forward it with socat and it becomes a massive security vulnerability!
- ▶ With every change every test needs to be run again (regression testing)
- ▶ Typically ~30 errors in every 1000 lines of code
- ▶ Growing application complexity
- ▶ Devices are more and more connected which reduces the need for physical access
- ▶ Extensible architectures

## Common Terms



# Common Terms

- ▶ Exploit/Proof of Concept
- ▶ Attack
- ▶ Vulnerability
- ▶ Threat
- ▶ Error

1. Threat agent gives rise to threat
2. Threat exploits vulnerability
3. Vulnerability leads to risk
4. Risk can damage asset and causes exposure
5. Exposure can be countermeasured by a safeguard
6. Safeguard directly affects threat agent

## Threat Agents

# Threat Agents

- ▶ Virus (i.e. infection)
- ▶ Hacker (i.e. unauthorized access)
- ▶ User (i.e. wrong config, data loss)
- ▶ Fire (i.e. damage to computers)
- ▶ Worker (i.e. leaking)
- ▶ Other corporations (i.e. industrial espionage)
- ▶ Black hats (i.e. buffer overflows, DoS)
- ▶ Intruders (i.e. physically stealing drives)

## Researching Vulnerabilities

# Researching Vulnerabilities

- ▶ Classifying vulnerabilities by severity (low, middle, high)
- ▶ Classifying vulnerabilities by exploit range (local or remote)
- ▶ Intents to find trends and attacks
- ▶ Intents to find vulnerabilities before they can be exploited
- ▶ Intents to find countermeasures

## CVSS Metrics

# CVSS Metrics

Results in a number which can be used to classify the vulnerability.

## ▶ **Base Score Metrics**

### ▶ **Exploitability Metrics**

- ▶ **AV: Attack Vector:** Network, Adjacent Network, Local, Physical
- ▶ **AC: Attack Complexity:** Low, High
- ▶ **PR: Privileges Required:** None, Low, High
- ▶ **UI: User Interaction:** None, Required
- ▶ **S: Scope:** Unchanged, Change

### ▶ **Impact Metrics (CIA Metrics)**

- ▶ **C: Confidentiality Impact:** None, Low, High
- ▶ **I: Integrity Impact:** None, Low, High
- ▶ **A: Availability Impact:** None, Low, High

## ▶ **Temporal Score Metrics**

- ▶ **E: Exploit Code Maturity:** Not defined, unproven that exploit exists, proof of concept code, functional exploit exists, high
- ▶ **RL: Remediation Level:** Not defined, official fix, temporary fix, workaround, unavailable
- ▶ **RC: Report Confidence:** Not defined, unknown, reasonable, confirmed

## Balancing Security



# Balancing Security

- ▶ Security is always a balance between functionality and usability
- ▶ Security often means to have restrictions in terms of features

## Writing Secure Software

# Writing Secure Software

- ▶ Many sections
  - ▶ Secure development practices
  - ▶ Secure development process (supply chain security)
  - ▶ Security reviews
  - ▶ Pentesting
- ▶ Time and money should be invested into all sections according to individual risk, not only into a singular section

## Finishing Thoughts

# Finishing Thoughts

- ▶ Systems are only secure if all elements of the system are secure
- ▶ Perimeter and infrastructure security can not make the entire system secure
- ▶ Applications are always connected
- ▶ Development of secure systems is not a choice, but a must!