



Akademia Górniczo-Hutnicza im. Stanisława Staszica w Krakowie

AGH University of Krakow

AGH

Beamer theme AGH Sample presentation

Stanisław Polak

¹Faculty of Computer Science Kawiory 21 Street 30-055 Kraków Poland http://www.icsr.agh.edu.pl/~polak/

²Second affiliation



Stanisław Polak (AGH)

Beamer theme AGH

Information



```
E The current value of
← the left margin size
```

 \iff is 43.80011pt

The current value of \Longrightarrow the right margin size \Longrightarrow is 43.80011pt \Longrightarrow

You can change them with the 'margins' parameter — \usetheme[margins=...]{AGH}



Outline



Basic elements

Outline



Basic elements

2 Mathematics



Outline



- Basic elements
- 2 Mathematics
- 3 Computer Science



- Item 1
- Item 2
- Item 3



- Item 1
- Item 2
- Item 3

Uncovering one by one

• Item 1



- Item 1
- Item 2
- Item 3

Uncovering one by one

- Item 1
- Item 2



- Item 1
- Item 2
- Item 3

Uncovering one by one

- Item 1
- Item 2
- Item 3



- ① Item 1
- ② Item 2
- Item 3

- ① Item 1
- 2 Item 2
- Item 3

Uncovering elements in turn with simultaneous highlighting

1 Item 1

6/16

- ① Item 1
- 2 Item 2
- Item 3

Uncovering elements in turn with simultaneous highlighting

- ① Item 1
- 2 Item 2

Item 3

Uncovering elements in turn with simultaneous highlighting

- ① Item 1
- ② Item 2
- Item 3

Basic blocks



Definition

A set consists of elements.

Example

The set $\{1, 2, 3, 5\}$ has four elements.

Wrong Theorem

1 = 2.

Math environments



AGH

www.agh.edu.pl

Theorems

Theorem (Pythagorean)

$$a^2 + b^2 = c^2$$

. . .

Proofs

Proof.

. . .

Definition

. . .

Dynamic mathematical formula



$$\binom{n}{k}$$



$$\binom{n}{k} = \frac{n!}{k!(n-k)!}$$



 $_{1}$ /* The first program in C++ */

www.agh.edu.pl



```
AUI
```

```
1 /* The first program in C++ */
#include <iostream>
```



```
/* The first program in C++ */
#include <iostream>
```

3 using namespace std;

□ > ◆ 個 > ◆ 章 > ◆ 章 > ● | 章 ● の Q ()



```
/* The first program in C++ */
#include <iostream>
using namespace std;
void main()
```



```
/* The first program in C++ */
#include <iostream>
using namespace std;
void main()
  cout
```



AUH

```
/* The first program in C++ */
#include <iostream>
using namespace std;
void main()
{
   cout << "Hello World!"
}</pre>
```



```
АОП
```

```
/* The first program in C++ */
#include <iostream>
using namespace std;
void main()
{
   cout << "Hello World!" << endl;
}</pre>
```



AGH

/* The first program in C++ */



A G H

2

```
/* The first program in C++ */
#include <iostream>
```





```
AGH
```

2

3

```
#include <iostream>
using namespace std;
```

/* The first program in C++ */



```
AGH
```

5

```
/* The first program in C++ */
#include <iostream>
using namespace std;
void main()
{
```



5 6

7

```
/* The first program in C++ */
#include <iostream>
using namespace std;
void main()
  cout
```



AGH

5

6 7

```
/* The first program in C++ */
#include <iostream>
using namespace std;
void main()
{
   cout << "Hello World!"
}</pre>
```



```
7011
```

5

6 7

```
/* The first program in C++ */
#include <iostream>
using namespace std;
void main()
{
   cout << "Hello World!" << endl;
}</pre>
```







Information



The current version of the template is available at

 $\verb|https://github.com/polaksta/LaTeX/tree/master/beamerthemeAGH| \\$

Appendix





- Till Tantau, Joseph Wright, Vedran Miletić
 The beamer class
 http://mirror.ctan.org/macros/latex/contrib/beamer/doc/beameruserguide.pdf
- Leslie Lamport
 LATEX: a document preparation system: user's guide and reference manual
 Addison-Wesley Pub. Co., 1994

Bibliography II



Author Title of the article Editor, year Notes

- Author
 Title of the article
 Editor, year
 Notes
- [6] Author Title of the article Editor, year Notes

Appendix



[Polak98] Author Title of the article Editor, year Notes