TED	(15) -	1003

(REVISION — 2015)

Reg.	No.	 	 	
Sion	ature			

DIPLOMA EXAMINATION IN ENGINEERING/TECHNOLOGY/ MANAGEMENT/COMMERCIAL PRACTICE — OCTOBER, 2019

ENGINEERING PHYSICS - I

[Time: 3 hours

(Maximum marks: 100)

PART - A

(Maximum marks: 10)

Marks

- I Answer all questions in one or two sentences. Each question carries 2 marks.
 - 1. Write down the SI unit of coefficient of viscosity.
 - 2. Is the magnitude of displacement always greater than the distance travelled, explain.
 - 3. Define Resultant and Equilibrant of vectors.
 - 4. State Bernoulli's principle and give one application.
 - 5. Explain the phenomenon of resonance.

 $(5 \times 2 = 10)$

PART — B

(Maximum marks: 30)

- II Answer any five of the following questions. Each question carries 6 marks.
 - 1. Derive an equation for the distance travelled by a particle during the nth second of its motion, when the body is moving with uniform acceleration.
 - 2. The maximum value of resultant of two forces P&Q is 42 N and minimum value of resultant is 10 N. Find the forces.
 - 3. Describe an experiment to find the Young's modulus of wire.
 - Show that an open pipe produce all harmonic. Illustrate yours answer with diagrams.
 - 5. State Bernoulli's theorem and hence explain different types of energy associated with fluid flow. Write their equations.
 - 6. At marks 30 cm, 40 cm and 75 cm of a uniform meter scale of mass 0.5 kg, masses 1 kg, 2 kg and 2.5 kg are suspended respectively. Where should the scale be suspended so that it remains horizontal?
 - 7. Show that the projection of uniform circular motion along a diameter is simple harmonic.

 $(5 \times 6 = 30)$

PART — C

(Maximum marks: 60)

(Answer one full question from each unit. Each full question carries 15 marks.)

Unit — I

(a) Define the terms speed, velocity and acceleration. 3 (b) State the law of motion that helps to measure force. Define force and explain how force is measured. 6 (c) A body travels 30m in 5th second and 80m in 7th second of its motion. Find the distance travelled in the 9th second of its motion. 6 OR (a) Define the terms force, momentum and impulse. IV 3 (b) Illustrate Newton's third law with an example. Explain the principle of recoil of gun and derive an expression for recoil velocity. 6 (c) A body covers 120m in the 4th second. If it travels 240m in 8 second, calculate its acceleration and initial velocity. 6 UNIT — H V (a) Define resultant of vectors. Explain triangle method of vector addition. 3 (b) State law of parallelogram of forces. Find out the magnitude and direction of two forces P&Q acting at an angle θ. Discuss the cases for θ=0°, 90°&180°. 6 (c) What do you mean by couple? Find the couple acting on the shaft of a electric motor when developing a power 9420 W at a speed 300 revolution per minute. 6 VI (a) Define moment of force. State the conditions of equilibrium of a rigid body acted upon by a number of coplanar parallel forces. 3 (b) Derive an expression or work done by a couple and hence calculate the power. 6 (c) The bob of a simple pendulum is pulled aside by a horizontal force so that string makes an angle 30° with the horizontal. If mass of bob is 50 gm, find the horizontal force applied. 6 Unit - III VII (a) Write a note on the three types of strain. 3 (b) Give Poiseuille's formula. Describe Poiseuille's method to determine the coefficient of viscosity of water. 6 (c) 27 identical droplets of water come down through air with constant terminal velocity 3 cm/s. Find the terminal velocity when they combine to form a single drop. 6

			Marks
VIII	(a)	Write a note on two types of fluid flow.	3
	(b)	Give Stoke's formula. Describe Stokes method to determine the coefficient of viscosity of highly viscous liquid.	6
	(c)	A cable is replaced by another of same length and material but twice the diameter. Analyze how it effects the elongation under a given load.	6
		Unit — IV	
IX	(a)	Write down the characteristics of a particle executing SHM.	3
	(b)	Derive an expression for the fundamental frequency and third harmonic in closed pipe of length 'L'.	6
	(c)	In resonance column experiment first and second resonance length were 17.6 cm and 53.2cm when executed by a tuning fork of frequency 484Hz. If the lab temp is 25°C, calculate the velocity of sound in air.	6
		OR	
X	(a)	Write a note on nodes and antinodes produced in a stationary wave.	3
	(b)	Discuss the resonance column experiment to determine velocity of sound in air.	6
	(c)	Velocity of sound at 30°C is 358 m/s. Find the velocity at 60°C.	6