

POLITECNICO MILANO 1863

CodeKataBattle

Requirements Analysis and Specifications Document

> Software Engineering 2 project Academic year 2023 - 2024

> > 20 October 2023 Version 0.0

Autors: Tommaso Pasini Elia Pontiggia Michelangelo Stasi Professor: Matteo Camilli

Revision History

Date	Revision	Notes
23/10/2023	v.0.0	Document creation
	v.1.0	First relese

Contents

_	.			
1		oducti		4
	1.1	-	se	4
		1.1.1	Purpose of the document	4
		1.1.2	Purpose of the product	4
		1.1.3	Goals	5
	1.2	Scope		5
		1.2.1	World Phenomena	6
		1.2.2	Shared Phenomena	6
	1.3	Definit	tions, Acronyms, Abbreviations	8
		1.3.1	Definitions	8
		1.3.2	Acronyms	8
		1.3.3	Abbreviations	8
	1.4	Refere	ence Documents	8
	1.5		nent Structure	9
2	Ove	rall D	escription	10
	2.1	Produ	ct Perspective	10
		2.1.1	Scenarios	10
		2.1.2	Class Diagram	12
		2.1.3	State Diagrams	12
	2.2	Produ	ct Functions	14
	2.3		characteristics	14
	2.4		nptions, Dependencies and Constraints	14
		2.4.1	Domain Assumptions	14
		2.4.2	Dependencies	14
		2.4.3	Constraints	14
3	\mathbf{Spe}	cific R	equirements	15
	3.1	Exterr	nal Interface Requirements	15
		3.1.1	User Interfaces	15
		3.1.2	Hardware Interfaces	15
		3.1.3	Software Interfaces	15
		3.1.4	Communication Interfaces	

CONTENTS CONTENTS

K	r _f	rt Spe	nt			20
4	For	mal Ar	alysis Using Alloy			19
		3.5.5	Portability	 	 	18
		3.5.4	Maintainability	 	 	18
		3.5.3	Security	 	 	18
		3.5.2	Availability	 	 	18
		3.5.1	Reliability	 	 	17
	3.5	Softwa	re System Attributes	 	 	17
	3.4	Design	Constraints	 	 	17
	3.3	Perfor	nance Requirements	 	 	17
	3.2	Functi	onal Requirements	 	 	16

1. Introduction

1.1 Purpose

Software development is one of the most sought-after skills globally, and its growing importance is setted to persist in during future years. The versatility of this ability allows solving many problems in different fields, including science, art, and entrepreneurship. The acquisition of software development skills improves both creativity and innovation, as well as fosters the development of fundamental skills such as problem-solving, logical thinking, and effective communication. To understand and master software development, it is essential to have the ability to design, write, and test software programs. Dedication and patience are necessary for the gradual process of learning programming. Theory is a foundational element, but it is only the start of developing your skills. Consistent practice is necessary to master concepts and programming techniques.

1.1.1 Purpose of the document

The aim of this document is to give a comprehensive explanation of the requirements and specifications for the project. Functional and non-functional requirements are provided, with a focus on real possible use cases, end user interaction, and system limits and constraints. Those who will read this document include end users who are primarily interested in a high-level description of the features and developers who must implement the requirements presented in this document.

1.1.2 Purpose of the product

The purpose of the product is to provide a solution to the problem previously highlighted. The CodeKataBattle project, or CKB, is a platform that assist students in enhancing their software development abilities through battles. Students in teams participate in programming exercises where they complete software projects following a test-first approach. Creating battles, setting rules, and evaluating students' performance are tasks that educators do. CKB promotes skill development, competition, and evaluation, fostering a collaborative and skill-building atmosphere.

Introduction 1.2. Scope

1.1.3 Goals

The following table provides an aggregate list of the specific goals that must be accomplished by CodeKataBattle system.

- G1 Educators can create tournaments that involve coding battles to challenge students.
- G2 Provides educators with the ability to track student software development knowledge, evaluate the code written during battles, and monitor the overall tournament score.
- G3 Educators can customize battles by defining specific rules, achievement objectives, and evaluation methodology.
- G4 Students can improve software development skills by taking part in coding tournaments and battles where they must write programs.
- G5 Coding battles enable students to enhance their soft skills, such as communication, collaboration, and time management, by creating team and collaborating with the members.

Table 1.1: Goals

1.2 Scope

CodeKataBattle (CKB) is a platform for students to enhance their software development skills through collaborative coding challenges. Educators create code kata battles within specific tournaments, encouraging students to improve their coding proficiency. In a code kata battle, teams of students compete to solve programming exercises in their chosen language, following a test-first approach.

To set up a battle, educators upload a code kata, specify the group size, registration and submission deadlines, and scoring parameters. Once created, students form teams, register for the battle, and receive access to a GitHub repository containing the code kata. They are required to automate their workflow through GitHub Actions.

The battle score, ranging from 0 to 100, is determined by both mandatory automated evaluation (test case pass rate, timeliness, source code quality) and optional manual evaluation (personal scores assigned by educators). The platform updates the score as students commit their code.

During the competition, students and educators can track the evolving rank. After the submission deadline, there is a consolidation stage for manual evaluation, and the final battle rank is shared with participants. Gamification badges, defined by educators, reward students based on their performance.

CKB also calculates personal tournament scores, enabling students to compare their performance across various tournaments. When educators close a tournament, the final Introduction 1.2. Scope

tournament rank is shared with all participants.

CodeKataBattle fosters collaborative coding challenges, helping students improve their software development skills while introducing competition and gamification elements to enhance engagement and recognition.

1.2.1 World Phenomena

WP1	The students fork the GitHub repository of the code kata.
WP2	Students set up an automatic workflow in the GitHub repository.
WP3	The students work on the code kata battle.
WP4	The students push their work to the GitHub repository.
WP5	An educator upload correct test cases and automation scripts.
WP6	An educator evaluates the work done by the team at the end of the code kata battle.

Table 1.2: World Phenomena

1.2.2 Shared Phenomena

ID	Description	Controlled by
SP1	An user register its personal data in CodeKataBattle system specifing if it is a student or an educate	
SP1	A registered user insert its credentials to get i CodeKataBattle environment	in
SP1	An educator creates a tournament	
SP2	An educator grants other colleagues permission to create battles	50
SP3	An educator creates a battle within a tournamen	t
SP4	Students are notified of a new tournament	
SP5	Students are notified of a new upcoming battle within a tournament they are subscribed to	le
SP6	Students use the platform to form teams	

Introduction 1.2. Scope

SP7	Student invite other students to join its team respecting the boundaries imposed	
SP8	Student join a battle on his own	
SP9	Student join a battle towards an invite -¿ Possono scegliere di essere soli oppure devono per forza	
SP10	The platform sends the link of the GitHub repository to all students who are members of subscribed teams	
SP11	Students are asked to fork the GitHub repository and set up an automated workflow	
SP12	The forked repository's workflow notifies the platform of a new push	
SP13	The platform updates the battle score of a team	1
SP14	The educator uses the platform to go through the sources produced by each team	
SP15	The educator assigns additional score to the teams after the evaluation	
SP16	The platform notifies the teams when the final battle rank becomes available	
SP17	The platform updates the personal tournament score of each student	
SP18	An educator closes a tournament	
SP19	The platform notifies all students involved in the tournament about its end	
SP20	All users see the list of ongoing tournaments as well as the corresponding tournament rank	
SP21	An educator defines the gamification badges	I
SP22	Student visualize gained badges on its profile	

Table 1.3: Shared Phenomena

1.3 Definitions, Acronyms, Abbreviations

1.3.1 Definitions

Term	Definition
Educator	Identifies a person who provides instruction or education, such as a teacher.
Student	Identifies a person who is studying at a school or college.

Table 1.4: Definitions

1.3.2 Acronyms

Acronyms	Term
CKB	CodeKataBattle
EDU	Educator
STD	Student

Table 1.5: Acronyms

1.3.3 Abbreviations

Abbreviation	Term
w.r.t	With reference to
\mathbf{G}_i	i-th goal
\mathbf{WP}_i	i-th World Phenomena
\mathbf{SP}_i	i-th Shared Phenomena
\mathbf{R}_i	i-th Requirement

Table 1.6: Abbreviations

1.4 Reference Documents

- Assignment RDD A.Y 2023-2024
- Course slides on WeeBeep

- RASD review by Prof. M. Camilli
- ISO/IEC/IEEE 29148 dated 2018, Systems and software engineering Life cycle processes Requirements engineerings

1.5 Document Structure

The structure of this RASD document follows six main sections:

- 1. **Introduction:** provides an overview of the problem at hand, the purpose of the document and the project, the scope of the domain, and introduces the main goals of the system as a solution.
- 2. **Overall Description:** gives a general description of the system, going into more details about its main functions. The description is assisted with the help of UML diagrams, such as class, activity and state diagram. The domain assumptions of the examined world are then explained along with any dependencies and constraints.
- 3. **Specific Requirements:** specifies the functional and non-functional requirements of a software system. It includes use cases diagrams, descriptions of each use case, and related sequence diagrams. Finally, it provides a mapping of the requirements to both goals and use cases.
- 4. **Formal Analysis Using Alloy:** contains Alloy models which are used for the description of the application domain and his properties, referring to the operations which the system has to provide and some critical aspects of the system.
- 5. **Effort Spent:** keeps track of the time spent to complete this document. The first table defines the amount of hours used by the whole team to get important decisions and to make reviews, the other tables contains the individual effort spent by each team member.
- 6. **References:** lists all the documents used and that were helpfull in drafting the RASD.

2. Overall Description

2.1 Product Perspective

2.1.1 Scenarios

Creating a tournament

Chip, a professor of Algorithm and Data Structures at Mouseton Institute of Technology, prepared to teach the chapter on strings, launching the "Strings Operations" coding tournament on CKB. To expand participation, he allowed his colleague Dale to create challenges for his software engineering class. Students across classes would compete in string manipulation tasks, ranging from basic concatenation to advanced text analysis, fostering collaboration and learning. To make the tournament more interesting, Chip decided to award badges to the best performing students, so he created a badge for the student who participated in the most tournaments, one for the student who won the most battles and one for the student that wrote the most lines of code. All students already subscribed to CKB were notified of the new tournament, and they could join it from the tournament page.

Creating a battle

In order to get the students familiar with the CKB platform and its features, Chip created an easy battle for his students to practice on, called "wordcheck", that basically requires the student to implement the game wordle. He decides that the battle will last 2 weeks and that the students will be able to work in teams of 2 or 3 people; they will be able to join the battle until the last day of the battle. In addiction, he wants to give extra points to the code cleanup, so he will have to revise the code of each team at the end of the battle and assign extra points to the teams that wrote clean code. He sets all this information in the battle creation form and then he creates the battle.

Joining a battle

Huey and Dewey, two students of Chip's class, are notified of a new battle and decide to join it. Since the more the merrier, they decide to invite their friend Louie to join them in the battle. After the registration deadline, they are notified that the battle is about to start and they are given the link to the GitHub repository of the battle to fork and set up the automated workflow in order to be able to link their GitHub account to the CKB platform. After the automated workflow is set up, they are ready to start working on the battle.

Improving the score and obtaining a badge

Donald is a warrior of the "wordcheck" battle and he is working on the battle alone. After a fitst commit, he logs in to the CKB to check his score. He sees that he is in the 3rd position and that he is 10 points behind the leader group, that is composed by Huey, Dewey and Louie. Fortunately, the battle is still open and the CKB platform allows him to improve his score by pushing new commits to the GitHub repository, so he decides to work on the battle for a couple of days and then push his work to the GitHub repository. After checking his score again, he sees that he is now in the 1st position and moreover he obtained a badge for being the first to reach 100 points in the battle and now both students and professors can see this badge when they visit Donald's profile.

Closing a battle

When the deadline for the battle created by Scrooge is reached, all participants are notified that the battle is closed and that they can't push new commits to the GitHub repository. Scrooge is notified that the battle is closed and he can now evaluate the code of each team and assign extra points for the clarity of the comments and the code, as he decided when he created the battle. After the evaluation, the final rank of the battle is available to all participants and the students are notified that they can now see the final rank of the battle.

Closing a tournament

Chip decides to close the "Strings Operations" tournament, even if the deadline is not reached yet. In order to do so, he logs in to the CKB platform and he closes the tournament. All participants are notified that the tournament is closed and that they can't join it anymore, in the end, the CKB platform makes the final rank of the tournament available to all participants.

Accessing the scores of the players

Huey wishes to enroll to the class of Advanced Algorithms and Data Structures held by professor Pippo, so he applies for the class. Pippo, who wants to make sure that Huey is a good student, comes to know that Huey is a very active user of the CKB platform and he decides to check his profile. He sees that Huey has a very high score in the "Strings Operations" tournament and that he has a badge for being the most active user of the platform and he also notes that Huey is involved in more than one tournament simultaneously. Thanks to the CKB platform, Pippo has now a complete overview of Huey's skills and he can decide whether to accept his application or not.

2.1.2 Class Diagram

2.1.3 State Diagrams

The following state diagrams describe the life cycle of the main entities of the system. Moreover, they also specify the sequence of states that an object goes through during its lifetime in response to stimuli from the environment. We want to focus on the events that cause a transition from one state to another and the actions that result from a state change.

Tournament

After an educator creates a tournament, it is both in the registration open and tournament open states.

In the registration open state, students can join the tournament, while in the tournament open state, educators with the right permissions can create battles within the tournament, and that leads the tournament to the battling state.

When the deadline for the registration is reached, the tournament moves to the *registration closed* state and no more students can join it.

When the deadline for the registrations is reached, no more students can join the tournament and it moves permanently to the registration closed state.

During the *battling* state educatos can start multiple parallel battles and, if and only if all battles are ended, the educator can finally close the tournament.

Battle

The battle evolves in a linear way, starting from the *registration opem* immediately followed by the *registration closed* state.

After the registration deadline is reached, the github repository of the battle is created and thus the battle moves to the *coding* state, allowing the students to fork the repository and start working on the battle.

When the deadline for the battle is reached, the educators can start evaluating the code of the students, if previously enabled (consolidation state).

After the evaluation is completed, the battle can be closed and the final rank is available to all participants.

Score evaluation

The score evaluation is a process that is triggered by the end of a battle and it is composed by multiple steps.

First, three aspects can be automatically evaluated: functional aspects (the higher the better, +), timeliness (the lower the better, -) and quality level of the sources, extracted through static analysis tools (+).




Figure 2.1: Tournament state diagram




Figure 2.2: Battle state diagram




Figure 2.3: Score evaluation state diagram

Finally, if the educator enabled the manual evaluation, he can assign extra points.

2.2 Product Functions

2.3 User characteristics

2.4 Assumptions, Dependencies and Constraints

2.4.1 Domain Assumptions

2.4.2 Dependencies

2.4.3 Constraints

- The software must follow local laws and rules, especially when it comes to handling user data, like letting users access their data when they want.
- The software should only collect the data it really needs, like just the user's email address.
- To keep users' important info safe, like passwords, it must be stored in SHA256 encoding in the database.
- When choosing external APIs, especially those that are crucial for it to work properly, we should pick the ones that are the most dependable and always available.

3. Specific Requirements

3.1 External Interface Requirements

In the following, the interfaces, both hardware and software, of the system are described.

3.1.1 User Interfaces

3.1.2 Hardware Interfaces

To use the CKB platform, both the Educators and the Students need an electronic device connected to the Internet, like a computer, a tablet or a smartphone.

As the platform's primary functionality is closely tied to coding activities, it is expected that users will predominantly employ personal computers to access an Integrated Development Environment (IDE). Consequently, the platform's interfaces have been optimized for use on computer screens.

3.1.3 Software Interfaces

Since the platform is web-based, it is compatible with all the major operating systems, as long as they have a modern browser installed.

3.1.4 Communication Interfaces

The system requires a stable internet connection to work properly. The backend of the system will expose a unified RESTful API to communicate with all clients.

Furthermore, he system relies on various external interfaces accessible via uniform web API. These services are:

- **GitHub API:** to create and manage repositories and to retrieve the code of the students and to authenticate users.
- Mail API: to send emails to the users to notify them about events.

3.2 Functional Requirements

In order to work properly, the software must fulfill the following functional requirements:

- 1. **Ri** The software shall allow the students to create an account
- 2. **Ri** The software shall allow the educators to create an account
- 3. Ri The software shall allow the students to login
- 4. **Ri** The software shall allow the educators to login
- 5. Ri The software shall allow the educators to create new tournaments
- 6. **Ri** The software shall allow an educator to grant to other colleagues the permission to create battles
- 7. **Ri** The software shall allow the educators allowed for a specific tournament to create coding kata battles in a that specific tournament by letting them uploading the code kata, setting minimum and maximum number of students per group, setting a registration and a final submission deadlines, setting score configurations
- 8. Ri The software shall allow the students to form teams Penso che dovrei essere più specifico e dire come creare i team ma d'altro canto non dovrei parlare come se conoscessi l'implementazione
- 9. Ri The software shall send to all students who are members of subscribed teams to a kata battle the link to a GitHub repository containing the code kata Qui non so se dovrei parlare anche dell'interazione con GitHub per la creazioen delle repo
- 10. **Ri** The software shall run the tests on executables pushed by a team and it shall also calculate and update the battle score of the corresponding team
- 11. **Ri** The software shall allow the educator to manually evaluate the work done by students subscribed to his own kata battle and the software shall show the sources produced by each team
- 12. **Ri** At the end of the consolidation stage of a specific battle b, the software shall send a notification to all students partecipating to b when the final battle rank becomes available
- 13. **Ri** The software shall allow to all educators and students subscribed to CKB platform to see the personal tournament score of each student (which is the sum of all battle scores received in that tournament) and a rank that measures how a student's performance compares to other students in the context of that tournament. They should also see the list of ongoing tournaments as well as the corresponding tournament rank.

- 14. **Ri** The software shall allow an educator to close a tournament if and only if he is one of the owner of that tournament
- 15. **Ri** The software shall notify all students involved in a closed tournament when the final tournament rank becomes available
- 16. **Ri** When the educator creates a tournament, the software shall allow him to define gamification badges concerning that specific tournament
- 17. **Ri** The software shall allow the educator to create new badges and define new rules as well as new variables associated with them in his own tournaments
- 18. **Ri** The software shall allow to all users to visualized the badges: in particular, both students and educators can see collected badges when they visualize the profile of a student

3.3 Performance Requirements

To guarantee a good user experience, the system must:

- Make sure the backend can grow as needed, respond quickly to changes, and balance the workload effectively.
- Be protected against DDoS attacks to keep the system safe and stable.
- Create a user-friendly, responsive front-end. It should handle well even when the internet isn't great, so users have a smooth experience.
- Send push notifications really quickly, so users don't even notice the delay.

3.4 Design Constraints

3.5 Software System Attributes

3.5.1 Reliability

Since some functionality of the system relies on external APIs, though the system should not completely fail because of failure in one of those.

It's also important to avoid data loss through redundant storage methods.

3.5.2 Availability

In the event of an unplanned system downtime, all features should be restored as quickly as possible to minimize any inconvenience. To prevent such occurrences, it is crucial for the CKB platform to have a reliable infrastructure, including redundant servers, to ensure continuous operation. The aimed availability of the system is 99.5%, which means that the system can be down for a less than two days per year.

The system should also be able to handle a large number of concurrent users.

3.5.3 Security

Users of the system have distinct privileges according to their roles (student / educator), determined during the login process.

All data and information transferred and stored within the system are secured through robust encryption methods, such as HTTPS, ensuring data privacy and security.

3.5.4 Maintainability

The source code and associated documentation must include clear comments and should be consistently maintained. During the design and development phases, emphasis should be placed on achieving modularity, minimizing coupling, and ensuring high cohesion between components. This is especially crucial for both the front-end and back-end, allowing developers to make updates to the back-end seamlessly without causing any disruptions or noticeable changes for users.

To avoid inconvenience in solving any type of problem (e.g. server downtime), maintenance services are notified to all users with an advance notice of at least 36 hours.

3.5.5 Portability

Due to the fact that the CKB platform is a distributed system, and it doesn't rely on a specific hardware or software, it can be used / accessed in multiples way.

Summary of Non-Functional Requirements

4. Formal Analysis Using Alloy

5. Effort Spent

Team

Topic	Time
Division of work	2h

Table 5.1: Effort Spent during team meetings

Tommaso Pasini

Topic	Time
Organizationion document	1.5 h
Completion and correction chapter 1	4h

Table 5.2: Effort Spent by Tommaso Pasini

Elia Pontiggia

Topic	Time
Scenarios	1h
State diagrams	2h
Specific requirements	1h30m
LATEX document setup and configuration	2h

Table 5.3: Effort Spent by Elia Pontiggia

Michelangelo Stasi

Topic	Time
Functional Requirements	1h

Table 5.4: Effort Spent by Michelangelo Stasi