#### Question 1

Correct

Mark 1.00 out of 1.00


Flag question

Name	Null?	Туре
PROMO_ID	NOT NULL	NUMBER(6)
PROMO_NAME	NOT NULL	VARCHAR2(30
PROMO_SUBCATEGORY	NOT NULL	VARCHAR2(30
PROMO_SUBCATEGORY_ID	NOT NULL	NUMBER
PROMO_CATEGORY	NOT NULL	VARCHAR2(30
PROMO_CATEGORY_ID	NOT NULL	NUMBER
PROMO_COST	NOT NULL	NUMBER(10,2)
PROMO_BEGIN_DATE	NOT NULL	DATE
PROMO_END_DATE	NOT NULL	DATE

View the Exhibit and examine the structure of the PROMOTIONS table. You need to generate a report of all promos from the PROMOTIONS table based on the following conditions:

- 1. The promo name should not begin with 'T' or 'N'.
- 2. The promo should cost more than \$20000.
- 3. The promo should have ended after 1st January 2001.

Rearrange the WHERE clause to obtain the required result?



# Question 2

Correct Mark 1.00 out of

Flag question

1.00

### Observe this table.

#### CUSTOMERS

CUST_NO	CUST_NAME	CUST_CITY	CUST_CREDIT_LIMIT
101	KING	NEW YORK	100000
102	GREEN	BOSTON	150000
103	SCOTT	LONDON	
104	SMITH	BOSTON	

SQL> SELECT cust\_name AS "NAME", cust\_credit\_limit/2 AS MIDPOINT, MIDPOINT+100 AS "MAX LOWER LIMIT" FROM customers;

The above query produces an error on execution. What is the reason for the error?

#### Select one

- a. The alias NAME should not be enclosed within double quotation marks
- b. The alias MIDPOINT should be enclosed within double quotation marks for the CUST\_CREDIT\_LIMIT/2 expression
- c. An alias cannot be used in an expression
- Od. The MIDPOINT +100 expression gives an error because CUST\_CREDIT\_LIMIT contains NULL values

# Question **3**

Correct

Mark 1.00 out of 1.00

Flag guestion The SELECT statement is used to describe the table and the table data from a database. State true or false.

## Select one:

OTrue

●False ✔

