1

Assignment-1

Pooja H

Abstract—This assignment finds whether the lines passing through the given points are parallel or not.

Download all python codes from

svn co https://github.com/poojah15/ EE5609 AI20MTECH14003

1 Problem Statement

To show that the line passing through the points $\begin{pmatrix} 4 \\ 7 \\ 8 \end{pmatrix}$, $\begin{pmatrix} 2 \\ 3 \\ 4 \end{pmatrix}$ is parallel to the line through the points $\begin{pmatrix} -1 \\ -2 \\ 1 \end{pmatrix}$, $\begin{pmatrix} 1 \\ 2 \\ 5 \end{pmatrix}$

2 Theory

Let the lines be parallel and the first two points pass through n^T **x** = c1 i.e.

$$n^{T}x_{1} = c_{1} => x_{1}^{T}n = c_{1}$$

 $n^{T}x_{2} = c_{2} => x_{2}^{T}n = c_{2}$

and the second two points pass through $n^T \mathbf{x} = c2$ Then

$$n^{T}x_{3} = c_{3} => x_{3}^{T}n = c_{3}$$

 $n^{T}x_{4} = c_{4} => x_{4}^{T}n = c_{4}$

Putting all the equations together, we obtain

$$\begin{pmatrix} x_1^T \\ x_2^T \\ x_3^T \\ x_4^T \end{pmatrix} \mathbf{n} = \begin{pmatrix} c_1 \\ c_2 \\ c_3 \\ c_4 \end{pmatrix}$$

Now if this equation has a solution, then \mathbf{n} exists and the lines will be parallel.

3 Example

Given the points,
$$\mathbf{A} = \begin{pmatrix} 4 \\ 7 \\ 8 \end{pmatrix}$$
, $\mathbf{B} = \begin{pmatrix} 2 \\ 3 \\ 4 \end{pmatrix}$, and $\mathbf{C} = \begin{pmatrix} 2 \\ 3 \\ 4 \end{pmatrix}$

$$\begin{pmatrix} -1 \\ -2 \\ 1 \end{pmatrix}, \mathbf{D} = \begin{pmatrix} 1 \\ 2 \\ 5 \end{pmatrix}$$

Applying the row reduction procedure on the coefficient matrix:

$$\begin{pmatrix}
4 & 7 & 8 \\
2 & 3 & 4 \\
-1 & -2 & 1 \\
1 & 2 & 5
\end{pmatrix}
\xrightarrow{r_3+r_4} \xrightarrow{r_1-2r_2}
\begin{pmatrix}
4 & 7 & 8 \\
0 & 1 & 0 \\
-1 & -2 & 1 \\
0 & 0 & 6
\end{pmatrix}$$

$$\xrightarrow{r_3-6r_4} \xrightarrow{r_1-7r_2}
\begin{pmatrix}
4 & 0 & 8 \\
0 & 1 & 0 \\
-1 & -2 & 0 \\
0 & 0 & 6
\end{pmatrix}
\xrightarrow{r_1-8r_4} \xrightarrow{r_4/6}
\begin{pmatrix}
4 & 0 & 0 \\
0 & 1 & 0 \\
-1 & -2 & 1 \\
0 & 0 & 1
\end{pmatrix}$$

$$\xrightarrow{r_3+r_4} \xrightarrow{-r_3-2r_2}
\begin{pmatrix}
4 & 0 & 0 \\
0 & 1 & 0 \\
1 & 0 & 0 \\
0 & 0 & 1
\end{pmatrix}
\xrightarrow{r_1-4r_3}
\begin{pmatrix}
0 & 0 & 0 \\
0 & 1 & 0 \\
1 & 0 & 0 \\
0 & 0 & 1
\end{pmatrix}$$

Here, the number of non-zero rows are three and hence the rank of the matrix is 3 which implies that the solution exists. Therefore the lines passing through A, B and C, D are parallel.