

MATH 302

CHAPTER 2

SECTION 2.6: INTEGRATING FACTORS

CONTENTS

What's An Integrating Factor	2
Finding Integrating Factors	3

EXAMPLE 1. Verify if

$$(3x + 2y^3)dx + 2xydy = 0$$

is exact.

A function $\mu = \mu(x, y)$ is an **integrating factor** for

$$M(x, y)dx + N(x, y)dy = 0$$

if the equation

$$\mu(x, y)M(x, y)dx + \mu(x, y)N(x, y)dy = 0$$

is exact.

Let's start with the equation

$$\mu(x, y)M(x, y)dx + \mu(x, y)N(x, y)dy = 0. \quad (1)$$

Trick:

General Facts: Let M , N , M_y , N_x be continuous on an open rectangle R .

- if $(M_y - N_x)/N$ is independent of y , then

$$\mu(x, y) = \pm e^{\int p(x) dx}$$

is an integrating factor for (1) where $p(x) = (M_y - N_x)/N$.

- if $(N_x - M_y)/M$ is independent of x , then

$$\mu(x, y) = \pm e^{\int q(y) dy}$$

is an integrating factor for (1) where $q(y) = (N_x - M_y)/M$.

EXAMPLE 2. Find an integrating factor for the equation

$$(2xy^3 - 2x^3y^3 - 4xy^2 + 2x)dx + (3x^2y^2 + 4y)dy = 0.$$

EXAMPLE 3. Find an integrating factor for the equation

$$2xy^3dx + (3x^2y^2 + x^2y^3 + 1)dy = 0$$

and solve the equation.

