# Assignment Project Exam Help Computer Graphics

Add Welchar powcoder 2021 Term 3 Lecture 3

## What did we learn last week?

## **Graphics in a Nutshell**

- History of Modern Exam Help
- What's in the Course https://powcoder.coms
- Polygon Rendering overview Course coding platformed WeChat powcoder

# What are we covering today?

## **2D Graphics**

- Continuing our lear grant Project Exam Help
- The OpenGL Pipeline Colouring shapes with prace powcoder.com
- **Textures**

# The OpenGL Pipeline

Assignment Project Exam Help

https://powcoder.com

# **Going from Data to Pixels**

Last week, we looked at the Polygon Rendering Process ...

Today, we go into more than Project Exam Help




Image credit: learnopengl.com

# A step by step process

## A breakdown of the OpenGL Pipeline

- Vertex Data is Assignment Project Exam Help
- Vertex Shader
- https://powcoder.com Shape Assembly
- Geometry Shader (not covered in this course)
  Rasterization Add WeChat powcoder Rasterization
- Fragment Shader
- Tests and Blending (we'll look at this in later lectures)

# Before the OpenGL Pipeline

#### What are our shapes?

- In our CPU Codessignment Project Exam Help
- We will build up information first (like a vertex vector) ... then pass it to Open 1... then pass it to Open 2...
- Each vertex can have a position vector (x,y,z coordinates)
  Also colours! (Red, Green, Bue Chat powcoder
- And more . . .


# How does OpenGL receive our data?

#### **Buffers and Arrays**

- We give information as big to lead on the Exam Help
  - o This is very similar to an array in memory
- But we tend to dum https://poweoder.com
- How do we organise it into separate vertices?
- How much data is in Add whe Chatre we wooder
- Vertex Buffer Object can store many vertices
- Vertex Attributes split up a single vertex into different information

## **Vertex Attributes**

## Each Vertex takes up a certain amount of memory



- Add Weehat powcoder
  Attributes are things like coordinates, colours and other information
- Each attribute is somewhere in the vertex's memory
- We can tell OpenGL how big a vertex is and where in each vertex's memory each attribute is

# **Vertex Array Object**

We end up with a group of Vertex Attribute

Pointers Assignment Project Exam He

 These allow us to reach each attribute in a https://powcoder.com

 We're also going to want to treat all the vertices in a buffer the same eChat powcod

 We end up with a Vertex Array Object which can be applied to every vertex in a particular Vertex Buffer Object

Image credit: learnopengl.com

attribute pointer 15

attribute pointer 2

VBO 1
pos[0] pos[1] pos[2] pos[3] ... pos[n]

VBO 2

pos[0] col[0] pos[1] col[1] ... col[n]

## The Vertex Shader

## Giving Shape Information to the Graphics Card

- The Vertex shadesignment Project Exam Help
- Each vertex will end up with a position (xyz coordinates)

  These might be different from what we provided (we'll learn more about this later)
- Some processing of Colour information with Chat power and the Chat p

# **Shape Assembly**

## We never explicitly code edges between vertices

- Edges don't exist, vertices Project Exam Help
- But how we connect them together is very important!

  OpenGL will take our is very important!

  OpenGL will take our is very important!

## **A Vector of Vertices**

Is it enough to give a big list of vertices?

- Can you make shapes man Project Exam Help
- Technically yes?
- Is this a good idea? https://powcoder.com
- Let's look at a simple example . Add WeChat powcoder

# A Rectangle

## I want to make a simple object

- Give a list of vertises to be the Project Exam Help makes two triangles that form a rectangle <a href="https://powcoder.com">https://powcoder.com</a> {A,B,D,D,B,C}
- This works . . . we get two triangles
  But why do we have overtices when there works . . . . we get two triangles are obviously only four corners?
- This is wasting memory in our VBO

# **Element Buffer Objects**

## Let's reuse vertices instead of copying them

- An array of vertices an Help
- A triangle is an array of three indices into this array Our two triangles: {0,1,2,5,1,2}owcoder.com
- This array is an **Element Buffer Object**Significant reduction in the number of vertices needed
- Allows shared vertices to only exist once
- The element buffer of ints is much cheaper than an array of vertices

## **Rasterization**

#### Conversion into grids of pixels

• Taking shapes Assignment Project Exam H

- Turning them into **fragments**, which correspond to pixels of the spreen coder.com
- But they have more information like knowing which vertices make up their shape (nearly coder always a triangle)




Image credit: Nvidia

# **Fragment Shader**

## A fragment is the information necessary to create a pixel

- Calculates the Hisignment Project Exam Help
- Knows about vertex data in the shape
  But will also know things like lights in a scene (we'll be spending weeks on this later!)
- This information all gets written to the prace street containing colours
- The Frame Buffer is like a 1:1 mapping to the pixels in the monitor

## **Break Time**

#### **Assignment 1 has been released!**

- Yes, it's a test Assignment Project Exam Helpls: P
- Also a chance to stretch your creativity with the techniques we've taught Due on the 1st October at 5pm wcoder.com

# **Colouring Shapes with Shaders**

Assignment Project Exam Help

https://powcoder.com

# How do we decide the colour of a pixel?


## We're using our Shaders!

- Vertices can have a gnowe at Project Exam Help)
- Red, Green, Blue, Alpha(transparency, which we're not using yet) Vertex Shaders can specify a polyurout output com
- Fragment Shaders can take that input and use it Add WeChat powcoder

## **Colour Attributes in Vertices**

#### We're adding information to Vertices

- This means each vegex needs Project Exam Help
- One to the 3 float vector of location Another to a 3 float set ps robustics and set of the set of t



# **Fragment Interpolation**

#### **Fragment Shaders and their tricks**

• Each fragment exists somewhere oject Exam Help between vertices

• Instead of just taking the colour from one of the vertices

• The fragment shader will interpolate powcoder values from all the vertices based on its position in the shape




Image credit: Marc Chee (using course example code)

## **Textures**

Assignment Project Exam Help

https://powcoder.com

## **Textures are Images!**

## Games before Polygon Rendering were often "sprite" based

Sprites are images ignment Project Exam Help

 It's like putting an image on a rectangle in our rendering https://powcoder.com



Image credit: Nintendo



## **Textures on Surfaces in 3D**

## 3D Objects can have images wrapped around them

- Shows surface detailment Project Exam Help triangles
- We can show details like faces, or surfaces like grass or brick walls Having lots of vertices and triangles is expensive (computationally)

Textures can be included in the render pipeline!



Images credit: id Software

# **Textures on Triangles**

#### Starting with the basics

- We can provide Spignment Project Exam Help
- We then "map" the vertices in our shape to coordinates in the image.

  The fragment shader can interpolate each fragment's position
- The colour from the texture is "sampled" to give the pixel its colour More on this next lead WeChat powcoder

# What did we learn today?

## **Details on Rendering**

- The OpenGL Pipeling united Project Exam Help
- Some details on code constructs

  o Vertex Buffer (VBO), VERDE (VBO), V
- Shaders in the pipeline
- An intro to Textures Add We Chat powcoder