



# *Introduction to General Relativity*

AMATH 475



Prof. Eduardo Martin-martinez

# Preface

---

**Disclaimer** Much of the information on this set of notes is transcribed directly/indirectly from the lectures of AMATH 475 during Winter 2020 as well as other related resources. I do not make any warranties about the completeness, reliability and accuracy of this set of notes. Use at your own risk.

For any questions, send me an email via <https://notes.sibeliusp.com/contact/>.

You can find my notes for other courses on <https://notes.sibeliusp.com/>.

---

*Sibeliusp Peng*

# Contents

---

Preface	1
0 Index notation	3

# Index notation

---

$$A = \begin{pmatrix} A^1_1 & A^1_2 \\ A^2_1 & A^2_2 \end{pmatrix} \quad B = \begin{pmatrix} B^1_1 & B^1_2 \\ B^2_1 & B^2_2 \end{pmatrix}$$

$$(A \cdot B)^a_b = A^a_c B^c_b = B^c_b A^a_c \quad \text{sum over all possible } c$$

Identify followings:

$$\begin{aligned} B_\kappa^\nu A_\mu^\kappa &= A_\mu^\kappa B_\kappa^\nu = C_\mu^\nu = (A \cdot B)_\mu^\nu \\ A^\kappa_\mu B_\kappa^\nu &= D_\mu^\nu = (A^T)_\mu^\kappa B_\kappa^\nu = (A^T \cdot B)_\mu^\kappa \\ A_\kappa^\nu B_\mu^\kappa &= E_\mu^\nu = (B \cdot A)_\mu^\nu \\ A^\kappa_\mu B^\nu_\kappa &= (A^T)_\mu^\kappa (B^T)_\kappa^\nu = \left( (B \cdot A)^T \right)_\mu^\nu \end{aligned}$$

$$\mathbf{v} = v^1 \mathbf{e}_1 + v^2 \mathbf{e}_2 \quad \{\mathbf{e}_1, \mathbf{e}_2\} \text{ Basis 1.}$$

$$\mathbf{v} = v^a \mathbf{e}_a = v'^a \mathbf{e}'_a \quad \{\mathbf{e}'_1, \mathbf{e}'_2\} \text{ Basis 2.}$$

Change of basis matrix  $\Lambda$

$$\begin{aligned} \mathbf{e}'_a &= \Lambda_a^b \mathbf{e}_b \\ v'^a &= \tilde{\Lambda}^a_b v^b \end{aligned}$$

$$\begin{aligned} v^a \mathbf{e}_a &= v'^a \mathbf{e}'_a \\ &= \tilde{\Lambda}^a_b v^b \Lambda_a^c \mathbf{e}_c \\ &= \tilde{\Lambda}^a_b \Lambda_a^c v^b \mathbf{e}_c \\ &= \underbrace{\left( \tilde{\Lambda}^T \right)_b^a}_{\delta_b^c} \Lambda_a^c v^b \mathbf{e}_c \\ &= v^b \mathbf{e}_b \end{aligned}$$

$$\begin{aligned} \implies \left( \tilde{\Lambda}^T \right)_b^a \Lambda_a^c &= \delta_b^c \\ \tilde{\Lambda}^T \cdot \Lambda &= \mathbb{1} \end{aligned}$$

$\tilde{\Lambda}^T$  is the inverse transpose of  $\Lambda$

#### covariant and contravariant object

A covariant object is an object that under change of basis transforms like the elements of a basis.  $\Lambda$ . (sub-indices)

A contravariant object transforms like components of vectors.  $(\tilde{\Lambda} = (\Lambda^T)^{-1})$ . (super-indices)

# Index

---

## C

covariant and contravariant object . 4