```
In [1]:
         import sys
         sys.version
 Out[1]: '3.11.5 | packaged by Anaconda, Inc. | (main, Sep 11 2023, 13:26:23) [MSC v.191
         6 64 bit (AMD64)]'
 In [2]: import numpy as np
 In [3]: np.__version__
Out[3]: '1.24.3'
 In [4]: # Create list
         my_list = [0,1,2,3,4,5]
         my_list
 Out[4]: [0, 1, 2, 3, 4, 5]
 In [5]: type(my_list)
Out[5]: list
 In [6]: arr = np.array(my_list)
 Out[6]: array([0, 1, 2, 3, 4, 5])
 In [7]: print(type(arr))
         print(type(my_list))
        <class 'numpy.ndarray'>
        <class 'list'>
 In [8]: np.arange(10)
Out[8]: array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9])
 In [9]: np.arange(10,20)
Out[9]: array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19])
In [10]: np.arange(10,50,5)
Out[10]: array([10, 15, 20, 25, 30, 35, 40, 45])
In [11]: np.arange(10,30,3)
Out[11]: array([10, 13, 16, 19, 22, 25, 28])
In [12]: np.arange(10,30,30,3)
```

```
Traceback (most recent call last)
        TypeError
        Cell In[12], line 1
        ----> 1 np.arange(10,30,30,3)
       TypeError: Cannot interpret '3' as a data type
 In [ ]: np.arange(8,20)
 In [ ]: np.arange(20,8)
 In [ ]: np.arange(-20,8) #1st argument < 2nd arguement</pre>
 In [ ]: n = np.arange(-20,8)
In [13]: np.zeros(3)
Out[13]: array([0., 0., 0.])
In [14]: np.zeros(3, dtype=int)
Out[14]: array([0, 0, 0])
In [15]: z = np.zeros(5)
Out[15]: array([0., 0., 0., 0., 0.])
In [16]: np.zeros((2,2)) # 2d array
Out[16]: array([[0., 0.],
                [0., 0.]])
In [17]: np.zeros((2,2),dtype=int)
Out[17]: array([[0, 0],
                [0, 0]])
In [18]: np.zeros((3,3),dtype=int)
Out[18]: array([[0, 0, 0],
                [0, 0, 0],
                [0, 0, 0]])
In [19]: nd = np.zeros((5,9),dtype=int)
         nd
Out[19]: array([[0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0],
                 [0, 0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0, 0]]
In [20]: np.ones(3)
Out[20]: array([1., 1., 1.])
```