


Sap id - 500091727

### 3. Install Apache server on node server using adhoc command


```
ansible@ip-172-31-5-83:~  
[ansible@ip-172-31-5-83 ~]$ which httpd  
/usr/sbin/httpd  
[ansible@ip-172-31-5-83 ~]$
```

#### 4. Start the httpd service using ansible

```
complete!  
[ansible@ip-172-31-11-127 .ssh]$ ansible upes -a "sudo systemctl start httpd"  
[WARNING]: Consider using 'become', 'become_method', and 'become_user' rather than running sudo  
[WARNING]: Platform linux on host 172.31.5.83 is using the discovered Python interpreter at /usr/bin/python, but  
future installation of another Python interpreter could change this. See  
https://docs.ansible.com/ansible/2.9/reference_appendices/interpreter_discovery.html for more information.  
172.31.5.83 | CHANGED | rc=0 >>  
  
[ansible@ip-172-31-11-127 .ssh]$
```



#### 5. Remove ansible and then reinstall using ansible playbook



This page is used to test the proper operation of the Apache HTTP server after it has been installed. If you can read this page, it means that the Apache HTTP server installed at this site is working properly.

**If you are a member of the general public:**

The fact that you are seeing this page indicates that the website you just visited is either experiencing problems, or is undergoing routine maintenance.

If you would like to let the administrators of this website know that you've seen this page instead of the page you expected, you should send them e-mail. In general, mail sent to the name "webmaster" and directed to the website's domain should reach the appropriate person.

For example, if you experienced problems while visiting [www.example.com](http://www.example.com), you should send e-mail to "webmaster@example.com".

**If you are the website administrator:**

You may now add content to the directory `/var/www/html/`. Note that until you do so, people visiting your website will see this page, and not your content. To prevent this page from ever being used, follow the instructions in the file `/etc/httpd/conf.d/welcome.conf`.

You are free to use the image below on web sites powered by the Apache HTTP Server:



6. Testing other playbooks

```

[ansible@ip-172-31-11-127 .ssh]$ nano pb2.yml
[ansible@ip-172-31-11-127 .ssh]$ cat pb2.yml
---
- hosts: upes
  user: ansible
  become: yes
  connection: ssh
  tasks:
    - name: Debian Family
      command: apt-get install apache2 -y
      when: ansible_os_family == "Debian"
    - name: RedHat Family
      command: yum install httpd -y
      when: ansible_os_family == "RedHat"
[ansible@ip-172-31-11-127 .ssh]$ ansible-playbook pb2.yml

PLAY [upes] *****

TASK [Gathering Facts] *****
[WARNING]: Platform linux on host 172.31.5.83 is using the discovered Python interpreter at /usr/bin/python, but
future installation of another Python interpreter could change this. See
https://docs.ansible.com/ansible/2.9/reference\_appendices/interpreter\_discovery.html for more information.
ok: [172.31.5.83]

TASK [Debian Family] *****
skipping: [172.31.5.83]

TASK [RedHat Family] *****
[WARNING]: Consider using the yum module rather than running 'yum'. If you need to use command because yum is
insufficient you can add 'warn: false' to this command task or set 'command_warnings=False' in ansible.cfg to get rid
of this message.
changed: [172.31.5.83]

PLAY RECAP *****
172.31.5.83 : ok=2 changed=1 unreachable=0 failed=0 skipped=1 rescued=0 ignored=0

[ansible@ip-172-31-11-127 .ssh]$ 

```