

# MAD & PWA Lab

## Journal

Experiment No.	07
Experiment Title.	To write meta data of your Ecommerce PWA in a Web app manifest file to enable “add to homescreen feature”.
Roll No.	55
Name	Prajyot Shinde
Class	D15A
Subject	MAD & PWA Lab
Lab Outcome	LO4: Understand various PWA frameworks and their requirements
Grade:	

## Experiment No. 7

**Title:** To write meta data of your Ecommerce PWA

**Aim:** To write meta data of your Ecommerce PWA in a Web app manifest file to enable “add to homescreen feature”.

**Theory:**

### Regular Web App

A regular web app is a website that is designed to be accessible on all mobile devices such that the content gets fit as per the device screen. It is designed using a web technology stack (HTML, CSS, JavaScript, Ruby, etc.) and operates via a browser. They offer various native-device features and functionalities. However, it entirely depends on the browser the user is using. In other words, it might be possible that you can access a native-device feature on Chrome but not on Safari or Mozilla Firefox because the browsers are incompatible with that feature.

### Progressive Web App

Progressive Web App (PWA) is a regular web app, but some extras enable it to deliver an excellent user experience. It is a perfect blend of desktop and mobile application experience to give both platforms to the end-users.

### Difference between PWAs vs. Regular Web Apps:

A. Progressive Web is different and better than a Regular Web app with features like:

#### **1. Native Experience**

Though a PWA runs on web technologies (HTML, CSS, JavaScript) like a Regular web app, it gives user experience like a native mobile application. It can use most native device features, including push notifications, without relying on the browser or any other entity. It offers a seamless and integrated user experience that it is quite tough for one to differentiate between a PWA and a Native application by considering its look and feel.

#### **2. Ease of Access**

Unlike other mobile apps, PWAs do not demand longer download time and make memory space available for installing the applications. The PWAs can be shared and installed by a link, which cuts down the number of steps to install and use. These applications can easily keep an app icon on the user's home screen, making the app easily accessible to the users and helps the brands remain in the users' minds, and improving the chances of interaction.

#### **3. Faster Services**

PWAs can cache the data and serve the user with text stylesheets, images, and other web content even before the page loads completely. This lowers the waiting time for the end-users

and helps the brands improve the user engagement and retention rate, which eventually adds value to their business.

#### **4. Engaging Approach**

As already shared, the PWAs can employ push notifications and other native device features more efficiently. Their interaction does not depend on the browser user uses. This eventually improves the chances of notifying the user regarding your services, offers, and other options related to your brand and keeping them hooked to your brand. In simpler words, PWAs let you maintain the user engagement and retention rate.

#### **5. Updated Real-Time Data Access**

Another plus point of PWAs is that these apps get updated on their own. They do not demand the end-users to go to the App Store or other such platforms to download the update and wait until installed.

In this app type, the web app developers can push the live update from the server, which reaches the apps residing on the user's devices automatically. Therefore, it is easier for the mobile app developer to provide the best of the updated functionalities and services to the end-users without forcing them to update their app.

#### **6. Discoverable**

PWAs reside in web browsers. This implies higher chances of optimizing them as per the Search Engine Optimization (SEO) criteria and improving the Google rankings like that in websites and other web apps.

#### **7. Lower Development Cost**

Progressive web apps can be installed on the user device like a native device, but it does not demand submission on an App Store. This makes it far more cost-effective than native mobile applications while offering the same set of functionalities.

#### **Pros and cons of the Progressive Web App**

The main features are:

**Progressive** — They work for every user, regardless of the browser chosen because they are built at the base with progressive improvement principles.

**Responsive** — They adapt to the various screen sizes: desktop, mobile, tablet, or dimensions that can later become available.

**App-like** — They behave with the user as if they were native apps, in terms of interaction and navigation.

**Updated** — Information is always up-to-date thanks to the data update process offered by service workers.

**Secure** — Exposed over HTTPS protocol to prevent the connection from displaying information or altering the contents.

**Searchable** — They are identified as “applications” and are indexed by search engines.

**Reactivable** — Make it easy to reactivate the application thanks to capabilities such as web notifications.

**Installable** — They allow the user to “save” the apps that he considers most useful with the corresponding icon on the screen of his mobile terminal (home screen) without having to face all the steps and problems related to the use of the app store.

**Linkable** — Easily shared via URL without complex installations.

**Offline** — Once more it is about putting the user before everything, avoiding the usual error message in case of weak or no connection. The PWA are based on two particularities: first of all the ‘skeleton’ of the app, which recalls the page structure, even if its contents do not respond and its elements include the header, the page layout, as well as an illustration that signals that the page is loading.

Weaknesses:

- IOS support from version 11.3 onwards
- Greater use of the device battery
- Not all devices support the full range of PWA features (same speech for iOS and Android operating systems)
- It is not possible to establish a strong re-engagement for iOS users (URL scheme, standard web notifications)
- Support for offline execution is however limited
- Lack of presence on the stores (there is no possibility to acquire traffic from that channel)
- There is no “body” of control (like the stores) and an approval process
- Limited access to some hardware components of the devices
- Little flexibility regarding “special” content for users (eg loyalty programs, loyalty, etc.)

**Code:**

manifest.json:

```
{
  "id": "/",
  "short_name": "My Bakery",
  "name": "My Bakery",
  "description": "My Bakery Website",
  "start_url": "/index.html",
  "display": "standalone",
  "background_color": "#ffffff",
  "theme_color": "#000000",
  "orientation": "portrait",
  "icons": [
    {
      "src": "/icons/icon-192-1.png",
      "sizes": "192x192",
      "type": "image/png",
      "purpose": "any"
    },
    {
      "src": "/icons/icon-512.png",
      "sizes": "512x512",
      "type": "image/png",
      "purpose": "maskable"
    }
  ]
}
```

Add the link tag to link to the manifest.json file

EXPLORER

IPLAB2

assets

icons

icon-192-1.png

icon-512.png

index.html

manifest.json

script.js

service-worker.js

styles.css

manifest.json

```
{
  "id": "/",
  "short_name": "My Bakery",
  "name": "My Bakery",
  "description": "My Bakery Website",
  "start_url": "/index.html",
  "display": "standalone",
  "background_color": "#ffffff",
  "theme_color": "#000000",
  "orientation": "portrait",
  "icons": [
    {
      "src": "/icons/icon-192-1.png",
      "sizes": "192x192",
      "type": "image/png",
      "purpose": "any"
    },
    {
      "src": "/icons/icon-512.png",
      "sizes": "512x512",
      "type": "image/png",
      "purpose": "maskable"
    }
  ]
}
```

Mar 31 10:34 PM

en2

92%

Vite + React - Chromium

@criccoder

Vite + React

Vite + React

Vite + React

Settings - Site settings

chrome://servicewor

supra-dashboard.netlify.app

Overview

Total Sales

\$12,341

New Users

1,234

Total Products

567

Conversion Rate

12.5%

Sales Overview

8000

Products

Users

Sales

Orders

Analytics

Settings

Elements

Console

Sources

Performance

Memory

Application

Privacy and security

Lighthouse

Recorder

Application

Manifest

Service workers

Storage

Local storage

https://supra-dash...

Session storage

Extension storage

IndexedDB

Cookies

https://supra-dash...

Private state tokens

Interest groups

Shared storage

Cache storage

Storage buckets

Background services

Back/forward cache

Background fetch

Background sync

Bounce tracking milt...

Notifications

Payment handler

Periodic background...

Identity

Name

E-Commerce Dashboard

Short name

E-ComDash

Description

A progressive web app for e-commerce administration

Computed App ID

https://supra-dashboard.netlify.app/ [Learn more](#)

Note: Id is not specified in the manifest, start\_url is used instead. To specify an App ID that matches the current identity, set the id field to / .

Presentation

Start URL

/

Theme color

#4f46e5

Background color

#ffffff

Orientation

Display standalone

Protocol Handlers

Define protocol handlers in the manifest to register your app as a handler for custom protocols when your app is installed.

Need help? Read [URL protocol handler registration for PWAs](#)

Console

Network

top

Filter

[SW] mock sync completed

[SW] Sync event: test-tag-from-devtools

[SW] Push event received

[SW] Showing notification: {title: 'New Update', body: 'Test push message from DevTools.', url: '/'}

[SW] Sync event: test-tag-from-devt

SW.js:100

SW.js:108

SW.js:113

SW.js:145

SW.js:100



## Conclusion:

Hence, we learnt how to write a metadata of our website PWA in a Web App Manifest File to enable add to homescreen feature.