

# Python - Dictionary

In Dictionary each key is separated from its value by a colon (:), the items are separated by commas, and the whole thing is enclosed in curly braces. An empty dictionary without any items is written with just two curly braces, like this – {}.

Keys are unique within a dictionary while values may not be. The values of a dictionary can be of any type, but the keys must be of an immutable data type such as strings, numbers, or tuples.

## Accessing Values in Dictionary

To access dictionary elements, you can use the familiar square brackets along with the key to obtain its value.

## Example

A simple example is as follows –

```
#!/usr/bin/python
```

```
dict = {'Name': 'Zara', 'Age': 7, 'Class': 'First'}  
print "dict['Name']: ", dict['Name']  
print "dict['Age']: ", dict['Age']
```

## Output

When the above code is executed, it produces the following result –

```
dict['Name']: Zara  
dict['Age']: 7
```

If we attempt to access a data item with a key, which is not part of the dictionary, we get an error as follows –

## Example

```
#!/usr/bin/python
```

```
dict = {'Name': 'Zara', 'Age': 7, 'Class': 'First'}  
print "dict['Alice']: ", dict['Alice']
```

## Output

When the above code is executed, it produces the following result –

```
dict['Alice']:  
Traceback (most recent call last):  
  File "test.py", line 4, in <module>  
    print "dict['Alice']: ", dict['Alice'];  
KeyError: 'Alice'
```

## Updating Dictionary

You can update a dictionary by adding a new entry or a key-value pair, modifying an existing entry, or deleting an existing entry as shown below in the simple example –

## Example

```
#!/usr/bin/python
```

```
dict = {'Name': 'Zara', 'Age': 7, 'Class': 'First'}  
dict['Age'] = 8; # update existing entry  
dict['School'] = "DPS School"; # Add new entry  
  
print "dict['Age']: ", dict['Age']  
print "dict['School']: ", dict['School']
```

## Output

When the above code is executed, it produces the following result –

```
dict['Age']: 8  
dict['School']: DPS School
```

## Delete Dictionary Elements

You can either remove individual dictionary elements or clear the entire contents of a dictionary. You can also delete entire dictionary in a single operation.

## Example

To explicitly remove an entire dictionary, just use the **del** statement. A simple example is as mentioned below –

```
#!/usr/bin/python
```

```
dict = {'Name': 'Zara', 'Age': 7, 'Class': 'First'}
```

```
del dict['Name']; # remove entry with key 'Name'
dict.clear();    # remove all entries in dict
del dict ;       # delete entire dictionary

print "dict['Age']: ", dict['Age']
print "dict['School']: ", dict['School']
```

- **Note** –that an exception is raised because after **del dict** dictionary does not exist any more –

## Output

This produces the following result –

```
dict['Age']:
Traceback (most recent call last):
  File "test.py", line 8, in <module>
    print "dict['Age']: ", dict['Age'];
TypeError: 'type' object is unsubscriptable
```

- **Note** – del() method is discussed in subsequent section.

## Properties of Dictionary Keys

Dictionary values have no restrictions. They can be any arbitrary Python object, either standard objects or user-defined objects. However, same is not true for the keys.

There are two important points to remember about dictionary keys –

- More than one entry per key not allowed. Which means no duplicate key is allowed. When duplicate keys encountered during assignment, the last assignment wins.

## For example

```
#!/usr/bin/python
```

```
dict = {'Name': 'Zara', 'Age': 7, 'Name': 'Manni'}  
print "dict['Name']: ", dict['Name']
```

## Output

When the above code is executed, it produces the following result –

```
dict['Name']: Manni
```

Keys must be immutable. Which means you can use strings, numbers or tuples as dictionary keys but something like ['key'] is not allowed.

## Example

An example is as follows –

```
#!/usr/bin/python
```

```
dict = {'Name': 'Zara', 'Age': 7}  
print "dict['Name']: ", dict['Name']
```

## Output

When the above code is executed, it produces the following result –

```
Traceback (most recent call last):  
  File "test.py", line 3, in <module>
```

```
dict = {'Name': 'Zara', 'Age': 7};  
TypeError: list objects are unhashable
```

---

 **Print Page**

---