

To estimate the **Potential Peak Sales** for pirtobrutinib (Jaypirca) in the indication of relapsed or refractory mantle cell lymphoma (MCL) in the US, EU5 (France, Germany, Italy, Spain, UK), China, and Japan, as well as the **\$ value of a 1% share of treated patients** in these geographies, we need to follow a structured approach. Since specific data on patient populations, pricing, and penetration rates may not be fully available, I will make reasonable assumptions based on publicly available information, market trends for oncology drugs, and the rarity of MCL. I will also assume a 20% to 30% market share of treated patients as provided in the query.

Step 1: Key Assumptions and Background

1. **Indication:** Pirtobrutinib is approved for relapsed or refractory MCL after at least two lines of systemic therapy, including a BTK inhibitor. MCL is a rare form of non-Hodgkin lymphoma (NHL), accounting for ~6% of NHL cases.

2. **Patient Population:**

- MCL incidence is approximately 0.5-1 per 100,000 people annually in Western countries.
- Relapsed/refractory patients after two lines of therapy represent a smaller subset of the total MCL population.
- Based on literature, ~30-50% of MCL patients may reach relapsed/refractory status after multiple lines of therapy.

3. **Geographies:** US, EU5 (France, Germany, Italy, Spain, UK), China, and Japan.

4. **Market Share:** Assuming 20% to 30% of treated patients in this indication.

5. **Drug Pricing:** Pricing for targeted oncology drugs like BTK inhibitors can range from \$150,000 to \$200,000 per patient per year in the US, with lower prices in other regions due to healthcare system differences (e.g., ~50-70% of US price in EU5, lower in China and Japan due to pricing controls).

6. **Treatment Duration:** Assuming an average treatment duration of 1 year for simplicity (actual duration may vary based on progression-free survival data).

Step 2: Estimate Treated Patient Population

Using approximate incidence rates and population sizes, we can estimate the number of MCL patients and the subset eligible for pirtobrutinib (relapsed/refractory after 2+ lines of therapy).

- **US:**

- Population: ~330 million
- MCL incidence: ~0.8 per 100,000 → ~2,640 new cases/year
- Relapsed/refractory after 2+ lines: ~40% → ~1,056 patients/year

- **EU5:**

- Population: ~340 million (combined)
- MCL incidence: ~0.8 per 100,000 → ~2,720 new cases/year
- Relapsed/refractory after 2+ lines: ~40% → ~1,088 patients/year

- **China:**

- Population: ~1,400 million
- MCL incidence: ~0.5 per 100,000 (lower due to differences in epidemiology) → ~7,000 new cases/year
- Relapsed/refractory after 2+ lines: ~40% → ~2,800 patients/year

- Japan:

- Population: ~125 million
- MCL incidence: ~0.6 per 100,000 → ~750 new cases/year
- Relapsed/refractory after 2+ lines: ~40% → ~300 patients/year

Total Eligible Patients Across Geographies: ~1,056 (US) + 1,088 (EU5) + 2,800 (China) + 300 (Japan) = **5,244 patients/year**

Step 3: Estimate Annual Cost per Patient

- **US:** ~\$180,000 per patient/year (based on pricing of similar BTK inhibitors like ibrutinib or acalabrutinib)
- **EU5:** ~\$100,000 per patient/year (lower due to negotiated pricing and reimbursement)
- **China:** ~\$50,000 per patient/year (significant pricing pressure and generics competition)
- **Japan:** ~\$80,000 per patient/year (moderate pricing controls)

Step 4: Estimate Potential Peak Sales (20%-30% Market Share)

Peak sales are calculated by multiplying the number of eligible patients by the market share (20%-30%) and the annual cost per patient.

At 20% Market Share:

- **US:** 1,056 patients × 20% × \$180,000 = **\$38.0 million**
- **EU5:** 1,088 patients × 20% × \$100,000 = **\$21.8 million**
- **China:** 2,800 patients × 20% × \$50,000 = **\$28.0 million**
- **Japan:** 300 patients × 20% × \$80,000 = **\$4.8 million**
- **Total Peak Sales (20%):** \$38.0M + \$21.8M + \$28.0M + \$4.8M = **\$92.6 million**

At 30% Market Share:

- **US:** 1,056 patients × 30% × \$180,000 = **\$57.0 million**
- **EU5:** 1,088 patients × 30% × \$100,000 = **\$32.6 million**
- **China:** 2,800 patients × 30% × \$50,000 = **\$42.0 million**
- **Japan:** 300 patients × 30% × \$80,000 = **\$7.2 million**
- **Total Peak Sales (30%):** \$57.0M + \$32.6M + \$42.0M + \$7.2M = **\$138.8 million**

Potential Peak Sales Range: \$92.6 million to \$138.8 million annually across the specified geographies for this indication.

Step 5: Estimate \$ Value of 1% Share of Treated Patients

The value of a 1% share is calculated by dividing the total peak sales at 100% market share by 100.

- **US:** 1,056 patients × \$180,000 = \$190.1 million → **1% = \$1.90 million**
- **EU5:** 1,088 patients × \$100,000 = \$108.8 million → **1% = \$1.09 million**
- **China:** 2,800 patients × \$50,000 = \$140.0 million → **1% = \$1.40 million**
- **Japan:** 300 patients × \$80,000 = \$24.0 million → **1% = \$0.24 million**
- **Total Across Geographies:** \$190.1M + \$108.8M + \$140.0M + \$24.0M = \$462.9 million → **1% = \$4.63 million**

Final Answer:

1. **Potential Peak Sales for Pirtobrutinib** in relapsed/refractory MCL (20%-30% market share):

- **US, EU5, China, Japan Combined: \$92.6 million to \$138.8 million annually**

2. **\$ Value of 1% Share of Treated Patients:**

- **US:** \$1.90 million
- **EU5:** \$1.09 million
- **China:** \$1.40 million
- **Japan:** \$0.24 million
- **Total Across Geographies: \$4.63 million**

Notes:

- These estimates are based on assumptions about patient numbers, pricing, and market penetration. Actual figures could vary based on real-world data, competition (e.g., other BTK inhibitors), reimbursement policies, and clinical trial outcomes.

- Peak sales could be higher if pirtobrutinib gains approval in additional indications (e.g., other B-cell malignancies) or if pricing or treatment duration exceeds assumptions.

- China's larger patient pool is offset by lower pricing, while the US contributes significantly due to higher pricing despite a smaller population.