

Algebraic Topology I: Homework #2

Based on review of point set topology

Dr. Sachchidanand Prasad

Theory :

- i) Given a space X and a subset $A \subset X$, a point $x \in X$ is called a *limit point* (or *cluster point*, or *point of accumulation*) of A if for any open set $U \subset X$, with $x \in U$, we have $A \cap U$ contains a point other than x .
- ii) Given $A \subset X$, the *closure* of A , denoted \overline{A} (or $\text{cl}(A)$), is the smallest closed set of X that contains A .
- iii) Given $A \subset X$, the *interior* of A , denoted $\overset{\circ}{A}$ (or $\text{int}(A)$), is the largest open set contained in A . A point $x \in \overset{\circ}{A}$ is called an *interior point* of A .
- iv) Given $A \subset X$, the *boundary* of A , denoted ∂A (or $\text{bd}(A)$), is defined as

$$\partial A = \overline{A} \cap \overline{(X \setminus A)}.$$

- v) Given two topological spaces (X, \mathcal{T}_X) and (Y, \mathcal{T}_Y) , a function $f : X \rightarrow Y$ is said to be a *homeomorphism* if the following holds.
 - a) f is bijective, with inverse $f^{-1} : Y \rightarrow X$.
 - b) f is continuous.
 - c) f is open (or equivalently, f^{-1} is continuous).

Problem 1

Show that if A is a closed set of X , then A contains all of its limit points. Give an example of a space X and a subset $A \subset X$, such that

- i) there is a limit point x of A which is not an element of A , and
- ii) there is an element $a \in A$ which is not a limit point of A .

Problem 2

Show the following.

- i) For any $A \subset X$, \mathring{A} is the union of all open sets contained in A . In particular, show that $A \subset X$ is open if and only if $A = \mathring{A}$.
- ii) Given $A \subset X$, a point $x \in X$ is an interior point of A if and only if there exists some open set $U \subset X$ such that $x \in U \subset A$.

Problem 3

Compute the boundary of the following subsets $A \subset X$.

- a) X is any space, and $A = X$.
- b) X is any space, and $A = \emptyset$.
- c) X is a discrete space, and $\emptyset \neq A \subsetneq X$.
- d) X is an indiscrete space, and $\emptyset \neq A \subsetneq X$.
- e) $X = \mathbb{R}$ and $A = \mathbb{Z}$.
- f) $X = \mathbb{R}$ and $A = \mathbb{Q}$.
- g) $X = \mathbb{R}$ and $A = \{\frac{1}{n} \mid n \in \mathbb{N}\}$.

Problem 4

Let $A \subset X$ and $B \subset Y$ be two topological spaces. Let $X \times Y$ be equipped with the product topology and $A \times B$ be equipped with the subspace topology.

- i) Show that $A \times B$ is homeomorphic to $B \times A$.
- ii) Prove that if A, B are closed, then $A \times B$ is closed in $X \times Y$.
- iii) Prove that $\overline{A \times B} = \overline{A} \times \overline{B}$. Is it true for interiors? What about the boundaries?

Problem 5

- i) Prove that a space X is Hausdorff if and only if the diagonal $\Delta = \{(x, x) : x \in X\}$ is closed in $X \times X$.
- ii) Prove that if Y is a Hausdorff space and $f : X \rightarrow Y$ is a continuous map, then the graph

$$\Gamma_f := \{(x, f(x)) : x \in X\} \subseteq X \times Y$$

is closed in $X \times Y$.

- iii) Let Y be a compact space. Prove that if a map $f : X \rightarrow Y$ has closed graph Γ_f , then f is continuous.

Problem 6

Let $f : \mathbb{R} \rightarrow \mathbb{R}$ be a continuous function. Prove that its graph is

- i) closed;
- ii) connected;
- iii) path connected.

Problem 7

Pasting lemma: Suppose $X = A \cup B$, for some closed sets $A, B \subset X$. Let $f : A \rightarrow Y, g : B \rightarrow Y$ be given continuous maps, such that $f(x) = g(x)$ for any $x \in A \cap B$. Then, there exists a (unique) continuous map $h : X \rightarrow Y$ such that

$$h(x) = \begin{cases} f(x) & x \in A \\ g(x) & x \in B. \end{cases}$$

Problem 8

- i) Prove that $\mathbb{R}^n \setminus \mathbb{R}^m$ is homeomorphic to $\mathbb{S}^{n-m-1} \times \mathbb{R}^{m+1}$.
- ii) Prove that

$$\mathbb{S}^n \cap \left\{ x \in \mathbb{R}^{n+1} : x_1^2 + \dots + x_k^2 \leq x_{k+1}^2 + \dots + x_{n+1}^2 \right\}$$

is homeomorphic to $\mathbb{S}^{k-1} \times \mathbb{D}^{n-k+1}$.

- iii) Prove that $GL_n(\mathbb{R})$ is homeomorphic to $SL_n(\mathbb{R}) \times GL_1(\mathbb{R})$.