

WATER QUALITY DATA OF DRAINS UNDER NWMP (2020)

Sl. No.	Station Code	Name of Monitoring Location	State Name	Temperature °C		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate-N + Nitrite-N (mg/l)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1	3052	GUNTATHIPPA DRAIN B/C WITH RYVES CANAL AT RAMAVARAPPADU, KRISHNA, A.P.	ANDHRA PRADESH	25	27	4.8	5.8	1289	2100	6.8	7.7	3.4	12.8	2.5	10.5	3	3	1100	2400
2	3053	TULIA BAGH DRAIN AT VEMULAVADA, EAST GODAVARI, A.P.	ANDHRA PRADESH	26	29	1.2	6	940	23460	6.8	8.1	2.9	11.2	0.93	2.41	15	28	210	1100
3	3067s	OUTLET OF STP ON GODAVARI, RAJAHMUNDRY, EAST GODAVARI, A.P.	ANDHRA PRADESH	24	31	4.6	8	180	395	7.2	8.2	1.2	2.7	BDL	2.99	9	21	120	240
4	4369	COLLING WATER BLOWDOWNS FROM ANDHRA SUGARS LTD, TANUKU BEFORE JOINING RIVER GODAVARI	ANDHRA PRADESH	24	27	BDL	7	288	762	6.9	8	1.5	4.2	0.57	7.6	3	11	43	150
5	4373	GOSTANI RIVER SAMPLE AFTER CONFLUENCE WITH M/S DELTA PAPER MILL EFFLUENTS, BENDRA, PALAKODERU (M), BUT BEFORE CONFLUENCE WITH YANAMADURRU DRAIN	ANDHRA PRADESH	23	27	BDL	6.8	452	5490	6.8	7.9	2.6	10.6	0.97	5.88	15	23	240	460
6	2047	N-CHOE (ATTAWA CHOE), CHANDIGARH	CHANDIGARH	18.2	29	BDL	0.6	556	667	6.8	7.5	33	210	1.5	4.2	BDL	3200000	2.21	17500000
7	2048	PATIALA KI RAO, CHANDIGARH	CHANDIGARH	17.3	31	BDL	BDL	848	1043	7.1	7.8	31	303	3.3	12	3.4	17500000	BDL	34500000
8	2049	SUKHNA CHOE, CHANDIGARH	CHANDIGARH	16.5	29	0.5	1	781	1099	7.1	7.5	113	202	0.76	4.7	2.2	7000000	1.41	22100000
9	4860	RANIA DRAIN MEETING DISCHARGE OF PHED STP, 6 MLD, RANIA, SIRSA	HARYANA	7.8	7.8	1.4	8.2	1170	4970	7.8	8.9	7	72	0.76	34	3600	180000	18000	470000
10	3861	SALANI NALLAH NEAR BRIDGE, NH-7, MOGINAND KALA AMB	HIMACHAL PRADESH	21	30	6.2	9	335	711	7	7.8	BDL	2.4	BDL	0.96	10	70	34	170
11	3863	RAMPUR JATTAN MOGINAND NALA BEFORE CONFLUENCE TO RIVER MARKANDA NEAR RADHA SWAMI SATSANG BHAWAN	HIMACHAL PRADESH	20	26	5	6.2	399	1621	6.9	7.8	BDL	8	BDL	1.27	17	920	43	3200
12	3865	ROON NALLAH NEAR MEERPUR KOTLA, GURUDWARA	HIMACHAL PRADESH	21	28	6.5	7.5	264	772	6.9	8.1	BDL	BDL	BDL	1.07	11	46	38	120
13	3867	SARVARI NALLAH BEFORE CONFLUENCE TO RIVER BEAS	HIMACHAL PRADESH	5	18	8.7	10.7	119	187	7	7.9	BDL	BDL	0.38	0.71	23	63	94	220
14	3868	BARAGRAM NALLAH BEFORE CONFLUENCE TO RIVER BEAS	HIMACHAL PRADESH	3	11	8.7	11.2	39	110	6.9	8.1	BDL	BDL	0.6	0.72	21	58	120	220
15	3875	SURAJMUKHI NALLAH U/S DWSS GALAYANA NEAR M/S SHOOLINI UNIVERSITY	HIMACHAL PRADESH	17	20	5.2	8.3	521	867	6.4	8.6	BDL	2.2	-	-	6	17	22	130

WATER QUALITY DATA OF DRAINS UNDER NWMP (2020)

Sl. No.	Station Code	Name of Monitoring Location	State Name	Temperature °C		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate-N + Nitrite-N (mg/l)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
16	3879	BHATIAN NALLAH U/S BHATIAN VILLAGE, NALAGARH	HIMACHAL PRADESH	22	35	1	5	1619	6030	6.6	8	1.2	48	-	-	7	120	26	540
18	3881	BHATIAN NALLAH D/S SARA TEXTILE, NALAGARH	HIMACHAL PRADESH	25	35	0.5	4.5	409	5940	6.8	8.1	1.4	58	-	-	13	110	39	430
19	4029	TAALO NALA (FROM NAHAR TOWN) AT KHADDAR KA BAGH B/C TO RIVER MARKANDA	HIMACHAL PRADESH	18	25	6.8	8	368	631	6.8	7.8	BDL	1.7	BDL	1.39	11	46	38	150
20	4034	SAHU NALLAH U/S BHURI SINGH SHEP	HIMACHAL PRADESH	3	18	8.3	9.1	204	393	7.1	7.9	BDL	BDL	BDL	0.79	2	2	17	46
21	4035	SAHU NALLAH D/S BHURI SINGH SHEP	HIMACHAL PRADESH	3	18	8.3	9	150	399	7.2	8	BDL	BDL	BDL	1.35	2	2	24	48
22	4425	RAW WATER FROM AT CHURAT NALLAH	HIMACHAL PRADESH	8.5	17	7.9	9.8	108	1858	7.5	8.3	BDL	2.3	BDL	1.1	2	23	6	540
23	4430	LIFT NALLAH BEFORE CONFLUENCE TO ASHWANI KHAD NEAR DOGRHA BRIDGE	HIMACHAL PRADESH	10.2	27	6	8.7	378	5751	7	8.1	2.4	87.5	1.61	8.26	110	1600	1600	1600
24	4454	JARANGLA NALLAH U/S IPH WATER SUPPLY SCHEME (FOR MOHALLA MUGLA & VILLAGE KARIAN)	HIMACHAL PRADESH	3	16	8.2	9.2	103	194	7.3	8	BDL	BDL	BDL	1.2	2	2	14	46
25	4455	KLUIN NALLAH U/S IPH WATER SUPPLY SCHEME (FOR CHAMBA TOWN)	HIMACHAL PRADESH	3	16	8.3	9.2	115	409	6.9	8.1	BDL	BDL	BDL	0.65	2	2	17	58
26	4462	SAINJ NALLAH (U/S SAINJ WATER SUPPLY SCHEME)	HIMACHAL PRADESH	11	29	7.6	9.2	305	4104	7.6	8.7	BDL	BDL	0.44	2.4	2	70	23	430
27	4463	DHANESON NALLAH (U/S SAINJ WATER SUPPLY SCHEME)	HIMACHAL PRADESH	10	29	7.5	9.5	483	7491	7.9	8.6	BDL	1.2	BDL	0.93	4	79	24	920
28	4466	JARANGLA NALLAH	HIMACHAL PRADESH	3	11	8.9	9.3	102	200	7.8	8	BDL	BDL	BDL	1.11	2	2	27	48
29	4474	NALLAH, HALOG WATER SUPPLY SCHEME BAG KHANEREI, HALOG	HIMACHAL PRADESH	6	12	9.3	10	167	6834	7.4	8.3	BDL	BDL	BDL	0.72	4	49	13	540
30	4475	MACHADA NALLAH, MAJHOUTI WATER SUPPLY SCHEME NEW NIRSOO, MAJHOUTI	HIMACHAL PRADESH	6	12	9.2	9.8	109	6679	7.5	8.4	BDL	BDL	BDL	0.95	6	94	110	920
31	4476	MANALSU NALA ((WATER SUPPLY SCHEME FOR MANALI TOWN U/S OF OLD MANALI THESIL MANALI DIST KULLU	HIMACHAL PRADESH	2	11	8.8	11.3	30	67	6.6	8.3	BDL	BDL	BDL	0.89	11	39	49	140
32	4477	KHALADA NALA WATER SUPPLY SCHEME KULLU TOWN TEHSIL KULLU	HIMACHAL PRADESH	5	19	8.3	11.1	146	228	7.7	8.1	BDL	BDL	BDL	1.7	17	38	94	150
33	4480	SURAJMUKHI NALLAH D/S STP SAMTI SOLAN	HIMACHAL PRADESH	17	20	5.3	8.2	304	870	6.8	8.7	BDL	1.6	-	-	4	14	24	49

WATER QUALITY DATA OF DRAINS UNDER NWMP (2020)

Sl. No.	Station Code	Name of Monitoring Location	State Name	Temperature °C		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate-N + Nitrite-N (mg/l)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
34	4481	HATHLI NALLAH LIFT WATER SUPPLY SCHEME FOR MUNICIPAL COUNCIL HAMIRPUR	HIMACHAL PRADESH	14	28	7.7	9.5	223	419	7.6	8.4	BDL	BDL	BDL	0.56	2	2	11	39
35	4482	LIFT WATER SUPPLY SCHEME (PANJARAR) AND BHOTA ROPARI & UJHAN	HIMACHAL PRADESH	14.1	27	7.5	9.5	215	412	7.7	8.3	BDL	BDL	BDL	0.82	2	2	12	47
36	4082	BAJU NALLAH AT KHOKHYAL NEAR BARAGE, CONFLUENCE POINT OF SAHAR-KHAD AND KATHUA CITY NALLAHS	JAMMU & KASHMIR	22	22	6.2	6.2	339	339	8.1	8.1	1.8	1.8	0.86	0.86	-	-	-	-
37	2763	ASANGI NALLA AT ASANGI VILLAGE,	KARNATAKA	19	21	4.7	8.7	268	1380	7.3	8.8	BDL	2.7	0.98	3.28	300	920	900	1600
38	3923	GURADIH NALLAH AT PANPOSH	ODISHA	21	32	2.3	5.8	222	698	6.6	8.2	2.9	10	0.49	10.23	170	35000	220	92000
39	3930	BANGURU NALLAH (OVER BRIDGE TALCHER RENGALI DAM ROAD, SARKISOREPAL)	ODISHA	21	28	6	8.8	319	980	6.9	8.2	BDL	1.6	0.32	1.981	170	1700	490	3500
40	3934	GANDA NALLAH AT MARTHAPUR	ODISHA	22	26	6.4	7.6	77	586	6.7	7.9	BDL	1.6	0.32	13.8	20	490	49	4900
41	3939	KUNDRA NALLAH AT JODA	ODISHA	15	25	4.9	8.2	88	221	6.8	7.9	BDL	1.6	BDL	1.242	110	3300	490	4900
42	2906	DHANLAUL DRAIN FALLING INTO LASSARA DRAIN NEAR VILL. DHUNAS, PUNJAB	PUNJAB	10	33	BDL	BDL	3390	7025	7	8	115	262	3.7	7.2	94000	220000	280000	540000
43	2907	HUDIARA DRAIN AT VILL. DHAHUKE (WHERE IT ENTERS PAKISTAN), PUNJAB	PUNJAB	15	33	BDL	BDL	1020	1680	7.3	7.9	48	153	1.3	4.2	17000	94000	70000	350000
44	2914	POINT SOURCE BUDHA NALLAH, PUNJAB	PUNJAB	15	29	BDL	BDL	221	2180	6.6	7.3	105	195	2.7	11.6	240000	3500000	940000	16000000
45	4158	SAGARPARA DRAIN AT VILL SAGRA DIST, PATIALA	PUNJAB	14	30	1.2	2.5	708	1224	7.1	7.8	22	48	0.8	4	3200	7000	22000	46000
46	10047	CHENNAI WATERWAYS AT OTTERI NULLAH (ORIGIN)	TAMIL NADU	27	33	BDL	1	1917	3130	6.8	7.5	11	104	BDL	3.02	40	1100	220	3500
47	10048	CHENNAI WATERWAYS AT OTTERI NULLAH (KILPAUK GARDEN)	TAMIL NADU	27	32	BDL	1.2	1783	2750	6.9	8	8	48	BDL	2.12	68	1700	210	9200
48	10051	CHENNAI WATERWAYS AT BUCKINGHAM CANAL X OTTERI NULLAH CONFLUENCE (GMR VASAVI INDUSTRIES)	TAMIL NADU	26	32	BDL	BDL	1739	3230	7.1	7.8	11	147	BDL	1.52	45	490	230	1300
49	10055	CHENNAI WATERWAYS AT MAMBALAM DRAIN (USMAN ROAD)	TAMIL NADU	29	30	BDL	1.2	1223	1352	7.1	8	4	14	BDL	1.7	78	330	490	840

WATER QUALITY DATA OF DRAINS UNDER NWMP (2020)

Sl. No.	Station Code	Name of Monitoring Location	State Name	Temperature °C		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate-N + Nitrite-N (mg/l)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
50	10056	CHENNAI WATERWAYS AT MAMBALAM DRAIN (GOLF COURSE)	TAMIL NADU	26	30	1.5	1.5	1318	1879	6.6	8	12	59	0.32	2.01	45	1100	330	2800
51	3054	OUTLET OF ASH POND EFFLUENTS OF M/S.NTPC, RAMAGUNDAM, KARIMNAGAR	TELANGANA	27	31	1.8	5.8	850	2001	8.98	11	2.1	4	BDL	3.2	BDL	22	4	70
52	3055	TREATED EFFLUENTS OF 339 MLD STP, AMBERPET, HYDERABAD BEFORE JOINING TO MUSI, HYDERABAD	TELANGANA	27	29	3.2	5.5	1032	1489	6.8	8.1	8	29	-	-	13	920	33	1600
53	3056	OUTLET OF STP, LANGARHOUSE LAKE, RANGA REDDY	TELANGANA	27	28	2.3	5.6	1140	1915	7.1	8	8	29	-	-	2	79	23	240
54	3057	OUTLET OF STP, NAGOLE ON MUSI, RANGA REDDY	TELANGANA	27	29	3.4	6.3	738	1245	6.8	8.1	11	25	-	-	5	79	22	540
55	3058	OUTLET OF STP, KHAIRATABAD ON HUSSAINSAGAR LAKE, RANGA REDDY	TELANGANA	27	29	2	5	836	1200	7.2	8	6	30	-	-	5	540	5	1600
56	3059	OUTLET OF STP, SAFILGUDA LAKE, RANGA REDDY	TELANGANA	27	30	3.2	6.7	1292	1805	7.2	8.3	6	32	-	-	5	130	8	350
57	3060	OUTLET OF STP, DURGAM CHERUVU, RANGAREDDY	TELANGANA	27	29	4.1	7.4	780	1574	6.8	8.5	4	32	-	-	2	100	2	280
58	3061	OUTLET OF STP, NALLACHERUVU ON MUSI, RANGAREDDY	TELANGANA	27	29	3.9	7.3	1154	1748	7.3	8.4	7	25	-	-	8	1600	33	240
59	3062	OUTLET OF STP, SAROOR NAGAR, RANGAREDDY	TELANGANA	27	29	2.6	5	1151	1530	6.9	8.1	8	26	-	-	8	1600	33	280

Note:- Above data is as per the information provided by the SPCBs/PCCs through EWQDES portal. Further Clarifications, if any may please be obtained from respective SPCB/PCC

BDL value for BOD (1 mg/L), Nitrate-N+Nitrite-N(0.3 mg/L), Dissolved Oxygen(0.3 mg/L), Fecal Coliform (1.8 MPN/100ml) and Total coliform (1.8 MPN/100ml)

WATER QUALITY DATA OF STP UNDER NWMP (2020)

Sl. No .	Station Code	Name of Monitoring Location	Inlet/ outlet	State Name	Temperature °C		Dissolved Oxygen (mg/L)		pH		Conductivity (mhos/cm)		BOD (mg/L)		Nitrate-N + Nitrite-N (mg/l)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
					Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1	20004	STP AT RAJAHMUNDRY		ANDHRA PRADESH	-	-	BDL	BDL	6.5	7.5			5.8	62	-	-	11	46	240	1100
2	20013	PANAJI-1 TONCA		GOA	27	30			5.4	7.4			78.6	456.1	-	-	2200000	35000000	5400000	54000000
3	20015	AHMEDABAD-1 BENRAMPURA		GUJARAT	26	27			7.2	8.2			17	55	-	-	94	1600	540	1600
4	20016	AHMEDABAD-2 NAROL SARKHEJ HIGHWAY		GUJARAT	26	27			7	8.2			11	69	-	-	79	1600	430	1700
5	20017	STP NEAR PAMBA AT PATHANAMTHITTA KERALA		KERALA	-	-			8.5	8.5			200	200	-	-	-	-	-	-
6	20019	STP, PURI AT MANGALAGHAT		ODISHA	27	33			6.8	8.2			5.5	25.7	-	-	170	92000	170	160000
7	20020	WASTEWATER OF TALCHER		ODISHA	23	30			6.6	7.4			31.2	110	-	-	7900	160000	24000	160000
8	20022	LUDHIANA-1, BHATTIAN		PUNJAB	-	-			6.7	7.6			22	50	-	-	330	3500000	-	-
9	20023	LUDHIANA-2, BALLOKE		PUNJAB	-	-			6	7.4			30	340	-	-	130	35000000	-	-
10	20024	LUDHIANA-3, JAMALPUR		PUNJAB	-	-			6.7	7.8			16	220	-	-	2100	16000000	-	-
11	20025	PHAGWARA		PUNJAB	-	-			7.1	7.6			21	25	-	-	-	-	93	1700
12	20026	PHILLAUR		PUNJAB	-	-			7.2	7.9			18	40	-	-	-	-	1400	2600
13	20027	KAPURTHALA		PUNJAB	-	-			7.3	7.3			20	20	-	-	-	-	1700	1700
14	20028	SULTANPUR LODHI		PUNJAB	-	-			7	7.3			18	44	-	-	-	-	610	1500
15	20032	CHENNAI-1 NESAPAKKAM (ZONE-IV)		TAMIL NADU	26	30			7.2	9.3			5	13	-	-	2	92	2	940
16	20033	CHENNAI-2 PERUNGADI(ZONE-V)		TAMIL NADU	31	31			6.8	7.5			9	22	-	-	20	210	200	1100
17	20034	CHENNAI-3KODUNGAIYUR (ZONE I&II)		TAMIL NADU	26	30			6.8	11			4	12	-	-	2	120	20	940
18	20035	CHENNAI-4 KOYAMBEDU (ZONE-III)		TAMIL NADU	26	32	1	1	6.8	8.6			5	11	-	-	2	68	92	700
19	20037	ERODE-1		TAMIL NADU	28	33	5.3	5.3	6.9	7.7	1245	1699	13	70	0.062	1.1	170	4300	320	8400
20	20038	ERODE-2		TAMIL NADU	28	32	4.6	4.6	7.3	7.8	1339	1772	5	180	0.071	6.061	26	3100	94	8400
21	20041	KARUR		TAMIL NADU	26	36	1.2	4	7.2	8	1767	2390	5	55	0.7	2.76	70	4600	170	8400
22	20042	MAYILADUTHURAI		TAMIL NADU	23	27	2.4	6.1	7.3	8.6	400	6530	3	62	0.36	22.53	14	2500	32	5800
23	20043	TIRCHIRAPPALLI-SRIRANGAM		TAMIL NADU	29	35	1.6	4.3	7.1	8.2	1070	1531	7.5	68	BDL	0.981	330	2600	790	4800

WATER QUALITY DATA OF STP UNDER NWMP (2020)

Sl. No .	Station Code	Name of Monitoring Location	Inlet/ outet	State Name	Temperature °C		Dissolved Oxygen (mg/L)		pH		Conductivity (mhos/cm)		BOD (mg/L)		Nitrate-N + Nitrite-N (mg/l)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
					Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
24	20044	THANJAVUR		TAMIL NADU	28	32	0.8	4.2	6.7	7.3	806	1575	3.6	90	BDL	0.53	260	4300	630	9400
25	20045	TIRUNELVELI		TAMIL NADU	25	30	3	6	6.5	7.8	855	1286	8.1	36	BDL	3.66	1300	21000	4600	63000
26	20047	KUMBAKONAM		TAMIL NADU	27	34	2.2	4.6	7	7.8	1437	1634	5	98	BDL	0.95	1700	2500	3200	5800
27	20048	SWARG ASHRAM - 1		UTTARAKHA ND	16	27	8.4	10	7.1	8.2	98	686	BDL	1.2	1.35	4.23	14	40	30	110
29	20049	LAKKAR GHAT- OXIDATION PONDS		UTTARAKHA ND	16	29	8	10.8	7	8.4	155	853	BDL	1.4	0.49	1.64	17	34	38	80
31	20050	JAGJITPUR		UTTARAKHA ND	17	26	8.4	11.6	7.5	8.4	97	277	BDL	2	BDL	0.48	30	90	70	140

Note:- Above data is as per the information provided by the SPCBs/PCCs though EWQDES portal. Further Clarifications, if any may please be obtained from respective SPCB/PCC

BDL value for **BOD (1 mg/L)** and Nitrate-N+Nitritr-N(**0.3 mg/L**)

WATER QUALITY DATA OF WATER TREATMENT PLANTS (RAW WATER) UNDER NWMP (2020)																			
Sl. No.	Station Code	Name of Monitoring Location	State Name	Temperature °C		Dissolved Oxygen (mg/L)		pH		Conductivity (mhos/cm)		BOD (mg/L)		Nitrate-N + Nitrite-N (mg/l)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1	3041	WATER WORKS- WAZIRABAD, DELHI	DELHI	-	-			8.2	8.2	482	482	2.3	2.3	6.06	6.06	680	680	7900	7900
2	3042	WATER WORKS- SONIA VIHAR, DELHI	DELHI	-	-			8.1	8.1	488	488	2.5	2.5	6.06	6.06	93	93	5400	5400
3	3044	WATER WORKS- NANGLOI, DELHI	DELHI	-	-			7.5	7.5	290	290	1	1	1	1	2	2	2	2
4	3046	WATER WORKS- DWARKA, DELHI	DELHI	-	-			7.9	7.9	265	265	1.5	1.5	0.62	0.62	170	170	1300	1300
5	3047	WATER WORKS- GURGAON	HARYANA	4	13	4.1	6.6	7	7.7	218	1780	-	-	-	3.2	-	-	1800	1800
6	3048	WATER WORKS- FARIDABAD	HARYANA	-	-	4.6	6.8	7.1	7.3	560	580	2	4	-	-	-	-	-	-
7	4861	NEAR HUDA/ HSVP WATER WORKS, BASAI, GURUGRAM	HARYANA	3	18	6	6.6	7	7.3	530	2140	-	-	-	3.6	-	-	-	-

Note:- Above data is as per the information provided by the SPCBs/PCCs through EWQDES portal. Further Clarifications, if any may please be obtained from respective SPCB/PCC