## 7-Deacetylazadirone

Name of the	7-Deacetylazadirone				
Phytochemical					
Chemical					
Structure	CH3				
Structure	CH <sub>3</sub> CH <sub>3</sub>				
	о сн <sub>з</sub> сн <sub>з</sub>				
Botanical Source	Azadirachta indica				
CAS Number	-NA-				
Functional	<ul> <li>possess potent cytotoxic activity against a panel of human cancer cell lines</li> </ul>				
Activity	Possess anti-inflammatory ad analgesic activity				
Key References	1. Nitric Oxide Production-Inhibitory Activity of Limonoids from Azadirachta indica and Melia azedarach. <b>Chem Biodivers.</b>				
	<ul> <li>2017, 14</li> <li>2. Melanogenesis-Inhibitory Activities of Isomeric C-seco Limonoids and Deesterified Limonoids. Chem Biodivers. 2016,</li> </ul>				
	2. <u>Metanogenesis-initiotory Activities of Isometic C-seco Emionolds and Deestermed Emionolds. Chem Biodivers. 2010,</u> 13,1410-1421				
	3. Azadirachta indica triterpenoids promote osteoblast differentiation and mineralization in vitro and in vivo. <b>Bioorg Med</b>				
<u> </u>	Chem Lett. 2016, 26, 3719-24				
	4. Azadirone, a limonoid tetranortriterpene, induces death receptors and sensitizes human cancer cells to tumor necrosis				
	factor-related apoptosis-inducing ligand (TRAIL) through a p53 protein-independent mechanism: evidence for the role of				
	the ROS-ERK-CHOP-death receptor pathway. <b>J Biol Chem. 2013</b> , 5. <b>288</b> , <b>32343-56</b> .				
	<ul> <li>5. 288, 32343-56.</li> <li>6. Biological investigation and structure activity relationship studies on azadirone from azadirachta indica juss. J Bioorg &amp;</li> </ul>				
	Med Chem. Lett. 2003, 13, 4111-4115				