Cricket Analytics & Prediction

ML.Net

Praveen Raghuvanshi

@praveenraghuvan



AGENDA

Cricket

Dataset


Data Cleaning and Analysis

Analysis using ML.Net

Prediction using ML.net

Demo

INTRODUCTION!



- Cloud Architect @ HARM
- Domain: Professional Audio, Video & Control
- Area of Expertise: Cloud, Distributed computing

3

- Area of Interest: AI/ML, Cloud and IoT
- Location: Bangalore, India
- Azure certified
- Member





History

- Invented in 1550, originated by England
- First International Match was played between Canada and USA in New York
- First ODI was played in 1971
- First Cricket World Cup in 1975
- First T20 Match was played in 2003

Formats

- ODI One Day International
- Test Match
- T20
- County
- IPL


Statistics(2019-2020)

4

- Played by 104 Nations
- IPL Valuation: \$6.7 billion
- IPL Viewers: 370 Million

PROBLEM STATEMENT

- Perform Analysis on cricket dataset
- Predict the score on a specific ball till 6 overs









Daany

.NET

.NET Interactive

© 2020 Microsoft Corporation

Version: 1.0.230701+897ec27256aa312cc87

Build date: 2021-06-09T11:13:17.2992510Z

https://github.com/dotnet/interactive



TOOLS AND FRAMEWORKS

Dataset

Source: Cricksheet.org T20 Matches-Men

■ Duration: 2017 – 2021

■ Matches : 1010

Teams: 56

Columns: 22

Records: 231 K

Mix of number and strings

- match_id
- season
- start_date
- venue
- innings
- ball
- batting_team
- bowling_team
- striker
- non_striker
- bowler
- runs_off_bat
- extras
- wides
- noballs
- byes
- legbyes
- penalty
- wicket_type
- player_dismissed
- other_wicket_type
- other_player_dismissed

Data Cleaning

- Filter dataset to include records till 6 over. Low memory and fast execution
- Check for Null Values
- Aggregation : Score per ball → runs_off_bat + extras
- Cumulative sum : Total Score per ball
- Remove features/columns

- match_id
- season
- start_date

venue

innings

ball

batting_team

bowling_team

striker

non_striker


bowler

- runs_off_bat
- extras
- wides
- noballs
- byes
- legbyes
- penalty
- wicket_type
- player_dismissed
- other_wicket_type
- other_player_dismissed

Prediction

Regression Problem using ML.Net

- Define Classes : Match, MatchScorePrediction
- Load Dataset
- Split Dataset: Train/Test: 80/20
- One Hot Encoding
- Model Algorithm : FastTree
- Train → Evaluate → Predict the Model



ML.Net – API(Jupyter Notebook)


```
Model quality metrics evaluation
        RSquared Score:
        Root Mean Squared Error:
********* Predict...
Match Info:
Venue: Vidarbha Cricket Association Stadium_ Jamtha
Batting Team: India
Bowling Team: New Zealand
Inning: 1
Ball: 3.4
Striker: V Kohli
Non-Striker: Yuvraj Singh
Bowler: CJ Anderson
^^^^^ Prediction: 24.15512
Predicted score: 24.1551, actual score: 20
```

ML.Net – Model Builder

1		Ton	2 models evals	anad				
		тор	3 models explo	oi eu				
1	Trainer	RSquared	Absolute-loss	Squared-loss	RMS-loss	Duration #I	teration	- 1
1	LightGbmRegression	0.9012	3.72	25.48	5.05	6.7	1	
2	SdcaRegression	0.8234	5.09	45.56	6.75	4.0	2	
3	FastTreeRegression	0.8213	5.08	46.09	6.79	4.7	3	

ML.Net - WebApp

Al Endeavour Home Cricket Prediction





06 DEMO

IMPROVEMENTS

- Large Dataset
- Feature selection strategies
- Algorithm

RESOURCES

- Getting Started:
 - https://dotnet.microsoft.com/apps/machinelearning-ai/ml-dotnet
- Slides and Source:

https://github.com/praveenraghuvanshi/techsessions/tree/master/13052022-AI-ML-Bangalore-Meetup

• Short URL:

THANK YOU FOR WATCHING!

ANY QUESTIONS?

https://linktr.ee/praveenraghuvanshi

@praveenraghuvan

Github: praveenraghuvanshi

