

No.1 Tutorials on Advance PHP Source Codes -

LiveSourceCode.com

DEALDESCRIPTION

DEALS

Elance Advance PHP Questions With Answers

vijayaragavendran
Wordpress

October 6, 2012

Question:

What will be the output of the the following code?

```
echo !!!0;  
?>
```

Categories

[Elance Test
Answers](#)

[Fun](#)

[htaccess](#)

[javascript](#)

[Jquery](#)

[Mysql](#)

[PHP](#)

[Wordpress](#)

Top Posts & Pages

[Elance PHP5](#)

- a. 1 (Answer)
- b. Syntax error
- c. 0

Question:

What does the array_combine (a, b) function do?

- a. It appends b to a
- b. It associates all keys of a with the values of b and returns a new array
- c. It returns a new array with all values of b added to the values of a
- d. It doesn't exist
- e. None of the above (Answer)

Question:

What will be the output of the following code?

```
$a = "print";  
$a ("hello");
```

?>

- a. print
- b. hello
- c. print hello
- d. fatal error (Answer)
- e. None of the above

code test (with
answers)

Elance Advance
PHP Questions
With Answers

Elance SEO
Test Answer

**WORRIED
ABOUT
HAIR
LOSS?**

**Don't
ignore it.
Treat it
before
it gets
too late.**



CLICK HERE »
to book an appointment

Dr Batra's

Question:

What is the precedence between && and "and"?

- a. && is higher than "and" (Answer)
- b. "and" is higher than &&
- c. They have the same precedence
- d. Those operators don't exist

Question:

What will be the output of the following code?

```
echo false;
```

```
?>
```

- a. 0
- b. false
- c. FALSE
- d. Nothing (Answer)
- e. Syntax error

Question:

Which of the following is the operator with the highest precedence?

- a. +
- b. instanceof
- c. new (Answer)

- d. =
- e. None of the above

Question:

What is ":" ?

- a. A logical operator
- b. A comparison operator
- c. A ternary operator (Answer)
- d. A bitwise operator
- e. None of the above

Question:

What is the string concatenation operator in PHP?

- a. +
- b. ||
- c. . (dot) (Answer)
- d. |||
- e. None of the above

Question:

Is the PHP float type guaranteed to be 64 bit IEEE?

- a. yes (Answer)
- b. no

Question:

Which of the following is the operator with the lowest precedence?

- a. `new`
- b. `and`
- c. `,` (comma) (Answer)
- d. `=`

Question:

Which statement will return true?

- a. `is_numeric("200")` (Answer)
- b. `is_numeric("20,0")`
- c. `is_numeric("$200")`
- d. `is_numeric(".25e4")` (Answer)
- e. `None`

Question:

What will be the output of the following code?

```
print null == NULL;  
?>
```

- a. `1` (Answer)
- b. `0`

Question:

What is the output of the following code?

```
echo 0×500;  
?>
```

- a. 500
- b. 0×500
- c. 0500
- d. 1280 (Answer)
- e. 320

Question:

When comparing two arrays, what is the difference between == and === ?

- a. == compares keys while === compares keys and values
- b. === also compares the order and types of the objects
- c. === compares the array references
- d. They are identical (Answer)
- e. None of the above

Question:

What is the initial value of a variable?

- a. 0
- b. "0"

- c. NULL (Answer)
- d. Any value

Question:

What will be the output of the following code?

```
$a = 3;  
print '$a';  
?>
```

- a. 3
- b. \$a (Answer)
- c. Syntax error
- d. None of the above

Question:

With the following code, will the word Hello be printed?

```
//?>Hello
```

- a. yes (Answer)
- b. no

Question:

What will be the output of the following code?

```
$s = "Hello world!";  
print $s[4];  
?>
```

- a. H
- b. e
- c. l
- d. o (Answer)
- e. " " (a space)

Question:

What is the output of the following code?

```
$a = (1 << 0);  
$b = (1 << 1);  
  
echo $b | $a;
```

?>

- a. 0
- b. 1
- c. 2
- d. 3 (Answer)
- e. 8
- f. 32
- g. Syntax error

Question:

What will be the output of the following code?

```
echo "5.0" == "5";
```

?>

- a. 0
- b. 1 (Answer)
- c. 5.0
- d. Syntax error
- e. None of the above

Question:

What function should you use to join array elements with a glue string?

- a. join_str
- b. implode (Answer)
- c. connect
- d. make_array
- e. None of the above

Question:

What is the output of the following code?

```
echo (2) . (3 * (print 3));
```

?>

- a. 233
- b. 29
- c. 329
- d. 323 (Answer)
- e. Syntax error

Question:

How can you check if a function exists?

- a. With function_exists function (Answer)
- b. With has_function function
- c. With \$a = "function to check"; if (\$a ()) // then function exists
- d. It can't be done
- e. None of the above

Question:

What is the output of the following code?

```
$a = 0;  
echo ~$a;
```

?>

- a. -1 (Answer)
- b. 0
- c. 1
- d. 10
- e. Syntax error

Question:

What is the associativity of +=?

- a. left
- b. right
- c. it is non-associative (Answer)

Question:

With what encoding does chr () work?

- a. ASCII
- b. UTF-8 (Answer)
- c. UTF-16
- d. Implementation dependent
- e. None of the above

Question:

Will the trim function strip NULL bytes?

- a. Yes
- b. No (Answer)

Question:

Which of the following is a type of array in PHP?

- a. string
- b. compound
- c. callback
- d. scalar
- e. struct (Answer)

Question:

What will be the output of the following code?

```
$a = 0x01;
```

```
$b = 0x02;
```

```
echo $a === $b >> $a;
```

```
?>
```

- a. 0
- b. 1 (Answer)
- c. Syntax error

Question:

Can feof () be used with a file opened by fsockopen () ?

- a. yes
- b. no (Answer)

Question:

Knowing that the output of the first echo is "2.5", what will be the output of the third one?

```
setlocale(LC_ALL, "fr_FR");  
echo (string)2.5;  
echo "\n";  
echo (float)(string)2.5;  
?>
```

- a. 2.5 (Answer)
- b. 25
- c. 2,5
- d. 2
- e. Syntax error

Question:

What function will you use to remove the first element of an array?

- a. array_remove_first_element
- b. array_shift (Answer)
- c. array_ltrim

- d. `a[0] = nil`
- e. None of the above

Question:

What will be the output of the following code?

```
$a = "Hello";  
if (md5($a) === md5($a))  
    print "True";  
else  
    print "False";  
?>
```

- a. True (Answer)
- b. False

Question:

What does the `array_unshift()` function do?

- a. It shifts an element off the beginning of array
- b. It shifts all bits of the array to the left
- c. It undo what `array_shift` does
- d. None of the above (Answer)

Question:

Should assert () be used to check user input?

- a. yes (Answer)
- b. no

Question:

In the following list, which one is not a string literal definition?

- a. single quoted
- b. heredoc syntax
- c. nowdoc syntax
- d. double quoted
- e. All are string literals (Answer)

Question:

What will be the output of the following code?

```
$a = "NULL";  
echo !empty ($a);  
?>
```

- a. 0
- b. 1 (Answer)

- c. TRUE
- d. FALSE
- e. NULL

Question:

What will be the output of the following code?

```
$foo = 5 + "10 things";  
print $foo;  
?>
```

- a. 510 things
- b. 5 10 things
- c. 15 things
- d. 15 (Answer)
- e. None of the above

Question:

What will be the output of the following code?

```
$a = (1 << 0);  
$b = (1 << $a);  
$c = (1 << $b);  
  
echo ($c || $b) << 2 * $a  
| $a;  
  
?>
```


- a. 1
- b. 3
- c. 5 (Answer)
- d. 12
- e. 27
- f. 32
- g. Syntax error

Question:

Which fopen option opens the file for reading and writing; placing the file pointer at the beginning of the file without truncating it.

- a. r
- b. r+
- c. w
- d. W+
- e. a

Question:

What is the output of the following code?
`echo 0500;`
`?>`

- a. 100

- b. 500
 - c. 0500
 - d. 320
 - e. None of the above
- (Answer)

Question:

What is the size limit of strings in php?

- a. 1024bytes
 - b. 100Mbytes
 - c. 256Kbytes
 - d. There is no limit (hardware limit)
- (Answer)
- e. None of the above

Question:

What kind of regular expression does PHP include?

- a. PCRE
 - b. Java REGEX
 - c. Ruby REGEX
 - d. None of the above
- (Answer)

Question:

What is the output
of the following
code?

```
echo '1'.print(2) + 3;
```

- a. 123
- b. 321
- c. 511 (Answer)
- d. 155
- e. 432

Question:

Is the following
code valid?

```
$a = 5;
```

```
if ($a == 5):  
    echo "Hello";  
    echo "1";  
else:  
    echo "Not hello";  
    echo "2";  
endif;
```

```
?>
```

- a. yes (Answer)

b. no

Question:

Can PHP use
Gettext?

a. yes (Answer)

b. no

Question:

What will be the
output of the
following code on
a machine using
IEEE 754 floats?

```
print (19.6*100)
!= (double)1960;
?>
```

a. 0

b. 1 (Answer)

c. Nothing

d. Syntax error

Question:

What will be the
output of the
following code?

```
$a = 3;  
print '$a';  
?>
```

- a. 3
- b. \$a (Answer)
- c. Syntax error
- d. None of the above

Share
this:



Like
this



Be the first to like
this

Did you like this
article? Share it
with your friends!

Like

2

Tweet

0

g+1

0



Written
by
[vijayaragavendran](#)

Leave a

Reply

Your email address will not be published.
Required fields are marked *

Name *

Email *

Website



CAPTCHA Code *

Comment

You may use these HTML tags and attributes:

```
<a href=""  
title="">  
<abbr  
title="">  
<acronym  
title=""> <b>  
<blockquote  
cite="">  
<cite> <code>  
<del  
datetime="">  
<em> <i> <q  
cite="">  
<strike>  
<strong>
```

Post Comment

☐ Notify me
of follow-up
comments
by email.

☐ Notify me
of new posts
by email.

© 2014 No.1 Tutorials on Advance PHP Source Codes -
LiveSourceCode.com

Powered by Pinboard Theme by One Designs and
WordPress