

ICPSR 34409

## **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011**

Lloyd D. Johnston

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social  
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Form 2 Data Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34409/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **INTRODUCTION**

### **DATA COLLECTION DESCRIPTION**

**MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH,** 2011 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

### **DATA COLLECTION PROCEDURES**

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

### **SAMPLING INFORMATION**

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

**STAGE 1: GEOGRAPHIC AREAS.** The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

**STAGE 2: SCHOOLS.** In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

**STAGE 3: STUDENTS.** Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

**SCHOOL RECRUITING PROCEDURES.** Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

**ADVANCE CONTACT WITH TEACHERS AND STUDENTS.** The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

**QUESTIONNAIRE ADMINISTRATION.** The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

**PROCEDURES FOR PROTECTING CONFIDENTIALITY.** In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

## **CONTENT AREAS AND QUESTIONNAIRE DESIGN**

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

### **MEASUREMENT CONTENT AREAS**

---

---

- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

---

---

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

### **REPRESENTATIVENESS AND VALIDITY**

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

**SCHOOL PARTICIPATION.** As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate



are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

**STUDENT PARTICIPATION.** Completed questionnaires are obtained from three-fourths to four-fifths of all 12<sup>th</sup> graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

**VALIDITY OF SELF-REPORT DATA.** Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

**ACCURACY OF THE SAMPLE.** A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

**CONSISTENCY AND THE MEASUREMENT OF TRENDS.** One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

**INTERPRETING RACIAL DIFFERENCES.** Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

**DIFFERENTIAL REPRESENTATION.** Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

**DIFFERENTIAL RESPONSE TENDENCIES.** In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

**COVARIANCE WITH OTHER FACTORS.** Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

## WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

## FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2011 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	185	384	14,855
2	Form 1	635	1,281	2,478
3	Form 2	329	671	2,465
4	Form 3	360	734	2,470
5	Form 4	267	550	2,463
6	Form 5	309	631	2,493
7	Form 6	337	688	2,486

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

## CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119	[2] 082A04E #X INTERNET NEWS
[3] Location:	64-65(width: 2, decimal: 0)
[4] Variable Type:	numeric (ISO)
[5] Range of Missing Values (M): Question:	-9
	[6] Item Number: 24815
	[7] Question Number(s): 2A04E
	[8] How often do you use each of the following to get information about news and current events?
	E: The Internet
	[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

## ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

### OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT



## **RECODED VARIABLES:**

### **Core dataset and Part C section of individual forms**

AGE < 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

### **Core dataset (Part B)**

\*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

\*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

### Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

### MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

### QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

## **REVISED QUESTION TEXT FOR THE CORE DATASET**

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.



## **ICPSR 34409**

# **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011**

## **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

## Form 2 Data

### Variable Groups

#### Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
<a href="#">GROUP 1</a>	SURVEY INFORMATION	20
<a href="#">GROUP 2</a>	GEOGRAPHIC	20
<a href="#">GROUP 3</a>	SECTION A	20
<a href="#">GROUP 4</a>	SECTION B	23
<a href="#">GROUP 5</a>	SECTION C	24
<a href="#">GROUP 6</a>	SECTION D	25
<a href="#">GROUP 7</a>	SECTION E	26

#### GROUP 1 SURVEY INFORMATION

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">CASEID</a>	CASE IDENTIFICATION NUMBER	29
<a href="#">V1</a>	YEAR OF ADMIN (4-DIGITS)	29
<a href="#">V3</a>	112:FORM ID	29
<a href="#">V4</a>	112:Rs ID-SERIAL #	29
<a href="#">V5</a>	SAMPLING WEIGHT	29

#### GROUP 2 GEOGRAPHIC

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V13</a>	SCH REG-4 CAT	29
<a href="#">V16</a>	LARGE MSA = 1/NOT = 0	30
<a href="#">V17</a>	MSA/NON-MSA = 0	30

#### GROUP 3 SECTION A

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2208</a>	112A01 :VRY HPY THS DAYS	30
<a href="#">V2209</a>	112A02A:DALY WATCH TV	31
<a href="#">V2210</a>	112A02B:DALY GO TO MOVIE	31
<a href="#">V2432</a>	112A02C:DALY MUSIC CNCRT	32
<a href="#">V2212</a>	112A02D:DALY RIDE FORFUN	32
<a href="#">V2213</a>	112A02E:DALY CMNTY AFFRS	33
<a href="#">V2214</a>	112A02F:DALY PLA MSC,SNG	33
<a href="#">V2215</a>	112A02G:DALY CREAT WRTNG	34

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2216</a>	112A02H:DALY ACTV SPORTS	35
<a href="#">V2217</a>	112A02I:DALY ART/CRAFTS	35
<a href="#">V2218</a>	112A02J:DALY WRK HSE,CAR	36
<a href="#">V2219</a>	112A02K:DALY VIST W/FRDS	36
<a href="#">V2521</a>	112A02L:DALY GO TO MALL	37
<a href="#">V2221</a>	112A02M:DALY ALONE LEISR	37
<a href="#">V2222</a>	112A02N:DALY READ BK,MAG	38
<a href="#">V2223</a>	112A02O:DALY GO TO BARS	38
<a href="#">V2224</a>	112A02P:DALY GO TO PARTY	39
<a href="#">V2533</a>	112A02Q:DALY WEB MYSPC	39
<a href="#">V2225</a>	112A03A:US 2 MUCH PROFIT	40
<a href="#">V2226</a>	112A03B:2MUCH CNCRN MTRL	40
<a href="#">V2227</a>	112A03C:ENCOURG PPL BUY>	41
<a href="#">V2228</a>	112A03D:-WRNG ADVERTISNG	41
<a href="#">V2229</a>	112A03E:MOR SHORTGS FUTR	42
<a href="#">V2468</a>	112A04A:RSK OF CIG1+PK/D	43
<a href="#">V2469</a>	112A04B:RSK OF MJ 1-2 X	43
<a href="#">V2470</a>	112A04C:RSK OF MJ OCSNLY	44
<a href="#">V2471</a>	112A04D:RSK OF MJ REGLY	44
<a href="#">V2472</a>	112A04E:RSK OF 1-2 DRINK	45
<a href="#">V2473</a>	112A04F:RSK OF 1-2 DR/DA	45
<a href="#">V2474</a>	112A04G:RSK OF 4-5 DR/DA	46
<a href="#">V2475</a>	112A04H:RSK OF 5+DR/WKND	46
<a href="#">V2238</a>	112A05 :DFNTLY PRFR MATE	47
<a href="#">V2239</a>	112A06 :THINK WILL MARRY	47
<a href="#">V2240</a>	112A07A:LIKLY STAY MARRD	48
<a href="#">V2241</a>	112A07B:LIKLY HAVE KIDS	48
<a href="#">V2242</a>	112A08A:-CHL,HB WK1.,W = 0	49
<a href="#">V2243</a>	112A08B:-CHL,HB WK1.,W.5	50
<a href="#">V2244</a>	112A08C:-CHL,HB/WF WK 1.	50
<a href="#">V2245</a>	112A08D:-CHL,HB/WF WK .5	51
<a href="#">V2246</a>	112A08E:-CHL,W WK 1.,H.5	51
<a href="#">V2247</a>	112A08F:-CHL,W WK 1.,H = 0	52
<a href="#">V2248</a>	112A09A:PSCH,HB WK1.,W = 0	52
<a href="#">V2249</a>	112A09B:PSCH,HB WK1.,W.5	53
<a href="#">V2250</a>	112A09C:PSCH,HB/WF WK 1.	53
<a href="#">V2251</a>	112A09D:PSCH,HB/WF WK .5	54
<a href="#">V2252</a>	112A09E:PSCH,WF WK1.,H.5	54
<a href="#">V2253</a>	112A09F:PSCH,WF WK1.,H = 0	55
<a href="#">V2254</a>	112A10A:H WK,W -WK,W CCR	55
<a href="#">V2255</a>	112A10B:H WK,W -WK,W>CCR	56

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2256</a>	112A10C:H WK,W -WK, = CHCR	56
<a href="#">V2257</a>	112A10D:H WK,W -WK,H>CCR	57
<a href="#">V2258</a>	112A10E:H WK,W -WK,H CCR	58
<a href="#">V2259</a>	112A11 :INTEREST IN GOVT	58
<a href="#">V2260</a>	112A12 :GOVT PPL -DSHNST	59
<a href="#">V2261</a>	112A13 :GOVT DSNT WASTE\$	59
<a href="#">V2262</a>	112A14 :NEVER TRUST GOVT	60
<a href="#">V2263</a>	112A15 :GVT PPL DK DOING	60
<a href="#">V2264</a>	112A16 :GOVT RUN FOR PPL	61
<a href="#">V2265</a>	112A17A:DO OR PLN VOTE	61
<a href="#">V2266</a>	112A17B:DO OR PLN WRITE	62
<a href="#">V2267</a>	112A17C:DO OR PLN GIVE \$	62
<a href="#">V2268</a>	112A17D:DO OR PLN WK CPG	63
<a href="#">V2269</a>	112A17E:DO OR PLN DEMNST	63
<a href="#">V2270</a>	112A17F:DO OR PLN BOYCOT	64
<a href="#">V2271</a>	112A18A:US SHD DISARM	64
<a href="#">V2272</a>	112A18B:US GO WAR FR OTH	65
<a href="#">V2273</a>	112A18C:US WAR PRTCT ECN	65
<a href="#">V2274</a>	112A18D:US ONLY WAR DFNS	66
<a href="#">V2275</a>	112A18E:-US MIL PWR>USSR	67
<a href="#">V2276</a>	112A18F:US NEED>PWR OTHS	67
<a href="#">V2277</a>	112A18G:US FRN PLCY NRRW	68
<a href="#">V2279</a>	112A19A:FRQ FIGHT PARNTS	68
<a href="#">V2280</a>	112A19B:FRQ HIT SUPRVISR	69
<a href="#">V2281</a>	112A19C:FRQ FGT WRK/SCHL	69
<a href="#">V2282</a>	112A19D:FRQ GANG FIGHT	70
<a href="#">V2283</a>	112A19E:FRQ HURT SM1 BAD	70
<a href="#">V2284</a>	112A19F:FRQ THREAT WEAPN	71
<a href="#">V2285</a>	112A19G:FRQ STEAL <\$50	71
<a href="#">V2286</a>	112A19H:FRQ STEAL >\$50	72
<a href="#">V2287</a>	112A19I:FRQ SHOPLIFT	73
<a href="#">V2288</a>	112A19J:FRQ CAR THEFT	73
<a href="#">V2289</a>	112A19K:FRQ STEAL CAR PT	74
<a href="#">V2290</a>	112A19L:FRQ TRESPAS BLDG	74
<a href="#">V2291</a>	112A19M:FRQ ARSON	75
<a href="#">V2292</a>	112A19N:FRQ DMG SCH PPTY	75
<a href="#">V2293</a>	112A19O:FRQ DMG WK PRPTY	76
<a href="#">V2295</a>	112A20A:SM1 ROB YRS <\$50	76
<a href="#">V2296</a>	112A20B:SM1 ROB YRS >\$50	77
<a href="#">V2297</a>	112A20C:SM1 DMG YR PRPTY	77
<a href="#">V2298</a>	112A20D:SM1 INJR U W/ WPN	78



<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2299</a>	112A20E:SM1 THRTN U W/WP	78
<a href="#">V2300</a>	112A20F:SM1 INJR YU -WPN	79
<a href="#">V2301</a>	112A20G:SM1 THRT U W/INJ	79
<a href="#">V2302</a>	112A21A:EASY GT MARIJUAN	80
<a href="#">V2303</a>	112A21B:EASY GT LSD	81
<a href="#">V2304</a>	112A21C:EASY GT PSYDELIC	81
<a href="#">V2305</a>	112A21D:EASY GT AMPHTMNS	82
<a href="#">V2522</a>	112A21E:EASY GT SED/BARB	82
<a href="#">V2307</a>	112A21F:EASY GT TRANQLIZ	83
<a href="#">V2308</a>	112A21G:EASY GT COCAINE	83
<a href="#">V2309</a>	112A21H:EASY GT HEROIN	84
<a href="#">V2310</a>	112A21I:EASY GT NARCOTIC	84

**GROUP 4**

**SECTION B**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2101</a>	112B01 :EVR SMK CIG,REGL	85
<a href="#">V2102</a>	112B02 :#CIGS SMKD/30DAY	85
<a href="#">V2103</a>	112B03:EVER DRINK	86
<a href="#">V2104</a>	112B04A:#X ALC/LIF SIPS	86
<a href="#">V2105</a>	112B04B:#X ALC/ANN SIPS	87
<a href="#">V2106</a>	112B04C:#X ALC/30D SIPS	88
<a href="#">V2107</a>	112B05 :#X DRK ENF FL HI	88
<a href="#">V2108</a>	112B06:5+DRK ROW/LST 2W	89
<a href="#">V2115</a>	112B07A:#XMJ+HS/LIFETIME	89
<a href="#">V2116</a>	112B07B:#XMJ+HS/LAST12MO	90
<a href="#">V2117</a>	112B07C:#XMJ+HS/LAST30DA	91
<a href="#">V2118</a>	112B08A:#X LSD/LIFETIME	91
<a href="#">V2119</a>	112B08B:#X LSD/LAST 12MO	92
<a href="#">V2120</a>	112B08C:#X LSD/LAST 30DA	92
<a href="#">V2121</a>	112B09A:#X PSYD/LIFETIME	93
<a href="#">V2122</a>	112B09B:#X PSYD/LAST12MO	94
<a href="#">V2123</a>	112B09C:#X PSYD/LAST30DA	94
<a href="#">V2124</a>	112B10A:#X COKE/LIFETIME	95
<a href="#">V2125</a>	112B10B:#X COKE/LAST12MO	95
<a href="#">V2126</a>	112B10C:#X COKE/LAST30DA	96
<a href="#">V2127</a>	112B11A:#X AMPH/LIFETIME	97
<a href="#">V2128</a>	112B11B:#X AMPH/LAST12MO	97
<a href="#">V2129</a>	112B11C:#X AMPH/LAST30DA	98
<a href="#">V2130</a>	112B12A:#X ICE/LIFETIME	99
<a href="#">V2131</a>	112B12B:#X ICE/LAST12MO	99

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2132</a>	112B12C:#X ICE/LAST30DA	100
<a href="#">V2133</a>	112B13A:#X SED/BARB/LIFE	100
<a href="#">V2134</a>	112B13B:#X SED/BARB/12MO	101
<a href="#">V2135</a>	112B13C:#X SED/BARB/30DA	102
<a href="#">V2136</a>	112B14A:#X TRQL/LIFETIME	102
<a href="#">V2137</a>	112B14B:#X TRQL/LAST12MO	103
<a href="#">V2138</a>	112B14C:#X TRQL/LAST30DA	104
<a href="#">V2510</a>	112B15A:#X H LIF USE NDL	104
<a href="#">V2511</a>	112B15B:#X H 12M USE NDL	105
<a href="#">V2512</a>	112B15C:#X H 30D USE NDL	105
<a href="#">V2513</a>	112B16A:#X H LIF W/O NDL	106
<a href="#">V2514</a>	112B16B:#X H 12M W/O NDL	107
<a href="#">V2515</a>	112B16C:#X H 30D W/O NDL	107
<a href="#">V2139</a>	112R* :#X H/LIFETIME	108
<a href="#">V2140</a>	112R* :#X H/LAST12MO	109
<a href="#">V2141</a>	112R* :#X H/LAST30DA	109
<a href="#">V2142</a>	112B17A:#X NARC/LIFETIME	110
<a href="#">V2143</a>	112B17B:#X NARC/LAST12MO	111
<a href="#">V2144</a>	112B17C:#X NARC/LAST30DA	111
<a href="#">V2145</a>	112B18A:#X INHL/LIFETIME	112
<a href="#">V2146</a>	112B18B:#X INHL/LAST12MO	112
<a href="#">V2147</a>	112B18C:#X INHL/LAST30DA	113

**GROUP 5**

**SECTION C**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2148</a>	112C01(R):AGE <>18 DICHOTOMY	114
<a href="#">V2150</a>	112C03 :Rs SEX	114
<a href="#">V2151</a>	112C04(R):R'S RACE B/W/H	115
<a href="#">V2152</a>	112C05 :R SPD >TIM R-URB	115
<a href="#">V2153</a>	112C06 :R NOT MARRIED	116
<a href="#">V49</a>	112C07(R):# SIBLINGS	116
<a href="#">V2155</a>	112C07Cb(R):R'S HSHLD FATHER	117
<a href="#">V2156</a>	112C07Cc(R):R'S HSHLD MOTHER	117
<a href="#">V2157</a>	112C07Cd(R):R'S HSHLD BR/SR	118
<a href="#">V2163</a>	112C08 :FATHR EDUC LEVEL	118
<a href="#">V2164</a>	112C09 :MOTHR EDUC LEVEL	119
<a href="#">V2165</a>	112C10 :MOTH PD JB R YNG	119
<a href="#">V2166</a>	112C11 :Rs POLTL PRFNC	120
<a href="#">V2167</a>	112C12 :R POL BLF RADCL	120
<a href="#">V2169</a>	112C13B:R ATTND REL SVC	121

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2170</a>	112C13C:RLGN IMP Rs LF	122
<a href="#">V2171</a>	112C14 :WHEN R XPCT GRAD	122
<a href="#">V2172</a>	112C15 :Rs HS PROGRAM	122
<a href="#">V2173</a>	112C16 :RT SF SCH AB>AVG	123
<a href="#">V2174</a>	112C17 :RT SF INTELL>AVG	123
<a href="#">V2175</a>	112C18A:#DA/4W SC MS ILL	124
<a href="#">V2176</a>	112C18B:#DA/4W SC MS CUT	125
<a href="#">V2177</a>	112C18C:#DA/4W SC MS OTH	125
<a href="#">V2178</a>	112C19 :#DA/4W SKP CLASS	126
<a href="#">V2179</a>	112C20 :R HS GRADE/D = 1	126
<a href="#">V2180</a>	112C21A:R WL DO VOC/TEC	127
<a href="#">V2181</a>	112C21B:R WL DO ARMD FC	127
<a href="#">V2182</a>	112C21C:R WL DO 2YR CLG	128
<a href="#">V2183</a>	112C21D:R WL DO 4YR CLG	128
<a href="#">V2184</a>	112C21E:R WL DO GRD/PRF	129
<a href="#">V2185</a>	112C22A:R WNTDO VOC/TEC	130
<a href="#">V2186</a>	112C22B:R WNTDO ARMD FC	130
<a href="#">V2187</a>	112C22C:R WNTDO 2YR CLG	130
<a href="#">V2188</a>	112C22D:R WNTDO 4YR CLG	131
<a href="#">V2189</a>	112C22E:R WNTDO GRD/PRF	131
<a href="#">V2190</a>	112C22F:R WNTDO NONE	132
<a href="#">V2191</a>	112C23 :HRS/W WRK SCHYR	132
<a href="#">V2192</a>	112C24A:R\$/AVG WEEK JOB	133
<a href="#">V2193</a>	112C24B:R\$/AVG WEEK OTH	133
<a href="#">V2194</a>	112C25 :#X/AV WK GO OUT	134
<a href="#">V2195</a>	112C26 :#X DATE 3+/WK	135
<a href="#">V2196</a>	112C27 :DRIVE>200 MI/WK	135
<a href="#">V2197</a>	112C28 :#X/12MO R TCKTD	136
<a href="#">V2198</a>	112C29AR:#TCKTS AFT DRNK	136
<a href="#">V2199</a>	112C29BR:#TCKTS AFT MARJ	137
<a href="#">V2200</a>	112C29CR:#TCKTS AFT OTDG	137
<a href="#">V2201</a>	112C30 :#ACCIDNTS/12 MO	138
<a href="#">V2202</a>	112C31AR:#ACDTS AFT DRNK	138
<a href="#">V2203</a>	112C31BR:#ACDTS AFT MARJ	139
<a href="#">V2204</a>	112C31CR:#ACDTS AFT OTDG	139

**GROUP 6**

**SECTION D**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2500</a>	112D01A:4WKS ALC@SCHOOL	140
<a href="#">V2501</a>	112D01B:4WKS MJ/OTD@SCHL	141

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2502</a>	112D01C:4WKS TOBACCO@SCH	141
<a href="#">V2503</a>	112D01D:4WKS WEAPON@SCHL	142
<a href="#">V2504</a>	112D02A:#X TCHR INTRUPT	142
<a href="#">V2505</a>	112D02B:#X MISBHVR INT U	143
<a href="#">V2506</a>	112D02C:#X U UNEXCSD LAT	143
<a href="#">V2507</a>	112D03 :SCHL RULES FAIR	144
<a href="#">V2311</a>	112D04 :CMP SATFD W/LIFE	145
<a href="#">V2312</a>	112D05A:HOW GD AS SPOUSE	145
<a href="#">V2313</a>	112D05B:HOW GD AS PARENT	146
<a href="#">V2314</a>	112D05C:HOW GD AS WORKER	146
<a href="#">V2328</a>	112D06A:2MCH COMPTN SCTY	147
<a href="#">V2329</a>	112D06B:2MANY YNG SLOPPY	147
<a href="#">V2330</a>	112D06C:2MUCH HARD ROCK	148
<a href="#">V2331</a>	112D06D:SHD DO OWN THING	148
<a href="#">V2332</a>	112D06E:KICK DO DANGR TH	149
<a href="#">V2333</a>	112D06F:LIKE RISK SOME X	150
<a href="#">V2433</a>	112D06G:POS ATT TWD SELF	150
<a href="#">V2434</a>	112D06H:AM PRSN OF WORTH	151
<a href="#">V2435</a>	112D06I:DO WELL AS OTHRS	151
<a href="#">V2436</a>	112D06J:SATISFD W MYSELF	152
<a href="#">V2437</a>	112D06K:-MUCH TO B PROUD	152
<a href="#">V2438</a>	112D06L:I AM NO GOOD	153
<a href="#">V2439</a>	112D06M:I DO WRONG THING	153
<a href="#">V2440</a>	112D06N:MY LIFE NT USEFL	154
<a href="#">V2334</a>	112D07A:ALL FRD SMK CIGS	154
<a href="#">V2335</a>	112D07B:ALL FRD SMK MARJ	155
<a href="#">V2336</a>	112D07C:ALL FRD TAKE LSD	155
<a href="#">V2337</a>	112D07D:ALL FRD TK PSYDL	156
<a href="#">V2338</a>	112D07E:ALL FRD TK AMPH	156
<a href="#">V2523</a>	112D07F:ALL FRD TK SED/B	157
<a href="#">V2341</a>	112D07G:ALL FRD TK TRNQL	157
<a href="#">V2342</a>	112D07H:ALL FRD TK COKE	158
<a href="#">V2343</a>	112D07I:ALL FRD TK HERON	158
<a href="#">V2344</a>	112D07J:ALL FRD TK NARC	159
<a href="#">V2345</a>	112D07K:ALL FRD TK INHL	159
<a href="#">V2346</a>	112D07L:ALL FRD DRK ALCL	160
<a href="#">V2347</a>	112D07M:ALL FRD GT DRUNK	160
<a href="#">V2451</a>	112D07N:# FRNDS TK CRACK	161

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2452</a>	112E01A:RSK COK PWDR 1-2	161
<a href="#">V2453</a>	112E01B:RSK COK PWDR OCC	162
<a href="#">V2454</a>	112E01C:RSK COK PWDR REG	162
<a href="#">V2455</a>	112E01D:RSK CRACK 1-2X	163
<a href="#">V2456</a>	112E01E:RSK CRACK OCC	164
<a href="#">V2457</a>	112E01F:RSK CRACK REG	164
<a href="#">V2534</a>	112E01G:RSK NARC 1-2X	165
<a href="#">V2535</a>	112E01H:RSK NARC OCCAS	165
<a href="#">V2536</a>	112E01I:RSK NARC REGLY	166
<a href="#">V2537</a>	112E01J:RSK ADDERALL 1-2X	166
<a href="#">V2538</a>	112E01K:RSK ADDERALL OCC	167
<a href="#">V2458</a>	112E01L:RSK PCP 1-2X	167
<a href="#">V2476</a>	112E01M:RSK ICE 1-2X	168
<a href="#">V2539</a>	112E01N:RSK SALVIA 1-2X	168
<a href="#">V2459</a>	112E02A:#X CRACK/LIFETIM	169
<a href="#">V2460</a>	112E02B:#X CRACK/LAST12M	169
<a href="#">V2461</a>	112E02C:#X CRACK/LAST30D	170
<a href="#">V2403</a>	112E03A:#X PCP/LIFETIME	171
<a href="#">V2404</a>	112E03B:#X PCP/LAST12MO	171
<a href="#">V2405</a>	112E03C:#X PCP/LAST30DA	172
<a href="#">V2493</a>	112E04A:#X STRD/LIFETIME	172
<a href="#">V2494</a>	112E04B:#X STRD/LAST12MO	173
<a href="#">V2495</a>	112E04C:#X STRD/LAST30DA	174
<a href="#">V2496</a>	112E05A:MTHD STRD-INJECT	174
<a href="#">V2497</a>	112E05B:MTHD STRD-MOUTH	175
<a href="#">V2516</a>	112E05C:HVNT USED STRDS	175
<a href="#">V2462</a>	112E06A:GR 1ST TRY CRACK	176
<a href="#">V2463</a>	112E06B:GR 1ST TR OT COK	176
<a href="#">V2477</a>	112E06C:GR 1ST TRY ICE	177
<a href="#">V2498</a>	112E06D:GR 1ST TRY STRDS	177
<a href="#">V2464</a>	112E07A:EASY GT CRACK	178
<a href="#">V2465</a>	112E07B:EASY GT COK PWDR	179
<a href="#">V2466</a>	112E07C:EASY GT PCP	179
<a href="#">V2478</a>	112E07D:EASY GT ICE	180
<a href="#">V2499</a>	112E07E:EASY GT STEROIDS	180
<a href="#">V2479</a>	112E08A:DAP SMK 1PCK CIG	181
<a href="#">V2480</a>	112E08B:DAP TRY MRJ 1-2T	181
<a href="#">V2481</a>	112E08C:DAP SMK MRJ OCCS	182
<a href="#">V2482</a>	112E08D:DAP SMK MRJ REGL	182
<a href="#">V2483</a>	112E08E:DAP COK PWD 1-2T	183
<a href="#">V2484</a>	112E08F:DAP COK PWDR OCC	183

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">V2485</a>	112E08G:DAP COK PWDR REG	184
<a href="#">V2486</a>	112E08H:DAP TRY CRK 1-2T	184
<a href="#">V2487</a>	112E08I:DAP CRACK OCC	185
<a href="#">V2488</a>	112E08J:DAP CRACK REG	185
<a href="#">V2489</a>	112E08K:DAP TRY DRK ALCL	186
<a href="#">V2490</a>	112E08L:DAP 1-2 DRK/DAY	186
<a href="#">V2491</a>	112E08M:DAP 4-5 DRK/DAY	186
<a href="#">V2492</a>	112E08N:DAP 5+ DRK WKND	187
<a href="#">V2428</a>	112E09A:FAVOR MLTY DRAFT	187
<a href="#">V2429</a>	112E09B:DRAFT INCL WOMEN	188
<a href="#">V2371</a>	112E10 :R LIKES SCHOOL	188
<a href="#">V2372</a>	112E11 :HRS/WK SPND HMWK	189
<a href="#">V2445</a>	112E12A:SCH ACTV-PBLCTNS	189
<a href="#">V2446</a>	112E12B:SCH ACTV-PRF ART	190
<a href="#">V2447</a>	112E12C:SCH ACTV-ATHLTCS	190
<a href="#">V2448</a>	112E12D:SCH ACTV-OTH ACT	191
<a href="#">V2373</a>	112E13A:PRCL INFL SCL RN	192
<a href="#">V2374</a>	112E13B:TCHR INFL SCL RN	192
<a href="#">V2375</a>	112E13C:STDS INFL SCL RN	193
<a href="#">V2376</a>	112E13D:PRTS INFL SCL RN	193
<a href="#">V2377</a>	112E14 :HAD DRUG EDUCATN	194
<a href="#">V2378</a>	112E15 :DG ED,>DG INTRST	194
<a href="#">V2379</a>	112E16A:DG ED,SPC COURSE	195
<a href="#">V2380</a>	112E16B:DG ED,IN REG CRS	195
<a href="#">V2381</a>	112E16C:DG ED,NT REG CRS	196
<a href="#">V2382</a>	112E16D:DG ED,SPC DISCUS	196
<a href="#">V2383</a>	112E17 :DG ED,GRT VALUE	197
<a href="#">V2441</a>	112E18A:#X/2W DRIVE+ALCL	197
<a href="#">V2442</a>	112E18B:#X/2W DRIVE+5DRK	198
<a href="#">V2517</a>	112E18C:#X/2W DRIVE+MJ	198
<a href="#">V2518</a>	112E18D:#X/2W DRIVE+OTDG	199
<a href="#">V2443</a>	112E19A:#X/2W RIDE+ALCL	199
<a href="#">V2444</a>	112E19B:#X/2W RIDE+5DRK	200
<a href="#">V2519</a>	112E19C:#X/2W RIDE+MJ	200
<a href="#">V2520</a>	112E19D:#X/2W RIDE+OTDG	201
<a href="#">V2414</a>	112E20A:OFTN EAT BRKFST	201
<a href="#">V2415</a>	112E20B:OFTN EAT GN VEG	202
<a href="#">V2416</a>	112E20C:OFTN EAT FRUIT	203
<a href="#">V2417</a>	112E20D:OFTN EXERCISE	203
<a href="#">V2418</a>	112E20E:OFTN 7HRS SLEEP	204
<a href="#">V2419</a>	112E20F:OFTN SLEEP <SHLD	204

Variables within this Variable Group		
Variable	Variable Label	Page

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

Based upon 2465 valid cases out of 2465 total cases.

V1	YEAR OF ADMIN (4-DIGITS)
----	--------------------------

Location: 5-8 (width: 4; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%	Valid %
2011	2465	100.0 %	100.0%

Based upon 2465 valid cases out of 2465 total cases.

V3	112:FORM ID
----	-------------

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%	Valid %
2	2465	100.0 %	100.0%

Based upon 2465 valid cases out of 2465 total cases.

V4	112:Rs ID-SERIAL #
----	--------------------

Location: 11-15 (width: 5; decimal: 0)

Variable Type: numeric

Based upon 2465 valid cases out of 2465 total cases.

V5	SAMPLING WEIGHT
----	-----------------

Location: 16-21 (width: 6; decimal: 4)

Variable Type: numeric

Based upon 2465 valid cases out of 2465 total cases.

V13	SCH REG-4 CAT
-----	---------------

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

Question: Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NORTHEAST:(1)	478	19.4 %	19.4%
2	NORTH CENTRL:(2)	639	25.9 %	25.9%
3	SOUTH:(3)	795	32.3 %	32.3%
4	WEST:(4)	553	22.4 %	22.4%

Based upon 2465 valid cases out of 2465 total cases.

<b>V16</b>	<b>LARGE MSA = 1/NOT = 0</b>
------------	------------------------------

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	1579	64.1 %	64.1%
1	LARGE MSA:(1)	886	35.9 %	35.9%

Based upon 2465 valid cases out of 2465 total cases.

<b>V17</b>	<b>MSA/NON-MSA = 0</b>
------------	------------------------

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	485	19.7 %	19.7%
1	MSA:(1)	1980	80.3 %	80.3%

Based upon 2465 valid cases out of 2465 total cases.

<b>V2208</b>	<b>112A01 :VRY HPY THS DAYS</b>
--------------	---------------------------------

Location: 28-29 (width: 2; decimal: 0)



Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%	Valid %
1	NT HAPPY:(1)	300	12.2 %	12.8%
2	PRTY HPY:(2)	1511	61.3 %	64.7%
3	VRV HPY:(3)	526	21.3 %	22.5%
-9 (M)	MISSING:(-9)	128	5.2 %	-

Based upon 2337 valid cases out of 2465 total cases.

**V2209**

**112A02A:DALY WATCH TV**

Location: 30-31 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 05820

The next questions ask about the kinds of things you might do.  
 How often do you do each of the following?

A: Watch TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	25	1.0 %	1.0%
2	FEW /YR:(2)	45	1.8 %	1.8%
3	1-2 /MO:(3)	134	5.4 %	5.5%
4	1 /WK:(4)	636	25.8 %	26.0%
5	NR DAILY:(5)	1609	65.3 %	65.7%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2449 valid cases out of 2465 total cases.

**V2210**

**112A02B:DALY GO TO MOVIE**

Location: 32-33 (width: 2; decimal: 0)  
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05830

How often do you do each of the following?

B: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	78	3.2 %	3.2%
2	FEW /YR:(2)	1133	46.0 %	46.2%
3	1-2 /MO:(3)	1111	45.1 %	45.3%
4	1 /WK:(4)	120	4.9 %	4.9%
5	NR DAILY:(5)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2450 valid cases out of 2465 total cases.

**V2432**

**112A02C:DALY MUSIC CNCRT**

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05846

How often do you do each of the following?

C: Go to music concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1051	42.6 %	43.1%
2	FEW /YR:(2)	1217	49.4 %	50.0%
3	1-2 /MO:(3)	125	5.1 %	5.1%
4	1 /WK:(4)	28	1.1 %	1.1%
5	NR DAILY:(5)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2436 valid cases out of 2465 total cases.

**V2212**

**112A02D:DALY RIDE FORFUN**

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric  
Range of Missing Values (M): -9  
Question:

Item Number: 05850

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	430	17.4 %	17.5%
2	FEW /YR:(2)	283	11.5 %	11.5%
3	1-2 /MO:(3)	432	17.5 %	17.6%
4	1 /WK:(4)	646	26.2 %	26.3%
5	NR DAILY:(5)	661	26.8 %	27.0%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2452 valid cases out of 2465 total cases.

**V2213 112A02E:DALY CMNTY AFFRS**

Location: 38-39 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:

Item Number: 05860

How often do you do each of the following?

E: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	574	23.3 %	23.4%
2	FEW /YR:(2)	1013	41.1 %	41.3%
3	1-2 /MO:(3)	515	20.9 %	21.0%
4	1 /WK:(4)	259	10.5 %	10.6%
5	NR DAILY:(5)	91	3.7 %	3.7%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2452 valid cases out of 2465 total cases.

**V2214 112A02F:DALY PLA MSC,SNG**

Location: 40-41 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 05870

How often do you do each of the following?

F: Play a musical instrument or sing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1032	41.9 %	42.1%
2	FEW /YR:(2)	203	8.2 %	8.3%
3	1-2 /MO:(3)	144	5.8 %	5.9%
4	1 /WK:(4)	258	10.5 %	10.5%
5	NR DAILY:(5)	813	33.0 %	33.2%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2450 valid cases out of 2465 total cases.

**V2215 112A02G:DALY CREAT WRTNG**

Location: 42-43 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 05880

How often do you do each of the following?

G: Do creative writing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1032	41.9 %	42.1%
2	FEW /YR:(2)	563	22.8 %	23.0%
3	1-2 /MO:(3)	414	16.8 %	16.9%
4	1 /WK:(4)	277	11.2 %	11.3%
5	NR DAILY:(5)	165	6.7 %	6.7%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2451 valid cases out of 2465 total cases.

**V2216 112A02H:DALY ACTV SPORTS**

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05890

How often do you do each of the following?

H: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	179	7.3 %	7.3%
2	FEW /YR:(2)	227	9.2 %	9.3%
3	1-2 /MO:(3)	298	12.1 %	12.2%
4	1 /WK:(4)	575	23.3 %	23.5%
5	NR DAILY:(5)	1173	47.6 %	47.8%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2452 valid cases out of 2465 total cases.

**V2217 112A02I:DALY ART/CRAFTS**

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05900

How often do you do each of the following?

I: Do art or craft work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	721	29.2 %	29.6%
2	FEW /YR:(2)	604	24.5 %	24.8%
3	1-2 /MO:(3)	464	18.8 %	19.1%
4	1 /WK:(4)	299	12.1 %	12.3%
5	NR DAILY:(5)	345	14.0 %	14.2%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2433 valid cases out of 2465 total cases.

**V2218 112A02J:DALY WRK HSE,CAR**

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05910

How often do you do each of the following?

J: Work around the house, yard, garden, car, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	177	7.2 %	7.2%
2	FEW /YR:(2)	275	11.2 %	11.2%
3	1-2 /MO:(3)	517	21.0 %	21.1%
4	1 /WK:(4)	810	32.9 %	33.0%
5	NR DAILY:(5)	675	27.4 %	27.5%
-9 (M)	MISSING:(-9)	11	0.4 %	-

Based upon 2454 valid cases out of 2465 total cases.

**V2219 112A02K:DALY VIST W/FRDS**

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05920

How often do you do each of the following?

K: Get together with friends informally

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	38	1.5 %	1.6%
2	FEW /YR:(2)	89	3.6 %	3.6%
3	1-2 /MO:(3)	325	13.2 %	13.3%
4	1 /WK:(4)	992	40.2 %	40.5%
5	NR DAILY:(5)	1003	40.7 %	41.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	18	0.7 %	-

Based upon 2447 valid cases out of 2465 total cases.

<b>V2521</b>	<b>112A02L:DALY GO TO MALL</b>
--------------	--------------------------------

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05935

How often do you do each of the following?

L: Go to a shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	100	4.1 %	4.1%
2	FEW /YR:(2)	601	24.4 %	24.6%
3	1-2 /MO:(3)	1233	50.0 %	50.4%
4	1 /WK:(4)	453	18.4 %	18.5%
5	NR DAILY:(5)	61	2.5 %	2.5%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2448 valid cases out of 2465 total cases.

<b>V2221</b>	<b>112A02M:DALY ALONE LEISR</b>
--------------	---------------------------------

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05940

How often do you do each of the following?

M: Spend at least an hour of leisure time alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	106	4.3 %	4.3%
2	FEW /YR:(2)	101	4.1 %	4.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	1-2 /MO:(3)	268	10.9 %	11.0%
4	1 /WK:(4)	735	29.8 %	30.0%
5	NR DAILY:(5)	1236	50.1 %	50.5%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2446 valid cases out of 2465 total cases.

**V2222 112A02N:DALY READ BK,MAG**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05950

How often do you do each of the following?

N: Read books, magazines, or newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	183	7.4 %	7.5%
2	FEW /YR:(2)	331	13.4 %	13.5%
3	1-2 /MO:(3)	581	23.6 %	23.7%
4	1 /WK:(4)	731	29.7 %	29.9%
5	NR DAILY:(5)	621	25.2 %	25.4%
-9 (M)	MISSING:(-9)	18	0.7 %	-

Based upon 2447 valid cases out of 2465 total cases.

**V2223 112A02O:DALY GO TO BARS**

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05960

How often do you do each of the following?

O: Go to taverns, bars or nightclubs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1421	57.6 %	58.1%
2	FEW /YR:(2)	454	18.4 %	18.6%
3	1-2 /MO:(3)	351	14.2 %	14.3%
4	1 /WK:(4)	155	6.3 %	6.3%
5	NR DAILY:(5)	66	2.7 %	2.7%
-9 (M)	MISSING:(-9)	18	0.7 %	-

Based upon 2447 valid cases out of 2465 total cases.

**V2224 112A02P:DALY GO TO PARTY**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05970

How often do you do each of the following?

P: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	206	8.4 %	8.4%
2	FEW /YR:(2)	660	26.8 %	27.0%
3	1-2 /MO:(3)	856	34.7 %	35.0%
4	1 /WK:(4)	615	24.9 %	25.2%
5	NR DAILY:(5)	108	4.4 %	4.4%
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2445 valid cases out of 2465 total cases.

**V2533 112A02Q:DALY WEB MYSPC**

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29620

How often do you do each of the following?

Q: Visit social networking Web sites like MySpace or Facebook

5="Almost every day" 4="At least once a week" 3="Once or twice

a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	160	6.5 %	6.5%
2	FEW /YR:(2)	60	2.4 %	2.4%
3	1-2 /MO:(3)	123	5.0 %	5.0%
4	1 /WK:(4)	386	15.7 %	15.7%
5	NR DAILY:(5)	1728	70.1 %	70.3%
-9 (M)	MISSING:(-9)	8	0.3 %	-

Based upon 2457 valid cases out of 2465 total cases.

**V2225 112A03A:US 2 MUCH PROFIT**

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05990

How much do you agree or disagree with each of the following statements?

A: In the United States, we put too much emphasis on making profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	108	4.4 %	4.4%
2	MOST DIS:(2)	176	7.1 %	7.2%
3	NEITHER:(3)	551	22.4 %	22.6%
4	MOST AGR:(4)	993	40.3 %	40.7%
5	AGREE:(5)	613	24.9 %	25.1%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2441 valid cases out of 2465 total cases.

**V2226 112A03B:2MUCH CNCRN MTRL**

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06000

How much do you agree or disagree with each of the following

statements?

B: People are too much concerned with material things these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	50	2.0 %	2.0%
2	MOST DIS:(2)	83	3.4 %	3.4%
3	NEITHER:(3)	230	9.3 %	9.4%
4	MOST AGR:(4)	903	36.6 %	36.9%
5	AGREE:(5)	1180	47.9 %	48.2%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2446 valid cases out of 2465 total cases.

**V2227**

**112A03C:ENCOURG PPL BUY>**

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06010

How much do you agree or disagree with each of the following statements?

C: Since it helps the economy to grow, people should be encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	233	9.5 %	9.6%
2	MOST DIS:(2)	390	15.8 %	16.0%
3	NEITHER:(3)	912	37.0 %	37.4%
4	MOST AGR:(4)	609	24.7 %	25.0%
5	AGREE:(5)	292	11.8 %	12.0%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2436 valid cases out of 2465 total cases.

**V2228**

**112A03D:-WRNG ADVERTISNG**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06020

How much do you agree or disagree with each of the following statements?

D: There is nothing wrong with advertising that gets people to buy things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	468	19.0 %	19.2%
2	MOST DIS:(2)	516	20.9 %	21.2%
3	NEITHER:(3)	672	27.3 %	27.6%
4	MOST AGR:(4)	454	18.4 %	18.6%
5	AGREE:(5)	328	13.3 %	13.5%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2438 valid cases out of 2465 total cases.

**V2229**

**112A03E:MOR SHORTGS FUTR**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06030

How much do you agree or disagree with each of the following statements?

E: There will probably be more shortages in the future, so Americans will have to learn how to be happy with fewer "things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	137	5.6 %	5.6%
2	MOST DIS:(2)	190	7.7 %	7.8%
3	NEITHER:(3)	535	21.7 %	21.9%
4	MOST AGR:(4)	738	29.9 %	30.2%
5	AGREE:(5)	840	34.1 %	34.4%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2440 valid cases out of 2465 total cases.

**V2468 112A04A:RSK OF CIG1+PK/D**

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	83	3.4 %	3.4%
2	SLIGHT:(2)	70	2.8 %	2.9%
3	MOD RISK:(3)	306	12.4 %	12.5%
4	GRT RISK:(4)	1929	78.3 %	78.8%
5	CANT SAY:(5)	59	2.4 %	2.4%
-9 (M)	MISSING:(-9)	18	0.7 %	-

Based upon 2447 valid cases out of 2465 total cases.

**V2469 112A04B:RSK OF MJ 1-2 X**

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	993	40.3 %	40.6%
2	SLIGHT:(2)	727	29.5 %	29.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	MOD RISK:(3)	345	14.0 %	14.1%
4	GRT RISK:(4)	299	12.1 %	12.2%
5	CANT SAY:(5)	84	3.4 %	3.4%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2448 valid cases out of 2465 total cases.

**V2470 112A04C:RSK OF MJ OCSNLY**

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12380

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	553	22.4 %	22.7%
2	SLIGHT:(2)	666	27.0 %	27.3%
3	MOD RISK:(3)	647	26.2 %	26.5%
4	GRT RISK:(4)	489	19.8 %	20.0%
5	CANT SAY:(5)	86	3.5 %	3.5%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2441 valid cases out of 2465 total cases.

**V2471 112A04D:RSK OF MJ REGLY**

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12390

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	294	11.9 %	12.0%
2	SLIGHT:(2)	398	16.1 %	16.3%
3	MOD RISK:(3)	589	23.9 %	24.1%
4	GRT RISK:(4)	1073	43.5 %	44.0%
5	CANT SAY:(5)	87	3.5 %	3.6%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2441 valid cases out of 2465 total cases.

**V2472 112A04E:RSK OF 1-2 DRINK**

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12510

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Try one or two drinks of an alcoholic beverage  
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	1011	41.0 %	41.3%
2	SLIGHT:(2)	845	34.3 %	34.6%
3	MOD RISK:(3)	308	12.5 %	12.6%
4	GRT RISK:(4)	235	9.5 %	9.6%
5	CANT SAY:(5)	46	1.9 %	1.9%
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2445 valid cases out of 2465 total cases.

**V2473 112A04F:RSK OF 1-2 DR/DA**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12520

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	212	8.6 %	8.7%
2	SLIGHT:(2)	537	21.8 %	22.0%
3	MOD RISK:(3)	882	35.8 %	36.1%
4	GRT RISK:(4)	766	31.1 %	31.3%
5	CANT SAY:(5)	49	2.0 %	2.0%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2446 valid cases out of 2465 total cases.

**V2474 112A04G:RSK OF 4-5 DR/DA**

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12530

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	111	4.5 %	4.5%
2	SLIGHT:(2)	117	4.7 %	4.8%
3	MOD RISK:(3)	447	18.1 %	18.3%
4	GRT RISK:(4)	1710	69.4 %	69.9%
5	CANT SAY:(5)	61	2.5 %	2.5%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2446 valid cases out of 2465 total cases.

**V2475 112A04H:RSK OF 5+DR/WKND**

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9



Question:

Item Number: 12540

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each  
weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	193	7.8 %	7.9%
2	SLIGHT:(2)	301	12.2 %	12.3%
3	MOD RISK:(3)	636	25.8 %	26.0%
4	GRT RISK:(4)	1262	51.2 %	51.5%
5	CANT SAY:(5)	57	2.3 %	2.3%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2449 valid cases out of 2465 total cases.

**V2238**

**112A05 :DFNTLY PRFR MATE**

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06120

Do you think that you would prefer having a mate for most of  
your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to  
have a mate" 3="Not sure" 2="Probably prefer not to have a  
mate" 1="Definitely prefer not to have a mate"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NO:(1)	22	0.9 %	0.9%
2	PROB NO:(2)	55	2.2 %	2.3%
3	NOT SURE:(3)	271	11.0 %	11.1%
4	PROB YES:(4)	577	23.4 %	23.7%
5	DEF YES:(5)	1513	61.4 %	62.1%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2438 valid cases out of 2465 total cases.

**V2239**

**112A06 :THINK WILL MARRY**

Location: 92-93 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 06130

Which do you think you are most likely to choose in the long run?

3="Getting married" 2="I have no idea" 1="Not getting married"  
 8="Am already married"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT MAR:(1)	100	4.1 %	4.3%
2	NO IDEA:(2)	399	16.2 %	17.0%
3	MARRIED:(3)	1828	74.2 %	78.1%
8	ALREADY MAR:(8)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	123	5.0 %	-

Based upon 2342 valid cases out of 2465 total cases.

**V2240 112A07A:LIKLY STAY MARRD**

Location: 94-95 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 06140

If you did get married (or are married) . . .

A: . . . How likely do you think it is that you would stay married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VRY UNLKLY:(1)	36	1.5 %	1.6%
2	FAIRLY UNL:(2)	35	1.4 %	1.5%
3	UNCERTN:(3)	323	13.1 %	14.0%
4	FAIRLY LK:(4)	593	24.1 %	25.8%
5	VRY LIKELY:(5)	1313	53.3 %	57.1%
-9 (M)	MISSING:(-9)	165	6.7 %	-

Based upon 2300 valid cases out of 2465 total cases.

**V2241 112A07B:LIKLY HAVE KIDS**

Location: 96-97 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06150

If you did get married (or are married) . . .

B: . . . How likely is it that you would want to have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VRY UNLKLY:(1)	82	3.3 %	3.5%
2	FAIRLY UNLK:(2)	63	2.6 %	2.7%
3	UNCERTN:(3)	269	10.9 %	11.6%
4	FAIRLY LK:(4)	435	17.6 %	18.7%
5	VRY LIKELY:(5)	1433	58.1 %	61.6%
8	ALRDY HAVE:(8)	43	1.7 %	1.8%
-9 (M)	MISSING:(-9)	140	5.7 %	-

Based upon 2325 valid cases out of 2465 total cases.

**V2242 112A08A:-CHL,HB WK1.,W = 0**

Location: 98-99 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06160

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"  
 3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	828	33.6 %	34.1%
2	SOMEWHAT:(2)	915	37.1 %	37.7%
3	ACCEPTBL:(3)	544	22.1 %	22.4%
4	DESIRBL:(4)	140	5.7 %	5.8%
-9 (M)	MISSING:(-9)	38	1.5 %	-

Based upon 2427 valid cases out of 2465 total cases.

**V2243 112A08B:-CHL,HB WK1.,W.5**

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06170

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	123	5.0 %	5.1%
2	SOMEWHAT:(2)	700	28.4 %	28.8%
3	ACCEPTBL:(3)	1343	54.5 %	55.3%
4	DESIRBL:(4)	264	10.7 %	10.9%
-9 (M)	MISSING:(-9)	35	1.4 %	-

Based upon 2430 valid cases out of 2465 total cases.

**V2244 112A08C:-CHL,HB/WF WK 1.**

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06180

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	207	8.4 %	8.6%
2	SOMEWHAT:(2)	358	14.5 %	14.8%
3	ACCEPTBL:(3)	1180	47.9 %	48.8%
4	DESIRBL:(4)	673	27.3 %	27.8%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2418 valid cases out of 2465 total cases.

**V2245 112A08D:-CHL,HB/WF WK .5**

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06190

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	528	21.4 %	21.9%
2	SOMEWHAT:(2)	869	35.3 %	36.0%
3	ACCEPTBL:(3)	770	31.2 %	31.9%
4	DESIRBL:(4)	247	10.0 %	10.2%
-9 (M)	MISSING:(-9)	51	2.1 %	-

Based upon 2414 valid cases out of 2465 total cases.

**V2246 112A08E:-CHL,W WK 1.,H.5**

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06200

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	798	32.4 %	32.9%
2	SOMEWHAT:(2)	899	36.5 %	37.1%
3	ACCEPTBL:(3)	645	26.2 %	26.6%
4	DESIRBL:(4)	82	3.3 %	3.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	41	1.7 %	-

Based upon 2424 valid cases out of 2465 total cases.

**V2247 112A08F:-CHL,W WK 1.,H = 0**

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06210

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	1731	70.2 %	71.4%
2	SOMEWHAT:(2)	379	15.4 %	15.6%
3	ACCEPTBL:(3)	228	9.2 %	9.4%
4	DESIRBL:(4)	88	3.6 %	3.6%
-9 (M)	MISSING:(-9)	39	1.6 %	-

Based upon 2426 valid cases out of 2465 total cases.

**V2248 112A09A:PSCH,HB WK1.,W = 0**

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06220

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	372	15.1 %	15.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	SOMEWHAT:(2)	617	25.0 %	25.4%
3	ACCEPTBL:(3)	979	39.7 %	40.3%
4	DESIRBL:(4)	460	18.7 %	18.9%
-9 (M)	MISSING:(-9)	37	1.5 %	-

Based upon 2428 valid cases out of 2465 total cases.

**V2249 112A09B:PSCH,HB WK1.,W.5**

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06230

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	124	5.0 %	5.1%
2	SOMEWHAT:(2)	610	24.7 %	25.1%
3	ACCEPTBL:(3)	1334	54.1 %	54.9%
4	DESIRBL:(4)	360	14.6 %	14.8%
-9 (M)	MISSING:(-9)	37	1.5 %	-

Based upon 2428 valid cases out of 2465 total cases.

**V2250 112A09C:PSCH,HB/WF WK 1.**

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06240

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	876	35.5 %	36.2%
2	SOMEWHAT:(2)	647	26.2 %	26.7%
3	ACCEPTBL:(3)	590	23.9 %	24.3%
4	DESIRBL:(4)	310	12.6 %	12.8%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2423 valid cases out of 2465 total cases.

**V2251 112A09D:PSCH,HB/WF WK .5**

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06250

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	523	21.2 %	21.7%
2	SOMEWHAT:(2)	896	36.3 %	37.2%
3	ACCEPTBL:(3)	792	32.1 %	32.8%
4	DESIRBL:(4)	200	8.1 %	8.3%
-9 (M)	MISSING:(-9)	54	2.2 %	-

Based upon 2411 valid cases out of 2465 total cases.

**V2252 112A09E:PSCH,WF WK1.,H.5**

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06260

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?



E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	815	33.1 %	33.6%
2	SOMEWHAT:(2)	821	33.3 %	33.9%
3	ACCEPTBL:(3)	666	27.0 %	27.5%
4	DESIRBL:(4)	121	4.9 %	5.0%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2423 valid cases out of 2465 total cases.

**V2253 112A09F:PSCH,WF WK1.,H = 0**

Location: 120-121 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:

Item Number: 06270

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	1379	55.9 %	56.9%
2	SOMEWHAT:(2)	467	18.9 %	19.3%
3	ACCEPTBL:(3)	455	18.5 %	18.8%
4	DESIRBL:(4)	124	5.0 %	5.1%
-9 (M)	MISSING:(-9)	40	1.6 %	-

Based upon 2425 valid cases out of 2465 total cases.

**V2254 112A10A:H WK,W -WK,W CCR**

Location: 122-123 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:

Item Number: 06280

Imagine you are married and have one or more pre-school

children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

A: Wife does all child care

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	795	32.3 %	32.8%
2	SOMEWHAT:(2)	683	27.7 %	28.2%
3	ACCEPTBL:(3)	663	26.9 %	27.4%
4	DESIRBL:(4)	280	11.4 %	11.6%
-9 (M)	MISSING:(-9)	44	1.8 %	-

Based upon 2421 valid cases out of 2465 total cases.

**V2255 112A10B:H WK,W -WK,W>CCR**

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06290

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

B: Wife does most of it

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	297	12.0 %	12.3%
2	SOMEWHAT:(2)	772	31.3 %	31.9%
3	ACCEPTBL:(3)	986	40.0 %	40.7%
4	DESIRBL:(4)	367	14.9 %	15.2%
-9 (M)	MISSING:(-9)	43	1.7 %	-

Based upon 2422 valid cases out of 2465 total cases.

**V2256 112A10C:H WK,W -WK, = CHCR**

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06300

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

C: Both do it equally

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	110	4.5 %	4.6%
2	SOMEWHAT:(2)	334	13.5 %	13.8%
3	ACCEPTBL:(3)	916	37.2 %	37.9%
4	DESIRBL:(4)	1056	42.8 %	43.7%
-9 (M)	MISSING:(-9)	49	2.0 %	-

Based upon 2416 valid cases out of 2465 total cases.

**V2257 112A10D:H WK,W -WK,H>CCR**

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06310

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

D: Husband does most of it

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	962	39.0 %	39.8%
2	SOMEWHAT:(2)	1026	41.6 %	42.5%
3	ACCEPTBL:(3)	362	14.7 %	15.0%
4	DESIRBL:(4)	66	2.7 %	2.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	49	2.0 %	-

Based upon 2416 valid cases out of 2465 total cases.

**V2258 112A10E:H WK,W -WK,H CCR**

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06320

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

E: Husband does all of it

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	1830	74.2 %	75.7%
2	SOMEWHAT:(2)	358	14.5 %	14.8%
3	ACCEPTBL:(3)	161	6.5 %	6.7%
4	DESIRBL:(4)	69	2.8 %	2.9%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2418 valid cases out of 2465 total cases.

**V2259 112A11 :INTEREST IN GOVT**

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO INTRST:(1)	282	11.4 %	11.6%
2	VRy LITTLE:(2)	514	20.9 %	21.2%
3	SOME:(3)	1055	42.8 %	43.5%
4	A LOT:(4)	386	15.7 %	15.9%
5	VRy GRT:(5)	190	7.7 %	7.8%
-9 (M)	MISSING:(-9)	38	1.5 %	-

Based upon 2427 valid cases out of 2465 total cases.

**V2260 112A12 :GOVT PPL -DSHNST**

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06340

Do you think some of the people running the government are crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are"  
3="Some are" 4="Hardly any are" 5="None at all are crooked or dishonest"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MOST:(1)	637	25.8 %	26.3%
2	QUITE:(2)	835	33.9 %	34.4%
3	SOME:(3)	860	34.9 %	35.5%
4	HARDLY:(4)	74	3.0 %	3.1%
5	NONE:(5)	18	0.7 %	0.7%
-9 (M)	MISSING:(-9)	41	1.7 %	-

Based upon 2424 valid cases out of 2465 total cases.

**V2261 112A13 :GOVT DSNT WASTE\$**

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06350

Do you think the government wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money"

is wasted" 5="No tax money is wasted"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEARLY ALL:(1)	353	14.3 %	14.6%
2	A LOT:(2)	1126	45.7 %	46.5%
3	SOME:(3)	790	32.0 %	32.7%
4	A LITTLE:(4)	127	5.2 %	5.3%
5	NO WASTE:(5)	23	0.9 %	1.0%
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2419 valid cases out of 2465 total cases.

**V2262 112A14 :NEVER TRUST GOVT**

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06360

How much of the time do you think you can trust the government in Washington to do what is right?

1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALM ALWYS:(1)	86	3.5 %	3.6%
2	OFTEN:(2)	561	22.8 %	23.2%
3	SOMETIME:(3)	1126	45.7 %	46.5%
4	SELDOM:(4)	489	19.8 %	20.2%
5	NEVER:(5)	158	6.4 %	6.5%
-9 (M)	MISSING:(-9)	45	1.8 %	-

Based upon 2420 valid cases out of 2465 total cases.

**V2263 112A15 :GVT PPL DK DOING**

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06370

Do you feel that the people running the government are smart people who usually know what they are doing?

1="They almost always know what they are doing" 2="They usually know what they are doing" 3="They sometimes know"

what they are doing" 4="They seldom know what they are doing" 5="They never know what they are doing"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALM ALWYS:(1)	193	7.8 %	8.0%
2	USUALLY:(2)	942	38.2 %	38.9%
3	SOMETIME:(3)	930	37.7 %	38.4%
4	SELDOM:(4)	267	10.8 %	11.0%
5	NEVER:(5)	91	3.7 %	3.8%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2423 valid cases out of 2465 total cases.

**V2264 112A16 :GOVT RUN FOR PPL**

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06380

Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run for a few big interests" 3="Run some for the big interests, some for the people" 4="Usually run for the benefit of all the people" 5="Nearly always run for the benefit of all the people"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NR ALWYS FEW:(1)	401	16.3 %	16.6%
2	USUALLY FEW:(2)	677	27.5 %	28.1%
3	SOME BOTH:(3)	1048	42.5 %	43.5%
4	USUALLY ALL:(4)	236	9.6 %	9.8%
5	NR ALWYS ALL:(5)	49	2.0 %	2.0%
-9 (M)	MISSING:(-9)	54	2.2 %	-

Based upon 2411 valid cases out of 2465 total cases.

**V2265 112A17A:DO OR PLN VOTE**

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06390

Have you ever done, or do you plan to do, the following things?

A: Vote in a public election

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB WONT:(1)	151	6.1 %	6.2%
2	DK:(2)	267	10.8 %	11.0%
3	PROB WILL:(3)	1785	72.4 %	73.6%
4	ALRDY DONE:(4)	222	9.0 %	9.2%
-9 (M)	MISSING:(-9)	40	1.6 %	-

Based upon 2425 valid cases out of 2465 total cases.

**V2266**

**112A17B:DO OR PLN WRITE**

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06400

Have you ever done, or do you plan to do, the following things?

B: Write to public officials

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB WONT:(1)	988	40.1 %	40.8%
2	DK:(2)	945	38.3 %	39.1%
3	PROB WILL:(3)	286	11.6 %	11.8%
4	ALRDY DONE:(4)	200	8.1 %	8.3%
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2419 valid cases out of 2465 total cases.

**V2267**

**112A17C:DO OR PLN GIVE \$**

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06410



Have you ever done, or do you plan to do, the following things?

C: Give money to a political candidate or cause

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB WONT:(1)	1127	45.7 %	46.6%
2	DK:(2)	871	35.3 %	36.0%
3	PROB WILL:(3)	356	14.4 %	14.7%
4	ALRDY DONE:(4)	63	2.6 %	2.6%
-9 (M)	MISSING:(-9)	48	1.9 %	-

Based upon 2417 valid cases out of 2465 total cases.

**V2268 112A17D:DO OR PLN WK CPG**

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06420

Have you ever done, or do you plan to do, the following things?

D: Work in a political campaign

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB WONT:(1)	1501	60.9 %	62.1%
2	DK:(2)	688	27.9 %	28.5%
3	PROB WILL:(3)	156	6.3 %	6.5%
4	ALRDY DONE:(4)	73	3.0 %	3.0%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2418 valid cases out of 2465 total cases.

**V2269 112A17E:DO OR PLN DEMNST**

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06430

Have you ever done, or do you plan to do, the following things?

E: Participate in a lawful demonstration

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB WONT:(1)	1069	43.4 %	44.2%
2	DK:(2)	931	37.8 %	38.5%
3	PROB WILL:(3)	343	13.9 %	14.2%
4	ALRDY DONE:(4)	77	3.1 %	3.2%
-9 (M)	MISSING:(-9)	45	1.8 %	-

Based upon 2420 valid cases out of 2465 total cases.

**V2270 112A17F:DO OR PLN BOYCOT**

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06440

Have you ever done, or do you plan to do, the following things?

F: Boycott certain products or stores

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB WONT:(1)	966	39.2 %	40.0%
2	DK:(2)	899	36.5 %	37.2%
3	PROB WILL:(3)	387	15.7 %	16.0%
4	ALRDY DONE:(4)	164	6.7 %	6.8%
-9 (M)	MISSING:(-9)	49	2.0 %	-

Based upon 2416 valid cases out of 2465 total cases.

**V2271 112A18A:US SHD DISARM**

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06450

How much do you agree or disagree with each of the following statements?

A: The U.S. should begin a gradual program of disarming whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	614	24.9 %	25.6%
2	MOST DIS:(2)	323	13.1 %	13.5%
3	NEITHER:(3)	1059	43.0 %	44.2%
4	MOST AGR:(4)	272	11.0 %	11.3%
5	AGREE:(5)	129	5.2 %	5.4%
-9 (M)	MISSING:(-9)	68	2.8 %	-

Based upon 2397 valid cases out of 2465 total cases.

**V2272 112A18B:US GO WAR FR OTH**

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05690

How much do you agree or disagree with each of the following statements?

B: There may be times when the U.S. should go to war to protect the rights of other countries

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	313	12.7 %	13.0%
2	MOST DIS:(2)	432	17.5 %	17.9%
3	NEITHER:(3)	603	24.5 %	25.0%
4	MOST AGR:(4)	700	28.4 %	29.1%
5	AGREE:(5)	361	14.6 %	15.0%
-9 (M)	MISSING:(-9)	56	2.3 %	-

Based upon 2409 valid cases out of 2465 total cases.

**V2273 112A18C:US WAR PRCTCT ECN**

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06460

How much do you agree or disagree with each of the following statements?

C: The U.S. should be willing to go to war to protect its own economic interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	233	9.5 %	9.7%
2	MOST DIS:(2)	317	12.9 %	13.2%
3	NEITHER:(3)	735	29.8 %	30.5%
4	MOST AGR:(4)	690	28.0 %	28.7%
5	AGREE:(5)	432	17.5 %	17.9%
-9 (M)	MISSING:(-9)	58	2.4 %	-

Based upon 2407 valid cases out of 2465 total cases.

**V2274**

**112A18D:US ONLY WAR DFNS**

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06470

How much do you agree or disagree with each of the following statements?

D: The only good reason for the U.S. to go to war is to defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	183	7.4 %	7.6%
2	MOST DIS:(2)	283	11.5 %	11.8%
3	NEITHER:(3)	454	18.4 %	18.9%
4	MOST AGR:(4)	759	30.8 %	31.5%
5	AGREE:(5)	728	29.5 %	30.2%
-9 (M)	MISSING:(-9)	58	2.4 %	-

Based upon 2407 valid cases out of 2465 total cases.

**V2275 112A18E:-US MIL PWR>USSR**

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06480

How much do you agree or disagree with each of the following statements?

E: The U.S. does not need to have greater military power than Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	627	25.4 %	26.1%
2	MOST DIS:(2)	404	16.4 %	16.8%
3	NEITHER:(3)	898	36.4 %	37.4%
4	MOST AGR:(4)	277	11.2 %	11.6%
5	AGREE:(5)	192	7.8 %	8.0%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2398 valid cases out of 2465 total cases.

**V2276 112A18F:US NEED>PWR OTHS**

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06490

How much do you agree or disagree with each of the following statements?

F: The U.S. ought to have much more military power than any other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	246	10.0 %	10.2%
2	MOST DIS:(2)	273	11.1 %	11.4%
3	NEITHER:(3)	858	34.8 %	35.7%
4	MOST AGR:(4)	483	19.6 %	20.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	AGREE:(5)	543	22.0 %	22.6%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2403 valid cases out of 2465 total cases.

**V2277 112A18G:US FRN PLCY NRRW**

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06500

How much do you agree or disagree with each of the following statements?

G: Our present foreign policy is based on our own narrow economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	123	5.0 %	5.1%
2	MOST DIS:(2)	137	5.6 %	5.7%
3	NEITHER:(3)	1243	50.4 %	51.9%
4	MOST AGR:(4)	579	23.5 %	24.2%
5	AGREE:(5)	315	12.8 %	13.1%
-9 (M)	MISSING:(-9)	68	2.8 %	-

Based upon 2397 valid cases out of 2465 total cases.

**V2279 112A19A:FRQ FIGHT PARNTS**

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06520

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

A: . . . Argued or had a fight with either of your parents?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

[Data from the Western Region intentionally obliterated.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	256	10.4 %	13.7%
2	ONCE:(2)	198	8.0 %	10.6%
3	TWICE:(3)	259	10.5 %	13.8%
4	3-4TIMES:(4)	445	18.1 %	23.8%
5	5+ TIMES:(5)	713	28.9 %	38.1%
-9 (M)	MISSING:(-9)	594	24.1 %	-

Based upon 1871 valid cases out of 2465 total cases.

**V2280**

**112A19B:FRQ HIT SUPRVISR**

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06530

During the LAST 12 MONTHS, how often have you . . .

B: . . . Hit an instructor or supervisor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2346	95.2 %	97.2%
2	ONCE:(2)	26	1.1 %	1.1%
3	TWICE:(3)	21	0.9 %	0.9%
4	3-4TIMES:(4)	9	0.4 %	0.4%
5	5+ TIMES:(5)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	51	2.1 %	-

Based upon 2414 valid cases out of 2465 total cases.

**V2281**

**112A19C:FRQ FGT WRK/SCHL**

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06540

During the LAST 12 MONTHS, how often have you . . .

C: . . . Gotten into a serious fight in school or at work?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2143	86.9 %	88.7%
2	ONCE:(2)	159	6.5 %	6.6%
3	TWICE:(3)	64	2.6 %	2.6%
4	3-4TIMES:(4)	34	1.4 %	1.4%
5	5+ TIMES:(5)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	49	2.0 %	-

Based upon 2416 valid cases out of 2465 total cases.

**V2282 112A19D:FRQ GANG FIGHT**

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06550

During the LAST 12 MONTHS, how often have you . . .

D: . . . Taken part in a fight where a group of your friends were against another group?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2036	82.6 %	84.3%
2	ONCE:(2)	204	8.3 %	8.5%
3	TWICE:(3)	102	4.1 %	4.2%
4	3-4TIMES:(4)	42	1.7 %	1.7%
5	5+ TIMES:(5)	30	1.2 %	1.2%
-9 (M)	MISSING:(-9)	51	2.1 %	-

Based upon 2414 valid cases out of 2465 total cases.

**V2283 112A19E:FRQ HURT SM1 BAD**

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9



Question:

Item Number: 06560

During the LAST 12 MONTHS, how often have you . . .

E: . . . Hurt someone badly enough to need bandages or a doctor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2110	85.6 %	87.5%
2	ONCE:(2)	161	6.5 %	6.7%
3	TWICE:(3)	70	2.8 %	2.9%
4	3-4TIMES:(4)	42	1.7 %	1.7%
5	5+ TIMES:(5)	29	1.2 %	1.2%
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2412 valid cases out of 2465 total cases.

**V2284**

**112A19F:FRQ THREAT WEAPN**

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06570

During the LAST 12 MONTHS, how often have you . . .

F: . . . Used a knife or gun or some other thing (like a club) to get something from a person?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2341	95.0 %	97.1%
2	ONCE:(2)	30	1.2 %	1.2%
3	TWICE:(3)	17	0.7 %	0.7%
4	3-4TIMES:(4)	11	0.4 %	0.5%
5	5+ TIMES:(5)	13	0.5 %	0.5%
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2412 valid cases out of 2465 total cases.

**V2285**

**112A19G:FRQ STEAL <\$50**

Location: 182-183 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06580

During the LAST 12 MONTHS, how often have you . . .

G: . . . Taken something not belonging to you worth under \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1793	72.7 %	74.3%
2	ONCE:(2)	275	11.2 %	11.4%
3	TWICE:(3)	147	6.0 %	6.1%
4	3-4TIMES:(4)	100	4.1 %	4.1%
5	5+ TIMES:(5)	98	4.0 %	4.1%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2413 valid cases out of 2465 total cases.

**V2286**

**112A19H:FRQ STEAL >\$50**

Location: 184-185 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06590

During the LAST 12 MONTHS, how often have you . . .

H: . . . Taken something not belonging to you worth over \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2192	88.9 %	90.9%
2	ONCE:(2)	99	4.0 %	4.1%
3	TWICE:(3)	45	1.8 %	1.9%
4	3-4TIMES:(4)	35	1.4 %	1.5%
5	5+ TIMES:(5)	41	1.7 %	1.7%
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2412 valid cases out of 2465 total cases.

**V2287 112A19I:FRQ SHOPLIFT**

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06600

During the LAST 12 MONTHS, how often have you . . .

I: . . . Taken something from a store without paying for it?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1827	74.1 %	75.7%
2	ONCE:(2)	250	10.1 %	10.4%
3	TWICE:(3)	127	5.2 %	5.3%
4	3-4TIMES:(4)	88	3.6 %	3.6%
5	5+ TIMES:(5)	121	4.9 %	5.0%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2413 valid cases out of 2465 total cases.

**V2288 112A19J:FRQ CAR THEFT**

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06610

During the LAST 12 MONTHS, how often have you . . .

J: . . . Taken a car that didn't belong to someone in your family without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2309	93.7 %	95.7%
2	ONCE:(2)	59	2.4 %	2.4%
3	TWICE:(3)	19	0.8 %	0.8%
4	3-4TIMES:(4)	7	0.3 %	0.3%
5	5+ TIMES:(5)	18	0.7 %	0.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2412 valid cases out of 2465 total cases.

**V2289 112A19K:FRQ STEAL CAR PT**

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06620

During the LAST 12 MONTHS, how often have you . . .

K: . . . Taken part of a car without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2332	94.6 %	96.6%
2	ONCE:(2)	38	1.5 %	1.6%
3	TWICE:(3)	19	0.8 %	0.8%
4	3-4TIMES:(4)	9	0.4 %	0.4%
5	5+ TIMES:(5)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2413 valid cases out of 2465 total cases.

**V2290 112A19L:FRQ TRESPAS BLDG**

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06630

During the LAST 12 MONTHS, how often have you . . .

L: . . . Gone into some house or building when you weren't supposed to be there?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1838	74.6 %	76.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	ONCE:(2)	266	10.8 %	11.0%
3	TWICE:(3)	154	6.2 %	6.4%
4	3-4TIMES:(4)	79	3.2 %	3.3%
5	5+ TIMES:(5)	78	3.2 %	3.2%
-9 (M)	MISSING:(-9)	50	2.0 %	-

Based upon 2415 valid cases out of 2465 total cases.

**V2291**

**112A19M:FRQ ARSON**

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06640

During the LAST 12 MONTHS, how often have you . . .

M: . . . Set fire to someone's property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2342	95.0 %	97.1%
2	ONCE:(2)	32	1.3 %	1.3%
3	TWICE:(3)	14	0.6 %	0.6%
4	3-4TIMES:(4)	9	0.4 %	0.4%
5	5+ TIMES:(5)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2413 valid cases out of 2465 total cases.

**V2292**

**112A19N:FRQ DMG SCH PPTY**

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06650

During the LAST 12 MONTHS, how often have you . . .

N: . . . Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2155	87.4 %	89.5%
2	ONCE:(2)	142	5.8 %	5.9%
3	TWICE:(3)	49	2.0 %	2.0%
4	3-4TIMES:(4)	24	1.0 %	1.0%
5	5+ TIMES:(5)	38	1.5 %	1.6%
-9 (M)	MISSING:(-9)	57	2.3 %	-

Based upon 2408 valid cases out of 2465 total cases.

**V2293 112A190:FRQ DMG WK PRPTY**

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06660

During the LAST 12 MONTHS, how often have you . . .

O: . . . Damaged property at work on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2319	94.1 %	96.3%
2	ONCE:(2)	40	1.6 %	1.7%
3	TWICE:(3)	21	0.9 %	0.9%
4	3-4TIMES:(4)	8	0.3 %	0.3%
5	5+ TIMES:(5)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	56	2.3 %	-

Based upon 2409 valid cases out of 2465 total cases.

**V2295 112A20A:SM1 ROB YRS <\$50**

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06680

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

A. . . . Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1486	60.3 %	61.9%
2	ONCE:(2)	558	22.6 %	23.2%
3	TWICE:(3)	220	8.9 %	9.2%
4	3-4TIMES:(4)	84	3.4 %	3.5%
5	5+ TIMES:(5)	52	2.1 %	2.2%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2400 valid cases out of 2465 total cases.

**V2296 112A20B:SM1 ROB YRS >\$50**

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06690

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1757	71.3 %	73.2%
2	ONCE:(2)	440	17.8 %	18.3%
3	TWICE:(3)	132	5.4 %	5.5%
4	3-4TIMES:(4)	53	2.2 %	2.2%
5	5+ TIMES:(5)	18	0.7 %	0.8%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2400 valid cases out of 2465 total cases.

**V2297 112A20C:SM1 DMG YR PRPTY**

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06700

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1783	72.3 %	74.3%
2	ONCE:(2)	369	15.0 %	15.4%
3	TWICE:(3)	163	6.6 %	6.8%
4	3-4TIMES:(4)	51	2.1 %	2.1%
5	5+ TIMES:(5)	35	1.4 %	1.5%
-9 (M)	MISSING:(-9)	64	2.6 %	-

Based upon 2401 valid cases out of 2465 total cases.

**V2298 112A20D:SM1 INJR U W/WPN**

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06710

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2282	92.6 %	95.1%
2	ONCE:(2)	72	2.9 %	3.0%
3	TWICE:(3)	23	0.9 %	1.0%
4	3-4TIMES:(4)	12	0.5 %	0.5%
5	5+ TIMES:(5)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	66	2.7 %	-

Based upon 2399 valid cases out of 2465 total cases.

**V2299 112A20E:SM1 THR TN U W/WP**

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9



Question:

Item Number: 06720

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2030	82.4 %	84.7%
2	ONCE:(2)	189	7.7 %	7.9%
3	TWICE:(3)	93	3.8 %	3.9%
4	3-4TIMES:(4)	44	1.8 %	1.8%
5	5+ TIMES:(5)	41	1.7 %	1.7%
-9 (M)	MISSING:(-9)	68	2.8 %	-

Based upon 2397 valid cases out of 2465 total cases.

**V2300**

**112A20F:SM1 INJR YU -WPN**

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06730

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2019	81.9 %	84.1%
2	ONCE:(2)	183	7.4 %	7.6%
3	TWICE:(3)	94	3.8 %	3.9%
4	3-4TIMES:(4)	54	2.2 %	2.2%
5	5+ TIMES:(5)	50	2.0 %	2.1%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2400 valid cases out of 2465 total cases.

**V2301**

**112A20G:SM1 THRT U W/INJ**

Location: 212-213 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06740

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1830	74.2 %	76.3%
2	ONCE:(2)	230	9.3 %	9.6%
3	TWICE:(3)	139	5.6 %	5.8%
4	3-4TIMES:(4)	95	3.9 %	4.0%
5	5+ TIMES:(5)	105	4.3 %	4.4%
-9 (M)	MISSING:(-9)	66	2.7 %	-

Based upon 2399 valid cases out of 2465 total cases.

**V2302 112A21A:EASY GT MARIJUAN**

Location: 214-215 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	168	6.8 %	7.0%
2	VRY DIFF:(2)	92	3.7 %	3.9%
3	FRLY DIF:(3)	151	6.1 %	6.3%
4	FRLY EAS:(4)	616	25.0 %	25.8%
5	VRY EASY:(5)	1361	55.2 %	57.0%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2388 valid cases out of 2465 total cases.

**V2303 112A21B:EASY GT LSD**

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	579	23.5 %	24.8%
2	VRD DIFF:(2)	493	20.0 %	21.1%
3	FRLY DIF:(3)	682	27.7 %	29.2%
4	FRLY EAS:(4)	401	16.3 %	17.1%
5	VRD EASY:(5)	184	7.5 %	7.9%
-9 (M)	MISSING:(-9)	126	5.1 %	-

Based upon 2339 valid cases out of 2465 total cases.

**V2304 112A21C:EASY GT PSYDELIC**

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06770

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Some other hallucinogen (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	492	20.0 %	20.8%
2	VRD DIFF:(2)	396	16.1 %	16.8%
3	FRLY DIF:(3)	566	23.0 %	23.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	FRLY EAS:(4)	598	24.3 %	25.3%
5	VRY EASY:(5)	312	12.7 %	13.2%
-9 (M)	MISSING:(-9)	101	4.1 %	-

Based upon 2364 valid cases out of 2465 total cases.

**V2305 112A21D:EASY GT AMPHTMNS**

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: Amphetamines (uppers, speed, Adderall, Ritalin, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	470	19.1 %	19.9%
2	VRY DIFF:(2)	345	14.0 %	14.6%
3	FRLY DIF:(3)	451	18.3 %	19.1%
4	FRLY EAS:(4)	584	23.7 %	24.7%
5	VRY EASY:(5)	513	20.8 %	21.7%
-9 (M)	MISSING:(-9)	102	4.1 %	-

Based upon 2363 valid cases out of 2465 total cases.

**V2522 112A21E:EASY GT SED/BARB**

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Sedatives/barbiturates (downers)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	573	23.2 %	24.4%
2	VRY DIFF:(2)	458	18.6 %	19.5%
3	FRLY DIF:(3)	571	23.2 %	24.3%
4	FRLY EAS:(4)	475	19.3 %	20.2%
5	VRY EASY:(5)	272	11.0 %	11.6%
-9 (M)	MISSING:(-9)	116	4.7 %	-

Based upon 2349 valid cases out of 2465 total cases.

**V2307 112A21F:EASY GT TRANQLIZ**

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Tranquilizers

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	790	32.0 %	33.6%
2	VRY DIFF:(2)	620	25.2 %	26.3%
3	FRLY DIF:(3)	565	22.9 %	24.0%
4	FRLY EAS:(4)	231	9.4 %	9.8%
5	VRY EASY:(5)	148	6.0 %	6.3%
-9 (M)	MISSING:(-9)	111	4.5 %	-

Based upon 2354 valid cases out of 2465 total cases.

**V2308 112A21G:EASY GT COCAINE**

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06810

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	633	25.7 %	26.7%
2	VRY DIFF:(2)	515	20.9 %	21.7%
3	FRLY DIF:(3)	491	19.9 %	20.7%
4	FRLY EAS:(4)	428	17.4 %	18.0%
5	VRY EASY:(5)	305	12.4 %	12.9%
-9 (M)	MISSING:(-9)	93	3.8 %	-

Based upon 2372 valid cases out of 2465 total cases.

**V2309**

**112A21H:EASY GT HEROIN**

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06820

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

H: Heroin

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	757	30.7 %	32.0%
2	VRY DIFF:(2)	634	25.7 %	26.8%
3	FRLY DIF:(3)	486	19.7 %	20.5%
4	FRLY EAS:(4)	275	11.2 %	11.6%
5	VRY EASY:(5)	214	8.7 %	9.0%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2366 valid cases out of 2465 total cases.

**V2310**

**112A21I:EASY GT NARCOTIC**

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06830

How difficult do you think it would be for you to get each of

the following types of drugs, if you wanted some?

I: Some other narcotic (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	471	19.1 %	19.9%
2	VRy DIFF:(2)	302	12.3 %	12.8%
3	FRLY DIF:(3)	417	16.9 %	17.7%
4	FRLY EAS:(4)	555	22.5 %	23.5%
5	VRy EASY:(5)	616	25.0 %	26.1%
-9 (M)	MISSING:(-9)	104	4.2 %	-

Based upon 2361 valid cases out of 2465 total cases.

**V2101 112B01 :EVR SMK CIG,REGL**

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1424	57.8 %	59.3%
2	1-2X:(2)	418	17.0 %	17.4%
3	OCCASNLY:(3)	264	10.7 %	11.0%
4	REG PAST:(4)	105	4.3 %	4.4%
5	REG NOW:(5)	192	7.8 %	8.0%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2403 valid cases out of 2465 total cases.

**V2102 112B02 :#CIGS SMKD/30DAY**

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DAILY:(1)	1944	78.9 %	81.1%
2	<1 CIG/D:(2)	219	8.9 %	9.1%
3	1-5/DAY:(3)	129	5.2 %	5.4%
4	1/2 PK:(4)	63	2.6 %	2.6%
5	1 PK:(5)	25	1.0 %	1.0%
6	1 1/2 PK:(6)	11	0.4 %	0.5%
7	2+ PKS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	69	2.8 %	-

Based upon 2396 valid cases out of 2465 total cases.

**V2103**

**112B03:EVER DRINK**

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	686	27.8 %	29.2%
2	YES:(2)	1664	67.5 %	70.8%
-9 (M)	MISSING:(-9)	115	4.7 %	-

Based upon 2350 valid cases out of 2465 total cases.

**V2104**

**112B04A:#X ALC/LIF SIPS**

Location: 238-239 (width: 2; decimal: 0)



Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	687	27.9 %	29.7%
2	1-2X:(2)	198	8.0 %	8.6%
3	3-5X:(3)	248	10.1 %	10.7%
4	6-9X:(4)	203	8.2 %	8.8%
5	10-19X:(5)	290	11.8 %	12.5%
6	20-39X:(6)	250	10.1 %	10.8%
7	40+OCCAS:(7)	437	17.7 %	18.9%
-9 (M)	MISSING:(-9)	152	6.2 %	-

Based upon 2313 valid cases out of 2465 total cases.

**V2105**

**112B04B:#X ALC/ANN SIPS**

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	824	33.4 %	35.8%
2	1-2X:(2)	353	14.3 %	15.3%
3	3-5X:(3)	299	12.1 %	13.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	244	9.9 %	10.6%
5	10-19X:(5)	281	11.4 %	12.2%
6	20-39X:(6)	146	5.9 %	6.3%
7	40+OCCAS:(7)	157	6.4 %	6.8%
-9 (M)	MISSING:(-9)	161	6.5 %	-

Based upon 2304 valid cases out of 2465 total cases.

# V2106

## 112B04C:#X ALC/30D SIPS

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1309	53.1 %	56.7%
2	1-2X:(2)	466	18.9 %	20.2%
3	3-5X:(3)	273	11.1 %	11.8%
4	6-9X:(4)	131	5.3 %	5.7%
5	10-19X:(5)	82	3.3 %	3.6%
6	20-39X:(6)	18	0.7 %	0.8%
7	40+OCCAS:(7)	28	1.1 %	1.2%
-9 (M)	MISSING:(-9)	158	6.4 %	-

Based upon 2307 valid cases out of 2465 total cases.

# V2107

## 112B05 :#X DRK ENF FL HI

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	432	17.5 %	26.0%
2	FEW OCC:(2)	433	17.6 %	26.1%
3	HALF OCC:(3)	258	10.5 %	15.5%
4	MOST OCC:(4)	305	12.4 %	18.4%
5	NRLY ALL:(5)	234	9.5 %	14.1%
-9 (M)	MISSING:(-9)	803	32.6 %	-

Based upon 1662 valid cases out of 2465 total cases.

**V2108**

**112B06:5+DRK ROW/LST 2W**

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]  
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1698	68.9 %	74.6%
2	ONCE:(2)	226	9.2 %	9.9%
3	TWICE:(3)	149	6.0 %	6.5%
4	3-5X:(4)	145	5.9 %	6.4%
5	6-9X:(5)	38	1.5 %	1.7%
6	10+ TIME:(6)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	188	7.6 %	-

Based upon 2277 valid cases out of 2465 total cases.

**V2115**

**112B07A:#XMJ+HS/LIFETIME**

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1251	50.8 %	53.1%
2	1-2X:(2)	246	10.0 %	10.4%
3	3-5X:(3)	147	6.0 %	6.2%
4	6-9X:(4)	99	4.0 %	4.2%
5	10-19X:(5)	137	5.6 %	5.8%
6	20-39X:(6)	107	4.3 %	4.5%
7	40+OCCAS:(7)	370	15.0 %	15.7%
-9 (M)	MISSING:(-9)	108	4.4 %	-

Based upon 2357 valid cases out of 2465 total cases.

**V2116**

**112B07B:#XMJ+HS/LAST12MO**

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1460	59.2 %	62.2%
2	1-2X:(2)	240	9.7 %	10.2%
3	3-5X:(3)	152	6.2 %	6.5%
4	6-9X:(4)	106	4.3 %	4.5%
5	10-19X:(5)	80	3.2 %	3.4%
6	20-39X:(6)	89	3.6 %	3.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	40+OCCAS:(7)	222	9.0 %	9.5%
-9 (M)	MISSING:(-9)	116	4.7 %	-

Based upon 2349 valid cases out of 2465 total cases.

**V2117 112B07C:#XMJ+HS/LAST30DA**

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1805	73.2 %	76.9%
2	1-2X:(2)	202	8.2 %	8.6%
3	3-5X:(3)	84	3.4 %	3.6%
4	6-9X:(4)	54	2.2 %	2.3%
5	10-19X:(5)	60	2.4 %	2.6%
6	20-39X:(6)	40	1.6 %	1.7%
7	40+OCCAS:(7)	103	4.2 %	4.4%
-9 (M)	MISSING:(-9)	117	4.7 %	-

Based upon 2348 valid cases out of 2465 total cases.

**V2118 112B08A:#X LSD/LIFETIME**

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2293	93.0 %	96.3%
2	1-2X:(2)	55	2.2 %	2.3%
3	3-5X:(3)	16	0.6 %	0.7%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	83	3.4 %	-

Based upon 2382 valid cases out of 2465 total cases.

**V2119 112B08B:#X LSD/LAST 12MO**

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2321	94.2 %	97.4%
2	1-2X:(2)	44	1.8 %	1.8%
3	3-5X:(3)	13	0.5 %	0.5%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	83	3.4 %	-

Based upon 2382 valid cases out of 2465 total cases.

**V2120 112B08C:#X LSD/LAST 30DA**

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

On how many occasions (if any) have you used LSD  
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2367	96.0 %	99.4%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2381 valid cases out of 2465 total cases.

**V2121**

**112B09A:#X PSYD/LIFETIME**

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

On how many occasions (if any) have you used hallucinogens  
other than LSD (like mescaline, peyote, "shrooms" or  
psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2223	90.2 %	93.2%
2	1-2X:(2)	101	4.1 %	4.2%
3	3-5X:(3)	28	1.1 %	1.2%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	11	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2385 valid cases out of 2465 total cases.

**V2122 112B09B:#X PSYD/LAST12MO**

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2286	92.7 %	96.0%
2	1-2X:(2)	60	2.4 %	2.5%
3	3-5X:(3)	18	0.7 %	0.8%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	83	3.4 %	-

Based upon 2382 valid cases out of 2465 total cases.

**V2123 112B09C:#X PSYD/LAST30DA**

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9



Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2353	95.5 %	98.8%
2	1-2X:(2)	18	0.7 %	0.8%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	83	3.4 %	-

Based upon 2382 valid cases out of 2465 total cases.

**V2124 112B10A:#X COKE/LIFETIME**

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2251	91.3 %	94.8%
2	1-2X:(2)	59	2.4 %	2.5%
3	3-5X:(3)	20	0.8 %	0.8%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	11	0.4 %	0.5%
7	40+OCCAS:(7)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	91	3.7 %	-

Based upon 2374 valid cases out of 2465 total cases.

**V2125 112B10B:#X COKE/LAST12MO**

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2304	93.5 %	97.1%
2	1-2X:(2)	33	1.3 %	1.4%
3	3-5X:(3)	11	0.4 %	0.5%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	91	3.7 %	-

Based upon 2374 valid cases out of 2465 total cases.

**V2126**

**112B10C:#X COKE/LAST30DA**

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2344	95.1 %	98.7%
2	1-2X:(2)	16	0.6 %	0.7%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	90	3.7 %	-

Based upon 2375 valid cases out of 2465 total cases.

**V2127**

**112B11A:#X AMPH/LIFETIME**

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2067	83.9 %	86.7%
2	1-2X:(2)	102	4.1 %	4.3%
3	3-5X:(3)	62	2.5 %	2.6%
4	6-9X:(4)	43	1.7 %	1.8%
5	10-19X:(5)	47	1.9 %	2.0%
6	20-39X:(6)	28	1.1 %	1.2%
7	40+OCCAS:(7)	35	1.4 %	1.5%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2384 valid cases out of 2465 total cases.

**V2128**

**112B11B:#X AMPH/LAST12MO**

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2169	88.0 %	91.0%
2	1-2X:(2)	91	3.7 %	3.8%
3	3-5X:(3)	52	2.1 %	2.2%
4	6-9X:(4)	29	1.2 %	1.2%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	17	0.7 %	0.7%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2384 valid cases out of 2465 total cases.

**V2129**

**112B11C:#X AMPH/LAST30DA**

Location:

276-277 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 01000

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2282	92.6 %	95.7%
2	1-2X:(2)	58	2.4 %	2.4%
3	3-5X:(3)	15	0.6 %	0.6%
4	6-9X:(4)	11	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2384 valid cases out of 2465 total cases.

**V2130**

**112B12A:#X ICE/LIFETIME**

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2338	94.8 %	97.9%
2	1-2X:(2)	29	1.2 %	1.2%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	78	3.2 %	-

Based upon 2387 valid cases out of 2465 total cases.

**V2131**

**112B12B:#X ICE/LAST12MO**

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2361	95.8 %	98.9%
2	1-2X:(2)	15	0.6 %	0.6%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	78	3.2 %	-

Based upon 2387 valid cases out of 2465 total cases.

**V2132**

**112B12C:#X ICE/LAST30DA**

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2369	96.1 %	99.2%
2	1-2X:(2)	8	0.3 %	0.3%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	78	3.2 %	-

Based upon 2387 valid cases out of 2465 total cases.

**V2133**

**112B13A:#X SED/BARB/LIFE**

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2216	89.9 %	93.2%
2	1-2X:(2)	65	2.6 %	2.7%
3	3-5X:(3)	31	1.3 %	1.3%
4	6-9X:(4)	26	1.1 %	1.1%
5	10-19X:(5)	13	0.5 %	0.5%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	20	0.8 %	0.8%
-9 (M)	MISSING:(-9)	88	3.6 %	-

Based upon 2377 valid cases out of 2465 total cases.

# **V2134 112B13B:#X SED/BARB/12MO**

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2276	92.3 %	95.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	50	2.0 %	2.1%
3	3-5X:(3)	24	1.0 %	1.0%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	88	3.6 %	-

Based upon 2377 valid cases out of 2465 total cases.

**V2135 112B13C:#X SED/BARB/30DA**

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2335	94.7 %	98.2%
2	1-2X:(2)	20	0.8 %	0.8%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	88	3.6 %	-

Based upon 2377 valid cases out of 2465 total cases.

**V2136 112B14A:#X TRQL/LIFETIME**

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070



Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2198	89.2 %	92.3%
2	1-2X:(2)	71	2.9 %	3.0%
3	3-5X:(3)	34	1.4 %	1.4%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	20	0.8 %	0.8%
6	20-39X:(6)	19	0.8 %	0.8%
7	40+OCCAS:(7)	20	0.8 %	0.8%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2381 valid cases out of 2465 total cases.

**V2137**

**112B14B:#X TRQL/LAST12MO**

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2265	91.9 %	95.1%
2	1-2X:(2)	47	1.9 %	2.0%
3	3-5X:(3)	27	1.1 %	1.1%
4	6-9X:(4)	18	0.7 %	0.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	83	3.4 %	-

Based upon 2382 valid cases out of 2465 total cases.

**V2138 112B14C:#X TRQL/LAST30DA**

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2325	94.3 %	97.6%
2	1-2X:(2)	29	1.2 %	1.2%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2381 valid cases out of 2465 total cases.

**V2510 112B15A:#X H LIF USE NDL**

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29630

On how many occasions (if any) have you taken heroin using  
a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2346	95.2 %	98.8%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	91	3.7 %	-

Based upon 2374 valid cases out of 2465 total cases.

**V2511**

**112B15B:#X H 12M USE NDL**

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2357	95.6 %	99.3%
2	1-2X:(2)	6	0.2 %	0.3%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	91	3.7 %	-

Based upon 2374 valid cases out of 2465 total cases.

**V2512**

**112B15C:#X H 30D USE NDL**

Location: 300-301 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2363	95.9 %	99.5%
2	1-2X:(2)	3	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	91	3.7 %	-

Based upon 2374 valid cases out of 2465 total cases.

**V2513 112B16A:#X H LIF W/O NDL**

Location: 302-303 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2339	94.9 %	98.7%
2	1-2X:(2)	13	0.5 %	0.5%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	94	3.8 %	-

Based upon 2371 valid cases out of 2465 total cases.

**V2514**

**112B16B:#X H 12M W/O NDL**

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2352	95.4 %	99.3%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	96	3.9 %	-

Based upon 2369 valid cases out of 2465 total cases.

**V2515**

**112B16C:#X H 30D W/O NDL**

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2361	95.8 %	99.6%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	95	3.9 %	-

Based upon 2370 valid cases out of 2465 total cases.

**V2139**

**112R\* :#X H/LIFETIME**

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2349	95.3 %	98.3%
2	1-2X:(2)	16	0.6 %	0.7%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2390 valid cases out of 2465 total cases.

**V2140 112R\* :#X H/LAST12MO**

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2363	95.9 %	99.0%
2	1-2X:(2)	8	0.3 %	0.3%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2388 valid cases out of 2465 total cases.

**V2141 112R\* :#X H/LAST30DA**

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2375	96.3 %	99.4%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	76	3.1 %	-

Based upon 2389 valid cases out of 2465 total cases.

**V2142**

**112B17A:#X NARC/LIFETIME**

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own—that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2067	83.9 %	87.3%
2	1-2X:(2)	107	4.3 %	4.5%
3	3-5X:(3)	66	2.7 %	2.8%
4	6-9X:(4)	37	1.5 %	1.6%
5	10-19X:(5)	30	1.2 %	1.3%
6	20-39X:(6)	28	1.1 %	1.2%
7	40+OCCAS:(7)	33	1.3 %	1.4%
-9 (M)	MISSING:(-9)	97	3.9 %	-



Based upon 2368 valid cases out of 2465 total cases.

**V2143 112B17B:#X NARC/LAST12MO**

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2163	87.7 %	91.4%
2	1-2X:(2)	84	3.4 %	3.6%
3	3-5X:(3)	49	2.0 %	2.1%
4	6-9X:(4)	24	1.0 %	1.0%
5	10-19X:(5)	20	0.8 %	0.8%
6	20-39X:(6)	14	0.6 %	0.6%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2366 valid cases out of 2465 total cases.

**V2144 112B17C:#X NARC/LAST30DA**

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2280	92.5 %	96.4%
2	1-2X:(2)	46	1.9 %	1.9%
3	3-5X:(3)	20	0.8 %	0.8%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2366 valid cases out of 2465 total cases.

**V2145 112B18A:#X INHL/LIFETIME**

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2148	87.1 %	91.2%
2	1-2X:(2)	109	4.4 %	4.6%
3	3-5X:(3)	35	1.4 %	1.5%
4	6-9X:(4)	24	1.0 %	1.0%
5	10-19X:(5)	20	0.8 %	0.8%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	110	4.5 %	-

Based upon 2355 valid cases out of 2465 total cases.

**V2146 112B18B:#X INHL/LAST12MO**

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2274	92.3 %	96.5%
2	1-2X:(2)	34	1.4 %	1.4%
3	3-5X:(3)	24	1.0 %	1.0%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	109	4.4 %	-

Based upon 2356 valid cases out of 2465 total cases.

**V2147**

**112B18C:#X INHL/LAST30DA**

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2323	94.2 %	98.7%
2	1-2X:(2)	19	0.8 %	0.8%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	111	4.5 %	-

Based upon 2354 valid cases out of 2465 total cases.

**V2148 112C01(R):AGE <>18 DICHOTOMY**

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component variables: 1) Q.C01 "In what year were you born?"  
(item 00010), 2) Q. C02 "In what month were you born?"  
(item 00020), and 3) date of questionnaire administration  
as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 18 YRS:(1)	1002	40.6 %	42.0%
2	18+ YRS:(2)	1384	56.1 %	58.0%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2386 valid cases out of 2465 total cases.

**V2150 112C03 :Rs SEX**

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00030

What is your sex?

1="Male" 2="Female"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE:(1)	1176	47.7 %	51.1%
2	FEMALE:(2)	1126	45.7 %	48.9%
-9 (M)	MISSING:(-9)	163	6.6 %	-

Based upon 2302 valid cases out of 2465 total cases.

**V2151 112C04(R):R'S RACE B/W/H**

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

How do you describe yourself? (Select one or more responses.)  
Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"  
3="Hispanic" [see above]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BLACK:(1)	345	14.0 %	17.0%
2	WHITE:(2)	1352	54.8 %	66.7%
3	HISPANIC:(3)	330	13.4 %	16.3%
-9 (M)	MISSING:(-9)	438	17.8 %	-

Based upon 2027 valid cases out of 2465 total cases.

**V2152 112C05 :R SPD >TIM R-URB**

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DK/MIXED:(0)	268	10.9 %	10.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	A FARM:(1)	98	4.0 %	4.0%
2	COUNTRY:(2)	252	10.2 %	10.2%
3	SM CITY:(3)	580	23.5 %	23.5%
4	MED CITY:(4)	317	12.9 %	12.9%
5	SUB MED:(5)	285	11.6 %	11.6%
6	LGE CITY:(6)	242	9.8 %	9.8%
7	SUB LGE:(7)	165	6.7 %	6.7%
8	V-LGE CITY:(8)	150	6.1 %	6.1%
9	SUB V-LGE:(9)	108	4.4 %	4.4%

Based upon 2465 valid cases out of 2465 total cases.

**V2153**

**112C06 :R NOT MARRIED**

Location: 334-335 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARRIED:(1)	104	4.2 %	4.4%
2	ENGAGED:(2)	95	3.9 %	4.0%
3	SEP/DIV:(3)	29	1.2 %	1.2%
4	SINGLE:(4)	2156	87.5 %	90.4%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2384 valid cases out of 2465 total cases.

**V49**

**112C07(R):# SIBLINGS**

Location: 336-337 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075);  
 "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or

more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	133	5.4 %	5.6%
1	ONE:(1)	714	29.0 %	30.0%
2	TWO:(2)	602	24.4 %	25.3%
3	THREE+:(3-4)	934	37.9 %	39.2%
-9 (M)	MISSING:(-9)	82	3.3 %	-

Based upon 2383 valid cases out of 2465 total cases.

**V2155 112C07Cb(R):R'S HSHLD FATHER**

Location: 338-339 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	701	28.4 %	29.4%
1	MARKED:(1)	1680	68.2 %	70.6%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2381 valid cases out of 2465 total cases.

**V2156 112C07Cc(R):R'S HSHLD MOTHER**

Location: 340-341 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	290	11.8 %	12.2%
1	MARKED:(1)	2091	84.8 %	87.8%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2381 valid cases out of 2465 total cases.

**V2157 112C07Cd(R):R'S HSHLD BR/SR**

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	738	29.9 %	31.0%
1	MARKED:(1)	1643	66.7 %	69.0%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2381 valid cases out of 2465 total cases.

**V2163 112C08 :FATHR EDUC LEVEL**

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?



1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college"  
6="Graduate or professional school after college"  
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	110	4.5 %	4.6%
2	SOME HS:(2)	270	11.0 %	11.4%
3	HS GRAD:(3)	659	26.7 %	27.7%
4	SOME CLG:(4)	363	14.7 %	15.3%
5	CLG GRAD:(5)	513	20.8 %	21.6%
6	GRAD SCH:(6)	281	11.4 %	11.8%
7	DK:(7)	181	7.3 %	7.6%
-9 (M)	MISSING:(-9)	88	3.6 %	-

Based upon 2377 valid cases out of 2465 total cases.

**V2164 112C09 :MOTHR EDUC LEVEL**

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college"  
6="Graduate or professional school after college"  
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	100	4.1 %	4.2%
2	SOME HS:(2)	186	7.5 %	7.8%
3	HS GRAD:(3)	554	22.5 %	23.3%
4	SOME CLG:(4)	488	19.8 %	20.5%
5	CLG GRAD:(5)	664	26.9 %	27.9%
6	GRAD SCH:(6)	290	11.8 %	12.2%
7	DK:(7)	97	3.9 %	4.1%
-9 (M)	MISSING:(-9)	86	3.5 %	-

Based upon 2379 valid cases out of 2465 total cases.

**V2165 112C10 :MOTH PD JB R YNG**

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	305	12.4 %	12.8%
2	YES/SOME:(2)	433	17.6 %	18.2%
3	YES/MOST:(3)	442	17.9 %	18.6%
4	YES/NRLY ALL:(4)	1197	48.6 %	50.4%
-9 (M)	MISSING:(-9)	88	3.6 %	-

Based upon 2377 valid cases out of 2465 total cases.

**V2166**

**112C11 :Rs POLTL PRFNC**

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%	Valid %
1	STRG GOP:(1)	220	8.9 %	9.7%
2	MILD GOP:(2)	279	11.3 %	12.2%
3	MILD DEM:(3)	298	12.1 %	13.1%
4	STRG DEM:(4)	225	9.1 %	9.9%
5	INDEPNDT:(5)	291	11.8 %	12.8%
6	NO PREF:(6)	354	14.4 %	15.5%
7	OTHER:(7)	49	2.0 %	2.2%
8	DK/HVNT DECID:(8)	562	22.8 %	24.7%
-9 (M)	MISSING:(-9)	187	7.6 %	-

Based upon 2278 valid cases out of 2465 total cases.

**V2167**

**112C12 :R POL BLF RADCL**

Location: 352-353 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"  
 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the  
 above, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VRV CONS:(1)	110	4.5 %	4.7%
2	CONSERV:(2)	277	11.2 %	11.7%
3	MODERATE:(3)	551	22.4 %	23.3%
4	LIBERAL:(4)	314	12.7 %	13.3%
5	VRV LIB:(5)	123	5.0 %	5.2%
6	RADICAL:(6)	39	1.6 %	1.7%
8	NONE/DK:(8)	946	38.4 %	40.1%
-9 (M)	MISSING:(-9)	105	4.3 %	-

Based upon 2360 valid cases out of 2465 total cases.

**V2169 112C13B:R ATTND REL SVC**

Location: 354-355 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a  
 week or more"

Responses from the western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	364	14.8 %	20.1%
2	RARELY:(2)	620	25.2 %	34.2%
3	1-2X/MO:(3)	321	13.0 %	17.7%
4	1/WK OR+:(4)	510	20.7 %	28.1%
-9 (M)	MISSING:(-9)	650	26.4 %	-

Based upon 1815 valid cases out of 2465 total cases.

**V2170 112C13C:RLGN IMP Rs LF**

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Responses from the western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMP:(1)	374	15.2 %	20.6%
2	LITL IMP:(2)	480	19.5 %	26.5%
3	PRTY IMP:(3)	490	19.9 %	27.0%
4	VERY IMP:(4)	469	19.0 %	25.9%
-9 (M)	MISSING:(-9)	652	26.5 %	-

Based upon 1813 valid cases out of 2465 total cases.

**V2171 112C14 :WHEN R XPCT GRAD**

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"  
6="Don't expect to graduate"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	JUNE:(1)	2317	94.0 %	98.0%
2	JUL-JAN:(2)	26	1.1 %	1.1%
6	DONT EXPCT:(6)	22	0.9 %	0.9%
-9 (M)	MISSING:(-9)	100	4.1 %	-

Based upon 2365 valid cases out of 2465 total cases.

**V2172 112C15 :Rs HS PROGRAM**

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	CLG PREP:(1)	1282	52.0 %	54.5%
2	GENERAL:(2)	754	30.6 %	32.1%
3	VOC-TECH:(3)	115	4.7 %	4.9%
4	OTH/DK:(4)	200	8.1 %	8.5%
-9 (M)	MISSING:(-9)	114	4.6 %	-

Based upon 2351 valid cases out of 2465 total cases.

**V2173 112C16 :RT SF SCH AB>AVG**

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BELOW:(1)	39	1.6 %	1.7%
2	BELOW AVG:(2)	44	1.8 %	1.9%
3	SLIGHT BELOW:(3)	128	5.2 %	5.4%
4	AVERAGE:(4)	743	30.1 %	31.5%
5	SLIGHT ABOVE:(5)	566	23.0 %	24.0%
6	ABOVE AVG:(6)	674	27.3 %	28.6%
7	FAR ABOVE:(7)	162	6.6 %	6.9%
-9 (M)	MISSING:(-9)	109	4.4 %	-

Based upon 2356 valid cases out of 2465 total cases.

**V2174 112C17 :RT SF INTELL>AVG**

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00420

How intelligent do you think you are compared with others  
 your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below  
 Average" 4="Average" 5="Slightly Above Average" 6="Above  
 Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BELOW:(1)	28	1.1 %	1.2%
2	BELOW AVG:(2)	44	1.8 %	1.9%
3	SLIGHT BELOW:(3)	105	4.3 %	4.5%
4	AVERAGE:(4)	721	29.2 %	30.7%
5	SLIGHT ABOVE:(5)	566	23.0 %	24.1%
6	ABOVE AVG:(6)	690	28.0 %	29.3%
7	FAR ABOVE:(7)	198	8.0 %	8.4%
-9 (M)	MISSING:(-9)	113	4.6 %	-

Based upon 2352 valid cases out of 2465 total cases.

**V2175**

**112C18A:#DA/4W SC MS ILL**

Location: 366-367 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school  
 have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10  
 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1372	55.7 %	59.4%
2	1 DAY:(2)	397	16.1 %	17.2%
3	2 DAYS:(3)	230	9.3 %	10.0%
4	3 DAYS:(4)	164	6.7 %	7.1%
5	4-5 DAYS:(5)	87	3.5 %	3.8%
6	6-10 DA:(6)	37	1.5 %	1.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	11+ DAYS:(7)	23	0.9 %	1.0%
-9 (M)	MISSING:(-9)	155	6.3 %	-

Based upon 2310 valid cases out of 2465 total cases.

**V2176 112C18B:#DA/4W SC MS CUT**

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1580	64.1 %	69.0%
2	1 DAY:(2)	331	13.4 %	14.5%
3	2 DAYS:(3)	151	6.1 %	6.6%
4	3 DAYS:(4)	92	3.7 %	4.0%
5	4-5 DAYS:(5)	75	3.0 %	3.3%
6	6-10 DA:(6)	36	1.5 %	1.6%
7	11+ DAYS:(7)	24	1.0 %	1.0%
-9 (M)	MISSING:(-9)	176	7.1 %	-

Based upon 2289 valid cases out of 2465 total cases.

**V2177 112C18C:#DA/4W SC MS OTH**

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10

Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1296	52.6 %	56.0%
2	1 DAY:(2)	442	17.9 %	19.1%
3	2 DAYS:(3)	259	10.5 %	11.2%
4	3 DAYS:(4)	163	6.6 %	7.0%
5	4-5 DAYS:(5)	90	3.7 %	3.9%
6	6-10 DA:(6)	37	1.5 %	1.6%
7	11+ DAYS:(7)	27	1.1 %	1.2%
-9 (M)	MISSING:(-9)	151	6.1 %	-

Based upon 2314 valid cases out of 2465 total cases.

**V2178 112C19 :#DA/4W SKP CLASS**

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1651	67.0 %	70.0%
2	1-2:(2)	416	16.9 %	17.6%
3	3-5:(3)	171	6.9 %	7.2%
4	6-10:(4)	74	3.0 %	3.1%
5	11-20:(5)	26	1.1 %	1.1%
6	21+:(6)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	106	4.3 %	-

Based upon 2359 valid cases out of 2465 total cases.

**V2179 112C20 :R HS GRADE/D = 1**

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00470



Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
1="D (69 or below)"

Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	22	0.9 %	0.9%
2	C-:(2)	57	2.3 %	2.4%
3	C:(3)	122	4.9 %	5.2%
4	C+:(4)	205	8.3 %	8.7%
5	B-:(5)	253	10.3 %	10.8%
6	B:(6)	438	17.8 %	18.7%
7	B+:(7)	472	19.1 %	20.1%
8	A-:(8)	413	16.8 %	17.6%
9	A:(9)	364	14.8 %	15.5%
-9 (M)	MISSING:(-9)	119	4.8 %	-

Based upon 2346 valid cases out of 2465 total cases.

**V2180**

**112C21A:R WL DO VOC/TEC**

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1233	50.0 %	54.6%
2	PRB WONT:(2)	532	21.6 %	23.6%
3	PRB WILL:(3)	327	13.3 %	14.5%
4	DEF WILL:(4)	167	6.8 %	7.4%
-9 (M)	MISSING:(-9)	206	8.4 %	-

Based upon 2259 valid cases out of 2465 total cases.

**V2181**

**112C21B:R WL DO ARMD FC**

Location: 378-379 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
 4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1503	61.0 %	66.2%
2	PRB WONT:(2)	462	18.7 %	20.4%
3	PRB WILL:(3)	192	7.8 %	8.5%
4	DEF WILL:(4)	112	4.5 %	4.9%
-9 (M)	MISSING:(-9)	196	8.0 %	-

Based upon 2269 valid cases out of 2465 total cases.

**V2182 112C21C:R WL DO 2YR CLG**

Location: 380-381 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
 4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	794	32.2 %	35.1%
2	PRB WONT:(2)	433	17.6 %	19.2%
3	PRB WILL:(3)	536	21.7 %	23.7%
4	DEF WILL:(4)	498	20.2 %	22.0%
-9 (M)	MISSING:(-9)	204	8.3 %	-

Based upon 2261 valid cases out of 2465 total cases.

**V2183 112C21D:R WL DO 4YR CLG**

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	146	5.9 %	6.3%
2	PRB WONT:(2)	221	9.0 %	9.6%
3	PRB WILL:(3)	520	21.1 %	22.5%
4	DEF WILL:(4)	1421	57.6 %	61.6%
-9 (M)	MISSING:(-9)	157	6.4 %	-

Based upon 2308 valid cases out of 2465 total cases.

**V2184**

**112C21E:R WL DO GRD/PRF**

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	357	14.5 %	15.7%
2	PRB WONT:(2)	582	23.6 %	25.7%
3	PRB WILL:(3)	745	30.2 %	32.8%
4	DEF WILL:(4)	584	23.7 %	25.7%
-9 (M)	MISSING:(-9)	197	8.0 %	-

Based upon 2268 valid cases out of 2465 total cases.

**V2185 112C22A:R WNTDO VOC/TEC**

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1952	79.2 %	84.4%
1	MARKED:(1)	360	14.6 %	15.6%
-9 (M)	MISSING:(-9)	153	6.2 %	-

Based upon 2312 valid cases out of 2465 total cases.

**V2186 112C22B:R WNTDO ARMD FC**

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1953	79.2 %	84.5%
1	MARKED:(1)	359	14.6 %	15.5%
-9 (M)	MISSING:(-9)	153	6.2 %	-

Based upon 2312 valid cases out of 2465 total cases.

**V2187 112C22C:R WNTDO 2YR CLG**

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1694	68.7 %	73.3%
1	MARKED:(1)	618	25.1 %	26.7%
-9 (M)	MISSING:(-9)	153	6.2 %	-

Based upon 2312 valid cases out of 2465 total cases.

**V2188 112C22D:R WNTDO 4YR CLG**

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	441	17.9 %	19.1%
1	MARKED:(1)	1871	75.9 %	80.9%
-9 (M)	MISSING:(-9)	153	6.2 %	-

Based upon 2312 valid cases out of 2465 total cases.

**V2189 112C22E:R WNTDO GRD/PRF**

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	976	39.6 %	42.2%
1	MARKED:(1)	1336	54.2 %	57.8%
-9 (M)	MISSING:(-9)	153	6.2 %	-

Based upon 2312 valid cases out of 2465 total cases.

**V2190**

**112C22F:R WNTDO NONE**

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2199	89.2 %	95.1%
1	MARKED:(1)	113	4.6 %	4.9%
-9 (M)	MISSING:(-9)	153	6.2 %	-

Based upon 2312 valid cases out of 2465 total cases.

**V2191**

**112C23 :HRS/W WRK SCHYR**

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30

hours" 8="More than 30 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	955	38.7 %	41.1%
2	5 OR <:(2)	247	10.0 %	10.6%
3	6-10 HRS:(3)	241	9.8 %	10.4%
4	11-15 HR:(4)	242	9.8 %	10.4%
5	16-20 HR:(5)	236	9.6 %	10.2%
6	21-25 HR:(6)	178	7.2 %	7.7%
7	26-30 HR:(7)	111	4.5 %	4.8%
8	30+ HRS:(8)	111	4.5 %	4.8%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2321 valid cases out of 2465 total cases.

**V2192**

**112C24A:R\$/AVG WEEK JOB**

Location: 400-402 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1065	43.2 %	46.6%
2	\$1-5:(2)	13	0.5 %	0.6%
3	\$6-10:(3)	52	2.1 %	2.3%
4	\$11-20:(4)	55	2.2 %	2.4%
5	\$21-35:(5)	99	4.0 %	4.3%
6	\$36-50:(6)	112	4.5 %	4.9%
7	\$51-75:(7)	158	6.4 %	6.9%
8	\$76-125:(8)	326	13.2 %	14.3%
9	\$126-175:(9)	188	7.6 %	8.2%
10	\$176+:(10)	218	8.8 %	9.5%
-9 (M)	MISSING:(-9)	179	7.3 %	-

Based upon 2286 valid cases out of 2465 total cases.

**V2193**

**112C24B:R\$/AVG WEEK OTH**

Location: 403-405 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
 7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	966	39.2 %	43.0%
2	\$1-5:(2)	100	4.1 %	4.5%
3	\$6-10:(3)	177	7.2 %	7.9%
4	\$11-20:(4)	334	13.5 %	14.9%
5	\$21-35:(5)	266	10.8 %	11.8%
6	\$36-50:(6)	157	6.4 %	7.0%
7	\$51-75:(7)	87	3.5 %	3.9%
8	\$76-125:(8)	71	2.9 %	3.2%
9	\$126-175:(9)	17	0.7 %	0.8%
10	\$176+:(10)	72	2.9 %	3.2%
-9 (M)	MISSING:(-9)	218	8.8 %	-

Based upon 2247 valid cases out of 2465 total cases.

**V2194 112C25 :#X/AV WK GO OUT**

Location: 406-407 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"  
 6="Six or Seven"

Value	Label	Unweighted Frequency	%	Valid %
1	< 1:(1)	330	13.4 %	14.3%
2	ONE:(2)	346	14.0 %	15.0%
3	TWO:(3)	614	24.9 %	26.6%
4	THREE:(4)	513	20.8 %	22.2%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	4-5:(5)	333	13.5 %	14.4%
6	6-7:(6)	175	7.1 %	7.6%
-9 (M)	MISSING:(-9)	154	6.2 %	-

Based upon 2311 valid cases out of 2465 total cases.

**V2195 112C26 :#X DATE 3+/WK**

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	803	32.6 %	35.1%
2	ONCE/MO:(2)	431	17.5 %	18.8%
3	2-3X MO:(3)	378	15.3 %	16.5%
4	ONCE WK:(4)	303	12.3 %	13.2%
5	2-3X WK:(5)	273	11.1 %	11.9%
6	3+ WEEK:(6)	102	4.1 %	4.5%
-9 (M)	MISSING:(-9)	175	7.1 %	-

Based upon 2290 valid cases out of 2465 total cases.

**V2196 112C27 :DRIVE>200 MI/WK**

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	556	22.6 %	24.1%
2	1-10 MI:(2)	262	10.6 %	11.3%
3	11-50:(3)	603	24.5 %	26.1%
4	51-100:(4)	446	18.1 %	19.3%
5	101-200:(5)	291	11.8 %	12.6%
6	> 200:(6)	153	6.2 %	6.6%
-9 (M)	MISSING:(-9)	154	6.2 %	-

Based upon 2311 valid cases out of 2465 total cases.

**V2197 112C28 :#X/12MO R TCKTD**

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1804	73.2 %	79.0%
1	ONCE:(1)	283	11.5 %	12.4%
2	TWICE:(2)	124	5.0 %	5.4%
3	3 TIMES:(3)	40	1.6 %	1.8%
4	4+ TIMES:(4)	32	1.3 %	1.4%
-9 (M)	MISSING:(-9)	182	7.4 %	-

Based upon 2283 valid cases out of 2465 total cases.

**V2198 112C29AR:#TCKTS AFT DRNK**

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	454	18.4 %	94.8%
1	ONE:(1)	17	0.7 %	3.5%
2	TWO:(2)	3	0.1 %	0.6%
3	THREE+:(3-4)	5	0.2 %	1.0%
-9 (M)	MISSING:(-9)	1986	80.6 %	-

Based upon 479 valid cases out of 2465 total cases.

**V2199 112C29BR:#TCKTS AFT MARJ**

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	450	18.3 %	93.8%
1	ONE:(1)	22	0.9 %	4.6%
2	TWO:(2)	5	0.2 %	1.0%
3	THREE+:(3-4)	3	0.1 %	0.6%
-9 (M)	MISSING:(-9)	1985	80.5 %	-

Based upon 480 valid cases out of 2465 total cases.

**V2200 112C29CR:#TCKTS AFT OTDG**

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	472	19.1 %	99.2%
1	ONE:(1)	2	0.1 %	0.4%
3	THREE+:(3-4)	2	0.1 %	0.4%
-9 (M)	MISSING:(-9)	1989	80.7 %	-

Based upon 476 valid cases out of 2465 total cases.

**V2201 112C30 :#ACCIDNTS/12 MO**

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="One" 2="Two" 3="Three" 4="Four or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1924	78.1 %	84.8%
1	ONCE:(1)	258	10.5 %	11.4%
2	TWICE:(2)	57	2.3 %	2.5%
3	3 TIMES:(3)	26	1.1 %	1.1%
4	4+ TIMES:(4)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	197	8.0 %	-

Based upon 2268 valid cases out of 2465 total cases.

**V2202 112C31AR:#ACDTS AFT DRNK**

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	329	13.3 %	95.6%
1	ONE:(1)	10	0.4 %	2.9%
2	TWO:(2)	4	0.2 %	1.2%
3	THREE+:(3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2121	86.0 %	-

Based upon 344 valid cases out of 2465 total cases.

**V2203 112C31BR:#ACDTS AFT MARJ**

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	332	13.5 %	96.8%
1	ONE:(1)	9	0.4 %	2.6%
2	TWO:(2)	1	0.0 %	0.3%
3	THREE+:(3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2122	86.1 %	-

Based upon 343 valid cases out of 2465 total cases.

**V2204 112C31CR:#ACDTS AFT OTDG**

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	336	13.6 %	98.2%
1	ONE:(1)	5	0.2 %	1.5%
3	THREE+:(3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2123	86.1 %	-

Based upon 342 valid cases out of 2465 total cases.

**V2500**

**112D01A:4WKS ALC@SCHOOL**

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25690

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

A: . . . Under the influence of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	2182	88.5 %	94.5%
2	1 DAY:(2)	67	2.7 %	2.9%
3	2 DAYS:(3)	27	1.1 %	1.2%
4	3-5 DAYS:(4)	17	0.7 %	0.7%
5	6-9 DAYS:(5)	7	0.3 %	0.3%
6	10+ DAYS:(6)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	156	6.3 %	-

Based upon 2309 valid cases out of 2465 total cases.

**V2501 112D01B:4WKS MJ/OTD@SCHL**

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25700

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

B: . . . Under the influence of marijuana or some other illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	2046	83.0 %	88.8%
2	1 DAY:(2)	68	2.8 %	3.0%
3	2 DAYS:(3)	51	2.1 %	2.2%
4	3-5 DAYS:(4)	47	1.9 %	2.0%
5	6-9 DAYS:(5)	25	1.0 %	1.1%
6	10+ DAYS:(6)	67	2.7 %	2.9%
-9 (M)	MISSING:(-9)	161	6.5 %	-

Based upon 2304 valid cases out of 2465 total cases.

**V2502 112D01C:4WKS TOBACCO@SCH**

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25710

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

C: . . . Smoking cigarettes or using chewing tobacco while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	2110	85.6 %	91.7%
2	1 DAY:(2)	54	2.2 %	2.3%
3	2 DAYS:(3)	32	1.3 %	1.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	3-5 DAYS:(4)	26	1.1 %	1.1%
5	6-9 DAYS:(5)	13	0.5 %	0.6%
6	10+ DAYS:(6)	67	2.7 %	2.9%
-9 (M)	MISSING:(-9)	163	6.6 %	-

Based upon 2302 valid cases out of 2465 total cases.

**V2503 112D01D:4WKS WEAPON@SCHL**

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25720

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

D: . . . Carrying a weapon such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	2209	89.6 %	96.2%
2	1 DAY:(2)	19	0.8 %	0.8%
3	2 DAYS:(3)	14	0.6 %	0.6%
4	3-5 DAYS:(4)	13	0.5 %	0.6%
5	6-9 DAYS:(5)	4	0.2 %	0.2%
6	10+ DAYS:(6)	38	1.5 %	1.7%
-9 (M)	MISSING:(-9)	168	6.8 %	-

Based upon 2297 valid cases out of 2465 total cases.

**V2504 112D02A:#X TCHR INTRUPT**

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25730

During an average school week, about how many times . . .

A: . . . Do your teachers interrupt the class to deal with student misbehavior or goofing off?



1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	405	16.4 %	17.6%
2	< 1/WK:(2)	486	19.7 %	21.2%
3	1-2X/WK:(3)	596	24.2 %	25.9%
4	3-5X/WK:(4)	430	17.4 %	18.7%
5	6-9X/WK:(5)	190	7.7 %	8.3%
6	10-19X/W:(6)	90	3.7 %	3.9%
7	20+:(7)	100	4.1 %	4.4%
-9 (M)	MISSING:(-9)	168	6.8 %	-

Based upon 2297 valid cases out of 2465 total cases.

**V2505**

**112D02B:#X MISBHVR INT U**

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25740

During an average school week, about how many times . . .

B: . . . Does misbehavior or goofing off by other students in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	839	34.0 %	36.7%
2	< 1/WK:(2)	502	20.4 %	22.0%
3	1-2X/WK:(3)	448	18.2 %	19.6%
4	3-5X/WK:(4)	234	9.5 %	10.2%
5	6-9X/WK:(5)	128	5.2 %	5.6%
6	10-19X/W:(6)	54	2.2 %	2.4%
7	20+:(7)	82	3.3 %	3.6%
-9 (M)	MISSING:(-9)	178	7.2 %	-

Based upon 2287 valid cases out of 2465 total cases.

**V2506**

**112D02C:#X U UNEXCSD LAT**

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 25750

During an average school week, about how many times . . .

C: . . . Do you come to class late (after class has begun)  
 without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-  
 5 times a week" 5="6-9 times a week" 6="10-19 times a week"  
 7="20 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1110	45.0 %	48.7%
2	< 1/WK:(2)	569	23.1 %	25.0%
3	1-2X/WK:(3)	319	12.9 %	14.0%
4	3-5X/WK:(4)	184	7.5 %	8.1%
5	6-9X/WK:(5)	63	2.6 %	2.8%
6	10-19X/W:(6)	14	0.6 %	0.6%
7	20+:(7)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	185	7.5 %	-

Based upon 2280 valid cases out of 2465 total cases.

**V2507**

**112D03 :SCHL RULES FAIR**

Location: 442-443 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 25760

Do you feel that the rules about student behavior in your  
 school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No,  
 mostly" 1="No"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	239	9.7 %	10.4%
2	NO MSTLY:(2)	337	13.7 %	14.7%
3	DK:(3)	252	10.2 %	11.0%
4	YES MSTL:(4)	1004	40.7 %	43.7%
5	YES:(5)	464	18.8 %	20.2%
-9 (M)	MISSING:(-9)	169	6.9 %	-

Based upon 2296 valid cases out of 2465 total cases.

**V2311 112D04 :CMP SATFD W/LIFE**

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	75	3.0 %	3.3%
2	QUITE:(2)	186	7.5 %	8.1%
3	SOME DIS:(3)	163	6.6 %	7.1%
4	NEITHER:(4)	255	10.3 %	11.1%
5	SOME DIS:(5)	491	19.9 %	21.4%
6	QUITE:(6)	798	32.4 %	34.8%
7	COMPLETE:(7)	322	13.1 %	14.1%
-9 (M)	MISSING:(-9)	175	7.1 %	-

Based upon 2290 valid cases out of 2465 total cases.

**V2312 112D05A:HOW GD AS SPOUSE**

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06850

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

A: . . . As a husband or wife?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POOR:(1)	37	1.5 %	1.6%
2	NOT GOOD:(2)	35	1.4 %	1.5%
3	FAIR GOOD:(3)	193	7.8 %	8.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	GOOD:(4)	665	27.0 %	29.0%
5	VRy GOOD:(5)	1248	50.6 %	54.5%
8	DK:(8)	112	4.5 %	4.9%
-9 (M)	MISSING:(-9)	175	7.1 %	-

Based upon 2290 valid cases out of 2465 total cases.

**V2313 112D05B:HOW GD AS PARENT**

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06860

How good do you think you would be . . .

B: . . . As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POOR:(1)	58	2.4 %	2.5%
2	NOT GOOD:(2)	53	2.2 %	2.3%
3	FAIR GOOD:(3)	196	8.0 %	8.6%
4	GOOD:(4)	643	26.1 %	28.1%
5	VRy GOOD:(5)	1220	49.5 %	53.3%
8	DK:(8)	118	4.8 %	5.2%
-9 (M)	MISSING:(-9)	177	7.2 %	-

Based upon 2288 valid cases out of 2465 total cases.

**V2314 112D05C:HOW GD AS WORKER**

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06870

How good do you think you would be . . .

C: . . . As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POOR:(1)	25	1.0 %	1.1%
2	NOT GOOD:(2)	12	0.5 %	0.5%
3	FAIR GOOD:(3)	99	4.0 %	4.3%
4	GOOD:(4)	587	23.8 %	25.7%
5	VRY GOOD:(5)	1517	61.5 %	66.3%
8	DK:(8)	47	1.9 %	2.1%
-9 (M)	MISSING:(-9)	178	7.2 %	-

Based upon 2287 valid cases out of 2465 total cases.

**V2328 112D06A:2MCH COMPTN SCTY**

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07010

How much do you agree or disagree with each of the following statements?

A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	252	10.2 %	11.1%
2	MOST DIS:(2)	229	9.3 %	10.1%
3	NEITHER:(3)	550	22.3 %	24.3%
4	MOST AGR:(4)	731	29.7 %	32.3%
5	AGREE:(5)	501	20.3 %	22.1%
-9 (M)	MISSING:(-9)	202	8.2 %	-

Based upon 2263 valid cases out of 2465 total cases.

**V2329 112D06B:2MANY YNG SLOPPY**

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07020

How much do you agree or disagree with each of the following statements?

B: Too many young people are sloppy about their grooming and clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	221	9.0 %	9.8%
2	MOST DIS:(2)	381	15.5 %	16.8%
3	NEITHER:(3)	622	25.2 %	27.5%
4	MOST AGR:(4)	655	26.6 %	28.9%
5	AGREE:(5)	385	15.6 %	17.0%
-9 (M)	MISSING:(-9)	201	8.2 %	-

Based upon 2264 valid cases out of 2465 total cases.

**V2330 112D06C:2MUCH HARD ROCK**

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07030

How much do you agree or disagree with each of the following statements?

C: There is too much hard rock music on the radio these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	832	33.8 %	36.9%
2	MOST DIS:(2)	427	17.3 %	18.9%
3	NEITHER:(3)	784	31.8 %	34.8%
4	MOST AGR:(4)	114	4.6 %	5.1%
5	AGREE:(5)	99	4.0 %	4.4%
-9 (M)	MISSING:(-9)	209	8.5 %	-

Based upon 2256 valid cases out of 2465 total cases.

**V2331 112D06D:SHD DO OWN THING**

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07040

How much do you agree or disagree with each of the following statements?

D: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	73	3.0 %	3.2%
2	MOST DIS:(2)	58	2.4 %	2.6%
3	NEITHER:(3)	305	12.4 %	13.6%
4	MOST AGR:(4)	743	30.1 %	33.0%
5	AGREE:(5)	1071	43.4 %	47.6%
-9 (M)	MISSING:(-9)	215	8.7 %	-

Based upon 2250 valid cases out of 2465 total cases.

**V2332**

**112D06E:KICK DO DANGR TH**

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07050

How much do you agree or disagree with each of the following statements?

E: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	278	11.3 %	12.4%
2	MOST DIS:(2)	278	11.3 %	12.4%
3	NEITHER:(3)	684	27.7 %	30.5%
4	MOST AGR:(4)	650	26.4 %	29.0%
5	AGREE:(5)	355	14.4 %	15.8%
-9 (M)	MISSING:(-9)	220	8.9 %	-

Based upon 2245 valid cases out of 2465 total cases.

**V2333 112D06F:LIKE RISK SOME X**

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07060

How much do you agree or disagree with each of the following statements?

F: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	299	12.1 %	13.3%
2	MOST DIS:(2)	283	11.5 %	12.6%
3	NEITHER:(3)	550	22.3 %	24.5%
4	MOST AGR:(4)	725	29.4 %	32.3%
5	AGREE:(5)	389	15.8 %	17.3%
-9 (M)	MISSING:(-9)	219	8.9 %	-

Based upon 2246 valid cases out of 2465 total cases.

**V2433 112D06G:POS ATT TWD SELF**

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12550

How much do you agree or disagree with each of the following statements?

G: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	93	3.8 %	4.1%
2	MOST DIS:(2)	146	5.9 %	6.5%
3	NEITHER:(3)	361	14.6 %	16.1%
4	MOST AGR:(4)	779	31.6 %	34.7%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	AGREE:(5)	863	35.0 %	38.5%
-9 (M)	MISSING:(-9)	223	9.0 %	-

Based upon 2242 valid cases out of 2465 total cases.

**V2434 112D06H:AM PRSN OF WORTH**

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12570

How much do you agree or disagree with each of the following statements?

H: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	100	4.1 %	4.5%
2	MOST DIS:(2)	112	4.5 %	5.0%
3	NEITHER:(3)	332	13.5 %	14.8%
4	MOST AGR:(4)	723	29.3 %	32.2%
5	AGREE:(5)	975	39.6 %	43.5%
-9 (M)	MISSING:(-9)	223	9.0 %	-

Based upon 2242 valid cases out of 2465 total cases.

**V2435 112D06I:DO WELL AS OTHRS**

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	67	2.7 %	3.0%
2	MOST DIS:(2)	62	2.5 %	2.8%
3	NEITHER:(3)	271	11.0 %	12.1%
4	MOST AGR:(4)	817	33.1 %	36.5%
5	AGREE:(5)	1022	41.5 %	45.6%
-9 (M)	MISSING:(-9)	226	9.2 %	-

Based upon 2239 valid cases out of 2465 total cases.

**V2436 112D06J:SATISFD W MYSELF**

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12620

How much do you agree or disagree with each of the following statements?

J: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	102	4.1 %	4.5%
2	MOST DIS:(2)	125	5.1 %	5.6%
3	NEITHER:(3)	339	13.8 %	15.1%
4	MOST AGR:(4)	687	27.9 %	30.6%
5	AGREE:(5)	989	40.1 %	44.1%
-9 (M)	MISSING:(-9)	223	9.0 %	-

Based upon 2242 valid cases out of 2465 total cases.

**V2437 112D06K:-MUCH TO B PROUD**

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12660

How much do you agree or disagree with each of the following statements?

K: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	887	36.0 %	39.7%
2	MOST DIS:(2)	593	24.1 %	26.6%
3	NEITHER:(3)	383	15.5 %	17.2%
4	MOST AGR:(4)	250	10.1 %	11.2%
5	AGREE:(5)	119	4.8 %	5.3%
-9 (M)	MISSING:(-9)	233	9.5 %	-

Based upon 2232 valid cases out of 2465 total cases.

**V2438**

**112D06L:I AM NO GOOD**

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12680

How much do you agree or disagree with each of the following statements?

L: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	901	36.6 %	40.4%
2	MOST DIS:(2)	424	17.2 %	19.0%
3	NEITHER:(3)	412	16.7 %	18.5%
4	MOST AGR:(4)	329	13.3 %	14.7%
5	AGREE:(5)	166	6.7 %	7.4%
-9 (M)	MISSING:(-9)	233	9.5 %	-

Based upon 2232 valid cases out of 2465 total cases.

**V2439**

**112D06M:I DO WRONG THING**

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12720

How much do you agree or disagree with each of the following

statements?

M: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1046	42.4 %	46.9%
2	MOST DIS:(2)	471	19.1 %	21.1%
3	NEITHER:(3)	418	17.0 %	18.7%
4	MOST AGR:(4)	196	8.0 %	8.8%
5	AGREE:(5)	101	4.1 %	4.5%
-9 (M)	MISSING:(-9)	233	9.5 %	-

Based upon 2232 valid cases out of 2465 total cases.

**V2440**

**112D06N:MY LIFE NT USEFL**

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12750

How much do you agree or disagree with each of the following  
statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1253	50.8 %	56.2%
2	MOST DIS:(2)	381	15.5 %	17.1%
3	NEITHER:(3)	332	13.5 %	14.9%
4	MOST AGR:(4)	166	6.7 %	7.4%
5	AGREE:(5)	97	3.9 %	4.4%
-9 (M)	MISSING:(-9)	236	9.6 %	-

Based upon 2229 valid cases out of 2465 total cases.

**V2334**

**112D07A:ALL FRD SMK CIGS**

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	575	23.3 %	25.7%
2	A FEW:(2)	785	31.8 %	35.0%
3	SOME:(3)	564	22.9 %	25.2%
4	MOST:(4)	288	11.7 %	12.9%
5	ALL:(5)	29	1.2 %	1.3%
-9 (M)	MISSING:(-9)	224	9.1 %	-

Based upon 2241 valid cases out of 2465 total cases.

**V2335 112D07B:ALL FRD SMK MARJ**

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	430	17.4 %	19.2%
2	A FEW:(2)	592	24.0 %	26.5%
3	SOME:(3)	601	24.4 %	26.9%
4	MOST:(4)	525	21.3 %	23.5%
5	ALL:(5)	90	3.7 %	4.0%
-9 (M)	MISSING:(-9)	227	9.2 %	-

Based upon 2238 valid cases out of 2465 total cases.

**V2336 112D07C:ALL FRD TAKE LSD**

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07090

How many of your friends would you estimate . . .

C: . . . Take LSD?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1721	69.8 %	77.4%
2	A FEW:(2)	373	15.1 %	16.8%
3	SOME:(3)	99	4.0 %	4.5%
4	MOST:(4)	17	0.7 %	0.8%
5	ALL:(5)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	242	9.8 %	-

Based upon 2223 valid cases out of 2465 total cases.

**V2337 112D07D:ALL FRD TK PSYDL**

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07100

How many of your friends would you estimate . . .

D: . . . Take other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1531	62.1 %	68.7%
2	A FEW:(2)	508	20.6 %	22.8%
3	SOME:(3)	145	5.9 %	6.5%
4	MOST:(4)	33	1.3 %	1.5%
5	ALL:(5)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	237	9.6 %	-

Based upon 2228 valid cases out of 2465 total cases.

**V2338 112D07E:ALL FRD TK AMPH**

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07110

How many of your friends would you estimate . . .

E: . . . Take amphetamines (uppers, speed, Adderall, Ritalin, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1546	62.7 %	69.4%
2	A FEW:(2)	458	18.6 %	20.5%
3	SOME:(3)	174	7.1 %	7.8%
4	MOST:(4)	42	1.7 %	1.9%
5	ALL:(5)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	236	9.6 %	-

Based upon 2229 valid cases out of 2465 total cases.

**V2523**

**112D07F:ALL FRD TK SED/B**

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07135

How many of your friends would you estimate . . .

F: . . . Take sedatives/barbiturates (downers)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1772	71.9 %	79.5%
2	A FEW:(2)	307	12.5 %	13.8%
3	SOME:(3)	118	4.8 %	5.3%
4	MOST:(4)	22	0.9 %	1.0%
5	ALL:(5)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	237	9.6 %	-

Based upon 2228 valid cases out of 2465 total cases.

**V2341**

**112D07G:ALL FRD TK TRNQL**

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07140

How many of your friends would you estimate . . .

G: . . . Take tranquilizers?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1905	77.3 %	85.8%
2	A FEW:(2)	215	8.7 %	9.7%
3	SOME:(3)	78	3.2 %	3.5%
4	MOST:(4)	13	0.5 %	0.6%
5	ALL:(5)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	245	9.9 %	-

Based upon 2220 valid cases out of 2465 total cases.

**V2342**

**112D07H:ALL FRD TK COKE**

Location:

494-495 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 07150

How many of your friends would you estimate . . .

H: . . . Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1778	72.1 %	80.7%
2	A FEW:(2)	320	13.0 %	14.5%
3	SOME:(3)	80	3.2 %	3.6%
4	MOST:(4)	14	0.6 %	0.6%
5	ALL:(5)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	263	10.7 %	-

Based upon 2202 valid cases out of 2465 total cases.

**V2343**

**112D07I:ALL FRD TK HERON**

Location:

496-497 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9



Question:

Item Number: 07160

How many of your friends would you estimate . . .

I: . . . Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1965	79.7 %	89.5%
2	A FEW:(2)	170	6.9 %	7.7%
3	SOME:(3)	47	1.9 %	2.1%
4	MOST:(4)	7	0.3 %	0.3%
5	ALL:(5)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	269	10.9 %	-

Based upon 2196 valid cases out of 2465 total cases.

**V2344**

**112D07J:ALL FRD TK NARC**

Location:

498-499 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 07170

How many of your friends would you estimate . . .

J: . . . Take other narcotics (codeine, Vicodin, OxyContin, Percocet, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1527	61.9 %	69.4%
2	A FEW:(2)	437	17.7 %	19.9%
3	SOME:(3)	179	7.3 %	8.1%
4	MOST:(4)	47	1.9 %	2.1%
5	ALL:(5)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	266	10.8 %	-

Based upon 2199 valid cases out of 2465 total cases.

**V2345**

**112D07K:ALL FRD TK INHL**

Location:

500-501 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 07180

How many of your friends would you estimate . . .

K: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1839	74.6 %	84.2%
2	A FEW:(2)	242	9.8 %	11.1%
3	SOME:(3)	73	3.0 %	3.3%
4	MOST:(4)	21	0.9 %	1.0%
5	ALL:(5)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	280	11.4 %	-

Based upon 2185 valid cases out of 2465 total cases.

**V2346**

**112D07L:ALL FRD DRK ALCL**

Location:

502-503 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 07190

How many of your friends would you estimate . . .

L: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	388	15.7 %	17.6%
2	A FEW:(2)	294	11.9 %	13.3%
3	SOME:(3)	411	16.7 %	18.6%
4	MOST:(4)	796	32.3 %	36.1%
5	ALL:(5)	317	12.9 %	14.4%
-9 (M)	MISSING:(-9)	259	10.5 %	-

Based upon 2206 valid cases out of 2465 total cases.

**V2347**

**112D07M:ALL FRD GT DRUNK**

Location:

504-505 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 07200

How many of your friends would you estimate . . .

M: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	620	25.2 %	28.2%
2	A FEW:(2)	520	21.1 %	23.6%
3	SOME:(3)	543	22.0 %	24.7%
4	MOST:(4)	396	16.1 %	18.0%
5	ALL:(5)	122	4.9 %	5.5%
-9 (M)	MISSING:(-9)	264	10.7 %	-

Based upon 2201 valid cases out of 2465 total cases.

**V2451 112D07N:# FRNDS TK CRACK**

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07151

How many of your friends would you estimate . . .

N: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1920	77.9 %	87.4%
2	A FEW:(2)	198	8.0 %	9.0%
3	SOME:(3)	60	2.4 %	2.7%
4	MOST:(4)	13	0.5 %	0.6%
5	ALL:(5)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	268	10.9 %	-

Based upon 2197 valid cases out of 2465 total cases.

**V2452 112E01A:RSK COK PWDR 1-2**

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12501

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

A: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	179	7.3 %	8.2%
2	SLIGHT:(2)	365	14.8 %	16.8%
3	MOD RISK:(3)	481	19.5 %	22.1%
4	GRT RISK:(4)	1027	41.7 %	47.2%
5	CANT SAY:(5)	126	5.1 %	5.8%
-9 (M)	MISSING:(-9)	287	11.6 %	-

Based upon 2178 valid cases out of 2465 total cases.

**V2453**

**112E01B:RSK COK PWDR OCC**

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12502

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

B: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	113	4.6 %	5.2%
2	SLIGHT:(2)	112	4.5 %	5.2%
3	MOD RISK:(3)	452	18.3 %	20.8%
4	GRT RISK:(4)	1372	55.7 %	63.1%
5	CANT SAY:(5)	125	5.1 %	5.7%
-9 (M)	MISSING:(-9)	291	11.8 %	-

Based upon 2174 valid cases out of 2465 total cases.

**V2454**

**112E01C:RSK COK PWDR REG**

Location: 512-513 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12503

How much do you think people risk harming themselves  
 (physically or in other ways), if they . . .

C: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	106	4.3 %	4.9%
2	SLIGHT:(2)	32	1.3 %	1.5%
3	MOD RISK:(3)	118	4.8 %	5.4%
4	GRT RISK:(4)	1785	72.4 %	82.2%
5	CANT SAY:(5)	130	5.3 %	6.0%
-9 (M)	MISSING:(-9)	294	11.9 %	-

Based upon 2171 valid cases out of 2465 total cases.

**V2455**

**112E01D:RSK CRACK 1-2X**

Location: 514-515 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12504

How much do you think people risk harming themselves  
 (physically or in other ways), if they . . .

D: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	161	6.5 %	7.4%
2	SLIGHT:(2)	352	14.3 %	16.2%
3	MOD RISK:(3)	434	17.6 %	20.0%
4	GRT RISK:(4)	1092	44.3 %	50.3%
5	CANT SAY:(5)	133	5.4 %	6.1%
-9 (M)	MISSING:(-9)	293	11.9 %	-

Based upon 2172 valid cases out of 2465 total cases.

**V2456 112E01E:RSK CRACK OCC**

Location: 516-517 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12505

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	107	4.3 %	4.9%
2	SLIGHT:(2)	77	3.1 %	3.5%
3	MOD RISK:(3)	436	17.7 %	20.1%
4	GRT RISK:(4)	1417	57.5 %	65.3%
5	CANT SAY:(5)	134	5.4 %	6.2%
-9 (M)	MISSING:(-9)	294	11.9 %	-

Based upon 2171 valid cases out of 2465 total cases.

**V2457 112E01F:RSK CRACK REG**

Location: 518-519 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12506

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	102	4.1 %	4.7%
2	SLIGHT:(2)	29	1.2 %	1.3%
3	MOD RISK:(3)	96	3.9 %	4.4%
4	GRT RISK:(4)	1804	73.2 %	83.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	CANT SAY:(5)	135	5.5 %	6.2%
-9 (M)	MISSING:(-9)	299	12.1 %	-

Based upon 2166 valid cases out of 2465 total cases.

**V2534**

**112E01G:RSK NARC 1-2X**

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32600

How much do you think people risk harming themselves (physically or in other ways) if they . . .

G: . . . Try any narcotic other than heroin (codeine, Vicodin, OxyContin, Percocet, etc.) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	211	8.6 %	10.4%
2	SLIGHT:(2)	502	20.4 %	24.9%
3	MOD RISK:(3)	460	18.7 %	22.8%
4	GRT RISK:(4)	847	34.4 %	41.9%
-9 (M)	MISSING:(-9)	445	18.1 %	-

Based upon 2020 valid cases out of 2465 total cases.

**V2535**

**112E01H:RSK NARC OCCAS**

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32610

How much do you think people risk harming themselves (physically or in other ways) if they . . .

H: . . . Take any narcotic other than heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	127	5.2 %	6.3%
2	SLIGHT:(2)	174	7.1 %	8.6%
3	MOD RISK:(3)	541	21.9 %	26.7%
4	GRT RISK:(4)	1181	47.9 %	58.4%
-9 (M)	MISSING:(-9)	442	17.9 %	-

Based upon 2023 valid cases out of 2465 total cases.

**V2536**

**112E01I:RSK NARC REGLY**

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32620

How much do you think people risk harming themselves  
(physically or in other ways) if they . . .

I: . . . Take any narcotic other than heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	115	4.7 %	5.7%
2	SLIGHT:(2)	54	2.2 %	2.7%
3	MOD RISK:(3)	224	9.1 %	11.1%
4	GRT RISK:(4)	1628	66.0 %	80.6%
-9 (M)	MISSING:(-9)	444	18.0 %	-

Based upon 2021 valid cases out of 2465 total cases.

**V2537**

**112E01J:RSK ADDERALL 1-2X**

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32630

How much do you think people risk harming themselves  
(physically or in other ways) if they . . .

J: . . . Try Adderall once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"



5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	360	14.6 %	19.1%
2	SLIGHT:(2)	560	22.7 %	29.7%
3	MOD RISK:(3)	309	12.5 %	16.4%
4	GRT RISK:(4)	658	26.7 %	34.9%
-9 (M)	MISSING:(-9)	578	23.4 %	-

Based upon 1887 valid cases out of 2465 total cases.

**V2538 112E01K:RSK ADDERALL OCC**

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32640

How much do you think people risk harming themselves  
(physically or in other ways) if they . . .

K: . . . Take Adderall occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	209	8.5 %	11.1%
2	SLIGHT:(2)	286	11.6 %	15.1%
3	MOD RISK:(3)	516	20.9 %	27.3%
4	GRT RISK:(4)	879	35.7 %	46.5%
-9 (M)	MISSING:(-9)	575	23.3 %	-

Based upon 1890 valid cases out of 2465 total cases.

**V2458 112E01L:RSK PCP 1-2X**

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12415

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

L: . . . Try PCP once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	158	6.4 %	7.3%
2	SLIGHT:(2)	246	10.0 %	11.4%
3	MOD RISK:(3)	354	14.4 %	16.4%
4	GRT RISK:(4)	1152	46.7 %	53.4%
5	CANT SAY:(5)	249	10.1 %	11.5%
-9 (M)	MISSING:(-9)	306	12.4 %	-

Based upon 2159 valid cases out of 2465 total cases.

**V2476**

**112E01M:RSK ICE 1-2X**

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24420

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

M: . . . Try crystal meth ("ice")?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	137	5.6 %	6.3%
2	SLIGHT:(2)	169	6.9 %	7.8%
3	MOD RISK:(3)	270	11.0 %	12.5%
4	GRT RISK:(4)	1420	57.6 %	65.6%
5	CANT SAY:(5)	167	6.8 %	7.7%
-9 (M)	MISSING:(-9)	302	12.3 %	-

Based upon 2163 valid cases out of 2465 total cases.

**V2539**

**112E01N:RSK SALVIA 1-2X**

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32650

How much do you think people risk harming themselves

(physically or in other ways) if they . . .

N. . . try Salvia once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	315	12.8 %	17.7%
2	SLIGHT:(2)	392	15.9 %	22.0%
3	MOD RISK:(3)	284	11.5 %	16.0%
4	GRT RISK:(4)	788	32.0 %	44.3%
-9 (M)	MISSING:(-9)	686	27.8 %	-

Based upon 1779 valid cases out of 2465 total cases.

**V2459 112E02A:#X CRACK/LIFETIM**

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22260

On how many occasions (if any) have you used "crack"  
cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2124	86.2 %	97.5%
2	1-2X:(2)	23	0.9 %	1.1%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	286	11.6 %	-

Based upon 2179 valid cases out of 2465 total cases.

**V2460 112E02B:#X CRACK/LAST12M**

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

On how many occasions (if any) have you used "crack"  
cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2151	87.3 %	98.7%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	286	11.6 %	-

Based upon 2179 valid cases out of 2465 total cases.

**V2461 112E02C:#X CRACK/LAST30D**

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

On how many occasions (if any) have you used "crack"  
cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2160	87.6 %	99.1%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	286	11.6 %	-

Based upon 2179 valid cases out of 2465 total cases.

**V2403**

**112E03A:#X PCP/LIFETIME**

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01181

On how many occasions (if any) have you used PCP . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2132	86.5 %	98.2%
2	1-2X:(2)	17	0.7 %	0.8%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	293	11.9 %	-

Based upon 2172 valid cases out of 2465 total cases.

**V2404**

**112E03B:#X PCP/LAST12MO**

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01182

On how many occasions (if any) have you used PCP . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2146	87.1 %	98.8%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	294	11.9 %	-

Based upon 2171 valid cases out of 2465 total cases.

**V2405**

**112E03C:#X PCP/LAST30DA**

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01183

On how many occasions (if any) have you used PCP . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2155	87.4 %	99.2%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	293	11.9 %	-

Based upon 2172 valid cases out of 2465 total cases.

**V2493**

**112E04A:#X STRD/LIFETIME**

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2127	86.3 %	97.9%
2	1-2X:(2)	16	0.6 %	0.7%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	293	11.9 %	-

Based upon 2172 valid cases out of 2465 total cases.

**V2494**

**112E04B:#X STRD/LAST12MO**

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2146	87.1 %	98.8%
2	1-2X:(2)	8	0.3 %	0.4%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	293	11.9 %	-

Based upon 2172 valid cases out of 2465 total cases.

**V2495 112E04C:#X STRD/LAST30DA**

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2154	87.4 %	99.2%
2	1-2X:(2)	6	0.2 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	293	11.9 %	-

Based upon 2172 valid cases out of 2465 total cases.

**V2496 112E05A:MTHD STRD-INJECT**

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23790

What methods have you used for taking steroids on your own?  
(Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	27	1.1 %	75.0%
1	MARKED:(1)	9	0.4 %	25.0%
-9 (M)	MISSING:(-9)	2429	98.5 %	-

Based upon 36 valid cases out of 2465 total cases.

**V2497 112E05B:MTHD STRD-MOUTH**

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23800

What methods have you used for taking steroids on your own?  
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	11	0.4 %	30.6%
1	MARKED:(1)	25	1.0 %	69.4%
-9 (M)	MISSING:(-9)	2429	98.5 %	-

Based upon 36 valid cases out of 2465 total cases.

**V2516 112E05C:HVNT USED STRDS**

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30940

What methods have you used for taking steroids on your own?

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported  
nonuse on preceding prevalence question]"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	30	1.2 %	1.4%
1	MARKED:(1)	2133	86.5 %	98.6%
-9 (M)	MISSING:(-9)	302	12.3 %	-

Based upon 2163 valid cases out of 2465 total cases.

**V2462 112E06A:GR 1ST TRY CRACK**

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

A: Try "crack" cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	3	0.1 %	0.1%
3	GRADE 8:(3)	6	0.2 %	0.3%
4	GRADE 9:(4)	9	0.4 %	0.4%
5	GRADE 10:(5)	14	0.6 %	0.7%
6	GRADE 11:(6)	8	0.3 %	0.4%
7	GRADE 12:(7)	5	0.2 %	0.2%
8	NEVER:(8)	2080	84.4 %	97.8%
-9 (M)	MISSING:(-9)	338	13.7 %	-

Based upon 2127 valid cases out of 2465 total cases.

**V2463 112E06B:GR 1ST TR OT COK**

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05662

When (if ever) did you FIRST do each of the following things?

B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	3	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	GRADE 7:(2)	6	0.2 %	0.3%
3	GRADE 8:(3)	3	0.1 %	0.1%
4	GRADE 9:(4)	14	0.6 %	0.7%
5	GRADE 10:(5)	14	0.6 %	0.7%
6	GRADE 11:(6)	23	0.9 %	1.1%
7	GRADE 12:(7)	16	0.6 %	0.8%
8	NEVER:(8)	2050	83.2 %	96.3%
-9 (M)	MISSING:(-9)	336	13.6 %	-

Based upon 2129 valid cases out of 2465 total cases.

**V2477 112E06C:GR 1ST TRY ICE**

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24430

When (if ever) did you FIRST do each of the following things?

C: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	5	0.2 %	0.2%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	5	0.2 %	0.2%
4	GRADE 9:(4)	5	0.2 %	0.2%
5	GRADE 10:(5)	6	0.2 %	0.3%
6	GRADE 11:(6)	5	0.2 %	0.2%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	2100	85.2 %	98.5%
-9 (M)	MISSING:(-9)	333	13.5 %	-

Based upon 2132 valid cases out of 2465 total cases.

**V2498 112E06D:GR 1ST TRY STRDS**

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23810

When (if ever) did you FIRST do each of the following things?

D: Try steroids (anabolic steroids)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	4	0.2 %	0.2%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	2	0.1 %	0.1%
4	GRADE 9:(4)	9	0.4 %	0.4%
5	GRADE 10:(5)	5	0.2 %	0.2%
6	GRADE 11:(6)	8	0.3 %	0.4%
7	GRADE 12:(7)	2	0.1 %	0.1%
8	NEVER:(8)	2101	85.2 %	98.5%
-9 (M)	MISSING:(-9)	332	13.5 %	-

Based upon 2133 valid cases out of 2465 total cases.

**V2464**

**112E07A:EASY GT CRACK**

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06811

How difficult do you think it would be for you to get each of the following, if you wanted some?

A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	640	26.0 %	30.0%
2	VRY DIFF:(2)	516	20.9 %	24.2%
3	FRLY DIF:(3)	471	19.1 %	22.1%
4	FRLY EAS:(4)	329	13.3 %	15.4%
5	VRY EASY:(5)	179	7.3 %	8.4%
-9 (M)	MISSING:(-9)	330	13.4 %	-

Based upon 2135 valid cases out of 2465 total cases.

**V2465 112E07B:EASY GT COK PWDR**

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06812

How difficult do you think it would be for you to get each of the following, if you wanted some?

B: Cocaine in powder form

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	624	25.3 %	29.3%
2	VRD DIFF:(2)	473	19.2 %	22.2%
3	FRLY DIF:(3)	476	19.3 %	22.3%
4	FRLY EAS:(4)	344	14.0 %	16.1%
5	VRD EASY:(5)	216	8.8 %	10.1%
-9 (M)	MISSING:(-9)	332	13.5 %	-

Based upon 2133 valid cases out of 2465 total cases.

**V2466 112E07C:EASY GT PCP**

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06771

How difficult do you think it would be for you to get each of the following, if you wanted some?

C: PCP

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	747	30.3 %	35.2%
2	VRD DIFF:(2)	553	22.4 %	26.0%
3	FRLY DIF:(3)	462	18.7 %	21.8%
4	FRLY EAS:(4)	229	9.3 %	10.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	VRY EASY:(5)	132	5.4 %	6.2%
-9 (M)	MISSING:(-9)	342	13.9 %	-

Based upon 2123 valid cases out of 2465 total cases.

**V2478**

**112E07D:EASY GT ICE**

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24410

How difficult do you think it would be for you to get each of the following, if you wanted some?

D: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	781	31.7 %	36.7%
2	VRY DIFF:(2)	560	22.7 %	26.3%
3	FRLY DIF:(3)	428	17.4 %	20.1%
4	FRLY EAS:(4)	213	8.6 %	10.0%
5	VRY EASY:(5)	145	5.9 %	6.8%
-9 (M)	MISSING:(-9)	338	13.7 %	-

Based upon 2127 valid cases out of 2465 total cases.

**V2499**

**112E07E:EASY GT STEROIDS**

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23060

How difficult do you think it would be for you to get each of the following, if you wanted some?

E: Steroids (anabolic steroids)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	644	26.1 %	30.3%
2	VRD DIFF:(2)	442	17.9 %	20.8%
3	FRLY DIF:(3)	481	19.5 %	22.6%
4	FRLY EAS:(4)	344	14.0 %	16.2%
5	VRD EASY:(5)	216	8.8 %	10.2%
-9 (M)	MISSING:(-9)	338	13.7 %	-

Based upon 2127 valid cases out of 2465 total cases.

**V2479 112E08A:DAP SMK 1PCK CIG**

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	534	21.7 %	24.8%
2	DISAPPRV:(2)	859	34.8 %	40.0%
3	STRG DIS:(3)	756	30.7 %	35.2%
-9 (M)	MISSING:(-9)	316	12.8 %	-

Based upon 2149 valid cases out of 2465 total cases.

**V2480 112E08B:DAP TRY MRJ 1-2T**

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	1129	45.8 %	52.7%
2	DISAPPRV:(2)	586	23.8 %	27.3%
3	STRG DIS:(3)	428	17.4 %	20.0%
-9 (M)	MISSING:(-9)	322	13.1 %	-

Based upon 2143 valid cases out of 2465 total cases.

**V2481 112E08C:DAP SMK MRJ OCCS**

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	915	37.1 %	42.8%
2	DISAPPRV:(2)	628	25.5 %	29.3%
3	STRG DIS:(3)	597	24.2 %	27.9%
-9 (M)	MISSING:(-9)	325	13.2 %	-

Based upon 2140 valid cases out of 2465 total cases.

**V2482 112E08D:DAP SMK MRJ REGL**

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	615	24.9 %	28.8%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	DISAPPRV:(2)	686	27.8 %	32.1%
3	STRG DIS:(3)	838	34.0 %	39.2%
-9 (M)	MISSING:(-9)	326	13.2 %	-

Based upon 2139 valid cases out of 2465 total cases.

**V2483 112E08E:DAP COK PWD 1-2T**

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	259	10.5 %	12.1%
2	DISAPPRV:(2)	640	26.0 %	29.9%
3	STRG DIS:(3)	1239	50.3 %	58.0%
-9 (M)	MISSING:(-9)	327	13.3 %	-

Based upon 2138 valid cases out of 2465 total cases.

**V2484 112E08F:DAP COK PWDR OCC**

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	169	6.9 %	7.9%
2	DISAPPRV:(2)	527	21.4 %	24.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	STRG DIS:(3)	1442	58.5 %	67.4%
-9 (M)	MISSING:(-9)	327	13.3 %	-

Based upon 2138 valid cases out of 2465 total cases.

**V2485 112E08G:DAP COK PWDR REG**

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	142	5.8 %	6.6%
2	DISAPPRV:(2)	391	15.9 %	18.3%
3	STRG DIS:(3)	1603	65.0 %	75.0%
-9 (M)	MISSING:(-9)	329	13.3 %	-

Based upon 2136 valid cases out of 2465 total cases.

**V2486 112E08H:DAP TRY CRK 1-2T**

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	189	7.7 %	8.9%
2	DISAPPRV:(2)	570	23.1 %	26.7%
3	STRG DIS:(3)	1375	55.8 %	64.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	331	13.4 %	-

Based upon 2134 valid cases out of 2465 total cases.

**V2487**

**112E08I:DAP CRACK OCC**

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	139	5.6 %	6.5%
2	DISAPPRV:(2)	455	18.5 %	21.3%
3	STRG DIS:(3)	1543	62.6 %	72.2%
-9 (M)	MISSING:(-9)	328	13.3 %	-

Based upon 2137 valid cases out of 2465 total cases.

**V2488**

**112E08J:DAP CRACK REG**

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	130	5.3 %	6.1%
2	DISAPPRV:(2)	365	14.8 %	17.1%
3	STRG DIS:(3)	1634	66.3 %	76.7%
-9 (M)	MISSING:(-9)	336	13.6 %	-

Based upon 2129 valid cases out of 2465 total cases.

**V2489 112E08K:DAP TRY DRK ALCL**

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	1419	57.6 %	66.5%
2	DISAPPRV:(2)	381	15.5 %	17.9%
3	STRG DIS:(3)	333	13.5 %	15.6%
-9 (M)	MISSING:(-9)	332	13.5 %	-

Based upon 2133 valid cases out of 2465 total cases.

**V2490 112E08L:DAP 1-2 DRK/DAY**

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	653	26.5 %	30.6%
2	DISAPPRV:(2)	864	35.1 %	40.4%
3	STRG DIS:(3)	620	25.2 %	29.0%
-9 (M)	MISSING:(-9)	328	13.3 %	-

Based upon 2137 valid cases out of 2465 total cases.

**V2491 112E08M:DAP 4-5 DRK/DAY**

Location: 602-603 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	271	11.0 %	12.7%
2	DISAPPRV:(2)	653	26.5 %	30.6%
3	STRG DIS:(3)	1209	49.0 %	56.7%
-9 (M)	MISSING:(-9)	332	13.5 %	-

Based upon 2133 valid cases out of 2465 total cases.

**V2492 112E08N:DAP 5+ DRK WKND**

Location: 604-605 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	607	24.6 %	28.5%
2	DISAPPRV:(2)	619	25.1 %	29.1%
3	STRG DIS:(3)	903	36.6 %	42.4%
-9 (M)	MISSING:(-9)	336	13.6 %	-

Based upon 2129 valid cases out of 2465 total cases.

**V2428 112E09A:FAVOR MLTY DRAFT**

Location: 606-607 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

Question:

Item Number: 21060

The next two questions are about military service. Do you favor or oppose a military draft at the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed"  
2="Mostly oppose" 1="Strongly oppose"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRG OPPOS:(1)	701	28.4 %	33.0%
2	MST OPPOS:(2)	397	16.1 %	18.7%
3	NO OP/MXD:(3)	806	32.7 %	37.9%
4	MOST FAVR:(4)	126	5.1 %	5.9%
5	STRG FAVR:(5)	97	3.9 %	4.6%
-9 (M)	MISSING:(-9)	338	13.7 %	-

Based upon 2127 valid cases out of 2465 total cases.

**V2429**

**112E09B:DRAFT INCL WOMEN**

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21070

Do you think any military draft in the U.S. should include women as well as men?

3="Yes" 2="Uncertain" 1="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	664	26.9 %	30.7%
2	UNCERTN:(2)	675	27.4 %	31.2%
3	YES:(3)	826	33.5 %	38.2%
-9 (M)	MISSING:(-9)	300	12.2 %	-

Based upon 2165 valid cases out of 2465 total cases.

**V2371**

**112E10 :R LIKES SCHOOL**

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07630

The next questions are about your experiences at school. Some

people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot"  
3="I like school some" 2="I don't like school very much"  
1="I don't like school at all"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT LIKE@A:(1)	162	6.6 %	7.5%
2	DONT LIKE VM:(2)	353	14.3 %	16.3%
3	LIKE SOME:(3)	927	37.6 %	42.8%
4	LIKE QUITEBIT:(4)	456	18.5 %	21.0%
5	LIKE VRYMCH:(5)	270	11.0 %	12.5%
-9 (M)	MISSING:(-9)	297	12.0 %	-

Based upon 2168 valid cases out of 2465 total cases.

**V2372 112E11 :HRS/WK SPND HMWK**

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	267	10.8 %	12.3%
2	1-4 HRS:(2)	1035	42.0 %	47.9%
3	5-9 HRS:(3)	433	17.6 %	20.0%
4	10-14HRS:(4)	199	8.1 %	9.2%
5	15-19HRS:(5)	105	4.3 %	4.9%
6	20-24HRS:(6)	48	1.9 %	2.2%
7	25+ HRS:(7)	75	3.0 %	3.5%
-9 (M)	MISSING:(-9)	303	12.3 %	-

Based upon 2162 valid cases out of 2465 total cases.

**V2445 112E12A:SCH ACTV-PBLCTNS**

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1632	66.2 %	76.1%
2	SLIGHT:(2)	218	8.8 %	10.2%
3	MODERATE:(3)	101	4.1 %	4.7%
4	CONSDRBL:(4)	63	2.6 %	2.9%
5	GRT EXT:(5)	131	5.3 %	6.1%
-9 (M)	MISSING:(-9)	320	13.0 %	-

Based upon 2145 valid cases out of 2465 total cases.

**V2446**

**112E12B:SCH ACTV-PRF ART**

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1347	54.6 %	62.6%
2	SLIGHT:(2)	200	8.1 %	9.3%
3	MODERATE:(3)	175	7.1 %	8.1%
4	CONSDRBL:(4)	102	4.1 %	4.7%
5	GRT EXT:(5)	327	13.3 %	15.2%
-9 (M)	MISSING:(-9)	314	12.7 %	-

Based upon 2151 valid cases out of 2465 total cases.

**V2447**

**112E12C:SCH ACTV-ATHLTCS**



Location: 618-619 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
 5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	955	38.7 %	44.4%
2	SLIGHT:(2)	179	7.3 %	8.3%
3	MODERATE:(3)	199	8.1 %	9.2%
4	CONSDRBL:(4)	185	7.5 %	8.6%
5	GRT EXT:(5)	634	25.7 %	29.5%
-9 (M)	MISSING:(-9)	313	12.7 %	-

Based upon 2152 valid cases out of 2465 total cases.

**V2448 112E12D:SCH ACTV-OTH ACT**

Location: 620-621 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 22200

To what extent have you participated in the following school activities during this school year?

D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
 5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	760	30.8 %	35.4%
2	SLIGHT:(2)	290	11.8 %	13.5%
3	MODERATE:(3)	355	14.4 %	16.6%
4	CONSDRBL:(4)	294	11.9 %	13.7%
5	GRT EXT:(5)	446	18.1 %	20.8%
-9 (M)	MISSING:(-9)	320	13.0 %	-

Based upon 2145 valid cases out of 2465 total cases.

**V2373 112E13A:PRCL INFL SCL RN**

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07650

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	LITTLE/NO:(1)	338	13.7 %	15.8%
2	SOME:(2)	280	11.4 %	13.1%
3	MODERATE:(3)	369	15.0 %	17.3%
4	CONSDRBL:(4)	490	19.9 %	23.0%
5	GREAT:(5)	658	26.7 %	30.8%
-9 (M)	MISSING:(-9)	330	13.4 %	-

Based upon 2135 valid cases out of 2465 total cases.

**V2374 112E13B:TCHR INFL SCL RN**

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07660

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	LITTLE/NO:(1)	214	8.7 %	10.0%
2	SOME:(2)	358	14.5 %	16.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	MODERATE:(3)	618	25.1 %	29.0%
4	CONSDRBL:(4)	570	23.1 %	26.7%
5	GREAT:(5)	373	15.1 %	17.5%
-9 (M)	MISSING:(-9)	332	13.5 %	-

Based upon 2133 valid cases out of 2465 total cases.

**V2375**

**112E13C:STDS INFL SCL RN**

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07670

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	LITTLE/NO:(1)	518	21.0 %	24.3%
2	SOME:(2)	406	16.5 %	19.0%
3	MODERATE:(3)	459	18.6 %	21.5%
4	CONSDRBL:(4)	349	14.2 %	16.4%
5	GREAT:(5)	400	16.2 %	18.8%
-9 (M)	MISSING:(-9)	333	13.5 %	-

Based upon 2132 valid cases out of 2465 total cases.

**V2376**

**112E13D:PRTS INFL SCL RN**

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07680

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate

Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	LITTLE/NO:(1)	517	21.0 %	24.3%
2	SOME:(2)	554	22.5 %	26.0%
3	MODERATE:(3)	535	21.7 %	25.1%
4	CONSDRBL:(4)	295	12.0 %	13.8%
5	GREAT:(5)	229	9.3 %	10.8%
-9 (M)	MISSING:(-9)	335	13.6 %	-

Based upon 2130 valid cases out of 2465 total cases.

**V2377 112E14 :HAD DRUG EDUCATN**

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07690

Have you had any drug education courses or lectures in school?

1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO QUESTION 20" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	574	23.3 %	28.4%
2	WISH HAD:(2)	56	2.3 %	2.8%
3	YES:(3)	1389	56.3 %	68.8%
-9 (M)	MISSING:(-9)	446	18.1 %	-

Based upon 2019 valid cases out of 2465 total cases.

**V2378 112E15 :DG ED,>DG INTRST**

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07840

Would you say that the information about drugs that you received in school classes or programs has . . . ?

1="Made you less interested in trying drugs" 2="Not changed your interest in trying drugs" 3="Made you more interested in

trying drugs"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	LESS INTERST:(1)	703	28.5 %	50.7%
2	NO CHNGE:(2)	634	25.7 %	45.7%
3	MORE INTERST:(3)	50	2.0 %	3.6%
-9 (M)	MISSING:(-9)	1078	43.7 %	-

Based upon 1387 valid cases out of 2465 total cases.

**V2379 112E16A:DG ED,SPC COURSE**

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07850

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

A. A special course about drugs

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	968	39.3 %	71.7%
1	MARKED:(1)	382	15.5 %	28.3%
-9 (M)	MISSING:(-9)	1115	45.2 %	-

Based upon 1350 valid cases out of 2465 total cases.

**V2380 112E16B:DG ED,IN REG CRS**

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07860

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	448	18.2 %	33.2%
1	MARKED:(1)	902	36.6 %	66.8%
-9 (M)	MISSING:(-9)	1115	45.2 %	-

Based upon 1350 valid cases out of 2465 total cases.

**V2381 112E16C:DG ED,NT REG CRS**

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07870

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	947	38.4 %	70.1%
1	MARKED:(1)	403	16.3 %	29.9%
-9 (M)	MISSING:(-9)	1115	45.2 %	-

Based upon 1350 valid cases out of 2465 total cases.

**V2382 112E16D:DG ED,SPC DISCUS**

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07880

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1111	45.1 %	82.3%
1	MARKED:(1)	239	9.7 %	17.7%
-9 (M)	MISSING:(-9)	1115	45.2 %	-

Based upon 1350 valid cases out of 2465 total cases.

**V2383 112E17 :DG ED,GRT VALUE**

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07890

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"

4="Great value"

Value	Label	Unweighted Frequency	%	Valid %
1	NO VALUE:(1)	373	15.1 %	27.3%
2	SOME:(2)	541	21.9 %	39.7%
3	CNSIDRBL:(3)	271	11.0 %	19.9%
4	GT VALUE:(4)	179	7.3 %	13.1%
-9 (M)	MISSING:(-9)	1101	44.7 %	-

Based upon 1364 valid cases out of 2465 total cases.

**V2441 112E18A:#X/2W DRIVE+ALCL**

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01811

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

A: . . . drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1914	77.6 %	91.0%
2	ONCE:(2)	98	4.0 %	4.7%
3	TWICE:(3)	43	1.7 %	2.0%
4	3-5X:(4)	24	1.0 %	1.1%
5	6-9X:(5)	6	0.2 %	0.3%
6	10+ TIME:(6)	18	0.7 %	0.9%
-9 (M)	MISSING:(-9)	362	14.7 %	-

Based upon 2103 valid cases out of 2465 total cases.

**V2442 112E18B:#X/2W DRIVE+5DRK**

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01812

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

B: . . . having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1965	79.7 %	93.4%
2	ONCE:(2)	53	2.2 %	2.5%
3	TWICE:(3)	36	1.5 %	1.7%
4	3-5X:(4)	22	0.9 %	1.0%
5	6-9X:(5)	8	0.3 %	0.4%
6	10+ TIME:(6)	19	0.8 %	0.9%
-9 (M)	MISSING:(-9)	362	14.7 %	-

Based upon 2103 valid cases out of 2465 total cases.

**V2517 112E18C:#X/2W DRIVE+MJ**

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01813

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

C. . . . smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1837	74.5 %	87.5%
2	ONCE:(2)	90	3.7 %	4.3%
3	TWICE:(3)	50	2.0 %	2.4%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	3-5X:(4)	46	1.9 %	2.2%
5	6-9X:(5)	19	0.8 %	0.9%
6	10+ TIME:(6)	58	2.4 %	2.8%
-9 (M)	MISSING:(-9)	365	14.8 %	-

Based upon 2100 valid cases out of 2465 total cases.

**V2518 112E18D:#X/2W DRIVE+OTDG**

Location: 650-651 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01814

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

D. . . using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	2048	83.1 %	97.6%
2	ONCE:(2)	19	0.8 %	0.9%
3	TWICE:(3)	7	0.3 %	0.3%
4	3-5X:(4)	6	0.2 %	0.3%
5	6-9X:(5)	7	0.3 %	0.3%
6	10+ TIME:(6)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	367	14.9 %	-

Based upon 2098 valid cases out of 2465 total cases.

**V2443 112E19A:#X/2W RIDE+ALCL**

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01815

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

A: . . . when the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1772	71.9 %	84.4%
2	ONCE:(2)	167	6.8 %	8.0%
3	TWICE:(3)	87	3.5 %	4.1%
4	3-5X:(4)	46	1.9 %	2.2%
5	6-9X:(5)	9	0.4 %	0.4%
6	10+ TIME:(6)	19	0.8 %	0.9%
-9 (M)	MISSING:(-9)	365	14.8 %	-

Based upon 2100 valid cases out of 2465 total cases.

**V2444 112E19B:#X/2W RIDE+5DRK**

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01816

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

B: . . . when you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1934	78.5 %	92.2%
2	ONCE:(2)	67	2.7 %	3.2%
3	TWICE:(3)	43	1.7 %	2.0%
4	3-5X:(4)	25	1.0 %	1.2%
5	6-9X:(5)	7	0.3 %	0.3%
6	10+ TIME:(6)	22	0.9 %	1.0%
-9 (M)	MISSING:(-9)	367	14.9 %	-

Based upon 2098 valid cases out of 2465 total cases.

**V2519 112E19C:#X/2W RIDE+MJ**

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01817

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

C. . . . when the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1673	67.9 %	79.7%
2	ONCE:(2)	148	6.0 %	7.1%
3	TWICE:(3)	93	3.8 %	4.4%
4	3-5X:(4)	91	3.7 %	4.3%
5	6-9X:(5)	30	1.2 %	1.4%
6	10+ TIME:(6)	64	2.6 %	3.0%
-9 (M)	MISSING:(-9)	366	14.8 %	-

Based upon 2099 valid cases out of 2465 total cases.

**V2520**

**112E19D:#X/2W RIDE+OTDG**

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01818

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

D. . . . when the driver had been using using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	2012	81.6 %	96.3%
2	ONCE:(2)	25	1.0 %	1.2%
3	TWICE:(3)	17	0.7 %	0.8%
4	3-5X:(4)	10	0.4 %	0.5%
5	6-9X:(5)	11	0.4 %	0.5%
6	10+ TIME:(6)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	375	15.2 %	-

Based upon 2090 valid cases out of 2465 total cases.

**V2414**

**112E20A:OFTN EAT BRKFST**

Location: 660-661 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	160	6.5 %	7.6%
2	SELDOM:(2)	429	17.4 %	20.3%
3	SOMETIME:(3)	463	18.8 %	21.9%
4	MST DAYS:(4)	267	10.8 %	12.6%
5	NR EV DA:(5)	248	10.1 %	11.7%
6	EVERYDAY:(6)	547	22.2 %	25.9%
-9 (M)	MISSING:(-9)	351	14.2 %	-

Based upon 2114 valid cases out of 2465 total cases.

**V2415 112E20B:OFTN EAT GN VEG**

Location: 662-663 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	115	4.7 %	5.5%
2	SELDOM:(2)	197	8.0 %	9.4%
3	SOMETIME:(3)	480	19.5 %	22.8%
4	MST DAYS:(4)	553	22.4 %	26.3%
5	NR EV DA:(5)	376	15.3 %	17.9%
6	EVERYDAY:(6)	385	15.6 %	18.3%
-9 (M)	MISSING:(-9)	359	14.6 %	-

Based upon 2106 valid cases out of 2465 total cases.

**V2416 112E20C:OFTN EAT FRUIT**

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	77	3.1 %	3.7%
2	SELDOM:(2)	100	4.1 %	4.8%
3	SOMETIME:(3)	436	17.7 %	20.8%
4	MST DAYS:(4)	568	23.0 %	27.1%
5	NR EV DA:(5)	400	16.2 %	19.1%
6	EVERYDAY:(6)	517	21.0 %	24.6%
-9 (M)	MISSING:(-9)	367	14.9 %	-

Based upon 2098 valid cases out of 2465 total cases.

**V2417 112E20D:OFTN EXERCISE**

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	135	5.5 %	6.5%
2	SELDOM:(2)	301	12.2 %	14.5%
3	SOMETIME:(3)	455	18.5 %	21.9%
4	MST DAYS:(4)	378	15.3 %	18.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	NR EV DA:(5)	334	13.5 %	16.1%
6	EVERYDAY:(6)	473	19.2 %	22.8%
-9 (M)	MISSING:(-9)	389	15.8 %	-

Based upon 2076 valid cases out of 2465 total cases.

<b>V2418</b>	<b>112E20E:OFTN 7HRS SLEEP</b>
--------------	--------------------------------

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	125	5.1 %	6.0%
2	SELDOM:(2)	300	12.2 %	14.3%
3	SOMETIME:(3)	539	21.9 %	25.7%
4	MST DAYS:(4)	460	18.7 %	21.9%
5	NR EV DA:(5)	384	15.6 %	18.3%
6	EVERYDAY:(6)	292	11.8 %	13.9%
-9 (M)	MISSING:(-9)	365	14.8 %	-

Based upon 2100 valid cases out of 2465 total cases.

<b>V2419</b>	<b>112E20F:OFTN SLEEP &lt;SHLD</b>
--------------	------------------------------------

Location: 670-671 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	161	6.5 %	7.6%
2	SELDOM:(2)	272	11.0 %	12.9%
3	SOMETIME:(3)	517	21.0 %	24.6%
4	MST DAYS:(4)	397	16.1 %	18.9%
5	NR EV DA:(5)	334	13.5 %	15.9%
6	EVERYDAY:(6)	424	17.2 %	20.1%
-9 (M)	MISSING:(-9)	360	14.6 %	-

Based upon 2105 valid cases out of 2465 total cases.





# **APPENDIX**



## **Appendix A: Publications**

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.



## Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83

\* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.