

ICPSR 28401

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social
Research. Survey Research Center*

Form 4 Data Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/28401.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TABLE OF CONTENTS

INTRODUCTION.....	1
DATA COLLECTION DESCRIPTION	1
DATA COLLECTION PROCEDURES	1
SAMPLING INFORMATION	2
Stage 1: Geographic Areas.....	2
Stage 2: Schools	2
Stage 3: Students	2
School Recruiting Procedures	3
Advance Contact With Teachers and Students	3
Questionnaire Administration	3
Procedures for Protecting Confidentiality.	4
CONTENT AREAS AND QUESTIONNAIRE DESIGN	4
MEASUREMENT CONTENT AREAS	4
REPRESENTATIVENESS AND VALIDITY	6
School Participation	6
Student Participation	7
Validity of Self-Report Data	7
Accuracy of the Sample	7
Consistency and the Measurement of Trends	8
Interpreting Racial Differences	8
Differential Representation	9
Differential Response Tendencies.	9
Covariance With Other Factors	10
WEIGHTING INFORMATION	11
FILE STRUCTURE	11
CODEBOOK INFORMATION	12
ICPSR PROCESSING INFORMATION	14
Omitted Variables	14
Recoded Variables	15
Missing Data for Western Region.....	16
Questionnaire Form 1 Processing	16
Revised Question Text for the Core Dataset.....	17
 FREQUENCIES.....	 19
APPENDICES	177
Appendix A: Publications	179
Appendix B: Sample Size and Student Response Rates.....	181

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2009 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2009 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	188	390	14,268
2	Form 1	638	1,287	2,392
3	Form 2	332	677	2,381
4	Form 3	358	730	2,357
5	Form 4	270	556	2,385
6	Form 5	327	667	2,371
7	Form 6	336	686	2,382

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119

[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)

[4] Variable Type: numeric (ISO)

[5] Range of Missing Values (M): -9

Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS

Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE < 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 28401

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Form 4 Data

CASEID	CASE IDENTIFICATION NUMBER											
Location:	1-4 (width: 4; decimal: 0)											
Variable Type:	numeric											
	Based upon 2385 valid cases out of 2385 total cases.											
V1	YEAR OF ADMIN (4-DIGITS)											
Location:	5-8 (width: 4; decimal: 0)											
Variable Type:	numeric											
	<table><tr><th>Value</th><th>Unweighted Frequency</th><th>%</th><th>Valid %</th></tr><tr><td>2009</td><td>2385</td><td>100.0 %</td><td>100.0%</td></tr></table>				Value	Unweighted Frequency	%	Valid %	2009	2385	100.0 %	100.0%
Value	Unweighted Frequency	%	Valid %									
2009	2385	100.0 %	100.0%									
	Based upon 2385 valid cases out of 2385 total cases.											
V3	094:FORM ID											
Location:	9-10 (width: 2; decimal: 0)											
Variable Type:	numeric											
	<table><tr><th>Value</th><th>Unweighted Frequency</th><th>%</th><th>Valid %</th></tr><tr><td>4</td><td>2385</td><td>100.0 %</td><td>100.0%</td></tr></table>				Value	Unweighted Frequency	%	Valid %	4	2385	100.0 %	100.0%
Value	Unweighted Frequency	%	Valid %									
4	2385	100.0 %	100.0%									
	Based upon 2385 valid cases out of 2385 total cases.											
V4	094:Rs ID-SERIAL #											
Location:	11-15 (width: 5; decimal: 0)											
Variable Type:	numeric											
	Based upon 2385 valid cases out of 2385 total cases.											
V5	SAMPLING WEIGHT											
Location:	16-21 (width: 6; decimal: 4)											
Variable Type:	numeric											
	Based upon 2385 valid cases out of 2385 total cases.											
V13	SCH REG-4 CAT											
Location:	22-23 (width: 2; decimal: 0)											
Variable Type:	numeric											
Question:	Region of the country, based on Census categories, in which respondent's school is located.											
	1=Northeast 2=North Central 3=South 4=West											

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NE:(1)	579	24.3 %	24.3%
2	NC:(2)	584	24.5 %	24.5%
3	S:(3)	727	30.5 %	30.5%
4	W:(4)	495	20.8 %	20.8%

Based upon 2385 valid cases out of 2385 total cases.

V16 LARGE MSA=1/NOT=0

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	1525	63.9 %	63.9%
1	LARGE MSA:(1)	860	36.1 %	36.1%

Based upon 2385 valid cases out of 2385 total cases.

V17 MSA/NON-MSA=0

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NON-MSA:(0)	422	17.7 %	17.7%
1	MSA:(1)	1963	82.3 %	82.3%

Based upon 2385 valid cases out of 2385 total cases.

V4208 094A01 :VRY HPY THS DAYS

Location: 28-29 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 01190

Question Number(s): 4A01

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%	Valid %
1	NT HAPPY:(1)	339	14.2 %	14.3%
2	PRTY HPY:(2)	1502	63.0 %	63.2%
3	VRV HPY:(3)	534	22.4 %	22.5%
-9 (M)	MISSING:(-9)	10	0.4 %	-

Based upon 2375 valid cases out of 2385 total cases.

V4209 094A02 :FUTR CNTRY WORSE

Location: 30-31 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 09940

Question Number(s): 4A02

Looking ahead to the next five years, do you think that things in this country will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the same" 4="Get somewhat worse" 5="Get much worse"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH BETR:(1)	200	8.4 %	8.4%
2	SMWT BTR:(2)	1071	44.9 %	45.2%
3	SAME:(3)	388	16.3 %	16.4%
4	SMWT WSE:(4)	523	21.9 %	22.0%
5	MCH WRSE:(5)	190	8.0 %	8.0%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2372 valid cases out of 2385 total cases.

V4210 094A03 :FUTR WORLD WORSE

- Study 28401 -

Location: 32-33 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:
 Item Number: 09950

Question Number(s): 4A03

Looking ahead to the next five years, do you think that things
 in the rest of the world will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the
 same" 4="Get somewhat worse" 5="Get much worse"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH BETR:(1)	83	3.5 %	3.5%
2	SMWT BTR:(2)	645	27.0 %	27.2%
3	SAME:(3)	818	34.3 %	34.5%
4	SMWT WSE:(4)	628	26.3 %	26.5%
5	MCH WRSE:(5)	197	8.3 %	8.3%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2371 valid cases out of 2385 total cases.

V4211

094A04 :FUTR R LIFE WRSE

Location: 34-35 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:
 Item Number: 09960

Question Number(s): 4A04

How do you think your own life will go in the next five years--
 do you think it will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the
 same" 4="Get somewhat worse" 5="Get much worse"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH BETR:(1)	1144	48.0 %	48.2%
2	SMWT BTR:(2)	914	38.3 %	38.5%
3	SAME:(3)	232	9.7 %	9.8%
4	SMWT WSE:(4)	59	2.5 %	2.5%
5	MCH WRSE:(5)	23	1.0 %	1.0%
-9 (M)	MISSING:(-9)	13	0.5 %	-

- Study 28401 -

Based upon 2372 valid cases out of 2385 total cases.

V4212 094A05 :THK ABT SOC ISSU

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06880

Question Number(s): 4A05

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	92	3.9 %	3.9%
2	SELDOM:(2)	509	21.3 %	21.5%
3	SOMETIME:(3)	1066	44.7 %	45.0%
4	OFTEN:(4)	570	23.9 %	24.1%
5	GRT DEAL:(5)	132	5.5 %	5.6%
-9 (M)	MISSING:(-9)	16	0.7 %	-

Based upon 2369 valid cases out of 2385 total cases.

V4213 094A06A:PLLTN INCR IN US

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09970

Question Number(s): 4A06A

These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.

A: In general, pollution has increased in the U.S. in the last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	48	2.0 %	2.0%
2	MOST DIS:(2)	123	5.2 %	5.2%
3	NEITHER:(3)	212	8.9 %	9.0%
4	MOST AGR:(4)	858	36.0 %	36.4%
5	AGREE:(5)	1118	46.9 %	47.4%
-9 (M)	MISSING:(-9)	26	1.1 %	-

Based upon 2359 valid cases out of 2385 total cases.

V4214 094A06B:PLLTN NT SO DANG

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09980

Question Number(s): 4A06B

Please mark the circle that shows how much you agree or disagree with each statement below.

B: The dangers of pollution are not really as great as government, the media, and environmental groups would like us to believe

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	686	28.8 %	29.1%
2	MOST DIS:(2)	533	22.3 %	22.6%
3	NEITHER:(3)	435	18.2 %	18.5%
4	MOST AGR:(4)	444	18.6 %	18.9%
5	AGREE:(5)	257	10.8 %	10.9%
-9 (M)	MISSING:(-9)	30	1.3 %	-

Based upon 2355 valid cases out of 2385 total cases.

V4215 094A06C:PLLTN NEC 4 GRTH

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09990

Question Number(s): 4A06C

- Study 28401 -

Please mark the circle that shows how much you agree or disagree with each statement below.

C: America needs growth to survive, and that is going to require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	823	34.5 %	35.2%
2	MOST DIS:(2)	547	22.9 %	23.4%
3	NEITHER:(3)	453	19.0 %	19.4%
4	MOST AGR:(4)	352	14.8 %	15.0%
5	AGREE:(5)	164	6.9 %	7.0%
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2339 valid cases out of 2385 total cases.

V4216

094A06D:INDVL RESP 4 ENV

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10000

Question Number(s): 4A06D

Please mark the circle that shows how much you agree or disagree with each statement below.

D: People will have to change their buying habits and way of life to correct our environmental problems

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	136	5.7 %	5.8%
2	MOST DIS:(2)	214	9.0 %	9.1%
3	NEITHER:(3)	290	12.2 %	12.4%
4	MOST AGR:(4)	851	35.7 %	36.3%
5	AGREE:(5)	855	35.8 %	36.4%
-9 (M)	MISSING:(-9)	39	1.6 %	-

Based upon 2346 valid cases out of 2385 total cases.

- Study 28401 -

V4217 094A06E:GOVT RESP 4 ENV

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10010

Question Number(s): 4A06E

Please mark the circle that shows how much you agree or disagree with each statement below.

E: Government should take action to solve our environmental problems even if it means that some of the products we now use would have to be changed or banned

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	185	7.8 %	7.9%
2	MOST DIS:(2)	261	10.9 %	11.1%
3	NEITHER:(3)	484	20.3 %	20.6%
4	MOST AGR:(4)	809	33.9 %	34.4%
5	AGREE:(5)	614	25.7 %	26.1%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2353 valid cases out of 2385 total cases.

V4218 094A06F:GOVT TAX PLLTRS

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10020

Question Number(s): 4A06F

Please mark the circle that shows how much you agree or disagree with each statement below.

F: Government should place higher taxes on products which cause pollution in their manufacture or disposal, so that companies will be encouraged to find better ways to produce them

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	422	17.7 %	17.9%
2	MOST DIS:(2)	330	13.8 %	14.0%
3	NEITHER:(3)	458	19.2 %	19.4%
4	MOST AGR:(4)	586	24.6 %	24.9%
5	AGREE:(5)	562	23.6 %	23.8%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2358 valid cases out of 2385 total cases.

V4219 094A06G:GOVT BAN DSPSBLE

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10030

Question Number(s): 4A06G

Please mark the circle that shows how much you agree or disagree with each statement below.

G: I wish that government would ban throwaway bottles and beverage cans

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	640	26.8 %	27.3%
2	MOST DIS:(2)	382	16.0 %	16.3%
3	NEITHER:(3)	809	33.9 %	34.5%
4	MOST AGR:(4)	287	12.0 %	12.3%
5	AGREE:(5)	224	9.4 %	9.6%
-9 (M)	MISSING:(-9)	43	1.8 %	-

Based upon 2342 valid cases out of 2385 total cases.

V4220 094A06H:TV COMM CRT NDS

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10040

Question Number(s): 4A06H

- Study 28401 -

Please mark the circle that shows how much you agree or disagree with each statement below.

H: T.V. commercials stimulate people to buy a lot of things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	76	3.2 %	3.2%
2	MOST DIS:(2)	112	4.7 %	4.8%
3	NEITHER:(3)	218	9.1 %	9.3%
4	MOST AGR:(4)	734	30.8 %	31.3%
5	AGREE:(5)	1208	50.6 %	51.4%
-9 (M)	MISSING:(-9)	37	1.6 %	-

Based upon 2348 valid cases out of 2385 total cases.

V4221

094A06I:TV COMM RCLS GOOD

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10050

Question Number(s): 4A06I

Please mark the circle that shows how much you agree or disagree with each statement below.

I: T.V. commercials do a lot of good by showing new products that we might not know about otherwise

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	217	9.1 %	9.2%
2	MOST DIS:(2)	315	13.2 %	13.4%
3	NEITHER:(3)	621	26.0 %	26.4%
4	MOST AGR:(4)	786	33.0 %	33.5%
5	AGREE:(5)	410	17.2 %	17.5%
-9 (M)	MISSING:(-9)	36	1.5 %	-

Based upon 2349 valid cases out of 2385 total cases.

V4222

094A06J:FAM BUYS THG -ND

- Study 28401 -

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10060

Question Number(s): 4A06J

Please mark the circle that shows how much you agree or disagree with each statement below.

J: My family and I often buy things we really don't need; we could get along with much less

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	314	13.2 %	13.4%
2	MOST DIS:(2)	435	18.2 %	18.5%
3	NEITHER:(3)	452	19.0 %	19.2%
4	MOST AGR:(4)	702	29.4 %	29.8%
5	AGREE:(5)	449	18.8 %	19.1%
-9 (M)	MISSING:(-9)	33	1.4 %	-

Based upon 2352 valid cases out of 2385 total cases.

V4223

094A06K:POL SLVD BY 2000

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10070

Question Number(s): 4A06K

Please mark the circle that shows how much you agree or disagree with each statement below.

K: Within the next 25 years, engineers and scientists will probably have invented devices that will solve our pollution problems

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	167	7.0 %	7.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	MOST DIS:(2)	296	12.4 %	12.6%
3	NEITHER:(3)	591	24.8 %	25.1%
4	MOST AGR:(4)	862	36.1 %	36.6%
5	AGREE:(5)	439	18.4 %	18.6%
-9 (M)	MISSING:(-9)	30	1.3 %	-

Based upon 2355 valid cases out of 2385 total cases.

V4224

094A07 :R EFRT 2 HLP ENV

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10080

Question Number(s): 4A07

In your own actions--the things you buy and the things you do--how much of an effort do you make to conserve energy and protect the environment?

1="None" 2="A little" 3="Some" 4="Quite a bit"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	296	12.4 %	12.9%
2	A LITTLE:(2)	754	31.6 %	32.8%
3	SOME:(3)	964	40.4 %	41.9%
4	QUITEBIT:(4)	285	11.9 %	12.4%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2299 valid cases out of 2385 total cases.

V4225

094A08A:JOB IMPC SE RSLT

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10090

Question Number(s): 4A08A

The next questions are about work. Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

- Study 28401 -

A: A job where you can see the results of what you do

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	56	2.3 %	2.4%
2	LIT IMPT:(2)	249	10.4 %	10.8%
3	PRTY IMP:(3)	951	39.9 %	41.3%
4	VRYP IMPT:(4)	1044	43.8 %	45.4%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2300 valid cases out of 2385 total cases.

V4226

094A08B:JOB IMPC STATUS

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10100

Question Number(s): 4A08B

Indicate how important this thing is for you.

B: A job that has high status and prestige

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	217	9.1 %	9.5%
2	LIT IMPT:(2)	592	24.8 %	25.8%
3	PRTY IMP:(3)	837	35.1 %	36.5%
4	VRYP IMPT:(4)	645	27.0 %	28.2%
-9 (M)	MISSING:(-9)	94	3.9 %	-

Based upon 2291 valid cases out of 2385 total cases.

V4227

094A08C:JOB IMPC INTRSTG

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10110

Question Number(s): 4A08C

- Study 28401 -

Indicate how important this thing is for you.

C: A job which is interesting to do

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	23	1.0 %	1.0%
2	LIT IMPT:(2)	67	2.8 %	2.9%
3	PRTY IMP:(3)	375	15.7 %	16.4%
4	VRV IMPT:(4)	1815	76.1 %	79.6%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2280 valid cases out of 2385 total cases.

V4228 094A08D:JOB IMPC ADVNCMT

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10120

Question Number(s): 4A08D .

Indicate how important this thing is for you.

D: A job where the chances for advancement and promotion
are good

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	50	2.1 %	2.2%
2	LIT IMPT:(2)	218	9.1 %	9.5%
3	PRTY IMP:(3)	717	30.1 %	31.2%
4	VRV IMPT:(4)	1311	55.0 %	57.1%
-9 (M)	MISSING:(-9)	89	3.7 %	-

Based upon 2296 valid cases out of 2385 total cases.

V4229 094A08E:JOB IMPC HLP OTH

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 10130

Question Number(s): 4A08E

Indicate how important this thing is for you.

E: A job that gives you an opportunity to be directly helpful to others

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	89	3.7 %	3.9%
2	LIT IMPT:(2)	352	14.8 %	15.4%
3	PRTY IMP:(3)	741	31.1 %	32.3%
4	VRV IMPT:(4)	1111	46.6 %	48.5%
-9 (M)	MISSING:(-9)	92	3.9 %	-

Based upon 2293 valid cases out of 2385 total cases.

V4230

094A08F:JOB IMPC EARN \$

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10140

Question Number(s): 4A08F

Indicate how important this thing is for you.

F: A job which provides you with a chance to earn a good deal of money

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	51	2.1 %	2.2%
2	LIT IMPT:(2)	206	8.6 %	9.0%
3	PRTY IMP:(3)	722	30.3 %	31.5%
4	VRV IMPT:(4)	1313	55.1 %	57.3%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2292 valid cases out of 2385 total cases.

V4231

094A08G:JOB IMPC CREATVY

- Study 28401 -

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10150

Question Number(s): 4A08G

Indicate how important this thing is for you.

G: A job where you have the chance to be creative

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	154	6.5 %	6.7%
2	LIT IMPT:(2)	480	20.1 %	20.9%
3	PRTY IMP:(3)	702	29.4 %	30.6%
4	VRV IMPT:(4)	956	40.1 %	41.7%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2292 valid cases out of 2385 total cases.

V4232

094A08H:JOB IMPC UTILITY

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10160

Question Number(s): 4A08H

Indicate how important this thing is for you.

H: A job where the skills you learn will not go out of date

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	108	4.5 %	4.7%
2	LIT IMPT:(2)	316	13.2 %	13.8%
3	PRTY IMP:(3)	725	30.4 %	31.6%
4	VRV IMPT:(4)	1142	47.9 %	49.8%
-9 (M)	MISSING:(-9)	94	3.9 %	-

- Study 28401 -

Based upon 2291 valid cases out of 2385 total cases.

V4233 094A08I:JOB IMPC MK FRND

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10170

Question Number(s): 4A08I

Indicate how important this thing is for you.

I: A job that gives you a chance to make friends

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	140	5.9 %	6.1%
2	LIT IMPT:(2)	471	19.7 %	20.6%
3	PRTY IMP:(3)	759	31.8 %	33.1%
4	VRYP IMPT:(4)	920	38.6 %	40.2%
-9 (M)	MISSING:(-9)	95	4.0 %	-

Based upon 2290 valid cases out of 2385 total cases.

V4234 094A08J:JOB IMPC USE SKL

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10180

Question Number(s): 4A08J

Indicate how important this thing is for you.

J: A job which uses your skills and abilities--lets you do
the things you can do best

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	26	1.1 %	1.1%
2	LIT IMPT:(2)	112	4.7 %	4.9%
3	PRTY IMP:(3)	584	24.5 %	25.5%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	VRY IMPT:(4)	1572	65.9 %	68.5%
-9 (M)	MISSING:(-9)	91	3.8 %	-

Based upon 2294 valid cases out of 2385 total cases.

V4235 094A08K:JOB IMPC WRTHWLE

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10190

Question Number(s): 4A08K

Indicate how important this thing is for you.

K: A job that is worthwhile to society

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	99	4.2 %	4.3%
2	LIT IMPT:(2)	347	14.5 %	15.2%
3	PRTY IMP:(3)	773	32.4 %	33.9%
4	VRY IMPT:(4)	1059	44.4 %	46.5%
-9 (M)	MISSING:(-9)	107	4.5 %	-

Based upon 2278 valid cases out of 2385 total cases.

V4236 094A08L:JOB IMPC VACATN

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10200

Question Number(s): 4A08L

Indicate how important this thing is for you.

L: A job where you have more than two weeks vacation

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	285	11.9 %	12.4%
2	LIT IMPT:(2)	635	26.6 %	27.7%
3	PRTY IMP:(3)	686	28.8 %	29.9%
4	VRV IMPT:(4)	686	28.8 %	29.9%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2292 valid cases out of 2385 total cases.

V4237

094A08M:JOB IMPC MK DCSN

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10210

Question Number(s): 4A08M

Indicate how important this thing is for you.

M: A job where you get a chance to participate in decision making

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	123	5.2 %	5.4%
2	LIT IMPT:(2)	440	18.4 %	19.2%
3	PRTY IMP:(3)	895	37.5 %	39.1%
4	VRV IMPT:(4)	832	34.9 %	36.3%
-9 (M)	MISSING:(-9)	95	4.0 %	-

Based upon 2290 valid cases out of 2385 total cases.

V4238

094A08N:JOB IMPC FRE TIM

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10220

Question Number(s): 4A08N

Indicate how important this thing is for you.

N: A job which leaves a lot of time for other things in

- Study 28401 -

your life

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	70	2.9 %	3.1%
2	LIT IMPT:(2)	357	15.0 %	15.7%
3	PRTY IMP:(3)	873	36.6 %	38.3%
4	VRV IMPT:(4)	978	41.0 %	42.9%
-9 (M)	MISSING:(-9)	107	4.5 %	-

Based upon 2278 valid cases out of 2385 total cases.

V4239 094A08O:JOB IMPC NO MVNG

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10230

Question Number(s): 4A08O

Indicate how important this thing is for you.

O: A job which allows you to establish roots in a community
and not have to move from place to place

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	215	9.0 %	9.4%
2	LIT IMPT:(2)	449	18.8 %	19.6%
3	PRTY IMP:(3)	687	28.8 %	30.0%
4	VRV IMPT:(4)	941	39.5 %	41.1%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2292 valid cases out of 2385 total cases.

V4240 094A08P:JOB IMPC NO SPRV

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10240

- Study 28401 -

Question Number(s): 4A08P

Indicate how important this thing is for you.

P: A job which leaves you mostly free of supervision by others

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	195	8.2 %	8.5%
2	LIT IMPT:(2)	646	27.1 %	28.2%
3	PRTY IMP:(3)	816	34.2 %	35.6%
4	VRYP IMPT:(4)	634	26.6 %	27.7%
-9 (M)	MISSING:(-9)	94	3.9 %	-

Based upon 2291 valid cases out of 2385 total cases.

V4241

094A08Q:JOB IMPC SECURTY

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10250

Question Number(s): 4A08Q

Indicate how important this thing is for you.

Q: A job that offers a reasonably predictable, secure future

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	37	1.6 %	1.6%
2	LIT IMPT:(2)	165	6.9 %	7.2%
3	PRTY IMP:(3)	720	30.2 %	31.5%
4	VRYP IMPT:(4)	1363	57.1 %	59.6%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2285 valid cases out of 2385 total cases.

V4242

094A08R:JOB IMPC LRNING

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 10260

Question Number(s): 4A08R

Indicate how important this thing is for you.

R: A job where you can learn new things, learn new skills

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	67	2.8 %	2.9%
2	LIT IMPT:(2)	316	13.2 %	13.8%
3	PRTY IMP:(3)	876	36.7 %	38.4%
4	VRV IMPT:(4)	1025	43.0 %	44.9%
-9 (M)	MISSING:(-9)	101	4.2 %	-

Based upon 2284 valid cases out of 2385 total cases.

V4243

094A08S:JOB IMPC BE SELF

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10270

Question Number(s): 4A08S

Indicate how important this thing is for you.

S: A job where you do not have to pretend to be a type
of person that you are not

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	107	4.5 %	4.7%
2	LIT IMPT:(2)	158	6.6 %	6.9%
3	PRTY IMP:(3)	464	19.5 %	20.4%
4	VRV IMPT:(4)	1547	64.9 %	68.0%
-9 (M)	MISSING:(-9)	109	4.6 %	-

Based upon 2276 valid cases out of 2385 total cases.

V4244

094A08T:JOB IMPC RESPECT

- Study 28401 -

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10280

Question Number(s): 4A08T

Indicate how important this thing is for you.

T: A job that most people look up to and respect

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	116	4.9 %	5.1%
2	LIT IMPT:(2)	338	14.2 %	14.8%
3	PRTY IMP:(3)	727	30.5 %	31.9%
4	VRV IMPT:(4)	1096	46.0 %	48.1%
-9 (M)	MISSING:(-9)	108	4.5 %	-

Based upon 2277 valid cases out of 2385 total cases.

V4245 094A08U:JOB IMPC CNTC PL

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10290

Question Number(s): 4A08U

Indicate how important this thing is for you.

U: A job that permits contact with a lot of people

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	228	9.6 %	10.0%
2	LIT IMPT:(2)	613	25.7 %	26.9%
3	PRTY IMP:(3)	735	30.8 %	32.3%
4	VRV IMPT:(4)	701	29.4 %	30.8%
-9 (M)	MISSING:(-9)	108	4.5 %	-

- Study 28401 -

Based upon 2277 valid cases out of 2385 total cases.

V4246 094A08V:JOB IMPC EZ PACE

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10300

Question Number(s): 4A08V

Indicate how important this thing is for you.

V: A job with an easy pace that lets you work slowly

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	487	20.4 %	21.4%
2	LIT IMPT:(2)	833	34.9 %	36.5%
3	PRTY IMP:(3)	604	25.3 %	26.5%
4	VRY IMPT:(4)	357	15.0 %	15.7%
-9 (M)	MISSING:(-9)	104	4.4 %	-

Based upon 2281 valid cases out of 2385 total cases.

V4247 094A08W:JOB IMPC HRD PRB

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10310

Question Number(s): 4A08W

Indicate how important this thing is for you.

W: A job where most problems are quite difficult and
challenging

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	506	21.2 %	22.2%
2	LIT IMPT:(2)	850	35.6 %	37.3%
3	PRTY IMP:(3)	613	25.7 %	26.9%

- Study 28401 -

Value	Label	Unweighted Frequency	%	Valid %
4	VRY IMPT:(4)	312	13.1 %	13.7%
-9 (M)	MISSING:(-9)	104	4.4 %	-

Based upon 2281 valid cases out of 2385 total cases.

V4248 094A09 :KIND OF WORK @30

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10320

Question Number(s): 4A09

What kind of work do you think you will be doing when you are 30 years old? Mark the one that comes closest to what you expect to be doing.

- 01="Laborer (car washer, sanitary worker, farm laborer)"
- 02="Service worker (cook, waiter, barber, janitor, gas station attendant, practical nurse, beautician)"
- 03="Operative or semi-skilled worker (garage worker, taxicab, bus or truck driver, assembly line worker, welder)"
- 04="Sales clerk in a retail store or by phone (phone sales, department store clerk, drug store clerk)"
- 05="Clerical or office worker (bank teller, bookkeeper, secretary, postal clerk or carrier, keyboard operator)"
- 06="Protective service (police officer, firefighter, detective)"
- 07="Military service"
- 08="Craftsman or skilled worker (carpenter, electrician, brick layer, mechanic, machinist, tool and die maker, telephone installer)"
- 09="Farm owner, farm manager"
- 10="Owner of a small business (restaurant owner, shop owner)"
- 11="Sales representative (insurance agent, real estate broker, bond salesman)"
- 12="Manager or administrator (office manager, sales manager, school administrator, government official)"
- 13="Professional without doctoral degree (registered nurse, librarian, engineer, architect, social worker, accountant, actor, artist, musician, teacher, pilot, computer programmer or analyst)"
- 14="Professional with doctoral degree or equivalent (lawyer, physician, dentist, scientist, college professor)"
- 15="Full-time homemaker"
- 16="Don't know--GO TO QUESTION 13"

Value	Label	Unweighted Frequency	%	Valid %
1	LABORER:(1)	5	0.2 %	0.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	SERV WKR:(2)	54	2.3 %	2.5%
3	SEMISKL:(3)	13	0.5 %	0.6%
4	RETAIL:(4)	6	0.3 %	0.3%
5	CLERICAL:(5)	24	1.0 %	1.1%
6	PROTECT:(6)	134	5.6 %	6.2%
7	MILITARY:(7)	69	2.9 %	3.2%
8	SKLD WKR:(8)	96	4.0 %	4.4%
9	FARM:(9)	14	0.6 %	0.6%
10	OWN SHOP:(10)	159	6.7 %	7.3%
11	SALESREP:(11)	28	1.2 %	1.3%
12	MANAGER:(12)	114	4.8 %	5.3%
13	NOPHDPRO:(13)	806	33.8 %	37.2%
14	PHD PRO:(14)	488	20.5 %	22.5%
15	HOMEMKR:(15)	18	0.8 %	0.8%
16	DK:(16)	137	5.7 %	6.3%
-9 (M)	MISSING:(-9)	220	9.2 %	-

Based upon 2165 valid cases out of 2385 total cases.

V4249

094A10 :R SURE GT THS WK

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10330

Question Number(s): 4A10

How likely do you think it is that you will actually get to do this kind of work?

1="Not very likely" 2="Somewhat likely" 3="Fairly likely"
4="Very likely" 5="Certain" 6="I already do this kind of work"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT LKLY:(1)	41	1.7 %	2.0%
2	SMWT LIK:(2)	151	6.3 %	7.2%
3	FRLY LIK:(3)	474	19.9 %	22.6%
4	VY LIKLY:(4)	836	35.1 %	39.8%
5	CERTAIN:(5)	507	21.3 %	24.2%
6	ALRDY DO:(6)	89	3.7 %	4.2%
-9 (M)	MISSING:(-9)	287	12.0 %	-

- Study 28401 -

Based upon 2098 valid cases out of 2385 total cases.

V4250 094A11 :R SURE WK GD CHC

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10340

Question Number(s): 4A11

How certain are you that this kind of work is a good choice for you?

1="Not at all certain" 2="Somewhat certain" 3="Fairly certain"
4="Very certain" 5="Completely certain"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT CERTN:(1)	50	2.1 %	2.4%
2	SMWT CTN:(2)	156	6.5 %	7.4%
3	FRLY CTN:(3)	495	20.8 %	23.5%
4	VY CERTN:(4)	789	33.1 %	37.4%
5	COMP CTN:(5)	617	25.9 %	29.3%
-9 (M)	MISSING:(-9)	278	11.7 %	-

Based upon 2107 valid cases out of 2385 total cases.

V4251 094A12 :R THNK WK BE SAT

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10350

Question Number(s): 4A12

How satisfying do you think this kind of work will be for you?

1="Not very satisfying" 2="Somewhat satisfying" 3="Quite satisfying" 4="Very satisfying" 5="Extremely satisfying"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT SATIS:(1)	18	0.8 %	0.9%
2	SMWT SAT:(2)	119	5.0 %	5.7%
3	QUITE ST:(3)	399	16.7 %	19.0%
4	VY SATIS:(4)	793	33.2 %	37.7%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	EXTR SAT:(5)	776	32.5 %	36.9%
-9 (M)	MISSING:(-9)	280	11.7 %	-

Based upon 2105 valid cases out of 2385 total cases.

V4252 094A13A:JOB OBSTC RELGN

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10360

Question Number(s): 4A13A

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

A: Your religion

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1932	81.0 %	85.4%
2	SOMEWHAT:(2)	181	7.6 %	8.0%
3	A LOT:(3)	46	1.9 %	2.0%
8	DK:(8)	104	4.4 %	4.6%
-9 (M)	MISSING:(-9)	122	5.1 %	-

Based upon 2263 valid cases out of 2385 total cases.

V4253 094A13B:JOB OBSTC SEX

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10370

Question Number(s): 4A13B

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

B: Your sex

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1664	69.8 %	73.5%
2	SOMEWHAT:(2)	422	17.7 %	18.6%
3	A LOT:(3)	87	3.6 %	3.8%
8	DK:(8)	90	3.8 %	4.0%
-9 (M)	MISSING:(-9)	122	5.1 %	-

Based upon 2263 valid cases out of 2385 total cases.

V4254

094A13C:JOB OBSTC RACE

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10380

Question Number(s): 4A13C

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

C: Your race

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1700	71.3 %	75.2%
2	SOMEWHAT:(2)	347	14.5 %	15.3%
3	A LOT:(3)	114	4.8 %	5.0%
8	DK:(8)	100	4.2 %	4.4%
-9 (M)	MISSING:(-9)	124	5.2 %	-

Based upon 2261 valid cases out of 2385 total cases.

V4255

094A13D:JOB OBSTC BKGRND

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10390

Question Number(s): 4A13D

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

- Study 28401 -

D: Your family background

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1801	75.5 %	79.8%
2	SOMEWHAT:(2)	276	11.6 %	12.2%
3	A LOT:(3)	78	3.3 %	3.5%
8	DK:(8)	103	4.3 %	4.6%
-9 (M)	MISSING:(-9)	127	5.3 %	-

Based upon 2258 valid cases out of 2385 total cases.

V4256 094A13E:JOB OBSTC POL VW

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10400

Question Number(s): 4A13E

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

E: Your political views

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1762	73.9 %	77.9%
2	SOMEWHAT:(2)	303	12.7 %	13.4%
3	A LOT:(3)	59	2.5 %	2.6%
8	DK:(8)	137	5.7 %	6.1%
-9 (M)	MISSING:(-9)	124	5.2 %	-

Based upon 2261 valid cases out of 2385 total cases.

V4257 094A13F:JOB OBSTC EDUCTN

Location: 127-128 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10410

- Study 28401 -

Question Number(s): 4A13F

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

F: Your education

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1007	42.2 %	44.6%
2	SOMEWHAT:(2)	446	18.7 %	19.8%
3	A LOT:(3)	722	30.3 %	32.0%
8	DK:(8)	83	3.5 %	3.7%
-9 (M)	MISSING:(-9)	127	5.3 %	-

Based upon 2258 valid cases out of 2385 total cases.

V4258

094A13G:JOB OBSTC -VOC T

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10420

Question Number(s): 4A13G

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

G: Lack of vocational training

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1082	45.4 %	48.0%
2	SOMEWHAT:(2)	590	24.7 %	26.2%
3	A LOT:(3)	317	13.3 %	14.1%
8	DK:(8)	266	11.2 %	11.8%
-9 (M)	MISSING:(-9)	130	5.5 %	-

Based upon 2255 valid cases out of 2385 total cases.

V4259

094A13H:JOB OBSTC -ABLT Y

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 10430

Question Number(s): 4A13H

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

H: Lack of ability

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1116	46.8 %	49.4%
2	SOMEWHAT:(2)	385	16.1 %	17.0%
3	A LOT:(3)	654	27.4 %	29.0%
8	DK:(8)	104	4.4 %	4.6%
-9 (M)	MISSING:(-9)	126	5.3 %	-

Based upon 2259 valid cases out of 2385 total cases.

V4260

094A13I:JOB OBSTC - PULL

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10440

Question Number(s): 4A13I

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

I: Not knowing the right people

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	882	37.0 %	39.1%
2	SOMEWHAT:(2)	902	37.8 %	40.0%
3	A LOT:(3)	328	13.8 %	14.5%
8	DK:(8)	143	6.0 %	6.3%
-9 (M)	MISSING:(-9)	130	5.5 %	-

Based upon 2255 valid cases out of 2385 total cases.

- Study 28401 -

V4261 094A13J:JOB OBSTC -WK HD

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10450

Question Number(s): 4A13J

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

J: Not wanting to work hard

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1084	45.5 %	48.1%
2	SOMEWHAT:(2)	273	11.4 %	12.1%
3	A LOT:(3)	807	33.8 %	35.8%
8	DK:(8)	91	3.8 %	4.0%
-9 (M)	MISSING:(-9)	130	5.5 %	-

Based upon 2255 valid cases out of 2385 total cases.

V4262 094A13K:JOB OBSTC -CONFM

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10460

Question Number(s): 4A13K

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

K: Not wanting to conform

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1051	44.1 %	46.6%
2	SOMEWHAT:(2)	524	22.0 %	23.2%
3	A LOT:(3)	409	17.1 %	18.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8	DK:(8)	272	11.4 %	12.1%
-9 (M)	MISSING:(-9)	129	5.4 %	-

Based upon 2256 valid cases out of 2385 total cases.

V4263 094A14 :ENUF\$,NT WNT WRK

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08100

Question Number(s): 4A14

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WORK:(1)	1763	73.9 %	77.2%
2	NOT WORK:(2)	520	21.8 %	22.8%
-9 (M)	MISSING:(-9)	102	4.3 %	-

Based upon 2283 valid cases out of 2385 total cases.

V4264 094A15A:FEW GD MAR, ? IT

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10470

Question Number(s): 4A15A

How much do you agree or disagree with each statement below?

A: One sees so few good or happy marriages that one questions it as a way of life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Responses from the Western region intentionally obliterated.

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	428	17.9 %	23.8%
2	MOST DIS:(2)	267	11.2 %	14.8%
3	NEITHER:(3)	471	19.7 %	26.2%
4	MOST AGR:(4)	375	15.7 %	20.8%
5	AGREE:(5)	260	10.9 %	14.4%
-9 (M)	MISSING:(-9)	584	24.5 %	-

Based upon 1801 valid cases out of 2385 total cases.

V4265 094A15B:GD LIV TG BF MRG

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10480

Question Number(s): 4A15B

How much do you agree or disagree with each statement below?

B: It is usually a good idea for a couple to live together before getting married in order to find out whether they really get along

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	232	9.7 %	12.8%
2	MOST DIS:(2)	130	5.5 %	7.2%
3	NEITHER:(3)	227	9.5 %	12.5%
4	MOST AGR:(4)	555	23.3 %	30.6%
5	AGREE:(5)	670	28.1 %	36.9%
-9 (M)	MISSING:(-9)	571	23.9 %	-

Based upon 1814 valid cases out of 2385 total cases.

V4266 094A15C:1 PRTNR = RSTRCTVE

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10490

- Study 28401 -

Question Number(s): 4A15C

How much do you agree or disagree with each statement below?

C: Having a close intimate relationship with only one partner
is too restrictive for the average person

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	793	33.2 %	43.9%
2	MOST DIS:(2)	357	15.0 %	19.7%
3	NEITHER:(3)	349	14.6 %	19.3%
4	MOST AGR:(4)	194	8.1 %	10.7%
5	AGREE:(5)	115	4.8 %	6.4%
-9 (M)	MISSING:(-9)	577	24.2 %	-

Based upon 1808 valid cases out of 2385 total cases.

V4269

094A15D:RS CHLD + FR MAN

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10520

Question Number(s): 4A15D

How much do you agree or disagree with each statement below?

D: Being a father and raising children is one of the most
fulfilling experiences a man can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	62	2.6 %	2.7%
2	MOST DIS:(2)	74	3.1 %	3.3%
3	NEITHER:(3)	384	16.1 %	16.9%
4	MOST AGR:(4)	662	27.8 %	29.2%
5	AGREE:(5)	1084	45.5 %	47.8%
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2266 valid cases out of 2385 total cases.

- Study 28401 -

V4448 094A15E:BNG MOTH V FULFL

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12170

Question Number(s): 4A15E

How much do you agree or disagree with each statement below?

E: Being a mother and raising children is one of the most fulfilling experiences a woman can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	71	3.0 %	3.1%
2	MOST DIS:(2)	58	2.4 %	2.6%
3	NEITHER:(3)	354	14.8 %	15.6%
4	MOST AGR:(4)	573	24.0 %	25.3%
5	AGREE:(5)	1210	50.7 %	53.4%
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2266 valid cases out of 2385 total cases.

V4270 094A15F:MO SH B W CHL>TM

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10530

Question Number(s): 4A15F

How much do you agree or disagree with each statement below?

F: Most mothers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	58	2.4 %	2.5%
2	MOST DIS:(2)	116	4.9 %	5.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	NEITHER:(3)	539	22.6 %	23.7%
4	MOST AGR:(4)	797	33.4 %	35.0%
5	AGREE:(5)	766	32.1 %	33.7%
-9 (M)	MISSING:(-9)	109	4.6 %	-

Based upon 2276 valid cases out of 2385 total cases.

V4449 094A15G:FTHR>TIME W CHLD

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12180

Question Number(s): 4A15G

How much do you agree or disagree with each statement below?

G: Most fathers should spend more time with their children
than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	39	1.6 %	1.7%
2	MOST DIS:(2)	68	2.9 %	3.0%
3	NEITHER:(3)	421	17.7 %	18.5%
4	MOST AGR:(4)	800	33.5 %	35.2%
5	AGREE:(5)	946	39.7 %	41.6%
-9 (M)	MISSING:(-9)	111	4.7 %	-

Based upon 2274 valid cases out of 2385 total cases.

V4272 094A16 :#HRS TV/DAY/5+

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10550

Question Number(s): 4A16

How much TV do you estimate you watch on an average weekday?

1="None" 2="Half-hour or less" 3="About one hour" 4="About

- Study 28401 -

two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	129	5.4 %	5.7%
2	1/2 HOUR:(2)	344	14.4 %	15.2%
3	ONE HOUR:(3)	494	20.7 %	21.8%
4	2 HOURS:(4)	517	21.7 %	22.8%
5	3 HOURS:(5)	339	14.2 %	15.0%
6	4 HOURS:(6)	207	8.7 %	9.1%
7	5+ HRS:(7)	236	9.9 %	10.4%
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2266 valid cases out of 2385 total cases.

V4273 094A17 :#BKS LAST YR/10+

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10560

Question Number(s): 4A17

In the past year, how many books have you read just because you wanted to--that is, without their being assigned?

1="None" 2="One" 3="Two to five" 4="Six to nine" 5="Ten or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	523	21.9 %	22.4%
2	ONE:(2)	383	16.1 %	16.4%
3	2-5:(3)	799	33.5 %	34.3%
4	6-9:(4)	280	11.7 %	12.0%
5	10+:(5)	345	14.5 %	14.8%
-9 (M)	MISSING:(-9)	55	2.3 %	-

Based upon 2330 valid cases out of 2385 total cases.

V4274 094A18 :INTEREST IN GOVT

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06330

- Study 28401 -

Question Number(s): 4A18

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO INTR:(1)	187	7.8 %	8.0%
2	LIT INTR:(2)	476	20.0 %	20.5%
3	SOM INTR:(3)	998	41.8 %	42.9%
4	LOT INTR:(4)	444	18.6 %	19.1%
5	VGRT INT:(5)	219	9.2 %	9.4%
-9 (M)	MISSING:(-9)	61	2.6 %	-

Based upon 2324 valid cases out of 2385 total cases.

V4275

094A19A:>INFLC LARG CORP

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10570

Question Number(s): 4A19A

Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

A: Large corporations

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	210	8.8 %	9.1%
2	LESS:(2)	647	27.1 %	28.0%
3	SAME NOW:(3)	675	28.3 %	29.2%
4	MORE:(4)	237	9.9 %	10.3%
5	MCH MORE:(5)	109	4.6 %	4.7%
8	NO OPIN:(8)	432	18.1 %	18.7%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2310 valid cases out of 2385 total cases.

V4276 094A19B:>INFLC LBR UNION

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10580

Question Number(s): 4A19B

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

B: Major labor unions

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	118	4.9 %	5.1%
2	LESS:(2)	294	12.3 %	12.7%
3	SAME NOW:(3)	751	31.5 %	32.5%
4	MORE:(4)	476	20.0 %	20.6%
5	MCH MORE:(5)	177	7.4 %	7.7%
8	NO OPIN:(8)	494	20.7 %	21.4%
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2310 valid cases out of 2385 total cases.

V4277 094A19C:>INFLC CHURCHES

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10590

Question Number(s): 4A19C

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

C: Churches and religious organizations

- Study 28401 -

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	237	9.9 %	10.3%
2	LESS:(2)	261	10.9 %	11.3%
3	SAME NOW:(3)	717	30.1 %	31.0%
4	MORE:(4)	460	19.3 %	19.9%
5	MCH MORE:(5)	323	13.5 %	14.0%
8	NO OPIN:(8)	313	13.1 %	13.5%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2311 valid cases out of 2385 total cases.

V4278 094A19D:>INFLC NEWS MDIA

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10600

Question Number(s): 4A19D

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

D: The national news media (TV, magazines, news services)

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	337	14.1 %	14.6%
2	LESS:(2)	679	28.5 %	29.4%
3	SAME NOW:(3)	700	29.4 %	30.4%
4	MORE:(4)	207	8.7 %	9.0%
5	MCH MORE:(5)	115	4.8 %	5.0%
8	NO OPIN:(8)	268	11.2 %	11.6%
-9 (M)	MISSING:(-9)	79	3.3 %	-

Based upon 2306 valid cases out of 2385 total cases.

V4279 094A19E:>INFLC PRES/ADMN

Location: 169-170 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 10610

Question Number(s): 4A19E

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

E: The Presidency and the administration

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
 8="No opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	94	3.9 %	4.1%
2	LESS:(2)	225	9.4 %	9.7%
3	SAME NOW:(3)	865	36.3 %	37.4%
4	MORE:(4)	497	20.8 %	21.5%
5	MCH MORE:(5)	282	11.8 %	12.2%
8	NO OPIN:(8)	347	14.5 %	15.0%
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2310 valid cases out of 2385 total cases.

V4280 094A19F:>INFLC CONGRESS

Location: 171-172 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 10620

Question Number(s): 4A19F

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

F: The Congress--that is, the U.S. Senate and House of Representatives

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
 8="No opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	98	4.1 %	4.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	LESS:(2)	221	9.3 %	9.6%
3	SAME NOW:(3)	871	36.5 %	37.7%
4	MORE:(4)	509	21.3 %	22.1%
5	MCH MORE:(5)	203	8.5 %	8.8%
8	NO OPIN:(8)	406	17.0 %	17.6%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2308 valid cases out of 2385 total cases.

V4281 094A19G:>INFLC SUPRM CRT

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10630

Question Number(s): 4A19G

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

G: The U.S. Supreme Court

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	72	3.0 %	3.1%
2	LESS:(2)	144	6.0 %	6.3%
3	SAME NOW:(3)	957	40.1 %	41.6%
4	MORE:(4)	468	19.6 %	20.3%
5	MCH MORE:(5)	224	9.4 %	9.7%
8	NO OPIN:(8)	438	18.4 %	19.0%
-9 (M)	MISSING:(-9)	82	3.4 %	-

Based upon 2303 valid cases out of 2385 total cases.

V4282 094A19H:>INFLC JUSTC SYS

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10640

- Study 28401 -

Question Number(s): 4A19H

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

H: All the courts and the justice system in general

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	68	2.9 %	3.0%
2	LESS:(2)	151	6.3 %	6.6%
3	SAME NOW:(3)	979	41.0 %	42.5%
4	MORE:(4)	453	19.0 %	19.7%
5	MCH MORE:(5)	207	8.7 %	9.0%
8	NO OPIN:(8)	447	18.7 %	19.4%
-9 (M)	MISSING:(-9)	80	3.4 %	-

Based upon 2305 valid cases out of 2385 total cases.

V4283

094A19I:>INFLC POLICE

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10650

Question Number(s): 4A19I

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

I: The police and other law enforcement agencies

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	106	4.4 %	4.6%
2	LESS:(2)	228	9.6 %	9.9%
3	SAME NOW:(3)	806	33.8 %	34.9%
4	MORE:(4)	530	22.2 %	22.9%
5	MCH MORE:(5)	302	12.7 %	13.1%
8	NO OPIN:(8)	339	14.2 %	14.7%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2311 valid cases out of 2385 total cases.

V4284 094A19J:>INFLC MILITARY

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10660

Question Number(s): 4A19J

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

J: The U.S. military

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	120	5.0 %	5.2%
2	LESS:(2)	220	9.2 %	9.5%
3	SAME NOW:(3)	831	34.8 %	36.0%
4	MORE:(4)	426	17.9 %	18.4%
5	MCH MORE:(5)	331	13.9 %	14.3%
8	NO OPIN:(8)	383	16.1 %	16.6%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2311 valid cases out of 2385 total cases.

V4285 094A20A:ILGL AD MRJ PRIV

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10780

Question Number(s): 4A20A

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A: Smoking marijuana (pot, weed) in private

- Study 28401 -

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1145	48.0 %	49.3%
2	NOT SURE:(2)	350	14.7 %	15.1%
3	YES:(3)	829	34.8 %	35.7%
-9 (M)	MISSING:(-9)	61	2.6 %	-

Based upon 2324 valid cases out of 2385 total cases.

V4286 094A20B:ILGL AD MRJ PUBL

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10790

Question Number(s): 4A20B

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

B: Smoking marijuana in public places

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	521	21.8 %	22.5%
2	NOT SURE:(2)	259	10.9 %	11.2%
3	YES:(3)	1539	64.5 %	66.4%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2319 valid cases out of 2385 total cases.

V4287 094A20C:ILGL AD LSD PRIV

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10800

Question Number(s): 4A20C

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

C: Taking LSD in private

- Study 28401 -

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	529	22.2 %	22.9%
2	NOT SURE:(2)	400	16.8 %	17.3%
3	YES:(3)	1378	57.8 %	59.7%
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2307 valid cases out of 2385 total cases.

V4288 094A20D:ILGL AD LSD PUBL

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10810

Question Number(s): 4A20D

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

D: Taking LSD in public places

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	319	13.4 %	13.9%
2	NOT SURE:(2)	271	11.4 %	11.8%
3	YES:(3)	1710	71.7 %	74.3%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2300 valid cases out of 2385 total cases.

V4453 094A20E:ILGL AD AM/SD PV

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10825

Question Number(s): 4A20E

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

E: Taking amphetamines (uppers) or sedatives (downers) in private

- Study 28401 -

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	612	25.7 %	26.5%
2	NOT SURE:(2)	528	22.1 %	22.9%
3	YES:(3)	1167	48.9 %	50.6%
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2307 valid cases out of 2385 total cases.

V4454

094A20F:ILGL AD AM/SD PB

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10835

Question Number(s): 4A20F

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

F: Taking amphetamines or sedatives in public places

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	334	14.0 %	14.5%
2	NOT SURE:(2)	355	14.9 %	15.4%
3	YES:(3)	1621	68.0 %	70.2%
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2310 valid cases out of 2385 total cases.

V4291

094A20G:ILGL AD HRN PRIV

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10840

Question Number(s): 4A20G

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

G: Taking heroin in private

- Study 28401 -

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	465	19.5 %	20.1%
2	NOT SURE:(2)	206	8.6 %	8.9%
3	YES:(3)	1643	68.9 %	71.0%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2314 valid cases out of 2385 total cases.

V4292 094A20H:ILGL AD HRN PUBL

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10850

Question Number(s): 4A20H

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

H: Taking heroin in public places

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	330	13.8 %	14.3%
2	NOT SURE:(2)	127	5.3 %	5.5%
3	YES:(3)	1854	77.7 %	80.2%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2311 valid cases out of 2385 total cases.

V4293 094A20I:ILGL AD DRNK PRV

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10860

Question Number(s): 4A20I

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

I: Getting drunk in private

- Study 28401 -

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1516	63.6 %	65.5%
2	NOT SURE:(2)	292	12.2 %	12.6%
3	YES:(3)	506	21.2 %	21.9%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2314 valid cases out of 2385 total cases.

V4294 094A20J:ILGL AD DRNK PBL

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10870

Question Number(s): 4A20J

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

J: Getting drunk in public places

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	729	30.6 %	31.5%
2	NOT SURE:(2)	453	19.0 %	19.6%
3	YES:(3)	1132	47.5 %	48.9%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2314 valid cases out of 2385 total cases.

V4295 094A20K:LAW 4 SMK TOBPUB

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10760

Question Number(s): 4A20K

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

K: Smoking tobacco in certain specified public places

- Study 28401 -

1="No" 2="Not Sure" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	877	36.8 %	37.9%
2	NOT SURE:(2)	372	15.6 %	16.1%
3	YES:(3)	1065	44.7 %	46.0%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2314 valid cases out of 2385 total cases.

V4296

094A21 :CRIME 2 USE MARJ

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10880

Question Number(s): 4A21

In particular, there has been a great deal of public debate about whether marijuana use should be legal. Which of the following policies would you favor?

1="Using marijuana should be entirely legal" 2="It should be a minor violation--like a parking ticket--but not a crime"
3="It should be a crime" 4="Don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	LEGAL:(1)	751	31.5 %	32.5%
2	TICKET:(2)	676	28.3 %	29.3%
3	CRIME:(3)	576	24.2 %	24.9%
4	DK:(4)	307	12.9 %	13.3%
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2310 valid cases out of 2385 total cases.

V4297

094A22 :LEGAL 2 SELL MRJ

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10890

Question Number(s): 4A22

If it were legal for people to USE marijuana, should it also be legal to SELL marijuana?

- Study 28401 -

1="No" 2="Yes, but only to adults" 3="Yes, to anyone" 4="Don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	675	28.3 %	29.2%
2	ADULTS:(2)	1103	46.2 %	47.7%
3	ANYONE:(3)	239	10.0 %	10.3%
4	DK:(4)	295	12.4 %	12.8%
-9 (M)	MISSING:(-9)	73	3.1 %	-

Based upon 2312 valid cases out of 2385 total cases.

V4298 094A23 :USE<MJ IF LEGAL

Location: 207-208 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 10900

Question Number(s): 4A23

If marijuana were legal to use and legally available, which of the following would you be most likely to do?

1="Not use it, even if it were legal and available" 2="Try it"
 3="Use it about as often as I do now" 4="Use it more often than I do now" 5="Use it less than I do now" 6="Don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT USE:(1)	1369	57.4 %	59.3%
2	TRY IT:(2)	232	9.7 %	10.0%
3	AS OFTEN:(3)	343	14.4 %	14.8%
4	MOR OFTN:(4)	133	5.6 %	5.8%
5	LESS OFT:(5)	32	1.3 %	1.4%
6	DK:(6)	201	8.4 %	8.7%
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2310 valid cases out of 2385 total cases.

V4101 094B01 :EVR SMK CIG,REGL

Location: 209-210 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00760

- Study 28401 -

Question Number(s): 4B01

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1358	56.9 %	58.6%
2	1-2X:(2)	419	17.6 %	18.1%
3	OCCASNLV:(3)	261	10.9 %	11.3%
4	REG PAST:(4)	98	4.1 %	4.2%
5	REG NOW:(5)	182	7.6 %	7.9%
-9 (M)	MISSING:(-9)	67	2.8 %	-

Based upon 2318 valid cases out of 2385 total cases.

V4102

094B02 :#CIGS SMKD/30DAY

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00780

Question Number(s): 4B02

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1904	79.8 %	82.3%
2	<1 CIG/D:(2)	188	7.9 %	8.1%
3	1-5/DAY:(3)	125	5.2 %	5.4%
4	1/2PK/D:(4)	55	2.3 %	2.4%
5	1 PK/DA:(5)	25	1.0 %	1.1%
6	1 1/2 PK/D:(6)	7	0.3 %	0.3%
7	2+ PKS/D:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	71	3.0 %	-

- Study 28401 -

Based upon 2314 valid cases out of 2385 total cases.

V4103 094B03 :EVER DRINK

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00790

Question Number(s): 4B03

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	691	29.0 %	30.5%
2	YES:(2)	1575	66.0 %	69.5%
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2266 valid cases out of 2385 total cases.

V4104 094B04A:#X ALC/LIF SIPS

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00810

Question Number(s): 4B04A

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said no to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	691	29.0 %	30.9%
2	1-2X:(2)	183	7.7 %	8.2%
3	3-5X:(3)	256	10.7 %	11.5%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	221	9.3 %	9.9%
5	10-19X:(5)	265	11.1 %	11.9%
6	20-39X:(6)	204	8.6 %	9.1%
7	40+OCCAS:(7)	415	17.4 %	18.6%
-9 (M)	MISSING:(-9)	150	6.3 %	-

Based upon 2235 valid cases out of 2385 total cases.

V4105

094B04B:#X ALC/ANN SIPS

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

Question Number(s): 4B04B

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	804	33.7 %	36.0%
2	1-2X:(2)	385	16.1 %	17.2%
3	3-5X:(3)	309	13.0 %	13.8%
4	6-9X:(4)	236	9.9 %	10.6%
5	10-19X:(5)	242	10.1 %	10.8%
6	20-39X:(6)	114	4.8 %	5.1%
7	40+OCCAS:(7)	145	6.1 %	6.5%
-9 (M)	MISSING:(-9)	150	6.3 %	-

Based upon 2235 valid cases out of 2385 total cases.

V4106

094B04C:#X ALC/30D SIPS

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

- Study 28401 -

Question Number(s): 4B04C

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1308	54.8 %	58.4%
2	1-2X:(2)	483	20.3 %	21.6%
3	3-5X:(3)	236	9.9 %	10.5%
4	6-9X:(4)	111	4.7 %	5.0%
5	10-19X:(5)	53	2.2 %	2.4%
6	20-39X:(6)	26	1.1 %	1.2%
7	40+OCCAS:(7)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	147	6.2 %	-

Based upon 2238 valid cases out of 2385 total cases.

V4107

094B05 :#X DRK ENF FL HI

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00840

Question Number(s): 4B05

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	432	18.1 %	27.2%
2	FEW:(2)	458	19.2 %	28.9%
3	HALF:(3)	228	9.6 %	14.4%
4	MOST:(4)	308	12.9 %	19.4%
5	NRLY ALL:(5)	161	6.8 %	10.1%
-9 (M)	MISSING:(-9)	798	33.5 %	-

- Study 28401 -

Based upon 1587 valid cases out of 2385 total cases.

V4108 094B06 :5+DRK ROW/LST 2W

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Question Number(s): 4B06

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1669	70.0 %	75.6%
2	ONCE:(2)	210	8.8 %	9.5%
3	TWICE:(3)	160	6.7 %	7.2%
4	3-5X:(4)	120	5.0 %	5.4%
5	6-9X:(5)	24	1.0 %	1.1%
6	10+ TIME:(6)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	177	7.4 %	-

Based upon 2208 valid cases out of 2385 total cases.

V4115 094B07A:#XMJ+HS/LIFETIME

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

Question Number(s): 4B07A

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1358	56.9 %	59.6%
2	1-2X:(2)	222	9.3 %	9.7%
3	3-5X:(3)	138	5.8 %	6.1%
4	6-9X:(4)	88	3.7 %	3.9%
5	10-19X:(5)	104	4.4 %	4.6%
6	20-39X:(6)	74	3.1 %	3.2%
7	40+OCCAS:(7)	295	12.4 %	12.9%
-9 (M)	MISSING:(-9)	106	4.4 %	-

Based upon 2279 valid cases out of 2385 total cases.

V4116 094B07B:#XMJ+HS/LAST12MO

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00870

Question Number(s): 4B07B

On how many occasions (if any) have you used marijuana
(weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1563	65.5 %	68.7%
2	1-2X:(2)	214	9.0 %	9.4%
3	3-5X:(3)	122	5.1 %	5.4%
4	6-9X:(4)	83	3.5 %	3.6%
5	10-19X:(5)	64	2.7 %	2.8%
6	20-39X:(6)	63	2.6 %	2.8%
7	40+OCCAS:(7)	165	6.9 %	7.3%
-9 (M)	MISSING:(-9)	111	4.7 %	-

Based upon 2274 valid cases out of 2385 total cases.

V4117 094B07C:#XMJ+HS/LAST30DA

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 00880

Question Number(s): 4B07C

On how many occasions (if any) have you used marijuana
(weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1840	77.1 %	80.8%
2	1-2X:(2)	168	7.0 %	7.4%
3	3-5X:(3)	60	2.5 %	2.6%
4	6-9X:(4)	41	1.7 %	1.8%
5	10-19X:(5)	53	2.2 %	2.3%
6	20-39X:(6)	39	1.6 %	1.7%
7	40+OCCAS:(7)	77	3.2 %	3.4%
-9 (M)	MISSING:(-9)	107	4.5 %	-

Based upon 2278 valid cases out of 2385 total cases.

V4118

094B08A:#X LSD/LIFETIME

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

Question Number(s): 4B08A

On how many occasions (if any) have you used LSD
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2231	93.5 %	97.1%
2	1-2X:(2)	40	1.7 %	1.7%
3	3-5X:(3)	12	0.5 %	0.5%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	6	0.3 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	87	3.6 %	-

Based upon 2298 valid cases out of 2385 total cases.

V4119

094B08B:#X LSD/LAST 12MO

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

Question Number(s): 4B08B

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2263	94.9 %	98.5%
2	1-2X:(2)	19	0.8 %	0.8%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	88	3.7 %	-

Based upon 2297 valid cases out of 2385 total cases.

V4120

094B08C:#X LSD/LAST 30DA

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

Question Number(s): 4B08C

- Study 28401 -

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2287	95.9 %	99.6%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	3	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	88	3.7 %	-

Based upon 2297 valid cases out of 2385 total cases.

V4121

094B09A:#X PSYD/LIFETIME

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

Question Number(s): 4B09A

On how many occasions (if any) have you used hallucinogens
other than LSD (like mescaline, peyote, "shrooms" or
psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2154	90.3 %	94.0%
2	1-2X:(2)	93	3.9 %	4.1%
3	3-5X:(3)	24	1.0 %	1.0%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2292 valid cases out of 2385 total cases.

- Study 28401 -

V4122 094B09B:#X PSYD/LAST12MO

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00930

Question Number(s): 4B09B

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2216	92.9 %	96.6%
2	1-2X:(2)	59	2.5 %	2.6%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	90	3.8 %	-

Based upon 2295 valid cases out of 2385 total cases.

V4123 094B09C:#X PSYD/LAST30DA

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

Question Number(s): 4B09C

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2267	95.1 %	98.8%
2	1-2X:(2)	20	0.8 %	0.9%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	91	3.8 %	-

Based upon 2294 valid cases out of 2385 total cases.

V4124

094R :#X COKE/LIFETIME

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

Question Number(s): 4B09X

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

. . . in your lifetime? [item 22260]

and On how many occasions (if any) have you used cocaine in any other form . . .

. . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2181	91.4 %	94.7%
2	1-2X:(2)	48	2.0 %	2.1%
3	3-5X:(3)	26	1.1 %	1.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	29	1.2 %	1.3%
-9 (M)	MISSING:(-9)	82	3.4 %	-

Based upon 2303 valid cases out of 2385 total cases.

- Study 28401 -

V4125 094R :#X COKE/LAST12MO

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

Question Number(s): 4B09Y

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

. . . During the last 12 months? [item 22270]

and On how many occasions (if any) have you used cocaine in any other form . . .

. . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2237	93.8 %	97.2%
2	1-2X:(2)	18	0.8 %	0.8%
3	3-5X:(3)	11	0.5 %	0.5%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	6	0.3 %	0.3%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	83	3.5 %	-

Based upon 2302 valid cases out of 2385 total cases.

V4126 094R :#X COKE/LAST30DA

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

Question Number(s): 4B09Z

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

. . . During the last 30 days? [item 22280]

- Study 28401 -

and On how many occasions (if any) have you used cocaine in any other form . . .

. . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2266	95.0 %	98.5%
2	1-2X:(2)	14	0.6 %	0.6%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	6	0.3 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	84	3.5 %	-

Based upon 2301 valid cases out of 2385 total cases.

V4127

094B10A:#X AMPH/LIFETIME

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00980

Question Number(s): 4B10A

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own—that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2104	88.2 %	91.8%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	70	2.9 %	3.1%
3	3-5X:(3)	27	1.1 %	1.2%
4	6-9X:(4)	23	1.0 %	1.0%
5	10-19X:(5)	23	1.0 %	1.0%
6	20-39X:(6)	16	0.7 %	0.7%
7	40+OCCAS:(7)	29	1.2 %	1.3%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2292 valid cases out of 2385 total cases.

V4128 **094B10B:#X AMPH/LAST12MO**

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

Question Number(s): 4B10B

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2163	90.7 %	94.3%
2	1-2X:(2)	54	2.3 %	2.4%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	20	0.8 %	0.9%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	92	3.9 %	-

Based upon 2293 valid cases out of 2385 total cases.

V4129 **094B10C:#X AMPH/LAST30DA**

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 01000

Question Number(s): 4B10C

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2218	93.0 %	96.8%
2	1-2X:(2)	36	1.5 %	1.6%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2292 valid cases out of 2385 total cases.

V4436

094B11A:#X CRACK/LIFETIM

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22260

Question Number(s): 4B11A

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS (1)	2263	94.9 %	98.0%
2	1-2X (2)	21	0.9 %	0.9%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3-5X (3)	4	0.2 %	0.2%
4	6-9X (4)	3	0.1 %	0.1%
5	10-19X (5)	5	0.2 %	0.2%
6	20-39X (6)	4	0.2 %	0.2%
7	40+X (7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2310 valid cases out of 2385 total cases.

V4437 **094B11B:#X CRACK/LAST12M**

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

Question Number(s): 4B11B

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS (1)	2281	95.6 %	98.8%
2	1-2X (2)	9	0.4 %	0.4%
3	3-5X (3)	5	0.2 %	0.2%
4	6-9X (4)	2	0.1 %	0.1%
5	10-19X (5)	4	0.2 %	0.2%
6	20-39X (6)	4	0.2 %	0.2%
7	40+X (7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	76	3.2 %	-

Based upon 2309 valid cases out of 2385 total cases.

V4438 **094B11C:#X CRACK/LAST30D**

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

- Study 28401 -

Question Number(s): 4B11C

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS (1)	2294	96.2 %	99.3%
2	1-2X (2)	7	0.3 %	0.3%
3	3-5X (3)	2	0.1 %	0.1%
4	6-9X (4)	1	0.0 %	0.0%
5	10-19X (5)	4	0.2 %	0.2%
7	40+X (7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2310 valid cases out of 2385 total cases.

V4439

094B12A:#XOTH COKE/LIFE

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22320

Question Number(s): 4B12A

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS (1)	2195	92.0 %	95.2%
2	1-2X (2)	49	2.1 %	2.1%
3	3-5X (3)	17	0.7 %	0.7%
4	6-9X (4)	4	0.2 %	0.2%
5	10-19X (5)	11	0.5 %	0.5%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X (6)	8	0.3 %	0.3%
7	40+X (7)	22	0.9 %	1.0%
-9 (M)	MISSING:(-9)	79	3.3 %	-

Based upon 2306 valid cases out of 2385 total cases.

V4440 094B12B:#XOTH COKE/12MO

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22330

Question Number(s): 4B12B

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS (1)	2245	94.1 %	97.4%
2	1-2X (2)	21	0.9 %	0.9%
3	3-5X (3)	8	0.3 %	0.3%
4	6-9X (4)	10	0.4 %	0.4%
5	10-19X (5)	6	0.3 %	0.3%
6	20-39X (6)	8	0.3 %	0.3%
7	40+X (7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	79	3.3 %	-

Based upon 2306 valid cases out of 2385 total cases.

V4441 094B12C:#XOTH COKE/30DA

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22340

Question Number(s): 4B12C

On how many occasions (if any) have you used cocaine in any

- Study 28401 -

other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS (1)	2273	95.3 %	98.6%
2	1-2X (2)	13	0.5 %	0.6%
3	3-5X (3)	5	0.2 %	0.2%
4	6-9X (4)	5	0.2 %	0.2%
5	10-19X (5)	4	0.2 %	0.2%
6	20-39X (6)	2	0.1 %	0.1%
7	40+X (7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	80	3.4 %	-

Based upon 2305 valid cases out of 2385 total cases.

V4133

094B13A:#X SED/BARB/LIFE

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01042

Question Number(s): 4B13A

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2156	90.4 %	93.4%
2	1-2X:(2)	55	2.3 %	2.4%
3	3-5X:(3)	38	1.6 %	1.6%
4	6-9X:(4)	19	0.8 %	0.8%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	15	0.6 %	0.6%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2308 valid cases out of 2385 total cases.

V4134 094B13B:#X SED/BARB/12MO

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

Question Number(s): 4B13B

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2213	92.8 %	95.9%
2	1-2X:(2)	45	1.9 %	1.9%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	11	0.5 %	0.5%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2308 valid cases out of 2385 total cases.

V4135 094B13C:#X SED/BARB/30DA

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01062

Question Number(s): 4B13C

- Study 28401 -

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2256	94.6 %	97.8%
2	1-2X:(2)	30	1.3 %	1.3%
3	3-5X:(3)	8	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2307 valid cases out of 2385 total cases.

V4136

094B14A:#X TRQL/LIFETIME

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

Question Number(s): 4B14A

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2122	89.0 %	91.8%
2	1-2X:(2)	72	3.0 %	3.1%
3	3-5X:(3)	45	1.9 %	1.9%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	23	1.0 %	1.0%
5	10-19X:(5)	20	0.8 %	0.9%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	19	0.8 %	0.8%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2311 valid cases out of 2385 total cases.

V4137

094B14B:#X TRQL/LAST12MO

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

Question Number(s): 4B14B

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2181	91.4 %	94.4%
2	1-2X:(2)	64	2.7 %	2.8%
3	3-5X:(3)	24	1.0 %	1.0%
4	6-9X:(4)	15	0.6 %	0.6%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2310 valid cases out of 2385 total cases.

V4138

094B14C:#X TRQL/LAST30DA

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

- Study 28401 -

Question Number(s): 4B14C

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2251	94.4 %	97.5%
2	1-2X:(2)	30	1.3 %	1.3%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	76	3.2 %	-

Based upon 2309 valid cases out of 2385 total cases.

V4139

094B15A:#X H/LIFETIME

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

Question Number(s): 4B15A

On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2268	95.1 %	98.7%
2	1-2X:(2)	13	0.5 %	0.6%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	87	3.6 %	-

Based upon 2298 valid cases out of 2385 total cases.

V4140 094B15B:#X H/LAST 12MO

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01110

Question Number(s): 4B15B

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2281	95.6 %	99.2%
2	1-2X:(2)	6	0.3 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2300 valid cases out of 2385 total cases.

V4141 094B15C:#X H/LAST 30DA

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

Question Number(s): 4B15C

On how many occasions (if any) have you taken heroin . . .

- Study 28401 -

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2286	95.8 %	99.4%
2	1-2X:(2)	4	0.2 %	0.2%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2299 valid cases out of 2385 total cases.

V4142

094B16A:#X NARC/LIFETIME

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

Question Number(s): 4B16A

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2038	85.5 %	88.3%
2	1-2X:(2)	87	3.6 %	3.8%
3	3-5X:(3)	54	2.3 %	2.3%
4	6-9X:(4)	43	1.8 %	1.9%
5	10-19X:(5)	36	1.5 %	1.6%
6	20-39X:(6)	15	0.6 %	0.7%
7	40+OCCAS:(7)	34	1.4 %	1.5%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2307 valid cases out of 2385 total cases.

V4143 **094B16B:#X NARC/LAST12MO**

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

Question Number(s): 4B16B

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2109	88.4 %	91.5%
2	1-2X:(2)	88	3.7 %	3.8%
3	3-5X:(3)	37	1.6 %	1.6%
4	6-9X:(4)	22	0.9 %	1.0%
5	10-19X:(5)	22	0.9 %	1.0%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	16	0.7 %	0.7%
-9 (M)	MISSING:(-9)	81	3.4 %	-

Based upon 2304 valid cases out of 2385 total cases.

V4144 **094B16C:#X NARC/LAST30DA**

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

Question Number(s): 4B16C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

- Study 28401 -

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2219	93.0 %	96.4%
2	1-2X:(2)	42	1.8 %	1.8%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	11	0.5 %	0.5%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	83	3.5 %	-

Based upon 2302 valid cases out of 2385 total cases.

V129

094B17A:#X METHAMPH/LIFE

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30800

Question Number(s): 4B17A

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2254	94.5 %	97.9%
2	1-2X:(2)	28	1.2 %	1.2%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	82	3.4 %	-

- Study 28401 -

Based upon 2303 valid cases out of 2385 total cases.

V130 094B17B:#X METHAMPH/12MO

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30810

Question Number(s): 4B17B

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2277	95.5 %	98.9%
2	1-2X:(2)	10	0.4 %	0.4%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	82	3.4 %	-

Based upon 2303 valid cases out of 2385 total cases.

V131 094B17C:#X METHAMPH/30DA

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30820

Question Number(s): 4B17C

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2290	96.0 %	99.3%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	80	3.4 %	-

Based upon 2305 valid cases out of 2385 total cases.

V4450

094B18A:#X MDMA/LIFETIME

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22660

Question Number(s): 4B18A

On how many occasions (if any) have you used MDMA ("ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2148	90.1 %	93.4%
2	1-2X:(2)	76	3.2 %	3.3%
3	3-5X:(3)	31	1.3 %	1.3%
4	6-9X:(4)	17	0.7 %	0.7%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2300 valid cases out of 2385 total cases.

V4451

094B18B:#X MDMA/LAST12MO

Location: 299-300 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 22670

Question Number(s): 4B18B

On how many occasions (if any) have you used MDMA
 ("ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2206	92.5 %	96.0%
2	1-2X:(2)	49	2.1 %	2.1%
3	3-5X:(3)	16	0.7 %	0.7%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	6	0.3 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	88	3.7 %	-

Based upon 2297 valid cases out of 2385 total cases.

V4452 094B18C:#X MDMA/LAST30DA

Location: 301-302 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 22680

Question Number(s): 4B18C

On how many occasions (if any) have you used MDMA
 ("ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2260	94.8 %	98.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	25	1.0 %	1.1%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	88	3.7 %	-

Based upon 2297 valid cases out of 2385 total cases.

V4148 **094C01(R):AGE <>18 DICHOTOMY**

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 4C01-2

Component questions: 1) "In what year were you born?" (item and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 18:(1)	994	41.7 %	43.0%
2	18+:(2)	1318	55.3 %	57.0%
-9 (M)	MISSING:(-9)	73	3.1 %	-

Based upon 2312 valid cases out of 2385 total cases.

V4150 **094C03 :Rs SEX**

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00030

Question Number(s): 4C03

What is your sex?

1="Male" 2="Female"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE:(1)	1054	44.2 %	47.3%
2	FEMALE:(2)	1176	49.3 %	52.7%
-9 (M)	MISSING:(-9)	155	6.5 %	-

Based upon 2230 valid cases out of 2385 total cases.

V4151 094C04(R):R'S RACEB/W/H

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 4C04A-I

How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
3="Hispanic" [see above].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BLACK: (1)	239	10.0 %	11.9%
2	WHITE: (2)	1349	56.6 %	67.4%
3	HISPANIC: (3)	414	17.4 %	20.7%
-9 (M)	MISSING:(-9)	383	16.1 %	-

Based upon 2002 valid cases out of 2385 total cases.

V4152 094C05 :R SPD >TIM R-URB

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00050

Question Number(s): 4C05

Where did you grow up mostly?

- Study 28401 -

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DK/MIXED:(0)	281	11.8 %	11.8%
1	FARM:(1)	101	4.2 %	4.2%
2	COUNTRY:(2)	207	8.7 %	8.7%
3	SML TOWN:(3)	548	23.0 %	23.0%
4	MED CITY:(4)	336	14.1 %	14.1%
5	SUBURB 4:(5)	242	10.1 %	10.1%
6	LRG CITY:(6)	262	11.0 %	11.0%
7	SUBURB 6:(7)	146	6.1 %	6.1%
8	VRYLG CY:(8)	150	6.3 %	6.3%
9	SUBURB 8:(9)	112	4.7 %	4.7%

Based upon 2385 valid cases out of 2385 total cases.

V4153

094C06 :R NOT MARRIED

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00060

Question Number(s): 4C06

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARRIED:(1)	60	2.5 %	2.6%
2	ENGAGED:(2)	123	5.2 %	5.3%
3	SEP/DIV:(3)	29	1.2 %	1.3%
4	SINGLE:(4)	2093	87.8 %	90.8%
-9 (M)	MISSING:(-9)	80	3.4 %	-

Based upon 2305 valid cases out of 2385 total cases.

V49

094C07(R):#SIBLINGS

- Study 28401 -

Location: 313-314 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:
 Item Number:

Question Number(s): 4C07A-B

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more brothers or sisters".

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	142	6.0 %	6.2%
1	ONE:(1)	647	27.1 %	28.1%
2	TWO:(2)	607	25.5 %	26.4%
3	3 OR MORE:(3)	904	37.9 %	39.3%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2300 valid cases out of 2385 total cases.

V4155 094C07Cb(R):R'S HSHLD FATHER

Location: 315-316 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:
 Item Number: 00090

Question Number(s): 4C07Cb

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	622	26.1 %	27.1%
1	MARKED:(1)	1677	70.3 %	72.9%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2299 valid cases out of 2385 total cases.

V4156 094C07Cc(R):R'S HSHLD MOTHER

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00100

Question Number(s): 4C07Cc

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	253	10.6 %	11.0%
1	MARKED:(1)	2046	85.8 %	89.0%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2299 valid cases out of 2385 total cases.

V4157 094C07Cd(R):R'S HSHLD BR/SR

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Question Number(s): 4C07Cd

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	739	31.0 %	32.1%
1	MARKED:(1)	1560	65.4 %	67.9%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2299 valid cases out of 2385 total cases.

V4163 094C08 :FATHR EDUC LEVEL

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

Question Number(s): 4C08

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	110	4.6 %	4.8%
2	SOME HS:(2)	251	10.5 %	10.9%
3	HS GRAD:(3)	606	25.4 %	26.3%
4	SOME CLG:(4)	363	15.2 %	15.8%
5	CLG GRAD:(5)	480	20.1 %	20.9%
6	GRAD SCH:(6)	292	12.2 %	12.7%
7	DK:(7)	200	8.4 %	8.7%
-9 (M)	MISSING:(-9)	83	3.5 %	-

Based upon 2302 valid cases out of 2385 total cases.

V4164 094C09 :MOTHR EDUC LEVEL

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

- Study 28401 -

Question Number(s): 4C09

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	114	4.8 %	4.9%
2	SOME HS:(2)	204	8.6 %	8.9%
3	HS GRAD:(3)	545	22.9 %	23.7%
4	SOME CLG:(4)	450	18.9 %	19.5%
5	CLG GRAD:(5)	602	25.2 %	26.1%
6	GRAD SCH:(6)	267	11.2 %	11.6%
7	DK:(7)	122	5.1 %	5.3%
-9 (M)	MISSING:(-9)	81	3.4 %	-

Based upon 2304 valid cases out of 2385 total cases.

V4165 094C10 :MOTH PD JB R YNG

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Question Number(s): 4C10

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	334	14.0 %	14.6%
2	SOMETIME:(2)	437	18.3 %	19.1%
3	MOSTTIME:(3)	375	15.7 %	16.4%
4	ALL TIME:(4)	1147	48.1 %	50.0%
-9 (M)	MISSING:(-9)	92	3.9 %	-

Based upon 2293 valid cases out of 2385 total cases.

V4166 094C11 :Rs POLTL PRFNC

Location: 327-328 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00340

Question Number(s): 4C11

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRG GOP:(1)	203	8.5 %	9.1%
2	MILD GOP:(2)	286	12.0 %	12.9%
3	MILD DEM:(3)	384	16.1 %	17.3%
4	STRG DEM:(4)	299	12.5 %	13.5%
5	INDEPNDT:(5)	252	10.6 %	11.3%
6	NO PREF:(6)	319	13.4 %	14.4%
7	OTHER:(7)	47	2.0 %	2.1%
8	DK:(8)	432	18.1 %	19.4%
-9 (M)	MISSING:(-9)	163	6.8 %	-

Based upon 2222 valid cases out of 2385 total cases.

V4167

094C12 :R POL BLF RADCL

Location: 329-330 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00350

Question Number(s): 4C12

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VRY CONS:(1)	109	4.6 %	4.8%
2	CONSERV:(2)	295	12.4 %	12.9%
3	MODERATE:(3)	579	24.3 %	25.4%
4	LIBERAL:(4)	365	15.3 %	16.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	VRy LIB:(5)	105	4.4 %	4.6%
6	RADICAL:(6)	37	1.6 %	1.6%
8	NONE/DK:(8)	788	33.0 %	34.6%
-9 (M)	MISSING:(-9)	107	4.5 %	-

Based upon 2278 valid cases out of 2385 total cases.

V4169

094C13B:R ATTND REL SVC

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00370

Question Number(s): 4C13B

The next three questions are about religion.

B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	350	14.7 %	19.9%
2	RARELY:(2)	609	25.5 %	34.6%
3	1-2X/MO:(3)	261	10.9 %	14.8%
4	1/WK OR+:(4)	541	22.7 %	30.7%
-9 (M)	MISSING:(-9)	624	26.2 %	-

Based upon 1761 valid cases out of 2385 total cases.

V4170

094C13C:RLGN IMP Rs LF

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

Question Number(s): 4C13C

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

- Study 28401 -

Responses from the western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	351	14.7 %	20.0%
2	LITL IMP:(2)	462	19.4 %	26.3%
3	PRTY IMP:(3)	472	19.8 %	26.8%
4	VERY IMP:(4)	474	19.9 %	26.9%
-9 (M)	MISSING:(-9)	626	26.2 %	-

Based upon 1759 valid cases out of 2385 total cases.

V4171 094C14 :WHEN R XPCT GRAD

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

Question Number(s): 4C14

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BY JUNE:(1)	2240	93.9 %	97.7%
2	JULY-JAN:(2)	34	1.4 %	1.5%
6	WONT:(6)	18	0.8 %	0.8%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2292 valid cases out of 2385 total cases.

V4172 094C15 :Rs HS PROGRAM

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00400

Question Number(s): 4C15

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational,

- Study 28401 -

technical, or commercial" 4="Other, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	CLG PREP:(1)	1223	51.3 %	53.6%
2	GENERAL:(2)	754	31.6 %	33.1%
3	VOC-TECH:(3)	107	4.5 %	4.7%
4	OTH/DK:(4)	196	8.2 %	8.6%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2280 valid cases out of 2385 total cases.

V4173 094C16 :RT SF SCH AB>AVG

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00410

Question Number(s): 4C16

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BLOW:(1)	28	1.2 %	1.2%
2	BELOW AV:(2)	43	1.8 %	1.9%
3	SL BELOW:(3)	106	4.4 %	4.7%
4	AVERAGE:(4)	724	30.4 %	31.9%
5	SL ABOVE:(5)	517	21.7 %	22.7%
6	ABOVE AV:(6)	702	29.4 %	30.9%
7	FAR ABOV:(7)	153	6.4 %	6.7%
-9 (M)	MISSING:(-9)	112	4.7 %	-

Based upon 2273 valid cases out of 2385 total cases.

V4174 094C17 :RT SF INTELL>AVG

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00420

- Study 28401 -

Question Number(s): 4C17

How intelligent do you think you are compared with others
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BLOW:(1)	21	0.9 %	0.9%
2	BELOW AV:(2)	41	1.7 %	1.8%
3	SL BELOW:(3)	87	3.6 %	3.8%
4	AVERAGE:(4)	701	29.4 %	30.9%
5	SL ABOVE:(5)	549	23.0 %	24.2%
6	ABOVE AV:(6)	674	28.3 %	29.7%
7	FAR ABOV:(7)	193	8.1 %	8.5%
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2266 valid cases out of 2385 total cases.

V4175

094C18A:#DA/4W SC MS ILL

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00430

Question Number(s): 4C18A

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1255	52.6 %	56.2%
2	1 DAY:(2)	423	17.7 %	18.9%
3	2 DAYS:(3)	258	10.8 %	11.6%
4	3 DAYS:(4)	136	5.7 %	6.1%
5	4-5 DAYS:(5)	93	3.9 %	4.2%
6	6-10 DA:(6)	44	1.8 %	2.0%
7	11+ DAYS:(7)	24	1.0 %	1.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	152	6.4 %	-

Based upon 2233 valid cases out of 2385 total cases.

V4176 **094C18B:#DA/4W SC MS CUT**

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00440

Question Number(s): 4C18B

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1560	65.4 %	71.3%
2	1 DAY:(2)	287	12.0 %	13.1%
3	2 DAYS:(3)	148	6.2 %	6.8%
4	3 DAYS:(4)	79	3.3 %	3.6%
5	4-5 DAYS:(5)	59	2.5 %	2.7%
6	6-10 DA:(6)	33	1.4 %	1.5%
7	11+ DAYS:(7)	21	0.9 %	1.0%
-9 (M)	MISSING:(-9)	198	8.3 %	-

Based upon 2187 valid cases out of 2385 total cases.

V4177 **094C18C:#DA/4W SC MS OTH**

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

Question Number(s): 4C18C

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

- Study 28401 -

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1244	52.2 %	56.5%
2	1 DAY:(2)	461	19.3 %	20.9%
3	2 DAYS:(3)	219	9.2 %	9.9%
4	3 DAYS:(4)	142	6.0 %	6.4%
5	4-5 DAYS:(5)	82	3.4 %	3.7%
6	6-10 DA:(6)	29	1.2 %	1.3%
7	11+ DAYS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	183	7.7 %	-

Based upon 2202 valid cases out of 2385 total cases.

V4178 094C19 :#DA/4W SKP CLASS

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

Question Number(s): 4C19

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1625	68.1 %	71.3%
2	1-2:(2)	409	17.1 %	18.0%
3	3-5:(3)	159	6.7 %	7.0%
4	6-10:(4)	43	1.8 %	1.9%
5	11-20:(5)	22	0.9 %	1.0%
6	21+:(6)	20	0.8 %	0.9%
-9 (M)	MISSING:(-9)	107	4.5 %	-

Based upon 2278 valid cases out of 2385 total cases.

V4179 094C20 :R HS GRADE/D = 1

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 00470

Question Number(s): 4C20

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	D:(1)	26	1.1 %	1.1%
2	C-:(2)	60	2.5 %	2.6%
3	C:(3)	102	4.3 %	4.5%
4	C+:(4)	180	7.5 %	7.9%
5	B-:(5)	244	10.2 %	10.7%
6	B:(6)	381	16.0 %	16.8%
7	B+:(7)	439	18.4 %	19.3%
8	A-:(8)	432	18.1 %	19.0%
9	A:(9)	408	17.1 %	18.0%
-9 (M)	MISSING:(-9)	113	4.7 %	-

Based upon 2272 valid cases out of 2385 total cases.

V4180

094C21A:R WL DO VOC/TEC

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00480

Question Number(s): 4C21A

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1223	51.3 %	56.7%
2	PRB WONT:(2)	507	21.3 %	23.5%
3	PRB WILL:(3)	276	11.6 %	12.8%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	DEF WILL:(4)	151	6.3 %	7.0%
-9 (M)	MISSING:(-9)	228	9.6 %	-

Based upon 2157 valid cases out of 2385 total cases.

V4181 094C21B:R WL DO ARMD FC

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00490

Question Number(s): 4C21B

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1588	66.6 %	73.4%
2	PRB WONT:(2)	353	14.8 %	16.3%
3	PRB WILL:(3)	145	6.1 %	6.7%
4	DEF WILL:(4)	77	3.2 %	3.6%
-9 (M)	MISSING:(-9)	222	9.3 %	-

Based upon 2163 valid cases out of 2385 total cases.

V4182 094C21C:R WL DO 2YR CLG

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00500

Question Number(s): 4C21C

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	828	34.7 %	38.2%
2	PRB WONT:(2)	363	15.2 %	16.7%
3	PRB WILL:(3)	441	18.5 %	20.3%
4	DEF WILL:(4)	537	22.5 %	24.8%
-9 (M)	MISSING:(-9)	216	9.1 %	-

Based upon 2169 valid cases out of 2385 total cases.

V4183

094C21D:R WL DO 4YR CLG

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00510

Question Number(s): 4C21D

How likely is it that you will do each of the following things
after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	157	6.6 %	7.1%
2	PRB WONT:(2)	176	7.4 %	8.0%
3	PRB WILL:(3)	466	19.5 %	21.1%
4	DEF WILL:(4)	1409	59.1 %	63.8%
-9 (M)	MISSING:(-9)	177	7.4 %	-

Based upon 2208 valid cases out of 2385 total cases.

V4184

094C21E:R WL DO GRD/PRF

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00520

Question Number(s): 4C21E

How likely is it that you will do each of the following things
after high school?

- Study 28401 -

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	344	14.4 %	15.9%
2	PRB WONT:(2)	548	23.0 %	25.3%
3	PRB WILL:(3)	735	30.8 %	33.9%
4	DEF WILL:(4)	543	22.8 %	25.0%
-9 (M)	MISSING:(-9)	215	9.0 %	-

Based upon 2170 valid cases out of 2385 total cases.

V4185 094C22A:R WNTDO VOC/TEC

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Question Number(s): 4C22A

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1938	81.3 %	86.8%
1	MARKED:(1)	296	12.4 %	13.2%
-9 (M)	MISSING:(-9)	151	6.3 %	-

Based upon 2234 valid cases out of 2385 total cases.

V4186 094C22B:R WNTDO ARMD FC

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Question Number(s): 4C22B

How many of the following things would you WANT to do?

- Study 28401 -

(Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1922	80.6 %	86.0%
1	MARKED:(1)	312	13.1 %	14.0%
-9 (M)	MISSING:(-9)	151	6.3 %	-

Based upon 2234 valid cases out of 2385 total cases.

V4187

094C22C:R WNTDO 2YR CLG

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00550

Question Number(s): 4C22C

How many of the following things would you WANT to do?
(Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1635	68.6 %	73.2%
1	MARKED:(1)	599	25.1 %	26.8%
-9 (M)	MISSING:(-9)	151	6.3 %	-

Based upon 2234 valid cases out of 2385 total cases.

V4188

094C22D:R WNTDO 4YR CLG

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00560

Question Number(s): 4C22D

How many of the following things would you WANT to do?
(Mark all that apply.)

D. Graduate from college (four-year program)

- Study 28401 -

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	433	18.2 %	19.4%
1	MARKED:(1)	1801	75.5 %	80.6%
-9 (M)	MISSING:(-9)	151	6.3 %	-

Based upon 2234 valid cases out of 2385 total cases.

V4189 094C22E:R WNTDO GRD/PRF

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00570

Question Number(s): 4C22E

How many of the following things would you WANT to do?
(Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	930	39.0 %	41.6%
1	MARKED:(1)	1304	54.7 %	58.4%
-9 (M)	MISSING:(-9)	151	6.3 %	-

Based upon 2234 valid cases out of 2385 total cases.

V4190 094C22F:R WNTDO NONE

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00580

Question Number(s): 4C22F

How many of the following things would you WANT to do?
(Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2124	89.1 %	95.1%
1	MARKED:(1)	110	4.6 %	4.9%
-9 (M)	MISSING:(-9)	151	6.3 %	-

Based upon 2234 valid cases out of 2385 total cases.

V4191 094C23 :HRS/W WRK SCHYR

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

Question Number(s): 4C23

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	831	34.8 %	37.0%
2	5 OR <:(2)	207	8.7 %	9.2%
3	6-10 HRS:(3)	235	9.9 %	10.5%
4	11-15 HR:(4)	263	11.0 %	11.7%
5	16-20 HR:(5)	256	10.7 %	11.4%
6	21-25 HR:(6)	200	8.4 %	8.9%
7	26-30 HR:(7)	116	4.9 %	5.2%
8	30+ HRS:(8)	139	5.8 %	6.2%
-9 (M)	MISSING:(-9)	138	5.8 %	-

Based upon 2247 valid cases out of 2385 total cases.

V4192 094C24A:R\$/AVG WEEK JOB

Location: 377-379 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

Question Number(s): 4C24A

During an average week, how much money do you get from . . .

- Study 28401 -

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	905	37.9 %	41.0%
2	\$1-5:(2)	20	0.8 %	0.9%
3	\$6-10:(3)	75	3.1 %	3.4%
4	\$11-20:(4)	67	2.8 %	3.0%
5	\$21-35:(5)	81	3.4 %	3.7%
6	\$36-50:(6)	100	4.2 %	4.5%
7	\$51-75:(7)	149	6.2 %	6.8%
8	\$76-125:(8)	360	15.1 %	16.3%
9	\$126-175:(9)	204	8.6 %	9.2%
10	\$176+:(10)	246	10.3 %	11.1%
-9 (M)	MISSING:(-9)	178	7.5 %	-

Based upon 2207 valid cases out of 2385 total cases.

V4193

094C24B:R\$/AVG WEEK OTH

Location: 380-382 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00610

Question Number(s): 4C24B

During an average week, how much money do you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	890	37.3 %	40.9%
2	\$1-5:(2)	113	4.7 %	5.2%
3	\$6-10:(3)	192	8.1 %	8.8%
4	\$11-20:(4)	356	14.9 %	16.3%
5	\$21-35:(5)	230	9.6 %	10.6%
6	\$36-50:(6)	151	6.3 %	6.9%
7	\$51-75:(7)	80	3.4 %	3.7%
8	\$76-125:(8)	71	3.0 %	3.3%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
9	\$126-175:(9)	25	1.0 %	1.1%
10	\$176+:(10)	70	2.9 %	3.2%
-9 (M)	MISSING:(-9)	207	8.7 %	-

Based upon 2178 valid cases out of 2385 total cases.

V4194 094C25 :#X/AV WK GO OUT

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00620

Question Number(s): 4C25

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"
6="Six or seven"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 1:(1)	264	11.1 %	11.8%
2	ONE:(2)	349	14.6 %	15.6%
3	TWO:(3)	602	25.2 %	26.9%
4	THREE:(4)	533	22.3 %	23.8%
5	4-5:(5)	324	13.6 %	14.5%
6	6-7:(6)	166	7.0 %	7.4%
-9 (M)	MISSING:(-9)	147	6.2 %	-

Based upon 2238 valid cases out of 2385 total cases.

V4195 094C26 :#X DATE 3+/WK

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

Question Number(s): 4C26

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a

- Study 28401 -

week"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	644	27.0 %	28.8%
2	1/MO OR<:(2)	389	16.3 %	17.4%
3	2-3/MO:(3)	364	15.3 %	16.3%
4	1/WK:(4)	330	13.8 %	14.8%
5	2-3/WK:(5)	331	13.9 %	14.8%
6	3+/WK:(6)	176	7.4 %	7.9%
-9 (M)	MISSING:(-9)	151	6.3 %	-

Based upon 2234 valid cases out of 2385 total cases.

V4196 094C27 :DRIVE>200 MI/WK

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

Question Number(s): 4C27

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	540	22.6 %	24.1%
2	1-10 MI:(2)	216	9.1 %	9.6%
3	11-50:(3)	525	22.0 %	23.4%
4	51-100:(4)	467	19.6 %	20.8%
5	101-200:(5)	292	12.2 %	13.0%
6	> 200:(6)	200	8.4 %	8.9%
-9 (M)	MISSING:(-9)	145	6.1 %	-

Based upon 2240 valid cases out of 2385 total cases.

V4197 094C28 :#X/12MO R TCKTD

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00650

- Study 28401 -

Question Number(s): 4C28

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1702	71.4 %	76.7%
1	ONE:(1)	312	13.1 %	14.1%
2	TWO:(2)	134	5.6 %	6.0%
3	THREE:(3)	41	1.7 %	1.8%
4	4+:(4)	31	1.3 %	1.4%
-9 (M)	MISSING:(-9)	165	6.9 %	-

Based upon 2220 valid cases out of 2385 total cases.

V4198

094C29AR:#TCKTS AFT DRNK

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

Question Number(s): 4C29A

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	477	20.0 %	94.3%
1	ONE:(1)	26	1.1 %	5.1%
2	TWO:(2)	2	0.1 %	0.4%
3	3 - 4 OR +:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1879	78.8 %	-

Based upon 506 valid cases out of 2385 total cases.

V4199

094C29BR:#TCKTS AFT MARJ

- Study 28401 -

Location: 393-394 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00670

Question Number(s): 4C29B

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	491	20.6 %	96.5%
1	ONE:(1)	13	0.5 %	2.6%
2	TWO:(2)	4	0.2 %	0.8%
3	3 - 4 OR +:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1876	78.7 %	-

Based upon 509 valid cases out of 2385 total cases.

V4200

094C29CR:#TCKTS AFT OTDG

Location: 395-396 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00680

Question Number(s): 4C29C

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	503	21.1 %	99.2%
1	ONE:(1)	2	0.1 %	0.4%
2	TWO:(2)	1	0.0 %	0.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3 - 4 OR +:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1878	78.7 %	-

Based upon 507 valid cases out of 2385 total cases.

V4201 094C30 :#ACCIDNTS/12 MO

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00690

Question Number(s): 4C30

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1793	75.2 %	81.6%
1	ONE:(1)	312	13.1 %	14.2%
2	TWO:(2)	66	2.8 %	3.0%
3	THREE:(3)	17	0.7 %	0.8%
4	4+:(4)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	189	7.9 %	-

Based upon 2196 valid cases out of 2385 total cases.

V4202 094C31AR:#ACDTS AFT DRNK

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

Question Number(s): 4C31A

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

- Study 28401 -

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	379	15.9 %	95.2%
1	ONE:(1)	16	0.7 %	4.0%
2	TWO:(2)	2	0.1 %	0.5%
3	3 - 4 OR +:(3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	1987	83.3 %	-

Based upon 398 valid cases out of 2385 total cases.

V4203 **094C31BR:#ACDTS AFT MARJ**

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

Question Number(s): 4C31B

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	390	16.4 %	98.7%
1	ONE:(1)	4	0.2 %	1.0%
2	TWO:(2)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	1990	83.4 %	-

Based upon 395 valid cases out of 2385 total cases.

V4204 **094C31CR:#ACDTS AFT OTDG**

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00720

Question Number(s): 4C31C

How many of these accidents occurred after you were . . .

- Study 28401 -

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	392	16.4 %	99.5%
1	ONE:(1)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	1991	83.5 %	-

Based upon 394 valid cases out of 2385 total cases.

V4434 094D01A:# HRS PREF WORK

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25800

Question Number(s): 4D01A

Think about the kinds of paid jobs that people your age usually have. If you could work just the number of hours that you wanted, how many hours per week would you PREFER to work during the school year?

1="None" 2="5 or less hours" 3="6 - 10" 4="11 - 15" 5="16 - 20" 6="21 - 25" 7="26 - 30" 8="31 or more hours" 9="Don't know, can't say"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	182	7.6 %	8.2%
2	5 OR < H:(2)	105	4.4 %	4.7%
3	6-10:(3)	291	12.2 %	13.2%
4	11-15:(4)	346	14.5 %	15.6%
5	16-20:(5)	411	17.2 %	18.6%
6	21-25:(6)	261	10.9 %	11.8%
7	26-30:(7)	228	9.6 %	10.3%
8	31+ HRS:(8)	242	10.1 %	10.9%
9	DK:(9)	145	6.1 %	6.6%
-9 (M)	MISSING:(-9)	174	7.3 %	-

Based upon 2211 valid cases out of 2385 total cases.

V4435 094D01B:PRT #HR PREF WRK

- Study 28401 -

Location: 407-408 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Item Number: 25810

Question Number(s): 4D01B

How many hours per week do you think your PARENTS would prefer that you work in a paid job during the school year?

1="None" 2="5 or less hours" 3="6 - 10" 4="11 - 15" 5="16 - 20" 6="21 - 25" 7="26 - 30" 8="31 or more hours" 9="Don't know, can't say"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	275	11.5 %	12.5%
2	5 or < H:(2)	143	6.0 %	6.5%
3	6-10:(3)	248	10.4 %	11.2%
4	11-15:(4)	327	13.7 %	14.8%
5	16-20:(5)	395	16.6 %	17.9%
6	21-25:(6)	180	7.5 %	8.2%
7	26-30:(7)	137	5.7 %	6.2%
8	31+ HRS:(8)	180	7.5 %	8.2%
9	DK:(9)	323	13.5 %	14.6%
-9 (M)	MISSING:(-9)	177	7.4 %	-

Based upon 2208 valid cases out of 2385 total cases.

V4385 094D02A:RCNT EMPLOYMT EXP

Location: 409-410 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Item Number: 21530

Question Number(s): 4D02A

Which best describes your recent employment experience?

1="I have a paid job now." 2="No paid job now, but I had one during the past 3 months" 3="No paid job in the past three months--GO TO QUESTION 8" 4="Never had a paid job--GO TO QUESTION 8"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	JOB NOW:(1)	1087	45.6 %	49.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	JOB 3MO:(2)	190	8.0 %	8.6%
3	NOJOB 3M:(3)	470	19.7 %	21.4%
4	NEVER:(4)	452	19.0 %	20.6%
-9 (M)	MISSING:(-9)	186	7.8 %	-

Based upon 2199 valid cases out of 2385 total cases.

V4432

094D02B:KIND OF PAID JOB

Location: 411-413 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25160

Question Number(s): 4D02B

Which of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

01="Have not worked for pay" 02="Lawn or yard work" 03="Fast food worker" 04="Waiter or waitress" 05="Other restaurant worker" 06="Newspaper route" 07="Babysitting or childcare" 08="Farm or agricultural work" 09="Store clerk or salesperson" 10="Office or clerical" 11="Odd jobs" 12="Other"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HVNT WKD	29	1.2 %	2.3%
2	LAWN	32	1.3 %	2.5%
3	FASTFOOD	172	7.2 %	13.6%
4	WAITER	87	3.6 %	6.9%
5	OTH REST	152	6.4 %	12.0%
6	PAPER RT	3	0.1 %	0.2%
7	BABYSIT	92	3.9 %	7.3%
8	FARM	26	1.1 %	2.1%
9	SALES	271	11.4 %	21.4%
10	OFFICE	72	3.0 %	5.7%
11	ODD JOBS	28	1.2 %	2.2%
12	OTHER	303	12.7 %	23.9%
-9 (M)	MISSING:(-9)	1118	46.9 %	-

Based upon 1267 valid cases out of 2385 total cases.

V4300

094D02C:CMP SATFD W/JOB

- Study 28401 -

Location: 414-415 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Item Number: 10910

Question Number(s): 4D02C

All things considered, how satisfied are (were) you with that job?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	82	3.4 %	6.9%
2	QUITE DS:(2)	98	4.1 %	8.2%
3	SMWT DIS:(3)	103	4.3 %	8.6%
4	NEITHER:(4)	158	6.6 %	13.2%
5	SMWT SAT:(5)	273	11.4 %	22.8%
6	QUITE ST:(6)	327	13.7 %	27.4%
7	COMP SAT:(7)	154	6.5 %	12.9%
-9 (M)	MISSING:(-9)	1190	49.9 %	-

Based upon 1195 valid cases out of 2385 total cases.

V4386 094D03 :JOB-#HRS/WEEK

Location: 416-417 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Item Number: 21540

Question Number(s): 4D03

The next questions are about your present or most recent paid job. (If you presently hold more than one paid job, answer for the more important one.) On the average, how many hours per week do (did) you work on this particular job?

1="5 or less hours" 2="6 to 10 hours" 3="11 to 15 hours" 4="16 to 20 hours" 5="21 to 25 hours" 6="26 to 30 hours" 7="31 to 35 hours" 8="36 or more hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	5 OR <:(1)	164	6.9 %	11.9%
2	6-10 HRS:(2)	217	9.1 %	15.8%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	11-15 HR:(3)	240	10.1 %	17.5%
4	16-20 HR:(4)	255	10.7 %	18.5%
5	21-25 HR:(5)	220	9.2 %	16.0%
6	26-30 HR:(6)	108	4.5 %	7.9%
7	31-35 HR:(7)	81	3.4 %	5.9%
8	36+ HRS:(8)	90	3.8 %	6.5%
-9 (M)	MISSING:(-9)	1010	42.3 %	-

Based upon 1375 valid cases out of 2385 total cases.

V4387 094D04 :JOB-SUPERVSR AGE

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21550

Question Number(s): 4D04

About how old is (was) your supervisor?

1="Age 20 or younger" 2="21 to 25" 3="26 to 30" 4="31 or older"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	20 OR <:(1)	61	2.6 %	4.5%
2	21-25:(2)	154	6.5 %	11.3%
3	26-30:(3)	267	11.2 %	19.6%
4	31+ YRS:(4)	877	36.8 %	64.5%
-9 (M)	MISSING:(-9)	1026	43.0 %	-

Based upon 1359 valid cases out of 2385 total cases.

V4388 094D05 :JOB-#WKRS OWN AG

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21560

Question Number(s): 4D05

How many of the other workers are within 2 or 3 years of your own age?

1="None" 2="A few" 3="About half" 4="Most" 5="Nearly all"

- Study 28401 -

6="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	234	9.8 %	17.2%
2	A FEW:(2)	393	16.5 %	28.9%
3	ABT HALF:(3)	210	8.8 %	15.5%
4	MOST:(4)	229	9.6 %	16.9%
5	NRLY ALL:(5)	218	9.1 %	16.1%
6	ALL:(6)	74	3.1 %	5.4%
-9 (M)	MISSING:(-9)	1027	43.1 %	-

Based upon 1358 valid cases out of 2385 total cases.

V4403

094D06 :JOB-TCHR HELP GT

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21710

Question Number(s): 4D06

To what extent did any high school teacher or counselor help you get this job?

1="Not At All" 2="A Little" 3="Some Extent" 4="Considerable Extent" 5="A Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1205	50.5 %	89.3%
2	A LITTLE:(2)	59	2.5 %	4.4%
3	SOME:(3)	40	1.7 %	3.0%
4	CNSIDRBL:(4)	19	0.8 %	1.4%
5	GREAT:(5)	26	1.1 %	1.9%
-9 (M)	MISSING:(-9)	1036	43.4 %	-

Based upon 1349 valid cases out of 2385 total cases.

V4404

094D07 :JOB-WORK STUDY

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21720

Question Number(s): 4D07

- Study 28401 -

Is (was) this job part of a work-study program?

1="Yes" 2="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	104	4.4 %	7.6%
2	NO:(2)	1256	52.7 %	92.4%
-9 (M)	MISSING:(-9)	1025	43.0 %	-

Based upon 1360 valid cases out of 2385 total cases.

V4455 094D08:EVER AD STIM DR

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31460

Question Number(s): 4D08

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Cylert, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil.)

1="No--GO TO QUESTION 11" 2="Yes, in the past, but not now"

3="Yes, I take them now"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1981	83.1 %	91.8%
2	YES PAST:(2)	118	4.9 %	5.5%
3	YES NOW:(3)	60	2.5 %	2.8%
-9 (M)	MISSING:(-9)	226	9.5 %	-

Based upon 2159 valid cases out of 2385 total cases.

V4456 094D09:AGE 1ST AD STIM

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 31470

Question Number(s): 4D09

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1-4 YRS:(1)	14	0.6 %	7.9%
2	5-9:(2)	52	2.2 %	29.2%
3	10-14:(3)	59	2.5 %	33.1%
4	15+ YRS:(4)	53	2.2 %	29.8%
-9 (M)	MISSING:(-9)	2207	92.5 %	-

Based upon 178 valid cases out of 2385 total cases.

V4457

094D10:# YRS TK AD STIM

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31480

Question Number(s): 4D10

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	<1 YEAR:(1)	45	1.9 %	25.1%
2	1 YEAR:(2)	22	0.9 %	12.3%
3	2 YRS:(3)	23	1.0 %	12.8%
4	3-5 YRS:(4)	37	1.6 %	20.7%
5	6-9 YRS:(5)	25	1.0 %	14.0%
6	10+ YRS:(6)	27	1.1 %	15.1%
-9 (M)	MISSING:(-9)	2206	92.5 %	-

Based upon 179 valid cases out of 2385 total cases.

V4458

094D11:EVER AD NONSTIM

Location: 432-433 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31490

Question Number(s): 4D11

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil)?

1="No" 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1931	81.0 %	90.7%
2	YES PAST:(2)	79	3.3 %	3.7%
3	YES NOW:(3)	25	1.0 %	1.2%
8	DONT KNOW:(8)	95	4.0 %	4.5%
-9 (M)	MISSING:(-9)	255	10.7 %	-

Based upon 2130 valid cases out of 2385 total cases.

V4301

094D12A:I CNT CHNG WORLD

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10920

Question Number(s): 4D12A

People have different opinions about world problems. How much do you agree or disagree with each of the following statements?

A: I feel that I can do very little to change the way the world is today

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	350	14.7 %	16.5%
2	MOST DIS:(2)	512	21.5 %	24.1%
3	NEITHER:(3)	509	21.3 %	24.0%
4	MOST AGR:(4)	522	21.9 %	24.6%
5	AGREE:(5)	229	9.6 %	10.8%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	263	11.0 %	-

Based upon 2122 valid cases out of 2385 total cases.

V4302 **094D12B:SOCTY WONT LAST**

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10930

Question Number(s): 4D12B

How much do you agree or disagree with each of the following statements?

B: It does little good to clean up air and water pollution because this society will not last long enough for it to matter

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	750	31.4 %	35.4%
2	MOST DIS:(2)	539	22.6 %	25.5%
3	NEITHER:(3)	425	17.8 %	20.1%
4	MOST AGR:(4)	260	10.9 %	12.3%
5	AGREE:(5)	143	6.0 %	6.8%
-9 (M)	MISSING:(-9)	268	11.2 %	-

Based upon 2117 valid cases out of 2385 total cases.

V4303 **094D12C:THG TUF,TCHN SLV**

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10940

Question Number(s): 4D12C

How much do you agree or disagree with each of the following statements?

C: When things get tough enough, we'll put our minds to it and find a technological solution

- Study 28401 -

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	141	5.9 %	6.7%
2	MOST DIS:(2)	175	7.3 %	8.3%
3	NEITHER:(3)	552	23.1 %	26.2%
4	MOST AGR:(4)	816	34.2 %	38.8%
5	AGREE:(5)	421	17.7 %	20.0%
-9 (M)	MISSING:(-9)	280	11.7 %	-

Based upon 2105 valid cases out of 2385 total cases.

V4304 **094D12D:NO HOPE 4 WORLD**

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10950

Question Number(s): 4D12D

How much do you agree or disagree with each of the following statements?

D: When I think about all the terrible things that have been happening, it is hard for me to hold out much hope for the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	374	15.7 %	17.8%
2	MOST DIS:(2)	464	19.5 %	22.1%
3	NEITHER:(3)	610	25.6 %	29.0%
4	MOST AGR:(4)	452	19.0 %	21.5%
5	AGREE:(5)	202	8.5 %	9.6%
-9 (M)	MISSING:(-9)	283	11.9 %	-

Based upon 2102 valid cases out of 2385 total cases.

V4305 **094D12E:WNDR PURPS 2 LIF**

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 10960

Question Number(s): 4D12E

How much do you agree or disagree with each of the following statements?

E: I often wonder if there is any real purpose to my life in light of the world situation

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	671	28.1 %	32.1%
2	MOST DIS:(2)	381	16.0 %	18.2%
3	NEITHER:(3)	586	24.6 %	28.0%
4	MOST AGR:(4)	283	11.9 %	13.5%
5	AGREE:(5)	172	7.2 %	8.2%
-9 (M)	MISSING:(-9)	292	12.2 %	-

Based upon 2093 valid cases out of 2385 total cases.

V4306

094D12F:WRLD UPHVL 10 YR

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10970

Question Number(s): 4D12F

How much do you agree or disagree with each of the following statements?

F: My guess is that this country will be caught up in a major world upheaval in the next 10 years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	248	10.4 %	11.8%
2	MOST DIS:(2)	279	11.7 %	13.3%
3	NEITHER:(3)	822	34.5 %	39.3%
4	MOST AGR:(4)	489	20.5 %	23.4%
5	AGREE:(5)	256	10.7 %	12.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	291	12.2 %	-

Based upon 2094 valid cases out of 2385 total cases.

V4307 094D12G:ANNIHLTN IN LFTM

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10980

Question Number(s): 4D12G

How much do you agree or disagree with each of the following statements?

G: Nuclear or biological annihilation will probably be the fate of all mankind, within my lifetime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	567	23.8 %	27.1%
2	MOST DIS:(2)	358	15.0 %	17.1%
3	NEITHER:(3)	773	32.4 %	37.0%
4	MOST AGR:(4)	231	9.7 %	11.0%
5	AGREE:(5)	163	6.8 %	7.8%
-9 (M)	MISSING:(-9)	293	12.3 %	-

Based upon 2092 valid cases out of 2385 total cases.

V4308 094D12H:HMN RCE RSILIENT

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10990

Question Number(s): 4D12H

How much do you agree or disagree with each of the following statements?

H: The human race has come through tough times before, and will do so again

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

- Study 28401 -

5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	114	4.8 %	5.5%
2	MOST DIS:(2)	102	4.3 %	4.9%
3	NEITHER:(3)	554	23.2 %	26.5%
4	MOST AGR:(4)	664	27.8 %	31.8%
5	AGREE:(5)	657	27.5 %	31.4%
-9 (M)	MISSING:(-9)	294	12.3 %	-

Based upon 2091 valid cases out of 2385 total cases.

V4309 **094D13A:#X BEER/LIFETIME**

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11000

Question Number(s): 4D13A

The next questions are about alcohol use -- this time asking separately about beer, wine, wine coolers, and hard liquor. On how many occasions (if any) have you had beer to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	631	26.5 %	33.7%
2	1-2X:(2)	229	9.6 %	12.2%
3	3-5X:(3)	203	8.5 %	10.8%
4	6-9X:(4)	145	6.1 %	7.7%
5	10-19X:(5)	190	8.0 %	10.1%
6	20-39X:(6)	160	6.7 %	8.5%
7	40+OCCAS:(7)	317	13.3 %	16.9%
-9 (M)	MISSING:(-9)	510	21.4 %	-

Based upon 1875 valid cases out of 2385 total cases.

V4310 **094D13B:#X BEER/LAST12MO**

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 11010

Question Number(s): 4D13B

On how many occasions (if any) have you had beer to drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	833	34.9 %	44.7%
2	1-2X:(2)	284	11.9 %	15.2%
3	3-5X:(3)	203	8.5 %	10.9%
4	6-9X:(4)	163	6.8 %	8.7%
5	10-19X:(5)	154	6.5 %	8.3%
6	20-39X:(6)	107	4.5 %	5.7%
7	40+OCCAS:(7)	119	5.0 %	6.4%
-9 (M)	MISSING:(-9)	522	21.9 %	-

Based upon 1863 valid cases out of 2385 total cases.

V4311

094D13C:#X BEER/LAST30DA

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11020

Question Number(s): 4D13C

On how many occasions (if any) have you had beer to drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1210	50.7 %	64.9%
2	1-2X:(2)	305	12.8 %	16.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3-5X:(3)	173	7.3 %	9.3%
4	6-9X:(4)	91	3.8 %	4.9%
5	10-19X:(5)	48	2.0 %	2.6%
6	20-39X:(6)	20	0.8 %	1.1%
7	40+OCCAS:(7)	18	0.8 %	1.0%
-9 (M)	MISSING:(-9)	520	21.8 %	-

Based upon 1865 valid cases out of 2385 total cases.

V4312 094D14 :5+BR/LST2WK,10+X

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11030

Question Number(s): 4D14

Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce cans of beer (or the equivalent) in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1459	61.2 %	79.5%
2	ONCE:(2)	157	6.6 %	8.6%
3	TWICE:(3)	87	3.6 %	4.7%
4	3-5X:(4)	86	3.6 %	4.7%
5	6-9X:(5)	23	1.0 %	1.3%
6	10+ TIME:(6)	23	1.0 %	1.3%
-9 (M)	MISSING:(-9)	550	23.1 %	-

Based upon 1835 valid cases out of 2385 total cases.

V4428 094D15A:#X WIN COOL/LIFE

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22620

Question Number(s): 4D15A

- Study 28401 -

On how many occasions (if any) have you had wine cooler(s)
to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	998	41.8 %	53.1%
2	1-2X:(2)	272	11.4 %	14.5%
3	3-5X:(3)	218	9.1 %	11.6%
4	6-9X:(4)	147	6.2 %	7.8%
5	10-19X:(5)	108	4.5 %	5.7%
6	20-39X:(6)	70	2.9 %	3.7%
7	40+OCCAS:(7)	68	2.9 %	3.6%
-9 (M)	MISSING:(-9)	504	21.1 %	-

Based upon 1881 valid cases out of 2385 total cases.

V4429 094D15B:#X WIN COOL/12MO

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22630

Question Number(s): 4D15B

On how many occasions (if any) have you had wine cooler(s)
to drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1289	54.0 %	68.9%
2	1-2X:(2)	274	11.5 %	14.6%
3	3-5X:(3)	154	6.5 %	8.2%
4	6-9X:(4)	82	3.4 %	4.4%
5	10-19X:(5)	38	1.6 %	2.0%
6	20-39X:(6)	14	0.6 %	0.7%
7	40+OCCAS:(7)	20	0.8 %	1.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	514	21.6 %	-

Based upon 1871 valid cases out of 2385 total cases.

V4430 094D15C:#X WIN COOL/30DA

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22640

Question Number(s): 4D15C

On how many occasions (if any) have you had wine cooler(s)
to drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1648	69.1 %	88.3%
2	1-2X:(2)	144	6.0 %	7.7%
3	3-5X:(3)	44	1.8 %	2.4%
4	6-9X:(4)	16	0.7 %	0.9%
5	10-19X:(5)	6	0.3 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	5	0.2 %	0.3%
-9 (M)	MISSING:(-9)	518	21.7 %	-

Based upon 1867 valid cases out of 2385 total cases.

V4431 094D16 :5+WINCOOL/LST2WK

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22650

Question Number(s): 4D16

Think back over the LAST TWO WEEKS. How many times have you
had five or more 12-ounce bottles of wine cooler (or the
equivalent) in a row?

- Study 28401 -

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1713	71.8 %	94.0%
2	ONCE:(2)	42	1.8 %	2.3%
3	TWICE:(3)	39	1.6 %	2.1%
4	3-5X:(4)	13	0.5 %	0.7%
5	6-9X:(5)	8	0.3 %	0.4%
6	10+ TIME:(6)	7	0.3 %	0.4%
-9 (M)	MISSING:(-9)	563	23.6 %	-

Based upon 1822 valid cases out of 2385 total cases.

V4313

094D17A:#X WINE/LIFETIME

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11040

Question Number(s): 4D17A

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1014	42.5 %	54.3%
2	1-2X:(2)	357	15.0 %	19.1%
3	3-5X:(3)	219	9.2 %	11.7%
4	6-9X:(4)	117	4.9 %	6.3%
5	10-19X:(5)	73	3.1 %	3.9%
6	20-39X:(6)	37	1.6 %	2.0%
7	40+OCCAS:(7)	49	2.1 %	2.6%
-9 (M)	MISSING:(-9)	519	21.8 %	-

Based upon 1866 valid cases out of 2385 total cases.

V4314

094D17B:#X WINE/LAST12MO

Location: 468-469 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 11050

Question Number(s): 4D17B

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1292	54.2 %	69.6%
2	1-2X:(2)	330	13.8 %	17.8%
3	3-5X:(3)	115	4.8 %	6.2%
4	6-9X:(4)	53	2.2 %	2.9%
5	10-19X:(5)	42	1.8 %	2.3%
6	20-39X:(6)	10	0.4 %	0.5%
7	40+OCCAS:(7)	14	0.6 %	0.8%
-9 (M)	MISSING:(-9)	529	22.2 %	-

Based upon 1856 valid cases out of 2385 total cases.

V4315 094D17C:#X WINE/LAST30DA

Location: 470-471 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 11060

Question Number(s): 4D17C

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1637	68.6 %	88.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	154	6.5 %	8.3%
3	3-5X:(3)	37	1.6 %	2.0%
4	6-9X:(4)	14	0.6 %	0.8%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	527	22.1 %	-

Based upon 1858 valid cases out of 2385 total cases.

V4316 **094D18 :#X 20OZ+ WN/2 WK**

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11070

Question Number(s): 4D18

Think back over the LAST TWO WEEKS. How many times have you had five or more 4-ounce glasses of wine in a row (or the equivalent, which is about three-fourths of a bottle)?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1767	74.1 %	96.0%
2	ONCE:(2)	39	1.6 %	2.1%
3	TWICE:(3)	15	0.6 %	0.8%
4	3-5X:(4)	10	0.4 %	0.5%
5	6-9X:(5)	6	0.3 %	0.3%
6	10+ TIME:(6)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	544	22.8 %	-

Based upon 1841 valid cases out of 2385 total cases.

V4317 **094D19A:#X LIQR/LIFETIME**

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11080

Question Number(s): 4D19A

- Study 28401 -

The next questions are about hard liquor. (Hard liquor includes whiskey, Scotch, bourbon, gin, vodka, rum, etc., or mixed drinks made with liquor.) On how many occasions (if any) have you had liquor to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	622	26.1 %	33.4%
2	1-2X:(2)	213	8.9 %	11.4%
3	3-5X:(3)	211	8.8 %	11.3%
4	6-9X:(4)	204	8.6 %	11.0%
5	10-19X:(5)	208	8.7 %	11.2%
6	20-39X:(6)	173	7.3 %	9.3%
7	40+OCCAS:(7)	230	9.6 %	12.4%
-9 (M)	MISSING:(-9)	524	22.0 %	-

Based upon 1861 valid cases out of 2385 total cases.

V4318

094D19B:#X LIQR/LAST12MO

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11090

Question Number(s): 4D19B

On how many occasions (if any) have you had liquor to drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	797	33.4 %	43.1%
2	1-2X:(2)	293	12.3 %	15.8%
3	3-5X:(3)	264	11.1 %	14.3%
4	6-9X:(4)	167	7.0 %	9.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	176	7.4 %	9.5%
6	20-39X:(6)	74	3.1 %	4.0%
7	40+OCCAS:(7)	80	3.4 %	4.3%
-9 (M)	MISSING:(-9)	534	22.4 %	-

Based upon 1851 valid cases out of 2385 total cases.

V4319 **094D19C:#X LIQR/LAST30DA**

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11100

Question Number(s): 4D19C

On how many occasions (if any) have you had liquor to
drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1239	51.9 %	67.0%
2	1-2X:(2)	320	13.4 %	17.3%
3	3-5X:(3)	158	6.6 %	8.5%
4	6-9X:(4)	74	3.1 %	4.0%
5	10-19X:(5)	31	1.3 %	1.7%
6	20-39X:(6)	15	0.6 %	0.8%
7	40+OCCAS:(7)	13	0.5 %	0.7%
-9 (M)	MISSING:(-9)	535	22.4 %	-

Based upon 1850 valid cases out of 2385 total cases.

V4320 **094D20 :#X 5+LIQ/LST 2WK**

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11110

Question Number(s): 4D20

- Study 28401 -

Think back over the LAST TWO WEEKS. How many times have you had five or more mixed drinks or shot glasses of hard liquor in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1396	58.5 %	78.7%
2	ONCE:(2)	142	6.0 %	8.0%
3	TWICE:(3)	107	4.5 %	6.0%
4	3-5X:(4)	79	3.3 %	4.5%
5	6-9X:(5)	23	1.0 %	1.3%
6	10+ TIME:(6)	27	1.1 %	1.5%
-9 (M)	MISSING:(-9)	611	25.6 %	-

Based upon 1774 valid cases out of 2385 total cases.

V4445 094D21:COST MJ/OZ.\$500+

Location: 482-484 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20506

Question Number(s): 4D21

The next questions are on another topic. Do you know about how much an ounce of marijuana would cost in your area?

88="Don't Know" 1="Less than \$50" 2="\$50 - \$99" 3="\$100 - \$149" 4="\$150 - \$199" 5="\$200 - \$249" 6="\$250 - \$299" 7="\$300 - \$399" 8="\$400 - \$499" 9="\$500 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< \$50:(1)	208	8.7 %	10.0%
2	\$50-\$99:(2)	156	6.5 %	7.5%
3	\$100-\$149:(3)	131	5.5 %	6.3%
4	\$150-\$199:(4)	38	1.6 %	1.8%
5	\$200-\$249:(5)	34	1.4 %	1.6%
6	\$250-\$299:(6)	22	0.9 %	1.1%
7	\$300-\$399:(7)	35	1.5 %	1.7%
8	\$400-\$499:(8)	15	0.6 %	0.7%
9	\$500 or more:(9)	13	0.5 %	0.6%
88	Dont know:(88)	1419	59.5 %	68.5%
-9 (M)	MISSING:(-9)	314	13.2 %	-

- Study 28401 -

Based upon 2071 valid cases out of 2385 total cases.

V4446 094D22:DRG SL NBHD/12MO

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30880

Question Number(s): 4D22

During the past 12 months, how often have you seen people selling illegal drugs in your neighborhood?

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1262	52.9 %	60.9%
2	FEW X/YR:(2)	348	14.6 %	16.8%
3	1-2X/MO:(3)	131	5.5 %	6.3%
4	1+X/WEEK:(4)	156	6.5 %	7.5%
5	ALMST DALY:(5)	175	7.3 %	8.4%
-9 (M)	MISSING:(-9)	313	13.1 %	-

Based upon 2072 valid cases out of 2385 total cases.

V4321 094E01A:MLTRY GET AHEAD

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11120

Question Number(s): 4E01A

These next questions ask for your opinions about the military services in the United States. To what extent do you think the following opportunities are available to people who work in the military services?

A: A chance to get ahead

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VLIT EXT:(1)	210	8.8 %	10.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	LITL EXT:(2)	201	8.4 %	10.0%
3	SM EXTNT:(3)	880	36.9 %	43.6%
4	GRT EXT:(4)	393	16.5 %	19.5%
5	VGRT EXT:(5)	334	14.0 %	16.6%
-9 (M)	MISSING:(-9)	367	15.4 %	-

Based upon 2018 valid cases out of 2385 total cases.

V4322

094E01B:MLTRY MORE ED

Location: 489-490 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11130

Question Number(s): 4E01B

To what extent do you think the following opportunities are available to people who work in the military services?

B: A chance to get more education

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VLIT EXT:(1)	170	7.1 %	8.4%
2	LITL EXT:(2)	149	6.2 %	7.4%
3	SM EXTNT:(3)	688	28.8 %	34.1%
4	GRT EXT:(4)	578	24.2 %	28.7%
5	VGRT EXT:(5)	431	18.1 %	21.4%
-9 (M)	MISSING:(-9)	369	15.5 %	-

Based upon 2016 valid cases out of 2385 total cases.

V4323

094E01C:MLTRY ADVNC RESP

Location: 491-492 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11140

Question Number(s): 4E01C

To what extent do you think the following opportunities are available to people who work in the military services?

- Study 28401 -

C: A chance to advance to a more responsible position

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VLIT EXT:(1)	151	6.3 %	7.5%
2	LITL EXT:(2)	113	4.7 %	5.6%
3	SM EXTNT:(3)	628	26.3 %	31.3%
4	GRT EXT:(4)	635	26.6 %	31.7%
5	VGRT EXT:(5)	479	20.1 %	23.9%
-9 (M)	MISSING:(-9)	379	15.9 %	-

Based upon 2006 valid cases out of 2385 total cases.

V4324 **094E01D:MLTRY >FLFLLG JB**

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11150

Question Number(s): 4E01D

To what extent do you think the following opportunities are available to people who work in the military services?

D: A chance to have a personally more fulfilling job

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VLIT EXT:(1)	186	7.8 %	9.3%
2	LITL EXT:(2)	185	7.8 %	9.2%
3	SM EXTNT:(3)	671	28.1 %	33.5%
4	GRT EXT:(4)	546	22.9 %	27.2%
5	VGRT EXT:(5)	416	17.4 %	20.8%
-9 (M)	MISSING:(-9)	381	16.0 %	-

Based upon 2004 valid cases out of 2385 total cases.

V4325 **094E01E:MLTRY IDEAS HERD**

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 11160

Question Number(s): 4E01E

To what extent do you think the following opportunities are available to people who work in the military services?

E: A chance to get their ideas heard

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VLIT EXT:(1)	329	13.8 %	16.5%
2	LITL EXT:(2)	371	15.6 %	18.6%
3	SM EXTNT:(3)	679	28.5 %	34.0%
4	GRT EXT:(4)	325	13.6 %	16.3%
5	VGRT EXT:(5)	294	12.3 %	14.7%
-9 (M)	MISSING:(-9)	387	16.2 %	-

Based upon 1998 valid cases out of 2385 total cases.

V4326

094E02 :EXTNT MLTRY JSTC

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11170

Question Number(s): 4E02

To what extent is it likely that a person in the military can get things changed and set right if treated unjustly by a superior?

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VLIT EXT:(1)	368	15.4 %	18.4%
2	LITL EXT:(2)	467	19.6 %	23.4%
3	SM EXTNT:(3)	757	31.7 %	37.9%
4	GRT EXT:(4)	266	11.2 %	13.3%
5	VGRT EXT:(5)	137	5.7 %	6.9%
-9 (M)	MISSING:(-9)	390	16.4 %	-

Based upon 1995 valid cases out of 2385 total cases.

- Study 28401 -

V4327 094E03 :MLTRY DSCRM WOMN

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11180

Question Number(s): 4E03

To what extent do you think there is any discrimination against women who are in the armed services?

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VLIT EXT:(1)	354	14.8 %	17.7%
2	LITL EXT:(2)	348	14.6 %	17.4%
3	SM EXTNT:(3)	782	32.8 %	39.2%
4	GRT EXT:(4)	321	13.5 %	16.1%
5	VGRT EXT:(5)	191	8.0 %	9.6%
-9 (M)	MISSING:(-9)	389	16.3 %	-

Based upon 1996 valid cases out of 2385 total cases.

V4328 094E04 :MLTRY DSCRM BLKS

Location: 501-502 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11190

Question Number(s): 4E04

To what extent do you think there is any discrimination against African-American people who are in the armed services?

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VLIT EXT:(1)	599	25.1 %	30.0%
2	LITL EXT:(2)	444	18.6 %	22.3%
3	SM EXTNT:(3)	665	27.9 %	33.4%
4	GRT EXT:(4)	176	7.4 %	8.8%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	VGRT EXT:(5)	110	4.6 %	5.5%
-9 (M)	MISSING:(-9)	391	16.4 %	-

Based upon 1994 valid cases out of 2385 total cases.

V4433

094E05 :NT VOL 4 NEC WAR

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11220

Question Number(s): 4E05

If YOU felt that it was necessary for the U.S. to fight in some future war, how likely is it that you would volunteer for military service in that war?

1="I'm sure that I would volunteer" 2="I would very likely volunteer" 3="I would probably volunteer" 4="I would probably NOT volunteer" 5="I would very likely NOT volunteer" 6="I would definitely NOT volunteer" 7="In my opinion, there is no such thing as a 'necessary' war"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF VOLN:(1)	265	11.1 %	13.0%
2	LKLY VOL:(2)	69	2.9 %	3.4%
3	PRBL VOL:(3)	217	9.1 %	10.7%
4	PRBL NOT:(4)	295	12.4 %	14.5%
5	LKLY NOT:(5)	196	8.2 %	9.7%
6	DEF NOT:(6)	576	24.2 %	28.4%
7	NVR NECS:(7)	413	17.3 %	20.3%
-9 (M)	MISSING:(-9)	354	14.8 %	-

Based upon 2031 valid cases out of 2385 total cases.

V4356

094E06A:FRD DAP CIGS

Location: 505-506 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11470

Question Number(s): 4E06A

How do you think your CLOSE FRIENDS feel (or would feel) about

- Study 28401 -

YOU doing each of the following things?

A: Smoking one or more packs of cigarettes per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	363	15.2 %	17.7%
2	DISAPPRV:(2)	612	25.7 %	29.8%
3	STRG DIS:(3)	1077	45.2 %	52.5%
-9 (M)	MISSING:(-9)	333	14.0 %	-

Based upon 2052 valid cases out of 2385 total cases.

V4357 094E06B:FRD DAP TRY MARJ

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11480

Question Number(s): 4E06B

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

B: Trying marijuana (pot, weed) once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	814	34.1 %	39.7%
2	DISAPPRV:(2)	512	21.5 %	25.0%
3	STRG DIS:(3)	723	30.3 %	35.3%
-9 (M)	MISSING:(-9)	336	14.1 %	-

Based upon 2049 valid cases out of 2385 total cases.

V4358 094E06C:FRD DAP MJ OCC

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11490

Question Number(s): 4E06C

How do you think your CLOSE FRIENDS feel (or would feel) about

- Study 28401 -

YOU doing each of the following things?

C: Smoking marijuana occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	674	28.3 %	32.9%
2	DISAPPRV:(2)	492	20.6 %	24.0%
3	STRG DIS:(3)	882	37.0 %	43.1%
-9 (M)	MISSING:(-9)	337	14.1 %	-

Based upon 2048 valid cases out of 2385 total cases.

V4359

094E06D:FRD DAP MJ REG

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11500

Question Number(s): 4E06D

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

D: Smoking marijuana regularly

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	430	18.0 %	21.0%
2	DISAPPRV:(2)	517	21.7 %	25.3%
3	STRG DIS:(3)	1097	46.0 %	53.7%
-9 (M)	MISSING:(-9)	341	14.3 %	-

Based upon 2044 valid cases out of 2385 total cases.

V4360

094E06E:FRD DAP TRY LSD

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11510

Question Number(s): 4E06E

How do you think your CLOSE FRIENDS feel (or would feel) about

- Study 28401 -

YOU doing each of the following things?

E: Trying LSD once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	272	11.4 %	13.3%
2	DISAPPRV:(2)	397	16.6 %	19.5%
3	STRG DIS:(3)	1371	57.5 %	67.2%
-9 (M)	MISSING:(-9)	345	14.5 %	-

Based upon 2040 valid cases out of 2385 total cases.

V4361

094E06F:FRD DAP TRY AMP

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11520

Question Number(s): 4E06F

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

F: Trying an amphetamine (upper, pep pill, bennie, speed)
once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	266	11.2 %	13.0%
2	DISAPPRV:(2)	427	17.9 %	20.9%
3	STRG DIS:(3)	1349	56.6 %	66.1%
-9 (M)	MISSING:(-9)	343	14.4 %	-

Based upon 2042 valid cases out of 2385 total cases.

V4414

094E06G:FRD DAP TRY COKE

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11525

Question Number(s): 4E06G

- Study 28401 -

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

G: Trying cocaine once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	201	8.4 %	9.9%
2	DISAPPRV:(2)	354	14.8 %	17.4%
3	STRG DIS:(3)	1484	62.2 %	72.8%
-9 (M)	MISSING:(-9)	346	14.5 %	-

Based upon 2039 valid cases out of 2385 total cases.

V4415 094E06H:FRD DAP COKE OCC

Location: 519-520 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11526

Question Number(s): 4E06H

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

H: Taking cocaine occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	145	6.1 %	7.2%
2	DISAPPRV:(2)	324	13.6 %	16.0%
3	STRG DIS:(3)	1558	65.3 %	76.9%
-9 (M)	MISSING:(-9)	358	15.0 %	-

Based upon 2027 valid cases out of 2385 total cases.

V4362 094E06I:FRD DAP 1-2DR/DA

Location: 521-522 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11530

Question Number(s): 4E06I

- Study 28401 -

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

I: Taking one or two drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	494	20.7 %	24.3%
2	DISAPPRV:(2)	604	25.3 %	29.7%
3	STRG DIS:(3)	939	39.4 %	46.1%
-9 (M)	MISSING:(-9)	348	14.6 %	-

Based upon 2037 valid cases out of 2385 total cases.

V4363

094E06J:FRD DAP 4-5DR/DA

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11540

Question Number(s): 4E06J

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

J: Taking four or five drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	306	12.8 %	15.0%
2	DISAPPRV:(2)	496	20.8 %	24.4%
3	STRG DIS:(3)	1234	51.7 %	60.6%
-9 (M)	MISSING:(-9)	349	14.6 %	-

Based upon 2036 valid cases out of 2385 total cases.

V4364

094E06K:FRD DAP 5+DR/WKD

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11550

Question Number(s): 4E06K

- Study 28401 -

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

K: Having five or more drinks once or twice each weekend

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	745	31.2 %	36.7%
2	DISAPPRV:(2)	459	19.2 %	22.6%
3	STRG DIS:(3)	828	34.7 %	40.7%
-9 (M)	MISSING:(-9)	353	14.8 %	-

Based upon 2032 valid cases out of 2385 total cases.

V4412 094E06L:FRD DAP DRIV+2DR

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11551

Question Number(s): 4E06L

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

L: Driving a car after having 1-2 drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	347	14.5 %	17.1%
2	DISAPPRV:(2)	513	21.5 %	25.2%
3	STRG DIS:(3)	1175	49.3 %	57.7%
-9 (M)	MISSING:(-9)	350	14.7 %	-

Based upon 2035 valid cases out of 2385 total cases.

V4413 094E06M:FRD DAP DRIV+5DR

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11552

Question Number(s): 4E06M

- Study 28401 -

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

M: Driving a car after having 5 or more drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DISAP:(1)	138	5.8 %	6.8%
2	DISAPPRV:(2)	307	12.9 %	15.1%
3	STRG DIS:(3)	1588	66.6 %	78.1%
-9 (M)	MISSING:(-9)	352	14.8 %	-

Based upon 2033 valid cases out of 2385 total cases.

V4416 094E07A:USE DRUGS-ATHLTS

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22380

Question Number(s): 4E07A

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0-10%:(1)	349	14.6 %	17.4%
2	11-30%:(2)	486	20.4 %	24.2%
3	31-50%:(3)	424	17.8 %	21.1%
4	51-70%:(4)	273	11.4 %	13.6%
5	71-90%:(5)	132	5.5 %	6.6%
6	91-100%:(6)	55	2.3 %	2.7%
8	NO IDEA:(8)	287	12.0 %	14.3%
-9 (M)	MISSING:(-9)	379	15.9 %	-

Based upon 2006 valid cases out of 2385 total cases.

V4417 094E07B:USE DRUGS-ROCKRS

Location: 533-534 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 22390

Question Number(s): 4E07B

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0-10%:(1)	85	3.6 %	4.2%
2	11-30%:(2)	77	3.2 %	3.8%
3	31-50%:(3)	214	9.0 %	10.7%
4	51-70%:(4)	424	17.8 %	21.2%
5	71-90%:(5)	617	25.9 %	30.8%
6	91-100%:(6)	361	15.1 %	18.0%
8	NO IDEA:(8)	226	9.5 %	11.3%
-9 (M)	MISSING:(-9)	381	16.0 %	-

Based upon 2004 valid cases out of 2385 total cases.

V4418 094E07C:USE DRUGS-ACTORS

Location: 535-536 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 22400

Question Number(s): 4E07C

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0-10%:(1)	158	6.6 %	7.9%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	11-30%:(2)	242	10.1 %	12.1%
3	31-50%:(3)	389	16.3 %	19.5%
4	51-70%:(4)	442	18.5 %	22.1%
5	71-90%:(5)	339	14.2 %	17.0%
6	91-100%:(6)	157	6.6 %	7.9%
8	NO IDEA:(8)	270	11.3 %	13.5%
-9 (M)	MISSING:(-9)	388	16.3 %	-

Based upon 1997 valid cases out of 2385 total cases.

V4419 094E08A:DISAP USE-ATHLTS

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22420

Question Number(s): 4E08A

How many people in the following groups would you guess
strongly disapprove of such illicit drug use?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0-10%:(1)	243	10.2 %	12.2%
2	11-30%:(2)	372	15.6 %	18.6%
3	31-50%:(3)	315	13.2 %	15.8%
4	51-70%:(4)	278	11.7 %	13.9%
5	71-90%:(5)	249	10.4 %	12.5%
6	91-100%:(6)	150	6.3 %	7.5%
8	NO IDEA:(8)	391	16.4 %	19.6%
-9 (M)	MISSING:(-9)	387	16.2 %	-

Based upon 1998 valid cases out of 2385 total cases.

V4420 094E08B:DISAP USE-ROCKRS

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22430

- Study 28401 -

Question Number(s): 4E08B

How many people in the following groups would you guess strongly disapprove of such illicit drug use?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0-10%:(1)	550	23.1 %	27.7%
2	11-30%:(2)	514	21.6 %	25.9%
3	31-50%:(3)	268	11.2 %	13.5%
4	51-70%:(4)	155	6.5 %	7.8%
5	71-90%:(5)	80	3.4 %	4.0%
6	91-100%:(6)	49	2.1 %	2.5%
8	NO IDEA:(8)	370	15.5 %	18.6%
-9 (M)	MISSING:(-9)	399	16.7 %	-

Based upon 1986 valid cases out of 2385 total cases.

V4421 094E08C:DISAP USE-ACTORS

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22440

Question Number(s): 4E08C

How many people in the following groups would you guess strongly disapprove of such illicit drug use?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0-10%:(1)	293	12.3 %	14.7%
2	11-30%:(2)	427	17.9 %	21.5%
3	31-50%:(3)	382	16.0 %	19.2%
4	51-70%:(4)	281	11.8 %	14.1%
5	71-90%:(5)	145	6.1 %	7.3%
6	91-100%:(6)	65	2.7 %	3.3%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8	NO IDEA:(8)	396	16.6 %	19.9%
-9 (M)	MISSING:(-9)	396	16.6 %	-

Based upon 1989 valid cases out of 2385 total cases.

V4422 094E08D:DISAP USE-PEOPLE

Location: 543-544 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22450

Question Number(s): 4E08D

How many people in the following groups would you guess strongly disapprove of such illicit drug use?

D: People your age (in general)

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0-10%:(1)	304	12.7 %	15.3%
2	11-30%:(2)	400	16.8 %	20.2%
3	31-50%:(3)	422	17.7 %	21.3%
4	51-70%:(4)	307	12.9 %	15.5%
5	71-90%:(5)	160	6.7 %	8.1%
6	91-100%:(6)	79	3.3 %	4.0%
8	NO IDEA:(8)	310	13.0 %	15.6%
-9 (M)	MISSING:(-9)	403	16.9 %	-

Based upon 1982 valid cases out of 2385 total cases.

V4423 094E09 :#X SEE DRUG SPTS

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22460

Question Number(s): 4E09

The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on

- Study 28401 -

TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	289	12.1 %	14.8%
2	<1/MONTH:(2)	205	8.6 %	10.5%
3	1-3X/MON:(3)	491	20.6 %	25.1%
4	1-3/WEEK:(4)	509	21.3 %	26.0%
5	DAILY:(5)	356	14.9 %	18.2%
6	>1/DAY:(6)	108	4.5 %	5.5%
-9 (M)	MISSING:(-9)	427	17.9 %	-

Based upon 1958 valid cases out of 2385 total cases.

V4424 094E10A:ADS-PEOPL <FAVBL

Location: 547-548 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22470

Question Number(s): 4E10A

To what extent do you think such commercials have . . .

A: . . . Made people your age less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	629	26.4 %	31.9%
2	LTTL EXT:(2)	581	24.4 %	29.5%
3	SOME EXT:(3)	586	24.6 %	29.7%
4	GRT EXT:(4)	105	4.4 %	5.3%
5	VRGR EXT:(5)	69	2.9 %	3.5%
-9 (M)	MISSING:(-9)	415	17.4 %	-

Based upon 1970 valid cases out of 2385 total cases.

V4425 094E10B:ADS-YOU <FAVORBL

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 22480

Question Number(s): 4E10B

To what extent do you think such commercials have . . .

B: . . . Made you less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	668	28.0 %	34.0%
2	LTTL EXT:(2)	388	16.3 %	19.7%
3	SOME EXT:(3)	467	19.6 %	23.7%
4	GRT EXT:(4)	207	8.7 %	10.5%
5	VRGR EXT:(5)	237	9.9 %	12.0%
-9 (M)	MISSING:(-9)	418	17.5 %	-

Based upon 1967 valid cases out of 2385 total cases.

V4426

094E10C:ADS-YOU <TRY DRG

Location: 551-552 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22490

Question Number(s): 4E10C

To what extent do you think such commercials have . . .

C: . . . Made you less likely to use drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	687	28.8 %	35.1%
2	LTTL EXT:(2)	349	14.6 %	17.8%
3	SOME EXT:(3)	459	19.2 %	23.4%
4	GRT EXT:(4)	191	8.0 %	9.7%
5	VRGR EXT:(5)	274	11.5 %	14.0%
-9 (M)	MISSING:(-9)	425	17.8 %	-

Based upon 1960 valid cases out of 2385 total cases.

- Study 28401 -

V4427 094E10D:ADS-OVRST DANGER

Location: 553-554 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22500

Question Number(s): 4E10D

To what extent do you think such commercials have . . .

D: . . . Overstated the dangers or risks of drug use?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	679	28.5 %	34.8%
2	LTTL EXT:(2)	344	14.4 %	17.7%
3	SOME EXT:(3)	473	19.8 %	24.3%
4	GRT EXT:(4)	218	9.1 %	11.2%
5	VRGR EXT:(5)	235	9.9 %	12.1%
-9 (M)	MISSING:(-9)	436	18.3 %	-

Based upon 1949 valid cases out of 2385 total cases.

V4447 094E11:#X ANTIDRUG ADS

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30890

Question Number(s): 4E11

In recent months, about how often have you seen anti-drug ads on billboards or in magazines or newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	418	17.5 %	21.2%
2	<1/MONTH:(2)	463	19.4 %	23.5%
3	1-3X/MON:(3)	630	26.4 %	32.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	1-3/WEEK:(4)	306	12.8 %	15.5%
5	DAILY:(5)	115	4.8 %	5.8%
6	>1/DAY:(6)	37	1.6 %	1.9%
-9 (M)	MISSING:(-9)	416	17.4 %	-

Based upon 1969 valid cases out of 2385 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.