SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Form 2 Data Codebook

Terms of Use

Information about Copyrighted Content

TABLE OF CONTENTS

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2010 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

_____

_____

A.   DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

B. EDUCATION. Educational lifestyle, values, experiences, and environments

C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.

D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G. RELIGION. Religious affiliation, practices, and views.

H. POLITICS. Political affiliation, activities, and views.

I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.

R. BACKGROUND. Demographic and family background characteristics, living arrangements.

S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

_____

_____

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12[th] graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2010 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	189	392	15,127
2	Form 1	637	1,285	2,526
3	Form 2	329	671	2,536
4	Form 3	359	732	2,523
5	Form 4	270	556	2,496
6	Form 5	320	653	2,519
7	Form 6	336	686	2,527

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119	[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)
[4] Variable Type: numeric (ISO)
[5] Range of Missing Values (M):   -9
   Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS				
Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3] Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR
	C02. R'S BIRTH MONTH
	C04A-I, R'S RACE (9 categories)
	C07A-B. # OLDER BR/SR, # YOUNGER BR/SR
	C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)
	C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT
	D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT
	5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY
1=younger than 18 years old,
2=18 years old or more
-9=missing data on birth year, or birth month if it is required
Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered.   If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy
1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.
From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them.   In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS
Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)
0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING
0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]
 Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]
 Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6
   A10. EVER HELD BACK
     1=No, 2=Yes

   A11. NEED SUMMER SCHL
     1=No, 2=Yes

   A12. EVER SUSPENDED
     1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

     The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 30985

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Form 2 Data

CASEID	CASE IDENTIFICATION NUMBER
Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric

Based upon 2536 valid cases out of 2536 total cases.

V1	YEAR OF ADMIN (4-DIGITS)
Location:	5-8 (width: 4; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
2010	2536	100.0 %	100.0%

Based upon 2536 valid cases out of 2536 total cases.

V3	102:FORM ID
Location:	9-10 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
2	2536	100.0 %	100.0%

Based upon 2536 valid cases out of 2536 total cases.

V4	102:Rs ID-SERIAL #
Location:	11-15 (width: 5; decimal: 0)
Variable Type:	numeric

Based upon 2536 valid cases out of 2536 total cases.

V5	SAMPLING WEIGHT
Location:	16-21 (width: 6; decimal: 4)
Variable Type:	numeric

Based upon 2536 valid cases out of 2536 total cases.

V13	SCH REG-4 CAT
Location:	22-23 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%	Valid %
1	NORTHEAST:(1)	545	21.5 %	21.5%
2	NORTH CENTRL:(2)	621	24.5 %	24.5%
3	SOUTH:(3)	847	33.4 %	33.4%
4	WEST:(4)	523	20.6 %	20.6%

Based upon 2536 valid cases out of 2536 total cases.

V16	LARGE MSA=1/NOT=0

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	1672	65.9 %	65.9%
1	LARGE MSA:(1)	864	34.1 %	34.1%

Based upon 2536 valid cases out of 2536 total cases.

V17	MSA/NON-MSA=0

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	464	18.3 %	18.3%
1	MSA:(1)	2072	81.7 %	81.7%

Based upon 2536 valid cases out of 2536 total cases.

V2208	102A01 :VRY HPY THS DAYS

Location: 28-29 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01190

Taking all things together, how would you say things are
these days--would you say you're very happy, pretty happy,
or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%	Valid %
1	NT HAPPY:(1)	295	11.6 %	12.2%
2	PRTY HPY:(2)	1529	60.3 %	63.3%
3	VRY HPY:(3)	592	23.3 %	24.5%
-9 (M)	MISSING:(-9)	120	4.7 %	-

Based upon 2416 valid cases out of 2536 total cases.

V2209	**102A02A:DALY WATCH TV**

Location:	30-31 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05820

The next questions ask about the kinds of things you might do.
How often do you do each of the following?

A: Watch TV

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	19	0.7 %	0.8%
2	FEW /YR:(2)	36	1.4 %	1.4%
3	1-2 /MO:(3)	123	4.9 %	4.9%
4	1 /WK:(4)	657	25.9 %	26.0%
5	NR DAILY:(5)	1688	66.6 %	66.9%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2523 valid cases out of 2536 total cases.

V2210	**102A02B:DALY GO TO MOVIE**

| Location: | 32-33 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):   -9

Question:

Item Number: 05830

How often do you do each of the following?

B: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	60	2.4 %	2.4%
2	FEW /YR:(2)	1008	39.7 %	39.9%
3	1-2 /MO:(3)	1298	51.2 %	51.4%
4	1 /WK:(4)	149	5.9 %	5.9%
5	NR DAILY:(5)	11	0.4 %	0.4%
-9 (M)	MISSING:(-9)	10	0.4 %	-

Based upon 2526 valid cases out of 2536 total cases.

V2432	**102A02C:DALY MUSIC CNCRT**

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05846

How often do you do each of the following?

C: Go to music concerts

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1032	40.7 %	41.1%
2	FEW /YR:(2)	1284	50.6 %	51.1%
3	1-2 /MO:(3)	159	6.3 %	6.3%
4	1 /WK:(4)	30	1.2 %	1.2%
5	NR DAILY:(5)	6	0.2 %	0.2%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2511 valid cases out of 2536 total cases.

V2212	**102A02D:DALY RIDE FORFUN**

Location: 36-37 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05850

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	364	14.4 %	14.4%
2	FEW /YR:(2)	282	11.1 %	11.2%
3	1-2 /MO:(3)	416	16.4 %	16.5%
4	1 /WK:(4)	709	28.0 %	28.0%
5	NR DAILY:(5)	757	29.9 %	29.9%
-9 (M)	MISSING:(-9)	8	0.3 %	-

Based upon 2528 valid cases out of 2536 total cases.

V2213	102A02E:DALY CMNTY AFFRS

Location:	38-39 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05860

How often do you do each of the following?

E: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	583	23.0 %	23.1%
2	FEW /YR:(2)	1083	42.7 %	42.9%
3	1-2 /MO:(3)	527	20.8 %	20.9%
4	1 /WK:(4)	246	9.7 %	9.8%
5	NR DAILY:(5)	83	3.3 %	3.3%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2522 valid cases out of 2536 total cases.

V2214	102A02F:DALY PLA MSC,SNG

Location:	40-41 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05870

How often do you do each of the following?

F: Play a musical instrument or sing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1059	41.8 %	42.0%
2	FEW /YR:(2)	211	8.3 %	8.4%
3	1-2 /MO:(3)	149	5.9 %	5.9%
4	1 /WK:(4)	251	9.9 %	10.0%
5	NR DAILY:(5)	849	33.5 %	33.7%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2519 valid cases out of 2536 total cases.

V2215   102A02G:DALY CREAT WRTNG

Location:	42-43 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05880

How often do you do each of the following?

G: Do creative writing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	955	37.7 %	38.0%
2	FEW /YR:(2)	629	24.8 %	25.0%
3	1-2 /MO:(3)	452	17.8 %	18.0%
4	1 /WK:(4)	290	11.4 %	11.5%
5	NR DAILY:(5)	189	7.5 %	7.5%
-9 (M)	MISSING:(-9)	21	0.8 %	-

Based upon 2515 valid cases out of 2536 total cases.

V2216	102A02H:DALY ACTV SPORTS

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05890

How often do you do each of the following?

H: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	240	9.5 %	9.5%
2	FEW /YR:(2)	230	9.1 %	9.1%
3	1-2 /MO:(3)	322	12.7 %	12.8%
4	1 /WK:(4)	603	23.8 %	23.9%
5	NR DAILY:(5)	1127	44.4 %	44.7%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2522 valid cases out of 2536 total cases.

V2217	102A02I:DALY ART/CRAFTS

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05900

How often do you do each of the following?

I: Do art or craft work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	709	28.0 %	28.3%
2	FEW /YR:(2)	627	24.7 %	25.0%
3	1-2 /MO:(3)	494	19.5 %	19.7%
4	1 /WK:(4)	303	11.9 %	12.1%
5	NR DAILY:(5)	375	14.8 %	15.0%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2508 valid cases out of 2536 total cases.

V2218	**102A02J:DALY WRK HSE,CAR**

Location:	48-49 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05910

How often do you do each of the following?

J: Work around the house, yard, garden, car, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	160	6.3 %	6.3%
2	FEW /YR:(2)	252	9.9 %	10.0%
3	1-2 /MO:(3)	548	21.6 %	21.7%
4	1 /WK:(4)	925	36.5 %	36.7%
5	NR DAILY:(5)	637	25.1 %	25.3%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2522 valid cases out of 2536 total cases.

V2219	**102A02K:DALY VIST W/FRDS**

Location:	50-51 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05920

How often do you do each of the following?

K: Get together with friends informally

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	35	1.4 %	1.4%
2	FEW /YR:(2)	88	3.5 %	3.5%
3	1-2 /MO:(3)	279	11.0 %	11.1%
4	1 /WK:(4)	995	39.2 %	39.5%
5	NR DAILY:(5)	1119	44.1 %	44.5%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2516 valid cases out of 2536 total cases.

V2521	**102A02L:DALY GO TO MALL**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05935

How often do you do each of the following?

L: Go to a shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	79	3.1 %	3.1%
2	FEW /YR:(2)	581	22.9 %	23.1%
3	1-2 /MO:(3)	1314	51.8 %	52.2%
4	1 /WK:(4)	486	19.2 %	19.3%
5	NR DAILY:(5)	59	2.3 %	2.3%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2519 valid cases out of 2536 total cases.

V2221	**102A02M:DALY ALONE LEISR**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05940

How often do you do each of the following?

M: Spend at least an hour of leisure time alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	117	4.6 %	4.6%
2	FEW /YR:(2)	128	5.0 %	5.1%

Value	Label	Unweighted Frequency	%	Valid %
3	1-2 /MO:(3)	270	10.6 %	10.7%
4	1 /WK:(4)	747	29.5 %	29.7%
5	NR DAILY:(5)	1255	49.5 %	49.9%
-9 (M)	MISSING:(-9)	19	0.7 %	-

Based upon 2517 valid cases out of 2536 total cases.

V2222   102A02N:DALY READ BK,MAG

Location:	56-57 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05950

How often do you do each of the following?

N: Read books, magazines, or newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	192	7.6 %	7.6%
2	FEW /YR:(2)	282	11.1 %	11.2%
3	1-2 /MO:(3)	586	23.1 %	23.3%
4	1 /WK:(4)	806	31.8 %	32.0%
5	NR DAILY:(5)	654	25.8 %	26.0%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2520 valid cases out of 2536 total cases.

V2223   102A02O:DALY GO TO BARS

Location:	58-59 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05960

How often do you do each of the following?

O: Go to taverns, bars or nightclubs

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1429	56.3 %	56.7%
2	FEW /YR:(2)	464	18.3 %	18.4%
3	1-2 /MO:(3)	365	14.4 %	14.5%
4	1 /WK:(4)	196	7.7 %	7.8%
5	NR DAILY:(5)	65	2.6 %	2.6%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2519 valid cases out of 2536 total cases.

V2224	**102A02P:DALY GO TO PARTY**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05970

How often do you do each of the following?

P: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	220	8.7 %	8.7%
2	FEW /YR:(2)	591	23.3 %	23.5%
3	1-2 /MO:(3)	890	35.1 %	35.3%
4	1 /WK:(4)	720	28.4 %	28.6%
5	NR DAILY:(5)	97	3.8 %	3.9%
-9 (M)	MISSING:(-9)	18	0.7 %	-

Based upon 2518 valid cases out of 2536 total cases.

V2533	**102A02Q:DALY WEB MYSPC**

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 29620

How often do you do each of the following?

Q: Visit social networking Web sites like MySpace or Facebook

5="Almost every day" 4="At least once a week" 3="Once or twice

a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	212	8.4 %	8.4%
2	FEW /YR:(2)	68	2.7 %	2.7%
3	1-2 /MO:(3)	168	6.6 %	6.6%
4	1 /WK:(4)	486	19.2 %	19.2%
5	NR DAILY:(5)	1593	62.8 %	63.0%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2527 valid cases out of 2536 total cases.

V2225	**102A03A:US 2 MUCH PROFIT**

Location:	64-65 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05990

How much do you agree or disagree with each of the following statements?

A: In the United States, we put too much emphasis on making profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	89	3.5 %	3.6%
2	MOST DIS:(2)	184	7.3 %	7.3%
3	NEITHER:(3)	568	22.4 %	22.7%
4	MOST AGR:(4)	1107	43.7 %	44.2%
5	AGREE:(5)	558	22.0 %	22.3%
-9 (M)	MISSING:(-9)	30	1.2 %	-

Based upon 2506 valid cases out of 2536 total cases.

V2226	**102A03B:2MUCH CNCRN MTRL**

Location:	66-67 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06000

How much do you agree or disagree with each of the following

statements?

B: People are too much concerned with material things these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	50	2.0 %	2.0%
2	MOST DIS:(2)	96	3.8 %	3.8%
3	NEITHER:(3)	260	10.3 %	10.4%
4	MOST AGR:(4)	988	39.0 %	39.3%
5	AGREE:(5)	1117	44.0 %	44.5%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2511 valid cases out of 2536 total cases.

V2227	**102A03C:ENCOURG PPL BUY>**

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06010

How much do you agree or disagree with each of the following statements?

C: Since it helps the economy to grow, people should be encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	272	10.7 %	10.9%
2	MOST DIS:(2)	423	16.7 %	16.9%
3	NEITHER:(3)	984	38.8 %	39.3%
4	MOST AGR:(4)	560	22.1 %	22.4%
5	AGREE:(5)	262	10.3 %	10.5%
-9 (M)	MISSING:(-9)	35	1.4 %	-

Based upon 2501 valid cases out of 2536 total cases.

V2228	**102A03D:-WRNG ADVERTISNG**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06020

How much do you agree or disagree with each of the following
statements?

D: There is nothing wrong with advertising that gets people
to buy things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	503	19.8 %	20.1%
2	MOST DIS:(2)	565	22.3 %	22.6%
3	NEITHER:(3)	609	24.0 %	24.3%
4	MOST AGR:(4)	488	19.2 %	19.5%
5	AGREE:(5)	339	13.4 %	13.5%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2504 valid cases out of 2536 total cases.

V2229	**102A03E:MOR SHORTGS FUTR**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06030

How much do you agree or disagree with each of the following
statements?

E: There will probably be more shortages in the future, so
Americans will have to learn how to be happy with fewer
"things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	157	6.2 %	6.3%
2	MOST DIS:(2)	220	8.7 %	8.8%
3	NEITHER:(3)	577	22.8 %	23.0%
4	MOST AGR:(4)	789	31.1 %	31.5%
5	AGREE:(5)	765	30.2 %	30.5%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2508 valid cases out of 2536 total cases.

V2468	**102A04A:RSK OF CIG1+PK/D**

Location:	74-75 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	85	3.4 %	3.4%
2	SLIGHT:(2)	68	2.7 %	2.7%
3	MOD RISK:(3)	344	13.6 %	13.7%
4	GRT RISK:(4)	1951	76.9 %	77.6%
5	CANT SAY:(5)	65	2.6 %	2.6%
-9 (M)	MISSING:(-9)	23	0.9 %	-

Based upon 2513 valid cases out of 2536 total cases.

V2469	**102A04B:RSK OF MJ 1-2 X**

Location:	76-77 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	925	36.5 %	36.8%
2	SLIGHT:(2)	809	31.9 %	32.2%

Value	Label	Unweighted Frequency	%	Valid %
3	MOD RISK:(3)	352	13.9 %	14.0%
4	GRT RISK:(4)	337	13.3 %	13.4%
5	CANT SAY:(5)	88	3.5 %	3.5%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2511 valid cases out of 2536 total cases.

V2470   102A04C:RSK OF MJ OCSNLY

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	492	19.4 %	19.6%
2	SLIGHT:(2)	633	25.0 %	25.3%
3	MOD RISK:(3)	747	29.5 %	29.8%
4	GRT RISK:(4)	542	21.4 %	21.6%
5	CANT SAY:(5)	90	3.5 %	3.6%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2504 valid cases out of 2536 total cases.

V2471   102A04D:RSK OF MJ REGLY

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	282	11.1 %	11.3%
2	SLIGHT:(2)	321	12.7 %	12.9%
3	MOD RISK:(3)	556	21.9 %	22.3%
4	GRT RISK:(4)	1240	48.9 %	49.8%
5	CANT SAY:(5)	90	3.5 %	3.6%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2489 valid cases out of 2536 total cases.

V2472	**102A04E:RSK OF 1-2 DRINK**

Location:	82-83 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	953	37.6 %	38.0%
2	SLIGHT:(2)	953	37.6 %	38.0%
3	MOD RISK:(3)	346	13.6 %	13.8%
4	GRT RISK:(4)	210	8.3 %	8.4%
5	CANT SAY:(5)	46	1.8 %	1.8%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2508 valid cases out of 2536 total cases.

V2473	**102A04F:RSK OF 1-2 DR/DA**

Location:	84-85 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12520

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	214	8.4 %	8.5%
2	SLIGHT:(2)	512	20.2 %	20.4%
3	MOD RISK:(3)	948	37.4 %	37.8%
4	GRT RISK:(4)	786	31.0 %	31.3%
5	CANT SAY:(5)	51	2.0 %	2.0%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2511 valid cases out of 2536 total cases.

V2474	102A04G:RSK OF 4-5 DR/DA

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	125	4.9 %	5.0%
2	SLIGHT:(2)	131	5.2 %	5.2%
3	MOD RISK:(3)	408	16.1 %	16.2%
4	GRT RISK:(4)	1791	70.6 %	71.2%
5	CANT SAY:(5)	59	2.3 %	2.3%
-9 (M)	MISSING:(-9)	22	0.9 %	-

Based upon 2514 valid cases out of 2536 total cases.

V2475	102A04H:RSK OF 5+DR/WKND

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12540

How much do you think people risk harming themselves (physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	198	7.8 %	7.9%
2	SLIGHT:(2)	321	12.7 %	12.8%
3	MOD RISK:(3)	649	25.6 %	25.8%
4	GRT RISK:(4)	1291	50.9 %	51.4%
5	CANT SAY:(5)	55	2.2 %	2.2%
-9 (M)	MISSING:(-9)	22	0.9 %	-

Based upon 2514 valid cases out of 2536 total cases.

V2238   102A05 :DFNTLY PRFR MATE

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 06120

Do you think that you would prefer having a mate for most of your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to have a mate" 3="Not sure" 2="Probably prefer not to have a mate" 1="Definitely prefer not to have a mate"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF NO:(1)	20	0.8 %	0.8%
2	PROB NO:(2)	69	2.7 %	2.8%
3	NOT SURE:(3)	264	10.4 %	10.6%
4	PROB YES:(4)	642	25.3 %	25.7%
5	DEF YES:(5)	1506	59.4 %	60.2%
-9 (M)	MISSING:(-9)	35	1.4 %	-

Based upon 2501 valid cases out of 2536 total cases.

V2239   102A06 :THINK WILL MARRY

Location:	92-93 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06130

Which do you think you are most likely to choose in the long run?

3="Getting married" 2="I have no idea" 1="Not getting married" 8="Am already married"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT MAR:(1)	104	4.1 %	4.3%
2	NO IDEA:(2)	402	15.9 %	16.6%
3	MARRIED:(3)	1907	75.2 %	78.7%
8	ALREADY MAR:(8)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	114	4.5 %	-

Based upon 2422 valid cases out of 2536 total cases.

V2240	102A07A:LIKLY STAY MARRD

Location:	94-95 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06140

If you did get married (or are married) . . .

A: . . . How likely do you think it is that you would stay married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY UNLKLY:(1)	19	0.7 %	0.8%
2	FAIRLY UNL:(2)	50	2.0 %	2.1%
3	UNCERTN:(3)	331	13.1 %	13.9%
4	FAIRLY LK:(4)	620	24.4 %	26.1%
5	VRY LIKELY:(5)	1357	53.5 %	57.1%
-9 (M)	MISSING:(-9)	159	6.3 %	-

Based upon 2377 valid cases out of 2536 total cases.

V2241	102A07B:LIKLY HAVE KIDS

Location:	96-97 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06150

If you did get married (or are married) . . .

B: . . . How likely is it that you would want to have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY UNLKLY:(1)	84	3.3 %	3.5%
2	FAIRLY UNLK:(2)	79	3.1 %	3.3%
3	UNCERTN:(3)	260	10.3 %	10.9%
4	FAIRLY LK:(4)	481	19.0 %	20.1%
5	VRY LIKELY:(5)	1449	57.1 %	60.5%
8	ALRDY HAVE:(8)	43	1.7 %	1.8%
-9 (M)	MISSING:(-9)	140	5.5 %	-

Based upon 2396 valid cases out of 2536 total cases.

V2242   102A08A:-CHL,HB WK1.,W = 0

Location:	98-99 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06160

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	870	34.3 %	34.9%
2	SOMEWHAT:(2)	896	35.3 %	36.0%
3	ACCEPTBL:(3)	607	23.9 %	24.4%
4	DESIRBL:(4)	119	4.7 %	4.8%
-9 (M)	MISSING:(-9)	44	1.7 %	-

Based upon 2492 valid cases out of 2536 total cases.

V2243	102A08B:-CHL,HB WK1.,W.5

Location:	100-101 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06170

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	134	5.3 %	5.4%
2	SOMEWHAT:(2)	749	29.5 %	30.1%
3	ACCEPTBL:(3)	1370	54.0 %	55.0%
4	DESIRBL:(4)	238	9.4 %	9.6%
-9 (M)	MISSING:(-9)	45	1.8 %	-

Based upon 2491 valid cases out of 2536 total cases.

V2244	102A08C:-CHL,HB/WF WK 1.

Location:	102-103 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06180

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	230	9.1 %	9.3%
2	SOMEWHAT:(2)	408	16.1 %	16.4%
3	ACCEPTBL:(3)	1193	47.0 %	48.0%
4	DESIRBL:(4)	654	25.8 %	26.3%
-9 (M)	MISSING:(-9)	51	2.0 %	-

Based upon 2485 valid cases out of 2536 total cases.

V2245	102A08D:-CHL,HB/WF WK .5

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06190

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	540	21.3 %	21.9%
2	SOMEWHAT:(2)	844	33.3 %	34.2%
3	ACCEPTBL:(3)	814	32.1 %	33.0%
4	DESIRBL:(4)	271	10.7 %	11.0%
-9 (M)	MISSING:(-9)	67	2.6 %	-

Based upon 2469 valid cases out of 2536 total cases.

V2246	102A08E:-CHL,W WK 1.,H.5

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06200

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	823	32.5 %	33.2%
2	SOMEWHAT:(2)	1002	39.5 %	40.4%
3	ACCEPTBL:(3)	592	23.3 %	23.9%
4	DESIRBL:(4)	62	2.4 %	2.5%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	57	2.2 %	-

Based upon 2479 valid cases out of 2536 total cases.

V2247	**102A08F:-CHL,W WK 1.,H = 0**

Location:	108-109 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06210

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	1858	73.3 %	74.6%
2	SOMEWHAT:(2)	385	15.2 %	15.5%
3	ACCEPTBL:(3)	176	6.9 %	7.1%
4	DESIRBL:(4)	70	2.8 %	2.8%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2489 valid cases out of 2536 total cases.

V2248	**102A09A:PSCH,HB WK1.,W = 0**

Location:	110-111 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06220

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	407	16.0 %	16.4%

Value	Label	Unweighted Frequency	%	Valid %
2	SOMEWHAT:(2)	618	24.4 %	24.8%
3	ACCEPTBL:(3)	982	38.7 %	39.5%
4	DESIRBL:(4)	481	19.0 %	19.3%
-9 (M)	MISSING:(-9)	48	1.9 %	-

Based upon 2488 valid cases out of 2536 total cases.

V2249	**102A09B:PSCH,HB WK1.,W.5**

Location:	112-113 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06230

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	134	5.3 %	5.4%
2	SOMEWHAT:(2)	619	24.4 %	24.9%
3	ACCEPTBL:(3)	1345	53.0 %	54.2%
4	DESIRBL:(4)	384	15.1 %	15.5%
-9 (M)	MISSING:(-9)	54	2.1 %	-

Based upon 2482 valid cases out of 2536 total cases.

V2250	**102A09C:PSCH,HB/WF WK 1.**

Location:	114-115 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06240

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	974	38.4 %	39.2%
2	SOMEWHAT:(2)	631	24.9 %	25.4%
3	ACCEPTBL:(3)	584	23.0 %	23.5%
4	DESIRBL:(4)	294	11.6 %	11.8%
-9 (M)	MISSING:(-9)	53	2.1 %	-

Based upon 2483 valid cases out of 2536 total cases.

V2251	**102A09D:PSCH,HB/WF WK .5**

Location:	116-117 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06250

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	551	21.7 %	22.3%
2	SOMEWHAT:(2)	917	36.2 %	37.0%
3	ACCEPTBL:(3)	792	31.2 %	32.0%
4	DESIRBL:(4)	216	8.5 %	8.7%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2476 valid cases out of 2536 total cases.

V2252	**102A09E:PSCH,WF WK1.,H.5**

Location:	118-119 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06260

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	869	34.3 %	35.1%
2	SOMEWHAT:(2)	931	36.7 %	37.6%
3	ACCEPTBL:(3)	602	23.7 %	24.3%
4	DESIRBL:(4)	77	3.0 %	3.1%
-9 (M)	MISSING:(-9)	57	2.2 %	-

Based upon 2479 valid cases out of 2536 total cases.

V2253	**102A09F:PSCH,WF WK1.,H = 0**

Location:	120-121 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06270

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	1522	60.0 %	61.3%
2	SOMEWHAT:(2)	431	17.0 %	17.4%
3	ACCEPTBL:(3)	416	16.4 %	16.8%
4	DESIRBL:(4)	112	4.4 %	4.5%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2481 valid cases out of 2536 total cases.

V2254	**102A10A:H WK,W -WK,W CCR**

Location:	122-123 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06280

Imagine you are married and have one or more pre-school

children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

A: Wife does all child care

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	805	31.7 %	32.4%
2	SOMEWHAT:(2)	701	27.6 %	28.3%
3	ACCEPTBL:(3)	703	27.7 %	28.3%
4	DESIRBL:(4)	272	10.7 %	11.0%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2481 valid cases out of 2536 total cases.

V2255	**102A10B:H WK,W -WK,W>CCR**

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 06290

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

B: Wife does most of it

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	340	13.4 %	13.7%
2	SOMEWHAT:(2)	779	30.7 %	31.4%
3	ACCEPTBL:(3)	1039	41.0 %	41.9%
4	DESIRBL:(4)	321	12.7 %	12.9%
-9 (M)	MISSING:(-9)	57	2.2 %	-

Based upon 2479 valid cases out of 2536 total cases.

V2256	**102A10C:H WK,W -WK, = CHCR**

Location: 126-127 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06300

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

C: Both do it equally

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	85	3.4 %	3.4%
2	SOMEWHAT:(2)	325	12.8 %	13.1%
3	ACCEPTBL:(3)	961	37.9 %	38.8%
4	DESIRBL:(4)	1106	43.6 %	44.7%
-9 (M)	MISSING:(-9)	59	2.3 %	-

Based upon 2477 valid cases out of 2536 total cases.

V2257   102A10D:H WK,W -WK,H>CCR

Location:	128-129 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06310

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

D: Husband does most of it

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	993	39.2 %	40.1%
2	SOMEWHAT:(2)	1065	42.0 %	43.0%
3	ACCEPTBL:(3)	367	14.5 %	14.8%
4	DESIRBL:(4)	52	2.1 %	2.1%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	59	2.3 %	-

Based upon 2477 valid cases out of 2536 total cases.

V2258	102A10E:H WK,W -WK,H CCR

Location:	130-131 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06320

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

E: Husband does all of it

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	1870	73.7 %	75.4%
2	SOMEWHAT:(2)	393	15.5 %	15.9%
3	ACCEPTBL:(3)	159	6.3 %	6.4%
4	DESIRBL:(4)	57	2.2 %	2.3%
-9 (M)	MISSING:(-9)	57	2.2 %	-

Based upon 2479 valid cases out of 2536 total cases.

V2259	102A11 :INTEREST IN GOVT

Location:	132-133 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%	Valid %
1	NO INTRST:(1)	313	12.3 %	12.6%
2	VRY LITTLE:(2)	553	21.8 %	22.2%
3	SOME:(3)	1043	41.1 %	41.9%
4	A LOT:(4)	392	15.5 %	15.7%
5	VRY GRT:(5)	190	7.5 %	7.6%
-9 (M)	MISSING:(-9)	45	1.8 %	-

Based upon 2491 valid cases out of 2536 total cases.

V2260	**102A12 :GOVT PPL -DSHNST**

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06340

Do you think some of the people running the government are crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are" 3="Some are" 4="Hardly any are" 5="None at all are crooked or dishonest"

Value	Label	Unweighted Frequency	%	Valid %
1	MOST:(1)	608	24.0 %	24.4%
2	QUITE:(2)	906	35.7 %	36.4%
3	SOME:(3)	910	35.9 %	36.6%
4	HARDLY:(4)	50	2.0 %	2.0%
5	NONE:(5)	13	0.5 %	0.5%
-9 (M)	MISSING:(-9)	49	1.9 %	-

Based upon 2487 valid cases out of 2536 total cases.

V2261	**102A13 :GOVT DSNT WASTE$**

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06350

Do you think the government wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money

is wasted" 5="No tax money is wasted"

Value	Label	Unweighted Frequency	%	Valid %
1	NEARLY ALL:(1)	334	13.2 %	13.5%
2	A LOT:(2)	1218	48.0 %	49.1%
3	SOME:(3)	784	30.9 %	31.6%
4	A LITTLE:(4)	120	4.7 %	4.8%
5	NO WASTE:(5)	23	0.9 %	0.9%
-9 (M)	MISSING:(-9)	57	2.2 %	-

Based upon 2479 valid cases out of 2536 total cases.

V2262	102A14 :NEVER TRUST GOVT

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06360

How much of the time do you think you can trust the government
in Washington to do what is right?

1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	ALM ALWYS:(1)	63	2.5 %	2.5%
2	OFTEN:(2)	589	23.2 %	23.7%
3	SOMETIME:(3)	1194	47.1 %	48.1%
4	SELDOM:(4)	503	19.8 %	20.3%
5	NEVER:(5)	132	5.2 %	5.3%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2481 valid cases out of 2536 total cases.

V2263	102A15 :GVT PPL DK DOING

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06370

Do you feel that the people running the government are smart
people who usually know what they are doing?

1="They almost always know what they are doing" 2="They
usually know what they are doing" 3="They sometimes know

what they are doing" 4="They seldom know what they are
doing" 5="They never know what they are doing"

Value	Label	Unweighted Frequency	%	Valid %
1	ALM ALWYS:(1)	171	6.7 %	6.9%
2	USUALLY:(2)	991	39.1 %	40.0%
3	SOMETIME:(3)	958	37.8 %	38.7%
4	SELDOM:(4)	265	10.4 %	10.7%
5	NEVER:(5)	92	3.6 %	3.7%
-9 (M)	MISSING:(-9)	59	2.3 %	-

Based upon 2477 valid cases out of 2536 total cases.

V2264	102A16 :GOVT RUN FOR PPL

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 06380

Would you say the government is pretty much run for a few big
interests looking out for themselves, or is it run for the
benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run
for a few big interests" 3="Run some for the big interests,
some for the people" 4="Usually run for the benefit of all
the people" 5="Nearly always run for the benefit of all the
people"

Value	Label	Unweighted Frequency	%	Valid %
1	NR ALWYS FEW:(1)	380	15.0 %	15.4%
2	USUALLY FEW:(2)	709	28.0 %	28.7%
3	SOME BOTH:(3)	1108	43.7 %	44.9%
4	USUALLY ALL:(4)	226	8.9 %	9.2%
5	NR ALWYS ALL:(5)	44	1.7 %	1.8%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2467 valid cases out of 2536 total cases.

V2265	102A17A:DO OR PLN VOTE

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 06390

Have you ever done, or do you plan to do, the following things?

A: Vote in a public election

1="I probably won't do this" 2="I don't know" 3="I probably
will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB WONT:(1)	167	6.6 %	6.7%
2	DK:(2)	263	10.4 %	10.6%
3	PROB WILL:(3)	1955	77.1 %	78.8%
4	ALRDY DONE:(4)	95	3.7 %	3.8%
-9 (M)	MISSING:(-9)	56	2.2 %	-

Based upon 2480 valid cases out of 2536 total cases.

V2266	**102A17B:DO OR PLN WRITE**

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06400

Have you ever done, or do you plan to do, the following things?

B: Write to public officials

1="I probably won't do this" 2="I don't know" 3="I probably
will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB WONT:(1)	973	38.4 %	39.2%
2	DK:(2)	984	38.8 %	39.7%
3	PROB WILL:(3)	312	12.3 %	12.6%
4	ALRDY DONE:(4)	212	8.4 %	8.5%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2481 valid cases out of 2536 total cases.

V2267	**102A17C:DO OR PLN GIVE $**

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06410

Have you ever done, or do you plan to do, the following things?

C: Give money to a political candidate or cause

1="I probably won't do this" 2="I don't know" 3="I probably
will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB WONT:(1)	1150	45.3 %	46.3%
2	DK:(2)	925	36.5 %	37.3%
3	PROB WILL:(3)	332	13.1 %	13.4%
4	ALRDY DONE:(4)	75	3.0 %	3.0%
-9 (M)	MISSING:(-9)	54	2.1 %	-

Based upon 2482 valid cases out of 2536 total cases.

V2268	**102A17D:DO OR PLN WK CPG**

Location:	150-151 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06420

Have you ever done, or do you plan to do, the following things?

D: Work in a political campaign

1="I probably won't do this" 2="I don't know" 3="I probably
will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB WONT:(1)	1528	60.3 %	61.7%
2	DK:(2)	689	27.2 %	27.8%
3	PROB WILL:(3)	193	7.6 %	7.8%
4	ALRDY DONE:(4)	66	2.6 %	2.7%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2476 valid cases out of 2536 total cases.

V2269	**102A17E:DO OR PLN DEMNST**

Location:	152-153 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06430

Have you ever done, or do you plan to do, the following things?

E: Participate in a lawful demonstration

1="I probably won't do this" 2="I don't know" 3="I probably
will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB WONT:(1)	1129	44.5 %	45.6%
2	DK:(2)	912	36.0 %	36.8%
3	PROB WILL:(3)	362	14.3 %	14.6%
4	ALRDY DONE:(4)	72	2.8 %	2.9%
-9 (M)	MISSING:(-9)	61	2.4 %	-

Based upon 2475 valid cases out of 2536 total cases.

V2270 — 102A17F:DO OR PLN BOYCOT

Location: 154-155 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 06440

Have you ever done, or do you plan to do, the following things?

F: Boycott certain products or stores

1="I probably won't do this" 2="I don't know" 3="I probably
will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB WONT:(1)	1001	39.5 %	40.4%
2	DK:(2)	916	36.1 %	37.0%
3	PROB WILL:(3)	394	15.5 %	15.9%
4	ALRDY DONE:(4)	168	6.6 %	6.8%
-9 (M)	MISSING:(-9)	57	2.2 %	-

Based upon 2479 valid cases out of 2536 total cases.

V2271 — 102A18A:US SHD DISARM

Location: 156-157 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 06450

How much do you agree or disagree with each of the following
statements?

A: The U.S. should begin a gradual program of disarming
whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	684	27.0 %	28.1%
2	MOST DIS:(2)	344	13.6 %	14.1%
3	NEITHER:(3)	1003	39.6 %	41.2%
4	MOST AGR:(4)	284	11.2 %	11.7%
5	AGREE:(5)	118	4.7 %	4.8%
-9 (M)	MISSING:(-9)	103	4.1 %	-

Based upon 2433 valid cases out of 2536 total cases.

V2272	102A18B:US GO WAR FR OTH

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05690

How much do you agree or disagree with each of the following
statements?

B: There may be times when the U.S. should go to war to
protect the rights of other countries

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	332	13.1 %	13.5%
2	MOST DIS:(2)	404	15.9 %	16.4%
3	NEITHER:(3)	597	23.5 %	24.2%
4	MOST AGR:(4)	770	30.4 %	31.2%
5	AGREE:(5)	362	14.3 %	14.7%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2465 valid cases out of 2536 total cases.

V2273	102A18C:US WAR PRTCT ECN

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 06460

How much do you agree or disagree with each of the following statements?

C: The U.S. should be willing to go to war to protect its own economic interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	265	10.4 %	10.8%
2	MOST DIS:(2)	300	11.8 %	12.2%
3	NEITHER:(3)	732	28.9 %	29.7%
4	MOST AGR:(4)	665	26.2 %	27.0%
5	AGREE:(5)	499	19.7 %	20.3%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2461 valid cases out of 2536 total cases.

V2274	**102A18D:US ONLY WAR DFNS**

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 06470

How much do you agree or disagree with each of the following statements?

D: The only good reason for the U.S. to go to war is to defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	149	5.9 %	6.1%
2	MOST DIS:(2)	287	11.3 %	11.7%
3	NEITHER:(3)	463	18.3 %	18.8%
4	MOST AGR:(4)	774	30.5 %	31.4%
5	AGREE:(5)	789	31.1 %	32.0%
-9 (M)	MISSING:(-9)	74	2.9 %	-

Based upon 2462 valid cases out of 2536 total cases.

V2275	102A18E:-US MIL PWR>USSR

Location:	164-165 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06480

How much do you agree or disagree with each of the following statements?

E: The U.S. does not need to have greater military power than Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	660	26.0 %	27.0%
2	MOST DIS:(2)	462	18.2 %	18.9%
3	NEITHER:(3)	874	34.5 %	35.7%
4	MOST AGR:(4)	275	10.8 %	11.2%
5	AGREE:(5)	176	6.9 %	7.2%
-9 (M)	MISSING:(-9)	89	3.5 %	-

Based upon 2447 valid cases out of 2536 total cases.

V2276	102A18F:US NEED>PWR OTHS

Location:	166-167 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06490

How much do you agree or disagree with each of the following statements?

F: The U.S. ought to have much more military power than any other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	232	9.1 %	9.5%
2	MOST DIS:(2)	276	10.9 %	11.3%
3	NEITHER:(3)	916	36.1 %	37.4%
4	MOST AGR:(4)	441	17.4 %	18.0%

Value	Label	Unweighted Frequency	%	Valid %
5	AGREE:(5)	585	23.1 %	23.9%
-9 (M)	MISSING:(-9)	86	3.4 %	-

Based upon 2450 valid cases out of 2536 total cases.

V2277	**102A18G:US FRN PLCY NRRW**

Location:	168-169 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06500

How much do you agree or disagree with each of the following statements?

G: Our present foreign policy is based on our own narrow economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	122	4.8 %	5.0%
2	MOST DIS:(2)	165	6.5 %	6.8%
3	NEITHER:(3)	1279	50.4 %	52.4%
4	MOST AGR:(4)	597	23.5 %	24.5%
5	AGREE:(5)	276	10.9 %	11.3%
-9 (M)	MISSING:(-9)	97	3.8 %	-

Based upon 2439 valid cases out of 2536 total cases.

V2279	**102A19A:FRQ FIGHT PARNTS**

Location:	170-171 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06520

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

A: . . . Argued or had a fight with either of your parents?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

[Data from the Western Region intentionally obliterated.]

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	257	10.1 %	13.0%
2	ONCE:(2)	216	8.5 %	11.0%
3	TWICE:(3)	312	12.3 %	15.8%
4	3-4TIMES:(4)	454	17.9 %	23.0%
5	5+ TIMES:(5)	733	28.9 %	37.2%
-9 (M)	MISSING:(-9)	564	22.2 %	-

Based upon 1972 valid cases out of 2536 total cases.

V2280   102A19B:FRQ HIT SUPRVISR

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06530

During the LAST 12 MONTHS, how often have you . . .

B: . . . Hit an instructor or supervisor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2392	94.3 %	96.3%
2	ONCE:(2)	38	1.5 %	1.5%
3	TWICE:(3)	18	0.7 %	0.7%
4	3-4TIMES:(4)	16	0.6 %	0.6%
5	5+ TIMES:(5)	21	0.8 %	0.8%
-9 (M)	MISSING:(-9)	51	2.0 %	-

Based upon 2485 valid cases out of 2536 total cases.

V2281   102A19C:FRQ FGT WRK/SCHL

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06540

During the LAST 12 MONTHS, how often have you . . .

C: . . . Gotten into a serious fight in school or at work?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2170	85.6 %	87.4%
2	ONCE:(2)	171	6.7 %	6.9%
3	TWICE:(3)	72	2.8 %	2.9%
4	3-4TIMES:(4)	33	1.3 %	1.3%
5	5+ TIMES:(5)	38	1.5 %	1.5%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2484 valid cases out of 2536 total cases.

V2282	102A19D:FRQ GANG FIGHT

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06550

During the LAST 12 MONTHS, how often have you . . .

D: . . . Taken part in a fight where a group of your friends were against another group?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2025	79.9 %	81.6%
2	ONCE:(2)	255	10.1 %	10.3%
3	TWICE:(3)	89	3.5 %	3.6%
4	3-4TIMES:(4)	63	2.5 %	2.5%
5	5+ TIMES:(5)	49	1.9 %	2.0%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2481 valid cases out of 2536 total cases.

V2283	102A19E:FRQ HURT SM1 BAD

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06560

During the LAST 12 MONTHS, how often have you . . .

E: . . . Hurt someone badly enough to need bandages or a doctor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2155	85.0 %	86.8%
2	ONCE:(2)	168	6.6 %	6.8%
3	TWICE:(3)	80	3.2 %	3.2%
4	3-4TIMES:(4)	37	1.5 %	1.5%
5	5+ TIMES:(5)	42	1.7 %	1.7%
-9 (M)	MISSING:(-9)	54	2.1 %	-

Based upon 2482 valid cases out of 2536 total cases.

V2284	**102A19F:FRQ THREAT WEAPN**

Location: 180-181 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 06570

During the LAST 12 MONTHS, how often have you . . .

F: . . . Used a knife or gun or some other thing (like a club) to get something from a person?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2397	94.5 %	96.5%
2	ONCE:(2)	40	1.6 %	1.6%
3	TWICE:(3)	20	0.8 %	0.8%
4	3-4TIMES:(4)	5	0.2 %	0.2%
5	5+ TIMES:(5)	22	0.9 %	0.9%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2484 valid cases out of 2536 total cases.

V2285	**102A19G:FRQ STEAL <$50**

Location:	182-183 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06580

During the LAST 12 MONTHS, how often have you . . .

G: . . . Taken something not belonging to you worth under $50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1775	70.0 %	71.6%
2	ONCE:(2)	320	12.6 %	12.9%
3	TWICE:(3)	171	6.7 %	6.9%
4	3-4TIMES:(4)	91	3.6 %	3.7%
5	5+ TIMES:(5)	122	4.8 %	4.9%
-9 (M)	MISSING:(-9)	57	2.2 %	-

Based upon 2479 valid cases out of 2536 total cases.

V2286	**102A19H:FRQ STEAL >$50**

Location:	184-185 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06590

During the LAST 12 MONTHS, how often have you . . .

H: . . . Taken something not belonging to you worth over $50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2208	87.1 %	89.0%
2	ONCE:(2)	145	5.7 %	5.8%
3	TWICE:(3)	50	2.0 %	2.0%
4	3-4TIMES:(4)	32	1.3 %	1.3%
5	5+ TIMES:(5)	47	1.9 %	1.9%
-9 (M)	MISSING:(-9)	54	2.1 %	-

Based upon 2482 valid cases out of 2536 total cases.

V2287	102A19I:FRQ SHOPLIFT

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06600

During the LAST 12 MONTHS, how often have you . . .

I: . . . Taken something from a store without paying for it?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1798	70.9 %	72.4%
2	ONCE:(2)	280	11.0 %	11.3%
3	TWICE:(3)	140	5.5 %	5.6%
4	3-4TIMES:(4)	118	4.7 %	4.8%
5	5+ TIMES:(5)	147	5.8 %	5.9%
-9 (M)	MISSING:(-9)	53	2.1 %	-

Based upon 2483 valid cases out of 2536 total cases.

V2288	102A19J:FRQ CAR THEFT

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06610

During the LAST 12 MONTHS, how often have you . . .

J: . . . Taken a car that didn't belong to someone in your family without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2369	93.4 %	95.3%
2	ONCE:(2)	46	1.8 %	1.9%
3	TWICE:(3)	32	1.3 %	1.3%
4	3-4TIMES:(4)	17	0.7 %	0.7%
5	5+ TIMES:(5)	21	0.8 %	0.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	51	2.0 %	-

Based upon 2485 valid cases out of 2536 total cases.

V2289	102A19K:FRQ STEAL CAR PT

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06620

During the LAST 12 MONTHS, how often have you . . .

K: . . . Taken part of a car without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2361	93.1 %	95.3%
2	ONCE:(2)	52	2.1 %	2.1%
3	TWICE:(3)	33	1.3 %	1.3%
4	3-4TIMES:(4)	9	0.4 %	0.4%
5	5+ TIMES:(5)	23	0.9 %	0.9%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2478 valid cases out of 2536 total cases.

V2290	102A19L:FRQ TRESPAS BLDG

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06630

During the LAST 12 MONTHS, how often have you . . .

L: . . . Gone into some house or building when you weren't supposed to be there?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1860	73.3 %	75.0%

Value	Label	Unweighted Frequency	%	Valid %
2	ONCE:(2)	281	11.1 %	11.3%
3	TWICE:(3)	173	6.8 %	7.0%
4	3-4TIMES:(4)	79	3.1 %	3.2%
5	5+ TIMES:(5)	88	3.5 %	3.5%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2481 valid cases out of 2536 total cases.

V2291	**102A19M:FRQ ARSON**

Location:	194-195 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06640

During the LAST 12 MONTHS, how often have you . . .

M: . . . Set fire to someone's property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2404	94.8 %	96.9%
2	ONCE:(2)	40	1.6 %	1.6%
3	TWICE:(3)	12	0.5 %	0.5%
4	3-4TIMES:(4)	6	0.2 %	0.2%
5	5+ TIMES:(5)	19	0.7 %	0.8%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2481 valid cases out of 2536 total cases.

V2292	**102A19N:FRQ DMG SCH PPTY**

Location:	196-197 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06650

During the LAST 12 MONTHS, how often have you . . .

N: . . . Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2225	87.7 %	89.8%
2	ONCE:(2)	142	5.6 %	5.7%
3	TWICE:(3)	65	2.6 %	2.6%
4	3-4TIMES:(4)	19	0.7 %	0.8%
5	5+ TIMES:(5)	26	1.0 %	1.0%
-9 (M)	MISSING:(-9)	59	2.3 %	-

Based upon 2477 valid cases out of 2536 total cases.

V2293	**102A19O:FRQ DMG WK PRPTY**

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 06660

During the LAST 12 MONTHS, how often have you . . .

O: . . . Damaged property at work on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2380	93.8 %	95.9%
2	ONCE:(2)	47	1.9 %	1.9%
3	TWICE:(3)	26	1.0 %	1.0%
4	3-4TIMES:(4)	10	0.4 %	0.4%
5	5+ TIMES:(5)	18	0.7 %	0.7%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2481 valid cases out of 2536 total cases.

V2295	**102A20A:SM1 ROB YRS <$50**

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 06680

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

A. . . . Has something of yours (worth under $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1538	60.6 %	62.2%
2	ONCE:(2)	545	21.5 %	22.1%
3	TWICE:(3)	234	9.2 %	9.5%
4	3-4TIMES:(4)	108	4.3 %	4.4%
5	5+ TIMES:(5)	46	1.8 %	1.9%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2471 valid cases out of 2536 total cases.

V2296	**102A20B:SM1 ROB YRS >$50**

Location:	202-203 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06690

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1761	69.4 %	71.3%
2	ONCE:(2)	465	18.3 %	18.8%
3	TWICE:(3)	153	6.0 %	6.2%
4	3-4TIMES:(4)	73	2.9 %	3.0%
5	5+ TIMES:(5)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	67	2.6 %	-

Based upon 2469 valid cases out of 2536 total cases.

V2297	**102A20C:SM1 DMG YR PRPTY**

Location:	204-205 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06700

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1753	69.1 %	71.1%
2	ONCE:(2)	432	17.0 %	17.5%
3	TWICE:(3)	185	7.3 %	7.5%
4	3-4TIMES:(4)	57	2.2 %	2.3%
5	5+ TIMES:(5)	37	1.5 %	1.5%
-9 (M)	MISSING:(-9)	72	2.8 %	-

Based upon 2464 valid cases out of 2536 total cases.

V2298	**102A20D:SM1 INJR U W/WPN**

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06710

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2327	91.8 %	94.4%
2	ONCE:(2)	88	3.5 %	3.6%
3	TWICE:(3)	26	1.0 %	1.1%
4	3-4TIMES:(4)	10	0.4 %	0.4%
5	5+ TIMES:(5)	13	0.5 %	0.5%
-9 (M)	MISSING:(-9)	72	2.8 %	-

Based upon 2464 valid cases out of 2536 total cases.

V2299	**102A20E:SM1 THRTN U W/WP**

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06720

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but
not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2020	79.7 %	81.9%
2	ONCE:(2)	257	10.1 %	10.4%
3	TWICE:(3)	82	3.2 %	3.3%
4	3-4TIMES:(4)	63	2.5 %	2.6%
5	5+ TIMES:(5)	43	1.7 %	1.7%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2465 valid cases out of 2536 total cases.

V2300	102A20F:SM1 INJR YU -WPN

Location:	210-211 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06730

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without
using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2044	80.6 %	82.9%
2	ONCE:(2)	216	8.5 %	8.8%
3	TWICE:(3)	105	4.1 %	4.3%
4	3-4TIMES:(4)	51	2.0 %	2.1%
5	5+ TIMES:(5)	50	2.0 %	2.0%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2466 valid cases out of 2536 total cases.

V2301	102A20G:SM1 THRT U W/INJ

Location:	212-213 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06740

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1793	70.7 %	72.7%
2	ONCE:(2)	288	11.4 %	11.7%
3	TWICE:(3)	161	6.3 %	6.5%
4	3-4TIMES:(4)	93	3.7 %	3.8%
5	5+ TIMES:(5)	131	5.2 %	5.3%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2466 valid cases out of 2536 total cases.

V2302	**102A21A:EASY GT MARIJUAN**

Location:	214-215 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	194	7.6 %	7.9%
2	VRY DIFF:(2)	86	3.4 %	3.5%
3	FRLY DIF:(3)	148	5.8 %	6.0%
4	FRLY EAS:(4)	595	23.5 %	24.3%
5	VRY EASY:(5)	1425	56.2 %	58.2%
-9 (M)	MISSING:(-9)	88	3.5 %	-

Based upon 2448 valid cases out of 2536 total cases.

V2303	102A21B:EASY GT LSD

Location:	216-217 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	587	23.1 %	24.5%
2	VRY DIFF:(2)	504	19.9 %	21.0%
3	FRLY DIF:(3)	703	27.7 %	29.3%
4	FRLY EAS:(4)	407	16.0 %	17.0%
5	VRY EASY:(5)	195	7.7 %	8.1%
-9 (M)	MISSING:(-9)	140	5.5 %	-

Based upon 2396 valid cases out of 2536 total cases.

V2304	102A21C:EASY GT PSYDELIC

Location:	218-219 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06770

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Some other hallucinogen (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	500	19.7 %	20.6%
2	VRY DIFF:(2)	374	14.7 %	15.4%
3	FRLY DIF:(3)	578	22.8 %	23.8%

Value	Label	Unweighted Frequency	%	Valid %
4	FRLY EAS:(4)	636	25.1 %	26.2%
5	VRY EASY:(5)	343	13.5 %	14.1%
-9 (M)	MISSING:(-9)	105	4.1 %	-

Based upon 2431 valid cases out of 2536 total cases.

V2305	**102A21D:EASY GT AMPHTMNS**

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: Amphetamines (uppers, pep pills, bennies, speed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	487	19.2 %	20.1%
2	VRY DIFF:(2)	374	14.7 %	15.5%
3	FRLY DIF:(3)	514	20.3 %	21.2%
4	FRLY EAS:(4)	593	23.4 %	24.5%
5	VRY EASY:(5)	452	17.8 %	18.7%
-9 (M)	MISSING:(-9)	116	4.6 %	-

Based upon 2420 valid cases out of 2536 total cases.

V2522	**102A21E:EASY GT SED/BARB**

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Sedatives/barbiturates (downers)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	578	22.8 %	24.0%
2	VRY DIFF:(2)	433	17.1 %	18.0%
3	FRLY DIF:(3)	530	20.9 %	22.0%
4	FRLY EAS:(4)	528	20.8 %	22.0%
5	VRY EASY:(5)	335	13.2 %	13.9%
-9 (M)	MISSING:(-9)	132	5.2 %	-

Based upon 2404 valid cases out of 2536 total cases.

V2307	102A21F:EASY GT TRANQLIZ

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Tranquilizers

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	812	32.0 %	33.7%
2	VRY DIFF:(2)	607	23.9 %	25.2%
3	FRLY DIF:(3)	558	22.0 %	23.2%
4	FRLY EAS:(4)	254	10.0 %	10.6%
5	VRY EASY:(5)	176	6.9 %	7.3%
-9 (M)	MISSING:(-9)	129	5.1 %	-

Based upon 2407 valid cases out of 2536 total cases.

V2308	102A21G:EASY GT COCAINE

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06810

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	614	24.2 %	25.2%
2	VRY DIFF:(2)	443	17.5 %	18.2%
3	FRLY DIF:(3)	517	20.4 %	21.2%
4	FRLY EAS:(4)	517	20.4 %	21.2%
5	VRY EASY:(5)	342	13.5 %	14.1%
-9 (M)	MISSING:(-9)	103	4.1 %	-

Based upon 2433 valid cases out of 2536 total cases.

V2309	**102A21H:EASY GT HEROIN**

Location:	228-229 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06820

How difficult do you think it would be for you to get each of
the following types of drugs, if you wanted some?

H: Heroin

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	757	29.9 %	31.2%
2	VRY DIFF:(2)	563	22.2 %	23.2%
3	FRLY DIF:(3)	529	20.9 %	21.8%
4	FRLY EAS:(4)	357	14.1 %	14.7%
5	VRY EASY:(5)	221	8.7 %	9.1%
-9 (M)	MISSING:(-9)	109	4.3 %	-

Based upon 2427 valid cases out of 2536 total cases.

V2310	**102A21I:EASY GT NARCOTIC**

Location:	230-231 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06830

How difficult do you think it would be for you to get each of

the following types of drugs, if you wanted some?

I: Some other narcotic (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	462	18.2 %	19.0%
2	VRY DIFF:(2)	266	10.5 %	10.9%
3	FRLY DIF:(3)	412	16.2 %	16.9%
4	FRLY EAS:(4)	551	21.7 %	22.7%
5	VRY EASY:(5)	740	29.2 %	30.4%
-9 (M)	MISSING:(-9)	105	4.1 %	-

Based upon 2431 valid cases out of 2536 total cases.

V2101	102B01 :EVR SMK CIG,REGL

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00760

The following questions are about cigarette smoking. Have you
ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally
but not regularly" 4="Regularly in the past" 5="Regularly
now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1404	55.4 %	56.9%
2	1-2X:(2)	454	17.9 %	18.4%
3	OCCASNLY:(3)	276	10.9 %	11.2%
4	REG PAST:(4)	124	4.9 %	5.0%
5	REG NOW:(5)	210	8.3 %	8.5%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2468 valid cases out of 2536 total cases.

V2102	102B02 :#CIGS SMKD/30DAY

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DAILY:(1)	1970	77.7 %	79.9%
2	<1 CIG/D:(2)	224	8.8 %	9.1%
3	1-5/DAY:(3)	166	6.5 %	6.7%
4	1/2 PK:(4)	60	2.4 %	2.4%
5	1 PK:(5)	37	1.5 %	1.5%
6	1 1/2 PK:(6)	5	0.2 %	0.2%
7	2+ PKS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2466 valid cases out of 2536 total cases.

V2103	**102B03:EVER DRINK**

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	696	27.4 %	28.9%
2	YES:(2)	1711	67.5 %	71.1%
-9 (M)	MISSING:(-9)	129	5.1 %	-

Based upon 2407 valid cases out of 2536 total cases.

V2104	**102B04A:#X ALC/LIF SIPS**

Location: 238-239 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	696	27.4 %	29.4%
2	1-2X:(2)	175	6.9 %	7.4%
3	3-5X:(3)	275	10.8 %	11.6%
4	6-9X:(4)	221	8.7 %	9.3%
5	10-19X:(5)	261	10.3 %	11.0%
6	20-39X:(6)	243	9.6 %	10.2%
7	40+OCCAS:(7)	500	19.7 %	21.1%
-9 (M)	MISSING:(-9)	165	6.5 %	-

Based upon 2371 valid cases out of 2536 total cases.

V2105	**102B04B:#X ALC/ANN SIPS**
Location:	240-241 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	806	31.8 %	34.0%
2	1-2X:(2)	396	15.6 %	16.7%
3	3-5X:(3)	323	12.7 %	13.6%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	226	8.9 %	9.5%
5	10-19X:(5)	247	9.7 %	10.4%
6	20-39X:(6)	162	6.4 %	6.8%
7	40+OCCAS:(7)	214	8.4 %	9.0%
-9 (M)	MISSING:(-9)	162	6.4 %	-

Based upon 2374 valid cases out of 2536 total cases.

V2106	**102B04C:#X ALC/30D SIPS**

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1332	52.5 %	56.2%
2	1-2X:(2)	479	18.9 %	20.2%
3	3-5X:(3)	276	10.9 %	11.6%
4	6-9X:(4)	143	5.6 %	6.0%
5	10-19X:(5)	76	3.0 %	3.2%
6	20-39X:(6)	23	0.9 %	1.0%
7	40+OCCAS:(7)	43	1.7 %	1.8%
-9 (M)	MISSING:(-9)	164	6.5 %	-

Based upon 2372 valid cases out of 2536 total cases.

V2107	**102B05 :#X DRK ENF FL HI**

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On
about half of the occasions" 4="On most of the occasions"
5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	445	17.5 %	26.1%
2	FEW OCC:(2)	454	17.9 %	26.6%
3	HALF OCC:(3)	245	9.7 %	14.3%
4	MOST OCC:(4)	324	12.8 %	19.0%
5	NRLY ALL:(5)	240	9.5 %	14.1%
-9 (M)	MISSING:(-9)	828	32.6 %	-

Based upon 1708 valid cases out of 2536 total cases.

V2108	**102B06:5+DRK ROW/LST 2W**

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you
had five or more drinks in a row? (A "drink" is a bottle of
beer, a glass of wine, a wine cooler, a shot glass of liquor,
a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10
or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1701	67.1 %	73.5%
2	ONCE:(2)	232	9.1 %	10.0%
3	TWICE:(3)	170	6.7 %	7.3%
4	3-5X:(4)	147	5.8 %	6.3%
5	6-9X:(5)	35	1.4 %	1.5%
6	10+ TIME:(6)	30	1.2 %	1.3%
-9 (M)	MISSING:(-9)	221	8.7 %	-

Based upon 2315 valid cases out of 2536 total cases.

V2115	**102B07A:#XMJ+HS/LIFETIME**

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1331	52.5 %	54.8%
2	1-2X:(2)	239	9.4 %	9.8%
3	3-5X:(3)	170	6.7 %	7.0%
4	6-9X:(4)	116	4.6 %	4.8%
5	10-19X:(5)	131	5.2 %	5.4%
6	20-39X:(6)	85	3.4 %	3.5%
7	40+OCCAS:(7)	355	14.0 %	14.6%
-9 (M)	MISSING:(-9)	109	4.3 %	-

Based upon 2427 valid cases out of 2536 total cases.

V2116   102B07B:#XMJ+HS/LAST12MO

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1566	61.8 %	64.5%
2	1-2X:(2)	242	9.5 %	10.0%
3	3-5X:(3)	159	6.3 %	6.5%
4	6-9X:(4)	73	2.9 %	3.0%
5	10-19X:(5)	98	3.9 %	4.0%
6	20-39X:(6)	79	3.1 %	3.3%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	211	8.3 %	8.7%
-9 (M)	MISSING:(-9)	108	4.3 %	-

Based upon 2428 valid cases out of 2536 total cases.

V2117	**102B07C:#XMJ+HS/LAST30DA**

Location:	252-253 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1895	74.7 %	78.1%
2	1-2X:(2)	203	8.0 %	8.4%
3	3-5X:(3)	71	2.8 %	2.9%
4	6-9X:(4)	55	2.2 %	2.3%
5	10-19X:(5)	66	2.6 %	2.7%
6	20-39X:(6)	42	1.7 %	1.7%
7	40+OCCAS:(7)	93	3.7 %	3.8%
-9 (M)	MISSING:(-9)	111	4.4 %	-

Based upon 2425 valid cases out of 2536 total cases.

V2118	**102B08A:#X LSD/LIFETIME**

Location:	254-255 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2356	92.9 %	96.0%
2	1-2X:(2)	59	2.3 %	2.4%
3	3-5X:(3)	21	0.8 %	0.9%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	82	3.2 %	-

Based upon 2454 valid cases out of 2536 total cases.

V2119	**102B08B:#X LSD/LAST 12MO**

Location:	256-257 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00900

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2396	94.5 %	97.6%
2	1-2X:(2)	38	1.5 %	1.5%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	82	3.2 %	-

Based upon 2454 valid cases out of 2536 total cases.

V2120	**102B08C:#X LSD/LAST 30DA**

Location:	258-259 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 00910

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2430	95.8 %	99.1%
2	1-2X:(2)	16	0.6 %	0.7%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	84	3.3 %	-

Based upon 2452 valid cases out of 2536 total cases.

V2121	102B09A:#X PSYD/LIFETIME

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

On how many occasions (if any) have you used hallucinogens
other than LSD (like mescaline, peyote, "shrooms" or
psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2270	89.5 %	92.6%
2	1-2X:(2)	107	4.2 %	4.4%
3	3-5X:(3)	38	1.5 %	1.5%
4	6-9X:(4)	13	0.5 %	0.5%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	2	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	84	3.3 %	-

Based upon 2452 valid cases out of 2536 total cases.

V2122	**102B09B:#X PSYD/LAST12MO**

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2335	92.1 %	95.2%
2	1-2X:(2)	73	2.9 %	3.0%
3	3-5X:(3)	25	1.0 %	1.0%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	84	3.3 %	-

Based upon 2452 valid cases out of 2536 total cases.

V2123	**102B09C:#X PSYD/LAST30DA**

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2418	95.3 %	98.7%
2	1-2X:(2)	23	0.9 %	0.9%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	86	3.4 %	-

Based upon 2450 valid cases out of 2536 total cases.

V2124	**102B10A:#X COKE/LIFETIME**

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2335	92.1 %	95.1%
2	1-2X:(2)	54	2.1 %	2.2%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	18	0.7 %	0.7%
-9 (M)	MISSING:(-9)	81	3.2 %	-

Based upon 2455 valid cases out of 2536 total cases.

V2125	**102B10B:#X COKE/LAST12MO**

Location:	268-269 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00960

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2393	94.4 %	97.4%
2	1-2X:(2)	29	1.1 %	1.2%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2456 valid cases out of 2536 total cases.

V2126	**102B10C:#X COKE/LAST30DA**

Location:	270-271 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00970

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2427	95.7 %	98.8%
2	1-2X:(2)	17	0.7 %	0.7%
3	3-5X:(3)	1	0.0 %	0.0%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2456 valid cases out of 2536 total cases.

V2127	**102B11A:#X AMPH/LIFETIME**

Location:	272-273 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2154	84.9 %	87.8%
2	1-2X:(2)	98	3.9 %	4.0%
3	3-5X:(3)	68	2.7 %	2.8%
4	6-9X:(4)	35	1.4 %	1.4%
5	10-19X:(5)	38	1.5 %	1.5%
6	20-39X:(6)	23	0.9 %	0.9%
7	40+OCCAS:(7)	38	1.5 %	1.5%
-9 (M)	MISSING:(-9)	82	3.2 %	-

Based upon 2454 valid cases out of 2536 total cases.

V2128	**102B11B:#X AMPH/LAST12MO**

Location:	274-275 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2248	88.6 %	91.6%
2	1-2X:(2)	95	3.7 %	3.9%
3	3-5X:(3)	37	1.5 %	1.5%
4	6-9X:(4)	24	0.9 %	1.0%
5	10-19X:(5)	23	0.9 %	0.9%
6	20-39X:(6)	17	0.7 %	0.7%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	82	3.2 %	-

Based upon 2454 valid cases out of 2536 total cases.

V2129	**102B11C:#X AMPH/LAST30DA**

Location:	276-277 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2359	93.0 %	96.2%
2	1-2X:(2)	52	2.1 %	2.1%
3	3-5X:(3)	16	0.6 %	0.7%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	13	0.5 %	0.5%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2453 valid cases out of 2536 total cases.

V2130	102B12A:#X ICE/LIFETIME

Location:	278-279 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2409	95.0 %	98.0%
2	1-2X:(2)	24	0.9 %	1.0%
3	3-5X:(3)	8	0.3 %	0.3%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	77	3.0 %	-

Based upon 2459 valid cases out of 2536 total cases.

V2131	102B12B:#X ICE/LAST12MO

Location:	280-281 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2436	96.1 %	99.1%
2	1-2X:(2)	11	0.4 %	0.4%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	77	3.0 %	-

Based upon 2459 valid cases out of 2536 total cases.

V2132	102B12C:#X ICE/LAST30DA

Location:	282-283 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2444	96.4 %	99.4%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	77	3.0 %	-

Based upon 2459 valid cases out of 2536 total cases.

V2133	102B13A:#X SED/BARB/LIFE

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed
by doctors to help people relax or get to sleep. They are
sometimes called downs or downers, and include phenobarbital,
Tuinal, Nembutal, and Seconal. On how many occasions (if any)
have you taken sedatives on your own--that is, without a
doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2265	89.3 %	92.3%
2	1-2X:(2)	72	2.8 %	2.9%
3	3-5X:(3)	44	1.7 %	1.8%
4	6-9X:(4)	20	0.8 %	0.8%
5	10-19X:(5)	21	0.8 %	0.9%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	22	0.9 %	0.9%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2453 valid cases out of 2536 total cases.

V2134   102B13B:#X SED/BARB/12MO

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

On how many occasions (if any) have you taken sedatives on
your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2330	91.9 %	95.0%
2	1-2X:(2)	55	2.2 %	2.2%
3	3-5X:(3)	32	1.3 %	1.3%
4	6-9X:(4)	16	0.6 %	0.7%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	6	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	84	3.3 %	-

Based upon 2452 valid cases out of 2536 total cases.

V2135	**102B13C:#X SED/BARB/30DA**

Location:	288-289 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2410	95.0 %	98.2%
2	1-2X:(2)	23	0.9 %	0.9%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2453 valid cases out of 2536 total cases.

V2136	**102B14A:#X TRQL/LIFETIME**

Location:	290-291 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm
people down, quiet their nerves, or relax their muscles.
Librium, Valium, and Xanax are all tranquilizers. On how
many occasions (if any) have you taken tranquilizers on
your own--that is, without a doctor telling you to take
them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2260	89.1 %	91.9%
2	1-2X:(2)	81	3.2 %	3.3%
3	3-5X:(3)	42	1.7 %	1.7%
4	6-9X:(4)	26	1.0 %	1.1%
5	10-19X:(5)	20	0.8 %	0.8%
6	20-39X:(6)	13	0.5 %	0.5%
7	40+OCCAS:(7)	18	0.7 %	0.7%
-9 (M)	MISSING:(-9)	76	3.0 %	-

Based upon 2460 valid cases out of 2536 total cases.

V2137	**102B14B:#X TRQL/LAST12MO**

Location: 292-293 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2332	92.0 %	94.9%
2	1-2X:(2)	58	2.3 %	2.4%
3	3-5X:(3)	26	1.0 %	1.1%
4	6-9X:(4)	17	0.7 %	0.7%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	11	0.4 %	0.4%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	78	3.1 %	-

Based upon 2458 valid cases out of 2536 total cases.

V2138	**102B14C:#X TRQL/LAST30DA**

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2401	94.7 %	97.7%
2	1-2X:(2)	37	1.5 %	1.5%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	6	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	79	3.1 %	-

Based upon 2457 valid cases out of 2536 total cases.

V2510	**102B15A:#X H LIF USE NDL**

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2423	95.5 %	98.9%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	87	3.4 %	-

Based upon 2449 valid cases out of 2536 total cases.

V2511	102B15B:#X H 12M USE NDL

Location:	298-299 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29640

On how many occasions (if any) have you taken heroin using
a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2430	95.8 %	99.3%
2	1-2X:(2)	6	0.2 %	0.2%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	88	3.5 %	-

Based upon 2448 valid cases out of 2536 total cases.

V2512	102B15C:#X H 30D USE NDL

Location:	300-301 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2437	96.1 %	99.5%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	87	3.4 %	-

Based upon 2449 valid cases out of 2536 total cases.

V2513	102B16A:#X H LIF W/O NDL

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2415	95.2 %	98.7%
2	1-2X:(2)	12	0.5 %	0.5%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	5	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	90	3.5 %	-

Based upon 2446 valid cases out of 2536 total cases.

V2514	102B16B:#X H 12M W/O NDL

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2430	95.8 %	99.3%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	88	3.5 %	-

Based upon 2448 valid cases out of 2536 total cases.

V2515	102B16C:#X H 30D W/O NDL

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2437	96.1 %	99.6%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	90	3.5 %	-

Based upon 2446 valid cases out of 2536 total cases.

V2139	**102R* :#X H/LIFETIME**

Location:	308-309 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2420	95.4 %	98.4%
2	1-2X:(2)	15	0.6 %	0.6%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	76	3.0 %	-

Based upon 2460 valid cases out of 2536 total cases.

V2140	**102R* :#X H/LAST12MO**

Location:	310-311 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2437	96.1 %	99.0%
2	1-2X:(2)	6	0.2 %	0.2%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2461 valid cases out of 2536 total cases.

V2141	**102R* :#X H/LAST30DA**

Location:	312-313 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2446	96.5 %	99.4%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	76	3.0 %	-

Based upon 2460 valid cases out of 2536 total cases.

V2142	**102B17A:#X NARC/LIFETIME**

Location:	314-315 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2123	83.7 %	87.2%
2	1-2X:(2)	111	4.4 %	4.6%
3	3-5X:(3)	59	2.3 %	2.4%
4	6-9X:(4)	45	1.8 %	1.8%
5	10-19X:(5)	38	1.5 %	1.6%
6	20-39X:(6)	23	0.9 %	0.9%
7	40+OCCAS:(7)	36	1.4 %	1.5%
-9 (M)	MISSING:(-9)	101	4.0 %	-

Based upon 2435 valid cases out of 2536 total cases.

V2143	**102B17B:#X NARC/LAST12MO**

Location:	316-317 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2225	87.7 %	91.3%
2	1-2X:(2)	82	3.2 %	3.4%
3	3-5X:(3)	47	1.9 %	1.9%
4	6-9X:(4)	31	1.2 %	1.3%
5	10-19X:(5)	27	1.1 %	1.1%
6	20-39X:(6)	16	0.6 %	0.7%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	99	3.9 %	-

Based upon 2437 valid cases out of 2536 total cases.

V2144	**102B17C:#X NARC/LAST30DA**

Location:	318-319 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2350	92.7 %	96.5%
2	1-2X:(2)	39	1.5 %	1.6%
3	3-5X:(3)	24	0.9 %	1.0%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	101	4.0 %	-

Based upon 2435 valid cases out of 2536 total cases.

V2145	102B18A:#X INHL/LIFETIME

Location:	320-321 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2209	87.1 %	90.9%
2	1-2X:(2)	119	4.7 %	4.9%
3	3-5X:(3)	35	1.4 %	1.4%
4	6-9X:(4)	30	1.2 %	1.2%
5	10-19X:(5)	17	0.7 %	0.7%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	13	0.5 %	0.5%
-9 (M)	MISSING:(-9)	106	4.2 %	-

Based upon 2430 valid cases out of 2536 total cases.

V2146	102B18B:#X INHL/LAST12MO

Location:	322-323 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2335	92.1 %	96.0%
2	1-2X:(2)	52	2.1 %	2.1%
3	3-5X:(3)	25	1.0 %	1.0%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	103	4.1 %	-

Based upon 2433 valid cases out of 2536 total cases.

V2147	102B18C:#X INHL/LAST30DA

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2396	94.5 %	98.5%
2	1-2X:(2)	24	0.9 %	1.0%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	104	4.1 %	-

Based upon 2432 valid cases out of 2536 total cases.

V2148	**102C01(R):AGE <>18 DICHOTOMY**

Location:	326-327 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

Component variables: 1) Q.C01 "In what year were you born?"
(item 00010), 2) Q. C02 "In what month were you born?"
(item 00020), and 3) date of questionnaire administration
as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%	Valid %
1	< 18 YRS:(1)	1101	43.4 %	44.8%
2	18+ YRS:(2)	1355	53.4 %	55.2%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2456 valid cases out of 2536 total cases.

V2150	**102C03 :Rs SEX**

Location:	328-329 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%	Valid %
1	MALE:(1)	1124	44.3 %	47.6%
2	FEMALE:(2)	1239	48.9 %	52.4%
-9 (M)	MISSING:(-9)	173	6.8 %	-

Based upon 2363 valid cases out of 2536 total cases.

V2151	**102C04(R):R'S RACE B/W/H**

Location:	330-331 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban
American; Puerto Rican; Other Hispanic or Latino; Asian
American; White (Caucasian); American Indian or Alaska Native;
Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American"
= 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or
"Cuban..." or "Puerto Rican" or "Other Hispanic...").
All other responses, including those of respondents who fell
into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%	Valid %
1	BLACK:(1)	343	13.5 %	16.3%
2	WHITE:(2)	1393	54.9 %	66.1%
3	HISPANIC:(3)	372	14.7 %	17.6%
-9 (M)	MISSING:(-9)	428	16.9 %	-

Based upon 2108 valid cases out of 2536 total cases.

V2152	**102C05 :R SPD >TIM R-URB**
Location:	332-333 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small
city or town (under 50,000 people)" 4="In a medium-sized city
(50,000-100,000)" 5="In a suburb of a medium-sized city"
6="In a large city (100,000-500,000)" 7="In a suburb of a
large city" 8="In a very large city (over 500,000)" 9="In a
suburb of a very large city" 0="Can't say; mixed" and
nonresponse

Value	Label	Unweighted Frequency	%	Valid %
0	DK/MIXED:(0)	261	10.3 %	10.3%

Value	Label	Unweighted Frequency	%	Valid %
1	A FARM:(1)	114	4.5 %	4.5%
2	COUNTRY:(2)	222	8.8 %	8.8%
3	SM CITY:(3)	595	23.5 %	23.5%
4	MED CITY:(4)	367	14.5 %	14.5%
5	SUB MED:(5)	288	11.4 %	11.4%
6	LGE CITY:(6)	276	10.9 %	10.9%
7	SUB LGE:(7)	178	7.0 %	7.0%
8	V-LGE CITY:(8)	155	6.1 %	6.1%
9	SUB V-LGE:(9)	80	3.2 %	3.2%

Based upon 2536 valid cases out of 2536 total cases.

V2153	**102C06 :R NOT MARRIED**

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	75	3.0 %	3.1%
2	ENGAGED:(2)	127	5.0 %	5.2%
3	SEP/DIV:(3)	31	1.2 %	1.3%
4	SINGLE:(4)	2212	87.2 %	90.5%
-9 (M)	MISSING:(-9)	91	3.6 %	-

Based upon 2445 valid cases out of 2536 total cases.

V49	**102C07(R):# SIBLINGS**

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component questions: "How many brothers and sisters do you
have? (Include stepbrothers and sisters and half-brothers
and sisters) a) Older brothers and sisters" (item 00075);
"b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or

more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	133	5.2 %	5.5%
1	ONE:(1)	684	27.0 %	28.1%
2	TWO:(2)	632	24.9 %	26.0%
3	THREE+:(3-4)	983	38.8 %	40.4%
-9 (M)	MISSING:(-9)	104	4.1 %	-

Based upon 2432 valid cases out of 2536 total cases.

V2155	**102C07Cb(R):R'S HSHLD FATHER**

Location:	338-339 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	724	28.5 %	29.8%
1	MARKED:(1)	1705	67.2 %	70.2%
-9 (M)	MISSING:(-9)	107	4.2 %	-

Based upon 2429 valid cases out of 2536 total cases.

V2156	**102C07Cc(R):R'S HSHLD MOTHER**

Location:	340-341 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	263	10.4 %	10.8%
1	MARKED:(1)	2166	85.4 %	89.2%
-9 (M)	MISSING:(-9)	107	4.2 %	-

Based upon 2429 valid cases out of 2536 total cases.

V2157	**102C07Cd(R):R'S HSHLD BR/SR**

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	794	31.3 %	32.7%
1	MARKED:(1)	1635	64.5 %	67.3%
-9 (M)	MISSING:(-9)	107	4.2 %	-

Based upon 2429 valid cases out of 2536 total cases.

V2163	**102C08 :FATHR EDUC LEVEL**

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	91	3.6 %	3.8%
2	SOME HS:(2)	264	10.4 %	10.9%
3	HS GRAD:(3)	657	25.9 %	27.1%
4	SOME CLG:(4)	422	16.6 %	17.4%
5	CLG GRAD:(5)	509	20.1 %	21.0%
6	GRAD SCH:(6)	280	11.0 %	11.6%
7	DK:(7)	200	7.9 %	8.3%
-9 (M)	MISSING:(-9)	113	4.5 %	-

Based upon 2423 valid cases out of 2536 total cases.

V2164	**102C09 :MOTHR EDUC LEVEL**

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	91	3.6 %	3.8%
2	SOME HS:(2)	199	7.8 %	8.2%
3	HS GRAD:(3)	553	21.8 %	22.8%
4	SOME CLG:(4)	523	20.6 %	21.6%
5	CLG GRAD:(5)	672	26.5 %	27.7%
6	GRAD SCH:(6)	268	10.6 %	11.0%
7	DK:(7)	120	4.7 %	4.9%
-9 (M)	MISSING:(-9)	110	4.3 %	-

Based upon 2426 valid cases out of 2536 total cases.

V2165	**102C10 :MOTH PD JB R YNG**

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	305	12.0 %	12.6%
2	YES/SOME:(2)	464	18.3 %	19.2%
3	YES/MOST:(3)	464	18.3 %	19.2%
4	YES/NRLY ALL:(4)	1184	46.7 %	49.0%
-9 (M)	MISSING:(-9)	119	4.7 %	-

Based upon 2417 valid cases out of 2536 total cases.

V2166	**102C11 :Rs POLTL PRFNC**

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%	Valid %
1	STRG GOP:(1)	229	9.0 %	10.0%
2	MILD GOP:(2)	292	11.5 %	12.7%
3	MILD DEM:(3)	318	12.5 %	13.9%
4	STRG DEM:(4)	236	9.3 %	10.3%
5	INDEPNDT:(5)	249	9.8 %	10.9%
6	NO PREF:(6)	375	14.8 %	16.4%
7	OTHER:(7)	39	1.5 %	1.7%
8	DK/HVNT DECID:(8)	554	21.8 %	24.2%
-9 (M)	MISSING:(-9)	244	9.6 %	-

Based upon 2292 valid cases out of 2536 total cases.

V2167	**102C12 :R POL BLF RADCL**

Location:	352-353 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the
above, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY CONS:(1)	128	5.0 %	5.3%
2	CONSERV:(2)	288	11.4 %	12.0%
3	MODERATE:(3)	633	25.0 %	26.3%
4	LIBERAL:(4)	358	14.1 %	14.9%
5	VRY LIB:(5)	90	3.5 %	3.7%
6	RADICAL:(6)	45	1.8 %	1.9%
8	NONE/DK:(8)	861	34.0 %	35.8%
-9 (M)	MISSING:(-9)	133	5.2 %	-

Based upon 2403 valid cases out of 2536 total cases.

V2169   102C13B:R ATTND REL SVC

Location:	354-355 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a
week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	370	14.6 %	19.5%
2	RARELY:(2)	650	25.6 %	34.3%
3	1-2X/MO:(3)	345	13.6 %	18.2%
4	1/WK OR+:(4)	532	21.0 %	28.0%
-9 (M)	MISSING:(-9)	639	25.2 %	-

Based upon 1897 valid cases out of 2536 total cases.

V2170	**102C13C:RLGN IMP Rs LF**

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	373	14.7 %	19.6%
2	LITL IMP:(2)	481	19.0 %	25.3%
3	PRTY IMP:(3)	526	20.7 %	27.7%
4	VERY IMP:(4)	520	20.5 %	27.4%
-9 (M)	MISSING:(-9)	636	25.1 %	-

Based upon 1900 valid cases out of 2536 total cases.

V2171	**102C14 :WHEN R XPCT GRAD**

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%	Valid %
1	JUNE:(1)	2357	92.9 %	97.9%
2	JUL-JAN:(2)	35	1.4 %	1.5%
6	DONT EXPCT:(6)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	128	5.0 %	-

Based upon 2408 valid cases out of 2536 total cases.

V2172	**102C15 :Rs HS PROGRAM**

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	CLG PREP:(1)	1332	52.5 %	55.6%
2	GENERAL:(2)	756	29.8 %	31.6%
3	VOC-TECH:(3)	111	4.4 %	4.6%
4	OTH/DK:(4)	195	7.7 %	8.1%
-9 (M)	MISSING:(-9)	142	5.6 %	-

Based upon 2394 valid cases out of 2536 total cases.

V2173	**102C16 :RT SF SCH AB>AVG**

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BELOW:(1)	32	1.3 %	1.3%
2	BELOW AVG:(2)	43	1.7 %	1.8%
3	SLIGHT BELOW:(3)	99	3.9 %	4.1%
4	AVERAGE:(4)	764	30.1 %	31.9%
5	SLIGHT ABOVE:(5)	580	22.9 %	24.2%
6	ABOVE AVG:(6)	709	28.0 %	29.6%
7	FAR ABOVE:(7)	168	6.6 %	7.0%
-9 (M)	MISSING:(-9)	141	5.6 %	-

Based upon 2395 valid cases out of 2536 total cases.

V2174	**102C17 :RT SF INTELL>AVG**

Location: 364-365 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BELOW:(1)	24	0.9 %	1.0%
2	BELOW AVG:(2)	34	1.3 %	1.4%
3	SLIGHT BELOW:(3)	102	4.0 %	4.3%
4	AVERAGE:(4)	709	28.0 %	29.7%
5	SLIGHT ABOVE:(5)	568	22.4 %	23.8%
6	ABOVE AVG:(6)	756	29.8 %	31.6%
7	FAR ABOVE:(7)	196	7.7 %	8.2%
-9 (M)	MISSING:(-9)	147	5.8 %	-

Based upon 2389 valid cases out of 2536 total cases.

V2175	**102C18A:#DA/4W SC MS ILL**

Location:	366-367 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1328	52.4 %	56.3%
2	1 DAY:(2)	437	17.2 %	18.5%
3	2 DAYS:(3)	261	10.3 %	11.1%
4	3 DAYS:(4)	149	5.9 %	6.3%
5	4-5 DAYS:(5)	115	4.5 %	4.9%
6	6-10 DA:(6)	35	1.4 %	1.5%

Value	Label	Unweighted Frequency	%	Valid %
7	11+ DAYS:(7)	32	1.3 %	1.4%
-9 (M)	MISSING:(-9)	179	7.1 %	-

Based upon 2357 valid cases out of 2536 total cases.

V2176	**102C18B:#DA/4W SC MS CUT**

Location:	368-369 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1529	60.3 %	66.0%
2	1 DAY:(2)	358	14.1 %	15.4%
3	2 DAYS:(3)	176	6.9 %	7.6%
4	3 DAYS:(4)	106	4.2 %	4.6%
5	4-5 DAYS:(5)	82	3.2 %	3.5%
6	6-10 DA:(6)	39	1.5 %	1.7%
7	11+ DAYS:(7)	28	1.1 %	1.2%
-9 (M)	MISSING:(-9)	218	8.6 %	-

Based upon 2318 valid cases out of 2536 total cases.

V2177	**102C18C:#DA/4W SC MS OTH**

Location:	370-371 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10

Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1248	49.2 %	53.4%
2	1 DAY:(2)	423	16.7 %	18.1%
3	2 DAYS:(3)	289	11.4 %	12.4%
4	3 DAYS:(4)	180	7.1 %	7.7%
5	4-5 DAYS:(5)	120	4.7 %	5.1%
6	6-10 DA:(6)	48	1.9 %	2.1%
7	11+ DAYS:(7)	31	1.2 %	1.3%
-9 (M)	MISSING:(-9)	197	7.8 %	-

Based upon 2339 valid cases out of 2536 total cases.

V2178	**102C19 :#DA/4W SKP CLASS**

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1601	63.1 %	66.8%
2	1-2:(2)	481	19.0 %	20.1%
3	3-5:(3)	196	7.7 %	8.2%
4	6-10:(4)	70	2.8 %	2.9%
5	11-20:(5)	26	1.0 %	1.1%
6	21+:(6)	21	0.8 %	0.9%
-9 (M)	MISSING:(-9)	141	5.6 %	-

Based upon 2395 valid cases out of 2536 total cases.

V2179	**102C20 :R HS GRADE/D = 1**

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	23	0.9 %	1.0%
2	C-:(2)	48	1.9 %	2.0%
3	C:(3)	116	4.6 %	4.9%
4	C+:(4)	226	8.9 %	9.5%
5	B-:(5)	275	10.8 %	11.5%
6	B:(6)	426	16.8 %	17.8%
7	B+:(7)	461	18.2 %	19.3%
8	A-:(8)	393	15.5 %	16.4%
9	A:(9)	423	16.7 %	17.7%
-9 (M)	MISSING:(-9)	145	5.7 %	-

Based upon 2391 valid cases out of 2536 total cases.

V2180	**102C21A:R WL DO VOC/TEC**

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1265	49.9 %	55.9%
2	PRB WONT:(2)	516	20.3 %	22.8%
3	PRB WILL:(3)	291	11.5 %	12.9%
4	DEF WILL:(4)	190	7.5 %	8.4%
-9 (M)	MISSING:(-9)	274	10.8 %	-

Based upon 2262 valid cases out of 2536 total cases.

V2181	**102C21B:R WL DO ARMD FC**

Location:	378-379 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00490

How likely is it that you will do each of the following
things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1538	60.6 %	67.5%
2	PRB WONT:(2)	461	18.2 %	20.2%
3	PRB WILL:(3)	171	6.7 %	7.5%
4	DEF WILL:(4)	109	4.3 %	4.8%
-9 (M)	MISSING:(-9)	257	10.1 %	-

Based upon 2279 valid cases out of 2536 total cases.

V2182	**102C21C:R WL DO 2YR CLG**

Location:	380-381 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00500

How likely is it that you will do each of the following
things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	822	32.4 %	36.1%
2	PRB WONT:(2)	417	16.4 %	18.3%
3	PRB WILL:(3)	554	21.8 %	24.4%
4	DEF WILL:(4)	482	19.0 %	21.2%
-9 (M)	MISSING:(-9)	261	10.3 %	-

Based upon 2275 valid cases out of 2536 total cases.

V2183	**102C21D:R WL DO 4YR CLG**

Location:	382-383 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00510

How likely is it that you will do each of the following
things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	163	6.4 %	7.0%
2	PRB WONT:(2)	208	8.2 %	8.9%
3	PRB WILL:(3)	546	21.5 %	23.4%
4	DEF WILL:(4)	1416	55.8 %	60.7%
-9 (M)	MISSING:(-9)	203	8.0 %	-

Based upon 2333 valid cases out of 2536 total cases.

| **V2184** | **102C21E:R WL DO GRD/PRF** |

Location:	384-385 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00520

How likely is it that you will do each of the following
things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	337	13.3 %	14.7%
2	PRB WONT:(2)	583	23.0 %	25.5%
3	PRB WILL:(3)	807	31.8 %	35.3%
4	DEF WILL:(4)	558	22.0 %	24.4%
-9 (M)	MISSING:(-9)	251	9.9 %	-

Based upon 2285 valid cases out of 2536 total cases.

V2185	102C22A:R WNTDO VOC/TEC

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1988	78.4 %	84.6%
1	MARKED:(1)	363	14.3 %	15.4%
-9 (M)	MISSING:(-9)	185	7.3 %	-

Based upon 2351 valid cases out of 2536 total cases.

V2186	102C22B:R WNTDO ARMD FC

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2004	79.0 %	85.2%
1	MARKED:(1)	347	13.7 %	14.8%
-9 (M)	MISSING:(-9)	185	7.3 %	-

Based upon 2351 valid cases out of 2536 total cases.

V2187	102C22C:R WNTDO 2YR CLG

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

| Range of Missing Values (M): | -9 |
| Question: | |

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1693	66.8 %	72.0%
1	MARKED:(1)	658	25.9 %	28.0%
-9 (M)	MISSING:(-9)	185	7.3 %	-

Based upon 2351 valid cases out of 2536 total cases.

V2188	**102C22D:R WNTDO 4YR CLG**

Location:	392-393 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	485	19.1 %	20.6%
1	MARKED:(1)	1866	73.6 %	79.4%
-9 (M)	MISSING:(-9)	185	7.3 %	-

Based upon 2351 valid cases out of 2536 total cases.

V2189	**102C22E:R WNTDO GRD/PRF**

Location:	394-395 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1035	40.8 %	44.0%
1	MARKED:(1)	1316	51.9 %	56.0%
-9 (M)	MISSING:(-9)	185	7.3 %	-

Based upon 2351 valid cases out of 2536 total cases.

V2190	**102C22F:R WNTDO NONE**

Location:	396-397 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2243	88.4 %	95.4%
1	MARKED:(1)	108	4.3 %	4.6%
-9 (M)	MISSING:(-9)	185	7.3 %	-

Based upon 2351 valid cases out of 2536 total cases.

V2191	**102C23 :HRS/W WRK SCHYR**

Location:	398-399 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30

hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	938	37.0 %	39.8%
2	5 OR <:(2)	267	10.5 %	11.3%
3	6-10 HRS:(3)	274	10.8 %	11.6%
4	11-15 HR:(4)	233	9.2 %	9.9%
5	16-20 HR:(5)	249	9.8 %	10.6%
6	21-25 HR:(6)	169	6.7 %	7.2%
7	26-30 HR:(7)	104	4.1 %	4.4%
8	30+ HRS:(8)	122	4.8 %	5.2%
-9 (M)	MISSING:(-9)	180	7.1 %	-

Based upon 2356 valid cases out of 2536 total cases.

V2192	**102C24A:R$/AVG WEEK JOB**

Location: 400-402 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1041	41.0 %	45.1%
2	$1-5:(2)	21	0.8 %	0.9%
3	$6-10:(3)	78	3.1 %	3.4%
4	$11-20:(4)	63	2.5 %	2.7%
5	$21-35:(5)	88	3.5 %	3.8%
6	$36-50:(6)	109	4.3 %	4.7%
7	$51-75:(7)	147	5.8 %	6.4%
8	$76-125:(8)	323	12.7 %	14.0%
9	$126-175:(9)	201	7.9 %	8.7%
10	$176+:(10)	238	9.4 %	10.3%
-9 (M)	MISSING:(-9)	227	9.0 %	-

Based upon 2309 valid cases out of 2536 total cases.

V2193	**102C24B:R$/AVG WEEK OTH**

Location:	403-405 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	902	35.6 %	39.6%
2	$1-5:(2)	126	5.0 %	5.5%
3	$6-10:(3)	216	8.5 %	9.5%
4	$11-20:(4)	381	15.0 %	16.7%
5	$21-35:(5)	243	9.6 %	10.7%
6	$36-50:(6)	163	6.4 %	7.2%
7	$51-75:(7)	71	2.8 %	3.1%
8	$76-125:(8)	69	2.7 %	3.0%
9	$126-175:(9)	23	0.9 %	1.0%
10	$176+:(10)	85	3.4 %	3.7%
-9 (M)	MISSING:(-9)	257	10.1 %	-

Based upon 2279 valid cases out of 2536 total cases.

V2194	**102C25 :#X/AV WK GO OUT**

Location:	406-407 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00620

During a typical week, on how many evenings do you go out
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

Value	Label	Unweighted Frequency	%	Valid %
1	< 1:(1)	303	11.9 %	12.9%
2	ONE:(2)	360	14.2 %	15.3%
3	TWO:(3)	609	24.0 %	26.0%
4	THREE:(4)	552	21.8 %	23.5%

Value	Label	Unweighted Frequency	%	Valid %
5	4-5:(5)	356	14.0 %	15.2%
6	6-7:(6)	166	6.5 %	7.1%
-9 (M)	MISSING:(-9)	190	7.5 %	-

Based upon 2346 valid cases out of 2536 total cases.

V2195	102C26 :#X DATE 3+/WK

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	721	28.4 %	31.2%
2	ONCE/MO:(2)	439	17.3 %	19.0%
3	2-3X MO:(3)	379	14.9 %	16.4%
4	ONCE WK:(4)	332	13.1 %	14.4%
5	2-3X WK:(5)	320	12.6 %	13.8%
6	3+ WEEK:(6)	122	4.8 %	5.3%
-9 (M)	MISSING:(-9)	223	8.8 %	-

Based upon 2313 valid cases out of 2536 total cases.

V2196	102C27 :DRIVE>200 MI/WK

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	545	21.5 %	23.4%
2	1-10 MI:(2)	229	9.0 %	9.8%
3	11-50:(3)	599	23.6 %	25.7%
4	51-100:(4)	466	18.4 %	20.0%
5	101-200:(5)	296	11.7 %	12.7%
6	> 200:(6)	199	7.8 %	8.5%
-9 (M)	MISSING:(-9)	202	8.0 %	-

Based upon 2334 valid cases out of 2536 total cases.

V2197	102C28 :#X/12MO R TCKTD

Location:	412-413 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you
received a ticket (OR been stopped and warned) for moving
violations, such as speeding, running a stop light, or
improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1778	70.1 %	77.0%
1	ONCE:(1)	311	12.3 %	13.5%
2	TWICE:(2)	127	5.0 %	5.5%
3	3 TIMES:(3)	55	2.2 %	2.4%
4	4+ TIMES:(4)	39	1.5 %	1.7%
-9 (M)	MISSING:(-9)	226	8.9 %	-

Based upon 2310 valid cases out of 2536 total cases.

V2198	102C29AR:#TCKTS AFT DRNK

Location:	414-415 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00660

How many of these tickets or warnings occurred after you
were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	488	19.2 %	94.0%
1	ONE:(1)	24	0.9 %	4.6%
2	TWO:(2)	5	0.2 %	1.0%
3	THREE+:(3-4)	2	0.1 %	0.4%
-9 (M)	MISSING:(-9)	2017	79.5 %	-

Based upon 519 valid cases out of 2536 total cases.

V2199	**102C29BR:#TCKTS AFT MARJ**

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	495	19.5 %	95.7%
1	ONE:(1)	18	0.7 %	3.5%
2	TWO:(2)	2	0.1 %	0.4%
3	THREE+:(3-4)	2	0.1 %	0.4%
-9 (M)	MISSING:(-9)	2019	79.6 %	-

Based upon 517 valid cases out of 2536 total cases.

V2200	**102C29CR:#TCKTS AFT OTDG**

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	507	20.0 %	98.8%
1	ONE:(1)	4	0.2 %	0.8%
2	TWO:(2)	2	0.1 %	0.4%
-9 (M)	MISSING:(-9)	2023	79.8 %	-

Based upon 513 valid cases out of 2536 total cases.

V2201	**102C30 :#ACCIDNTS/12 MO**

Location:	420-421 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="One" 2="Two" 3="Three" 4="Four or more"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1854	73.1 %	81.7%
1	ONCE:(1)	310	12.2 %	13.7%
2	TWICE:(2)	80	3.2 %	3.5%
3	3 TIMES:(3)	19	0.7 %	0.8%
4	4+ TIMES:(4)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	268	10.6 %	-

Based upon 2268 valid cases out of 2536 total cases.

V2202	**102C31AR:#ACDTS AFT DRNK**

| Location: | 422-423 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):	-9
Question:	

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	389	15.3 %	95.8%
1	ONE:(1)	15	0.6 %	3.7%
2	TWO:(2)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	2130	84.0 %	-

Based upon 406 valid cases out of 2536 total cases.

V2203	**102C31BR:#ACDTS AFT MARJ**

Location:	424-425 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	391	15.4 %	96.1%
1	ONE:(1)	10	0.4 %	2.5%
2	TWO:(2)	4	0.2 %	1.0%
3	THREE+:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	2129	84.0 %	-

Based upon 407 valid cases out of 2536 total cases.

V2204	**102C31CR:#ACDTS AFT OTDG**

Location:	426-427 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	397	15.7 %	97.8%
1	ONE:(1)	3	0.1 %	0.7%
2	TWO:(2)	6	0.2 %	1.5%
-9 (M)	MISSING:(-9)	2130	84.0 %	-

Based upon 406 valid cases out of 2536 total cases.

V2500	**102D01A:4WKS ALC@SCHOOL**

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 25690

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

A: . . . Under the influence of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	2186	86.2 %	94.1%
2	1 DAY:(2)	60	2.4 %	2.6%
3	2 DAYS:(3)	33	1.3 %	1.4%
4	3-5 DAYS:(4)	20	0.8 %	0.9%
5	6-9 DAYS:(5)	12	0.5 %	0.5%
6	10+ DAYS:(6)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	213	8.4 %	-

Based upon 2323 valid cases out of 2536 total cases.

V2501	**102D01B:4WKS MJ/OTD@SCHL**

Location: 430-431 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25700

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

B: . . . Under the influence of marijuana or some other illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	2080	82.0 %	89.5%
2	1 DAY:(2)	66	2.6 %	2.8%
3	2 DAYS:(3)	57	2.2 %	2.5%
4	3-5 DAYS:(4)	47	1.9 %	2.0%
5	6-9 DAYS:(5)	19	0.7 %	0.8%
6	10+ DAYS:(6)	54	2.1 %	2.3%
-9 (M)	MISSING:(-9)	213	8.4 %	-

Based upon 2323 valid cases out of 2536 total cases.

V2502   102D01C:4WKS TOBACCO@SCH

Location:	432-433 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25710

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

C: . . . Smoking cigarettes or using chewing tobacco while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	2115	83.4 %	91.4%
2	1 DAY:(2)	38	1.5 %	1.6%
3	2 DAYS:(3)	37	1.5 %	1.6%
4	3-5 DAYS:(4)	35	1.4 %	1.5%
5	6-9 DAYS:(5)	22	0.9 %	1.0%

Value	Label	Unweighted Frequency	%	Valid %
6	10+ DAYS:(6)	68	2.7 %	2.9%
-9 (M)	MISSING:(-9)	221	8.7 %	-

Based upon 2315 valid cases out of 2536 total cases.

V2503   102D01D:4WKS WEAPON@SCHL

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 25720

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

D: . . . Carrying a weapon such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	2219	87.5 %	95.9%
2	1 DAY:(2)	24	0.9 %	1.0%
3	2 DAYS:(3)	16	0.6 %	0.7%
4	3-5 DAYS:(4)	21	0.8 %	0.9%
5	6-9 DAYS:(5)	1	0.0 %	0.0%
6	10+ DAYS:(6)	32	1.3 %	1.4%
-9 (M)	MISSING:(-9)	223	8.8 %	-

Based upon 2313 valid cases out of 2536 total cases.

V2504   102D02A:#X TCHR INTRUPT

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 25730

During an average school week, about how many times . . .

A: . . . Do your teachers interrupt the class to deal with student misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"

7="20 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	415	16.4 %	18.0%
2	< 1/WK:(2)	495	19.5 %	21.4%
3	1-2X/WK:(3)	574	22.6 %	24.8%
4	3-5X/WK:(4)	434	17.1 %	18.8%
5	6-9X/WK:(5)	171	6.7 %	7.4%
6	10-19X/W:(6)	106	4.2 %	4.6%
7	20+:(7)	115	4.5 %	5.0%
-9 (M)	MISSING:(-9)	226	8.9 %	-

Based upon 2310 valid cases out of 2536 total cases.

V2505	102D02B:#X MISBHVR INT U

Location:	438-439 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25740

During an average school week, about how many times . . .

B: . . . Does misbehavior or goofing off by other students
in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-
5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	926	36.5 %	40.3%
2	< 1/WK:(2)	440	17.4 %	19.2%
3	1-2X/WK:(3)	420	16.6 %	18.3%
4	3-5X/WK:(4)	253	10.0 %	11.0%
5	6-9X/WK:(5)	124	4.9 %	5.4%
6	10-19X/W:(6)	62	2.4 %	2.7%
7	20+:(7)	71	2.8 %	3.1%
-9 (M)	MISSING:(-9)	240	9.5 %	-

Based upon 2296 valid cases out of 2536 total cases.

V2506	102D02C:#X U UNEXCSD LAT

Location:	440-441 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

Item Number: 25750

During an average school week, about how many times . . .

C: . . . Do you come to class late (after class has begun)
without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-
5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1064	42.0 %	46.4%
2	< 1/WK:(2)	613	24.2 %	26.8%
3	1-2X/WK:(3)	312	12.3 %	13.6%
4	3-5X/WK:(4)	181	7.1 %	7.9%
5	6-9X/WK:(5)	65	2.6 %	2.8%
6	10-19X/W:(6)	16	0.6 %	0.7%
7	20+:(7)	40	1.6 %	1.7%
-9 (M)	MISSING:(-9)	245	9.7 %	-

Based upon 2291 valid cases out of 2536 total cases.

V2507	**102D03 :SCHL RULES FAIR**

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 25760

Do you feel that the rules about student behavior in your
school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No,
mostly" 1="No"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	246	9.7 %	10.7%
2	NO MSTLY:(2)	338	13.3 %	14.7%
3	DK:(3)	259	10.2 %	11.3%
4	YES MSTL:(4)	987	38.9 %	42.9%
5	YES:(5)	471	18.6 %	20.5%
-9 (M)	MISSING:(-9)	235	9.3 %	-

Based upon 2301 valid cases out of 2536 total cases.

V2311	**102D04 :CMP SATFD W/LIFE**

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	92	3.6 %	4.0%
2	QUITE:(2)	166	6.5 %	7.2%
3	SOME DIS:(3)	147	5.8 %	6.4%
4	NEITHER:(4)	252	9.9 %	11.0%
5	SOME DIS:(5)	465	18.3 %	20.2%
6	QUITE:(6)	857	33.8 %	37.3%
7	COMPLETE:(7)	320	12.6 %	13.9%
-9 (M)	MISSING:(-9)	237	9.3 %	-

Based upon 2299 valid cases out of 2536 total cases.

V2312	**102D05A:HOW GD AS SPOUSE**

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06850

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

A: . . . As a husband or wife?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	POOR:(1)	40	1.6 %	1.7%
2	NOT GOOD:(2)	39	1.5 %	1.7%
3	FAIR GOOD:(3)	180	7.1 %	7.8%
4	GOOD:(4)	675	26.6 %	29.3%

Value	Label	Unweighted Frequency	%	Valid %
5	VRY GOOD:(5)	1268	50.0 %	55.1%
8	DK:(8)	100	3.9 %	4.3%
-9 (M)	MISSING:(-9)	234	9.2 %	-

Based upon 2302 valid cases out of 2536 total cases.

V2313   102D05B:HOW GD AS PARENT

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06860

How good do you think you would be . . .

B: . . . As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	POOR:(1)	50	2.0 %	2.2%
2	NOT GOOD:(2)	50	2.0 %	2.2%
3	FAIR GOOD:(3)	189	7.5 %	8.2%
4	GOOD:(4)	621	24.5 %	27.1%
5	VRY GOOD:(5)	1268	50.0 %	55.3%
8	DK:(8)	117	4.6 %	5.1%
-9 (M)	MISSING:(-9)	241	9.5 %	-

Based upon 2295 valid cases out of 2536 total cases.

V2314   102D05C:HOW GD AS WORKER

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06870

How good do you think you would be . . .

C: . . . As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	POOR:(1)	23	0.9 %	1.0%
2	NOT GOOD:(2)	13	0.5 %	0.6%
3	FAIR GOOD:(3)	101	4.0 %	4.4%
4	GOOD:(4)	616	24.3 %	26.9%
5	VRY GOOD:(5)	1505	59.3 %	65.6%
8	DK:(8)	36	1.4 %	1.6%
-9 (M)	MISSING:(-9)	242	9.5 %	-

Based upon 2294 valid cases out of 2536 total cases.

V2328	102D06A:2MCH COMPTN SCTY

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07010

How much do you agree or disagree with each of the following statements?

A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	244	9.6 %	10.8%
2	MOST DIS:(2)	237	9.3 %	10.5%
3	NEITHER:(3)	552	21.8 %	24.4%
4	MOST AGR:(4)	758	29.9 %	33.6%
5	AGREE:(5)	468	18.5 %	20.7%
-9 (M)	MISSING:(-9)	277	10.9 %	-

Based upon 2259 valid cases out of 2536 total cases.

V2329	102D06B:2MANY YNG SLOPPY

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07020

How much do you agree or disagree with each of the following statements?

B: Too many young people are sloppy about their grooming and clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	206	8.1 %	9.2%
2	MOST DIS:(2)	400	15.8 %	17.8%
3	NEITHER:(3)	651	25.7 %	28.9%
4	MOST AGR:(4)	612	24.1 %	27.2%
5	AGREE:(5)	380	15.0 %	16.9%
-9 (M)	MISSING:(-9)	287	11.3 %	-

Based upon 2249 valid cases out of 2536 total cases.

V2330	102D06C:2MUCH HARD ROCK

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07030

How much do you agree or disagree with each of the following statements?

C: There is too much hard rock music on the radio these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	820	32.3 %	36.5%
2	MOST DIS:(2)	431	17.0 %	19.2%
3	NEITHER:(3)	758	29.9 %	33.7%
4	MOST AGR:(4)	128	5.0 %	5.7%
5	AGREE:(5)	110	4.3 %	4.9%
-9 (M)	MISSING:(-9)	289	11.4 %	-

Based upon 2247 valid cases out of 2536 total cases.

V2331	102D06D:SHD DO OWN THING

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07040

How much do you agree or disagree with each of the following
statements?

D: People should do their own thing, even if other people
think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	71	2.8 %	3.2%
2	MOST DIS:(2)	75	3.0 %	3.3%
3	NEITHER:(3)	318	12.5 %	14.2%
4	MOST AGR:(4)	757	29.9 %	33.7%
5	AGREE:(5)	1024	40.4 %	45.6%
-9 (M)	MISSING:(-9)	291	11.5 %	-

Based upon 2245 valid cases out of 2536 total cases.

V2332	**102D06E:KICK DO DANGR TH**

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07050

How much do you agree or disagree with each of the following
statements?

E: I get a real kick out of doing things that are a little
dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	285	11.2 %	12.7%
2	MOST DIS:(2)	286	11.3 %	12.7%
3	NEITHER:(3)	629	24.8 %	28.0%
4	MOST AGR:(4)	684	27.0 %	30.5%
5	AGREE:(5)	360	14.2 %	16.0%
-9 (M)	MISSING:(-9)	292	11.5 %	-

Based upon 2244 valid cases out of 2536 total cases.

V2333	102D06F:LIKE RISK SOME X			

Location:	462-463 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07060

How much do you agree or disagree with each of the following statements?

F: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	298	11.8 %	13.3%
2	MOST DIS:(2)	270	10.6 %	12.0%
3	NEITHER:(3)	580	22.9 %	25.8%
4	MOST AGR:(4)	735	29.0 %	32.8%
5	AGREE:(5)	361	14.2 %	16.1%
-9 (M)	MISSING:(-9)	292	11.5 %	-

Based upon 2244 valid cases out of 2536 total cases.

V2433	102D06G:POS ATT TWD SELF			

Location:	464-465 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12550

How much do you agree or disagree with each of the following statements?

G: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	101	4.0 %	4.5%
2	MOST DIS:(2)	117	4.6 %	5.2%
3	NEITHER:(3)	345	13.6 %	15.4%
4	MOST AGR:(4)	903	35.6 %	40.3%

Value	Label	Unweighted Frequency	%	Valid %
5	AGREE:(5)	772	30.4 %	34.5%
-9 (M)	MISSING:(-9)	298	11.8 %	-

Based upon 2238 valid cases out of 2536 total cases.

V2434	**102D06H:AM PRSN OF WORTH**

Location:	466-467 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12570

How much do you agree or disagree with each of the following statements?

H: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	88	3.5 %	3.9%
2	MOST DIS:(2)	127	5.0 %	5.7%
3	NEITHER:(3)	311	12.3 %	13.9%
4	MOST AGR:(4)	766	30.2 %	34.3%
5	AGREE:(5)	944	37.2 %	42.2%
-9 (M)	MISSING:(-9)	300	11.8 %	-

Based upon 2236 valid cases out of 2536 total cases.

V2435	**102D06I:DO WELL AS OTHRS**

Location:	468-469 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	55	2.2 %	2.5%
2	MOST DIS:(2)	65	2.6 %	2.9%
3	NEITHER:(3)	260	10.3 %	11.6%
4	MOST AGR:(4)	831	32.8 %	37.2%
5	AGREE:(5)	1021	40.3 %	45.7%
-9 (M)	MISSING:(-9)	304	12.0 %	-

Based upon 2232 valid cases out of 2536 total cases.

V2436	102D06J:SATISFD W MYSELF

Location:	470-471 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12620

How much do you agree or disagree with each of the following statements?

J: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	106	4.2 %	4.8%
2	MOST DIS:(2)	103	4.1 %	4.6%
3	NEITHER:(3)	278	11.0 %	12.5%
4	MOST AGR:(4)	788	31.1 %	35.4%
5	AGREE:(5)	949	37.4 %	42.7%
-9 (M)	MISSING:(-9)	312	12.3 %	-

Based upon 2224 valid cases out of 2536 total cases.

V2437	102D06K:-MUCH TO B PROUD

Location:	472-473 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12660

How much do you agree or disagree with each of the following statements?

K: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	939	37.0 %	42.2%
2	MOST DIS:(2)	573	22.6 %	25.8%
3	NEITHER:(3)	377	14.9 %	17.0%
4	MOST AGR:(4)	224	8.8 %	10.1%
5	AGREE:(5)	110	4.3 %	4.9%
-9 (M)	MISSING:(-9)	313	12.3 %	-

Based upon 2223 valid cases out of 2536 total cases.

V2438	**102D06L:I AM NO GOOD**

Location:	474-475 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12680

How much do you agree or disagree with each of the following statements?

L: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	931	36.7 %	41.9%
2	MOST DIS:(2)	415	16.4 %	18.7%
3	NEITHER:(3)	409	16.1 %	18.4%
4	MOST AGR:(4)	303	11.9 %	13.6%
5	AGREE:(5)	166	6.5 %	7.5%
-9 (M)	MISSING:(-9)	312	12.3 %	-

Based upon 2224 valid cases out of 2536 total cases.

V2439	**102D06M:I DO WRONG THING**

Location:	476-477 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12720

How much do you agree or disagree with each of the following

statements?

M: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1079	42.5 %	48.5%
2	MOST DIS:(2)	493	19.4 %	22.2%
3	NEITHER:(3)	389	15.3 %	17.5%
4	MOST AGR:(4)	169	6.7 %	7.6%
5	AGREE:(5)	95	3.7 %	4.3%
-9 (M)	MISSING:(-9)	311	12.3 %	-

Based upon 2225 valid cases out of 2536 total cases.

V2440	**102D06N:MY LIFE NT USEFL**

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12750

How much do you agree or disagree with each of the following statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1285	50.7 %	57.9%
2	MOST DIS:(2)	364	14.4 %	16.4%
3	NEITHER:(3)	343	13.5 %	15.5%
4	MOST AGR:(4)	137	5.4 %	6.2%
5	AGREE:(5)	90	3.5 %	4.1%
-9 (M)	MISSING:(-9)	317	12.5 %	-

Based upon 2219 valid cases out of 2536 total cases.

V2334	**102D07A:ALL FRD SMK CIGS**

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	482	19.0 %	21.7%
2	A FEW:(2)	809	31.9 %	36.3%
3	SOME:(3)	610	24.1 %	27.4%
4	MOST:(4)	287	11.3 %	12.9%
5	ALL:(5)	38	1.5 %	1.7%
-9 (M)	MISSING:(-9)	310	12.2 %	-

Based upon 2226 valid cases out of 2536 total cases.

V2335	**102D07B:ALL FRD SMK MARJ**

Location: 482-483 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	438	17.3 %	19.7%
2	A FEW:(2)	611	24.1 %	27.5%
3	SOME:(3)	639	25.2 %	28.7%
4	MOST:(4)	440	17.4 %	19.8%
5	ALL:(5)	95	3.7 %	4.3%
-9 (M)	MISSING:(-9)	313	12.3 %	-

Based upon 2223 valid cases out of 2536 total cases.

V2336	**102D07C:ALL FRD TAKE LSD**

Location: 484-485 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

Question:

Item Number: 07090

How many of your friends would you estimate . . .

C: . . . Take LSD?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1732	68.3 %	78.3%
2	A FEW:(2)	348	13.7 %	15.7%
3	SOME:(3)	98	3.9 %	4.4%
4	MOST:(4)	18	0.7 %	0.8%
5	ALL:(5)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	325	12.8 %	-

Based upon 2211 valid cases out of 2536 total cases.

V2337	**102D07D:ALL FRD TK PSYDL**

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07100

How many of your friends would you estimate . . .

D: . . . Take other hallucinogens (mescaline, peyote,
"shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1489	58.7 %	67.4%
2	A FEW:(2)	523	20.6 %	23.7%
3	SOME:(3)	152	6.0 %	6.9%
4	MOST:(4)	32	1.3 %	1.4%
5	ALL:(5)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	326	12.9 %	-

Based upon 2210 valid cases out of 2536 total cases.

V2338	**102D07E:ALL FRD TK AMPH**

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07110

How many of your friends would you estimate . . .

E: . . . Take amphetamines (uppers, pep pills, bennies, speed)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1547	61.0 %	69.9%
2	A FEW:(2)	457	18.0 %	20.6%
3	SOME:(3)	151	6.0 %	6.8%
4	MOST:(4)	41	1.6 %	1.9%
5	ALL:(5)	18	0.7 %	0.8%
-9 (M)	MISSING:(-9)	322	12.7 %	-

Based upon 2214 valid cases out of 2536 total cases.

V2523	**102D07F:ALL FRD TK SED/B**

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07135

How many of your friends would you estimate . . .

F: . . . Take sedatives/barbiturates (downers)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1711	67.5 %	77.6%
2	A FEW:(2)	341	13.4 %	15.5%
3	SOME:(3)	116	4.6 %	5.3%
4	MOST:(4)	24	0.9 %	1.1%
5	ALL:(5)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	331	13.1 %	-

Based upon 2205 valid cases out of 2536 total cases.

V2341	**102D07G:ALL FRD TK TRNQL**

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07140

How many of your friends would you estimate . . .

G: . . . Take tranquilizers?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1865	73.5 %	84.7%
2	A FEW:(2)	234	9.2 %	10.6%
3	SOME:(3)	71	2.8 %	3.2%
4	MOST:(4)	21	0.8 %	1.0%
5	ALL:(5)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	334	13.2 %	-

Based upon 2202 valid cases out of 2536 total cases.

V2342	**102D07H:ALL FRD TK COKE**

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07150

How many of your friends would you estimate . . .

H: . . . Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1696	66.9 %	77.1%
2	A FEW:(2)	392	15.5 %	17.8%
3	SOME:(3)	84	3.3 %	3.8%
4	MOST:(4)	10	0.4 %	0.5%
5	ALL:(5)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	337	13.3 %	-

Based upon 2199 valid cases out of 2536 total cases.

V2343	**102D07I:ALL FRD TK HERON**

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07160

How many of your friends would you estimate . . .

I: . . . Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1932	76.2 %	88.2%
2	A FEW:(2)	196	7.7 %	8.9%
3	SOME:(3)	37	1.5 %	1.7%
4	MOST:(4)	11	0.4 %	0.5%
5	ALL:(5)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	345	13.6 %	-

Based upon 2191 valid cases out of 2536 total cases.

V2344	**102D07J:ALL FRD TK NARC**

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07170

How many of your friends would you estimate . . .

J: . . . Take other narcotics (codeine, Vicodin, OxyContin, Percocet, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1424	56.2 %	64.8%
2	A FEW:(2)	506	20.0 %	23.0%
3	SOME:(3)	197	7.8 %	9.0%
4	MOST:(4)	53	2.1 %	2.4%
5	ALL:(5)	19	0.7 %	0.9%
-9 (M)	MISSING:(-9)	337	13.3 %	-

Based upon 2199 valid cases out of 2536 total cases.

V2345	**102D07K:ALL FRD TK INHL**

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07180

How many of your friends would you estimate . . .

K: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1783	70.3 %	81.5%
2	A FEW:(2)	295	11.6 %	13.5%
3	SOME:(3)	76	3.0 %	3.5%
4	MOST:(4)	19	0.7 %	0.9%
5	ALL:(5)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	349	13.8 %	-

Based upon 2187 valid cases out of 2536 total cases.

V2346	**102D07L:ALL FRD DRK ALCL**

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07190

How many of your friends would you estimate . . .

L: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	345	13.6 %	15.7%
2	A FEW:(2)	272	10.7 %	12.4%
3	SOME:(3)	425	16.8 %	19.3%
4	MOST:(4)	785	31.0 %	35.7%
5	ALL:(5)	372	14.7 %	16.9%
-9 (M)	MISSING:(-9)	337	13.3 %	-

Based upon 2199 valid cases out of 2536 total cases.

V2347	**102D07M:ALL FRD GT DRUNK**

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07200

How many of your friends would you estimate . . .

M: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	564	22.2 %	25.7%
2	A FEW:(2)	551	21.7 %	25.1%
3	SOME:(3)	542	21.4 %	24.7%
4	MOST:(4)	394	15.5 %	17.9%
5	ALL:(5)	146	5.8 %	6.6%
-9 (M)	MISSING:(-9)	339	13.4 %	-

Based upon 2197 valid cases out of 2536 total cases.

V2451	**102D07N:# FRNDS TK CRACK**

Location: 506-507 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 07151

How many of your friends would you estimate . . .

N: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1864	73.5 %	85.1%
2	A FEW:(2)	244	9.6 %	11.1%
3	SOME:(3)	53	2.1 %	2.4%
4	MOST:(4)	10	0.4 %	0.5%
5	ALL:(5)	20	0.8 %	0.9%
-9 (M)	MISSING:(-9)	345	13.6 %	-

Based upon 2191 valid cases out of 2536 total cases.

V2452	**102E01A:RSK COK PWDR 1-2**

Location: 508-509 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

Question:

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

A: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	175	6.9 %	8.1%
2	SLIGHT:(2)	354	14.0 %	16.4%
3	MOD RISK:(3)	466	18.4 %	21.5%
4	GRT RISK:(4)	1054	41.6 %	48.7%
5	CANT SAY:(5)	115	4.5 %	5.3%
-9 (M)	MISSING:(-9)	372	14.7 %	-

Based upon 2164 valid cases out of 2536 total cases.

V2453   102E01B:RSK COK PWDR OCC

Location: 510-511 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	106	4.2 %	4.9%
2	SLIGHT:(2)	120	4.7 %	5.6%
3	MOD RISK:(3)	462	18.2 %	21.4%
4	GRT RISK:(4)	1357	53.5 %	62.9%
5	CANT SAY:(5)	113	4.5 %	5.2%
-9 (M)	MISSING:(-9)	378	14.9 %	-

Based upon 2158 valid cases out of 2536 total cases.

V2454   102E01C:RSK COK PWDR REG

Location:	512-513 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	108	4.3 %	5.0%
2	SLIGHT:(2)	23	0.9 %	1.1%
3	MOD RISK:(3)	133	5.2 %	6.2%
4	GRT RISK:(4)	1774	70.0 %	82.4%
5	CANT SAY:(5)	115	4.5 %	5.3%
-9 (M)	MISSING:(-9)	383	15.1 %	-

Based upon 2153 valid cases out of 2536 total cases.

V2455   102E01D:RSK CRACK 1-2X

Location:	514-515 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	153	6.0 %	7.1%
2	SLIGHT:(2)	358	14.1 %	16.6%
3	MOD RISK:(3)	411	16.2 %	19.1%
4	GRT RISK:(4)	1107	43.7 %	51.5%
5	CANT SAY:(5)	122	4.8 %	5.7%
-9 (M)	MISSING:(-9)	385	15.2 %	-

Based upon 2151 valid cases out of 2536 total cases.

V2456	102E01E:RSK CRACK OCC

Location:	516-517 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	103	4.1 %	4.8%
2	SLIGHT:(2)	85	3.4 %	4.0%
3	MOD RISK:(3)	435	17.2 %	20.3%
4	GRT RISK:(4)	1399	55.2 %	65.3%
5	CANT SAY:(5)	120	4.7 %	5.6%
-9 (M)	MISSING:(-9)	394	15.5 %	-

Based upon 2142 valid cases out of 2536 total cases.

V2457	102E01F:RSK CRACK REG

Location:	518-519 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12506

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	103	4.1 %	4.8%
2	SLIGHT:(2)	19	0.7 %	0.9%
3	MOD RISK:(3)	99	3.9 %	4.6%
4	GRT RISK:(4)	1795	70.8 %	84.0%

Value	Label	Unweighted Frequency	%	Valid %
5	CANT SAY:(5)	121	4.8 %	5.7%
-9 (M)	MISSING:(-9)	399	15.7 %	-

Based upon 2137 valid cases out of 2536 total cases.

V2534	**102E01G:RSK NARC 1-2X**

Location:	520-521 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item number: 32600

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

G: . . . Try any narcotic other than heroin (codeine,
Vicodin, OxyContin, Percocet, etc.) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	229	9.0 %	11.5%
2	SLIGHT:(2)	475	18.7 %	23.8%
3	MOD RISK:(3)	438	17.3 %	21.9%
4	GRT RISK:(4)	856	33.8 %	42.8%
-9 (M)	MISSING:(-9)	538	21.2 %	-

Based upon 1998 valid cases out of 2536 total cases.

V2535	**102E01H:RSK NARC OCCAS**

Location:	522-523 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item number: 32610

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

H: . . . Take any narcotic other than heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	118	4.7 %	5.9%
2	SLIGHT:(2)	173	6.8 %	8.7%
3	MOD RISK:(3)	545	21.5 %	27.3%
4	GRT RISK:(4)	1159	45.7 %	58.1%
-9 (M)	MISSING:(-9)	541	21.3 %	-

Based upon 1995 valid cases out of 2536 total cases.

V2536	102E01I:RSK NARC REGLY

Location:	524-525 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item number: 32620

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

I: . . . Take any narcotic other than heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	111	4.4 %	5.6%
2	SLIGHT:(2)	50	2.0 %	2.5%
3	MOD RISK:(3)	234	9.2 %	11.7%
4	GRT RISK:(4)	1604	63.2 %	80.2%
-9 (M)	MISSING:(-9)	537	21.2 %	-

Based upon 1999 valid cases out of 2536 total cases.

V2537	102E01J:RSK ADDERALL 1-2X

Location:	526-527 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item number: 32630

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

J: . . . Try Adderall once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	370	14.6 %	19.9%
2	SLIGHT:(2)	450	17.7 %	24.2%
3	MOD RISK:(3)	324	12.8 %	17.4%
4	GRT RISK:(4)	719	28.4 %	38.6%
-9 (M)	MISSING:(-9)	673	26.5 %	-

Based upon 1863 valid cases out of 2536 total cases.

V2538	**102E01K:RSK ADDERALL OCC**

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32640

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

K: . . . Take Adderall occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	203	8.0 %	10.9%
2	SLIGHT:(2)	260	10.3 %	14.0%
3	MOD RISK:(3)	503	19.8 %	27.0%
4	GRT RISK:(4)	894	35.3 %	48.1%
-9 (M)	MISSING:(-9)	676	26.7 %	-

Based upon 1860 valid cases out of 2536 total cases.

V2458	**102E01L:RSK PCP 1-2X**

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12415

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Try PCP once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	143	5.6 %	6.7%
2	SLIGHT:(2)	250	9.9 %	11.7%
3	MOD RISK:(3)	362	14.3 %	17.0%
4	GRT RISK:(4)	1137	44.8 %	53.4%
5	CANT SAY:(5)	236	9.3 %	11.1%
-9 (M)	MISSING:(-9)	408	16.1 %	-

Based upon 2128 valid cases out of 2536 total cases.

V2476	**102E01M:RSK ICE 1-2X**

Location:	532-533 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 24420

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Try crystal meth ("ice")?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	125	4.9 %	5.9%
2	SLIGHT:(2)	153	6.0 %	7.2%
3	MOD RISK:(3)	316	12.5 %	14.8%
4	GRT RISK:(4)	1390	54.8 %	65.2%
5	CANT SAY:(5)	148	5.8 %	6.9%
-9 (M)	MISSING:(-9)	404	15.9 %	-

Based upon 2132 valid cases out of 2536 total cases.

V2539	**102E01N:RSK SALVIA 1-2X**

Location:	534-535 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item number: 32650

How much do you think people risk harming themselves

(physically or in other ways) if they . . .

N. . . . try Salvia once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	291	11.5 %	17.3%
2	SLIGHT:(2)	274	10.8 %	16.3%
3	MOD RISK:(3)	273	10.8 %	16.2%
4	GRT RISK:(4)	843	33.2 %	50.1%
-9 (M)	MISSING:(-9)	855	33.7 %	-

Based upon 1681 valid cases out of 2536 total cases.

V2459	**102E02A:#X CRACK/LIFETIM**

Location:	536-537 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22260

On how many occasions (if any) have you used "crack"
cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2101	82.8 %	97.5%
2	1-2X:(2)	30	1.2 %	1.4%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	382	15.1 %	-

Based upon 2154 valid cases out of 2536 total cases.

V2460	**102E02B:#X CRACK/LAST12M**

Location:	538-539 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

Item Number: 22270

On how many occasions (if any) have you used "crack"
cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2129	84.0 %	98.7%
2	1-2X:(2)	12	0.5 %	0.6%
3	3-5X:(3)	5	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	380	15.0 %	-

Based upon 2156 valid cases out of 2536 total cases.

V2461   102E02C:#X CRACK/LAST30D

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 22280

On how many occasions (if any) have you used "crack"
cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2142	84.5 %	99.4%
2	1-2X:(2)	4	0.2 %	0.2%
3	3-5X:(3)	1	0.0 %	0.0%
5	10-19X:(5)	5	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	380	15.0 %	-

Based upon 2156 valid cases out of 2536 total cases.

V2403	102E03A:#X PCP/LIFETIME

Location:	542-543 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01181

On how many occasions (if any) have you used PCP . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2119	83.6 %	98.4%
2	1-2X:(2)	15	0.6 %	0.7%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	382	15.1 %	-

Based upon 2154 valid cases out of 2536 total cases.

V2404	102E03B:#X PCP/LAST12MO

Location:	544-545 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01182

On how many occasions (if any) have you used PCP . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2136	84.2 %	99.2%
2	1-2X:(2)	3	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	382	15.1 %	-

Based upon 2154 valid cases out of 2536 total cases.

V2405	**102E03C:#X PCP/LAST30DA**

Location:	546-547 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01183

On how many occasions (if any) have you used PCP . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2141	84.4 %	99.4%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	382	15.1 %	-

Based upon 2154 valid cases out of 2536 total cases.

V2493	**102E04A:#X STRD/LIFETIME**

Location:	548-549 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and

others, have used them to try to increase muscle development.
On how many occasions (if any) have you taken steroids on your
own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2118	83.5 %	98.6%
2	1-2X:(2)	10	0.4 %	0.5%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	388	15.3 %	-

Based upon 2148 valid cases out of 2536 total cases.

V2494	**102E04B:#X STRD/LAST12MO**

Location:	550-551 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22700

On how many occasions (if any) have you taken steroids on
your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2125	83.8 %	98.8%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	385	15.2 %	-

Based upon 2151 valid cases out of 2536 total cases.

V2495	**102E04C:#X STRD/LAST30DA**

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2130	84.0 %	99.1%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	386	15.2 %	-

Based upon 2150 valid cases out of 2536 total cases.

V2496	**102E05A:MTHD STRD-INJECT**

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23790

What methods have you used for taking steroids on your own? (Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	22	0.9 %	78.6%
1	MARKED:(1)	6	0.2 %	21.4%
-9 (M)	MISSING:(-9)	2508	98.9 %	-

Based upon 28 valid cases out of 2536 total cases.

V2497	**102E05B:MTHD STRD-MOUTH**

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23800

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	11	0.4 %	39.3%
1	MARKED:(1)	17	0.7 %	60.7%
-9 (M)	MISSING:(-9)	2508	98.9 %	-

Based upon 28 valid cases out of 2536 total cases.

V2516	**102E05C:HVNT USED STRDS**

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30940

What methods have you used for taking steroids on your own?

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported
nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	21	0.8 %	1.0%
1	MARKED:(1)	2125	83.8 %	99.0%
-9 (M)	MISSING:(-9)	390	15.4 %	-

Based upon 2146 valid cases out of 2536 total cases.

V2462	**102E06A:GR 1ST TRY CRACK**

Location:	560-561 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

A: Try "crack" cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	10	0.4 %	0.5%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	7	0.3 %	0.3%
4	GRADE 9:(4)	9	0.4 %	0.4%
5	GRADE 10:(5)	11	0.4 %	0.5%
6	GRADE 11:(6)	7	0.3 %	0.3%
7	GRADE 12:(7)	1	0.0 %	0.0%
8	NEVER:(8)	2065	81.4 %	97.8%
-9 (M)	MISSING:(-9)	424	16.7 %	-

Based upon 2112 valid cases out of 2536 total cases.

V2463	**102E06B:GR 1ST TR OT COK**

Location:	562-563 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05662

When (if ever) did you FIRST do each of the following things?

B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	6	0.2 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
2	GRADE 7:(2)	7	0.3 %	0.3%
3	GRADE 8:(3)	7	0.3 %	0.3%
4	GRADE 9:(4)	18	0.7 %	0.9%
5	GRADE 10:(5)	20	0.8 %	0.9%
6	GRADE 11:(6)	18	0.7 %	0.9%
7	GRADE 12:(7)	6	0.2 %	0.3%
8	NEVER:(8)	2035	80.2 %	96.1%
-9 (M)	MISSING:(-9)	419	16.5 %	-

Based upon 2117 valid cases out of 2536 total cases.

V2477   102E06C:GR 1ST TRY ICE

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 24430

When (if ever) did you FIRST do each of the following things?

C: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	8	0.3 %	0.4%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	5	0.2 %	0.2%
4	GRADE 9:(4)	5	0.2 %	0.2%
5	GRADE 10:(5)	3	0.1 %	0.1%
6	GRADE 11:(6)	1	0.0 %	0.0%
7	GRADE 12:(7)	1	0.0 %	0.0%
8	NEVER:(8)	2093	82.5 %	98.8%
-9 (M)	MISSING:(-9)	418	16.5 %	-

Based upon 2118 valid cases out of 2536 total cases.

V2498   102E06D:GR 1ST TRY STRDS

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 23810

When (if ever) did you FIRST do each of the following things?

D: Try steroids (anabolic steroids)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	3	0.1 %	0.1%
3	GRADE 8:(3)	1	0.0 %	0.0%
4	GRADE 9:(4)	1	0.0 %	0.0%
5	GRADE 10:(5)	4	0.2 %	0.2%
6	GRADE 11:(6)	7	0.3 %	0.3%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	2095	82.6 %	99.0%
-9 (M)	MISSING:(-9)	419	16.5 %	-

Based upon 2117 valid cases out of 2536 total cases.

V2464	102E07A:EASY GT CRACK

Location: 568-569 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 06811

How difficult do you think it would be for you to get each
of the following, if you wanted some?

A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	652	25.7 %	30.9%
2	VRY DIFF:(2)	450	17.7 %	21.3%
3	FRLY DIF:(3)	456	18.0 %	21.6%
4	FRLY EAS:(4)	367	14.5 %	17.4%
5	VRY EASY:(5)	187	7.4 %	8.9%
-9 (M)	MISSING:(-9)	424	16.7 %	-

Based upon 2112 valid cases out of 2536 total cases.

V2465	102E07B:EASY GT COK PWDR

Location:	570-571 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06812

How difficult do you think it would be for you to get each of the following, if you wanted some?

B: Cocaine in powder form

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	617	24.3 %	29.2%
2	VRY DIFF:(2)	418	16.5 %	19.8%
3	FRLY DIF:(3)	463	18.3 %	21.9%
4	FRLY EAS:(4)	394	15.5 %	18.7%
5	VRY EASY:(5)	220	8.7 %	10.4%
-9 (M)	MISSING:(-9)	424	16.7 %	-

Based upon 2112 valid cases out of 2536 total cases.

V2466	102E07C:EASY GT PCP

Location:	572-573 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06771

How difficult do you think it would be for you to get each of the following, if you wanted some?

C: PCP

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	735	29.0 %	35.0%
2	VRY DIFF:(2)	527	20.8 %	25.1%
3	FRLY DIF:(3)	463	18.3 %	22.1%
4	FRLY EAS:(4)	246	9.7 %	11.7%

Value	Label	Unweighted Frequency	%	Valid %
5	VRY EASY:(5)	127	5.0 %	6.1%
-9 (M)	MISSING:(-9)	438	17.3 %	-

Based upon 2098 valid cases out of 2536 total cases.

V2478	**102E07D:EASY GT ICE**

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24410

How difficult do you think it would be for you to get each of the following, if you wanted some?

D: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	773	30.5 %	36.7%
2	VRY DIFF:(2)	514	20.3 %	24.4%
3	FRLY DIF:(3)	444	17.5 %	21.1%
4	FRLY EAS:(4)	235	9.3 %	11.2%
5	VRY EASY:(5)	140	5.5 %	6.6%
-9 (M)	MISSING:(-9)	430	17.0 %	-

Based upon 2106 valid cases out of 2536 total cases.

V2499	**102E07E:EASY GT STEROIDS**

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23060

How difficult do you think it would be for you to get each of the following, if you wanted some?

E: Steroids (anabolic steroids)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	637	25.1 %	30.3%
2	VRY DIFF:(2)	410	16.2 %	19.5%
3	FRLY DIF:(3)	477	18.8 %	22.7%
4	FRLY EAS:(4)	376	14.8 %	17.9%
5	VRY EASY:(5)	205	8.1 %	9.7%
-9 (M)	MISSING:(-9)	431	17.0 %	-

Based upon 2105 valid cases out of 2536 total cases.

V2479	**102E08A:DAP SMK 1PCK CIG**

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	550	21.7 %	25.9%
2	DISAPPRV:(2)	853	33.6 %	40.2%
3	STRG DIS:(3)	717	28.3 %	33.8%
-9 (M)	MISSING:(-9)	416	16.4 %	-

Based upon 2120 valid cases out of 2536 total cases.

V2480	**102E08B:DAP TRY MRJ 1-2T**

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	1078	42.5 %	50.9%
2	DISAPPRV:(2)	570	22.5 %	26.9%
3	STRG DIS:(3)	471	18.6 %	22.2%
-9 (M)	MISSING:(-9)	417	16.4 %	-

Based upon 2119 valid cases out of 2536 total cases.

V2481 — 102E08C:DAP SMK MRJ OCCS

Location:	582-583 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	842	33.2 %	39.8%
2	DISAPPRV:(2)	628	24.8 %	29.7%
3	STRG DIS:(3)	647	25.5 %	30.6%
-9 (M)	MISSING:(-9)	419	16.5 %	-

Based upon 2117 valid cases out of 2536 total cases.

V2482 — 102E08D:DAP SMK MRJ REGL

Location:	584-585 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	551	21.7 %	26.0%

Value	Label	Unweighted Frequency	%	Valid %
2	DISAPPRV:(2)	648	25.6 %	30.6%
3	STRG DIS:(3)	917	36.2 %	43.3%
-9 (M)	MISSING:(-9)	420	16.6 %	-

Based upon 2116 valid cases out of 2536 total cases.

V2483	**102E08E:DAP COK PWD 1-2T**

Location:	586-587 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	262	10.3 %	12.4%
2	DISAPPRV:(2)	663	26.1 %	31.4%
3	STRG DIS:(3)	1186	46.8 %	56.2%
-9 (M)	MISSING:(-9)	425	16.8 %	-

Based upon 2111 valid cases out of 2536 total cases.

V2484	**102E08F:DAP COK PWDR OCC**

Location:	588-589 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	183	7.2 %	8.7%
2	DISAPPRV:(2)	518	20.4 %	24.5%

Value	Label	Unweighted Frequency	%	Valid %
3	STRG DIS:(3)	1409	55.6 %	66.8%
-9 (M)	MISSING:(-9)	426	16.8 %	-

Based upon 2110 valid cases out of 2536 total cases.

V2485	**102E08G:DAP COK PWDR REG**

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	151	6.0 %	7.2%
2	DISAPPRV:(2)	413	16.3 %	19.6%
3	STRG DIS:(3)	1544	60.9 %	73.2%
-9 (M)	MISSING:(-9)	428	16.9 %	-

Based upon 2108 valid cases out of 2536 total cases.

V2486	**102E08H:DAP TRY CRK 1-2T**

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	207	8.2 %	9.8%
2	DISAPPRV:(2)	578	22.8 %	27.4%
3	STRG DIS:(3)	1321	52.1 %	62.7%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	430	17.0 %	-

Based upon 2106 valid cases out of 2536 total cases.

V2487	**102E08I:DAP CRACK OCC**

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	151	6.0 %	7.2%
2	DISAPPRV:(2)	464	18.3 %	22.1%
3	STRG DIS:(3)	1487	58.6 %	70.7%
-9 (M)	MISSING:(-9)	434	17.1 %	-

Based upon 2102 valid cases out of 2536 total cases.

V2488	**102E08J:DAP CRACK REG**

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	139	5.5 %	6.6%
2	DISAPPRV:(2)	369	14.6 %	17.6%
3	STRG DIS:(3)	1588	62.6 %	75.8%
-9 (M)	MISSING:(-9)	440	17.4 %	-

Based upon 2096 valid cases out of 2536 total cases.

V2489	102E08K:DAP TRY DRK ALCL

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	1391	54.9 %	66.2%
2	DISAPPRV:(2)	368	14.5 %	17.5%
3	STRG DIS:(3)	341	13.4 %	16.2%
-9 (M)	MISSING:(-9)	436	17.2 %	-

Based upon 2100 valid cases out of 2536 total cases.

V2490	102E08L:DAP 1-2 DRK/DAY

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	633	25.0 %	30.2%
2	DISAPPRV:(2)	864	34.1 %	41.2%
3	STRG DIS:(3)	601	23.7 %	28.6%
-9 (M)	MISSING:(-9)	438	17.3 %	-

Based upon 2098 valid cases out of 2536 total cases.

V2491	102E08M:DAP 4-5 DRK/DAY

Location:	602-603 (width: 2; decimal: 0)	
Variable Type:	numeric	
Range of Missing Values (M):	-9	
Question:		

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	291	11.5 %	13.8%
2	DISAPPRV:(2)	617	24.3 %	29.3%
3	STRG DIS:(3)	1196	47.2 %	56.8%
-9 (M)	MISSING:(-9)	432	17.0 %	-

Based upon 2104 valid cases out of 2536 total cases.

V2492	**102E08N:DAP 5+ DRK WKNDS**	

Location:	604-605 (width: 2; decimal: 0)	
Variable Type:	numeric	
Range of Missing Values (M):	-9	
Question:		

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	628	24.8 %	29.9%
2	DISAPPRV:(2)	575	22.7 %	27.4%
3	STRG DIS:(3)	895	35.3 %	42.7%
-9 (M)	MISSING:(-9)	438	17.3 %	-

Based upon 2098 valid cases out of 2536 total cases.

V2428	**102E09A:FAVOR MLTY DRAFT**	

Location:	606-607 (width: 2; decimal: 0)	
Variable Type:	numeric	
Range of Missing Values (M):	-9	

Question:

Item Number: 21060

The next two questions are about military service. Do you
favor or oppose a military draft at the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed"
2="Mostly oppose" 1="Strongly oppose"

Value	Label	Unweighted Frequency	%	Valid %
1	STRG OPPOS:(1)	752	29.7 %	36.1%
2	MST OPPOS:(2)	396	15.6 %	19.0%
3	NO OP/MXD:(3)	741	29.2 %	35.6%
4	MOST FAVR:(4)	115	4.5 %	5.5%
5	STRG FAVR:(5)	77	3.0 %	3.7%
-9 (M)	MISSING:(-9)	455	17.9 %	-

Based upon 2081 valid cases out of 2536 total cases.

V2429	102E09B:DRAFT INCL WOMEN

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21070

Do you think any military draft in the U.S. should include
women as well as men?

3="Yes" 2="Uncertain" 1="No"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	656	25.9 %	30.8%
2	UNCERTN:(2)	724	28.5 %	34.0%
3	YES:(3)	751	29.6 %	35.2%
-9 (M)	MISSING:(-9)	405	16.0 %	-

Based upon 2131 valid cases out of 2536 total cases.

V2371	102E10 :R LIKES SCHOOL

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07630

The next questions are about your experiences at school. Some

people like school very much. Others don't. How do you feel
about going to school?

5="I like school very much" 4="I like school quite a lot"
3="I like school some" 2="I don't like school very much"
1="I don't like school at all"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT LIKE@A:(1)	170	6.7 %	8.0%
2	DONT LIKE VM:(2)	330	13.0 %	15.5%
3	LIKE SOME:(3)	911	35.9 %	42.9%
4	LIKE QUITEBIT:(4)	465	18.3 %	21.9%
5	LIKE VRYMCH:(5)	250	9.9 %	11.8%
-9 (M)	MISSING:(-9)	410	16.2 %	-

Based upon 2126 valid cases out of 2536 total cases.

V2372	**102E11 :HRS/WK SPND HMWK**

Location:	612-613 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07640

About how many hours do you spend in an average week on all
of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-
19 hours" 6="20-24 hours" 7="25 or more hours"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	217	8.6 %	10.2%
2	1-4 HRS:(2)	1053	41.5 %	49.7%
3	5-9 HRS:(3)	400	15.8 %	18.9%
4	10-14HRS:(4)	195	7.7 %	9.2%
5	15-19HRS:(5)	104	4.1 %	4.9%
6	20-24HRS:(6)	80	3.2 %	3.8%
7	25+ HRS:(7)	70	2.8 %	3.3%
-9 (M)	MISSING:(-9)	417	16.4 %	-

Based upon 2119 valid cases out of 2536 total cases.

V2445	**102E12A:SCH ACTV-PBLCTNS**

Location:	614-615 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1631	64.3 %	77.9%
2	SLIGHT:(2)	203	8.0 %	9.7%
3	MODERATE:(3)	91	3.6 %	4.3%
4	CONSDRBL:(4)	50	2.0 %	2.4%
5	GRT EXT:(5)	118	4.7 %	5.6%
-9 (M)	MISSING:(-9)	443	17.5 %	-

Based upon 2093 valid cases out of 2536 total cases.

V2446　　　　**102E12B:SCH ACTV-PRF ART**

Location:　　　　616-617 (width: 2; decimal: 0)

Variable Type:　　numeric

Range of Missing Values (M):　　-9

Question:

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1274	50.2 %	60.7%
2	SLIGHT:(2)	192	7.6 %	9.2%
3	MODERATE:(3)	170	6.7 %	8.1%
4	CONSDRBL:(4)	116	4.6 %	5.5%
5	GRT EXT:(5)	346	13.6 %	16.5%
-9 (M)	MISSING:(-9)	438	17.3 %	-

Based upon 2098 valid cases out of 2536 total cases.

V2447　　　　**102E12C:SCH ACTV-ATHLTCS**

Location:	618-619 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	948	37.4 %	45.0%
2	SLIGHT:(2)	173	6.8 %	8.2%
3	MODERATE:(3)	192	7.6 %	9.1%
4	CONSDRBL:(4)	190	7.5 %	9.0%
5	GRT EXT:(5)	602	23.7 %	28.6%
-9 (M)	MISSING:(-9)	431	17.0 %	-

Based upon 2105 valid cases out of 2536 total cases.

V2448	**102E12D:SCH ACTV-OTH ACT**

Location:	620-621 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	651	25.7 %	31.1%
2	SLIGHT:(2)	327	12.9 %	15.6%
3	MODERATE:(3)	381	15.0 %	18.2%
4	CONSDRBL:(4)	298	11.8 %	14.3%
5	GRT EXT:(5)	434	17.1 %	20.8%
-9 (M)	MISSING:(-9)	445	17.5 %	-

Based upon 2091 valid cases out of 2536 total cases.

V2373	102E13A:PRCL INFL SCL RN

Location:	622-623 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07650

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%	Valid %
1	LITTLE/NO:(1)	325	12.8 %	15.6%
2	SOME:(2)	286	11.3 %	13.7%
3	MODERATE:(3)	315	12.4 %	15.1%
4	CONSDRBL:(4)	509	20.1 %	24.4%
5	GREAT:(5)	652	25.7 %	31.2%
-9 (M)	MISSING:(-9)	449	17.7 %	-

Based upon 2087 valid cases out of 2536 total cases.

V2374	102E13B:TCHR INFL SCL RN

Location:	624-625 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07660

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%	Valid %
1	LITTLE/NO:(1)	234	9.2 %	11.2%
2	SOME:(2)	368	14.5 %	17.6%

Value	Label	Unweighted Frequency	%	Valid %
3	MODERATE:(3)	570	22.5 %	27.3%
4	CONSDRBL:(4)	564	22.2 %	27.1%
5	GREAT:(5)	349	13.8 %	16.7%
-9 (M)	MISSING:(-9)	451	17.8 %	-

Based upon 2085 valid cases out of 2536 total cases.

V2375	102E13C:STDS INFL SCL RN

Location:	626-627 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07670

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%	Valid %
1	LITTLE/NO:(1)	549	21.6 %	26.3%
2	SOME:(2)	410	16.2 %	19.7%
3	MODERATE:(3)	451	17.8 %	21.6%
4	CONSDRBL:(4)	310	12.2 %	14.9%
5	GREAT:(5)	365	14.4 %	17.5%
-9 (M)	MISSING:(-9)	451	17.8 %	-

Based upon 2085 valid cases out of 2536 total cases.

V2376	102E13D:PRTS INFL SCL RN

Location:	628-629 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07680

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate

Influence" 4="Considerable Influence" 5="A Great Deal of
Influence"

Value	Label	Unweighted Frequency	%	Valid %
1	LITTLE/NO:(1)	546	21.5 %	26.2%
2	SOME:(2)	557	22.0 %	26.8%
3	MODERATE:(3)	482	19.0 %	23.2%
4	CONSDRBL:(4)	266	10.5 %	12.8%
5	GREAT:(5)	229	9.0 %	11.0%
-9 (M)	MISSING:(-9)	456	18.0 %	-

Based upon 2080 valid cases out of 2536 total cases.

V2377	**102E14 :HAD DRUG EDUCATN**

Location:	630-631 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07690

Have you had any drug education courses or lectures in
school?

1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO
QUESTION 20" 3="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	504	19.9 %	25.6%
2	WISH HAD:(2)	57	2.2 %	2.9%
3	YES:(3)	1406	55.4 %	71.5%
-9 (M)	MISSING:(-9)	569	22.4 %	-

Based upon 1967 valid cases out of 2536 total cases.

V2378	**102E15 :DG ED,>DG INTRST**

Location:	632-633 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07840

Would you say that the information about drugs that you
received in school classes or programs has . . . ?

1="Made you less interested in trying drugs" 2="Not changed
your interest in trying drugs" 3="Made you more interested in

trying drugs"

Value	Label	Unweighted Frequency	%	Valid %
1	LESS INTERST:(1)	723	28.5 %	51.9%
2	NO CHNGE:(2)	608	24.0 %	43.6%
3	MORE INTERST:(3)	63	2.5 %	4.5%
-9 (M)	MISSING:(-9)	1142	45.0 %	-

Based upon 1394 valid cases out of 2536 total cases.

V2379	**102E16A:DG ED,SPC COURSE**

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07850

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

A. A special course about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	970	38.2 %	71.0%
1	MARKED:(1)	396	15.6 %	29.0%
-9 (M)	MISSING:(-9)	1170	46.1 %	-

Based upon 1366 valid cases out of 2536 total cases.

V2380	**102E16B:DG ED,IN REG CRS**

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07860

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	491	19.4 %	35.9%
1	MARKED:(1)	875	34.5 %	64.1%
-9 (M)	MISSING:(-9)	1170	46.1 %	-

Based upon 1366 valid cases out of 2536 total cases.

V2381	**102E16C:DG ED,NT REG CRS**

Location:	638-639 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07870

How many of the following drug education experiences have you
had in high school? (Mark all that apply.)

C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	935	36.9 %	68.4%
1	MARKED:(1)	431	17.0 %	31.6%
-9 (M)	MISSING:(-9)	1170	46.1 %	-

Based upon 1366 valid cases out of 2536 total cases.

V2382	**102E16D:DG ED,SPC DISCUS**

Location:	640-641 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07880

How many of the following drug education experiences have you
had in high school? (Mark all that apply.)

D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1084	42.7 %	79.4%
1	MARKED:(1)	282	11.1 %	20.6%
-9 (M)	MISSING:(-9)	1170	46.1 %	-

Based upon 1366 valid cases out of 2536 total cases.

V2383	102E17 :DG ED,GRT VALUE

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07890

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"
4="Great value"

Value	Label	Unweighted Frequency	%	Valid %
1	NO VALUE:(1)	344	13.6 %	25.0%
2	SOME:(2)	511	20.1 %	37.2%
3	CNSIDRBL:(3)	317	12.5 %	23.1%
4	GT VALUE:(4)	203	8.0 %	14.8%
-9 (M)	MISSING:(-9)	1161	45.8 %	-

Based upon 1375 valid cases out of 2536 total cases.

V2441	102E18A:#X/2W DRIVE+ALCL

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01811

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

A: . . . drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10
or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1865	73.5 %	90.2%
2	ONCE:(2)	112	4.4 %	5.4%
3	TWICE:(3)	42	1.7 %	2.0%
4	3-5X:(4)	27	1.1 %	1.3%
5	6-9X:(5)	5	0.2 %	0.2%
6	10+ TIME:(6)	16	0.6 %	0.8%
-9 (M)	MISSING:(-9)	469	18.5 %	-

Based upon 2067 valid cases out of 2536 total cases.

V2442	102E18B:#X/2W DRIVE+5DRK

Location:	646-647 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01812

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

B: . . . having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10
or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1921	75.7 %	93.5%
2	ONCE:(2)	64	2.5 %	3.1%
3	TWICE:(3)	35	1.4 %	1.7%
4	3-5X:(4)	18	0.7 %	0.9%
5	6-9X:(5)	5	0.2 %	0.2%
6	10+ TIME:(6)	12	0.5 %	0.6%
-9 (M)	MISSING:(-9)	481	19.0 %	-

Based upon 2055 valid cases out of 2536 total cases.

V2517	102E18C:#X/2W DRIVE+MJ

Location:	648-649 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01813

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

C. . . . smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10
or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1804	71.1 %	87.6%
2	ONCE:(2)	77	3.0 %	3.7%
3	TWICE:(3)	54	2.1 %	2.6%

Value	Label	Unweighted Frequency	%	Valid %
4	3-5X:(4)	48	1.9 %	2.3%
5	6-9X:(5)	16	0.6 %	0.8%
6	10+ TIME:(6)	61	2.4 %	3.0%
-9 (M)	MISSING:(-9)	476	18.8 %	-

Based upon 2060 valid cases out of 2536 total cases.

V2518	**102E18D:#X/2W DRIVE+OTDG**

Location: 650-651 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01814

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

D. . . . using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1994	78.6 %	97.0%
2	ONCE:(2)	24	0.9 %	1.2%
3	TWICE:(3)	14	0.6 %	0.7%
4	3-5X:(4)	13	0.5 %	0.6%
5	6-9X:(5)	2	0.1 %	0.1%
6	10+ TIME:(6)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	481	19.0 %	-

Based upon 2055 valid cases out of 2536 total cases.

V2443	**102E19A:#X/2W RIDE+ALCL**

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01815

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

A: . . . when the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10

or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1711	67.5 %	83.0%
2	ONCE:(2)	193	7.6 %	9.4%
3	TWICE:(3)	84	3.3 %	4.1%
4	3-5X:(4)	46	1.8 %	2.2%
5	6-9X:(5)	10	0.4 %	0.5%
6	10+ TIME:(6)	18	0.7 %	0.9%
-9 (M)	MISSING:(-9)	474	18.7 %	-

Based upon 2062 valid cases out of 2536 total cases.

V2444	**102E19B:#X/2W RIDE+5DRK**

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01816

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

B: . . . when you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1890	74.5 %	91.6%
2	ONCE:(2)	84	3.3 %	4.1%
3	TWICE:(3)	38	1.5 %	1.8%
4	3-5X:(4)	33	1.3 %	1.6%
5	6-9X:(5)	8	0.3 %	0.4%
6	10+ TIME:(6)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	472	18.6 %	-

Based upon 2064 valid cases out of 2536 total cases.

V2519	**102E19C:#X/2W RIDE+MJ**

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01817

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

C. . . . when the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1656	65.3 %	80.4%
2	ONCE:(2)	144	5.7 %	7.0%
3	TWICE:(3)	78	3.1 %	3.8%
4	3-5X:(4)	87	3.4 %	4.2%
5	6-9X:(5)	31	1.2 %	1.5%
6	10+ TIME:(6)	64	2.5 %	3.1%
-9 (M)	MISSING:(-9)	476	18.8 %	-

Based upon 2060 valid cases out of 2536 total cases.

V2520	**102E19D:#X/2W RIDE+OTDG**

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01818

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

D. . . . when the driver had been using using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1974	77.8 %	96.3%
2	ONCE:(2)	32	1.3 %	1.6%
3	TWICE:(3)	18	0.7 %	0.9%
4	3-5X:(4)	15	0.6 %	0.7%
5	6-9X:(5)	3	0.1 %	0.1%
6	10+ TIME:(6)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	486	19.2 %	-

Based upon 2050 valid cases out of 2536 total cases.

V2414	**102E20A:OFTN EAT BRKFST**

Location:	660-661 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly
every day" 6="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	165	6.5 %	8.0%
2	SELDOM:(2)	447	17.6 %	21.6%
3	SOMETIME:(3)	456	18.0 %	22.0%
4	MST DAYS:(4)	283	11.2 %	13.6%
5	NR EV DA:(5)	215	8.5 %	10.4%
6	EVERYDAY:(6)	508	20.0 %	24.5%
-9 (M)	MISSING:(-9)	462	18.2 %	-

Based upon 2074 valid cases out of 2536 total cases.

V2415	**102E20B:OFTN EAT GN VEG**

Location:	662-663 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly
every day" 6="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	117	4.6 %	5.7%
2	SELDOM:(2)	216	8.5 %	10.5%
3	SOMETIME:(3)	454	17.9 %	22.0%
4	MST DAYS:(4)	514	20.3 %	24.9%
5	NR EV DA:(5)	382	15.1 %	18.5%
6	EVERYDAY:(6)	382	15.1 %	18.5%
-9 (M)	MISSING:(-9)	471	18.6 %	-

Based upon 2065 valid cases out of 2536 total cases.

V2416	102E20C:OFTN EAT FRUIT

Location:	664-665 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly
every day" 6="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	74	2.9 %	3.6%
2	SELDOM:(2)	128	5.0 %	6.2%
3	SOMETIME:(3)	406	16.0 %	19.7%
4	MST DAYS:(4)	559	22.0 %	27.1%
5	NR EV DA:(5)	419	16.5 %	20.3%
6	EVERYDAY:(6)	477	18.8 %	23.1%
-9 (M)	MISSING:(-9)	473	18.7 %	-

Based upon 2063 valid cases out of 2536 total cases.

V2417	102E20D:OFTN EXERCISE

Location:	666-667 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics,
or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly
every day" 6="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	140	5.5 %	6.9%
2	SELDOM:(2)	306	12.1 %	15.1%
3	SOMETIME:(3)	551	21.7 %	27.1%
4	MST DAYS:(4)	327	12.9 %	16.1%

Value	Label	Unweighted Frequency	%	Valid %
5	NR EV DA:(5)	290	11.4 %	14.3%
6	EVERYDAY:(6)	416	16.4 %	20.5%
-9 (M)	MISSING:(-9)	506	20.0 %	-

Based upon 2030 valid cases out of 2536 total cases.

V2418	**102E20E:OFTN 7HRS SLEEP**

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	129	5.1 %	6.3%
2	SELDOM:(2)	362	14.3 %	17.6%
3	SOMETIME:(3)	507	20.0 %	24.6%
4	MST DAYS:(4)	452	17.8 %	22.0%
5	NR EV DA:(5)	329	13.0 %	16.0%
6	EVERYDAY:(6)	280	11.0 %	13.6%
-9 (M)	MISSING:(-9)	477	18.8 %	-

Based upon 2059 valid cases out of 2536 total cases.

V2419	**102E20F:OFTN SLEEP <SHLD**

Location: 670-671 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	172	6.8 %	8.4%
2	SELDOM:(2)	211	8.3 %	10.2%
3	SOMETIME:(3)	529	20.9 %	25.7%
4	MST DAYS:(4)	386	15.2 %	18.7%
5	NR EV DA:(5)	365	14.4 %	17.7%
6	EVERYDAY:(6)	396	15.6 %	19.2%
-9 (M)	MISSING:(-9)	477	18.8 %	-

Based upon 2059 valid cases out of 2536 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications] web page.

Publications are divided into the following categories:

> Monographs
> Reference Volumes
> Books
> Journal Articles
> Chapters
> Research Reports
> Occasional Papers
> Congressional Testimony
> Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

- 200 -

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.