SAMH☐A

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Form 3 Data Codebook

Terms of Use

Information about Copyrighted Content

TABLE OF CONTENTS

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2010 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

_____

_____

A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

B. EDUCATION. Educational lifestyle, values, experiences, and environments

C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.

D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G. RELIGION. Religious affiliation, practices, and views.

H. POLITICS. Political affiliation, activities, and views.

I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.

R. BACKGROUND. Demographic and family background characteristics, living arrangements.

S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

_____

_____

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2010 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	189	392	15,127
2	Form 1	637	1,285	2,526
3	Form 2	329	671	2,536
4	Form 3	359	732	2,523
5	Form 4	270	556	2,496
6	Form 5	320	653	2,519
7	Form 6	336	686	2,527

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

| [1] V2119 | | [2] 082A04E #X INTERNET NEWS | | | |

[3] Location: 64-65(width: 2, decimal: 0)
[4] Variable Type: numeric (ISO)
[5] Range of Missing Values (M):   -9
     Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

     E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS				
Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR
	C02. R'S BIRTH MONTH
	C04A-I, R'S RACE (9 categories)
	C07A-B. # OLDER BR/SR, # YOUNGER BR/SR
	C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)
	C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT
	D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT
	5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms
AGE <> 18 DICHOTOMY
1=younger than 18 years old,
2=18 years old or more
-9=missing data on birth year, or birth month if it is required
Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy
1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.
From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS
Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)
0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING
0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)
*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]
  Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]
  Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6
   A10. EVER HELD BACK
     1=No, 2=Yes

   A11. NEED SUMMER SCHL
     1=No, 2=Yes

   A12. EVER SUSPENDED
     1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

     The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series.   This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 30985

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Form 3 Data

CASEID	CASE IDENTIFICATION NUMBER
Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric

Based upon 2523 valid cases out of 2523 total cases.

V1	YEAR OF ADMIN (4-DIGITS)
Location:	5-8 (width: 4; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
2010	2523	100.0 %	100.0%

Based upon 2523 valid cases out of 2523 total cases.

V3	103:FORM ID
Location:	9-10 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
3	2523	100.0 %	100.0%

Based upon 2523 valid cases out of 2523 total cases.

V4	103:Rs ID-SERIAL #
Location:	11-15 (width: 5; decimal: 0)
Variable Type:	numeric

Based upon 2523 valid cases out of 2523 total cases.

V5	SAMPLING WEIGHT
Location:	16-21 (width: 6; decimal: 4)
Variable Type:	numeric

Based upon 2523 valid cases out of 2523 total cases.

V13	SCH REG-4 CAT
Location:	22-23 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%	Valid %
1	NORTHEAST:(1)	533	21.1 %	21.1%
2	NORTH CENTRL:(2)	618	24.5 %	24.5%
3	SOUTH:(3)	845	33.5 %	33.5%
4	WEST:(4)	527	20.9 %	20.9%

Based upon 2523 valid cases out of 2523 total cases.

V16	**LARGE MSA=1/NOT=0**

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	1649	65.4 %	65.4%
1	LARGE MSA:(1)	874	34.6 %	34.6%

Based upon 2523 valid cases out of 2523 total cases.

V17	**MSA/NON-MSA=0**

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	448	17.8 %	17.8%
1	MSA:(1)	2075	82.2 %	82.2%

Based upon 2523 valid cases out of 2523 total cases.

V3208	**103A01 :VRY HPY THS DAYS**

Location: 28-29 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%	Valid %
1	NT HAPPY:(1)	331	13.1 %	13.2%
2	PRTY HPY:(2)	1620	64.2 %	64.6%
3	VRY HPY:(3)	556	22.0 %	22.2%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2507 valid cases out of 2523 total cases.

V3209	**103A02 :THK ABT SOC ISSU**

Location:	30-31 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	101	4.0 %	4.0%
2	SELDOM:(2)	429	17.0 %	17.1%
3	SOMETIME:(3)	1267	50.2 %	50.5%
4	QUITE OFTN:(4)	564	22.4 %	22.5%
5	GREAT DEAL:(5)	147	5.8 %	5.9%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2508 valid cases out of 2523 total cases.

V3210	**103A03A:MEN/WOMN/ = $, = WRK**

| Location: | 32-33 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):   -9

Question:

Item Number: 07930

The next questions ask your opinions about a number of
different topics. How much do you agree or disagree with
each statement below?

A: Men and women should be paid the same money if they do
the same work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	75	3.0 %	3.0%
2	MOST DIS:(2)	54	2.1 %	2.1%
3	NEITHER:(3)	68	2.7 %	2.7%
4	MOST AGR:(4)	278	11.0 %	11.1%
5	AGREE:(5)	2039	80.8 %	81.1%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2514 valid cases out of 2523 total cases.

V3211	**103A03B:CNSDR WMN/HI JOB**

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07940

How much do you agree or disagree with each statement below?

B: Women should be considered as seriously as men for jobs
as executives or politicians

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	74	2.9 %	2.9%
2	MOST DIS:(2)	82	3.3 %	3.3%
3	NEITHER:(3)	103	4.1 %	4.1%
4	MOST AGR:(4)	453	18.0 %	18.0%
5	AGREE:(5)	1799	71.3 %	71.6%
-9 (M)	MISSING:(-9)	12	0.5 %	-

Based upon 2511 valid cases out of 2523 total cases.

V3212	**103A03C:WMN SHD = JOB OPP**

Location:	36-37 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07950

How much do you agree or disagree with each statement below?

C: A woman should have exactly the same job opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	102	4.0 %	4.1%
2	MOST DIS:(2)	105	4.2 %	4.2%
3	NEITHER:(3)	111	4.4 %	4.4%
4	MOST AGR:(4)	522	20.7 %	20.9%
5	AGREE:(5)	1660	65.8 %	66.4%
-9 (M)	MISSING:(-9)	23	0.9 %	-

Based upon 2500 valid cases out of 2523 total cases.

V3213	**103A03D:WMN SHD = ED OPP**

Location:	38-39 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07960

How much do you agree or disagree with each statement below?

D: A woman should have exactly the same educational opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	30	1.2 %	1.2%
2	MOST DIS:(2)	24	1.0 %	1.0%
3	NEITHER:(3)	50	2.0 %	2.0%
4	MOST AGR:(4)	171	6.8 %	6.9%
5	AGREE:(5)	2215	87.8 %	89.0%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	33	1.3 %	-

Based upon 2490 valid cases out of 2523 total cases.

V3214	**103A03E:MN = ACHV/WMN = HOME**

Location:	40-41 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07970

How much do you agree or disagree with each statement below?

E: It is usually better for everyone involved if the man is
the achiever outside the home and the woman takes care of
the home and family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	670	26.6 %	26.7%
2	MOST DIS:(2)	427	16.9 %	17.0%
3	NEITHER:(3)	617	24.5 %	24.6%
4	MOST AGR:(4)	485	19.2 %	19.3%
5	AGREE:(5)	312	12.4 %	12.4%
-9 (M)	MISSING:(-9)	12	0.5 %	-

Based upon 2511 valid cases out of 2523 total cases.

V3215	**103A03F:CHL SUFF W WK MO**

Location:	42-43 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07980

How much do you agree or disagree with each statement below?

F: A preschool child is likely to suffer if the mother works

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	800	31.7 %	32.1%

Value	Label	Unweighted Frequency	%	Valid %
2	MOST DIS:(2)	536	21.2 %	21.5%
3	NEITHER:(3)	567	22.5 %	22.7%
4	MOST AGR:(4)	392	15.5 %	15.7%
5	AGREE:(5)	200	7.9 %	8.0%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2495 valid cases out of 2523 total cases.

V3216	**103A03G:WK MO AS WRM REL**

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07990

How much do you agree or disagree with each statement below?

G: A working mother can establish just as warm and secure a relationship with her children as a mother who does not work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	180	7.1 %	7.2%
2	MOST DIS:(2)	324	12.8 %	12.9%
3	NEITHER:(3)	269	10.7 %	10.7%
4	MOST AGR:(4)	677	26.8 %	27.0%
5	AGREE:(5)	1057	41.9 %	42.2%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2507 valid cases out of 2523 total cases.

V3217	**103A04A:POLLUT INCREASED**

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08000

The next questions are about pollution and the environment.
How much do you agree or disagree with each statement below?

A: Pollution of most types has increased in the U.S. in the last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	52	2.1 %	2.1%
2	MOST DIS:(2)	104	4.1 %	4.2%
3	NEITHER:(3)	311	12.3 %	12.5%
4	MOST AGR:(4)	762	30.2 %	30.6%
5	AGREE:(5)	1262	50.0 %	50.7%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2491 valid cases out of 2523 total cases.

V3218	**103A04B:GOVT DEAL ENV PR**

Location:	48-49 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08010

How much do you agree or disagree with each statement below?

B: Government should take steps to deal with our environmental
problems, even if it means that most of us pay higher prices
or taxes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	300	11.9 %	12.0%
2	MOST DIS:(2)	348	13.8 %	13.9%
3	NEITHER:(3)	605	24.0 %	24.2%
4	MOST AGR:(4)	744	29.5 %	29.8%
5	AGREE:(5)	499	19.8 %	20.0%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2496 valid cases out of 2523 total cases.

V3219	**103A04C:MR$ FR LASTG THG**

Location:	50-51 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08020

How much do you agree or disagree with each statement below?

C: I would prefer to pay more money for things that will last
a long time, rather than have them cost less and break sooner

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	43	1.7 %	1.7%
2	MOST DIS:(2)	51	2.0 %	2.0%
3	NEITHER:(3)	241	9.6 %	9.7%
4	MOST AGR:(4)	697	27.6 %	28.0%
5	AGREE:(5)	1456	57.7 %	58.5%
-9 (M)	MISSING:(-9)	35	1.4 %	-

Based upon 2488 valid cases out of 2523 total cases.

V3220	**103A04D:USE BYC/MAS TRAN**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08030

How much do you agree or disagree with each statement below?

D: I would probably be willing to use a bicycle or mass
transit (if available) rather than a car to get to work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	723	28.7 %	29.0%
2	MOST DIS:(2)	509	20.2 %	20.4%
3	NEITHER:(3)	417	16.5 %	16.7%
4	MOST AGR:(4)	465	18.4 %	18.7%
5	AGREE:(5)	378	15.0 %	15.2%
-9 (M)	MISSING:(-9)	31	1.2 %	-

Based upon 2492 valid cases out of 2523 total cases.

V3221	**103A04E:EAT DIF->FD STRV**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08040

How much do you agree or disagree with each statement below?

E: I would be willing to eat less meat and more grains and vegetables, if it would help provide food for starving people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	328	13.0 %	13.2%
2	MOST DIS:(2)	250	9.9 %	10.1%
3	NEITHER:(3)	411	16.3 %	16.5%
4	MOST AGR:(4)	712	28.2 %	28.6%
5	AGREE:(5)	786	31.2 %	31.6%
-9 (M)	MISSING:(-9)	36	1.4 %	-

Based upon 2487 valid cases out of 2523 total cases.

V3222	**103A05A:LIK WRK CAN FRGT**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08050

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

A: I like the kind of work you can forget about after the work day is over

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	341	13.5 %	13.6%
2	MOST DIS:(2)	368	14.6 %	14.7%
3	NEITHER:(3)	612	24.3 %	24.5%
4	MOST AGR:(4)	564	22.4 %	22.6%
5	AGREE:(5)	614	24.3 %	24.6%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2499 valid cases out of 2523 total cases.

V3223	**103A05B:WRK = ONLY MK LVNG**

Location:	58-59 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08060

Please show whether you agree or disagree with each statement.

B: To me, work is nothing more than making a living

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	582	23.1 %	23.3%
2	MOST DIS:(2)	617	24.5 %	24.7%
3	NEITHER:(3)	419	16.6 %	16.8%
4	MOST AGR:(4)	495	19.6 %	19.8%
5	AGREE:(5)	386	15.3 %	15.4%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2499 valid cases out of 2523 total cases.

V3224	**103A05C:WRK CNTRL PRT LF**

Location:	60-61 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08070

Please show whether you agree or disagree with each statement.

C: I expect my work to be a very central part of my life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	104	4.1 %	4.2%
2	MOST DIS:(2)	211	8.4 %	8.5%
3	NEITHER:(3)	524	20.8 %	21.1%
4	MOST AGR:(4)	1027	40.7 %	41.3%
5	AGREE:(5)	619	24.5 %	24.9%
-9 (M)	MISSING:(-9)	38	1.5 %	-

Based upon 2485 valid cases out of 2523 total cases.

V3225	103A05D:OVTM 2DO BST JOB

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08080

Please show whether you agree or disagree with each statement.

D: I want to do my best in my job, even if this sometimes
means working overtime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	50	2.0 %	2.0%
2	MOST DIS:(2)	82	3.3 %	3.3%
3	NEITHER:(3)	210	8.3 %	8.4%
4	MOST AGR:(4)	915	36.3 %	36.7%
5	AGREE:(5)	1233	48.9 %	49.5%
-9 (M)	MISSING:(-9)	33	1.3 %	-

Based upon 2490 valid cases out of 2523 total cases.

V3226	103A05E:SAME JOB MST LIF

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08090

Please show whether you agree or disagree with each statement.

E: I would like to stay in the same job for most of my adult
life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	232	9.2 %	9.3%
2	MOST DIS:(2)	238	9.4 %	9.6%
3	NEITHER:(3)	480	19.0 %	19.3%
4	MOST AGR:(4)	707	28.0 %	28.4%

Value	Label	Unweighted Frequency	%	Valid %
5	AGREE:(5)	834	33.1 %	33.5%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2491 valid cases out of 2523 total cases.

V3227	**103A06 :ENUF$,NT WNT WRK**

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

Value	Label	Unweighted Frequency	%	Valid %
1	WORK:(1)	1754	69.5 %	72.4%
2	NOT WORK:(2)	668	26.5 %	27.6%
-9 (M)	MISSING:(-9)	101	4.0 %	-

Based upon 2422 valid cases out of 2523 total cases.

V3228	**103A07A:DES FRND OTH RC**

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08110

The next questions are about living or working with people of different races. Please rate each of the statements below using the following terms:

Not at all acceptable: I'd avoid this if I possibly could.

Somewhat acceptable: I could live with this, but not be happy about it.

Acceptable: This would be O.K., or I'd be neutral about this.

Desirable: I'd really like this.

How would you feel about . . .

A: . . . Having close personal friends of another race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	39	1.5 %	1.6%
2	SOMEWHAT:(2)	77	3.1 %	3.1%
3	ACCEPTBL:(3)	1264	50.1 %	50.7%
4	DESIRBL:(4)	1111	44.0 %	44.6%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2491 valid cases out of 2523 total cases.

V3229	**103A07B:DES SUPVR DIF RC**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08120

How would you feel about . . .

B: . . . Having a job with a supervisor of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	49	1.9 %	2.0%
2	SOMEWHAT:(2)	111	4.4 %	4.5%
3	ACCEPTBL:(3)	1708	67.7 %	68.7%
4	DESIRBL:(4)	618	24.5 %	24.9%
-9 (M)	MISSING:(-9)	37	1.5 %	-

Based upon 2486 valid cases out of 2523 total cases.

V3230	**103A07C:DES FAM NX DF RC**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08130

How would you feel about . . .

C: . . . Having a family of a different race (but same level
of education and income) move next door to you?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	53	2.1 %	2.1%
2	SOMEWHAT:(2)	104	4.1 %	4.2%
3	ACCEPTBL:(3)	1425	56.5 %	57.3%
4	DESIRBL:(4)	907	35.9 %	36.4%
-9 (M)	MISSING:(-9)	34	1.3 %	-

Based upon 2489 valid cases out of 2523 total cases.

V3231	**103A07D:DES CHL FD SM RC**

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08140

How would you feel about . . .

D: . . . Having your (future) children's friends be all of
your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	336	13.3 %	13.5%
2	SOMEWHAT:(2)	498	19.7 %	20.1%
3	ACCEPTBL:(3)	1244	49.3 %	50.1%
4	DESIRBL:(4)	404	16.0 %	16.3%
-9 (M)	MISSING:(-9)	41	1.6 %	-

Based upon 2482 valid cases out of 2523 total cases.

V3232	**103A07E:DES CHL FD OT RC**

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08150

How would you feel about . . .

E: . . . Having some of your (future) children's friends be of
other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	58	2.3 %	2.3%
2	SOMEWHAT:(2)	132	5.2 %	5.3%
3	ACCEPTBL:(3)	1293	51.2 %	52.1%
4	DESIRBL:(4)	1001	39.7 %	40.3%
-9 (M)	MISSING:(-9)	39	1.5 %	-

Based upon 2484 valid cases out of 2523 total cases.

V3233	**103A08A:DES AL WKS SM RC**

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08160

How would you feel about having a job where . . .

A: . . . all the employees are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	259	10.3 %	10.4%
2	SOMEWHAT:(2)	499	19.8 %	20.1%
3	ACCEPTBL:(3)	1375	54.5 %	55.3%
4	DESIRBL:(4)	352	14.0 %	14.2%
-9 (M)	MISSING:(-9)	38	1.5 %	-

Based upon 2485 valid cases out of 2523 total cases.

V3234	**103A08B:DES SO WKS DF RC**

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08170

How would you feel about having a job where . . .

B: . . . some employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	31	1.2 %	1.2%
2	SOMEWHAT:(2)	113	4.5 %	4.5%
3	ACCEPTBL:(3)	1616	64.1 %	65.1%
4	DESIRBL:(4)	724	28.7 %	29.1%
-9 (M)	MISSING:(-9)	39	1.5 %	-

Based upon 2484 valid cases out of 2523 total cases.

V3235	**103A08C:DES MS WKS DF RC**

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08180

How would you feel about having a job where . . .

C: . . . most employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	156	6.2 %	6.3%
2	SOMEWHAT:(2)	453	18.0 %	18.3%
3	ACCEPTBL:(3)	1445	57.3 %	58.2%
4	DESIRBL:(4)	428	17.0 %	17.2%
-9 (M)	MISSING:(-9)	41	1.6 %	-

Based upon 2482 valid cases out of 2523 total cases.

V3236	**103A09A:DES AL NGB SM RC**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08190

How would you feel about living in an area where . . .

A: . . . all the neighbors are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	229	9.1 %	9.2%
2	SOMEWHAT:(2)	413	16.4 %	16.6%
3	ACCEPTBL:(3)	1385	54.9 %	55.7%
4	DESIRBL:(4)	458	18.2 %	18.4%
-9 (M)	MISSING:(-9)	38	1.5 %	-

Based upon 2485 valid cases out of 2523 total cases.

V3237	**103A09B:DES SO NGB OT RC**

Location:	86-87 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08200

How would you feel about living in an area where . . .

B: . . . some of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	40	1.6 %	1.6%
2	SOMEWHAT:(2)	113	4.5 %	4.6%
3	ACCEPTBL:(3)	1701	67.4 %	68.5%
4	DESIRBL:(4)	628	24.9 %	25.3%
-9 (M)	MISSING:(-9)	41	1.6 %	-

Based upon 2482 valid cases out of 2523 total cases.

V3238	**103A09C:DES MS NGB OT RC**

Location:	88-89 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08210

How would you feel about living in an area where . . .

C: . . . most of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	234	9.3 %	9.4%
2	SOMEWHAT:(2)	498	19.7 %	20.1%
3	ACCEPTBL:(3)	1381	54.7 %	55.6%
4	DESIRBL:(4)	369	14.6 %	14.9%
-9 (M)	MISSING:(-9)	41	1.6 %	-

Based upon 2482 valid cases out of 2523 total cases.

V3239	**103A10A:DES AL CHL SM RC**

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08220

How would you feel about having your (future) children go to schools where . . .

A: . . . all the children are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	430	17.0 %	17.3%
2	SOMEWHAT:(2)	401	15.9 %	16.2%
3	ACCEPTBL:(3)	1207	47.8 %	48.7%
4	DESIRBL:(4)	441	17.5 %	17.8%
-9 (M)	MISSING:(-9)	44	1.7 %	-

Based upon 2479 valid cases out of 2523 total cases.

V3240	**103A10B:DES SM CHL OT RC**

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08230

How would you feel about having your (future) children go to schools where . . .

B: . . . some of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	39	1.5 %	1.6%
2	SOMEWHAT:(2)	128	5.1 %	5.2%
3	ACCEPTBL:(3)	1601	63.5 %	64.6%
4	DESIRBL:(4)	709	28.1 %	28.6%
-9 (M)	MISSING:(-9)	46	1.8 %	-

Based upon 2477 valid cases out of 2523 total cases.

V3241	**103A10C:DES MS CHL OT RC**

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08240

How would you feel about having your (future) children go to schools where . . .

C: . . . most of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	265	10.5 %	10.7%
2	SOMEWHAT:(2)	530	21.0 %	21.4%
3	ACCEPTBL:(3)	1307	51.8 %	52.8%
4	DESIRBL:(4)	375	14.9 %	15.1%
-9 (M)	MISSING:(-9)	46	1.8 %	-

Based upon 2477 valid cases out of 2523 total cases.

V3242	**103A11 :FRNDS AL OT RC**

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08250

What race are your close friends?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost

All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MY:(1)	363	14.4 %	14.7%
2	ALM ALL MY:(2)	628	24.9 %	25.4%
3	MOST MY:(3)	589	23.3 %	23.8%
4	HALF MY:(4)	445	17.6 %	18.0%
5	MOST OTH:(5)	269	10.7 %	10.9%
6	ALM ALL OTH:(6)	176	7.0 %	7.1%
-9 (M)	MISSING:(-9)	53	2.1 %	-

Based upon 2470 valid cases out of 2523 total cases.

V3243	**103A12 :NGBHD AL OT RC**

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08260

What race are the people in your neighborhood?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost
All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MY:(1)	456	18.1 %	18.5%
2	ALM ALL MY:(2)	607	24.1 %	24.6%
3	MOST MY:(3)	437	17.3 %	17.7%
4	HALF MY:(4)	376	14.9 %	15.2%
5	MOST OTH:(5)	350	13.9 %	14.2%
6	ALM ALL OTH:(6)	241	9.6 %	9.8%
-9 (M)	MISSING:(-9)	56	2.2 %	-

Based upon 2467 valid cases out of 2523 total cases.

V3244	**103A13 :ELEMSCH AL OT RC**

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08270

What race were the students in the elementary school where
you spent the most time?

- 30985 -

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost
All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MY:(1)	397	15.7 %	16.1%
2	ALM ALL MY:(2)	667	26.4 %	27.0%
3	MOST MY:(3)	443	17.6 %	18.0%
4	HALF MY:(4)	456	18.1 %	18.5%
5	MOST OTH:(5)	273	10.8 %	11.1%
6	ALM ALL OTH:(6)	230	9.1 %	9.3%
-9 (M)	MISSING:(-9)	57	2.3 %	-

Based upon 2466 valid cases out of 2523 total cases.

V3245　　　　　　　**103A14 :HISCH AL OT RC**

Location: 102-103 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 08280

What race are the students in your present school (if you
are in school)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost
All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MY:(1)	116	4.6 %	4.7%
2	ALM ALL MY:(2)	478	18.9 %	19.4%
3	MOST MY:(3)	541	21.4 %	22.0%
4	HALF MY:(4)	660	26.2 %	26.8%
5	MOST OTH:(5)	386	15.3 %	15.7%
6	ALM ALL OTH:(6)	282	11.2 %	11.4%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2463 valid cases out of 2523 total cases.

V3246　　　　　　　**103A15 :WRKRS AL OT RC**

Location: 104-105 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

- 41 -

Question:

Item Number: 08290

What race are the people that you work with on your job
(if you have a job)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost
All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MY:(1)	420	16.6 %	21.1%
2	ALM ALL MY:(2)	416	16.5 %	20.9%
3	MOST MY:(3)	331	13.1 %	16.6%
4	HALF MY:(4)	359	14.2 %	18.0%
5	MOST OTH:(5)	281	11.1 %	14.1%
6	ALM ALL OTH:(6)	188	7.5 %	9.4%
-9 (M)	MISSING:(-9)	528	20.9 %	-

Based upon 1995 valid cases out of 2523 total cases.

V3247	**103A16 :DO LOT THG OT RC**

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08300

How often do you do things (like having a conversation,
eating together, playing sports) with people of other
races?

1="Not at all" 2="A little" 3="Some" 4="A lot"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	81	3.2 %	3.3%
2	A LITTLE:(2)	410	16.3 %	16.6%
3	SOME:(3)	879	34.8 %	35.6%
4	A LOT:(4)	1101	43.6 %	44.6%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2471 valid cases out of 2523 total cases.

V3248	**103A17 :VRY GD EXP OT RC**

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08310

Generally, how do you feel about the experiences you have
had with people of other races?

5="Very good" 4="Mostly good" 3="Mixed" 2="Mostly bad" 1="Very
bad"

Value	Label	Unweighted Frequency	%	Valid %
1	VERY BAD:(1)	29	1.1 %	1.2%
2	MSTLY BAD:(2)	56	2.2 %	2.3%
3	MIXED:(3)	653	25.9 %	26.5%
4	MSTLY GOOD:(4)	1040	41.2 %	42.1%
5	VRY GOOD:(5)	690	27.3 %	28.0%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2468 valid cases out of 2523 total cases.

V3249	**103A18 :MARRD OR ENGAGED**

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08320

The next questions are about some of your own plans. Are you
married or engaged?

1="Married--SKIP TO QUESTION 20" 2="Engaged" 3="Neither"

Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	5	0.2 %	0.2%
2	ENGAGED:(2)	114	4.5 %	4.9%
3	NEITHER:(3)	2201	87.2 %	94.9%
-9 (M)	MISSING:(-9)	203	8.0 %	-

Based upon 2320 valid cases out of 2523 total cases.

V3250	**103A19 :WHN WANT GT MARR**

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08330

If it were just up to you, what would be the ideal time for

you to get married?

1="Within the next year or so" 2="Two or three years from now"
3="Four or five years from now" 4="Over five years from now"
5="I don't want to marry"

Value	Label	Unweighted Frequency	%	Valid %
1	NEXT YR:(1)	76	3.0 %	3.2%
2	2-3 YRS:(2)	231	9.2 %	9.9%
3	4-5 YRS:(3)	718	28.5 %	30.7%
4	OVER 5 YRS:(4)	1179	46.7 %	50.4%
5	WONT MARRY:(5)	137	5.4 %	5.9%
-9 (M)	MISSING:(-9)	182	7.2 %	-

Based upon 2341 valid cases out of 2523 total cases.

V3251	**103A20 :THGT LOT HAV CHL**

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08340

Have you thought at all about whether you'd like to have
children or how many you'd like to have?

3="I've thought about it a lot" 2="I've thought about it a
little" 1="I haven't thought about it at all"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	178	7.1 %	7.3%
2	A LITTLE:(2)	1404	55.6 %	57.8%
3	A LOT:(3)	848	33.6 %	34.9%
-9 (M)	MISSING:(-9)	93	3.7 %	-

Based upon 2430 valid cases out of 2523 total cases.

V3252	**103A21 :# CHLDN WANT(6+)**

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08350

All things considered, if you could have exactly the number
of children you want, what number would you choose to have?

1="None" 2="One" 3="Two" 4="Three" 5="Four" 6="Five" 7="Six
or more" 8="Don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	84	3.3 %	3.4%
2	ONE:(2)	141	5.6 %	5.8%
3	TWO:(3)	953	37.8 %	38.9%
4	THREE:(4)	599	23.7 %	24.4%
5	FOUR:(5)	287	11.4 %	11.7%
6	FIVE:(6)	85	3.4 %	3.5%
7	SIX+:(7)	71	2.8 %	2.9%
8	DK:(8)	232	9.2 %	9.5%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2452 valid cases out of 2523 total cases.

V3253	**103A22 :IF -POP, MR CHLD**

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08360

If the "population explosion" were NOT a problem, would you
choose to have a larger number of children?

4="Yes, I'm sure I would want more" 3="I probably would want
more" 2="I probably would not want more" 1="I'm sure I would
not want more" 8="Don't know, no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	SURE NOT:(1)	829	32.9 %	33.4%
2	PROBLY NOT:(2)	713	28.3 %	28.7%
3	PROBABLY:(3)	231	9.2 %	9.3%
4	YES:(4)	134	5.3 %	5.4%
8	DK:(8)	574	22.8 %	23.1%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2481 valid cases out of 2523 total cases.

V3254	**103A23 :WHN 1ST CHL(5+Y)**

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08370

If it were just up to you, how soon after getting married would you want to have your first child?

1="I don't want to have children (or get married)" 2="I wouldn't wait at all" 3="I would wait one year" 4="I would wait two years" 5="I would wait three years" 6="I would wait four or five years" 7="I would wait more than five years" 8="Don't know, or already have a child"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT WANT:(1)	110	4.4 %	4.5%
2	NO WAIT:(2)	211	8.4 %	8.6%
3	WAIT 1 YR:(3)	738	29.3 %	30.0%
4	WAIT 2 YRS:(4)	651	25.8 %	26.5%
5	WAIT 3 YRS:(5)	252	10.0 %	10.3%
6	WAIT 4-5 YRS:(6)	118	4.7 %	4.8%
7	WAIT >5 YRS:(7)	51	2.0 %	2.1%
8	DK/HAV KID:(8)	326	12.9 %	13.3%
-9 (M)	MISSING:(-9)	66	2.6 %	-

Based upon 2457 valid cases out of 2523 total cases.

V3255	103A24A:GD JB LARG CORPS

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08380

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

A: . . . Large corporations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	161	6.4 %	6.5%
2	POOR:(2)	414	16.4 %	16.8%
3	FAIR:(3)	730	28.9 %	29.6%

Value	Label	Unweighted Frequency	%	Valid %
4	GOOD:(4)	448	17.8 %	18.2%
5	VRY GOOD:(5)	106	4.2 %	4.3%
8	NO OPINION:(8)	605	24.0 %	24.6%
-9 (M)	MISSING:(-9)	59	2.3 %	-

Based upon 2464 valid cases out of 2523 total cases.

V3256	**103A24B:GD JB LBR UNIONS**

Location:	124-125 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08390

How good or bad a job is being done for the country as a whole by . . .

B: . . . Major labor unions?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	105	4.2 %	4.3%
2	POOR:(2)	292	11.6 %	11.9%
3	FAIR:(3)	760	30.1 %	30.9%
4	GOOD:(4)	447	17.7 %	18.2%
5	VRY GOOD:(5)	109	4.3 %	4.4%
8	NO OPINION:(8)	749	29.7 %	30.4%
-9 (M)	MISSING:(-9)	61	2.4 %	-

Based upon 2462 valid cases out of 2523 total cases.

V3257	**103A24C:GD JB COLLG/UNIV**

Location:	126-127 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08400

How good or bad a job is being done for the country as a whole by . . .

C: . . . The nation's colleges and universities?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No

Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	51	2.0 %	2.1%
2	POOR:(2)	154	6.1 %	6.3%
3	FAIR:(3)	521	20.7 %	21.2%
4	GOOD:(4)	883	35.0 %	35.9%
5	VRY GOOD:(5)	556	22.0 %	22.6%
8	NO OPINION:(8)	298	11.8 %	12.1%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2463 valid cases out of 2523 total cases.

V3258	**103A24D:GD JB PBLC SCHOL**

Location:	128-129 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08410

How good or bad a job is being done for the country as a whole by . . .

D: . . . The nation's public schools?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	179	7.1 %	7.3%
2	POOR:(2)	455	18.0 %	18.5%
3	FAIR:(3)	752	29.8 %	30.5%
4	GOOD:(4)	607	24.1 %	24.6%
5	VRY GOOD:(5)	198	7.8 %	8.0%
8	NO OPINION:(8)	275	10.9 %	11.2%
-9 (M)	MISSING:(-9)	57	2.3 %	-

Based upon 2466 valid cases out of 2523 total cases.

V3259	**103A24E:GD JB CHURCHES**

Location:	130-131 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08420

How good or bad a job is being done for the country as a whole by . . .

E: . . . Churches and religious organizations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	117	4.6 %	4.7%
2	POOR:(2)	207	8.2 %	8.4%
3	FAIR:(3)	595	23.6 %	24.1%
4	GOOD:(4)	635	25.2 %	25.7%
5	VRY GOOD:(5)	372	14.7 %	15.1%
8	NO OPINION:(8)	541	21.4 %	21.9%
-9 (M)	MISSING:(-9)	56	2.2 %	-

Based upon 2467 valid cases out of 2523 total cases.

V3260	**103A24F:GD JB NEWS MEDIA**

Location:	132-133 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08430

How good or bad a job is being done for the country as a whole by . . .

F: . . . The national news media (TV, magazines, news services)?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	284	11.3 %	11.5%
2	POOR:(2)	371	14.7 %	15.1%
3	FAIR:(3)	631	25.0 %	25.6%
4	GOOD:(4)	518	20.5 %	21.0%
5	VRY GOOD:(5)	288	11.4 %	11.7%
8	NO OPINION:(8)	371	14.7 %	15.1%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2463 valid cases out of 2523 total cases.

V3261	**103A24G:GD JB PRES/ADMIN**

Location:	134-135 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08440

How good or bad a job is being done for the country as a whole by . . .

G: . . . The President and his administration?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	334	13.2 %	13.5%
2	POOR:(2)	355	14.1 %	14.4%
3	FAIR:(3)	668	26.5 %	27.1%
4	GOOD:(4)	507	20.1 %	20.5%
5	VRY GOOD:(5)	206	8.2 %	8.3%
8	NO OPINION:(8)	398	15.8 %	16.1%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2468 valid cases out of 2523 total cases.

V3262   103A24H:GD JB CONGRESS

Location:	136-137 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08450

How good or bad a job is being done for the country as a whole by . . .

H: . . . Congress--that is, the U.S. Senate and House of Representatives?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	285	11.3 %	11.6%
2	POOR:(2)	415	16.4 %	16.8%
3	FAIR:(3)	692	27.4 %	28.1%
4	GOOD:(4)	357	14.1 %	14.5%
5	VRY GOOD:(5)	85	3.4 %	3.4%

Value	Label	Unweighted Frequency	%	Valid %
8	NO OPINION:(8)	631	25.0 %	25.6%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2465 valid cases out of 2523 total cases.

V3263	103A24I:GD JB SUPRM CRT

Location:	138-139 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08460

How good or bad a job is being done for the country as a
whole by . . .

I: . . . The U.S. Supreme Court?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	131	5.2 %	5.3%
2	POOR:(2)	223	8.8 %	9.1%
3	FAIR:(3)	752	29.8 %	30.6%
4	GOOD:(4)	478	18.9 %	19.4%
5	VRY GOOD:(5)	126	5.0 %	5.1%
8	NO OPINION:(8)	748	29.6 %	30.4%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2458 valid cases out of 2523 total cases.

V3264	103A24J:GD JB JUSTC SYST

Location:	140-141 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08470

How good or bad a job is being done for the country as a
whole by . . .

J: . . . All the courts and the justice system in general?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	161	6.4 %	6.5%
2	POOR:(2)	284	11.3 %	11.5%
3	FAIR:(3)	807	32.0 %	32.8%
4	GOOD:(4)	452	17.9 %	18.4%
5	VRY GOOD:(5)	97	3.8 %	3.9%
8	NO OPINION:(8)	661	26.2 %	26.8%
-9 (M)	MISSING:(-9)	61	2.4 %	-

Based upon 2462 valid cases out of 2523 total cases.

V3265	103A24K:GD JB POLICE

Location:	142-143 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08480

How good or bad a job is being done for the country as a
whole by . . .

K: . . . The police and other law enforcement agencies?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	198	7.8 %	8.0%
2	POOR:(2)	323	12.8 %	13.1%
3	FAIR:(3)	730	28.9 %	29.6%
4	GOOD:(4)	656	26.0 %	26.6%
5	VRY GOOD:(5)	173	6.9 %	7.0%
8	NO OPINION:(8)	385	15.3 %	15.6%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2465 valid cases out of 2523 total cases.

V3266	103A24L:GD JB MILITARY

Location:	144-145 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08490

How good or bad a job is being done for the country as a
whole by . . .

L: . . . The U.S. military?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	96	3.8 %	3.9%
2	POOR:(2)	114	4.5 %	4.6%
3	FAIR:(3)	399	15.8 %	16.2%
4	GOOD:(4)	663	26.3 %	26.9%
5	VRY GOOD:(5)	772	30.6 %	31.4%
8	NO OPINION:(8)	418	16.6 %	17.0%
-9 (M)	MISSING:(-9)	61	2.4 %	-

Based upon 2462 valid cases out of 2523 total cases.

V3267	103A25 :MIL TOO MCH INFL

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08500

All things considered, do you think the armed services presently have too much or too little influence on the way this country is run?

1="Far too little" 2="Too little" 3="About right" 4="Too much" 5="Far too much"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR TOO LTL:(1)	76	3.0 %	3.1%
2	TOO LITTL:(2)	312	12.4 %	12.8%
3	ABT RIGHT:(3)	1461	57.9 %	60.1%
4	TOO MUCH:(4)	479	19.0 %	19.7%
5	FAR TOO MCH:(5)	104	4.1 %	4.3%
-9 (M)	MISSING:(-9)	91	3.6 %	-

Based upon 2432 valid cases out of 2523 total cases.

V3268	103A26 :US TOO MCH$ MILT

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08510

Do you think the U.S. spends too much or too little on the armed services?

1="Far too little" 2="Too little" 3="About right" 4="Too much" 5="Far too much"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR TOO LTL:(1)	90	3.6 %	3.7%
2	TOO LITTL:(2)	322	12.8 %	13.3%
3	ABT RIGHT:(3)	1023	40.5 %	42.2%
4	TOO MUCH:(4)	690	27.3 %	28.4%
5	FAR TOO MCH:(5)	302	12.0 %	12.4%
-9 (M)	MISSING:(-9)	96	3.8 %	-

Based upon 2427 valid cases out of 2523 total cases.

V3273	103A27A:DAP SMK 1PCK CIG

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	456	18.1 %	18.5%
2	DISAPPRV:(2)	747	29.6 %	30.3%
3	STRG DIS:(3)	1264	50.1 %	51.2%
-9 (M)	MISSING:(-9)	56	2.2 %	-

Based upon 2467 valid cases out of 2523 total cases.

V3274	103A27B:DAP TRY MRJ 1-2T

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	1225	48.6 %	49.7%
2	DISAPPRV:(2)	536	21.2 %	21.7%
3	STRG DIS:(3)	704	27.9 %	28.6%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2465 valid cases out of 2523 total cases.

V3275	**103A27C:DAP SMK MRJ OCCS**

Location: 154-155 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	969	38.4 %	39.3%
2	DISAPPRV:(2)	550	21.8 %	22.3%
3	STRG DIS:(3)	949	37.6 %	38.5%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2468 valid cases out of 2523 total cases.

V3276	**103A27D:DAP SMK MRJ REGL**

Location: 156-157 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing

each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	570	22.6 %	23.1%
2	DISAPPRV:(2)	573	22.7 %	23.2%
3	STRG DIS:(3)	1322	52.4 %	53.6%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2465 valid cases out of 2523 total cases.

V3277	**103A27E:DAP TRY LSD 1-2T**

Location:	158-159 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08600

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

E: Trying LSD once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	334	13.2 %	13.6%
2	DISAPPRV:(2)	481	19.1 %	19.6%
3	STRG DIS:(3)	1642	65.1 %	66.8%
-9 (M)	MISSING:(-9)	66	2.6 %	-

Based upon 2457 valid cases out of 2523 total cases.

V3278	**103A27F:DAP TKG LSD REGL**

Location:	160-161 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08610

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

F: Taking LSD regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	144	5.7 %	5.9%
2	DISAPPRV:(2)	367	14.5 %	14.9%
3	STRG DIS:(3)	1948	77.2 %	79.2%
-9 (M)	MISSING:(-9)	64	2.5 %	-

Based upon 2459 valid cases out of 2523 total cases.

V3279	**103A27G:DAP TRY HRN 1-2T**

Location:	162-163 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08620

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

G: Trying heroin once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	155	6.1 %	6.3%
2	DISAPPRV:(2)	351	13.9 %	14.2%
3	STRG DIS:(3)	1960	77.7 %	79.5%
-9 (M)	MISSING:(-9)	57	2.3 %	-

Based upon 2466 valid cases out of 2523 total cases.

V3280	**103A27H:DAP TKG HRN OCCS**

Location:	164-165 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08630

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

H: Taking heroin occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	95	3.8 %	3.9%
2	DISAPPRV:(2)	272	10.8 %	11.0%
3	STRG DIS:(3)	2098	83.2 %	85.1%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2465 valid cases out of 2523 total cases.

V3281   103A27I:DAP TKG HRN REGL

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08640

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking heroin regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	84	3.3 %	3.4%
2	DISAPPRV:(2)	209	8.3 %	8.5%
3	STRG DIS:(3)	2159	85.6 %	88.1%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2452 valid cases out of 2523 total cases.

V3507   103A27J:DAP TRY SED/B1-2

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08655

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking a sedative/barbiturate (downer) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	321	12.7 %	13.1%

Value	Label	Unweighted Frequency	%	Valid %
2	DISAPPRV:(2)	559	22.2 %	22.8%
3	STRG DIS:(3)	1577	62.5 %	64.2%
-9 (M)	MISSING:(-9)	66	2.6 %	-

Based upon 2457 valid cases out of 2523 total cases.

V3508	103A27K:DAP USE SED/BREG

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08665

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking a sedative/barbiturate (downer) regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	134	5.3 %	5.5%
2	DISAPPRV:(2)	404	16.0 %	16.5%
3	STRG DIS:(3)	1911	75.7 %	78.0%
-9 (M)	MISSING:(-9)	74	2.9 %	-

Based upon 2449 valid cases out of 2523 total cases.

V3284	103A27L:DAP TRY AMP 1-2T

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Trying an amphetamine (upper, pep pill, bennie, speed) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	305	12.1 %	12.4%

Value	Label	Unweighted Frequency	%	Valid %
2	DISAPPRV:(2)	499	19.8 %	20.3%
3	STRG DIS:(3)	1654	65.6 %	67.3%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2458 valid cases out of 2523 total cases.

V3285	**103A27M:DAP TKG AMP REGL**

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking amphetamines regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	127	5.0 %	5.2%
2	DISAPPRV:(2)	361	14.3 %	14.7%
3	STRG DIS:(3)	1964	77.8 %	80.1%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2452 valid cases out of 2523 total cases.

V3286	**103A27N:DAP TRY COC 1-2T**

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	246	9.8 %	10.0%
2	DISAPPRV:(2)	374	14.8 %	15.2%

Value	Label	Unweighted Frequency	%	Valid %
3	STRG DIS:(3)	1839	72.9 %	74.8%
-9 (M)	MISSING:(-9)	64	2.5 %	-

Based upon 2459 valid cases out of 2523 total cases.

V3287   103A27O:DAP TKG COC REGL

Location:	178-179 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08700

Do YOU disapprove of people (who are 18 or older) doing each of the following?

O: Taking cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	95	3.8 %	3.9%
2	DISAPPRV:(2)	265	10.5 %	10.8%
3	STRG DIS:(3)	2088	82.8 %	85.3%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2448 valid cases out of 2523 total cases.

V3288   103A27P:DAP TRY DRK ALCL

Location:	180-181 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

P: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	1729	68.5 %	70.3%
2	DISAPPRV:(2)	374	14.8 %	15.2%

Value	Label	Unweighted Frequency	%	Valid %
3	STRG DIS:(3)	358	14.2 %	14.5%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2461 valid cases out of 2523 total cases.

V3289	**103A27Q:DAP 1-2 DRK/DAY**

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Q: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	685	27.2 %	27.9%
2	DISAPPRV:(2)	859	34.0 %	35.0%
3	STRG DIS:(3)	911	36.1 %	37.1%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2455 valid cases out of 2523 total cases.

V3290	**103A27R:DAP 4-5 DRK/DAY**

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

R: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	268	10.6 %	10.9%
2	DISAPPRV:(2)	554	22.0 %	22.5%
3	STRG DIS:(3)	1640	65.0 %	66.6%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	61	2.4 %	-

Based upon 2462 valid cases out of 2523 total cases.

V3291	**103A27S:DAP 5+ DRK WKNDS**			

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

S: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	784	31.1 %	31.9%
2	DISAPPRV:(2)	586	23.2 %	23.8%
3	STRG DIS:(3)	1089	43.2 %	44.3%
-9 (M)	MISSING:(-9)	64	2.5 %	-

Based upon 2459 valid cases out of 2523 total cases.

V3292	**103A28A:12MO NR OTH MARJ**			

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20590

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

A: Marijuana (pot, weed) or hashish

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	601	23.8 %	24.4%
2	1-2X:(2)	501	19.9 %	20.4%
3	OCCASNLY:(3)	542	21.5 %	22.0%

Value	Label	Unweighted Frequency	%	Valid %
4	OFTEN:(4)	817	32.4 %	33.2%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2461 valid cases out of 2523 total cases.

V3293	**103A28B:12MO NR OTH LSD**

Location:	190-191 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20600

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

B: LSD

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2100	83.2 %	86.2%
2	1-2X:(2)	219	8.7 %	9.0%
3	OCCASNLY:(3)	80	3.2 %	3.3%
4	OFTEN:(4)	37	1.5 %	1.5%
-9 (M)	MISSING:(-9)	87	3.4 %	-

Based upon 2436 valid cases out of 2523 total cases.

V3294	**103A28C:12MO NR OTH PSYC**

Location:	192-193 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20610

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

C: Other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1833	72.7 %	74.7%
2	1-2X:(2)	380	15.1 %	15.5%
3	OCCASNLY:(3)	177	7.0 %	7.2%
4	OFTEN:(4)	65	2.6 %	2.6%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2455 valid cases out of 2523 total cases.

V3295	103A28D:12MO NR OTH AMPH

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20620

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

D: Amphetamines (uppers, pep pills, bennies, speed)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1871	74.2 %	76.4%
2	1-2X:(2)	317	12.6 %	12.9%
3	OCCASNLY:(3)	176	7.0 %	7.2%
4	OFTEN:(4)	85	3.4 %	3.5%
-9 (M)	MISSING:(-9)	74	2.9 %	-

Based upon 2449 valid cases out of 2523 total cases.

V3509	103A28E:12MO NR SED/BARB

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20635

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

E: Sedatives/barbiturates (downers)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2000	79.3 %	81.6%
2	1-2X:(2)	258	10.2 %	10.5%
3	OCCASNLY:(3)	121	4.8 %	4.9%
4	OFTEN:(4)	72	2.9 %	2.9%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2451 valid cases out of 2523 total cases.

V3297	**103A28F:12MO NR OTH TRQL**

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20640

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

F: Tranquilizers (Librium, Valium, Xanax)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2008	79.6 %	82.0%
2	1-2X:(2)	228	9.0 %	9.3%
3	OCCASNLY:(3)	131	5.2 %	5.3%
4	OFTEN:(4)	82	3.3 %	3.3%
-9 (M)	MISSING:(-9)	74	2.9 %	-

Based upon 2449 valid cases out of 2523 total cases.

V3298	**103A28G:12MO NR OTH COKE**

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20650

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

G: Cocaine ("coke")

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1979	78.4 %	80.6%
2	1-2X:(2)	297	11.8 %	12.1%
3	OCCASNLY:(3)	125	5.0 %	5.1%
4	OFTEN:(4)	54	2.1 %	2.2%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2455 valid cases out of 2523 total cases.

V3299	**103A28H:12MO NR OTH HRN**

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 20660

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

H: Heroin

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2263	89.7 %	92.4%
2	1-2X:(2)	121	4.8 %	4.9%
3	OCCASNLY:(3)	37	1.5 %	1.5%
4	OFTEN:(4)	27	1.1 %	1.1%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2448 valid cases out of 2523 total cases.

V3300	**103A28I:12MO NR OTH NARC**

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 20670

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

I: Other narcotics (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1689	66.9 %	69.1%
2	1-2X:(2)	398	15.8 %	16.3%
3	OCCASNLY:(3)	221	8.8 %	9.0%
4	OFTEN:(4)	138	5.5 %	5.6%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2446 valid cases out of 2523 total cases.

V3301	**103A28J:12MO NR OTH ALCL**

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 20680

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

J: Alcoholic beverages (beer, wine, liquor)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	358	14.2 %	14.6%
2	1-2X:(2)	315	12.5 %	12.9%
3	OCCASNLY:(3)	639	25.3 %	26.1%
4	OFTEN:(4)	1135	45.0 %	46.4%
-9 (M)	MISSING:(-9)	76	3.0 %	-

Based upon 2447 valid cases out of 2523 total cases.

V3460	**103A29A:RSK OF CIG1+PK/D**

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 12360

The next questions ask for your opinions on the effects of
using certain drugs and other substances. How much do you
think people risk harming themselves (physically or in other

ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	60	2.4 %	2.4%
2	SLIGHT:(2)	133	5.3 %	5.4%
3	MOD RISK:(3)	460	18.2 %	18.8%
4	GRT RISK:(4)	1739	68.9 %	70.9%
5	CANT SAY:(5)	60	2.4 %	2.4%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2452 valid cases out of 2523 total cases.

V3461	**103A29B:RSK OF MJ 1-2 X**

Location:	210-211 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	957	37.9 %	39.0%
2	SLIGHT:(2)	738	29.3 %	30.1%
3	MOD RISK:(3)	330	13.1 %	13.5%
4	GRT RISK:(4)	352	14.0 %	14.4%
5	CANT SAY:(5)	74	2.9 %	3.0%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2451 valid cases out of 2523 total cases.

V3462	**103A29C:RSK OF MJ OCSNLY**

Location:	212-213 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	529	21.0 %	21.6%
2	SLIGHT:(2)	635	25.2 %	25.9%
3	MOD RISK:(3)	604	23.9 %	24.6%
4	GRT RISK:(4)	598	23.7 %	24.4%
5	CANT SAY:(5)	85	3.4 %	3.5%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2451 valid cases out of 2523 total cases.

V3463   103A29D:RSK OF MJ REGLY

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	292	11.6 %	11.9%
2	SLIGHT:(2)	390	15.5 %	15.9%
3	MOD RISK:(3)	560	22.2 %	22.9%
4	GRT RISK:(4)	1123	44.5 %	45.9%
5	CANT SAY:(5)	83	3.3 %	3.4%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2448 valid cases out of 2523 total cases.

V3464   103A29E:RSK COK PWDR 1-2

Location:	216-217 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	99	3.9 %	4.0%
2	SLIGHT:(2)	351	13.9 %	14.3%
3	MOD RISK:(3)	516	20.5 %	21.1%
4	GRT RISK:(4)	1320	52.3 %	53.9%
5	CANT SAY:(5)	162	6.4 %	6.6%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2448 valid cases out of 2523 total cases.

V3465	**103A29F:RSK COK PWDR OCC**
Location:	218-219 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	55	2.2 %	2.2%
2	SLIGHT:(2)	59	2.3 %	2.4%
3	MOD RISK:(3)	446	17.7 %	18.2%
4	GRT RISK:(4)	1724	68.3 %	70.4%
5	CANT SAY:(5)	165	6.5 %	6.7%
-9 (M)	MISSING:(-9)	74	2.9 %	-

Based upon 2449 valid cases out of 2523 total cases.

V3466	103A29G:RSK COK PWDR REG

Location:	220-221 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	52	2.1 %	2.1%
2	SLIGHT:(2)	26	1.0 %	1.1%
3	MOD RISK:(3)	101	4.0 %	4.1%
4	GRT RISK:(4)	2099	83.2 %	85.8%
5	CANT SAY:(5)	167	6.6 %	6.8%
-9 (M)	MISSING:(-9)	78	3.1 %	-

Based upon 2445 valid cases out of 2523 total cases.

V3467	103A29H:RSK CRACK 1-2X

Location:	222-223 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	70	2.8 %	2.9%
2	SLIGHT:(2)	236	9.4 %	9.6%
3	MOD RISK:(3)	426	16.9 %	17.4%
4	GRT RISK:(4)	1539	61.0 %	62.9%

Value	Label	Unweighted Frequency	%	Valid %
5	CANT SAY:(5)	175	6.9 %	7.2%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2446 valid cases out of 2523 total cases.

V3468	**103A29I:RSK CRACK OCC**

Location:	224-225 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12505

How much do you think people risk harming themselves (physically or in other ways), if they . . .

I: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	46	1.8 %	1.9%
2	SLIGHT:(2)	37	1.5 %	1.5%
3	MOD RISK:(3)	324	12.8 %	13.2%
4	GRT RISK:(4)	1868	74.0 %	76.3%
5	CANT SAY:(5)	172	6.8 %	7.0%
-9 (M)	MISSING:(-9)	76	3.0 %	-

Based upon 2447 valid cases out of 2523 total cases.

V3469	**103A29J:RSK CRACK REG**

Location:	226-227 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12506

How much do you think people risk harming themselves (physically or in other ways), if they . . .

J: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	50	2.0 %	2.0%
2	SLIGHT:(2)	18	0.7 %	0.7%
3	MOD RISK:(3)	71	2.8 %	2.9%
4	GRT RISK:(4)	2129	84.4 %	87.1%
5	CANT SAY:(5)	176	7.0 %	7.2%
-9 (M)	MISSING:(-9)	79	3.1 %	-

Based upon 2444 valid cases out of 2523 total cases.

V3470	**103A29K:RSK OF 1-2 DRINK**

Location:	228-229 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	1171	46.4 %	47.9%
2	SLIGHT:(2)	733	29.1 %	30.0%
3	MOD RISK:(3)	226	9.0 %	9.2%
4	GRT RISK:(4)	248	9.8 %	10.1%
5	CANT SAY:(5)	66	2.6 %	2.7%
-9 (M)	MISSING:(-9)	79	3.1 %	-

Based upon 2444 valid cases out of 2523 total cases.

V3471	**103A29L:RSK OF 1-2 DR/DA**

Location:	230-231 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	321	12.7 %	13.1%
2	SLIGHT:(2)	746	29.6 %	30.5%
3	MOD RISK:(3)	756	30.0 %	30.9%
4	GRT RISK:(4)	554	22.0 %	22.6%
5	CANT SAY:(5)	69	2.7 %	2.8%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2446 valid cases out of 2523 total cases.

V3472	**103A29M:RSK OF 4-5 DR/DA**

Location:	232-233 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	111	4.4 %	4.5%
2	SLIGHT:(2)	183	7.3 %	7.5%
3	MOD RISK:(3)	592	23.5 %	24.2%
4	GRT RISK:(4)	1488	59.0 %	60.9%
5	CANT SAY:(5)	70	2.8 %	2.9%
-9 (M)	MISSING:(-9)	79	3.1 %	-

Based upon 2444 valid cases out of 2523 total cases.

V3473	**103A29N:RSK OF 5+DR/WKND**

Location:	234-235 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12540

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

N: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	245	9.7 %	10.0%
2	SLIGHT:(2)	378	15.0 %	15.4%
3	MOD RISK:(3)	499	19.8 %	20.4%
4	GRT RISK:(4)	1255	49.7 %	51.2%
5	CANT SAY:(5)	74	2.9 %	3.0%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2451 valid cases out of 2523 total cases.

V3474   103A30A:EASY GT MARIJUAN

Location:	236-237 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06750

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	136	5.4 %	5.6%
2	VRY DIFF:(2)	86	3.4 %	3.5%
3	FRLY DIF:(3)	190	7.5 %	7.8%
4	FRLY EAS:(4)	575	22.8 %	23.7%
5	VRY EASY:(5)	1439	57.0 %	59.3%
-9 (M)	MISSING:(-9)	97	3.8 %	-

Based upon 2426 valid cases out of 2523 total cases.

V3475   103A30B:EASY GT CRACK

Location:	238-239 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 06811

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	457	18.1 %	18.9%
2	VRY DIFF:(2)	507	20.1 %	21.0%
3	FRLY DIF:(3)	714	28.3 %	29.5%
4	FRLY EAS:(4)	444	17.6 %	18.4%
5	VRY EASY:(5)	296	11.7 %	12.2%
-9 (M)	MISSING:(-9)	105	4.2 %	-

Based upon 2418 valid cases out of 2523 total cases.

V3476	103A30C:EASY GT COK PWDR

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 06812

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	484	19.2 %	20.0%
2	VRY DIFF:(2)	511	20.3 %	21.1%
3	FRLY DIF:(3)	636	25.2 %	26.3%
4	FRLY EAS:(4)	454	18.0 %	18.8%
5	VRY EASY:(5)	332	13.2 %	13.7%
-9 (M)	MISSING:(-9)	106	4.2 %	-

Based upon 2417 valid cases out of 2523 total cases.

V3101	103B01 :EVR SMK CIG,REGL

Location:	242-243 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1394	55.3 %	57.4%
2	1-2X:(2)	469	18.6 %	19.3%
3	OCCASNLY:(3)	264	10.5 %	10.9%
4	REG PAST:(4)	114	4.5 %	4.7%
5	REG NOW:(5)	189	7.5 %	7.8%
-9 (M)	MISSING:(-9)	93	3.7 %	-

Based upon 2430 valid cases out of 2523 total cases.

V3102 — 103B02 :#CIGS SMKD/30DAY

Location:	244-245 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DAILY:(1)	1971	78.1 %	81.1%
2	<1 CIG/D:(2)	205	8.1 %	8.4%
3	1-5/DAY:(3)	145	5.7 %	6.0%
4	1/2 PK:(4)	67	2.7 %	2.8%
5	1 PK:(5)	29	1.1 %	1.2%
6	1 1/2 PK:(6)	5	0.2 %	0.2%
7	2+ PKS:(7)	7	0.3 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	94	3.7 %	-

Based upon 2429 valid cases out of 2523 total cases.

V3103   103B03 :EVER DRINK

Location:	246-247 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF THE NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	671	26.6 %	28.5%
2	YES:(2)	1682	66.7 %	71.5%
-9 (M)	MISSING:(-9)	170	6.7 %	-

Based upon 2353 valid cases out of 2523 total cases.

V3104   103B04A:#X ALC/LIF SIPS

Location:	248-249 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00810

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said No to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	671	26.6 %	28.8%
2	1-2X:(2)	193	7.6 %	8.3%
3	3-5X:(3)	265	10.5 %	11.4%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	216	8.6 %	9.3%
5	10-19X:(5)	281	11.1 %	12.1%
6	20-39X:(6)	244	9.7 %	10.5%
7	40+OCCAS:(7)	460	18.2 %	19.7%
-9 (M)	MISSING:(-9)	193	7.6 %	-

Based upon 2330 valid cases out of 2523 total cases.

V3105	103B04B:#X ALC/ANN SIPS

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	784	31.1 %	33.8%
2	1-2X:(2)	397	15.7 %	17.1%
3	3-5X:(3)	321	12.7 %	13.8%
4	6-9X:(4)	231	9.2 %	10.0%
5	10-19X:(5)	250	9.9 %	10.8%
6	20-39X:(6)	137	5.4 %	5.9%
7	40+OCCAS:(7)	199	7.9 %	8.6%
-9 (M)	MISSING:(-9)	204	8.1 %	-

Based upon 2319 valid cases out of 2523 total cases.

V3106	103B04C:#X ALC/30D SIPS

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1323	52.4 %	57.1%
2	1-2X:(2)	457	18.1 %	19.7%
3	3-5X:(3)	254	10.1 %	11.0%
4	6-9X:(4)	132	5.2 %	5.7%
5	10-19X:(5)	86	3.4 %	3.7%
6	20-39X:(6)	25	1.0 %	1.1%
7	40+OCCAS:(7)	38	1.5 %	1.6%
-9 (M)	MISSING:(-9)	208	8.2 %	-

Based upon 2315 valid cases out of 2523 total cases.

V3107	**103B05 :#X DRK ENF FL HI**

Location:	254-255 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00840

On the occasions that you drink alcoholic beverages, how
often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On
about half of the occasions" 4="On most of the occasions"
5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	428	17.0 %	25.3%
2	FEW OCC:(2)	484	19.2 %	28.6%
3	HALF OCC:(3)	257	10.2 %	15.2%
4	MOST OCC:(4)	318	12.6 %	18.8%
5	NRLY ALL:(5)	206	8.2 %	12.2%
-9 (M)	MISSING:(-9)	830	32.9 %	-

Based upon 1693 valid cases out of 2523 total cases.

V3108	**103B06 :5+DRK ROW/LST 2W**

Location:	256-257 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you
had five or more drinks in a row? (A "drink" is a glass of
wine, a bottle of beer, a wine cooler, a shot glass of liquor,
a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10
or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1716	68.0 %	75.1%
2	ONCE:(2)	220	8.7 %	9.6%
3	TWICE:(3)	158	6.3 %	6.9%
4	3-5X:(4)	129	5.1 %	5.6%
5	6-9X:(5)	35	1.4 %	1.5%
6	10+ TIME:(6)	27	1.1 %	1.2%
-9 (M)	MISSING:(-9)	238	9.4 %	-

Based upon 2285 valid cases out of 2523 total cases.

V3115	103B07A:#XMJ+HS/LIFETIME

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed,
pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1286	51.0 %	54.0%
2	1-2X:(2)	220	8.7 %	9.2%
3	3-5X:(3)	143	5.7 %	6.0%
4	6-9X:(4)	118	4.7 %	5.0%
5	10-19X:(5)	138	5.5 %	5.8%
6	20-39X:(6)	101	4.0 %	4.2%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	375	14.9 %	15.7%
-9 (M)	MISSING:(-9)	142	5.6 %	-

Based upon 2381 valid cases out of 2523 total cases.

V3116	**103B07B:#XMJ+HS/LAST12MO**

Location:	260-261 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1484	58.8 %	62.5%
2	1-2X:(2)	236	9.4 %	9.9%
3	3-5X:(3)	155	6.1 %	6.5%
4	6-9X:(4)	90	3.6 %	3.8%
5	10-19X:(5)	108	4.3 %	4.5%
6	20-39X:(6)	74	2.9 %	3.1%
7	40+OCCAS:(7)	229	9.1 %	9.6%
-9 (M)	MISSING:(-9)	147	5.8 %	-

Based upon 2376 valid cases out of 2523 total cases.

V3117	**103B07C:#XMJ+HS/LAST30DA**

Location:	262-263 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1837	72.8 %	77.2%
2	1-2X:(2)	189	7.5 %	7.9%
3	3-5X:(3)	69	2.7 %	2.9%
4	6-9X:(4)	54	2.1 %	2.3%
5	10-19X:(5)	64	2.5 %	2.7%
6	20-39X:(6)	51	2.0 %	2.1%
7	40+OCCAS:(7)	114	4.5 %	4.8%
-9 (M)	MISSING:(-9)	145	5.7 %	-

Based upon 2378 valid cases out of 2523 total cases.

V3118	103B08A:#X LSD/LIFETIME

Location:	264-265 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2326	92.2 %	96.4%
2	1-2X:(2)	53	2.1 %	2.2%
3	3-5X:(3)	18	0.7 %	0.7%
4	6-9X:(4)	6	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	109	4.3 %	-

Based upon 2414 valid cases out of 2523 total cases.

V3119	103B08B:#X LSD/LAST 12MO

Location:	266-267 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00900

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2361	93.6 %	97.6%
2	1-2X:(2)	40	1.6 %	1.7%
3	3-5X:(3)	8	0.3 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	105	4.2 %	-

Based upon 2418 valid cases out of 2523 total cases.

V3120	103B08C:#X LSD/LAST 30DA

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00910

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2399	95.1 %	99.3%
2	1-2X:(2)	10	0.4 %	0.4%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	107	4.2 %	-

Based upon 2416 valid cases out of 2523 total cases.

V3121	**103B09A:#X PSYD/LIFETIME**

Location:	270-271 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2243	88.9 %	92.7%
2	1-2X:(2)	103	4.1 %	4.3%
3	3-5X:(3)	37	1.5 %	1.5%
4	6-9X:(4)	16	0.6 %	0.7%
5	10-19X:(5)	11	0.4 %	0.5%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.2 %	0.2%
-9 (M)	MISSING:(-9)	103	4.1 %	-

Based upon 2420 valid cases out of 2523 total cases.

V3122	**103B09B:#X PSYD/LAST12MO**

Location:	272-273 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2301	91.2 %	95.2%
2	1-2X:(2)	80	3.2 %	3.3%
3	3-5X:(3)	22	0.9 %	0.9%
4	6-9X:(4)	6	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	105	4.2 %	-

Based upon 2418 valid cases out of 2523 total cases.

V3123	103B09C:#X PSYD/LAST30DA

Location:	274-275 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00940

On how many occasions (if any) have you used hallucinogens
other than LSD (like mescaline, peyote, "shrooms" or
psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2390	94.7 %	98.9%
2	1-2X:(2)	19	0.8 %	0.8%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	106	4.2 %	-

Based upon 2417 valid cases out of 2523 total cases.

V3124	103R :#X COKE/LIFETIME

Location:	276-277 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2288	90.7 %	94.6%
2	1-2X:(2)	56	2.2 %	2.3%
3	3-5X:(3)	26	1.0 %	1.1%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	16	0.6 %	0.7%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	104	4.1 %	-

Based upon 2419 valid cases out of 2523 total cases.

V3125	**103R :#X COKE/LAST12MO**

Location:	278-279 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2347	93.0 %	97.0%
2	1-2X:(2)	33	1.3 %	1.4%
3	3-5X:(3)	15	0.6 %	0.6%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	103	4.1 %	-

Based upon 2420 valid cases out of 2523 total cases.

V3126	103R :#X COKE/LAST30DA

Location:	280-281 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2391	94.8 %	98.7%
2	1-2X:(2)	13	0.5 %	0.5%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	101	4.0 %	-

Based upon 2422 valid cases out of 2523 total cases.

V3127	**103B10A:#X AMPH/LIFETIME**

Location:	282-283 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2135	84.6 %	88.6%
2	1-2X:(2)	112	4.4 %	4.6%
3	3-5X:(3)	41	1.6 %	1.7%
4	6-9X:(4)	34	1.3 %	1.4%
5	10-19X:(5)	31	1.2 %	1.3%
6	20-39X:(6)	19	0.8 %	0.8%
7	40+OCCAS:(7)	38	1.5 %	1.6%
-9 (M)	MISSING:(-9)	113	4.5 %	-

Based upon 2410 valid cases out of 2523 total cases.

V3128	**103B10B:#X AMPH/LAST12MO**

Location:	284-285 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2228	88.3 %	92.3%
2	1-2X:(2)	90	3.6 %	3.7%
3	3-5X:(3)	35	1.4 %	1.5%
4	6-9X:(4)	25	1.0 %	1.0%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	11	0.4 %	0.5%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	110	4.4 %	-

Based upon 2413 valid cases out of 2523 total cases.

V3129   103B10C:#X AMPH/LAST30DA

Location:	286-287 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2340	92.7 %	97.1%
2	1-2X:(2)	40	1.6 %	1.7%
3	3-5X:(3)	13	0.5 %	0.5%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	112	4.4 %	-

Based upon 2411 valid cases out of 2523 total cases.

V3487   103B11A:#X CRACK/LIFETIM

Location:	288-289 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22260

On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form) . . .

A. . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2382	94.4 %	98.2%
2	1-2X:(2)	22	0.9 %	0.9%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	3	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	98	3.9 %	-

Based upon 2425 valid cases out of 2523 total cases.

V3488	**103B11B:#X CRACK/LAST12M**

Location:	290-291 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22270

On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2404	95.3 %	99.1%
2	1-2X:(2)	14	0.6 %	0.6%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	97	3.8 %	-

Based upon 2426 valid cases out of 2523 total cases.

V3489	103B11C:#X CRACK/LAST30D

Location:	292-293 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22280

On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2415	95.7 %	99.5%
2	1-2X:(2)	6	0.2 %	0.2%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2428 valid cases out of 2523 total cases.

V3490	103B12A:#XOTH COKE/LIFE

Location:	294-295 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22320

On how many occasions (if any) have you used cocaine in any
other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2300	91.2 %	95.0%
2	1-2X:(2)	61	2.4 %	2.5%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	102	4.0 %	-

Based upon 2421 valid cases out of 2523 total cases.

V3491	**103B12B:#XOTH COKE/12MO**

Location:	296-297 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2355	93.3 %	97.3%
2	1-2X:(2)	31	1.2 %	1.3%
3	3-5X:(3)	15	0.6 %	0.6%
4	6-9X:(4)	6	0.2 %	0.2%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	102	4.0 %	-

Based upon 2421 valid cases out of 2523 total cases.

V3492	**103B12C:#XOTH COKE/30DA**

Location:	298-299 (width: 2; decimal: 0)
Variable Type:	numeric

| Range of Missing Values (M): | -9 |
| Question: | |

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2394	94.9 %	98.8%
2	1-2X:(2)	15	0.6 %	0.6%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	101	4.0 %	-

Based upon 2422 valid cases out of 2523 total cases.

V3133   103B13A:#X SED/BARB/LIFE

Location:	300-301 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2243	88.9 %	92.9%
2	1-2X:(2)	73	2.9 %	3.0%
3	3-5X:(3)	40	1.6 %	1.7%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	20	0.8 %	0.8%
5	10-19X:(5)	17	0.7 %	0.7%
6	20-39X:(6)	6	0.2 %	0.2%
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	108	4.3 %	-

Based upon 2415 valid cases out of 2523 total cases.

V3134	103B13B:#X SED/BARB/12MO

Location:	302-303 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01052

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2308	91.5 %	95.6%
2	1-2X:(2)	57	2.3 %	2.4%
3	3-5X:(3)	23	0.9 %	1.0%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	109	4.3 %	-

Based upon 2414 valid cases out of 2523 total cases.

V3135	103B13C:#X SED/BARB/30DA

Location:	304-305 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01062

On how many occasions (if any) have you taken sedatives

on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2372	94.0 %	98.2%
2	1-2X:(2)	28	1.1 %	1.2%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	6	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	107	4.2 %	-

Based upon 2416 valid cases out of 2523 total cases.

V3136   103B14A:#X TRQL/LIFETIME

Location:	306-307 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2210	87.6 %	91.5%
2	1-2X:(2)	79	3.1 %	3.3%
3	3-5X:(3)	47	1.9 %	1.9%
4	6-9X:(4)	23	0.9 %	1.0%
5	10-19X:(5)	21	0.8 %	0.9%
6	20-39X:(6)	12	0.5 %	0.5%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	22	0.9 %	0.9%
-9 (M)	MISSING:(-9)	109	4.3 %	-

Based upon 2414 valid cases out of 2523 total cases.

V3137   103B14B:#X TRQL/LAST12MO

Location:	308-309 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2282	90.4 %	94.4%
2	1-2X:(2)	62	2.5 %	2.6%
3	3-5X:(3)	30	1.2 %	1.2%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	15	0.6 %	0.6%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	106	4.2 %	-

Based upon 2417 valid cases out of 2523 total cases.

V3138   103B14C:#X TRQL/LAST30DA

Location:	310-311 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2357	93.4 %	97.6%
2	1-2X:(2)	38	1.5 %	1.6%
3	3-5X:(3)	13	0.5 %	0.5%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	108	4.3 %	-

Based upon 2415 valid cases out of 2523 total cases.

V3139	**103B15A:#X H/LIFETIME**

Location:	312-313 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01100

On how many occasions (if any) have you used heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2382	94.4 %	98.6%
2	1-2X:(2)	16	0.6 %	0.7%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	108	4.3 %	-

Based upon 2415 valid cases out of 2523 total cases.

V3140	**103B15B:#X H/LAST 12MO**

Location:	314-315 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01110

On how many occasions (if any) have you used heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2397	95.0 %	99.1%
2	1-2X:(2)	13	0.5 %	0.5%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	105	4.2 %	-

Based upon 2418 valid cases out of 2523 total cases.

V3141   103B15C:#X H/LAST 30DA

Location:	316-317 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01120

On how many occasions (if any) have you used heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2410	95.5 %	99.7%
2	1-2X:(2)	4	0.2 %	0.2%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	106	4.2 %	-

Based upon 2417 valid cases out of 2523 total cases.

V3142	103B16A:#X NARC/LIFETIME

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2097	83.1 %	87.1%
2	1-2X:(2)	127	5.0 %	5.3%
3	3-5X:(3)	59	2.3 %	2.5%
4	6-9X:(4)	26	1.0 %	1.1%
5	10-19X:(5)	39	1.5 %	1.6%
6	20-39X:(6)	26	1.0 %	1.1%
7	40+OCCAS:(7)	33	1.3 %	1.4%
-9 (M)	MISSING:(-9)	116	4.6 %	-

Based upon 2407 valid cases out of 2523 total cases.

V3143	103B16B:#X NARC/LAST12MO

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2199	87.2 %	91.2%
2	1-2X:(2)	99	3.9 %	4.1%
3	3-5X:(3)	50	2.0 %	2.1%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	20	0.8 %	0.8%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	112	4.4 %	-

Based upon 2411 valid cases out of 2523 total cases.

V3144	103B16C:#X NARC/LAST30DA

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2321	92.0 %	96.4%
2	1-2X:(2)	49	1.9 %	2.0%
3	3-5X:(3)	19	0.8 %	0.8%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	115	4.6 %	-

Based upon 2408 valid cases out of 2523 total cases.

V3145	103B17A:#X INHL/LIFETIME

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2201	87.2 %	91.6%
2	1-2X:(2)	122	4.8 %	5.1%
3	3-5X:(3)	36	1.4 %	1.5%
4	6-9X:(4)	20	0.8 %	0.8%
5	10-19X:(5)	6	0.2 %	0.2%
6	20-39X:(6)	6	0.2 %	0.2%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	120	4.8 %	-

Based upon 2403 valid cases out of 2523 total cases.

V3146	**103B17B:#X INHL/LAST12MO**

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2326	92.2 %	96.8%
2	1-2X:(2)	48	1.9 %	2.0%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	6	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	6	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	119	4.7 %	-

Based upon 2404 valid cases out of 2523 total cases.

V3147	103B17C:#X INHL/LAST30DA

Location:	328-329 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2380	94.3 %	99.0%
2	1-2X:(2)	14	0.6 %	0.6%
3	3-5X:(3)	6	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	120	4.8 %	-

Based upon 2403 valid cases out of 2523 total cases.

V3493	103B18A:#X MDMA/LIFETIME

Location:	330-331 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22660

On how many occasions (if any) have you used MDMA
("ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2238	88.7 %	93.1%
2	1-2X:(2)	76	3.0 %	3.2%
3	3-5X:(3)	36	1.4 %	1.5%
4	6-9X:(4)	26	1.0 %	1.1%
5	10-19X:(5)	11	0.4 %	0.5%
6	20-39X:(6)	6	0.2 %	0.2%
7	40+OCCAS:(7)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	119	4.7 %	-

Based upon 2404 valid cases out of 2523 total cases.

V3494	**103B18B:#X MDMA/LAST12MO**

Location:	332-333 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22670

On how many occasions (if any) have you used MDMA
("ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2301	91.2 %	95.7%
2	1-2X:(2)	56	2.2 %	2.3%
3	3-5X:(3)	26	1.0 %	1.1%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	118	4.7 %	-

Based upon 2405 valid cases out of 2523 total cases.

V3495	**103B18C:#X MDMA/LAST30DA**

Location:	334-335 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22680

On how many occasions (if any) have you used MDMA ("ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2376	94.2 %	98.8%
2	1-2X:(2)	21	0.8 %	0.9%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	117	4.6 %	-

Based upon 2406 valid cases out of 2523 total cases.

V3148	**103C01(R):AGE <>18 DICHOTOMY**

Location:	336-337 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

Component variables: 1) Q.C01 "In what year were you born?" [item 00010], 2) Q.C02 "In what month were you born?" [item 00020], and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%	Valid %
1	< 18 YRS:(1)	1039	41.2 %	42.8%
2	18+ YRS:(2)	1386	54.9 %	57.2%
-9 (M)	MISSING:(-9)	98	3.9 %	-

Based upon 2425 valid cases out of 2523 total cases.

V3150	**103C03 :Rs SEX**

Location:	338-339 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%	Valid %
1	MALE:(1)	1161	46.0 %	49.2%
2	FEMALE:(2)	1197	47.4 %	50.8%
-9 (M)	MISSING:(-9)	165	6.5 %	-

Based upon 2358 valid cases out of 2523 total cases.

V3151　　　　103C04(R):R'S RACE B/W/H

Location:	340-341 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban
American; Puerto Rican; Other Hispanic or Latino; Asian
American; White (Caucasian); American Indian or Alaska Native;
Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American"
= 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or
"Cuban..." or "Puerto Rican" or "Other Hispanic..."). All
other responses, including those of respondents who fell
into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%	Valid %
1	BLACK:(1)	319	12.6 %	15.3%
2	WHITE:(2)	1376	54.5 %	66.0%
3	HISPANIC:(3)	389	15.4 %	18.7%
-9 (M)	MISSING:(-9)	439	17.4 %	-

Based upon 2084 valid cases out of 2523 total cases.

V3152　　　　103C05 :R SPD >TIM R-URB

Location:	342-343 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%	Valid %
0	DK/MIXED:(0)	289	11.5 %	11.5%
1	A FARM:(1)	106	4.2 %	4.2%
2	COUNTRY:(2)	227	9.0 %	9.0%
3	SM CITY:(3)	614	24.3 %	24.3%
4	MED CITY:(4)	342	13.6 %	13.6%
5	SUB MED:(5)	264	10.5 %	10.5%
6	LGE CITY:(6)	282	11.2 %	11.2%
7	SUB LGE:(7)	158	6.3 %	6.3%
8	V-LGE CITY:(8)	141	5.6 %	5.6%
9	SUB V-LGE:(9)	100	4.0 %	4.0%

Based upon 2523 valid cases out of 2523 total cases.

V3153	**103C06 :R NOT MARRIED**

Location:	344-345 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	11	0.4 %	0.5%
2	ENGAGED:(2)	126	5.0 %	5.4%
3	SEP/DIV:(3)	19	0.8 %	0.8%
4	SINGLE:(4)	2184	86.6 %	93.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	183	7.3 %	-

Based upon 2340 valid cases out of 2523 total cases.

V49	**103C07R:# SIBLINGS**

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	133	5.3 %	5.5%
1	ONE:(1)	683	27.1 %	28.3%
2	TWO:(2)	636	25.2 %	26.3%
3	THREE+:(3-4)	962	38.1 %	39.9%
-9 (M)	MISSING:(-9)	109	4.3 %	-

Based upon 2414 valid cases out of 2523 total cases.

V3155	**103C07Cb(R):R'S HSHLD FATHER**

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	733	29.1 %	30.5%
1	MARKED:(1)	1668	66.1 %	69.5%
-9 (M)	MISSING:(-9)	122	4.8 %	-

Based upon 2401 valid cases out of 2523 total cases.

V3156	**103C07Cc(R):R'S HSHLD MOTHER**

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	268	10.6 %	11.2%
1	MARKED:(1)	2133	84.5 %	88.8%
-9 (M)	MISSING:(-9)	122	4.8 %	-

Based upon 2401 valid cases out of 2523 total cases.

V3157	**103C07Cd(R):R'S HSHLD BR/SR**

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"
"My child(ren)," "Other relative(s)," "Non-relative(s),"
"I live alone" -- have been deleted for reasons of
confidentiality.

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	764	30.3 %	31.8%
1	MARKED:(1)	1637	64.9 %	68.2%
-9 (M)	MISSING:(-9)	122	4.8 %	-

Based upon 2401 valid cases out of 2523 total cases.

V3163	103C08 :FATHR EDUC LEVEL

Location:	354-355 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	102	4.0 %	4.3%
2	SOME HS:(2)	265	10.5 %	11.1%
3	HS GRAD:(3)	646	25.6 %	27.0%
4	SOME CLG:(4)	393	15.6 %	16.4%
5	CLG GRAD:(5)	505	20.0 %	21.1%
6	GRAD SCH:(6)	277	11.0 %	11.6%
7	DK:(7)	207	8.2 %	8.6%
-9 (M)	MISSING:(-9)	128	5.1 %	-

Based upon 2395 valid cases out of 2523 total cases.

V3164	103C09 :MOTHR EDUC LEVEL

Location:	356-357 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	91	3.6 %	3.8%
2	SOME HS:(2)	195	7.7 %	8.1%
3	HS GRAD:(3)	609	24.1 %	25.4%
4	SOME CLG:(4)	486	19.3 %	20.3%
5	CLG GRAD:(5)	623	24.7 %	26.0%
6	GRAD SCH:(6)	282	11.2 %	11.8%
7	DK:(7)	111	4.4 %	4.6%
-9 (M)	MISSING:(-9)	126	5.0 %	-

Based upon 2397 valid cases out of 2523 total cases.

V3165	**103C10 :MOTH PD JB R YNG**

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Did your mother have a paid job (half-time or more) during
the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes,
most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	293	11.6 %	12.3%
2	YES/SOME:(2)	474	18.8 %	19.9%
3	YES/MOST:(3)	472	18.7 %	19.8%
4	YES/NRLY ALL:(4)	1146	45.4 %	48.1%
-9 (M)	MISSING:(-9)	138	5.5 %	-

Based upon 2385 valid cases out of 2523 total cases.

V3166	**103C11 :Rs POLTL PRFNC**

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%	Valid %
1	STRG GOP:(1)	214	8.5 %	9.4%
2	MILD GOP:(2)	290	11.5 %	12.7%
3	MILD DEM:(3)	311	12.3 %	13.6%
4	STRG DEM:(4)	266	10.5 %	11.7%
5	INDEPNDT:(5)	257	10.2 %	11.3%
6	NO PREF:(6)	337	13.4 %	14.8%
7	OTHER:(7)	47	1.9 %	2.1%
8	DK/HVNT DECID:(8)	559	22.2 %	24.5%
-9 (M)	MISSING:(-9)	242	9.6 %	-

Based upon 2281 valid cases out of 2523 total cases.

V3167	**103C12 :Rs POL BLF RADCL**

Location:	362-363 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY CONS:(1)	133	5.3 %	5.6%
2	CONSERV:(2)	317	12.6 %	13.4%
3	MODERATE:(3)	542	21.5 %	22.9%
4	LIBERAL:(4)	380	15.1 %	16.1%
5	VRY LIB:(5)	104	4.1 %	4.4%
6	RADICAL:(6)	46	1.8 %	1.9%
8	NONE/DK:(8)	843	33.4 %	35.6%
-9 (M)	MISSING:(-9)	158	6.3 %	-

Based upon 2365 valid cases out of 2523 total cases.

V3169	**103C13B:R ATTND REL SVC**

Location:	364-365 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

[Responses from the western region intentionally obliterated.]

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	365	14.5 %	19.6%
2	RARELY:(2)	630	25.0 %	33.9%
3	1-2X/MO:(3)	288	11.4 %	15.5%
4	1/WK OR+:(4)	577	22.9 %	31.0%
-9 (M)	MISSING:(-9)	663	26.3 %	-

Based upon 1860 valid cases out of 2523 total cases.

V3170	103C13C:RLGN IMP Rs LF

Location:	366-367 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

[Responses from the western region intentionally obliterated.]

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	385	15.3 %	20.7%
2	LITL IMP:(2)	467	18.5 %	25.2%
3	PRTY IMP:(3)	484	19.2 %	26.1%
4	VERY IMP:(4)	520	20.6 %	28.0%
-9 (M)	MISSING:(-9)	667	26.4 %	-

Based upon 1856 valid cases out of 2523 total cases.

V3171	103C14 :WHEN R XPCT GRAD

Location:	368-369 (width: 2; decimal: 0)
Variable Type:	numeric

| Range of Missing Values (M): | -9 |
| Question: | |

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%	Valid %
1	JUNE:(1)	2330	92.4 %	98.2%
2	JUL-JAN:(2)	28	1.1 %	1.2%
6	DONT EXPCT:(6)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	151	6.0 %	-

Based upon 2372 valid cases out of 2523 total cases.

V3172	**103C15 :Rs HS PROGRAM**

Location:	370-371 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00400

Which of the following best describes your present high
school program?

1="Academic or college prep" 2="General" 3="Vocational,
technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	CLG PREP:(1)	1300	51.5 %	55.4%
2	GENERAL:(2)	754	29.9 %	32.1%
3	VOC-TECH:(3)	110	4.4 %	4.7%
4	OTH/DK:(4)	184	7.3 %	7.8%
-9 (M)	MISSING:(-9)	175	6.9 %	-

Based upon 2348 valid cases out of 2523 total cases.

V3173	**103C16 :RT SF SCH AB>AVG**

Location:	372-373 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00410

Compared with others your age throughout the country, how

do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BELOW:(1)	32	1.3 %	1.4%
2	BELOW AVG:(2)	36	1.4 %	1.5%
3	SLIGHT BELOW:(3)	105	4.2 %	4.5%
4	AVERAGE:(4)	747	29.6 %	31.9%
5	SLIGHT ABOVE:(5)	549	21.8 %	23.4%
6	ABOVE AVG:(6)	689	27.3 %	29.4%
7	FAR ABOVE:(7)	187	7.4 %	8.0%
-9 (M)	MISSING:(-9)	178	7.1 %	-

Based upon 2345 valid cases out of 2523 total cases.

V3174	**103C17 :RT SF INTELL>AVG**

Location:	374-375 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BELOW:(1)	26	1.0 %	1.1%
2	BELOW AVG:(2)	36	1.4 %	1.5%
3	SLIGHT BELOW:(3)	77	3.1 %	3.3%
4	AVERAGE:(4)	657	26.0 %	28.0%
5	SLIGHT ABOVE:(5)	609	24.1 %	26.0%
6	ABOVE AVG:(6)	689	27.3 %	29.4%
7	FAR ABOVE:(7)	249	9.9 %	10.6%
-9 (M)	MISSING:(-9)	180	7.1 %	-

Based upon 2343 valid cases out of 2523 total cases.

V3175	**103C18A:#DA/4W SC MS ILL**

Location:	376-377 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1310	51.9 %	57.3%
2	1 DAY:(2)	405	16.1 %	17.7%
3	2 DAYS:(3)	241	9.6 %	10.5%
4	3 DAYS:(4)	152	6.0 %	6.6%
5	4-5 DAYS:(5)	108	4.3 %	4.7%
6	6-10 DA:(6)	39	1.5 %	1.7%
7	11+ DAYS:(7)	33	1.3 %	1.4%
-9 (M)	MISSING:(-9)	235	9.3 %	-

Based upon 2288 valid cases out of 2523 total cases.

V3176	**103C18B:#DA/4W SC MS CUT**
Location:	378-379 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1514	60.0 %	67.0%
2	1 DAY:(2)	332	13.2 %	14.7%
3	2 DAYS:(3)	154	6.1 %	6.8%
4	3 DAYS:(4)	106	4.2 %	4.7%
5	4-5 DAYS:(5)	77	3.1 %	3.4%

Value	Label	Unweighted Frequency	%	Valid %
6	6-10 DA:(6)	30	1.2 %	1.3%
7	11+ DAYS:(7)	48	1.9 %	2.1%
-9 (M)	MISSING:(-9)	262	10.4 %	-

Based upon 2261 valid cases out of 2523 total cases.

V3177	**103C18C:#DA/4W SC MS OTH**

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1246	49.4 %	54.2%
2	1 DAY:(2)	421	16.7 %	18.3%
3	2 DAYS:(3)	292	11.6 %	12.7%
4	3 DAYS:(4)	152	6.0 %	6.6%
5	4-5 DAYS:(5)	98	3.9 %	4.3%
6	6-10 DA:(6)	48	1.9 %	2.1%
7	11+ DAYS:(7)	40	1.6 %	1.7%
-9 (M)	MISSING:(-9)	226	9.0 %	-

Based upon 2297 valid cases out of 2523 total cases.

V3178	**103C19 :#DA/4W SKP CLASS**

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1572	62.3 %	66.8%
2	1-2:(2)	444	17.6 %	18.9%
3	3-5:(3)	189	7.5 %	8.0%
4	6-10:(4)	82	3.3 %	3.5%
5	11-20:(5)	27	1.1 %	1.1%
6	21+:(6)	40	1.6 %	1.7%
-9 (M)	MISSING:(-9)	169	6.7 %	-

Based upon 2354 valid cases out of 2523 total cases.

V3179	103C20 :R HS GRADE/D = 1

Location:	384-385 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	14	0.6 %	0.6%
2	C-:(2)	51	2.0 %	2.2%
3	C:(3)	114	4.5 %	4.9%
4	C+:(4)	203	8.0 %	8.7%
5	B-:(5)	279	11.1 %	11.9%
6	B:(6)	440	17.4 %	18.8%
7	B+:(7)	416	16.5 %	17.8%
8	A-:(8)	428	17.0 %	18.3%
9	A:(9)	396	15.7 %	16.9%
-9 (M)	MISSING:(-9)	182	7.2 %	-

Based upon 2341 valid cases out of 2523 total cases.

V3180	103C21A:R WL DO VOC/TEC

Location:	386-387 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00480

How likely is it that you will do each of the following
things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1262	50.0 %	55.8%
2	PRB WONT:(2)	553	21.9 %	24.4%
3	PRB WILL:(3)	291	11.5 %	12.9%
4	DEF WILL:(4)	157	6.2 %	6.9%
-9 (M)	MISSING:(-9)	260	10.3 %	-

Based upon 2263 valid cases out of 2523 total cases.

V3181	**103C21B:R WL DO ARMD FC**

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00490

How likely is it that you will do each of the following
things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1526	60.5 %	66.8%
2	PRB WONT:(2)	447	17.7 %	19.6%
3	PRB WILL:(3)	180	7.1 %	7.9%
4	DEF WILL:(4)	131	5.2 %	5.7%
-9 (M)	MISSING:(-9)	239	9.5 %	-

Based upon 2284 valid cases out of 2523 total cases.

V3182	**103C21C:R WL DO 2YR CLG**

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00500

How likely is it that you will do each of the following
things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	814	32.3 %	36.1%
2	PRB WONT:(2)	450	17.8 %	19.9%
3	PRB WILL:(3)	524	20.8 %	23.2%
4	DEF WILL:(4)	468	18.5 %	20.7%
-9 (M)	MISSING:(-9)	267	10.6 %	-

Based upon 2256 valid cases out of 2523 total cases.

V3183	**103C21D:R WL DO 4YR CLG**

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00510

How likely is it that you will do each of the following
things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	161	6.4 %	7.0%
2	PRB WONT:(2)	182	7.2 %	7.9%
3	PRB WILL:(3)	559	22.2 %	24.4%
4	DEF WILL:(4)	1392	55.2 %	60.7%
-9 (M)	MISSING:(-9)	229	9.1 %	-

Based upon 2294 valid cases out of 2523 total cases.

V3184	**103C21E:R WL DO GRD/PRF**

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

| Range of Missing Values (M): | -9 |
| Question: | |

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	335	13.3 %	14.8%
2	PRB WONT:(2)	624	24.7 %	27.5%
3	PRB WILL:(3)	748	29.6 %	33.0%
4	DEF WILL:(4)	558	22.1 %	24.6%
-9 (M)	MISSING:(-9)	258	10.2 %	-

Based upon 2265 valid cases out of 2523 total cases.

V3185	**103C22A:R WNTDO VOC/TEC**

Location:	396-397 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1989	78.8 %	86.2%
1	MARKED:(1)	319	12.6 %	13.8%
-9 (M)	MISSING:(-9)	215	8.5 %	-

Based upon 2308 valid cases out of 2523 total cases.

V3186	**103C22B:R WNTDO ARMD FC**

Location:	398-399 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 00540

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1953	77.4 %	84.6%
1	MARKED:(1)	355	14.1 %	15.4%
-9 (M)	MISSING:(-9)	215	8.5 %	-

Based upon 2308 valid cases out of 2523 total cases.

V3187	**103C22C:R WNTDO 2YR CLG**

Location: 400-401 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00550

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1661	65.8 %	72.0%
1	MARKED:(1)	647	25.6 %	28.0%
-9 (M)	MISSING:(-9)	215	8.5 %	-

Based upon 2308 valid cases out of 2523 total cases.

V3188	**103C22D:R WNTDO 4YR CLG**

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00560

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT

to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	425	16.8 %	18.4%
1	MARKED:(1)	1883	74.6 %	81.6%
-9 (M)	MISSING:(-9)	215	8.5 %	-

Based upon 2308 valid cases out of 2523 total cases.

V3189	**103C22E:R WNTDO GRD/PRF**

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00570

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	997	39.5 %	43.2%
1	MARKED:(1)	1311	52.0 %	56.8%
-9 (M)	MISSING:(-9)	215	8.5 %	-

Based upon 2308 valid cases out of 2523 total cases.

V3190	**103C22F:R WNTDO NONE**

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00580

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2208	87.5 %	95.7%
1	MARKED:(1)	100	4.0 %	4.3%
-9 (M)	MISSING:(-9)	215	8.5 %	-

Based upon 2308 valid cases out of 2523 total cases.

V3191	**103C23 :HRS/W WRK SCHYR**

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	905	35.9 %	39.2%
2	5 OR <:(2)	233	9.2 %	10.1%
3	6-10 HRS:(3)	258	10.2 %	11.2%
4	11-15 HR:(4)	262	10.4 %	11.4%
5	16-20 HR:(5)	259	10.3 %	11.2%
6	21-25 HR:(6)	158	6.3 %	6.9%
7	26-30 HR:(7)	104	4.1 %	4.5%
8	30+ HRS:(8)	127	5.0 %	5.5%
-9 (M)	MISSING:(-9)	217	8.6 %	-

Based upon 2306 valid cases out of 2523 total cases.

V3192	**103C24A:R$/AVG WEEK JOB**

Location: 410-412 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	977	38.7 %	43.4%
2	$1-5:(2)	19	0.8 %	0.8%
3	$6-10:(3)	55	2.2 %	2.4%
4	$11-20:(4)	54	2.1 %	2.4%
5	$21-35:(5)	87	3.4 %	3.9%
6	$36-50:(6)	118	4.7 %	5.2%
7	$51-75:(7)	163	6.5 %	7.2%
8	$76-125:(8)	351	13.9 %	15.6%
9	$126-175:(9)	208	8.2 %	9.2%
10	$176+:(10)	219	8.7 %	9.7%
-9 (M)	MISSING:(-9)	272	10.8 %	-

Based upon 2251 valid cases out of 2523 total cases.

V3193   103C24B:R$/AVG WEEK OTH

Location:	413-415 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	923	36.6 %	41.2%
2	$1-5:(2)	141	5.6 %	6.3%
3	$6-10:(3)	161	6.4 %	7.2%
4	$11-20:(4)	362	14.3 %	16.2%
5	$21-35:(5)	238	9.4 %	10.6%
6	$36-50:(6)	171	6.8 %	7.6%
7	$51-75:(7)	62	2.5 %	2.8%
8	$76-125:(8)	77	3.1 %	3.4%
9	$126-175:(9)	28	1.1 %	1.3%
10	$176+:(10)	75	3.0 %	3.4%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	285	11.3 %	-

Based upon 2238 valid cases out of 2523 total cases.

V3194	**103C25 :#X/AV WK GO OUT**

Location:	416-417 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

Value	Label	Unweighted Frequency	%	Valid %
1	< 1:(1)	266	10.5 %	11.5%
2	ONE:(2)	297	11.8 %	12.8%
3	TWO:(3)	622	24.7 %	26.9%
4	THREE:(4)	537	21.3 %	23.2%
5	4-5:(5)	379	15.0 %	16.4%
6	6-7:(6)	213	8.4 %	9.2%
-9 (M)	MISSING:(-9)	209	8.3 %	-

Based upon 2314 valid cases out of 2523 total cases.

V3195	**103C26 :#X DATE 3+/WK**

Location:	418-419 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	639	25.3 %	28.0%
2	ONCE/MO:(2)	412	16.3 %	18.0%

Value	Label	Unweighted Frequency	%	Valid %
3	2-3X MO:(3)	385	15.3 %	16.9%
4	ONCE WK:(4)	326	12.9 %	14.3%
5	2-3X WK:(5)	363	14.4 %	15.9%
6	3+ WEEK:(6)	159	6.3 %	7.0%
-9 (M)	MISSING:(-9)	239	9.5 %	-

Based upon 2284 valid cases out of 2523 total cases.

V3196	103C27 :DRIVE>200 MI/WK

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	524	20.8 %	22.8%
2	1-10 MI:(2)	227	9.0 %	9.9%
3	11-50:(3)	547	21.7 %	23.8%
4	51-100:(4)	489	19.4 %	21.3%
5	101-200:(5)	320	12.7 %	13.9%
6	> 200:(6)	193	7.6 %	8.4%
-9 (M)	MISSING:(-9)	223	8.8 %	-

Based upon 2300 valid cases out of 2523 total cases.

V3197	103C28 :#X/12MO R TCKTD

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"

4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1700	67.4 %	75.2%
1	ONCE:(1)	350	13.9 %	15.5%
2	TWICE:(2)	134	5.3 %	5.9%
3	3 TIMES:(3)	50	2.0 %	2.2%
4	4+ TIMES:(4)	26	1.0 %	1.2%
-9 (M)	MISSING:(-9)	263	10.4 %	-

Based upon 2260 valid cases out of 2523 total cases.

V3198	**103C29AR:#TCKTS AFT DRNK**

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	521	20.7 %	94.4%
1	ONE:(1)	27	1.1 %	4.9%
2	TWO:(2)	3	0.1 %	0.5%
3	THREE+:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1971	78.1 %	-

Based upon 552 valid cases out of 2523 total cases.

V3199	**103C29BR:#TCKTS AFT MARJ**

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	521	20.7 %	94.2%
1	ONE:(1)	23	0.9 %	4.2%
2	TWO:(2)	6	0.2 %	1.1%
3	THREE+:(3-4)	3	0.1 %	0.5%
-9 (M)	MISSING:(-9)	1970	78.1 %	-

Based upon 553 valid cases out of 2523 total cases.

V3200	**103C29CR:#TCKTS AFT OTDG**
Location:	428-429 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	546	21.6 %	99.5%
1	ONE:(1)	2	0.1 %	0.4%
2	TWO:(2)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1974	78.2 %	-

Based upon 549 valid cases out of 2523 total cases.

V3201	**103C30 :#ACCIDNTS/12 MO**
Location:	430-431 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means

a collision involving property damage or personal injury--
not bumps or scratches in parking lots.) During the LAST 12
MONTHS, how many accidents have you had while you were driving
(whether or not you were responsible)?

0="None--GO TO TOP OF NEXT COLUMN " 1="Once" 2="Twice"
3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1847	73.2 %	82.5%
1	ONCE:(1)	298	11.8 %	13.3%
2	TWICE:(2)	66	2.6 %	2.9%
3	3 TIMES:(3)	19	0.8 %	0.8%
4	4+ TIMES:(4)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	283	11.2 %	-

Based upon 2240 valid cases out of 2523 total cases.

V3202	103C31AR:#ACDTS AFT DRNK

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	376	14.9 %	96.4%
1	ONE:(1)	9	0.4 %	2.3%
2	TWO:(2)	3	0.1 %	0.8%
3	THREE+:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	2133	84.5 %	-

Based upon 390 valid cases out of 2523 total cases.

V3203	103C31BR:#ACDTS AFT MARJ

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	375	14.9 %	96.6%
1	ONE:(1)	12	0.5 %	3.1%
3	THREE+:(3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2135	84.6 %	-

Based upon 388 valid cases out of 2523 total cases.

V3204	103C31CR:#ACDTS AFT OTDG

Location:	436-437 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	382	15.1 %	98.7%
1	ONE:(1)	4	0.2 %	1.0%
3	THREE+:(3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2136	84.7 %	-

Based upon 387 valid cases out of 2523 total cases.

V3484	103D01 :FEEL UNSAFE@SCHL

Location:	438-439 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25770

The next questions are about feeling unsafe--that is, feeling that someone might try to harm or injure you. How often do you feel unsafe when you are at school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1349	53.5 %	58.7%
2	RARELY:(2)	659	26.1 %	28.7%
3	SOMEDAYS:(3)	179	7.1 %	7.8%
4	MOSTDAYS:(4)	59	2.3 %	2.6%
5	EVERYDAY:(5)	52	2.1 %	2.3%
-9 (M)	MISSING:(-9)	225	8.9 %	-

Based upon 2298 valid cases out of 2523 total cases.

V3485	**103D02 :UNSAF TO/FRM SCH**

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 25780

How often do you feel unsafe going to or from school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1411	55.9 %	61.4%
2	RARELY:(2)	641	25.4 %	27.9%
3	SOMEDAYS:(3)	163	6.5 %	7.1%
4	MOSTDAYS:(4)	47	1.9 %	2.0%
5	EVERYDAY:(5)	36	1.4 %	1.6%
-9 (M)	MISSING:(-9)	225	8.9 %	-

Based upon 2298 valid cases out of 2523 total cases.

V3486	**103D03 :4WK/UNSAF AVDSCH**

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 25790

During the LAST FOUR WEEKS, how many days did you not go to

school because you felt you would be unsafe at school or on
your way to or from school?

1="0 days" 2="1 day" 3="2 or 3 days" 4="4 or more days"

Value	Label	Unweighted Frequency	%	Valid %
1	0 DAYS:(1)	2202	87.3 %	95.9%
2	1 DAY:(2)	35	1.4 %	1.5%
3	2 OR 3:(3)	34	1.3 %	1.5%
4	4+ DAYS:(4)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	227	9.0 %	-

Based upon 2296 valid cases out of 2523 total cases.

V3503	**103D04A:#X ANDRO/12MO**

Location: 444-445 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 31160

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

A. . . . taken "andro" (androstenedione, non-prescription
steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2245	89.0 %	98.6%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	246	9.8 %	-

Based upon 2277 valid cases out of 2523 total cases.

V3504	**103D04B:#X CREATINE/12MO**

Location: 446-447 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

Question:

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2057	81.5 %	90.4%
2	1-2X:(2)	55	2.2 %	2.4%
3	3-5X:(3)	32	1.3 %	1.4%
4	6-9X:(4)	20	0.8 %	0.9%
5	10-19X:(5)	31	1.2 %	1.4%
6	20-39X:(6)	25	1.0 %	1.1%
7	40+OCCAS:(7)	55	2.2 %	2.4%
-9 (M)	MISSING:(-9)	248	9.8 %	-

Based upon 2275 valid cases out of 2523 total cases.

V3505	**103D04C:#X RITALIN/12MO**

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . taken Ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2217	87.9 %	97.5%
2	1-2X:(2)	21	0.8 %	0.9%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	5	0.2 %	0.2%
7	40+OCCAS:(7)	7	0.3 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	248	9.8 %	-

Based upon 2275 valid cases out of 2523 total cases.

V3526 — 103D04D:#X ADDERALL/12MO

Location: 450-451 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 32450

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2122	84.1 %	93.4%
2	1-2X:(2)	66	2.6 %	2.9%
3	3-5X:(3)	29	1.1 %	1.3%
4	6-9X:(4)	24	1.0 %	1.1%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	252	10.0 %	-

Based upon 2271 valid cases out of 2523 total cases.

V3521 — 103D04E:#X COUGHMED/12MO

Location: 452-453 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 31670

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2113	83.7 %	93.2%
2	1-2X:(2)	71	2.8 %	3.1%
3	3-5X:(3)	38	1.5 %	1.7%
4	6-9X:(4)	21	0.8 %	0.9%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	255	10.1 %	-

Based upon 2268 valid cases out of 2523 total cases.

V3522	103D04F:#X OXYCONTN/12MO

Location:	454-455 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

F. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2154	85.4 %	94.9%
2	1-2X:(2)	57	2.3 %	2.5%
3	3-5X:(3)	24	1.0 %	1.1%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	8	0.3 %	0.4%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	253	10.0 %	-

Based upon 2270 valid cases out of 2523 total cases.

V3523	103D04G:#X VICODIN/12MO

Location:	456-457 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

G. . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2097	83.1 %	92.5%
2	1-2X:(2)	75	3.0 %	3.3%
3	3-5X:(3)	36	1.4 %	1.6%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	257	10.2 %	-

Based upon 2266 valid cases out of 2523 total cases.

V3527   103D04H:#X HOOKAH/12MO

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item number: 32660

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

H. . . . smoked tobacco using a hookah (water pipe)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1869	74.1 %	82.4%
2	1-2X:(2)	146	5.8 %	6.4%
3	3-5X:(3)	94	3.7 %	4.1%
4	6-9X:(4)	57	2.3 %	2.5%
5	10-19X:(5)	49	1.9 %	2.2%

Value	Label	Unweighted Frequency	%	Valid %
6	20-39X:(6)	24	1.0 %	1.1%
7	40+OCCAS:(7)	30	1.2 %	1.3%
-9 (M)	MISSING:(-9)	254	10.1 %	-

Based upon 2269 valid cases out of 2523 total cases.

V3528	**103D04I:#X SMALL CIGARS/12MO**

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32670

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I. . . . smoked small cigars?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1739	68.9 %	76.5%
2	1-2X:(2)	188	7.5 %	8.3%
3	3-5X:(3)	104	4.1 %	4.6%
4	6-9X:(4)	74	2.9 %	3.3%
5	10-19X:(5)	77	3.1 %	3.4%
6	20-39X:(6)	36	1.4 %	1.6%
7	40+OCCAS:(7)	54	2.1 %	2.4%
-9 (M)	MISSING:(-9)	251	9.9 %	-

Based upon 2272 valid cases out of 2523 total cases.

V3309	**103D05A:12MO REDUCE ALCL**

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08910

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

A: . . . Alcohol?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	928	36.8 %	47.6%
1	YES:(1)	390	15.5 %	20.0%
8	HVNT USD:(8)	631	25.0 %	32.4%
-9 (M)	MISSING:(-9)	574	22.8 %	-

Based upon 1949 valid cases out of 2523 total cases.

V3310	**103D05B:12MO REDUCE CIG**

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08920

At any time during the LAST 12 MONTHS, have you felt in your
own mind that you should REDUCE or STOP your use of . . .

B: . . . Cigarettes?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	406	16.1 %	18.3%
1	YES:(1)	359	14.2 %	16.1%
8	HVNT USD:(8)	1458	57.8 %	65.6%
-9 (M)	MISSING:(-9)	300	11.9 %	-

Based upon 2223 valid cases out of 2523 total cases.

V3311	**103D05C:12MO REDUCE MARJ**

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08930

At any time during the LAST 12 MONTHS, have you felt in your
own mind that you should REDUCE or STOP your use of . . .

C: . . . Marijuana?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	430	17.0 %	21.5%
1	YES:(1)	344	13.6 %	17.2%
8	HVNT USD:(8)	1222	48.4 %	61.2%
-9 (M)	MISSING:(-9)	527	20.9 %	-

Based upon 1996 valid cases out of 2523 total cases.

V3312   103D05D:12MO REDUCE PSYC

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08940

At any time during the LAST 12 MONTHS, have you felt in your
own mind that you should REDUCE or STOP your use of . . .

D: . . . Hallucinogens (LSD, etc.)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	68	2.7 %	3.5%
1	YES:(1)	21	0.8 %	1.1%
8	HVNT USD:(8)	1847	73.2 %	95.4%
-9 (M)	MISSING:(-9)	587	23.3 %	-

Based upon 1936 valid cases out of 2523 total cases.

V3313   103D05E:12MO REDUCE AMPH

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08950

At any time during the LAST 12 MONTHS, have you felt in your
own mind that you should REDUCE or STOP your use of . . .

E: . . . Amphetamines (uppers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	70	2.8 %	3.7%

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	25	1.0 %	1.3%
8	HVNT USD:(8)	1798	71.3 %	95.0%
-9 (M)	MISSING:(-9)	630	25.0 %	-

Based upon 1893 valid cases out of 2523 total cases.

V3443   103D05F:12MO REDUCE TRQL

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09005

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

F: . . . Tranquilizers?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	56	2.2 %	2.9%
1	YES:(1)	16	0.6 %	0.8%
8	HVNT USD:(8)	1847	73.2 %	96.2%
-9 (M)	MISSING:(-9)	604	23.9 %	-

Based upon 1919 valid cases out of 2523 total cases.

V3510   103D05G:12MO REDUCE SD/B

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08975

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

G: . . . Sedatives/barbiturates (downers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	280	11.1 %	12.9%
1	YES:(1)	41	1.6 %	1.9%

Value	Label	Unweighted Frequency	%	Valid %
8	HVNT USD:(8)	1850	73.3 %	85.2%
-9 (M)	MISSING:(-9)	352	14.0 %	-

Based upon 2171 valid cases out of 2523 total cases.

V3316	**103D05H:12MO REDUCE COKE**

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08980

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

H: . . . Cocaine?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	36	1.4 %	1.8%
1	YES:(1)	28	1.1 %	1.4%
8	HVNT USD:(8)	1892	75.0 %	96.7%
-9 (M)	MISSING:(-9)	567	22.5 %	-

Based upon 1956 valid cases out of 2523 total cases.

V3317	**103D05I:12MO REDUCE HRN**

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08990

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

I: . . . Heroin?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	17	0.7 %	0.9%
1	YES:(1)	5	0.2 %	0.3%
8	HVNT USD:(8)	1935	76.7 %	98.9%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	566	22.4 %	-

Based upon 1957 valid cases out of 2523 total cases.

V3318	**103D05J:12MO REDUCE NARC**			

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09000

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

J: . . . Other narcotics?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	64	2.5 %	3.4%
1	YES:(1)	28	1.1 %	1.5%
8	HVNT USD:(8)	1769	70.1 %	95.1%
-9 (M)	MISSING:(-9)	662	26.2 %	-

Based upon 1861 valid cases out of 2523 total cases.

V3319	**103D06 :NXT 12MOS USE MJ**			

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09010

How likely is it that you will use marijuana in the next 12 months?

1="Definitely will--GO TO QUESTION 8" 2="Probably will--GO TO QUESTION 8" 3="Probably will not" 4="Definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	314	12.4 %	14.7%
2	PRB WILL:(2)	252	10.0 %	11.8%
3	PRB NOT:(3)	326	12.9 %	15.3%
4	DEF NOT:(4)	1241	49.2 %	58.2%
-9 (M)	MISSING:(-9)	390	15.5 %	-

Based upon 2133 valid cases out of 2523 total cases.

V3320	**103D07A:CNCRN PSYCH DAMG**

Location:	484-485 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09020

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

A. Concerned about possible psychological damage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	647	25.6 %	43.6%
1	MARKED:(1)	836	33.1 %	56.4%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3321	**103D07B:CNCRN PHYSCL DMG**

Location:	486-487 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09030

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

B. Concerned about possible physical damage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	714	28.3 %	48.1%
1	MARKED:(1)	769	30.5 %	51.9%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3322	**103D07C:CNCRN GT ARRESTD**

Location:	488-489 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09040

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

C. Concerned about getting arrested

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	720	28.5 %	48.6%
1	MARKED:(1)	763	30.2 %	51.4%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3323   103D07D:CNCRN BECOM ADCT

Location:	490-491 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09050

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

D. Concerned about becoming addicted to marijuana

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	784	31.1 %	52.9%
1	MARKED:(1)	699	27.7 %	47.1%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3324   103D07E:AGST MY BELIEFS

Location:	492-493 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 09060

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

E. It's against my beliefs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	847	33.6 %	57.1%
1	MARKED:(1)	636	25.2 %	42.9%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3325	**103D07F:CNCRN LEGY/AMBTN**

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09070

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

F. Concerned about loss of energy or ambition

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	890	35.3 %	60.0%
1	MARKED:(1)	593	23.5 %	40.0%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3326	**103D07G:CNCRN LOSS CNTRL**

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09080

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true

for you. (Mark ALL that apply.)

G. Concerned about possible loss of control of myself

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	785	31.1 %	52.9%
1	MARKED:(1)	698	27.7 %	47.1%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3327	**103D07H:MJ ->STRNGR DRGS**

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09090

Here are some reasons people give for not using marijuana,
or for stopping use. Please tell us which reasons are true
for you. (Mark ALL that apply.)

H. It might lead to stronger drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	791	31.4 %	53.3%
1	MARKED:(1)	692	27.4 %	46.7%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3328	**103D07I:MJ NOT ENJOYABLE**

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09100

Here are some reasons people give for not using marijuana,
or for stopping use. Please tell us which reasons are true
for you. (Mark ALL that apply.)

I. Not enjoyable, I didn't like it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1124	44.6 %	75.8%
1	MARKED:(1)	359	14.2 %	24.2%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3329	**103D07J:PRNTS DISAPPROVE**

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09110

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

J. My parents would disapprove

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	601	23.8 %	40.5%
1	MARKED:(1)	882	35.0 %	59.5%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3330	**103D07K:HS/WF DISAPPROVE**

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09120

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

K. My husband/wife (or boyfriend/girlfriend) would disapprove

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1035	41.0 %	69.8%
1	MARKED:(1)	448	17.8 %	30.2%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3331   103D07L:DONT LIKE USERS

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09130

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

L. I don't like being with the people who use it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	916	36.3 %	61.8%
1	MARKED:(1)	567	22.5 %	38.2%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3332   103D07M:FRNDS DNT USE IT

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09140

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

M. My friends don't use it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1071	42.4 %	72.2%
1	MARKED:(1)	412	16.3 %	27.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3333   103D07N:PSSBLY BAD TRIP

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09150

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

N. I might have a bad trip

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1203	47.7 %	81.1%
1	MARKED:(1)	280	11.1 %	18.9%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3334   103D07O:TOO EXPENSIVE

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09160

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

O. Too expensive

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1214	48.1 %	81.9%
1	MARKED:(1)	269	10.7 %	18.1%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3335	103D07P:NOT AVAILABLE

Location:	514-515 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09170

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

P. Not available

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1380	54.7 %	93.1%
1	MARKED:(1)	103	4.1 %	6.9%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3336	103D07Q:NOT WNT GET HIGH

Location:	516-517 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09180

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

Q. Don't feel like getting high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	570	22.6 %	38.4%
1	MARKED:(1)	913	36.2 %	61.6%
-9 (M)	MISSING:(-9)	1040	41.2 %	-

Based upon 1483 valid cases out of 2523 total cases.

V3337	103D08AA:AL CS BEHV REGRT

Location:	518-519 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09190

Has your use of alcohol ever caused any of the following problems for you?

A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1790	70.9 %	75.0%
1	MARKED:(1)	598	23.7 %	25.0%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3338   103D08AB:AL HURT REL PRNT

Location:	520-521 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09200

Has your use of alcohol ever caused any of the following problems for you?

B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2203	87.3 %	92.3%
1	MARKED:(1)	185	7.3 %	7.7%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3339   103D08AC:AL HURT REL SPSE

Location:	522-523 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09210

Has your use of alcohol ever caused any of the following

problems for you?

C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2198	87.1 %	92.0%
1	MARKED:(1)	190	7.5 %	8.0%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3340	**103D08AD:AL HURT REL FRND**

Location:	524-525 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09220

Has your use of alcohol ever caused any of the following problems for you?

D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2235	88.6 %	93.6%
1	MARKED:(1)	153	6.1 %	6.4%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3341	**103D08AE:AL HURT REL TCHR**

Location:	526-527 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09230

Has your use of alcohol ever caused any of the following problems for you?

E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2346	93.0 %	98.2%
1	MARKED:(1)	42	1.7 %	1.8%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3342	**103D08AF:AL INV PL BD INF**

Location:	528-529 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09240

Has your use of alcohol ever caused any of the following problems for you?

F. Involved you with people you think are a bad influence on you

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2188	86.7 %	91.6%
1	MARKED:(1)	200	7.9 %	8.4%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3343	**103D08AG:AL HURT PERF JOB**

Location:	530-531 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09250

Has your use of alcohol ever caused any of the following problems for you?

G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2308	91.5 %	96.6%
1	MARKED:(1)	80	3.2 %	3.4%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3344	**103D08AH:AL CAUS<INTERSTD**

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09260

Has your use of alcohol ever caused any of the following problems for you?

H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2302	91.2 %	96.4%
1	MARKED:(1)	86	3.4 %	3.6%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3345	**103D08AI:AL CS<STABL EMTN**

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09270

Has your use of alcohol ever caused any of the following problems for you?

I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2241	88.8 %	93.8%
1	MARKED:(1)	147	5.8 %	6.2%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3346	103D08AJ:AL CS HAV<ENERGY

Location:	536-537 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09280

Has your use of alcohol ever caused any of the following problems for you?

J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2245	89.0 %	94.0%
1	MARKED:(1)	143	5.7 %	6.0%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3347	103D08AK:AL INTF THNK CLR

Location:	538-539 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09290

Has your use of alcohol ever caused any of the following problems for you?

K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2037	80.7 %	85.3%
1	MARKED:(1)	351	13.9 %	14.7%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3348	103D08AL:AL BD PSYCH EFCT

Location:	540-541 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 09300

Has your use of alcohol ever caused any of the following problems for you?

L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2331	92.4 %	97.6%
1	MARKED:(1)	57	2.3 %	2.4%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3349	**103D08AM:AL CS HEALTH BAD**

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09310

Has your use of alcohol ever caused any of the following problems for you?

M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2328	92.3 %	97.5%
1	MARKED:(1)	60	2.4 %	2.5%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3350	**103D08AN:AL CS DRIV UNSAF**

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09320

Has your use of alcohol ever caused any of the following problems for you?

N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2230	88.4 %	93.4%
1	MARKED:(1)	158	6.3 %	6.6%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3351	**103D08AO:AL GT TRBL W POL**

Location:	546-547 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09330

Has your use of alcohol ever caused any of the following problems for you?

O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2301	91.2 %	96.4%
1	MARKED:(1)	87	3.4 %	3.6%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3352	**103D08AP:AL CS NO PROBLEM**

Location:	548-549 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09340

Has your use of alcohol ever caused any of the following problems for you?

P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2010	79.7 %	84.2%

Value	Label	Unweighted Frequency	%	Valid %
1	MARKED:(1)	378	15.0 %	15.8%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3353	**103D08AQ:AL NEVER USED DG**

Location:	550-551 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09350

Has your use of alcohol ever caused any of the following problems for you?

Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2194	87.0 %	91.9%
1	MARKED:(1)	194	7.7 %	8.1%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2388 valid cases out of 2523 total cases.

V3354	**103D08MA:MJ CS BEHV REGRT**

Location:	552-553 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09360

Has your use of marijuana ever caused any of the following problems for you?

A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2321	92.0 %	94.6%
1	MARKED:(1)	133	5.3 %	5.4%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3355	**103D08MB:MJ HURT REL PRNT**

Location:	554-555 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09370

Has your use of marijuana ever caused any of the following problems for you?

B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2333	92.5 %	95.1%
1	MARKED:(1)	121	4.8 %	4.9%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3356	**103D08MC:MJ HURT REL SPSE**

Location:	556-557 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09380

Has your use of marijuana ever caused any of the following problems for you?

C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2345	92.9 %	95.6%
1	MARKED:(1)	109	4.3 %	4.4%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3357	**103D08MD:MJ HURT REL FRND**

Location:	558-559 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 09390

Has your use of marijuana ever caused any of the following problems for you?

D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2367	93.8 %	96.5%
1	MARKED:(1)	87	3.4 %	3.5%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3358	**103D08ME:MJ HURT REL TCHR**

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09400

Has your use of marijuana ever caused any of the following problems for you?

E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2420	95.9 %	98.6%
1	MARKED:(1)	34	1.3 %	1.4%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3359	**103D08MF:MJ INV PL BD INF**

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09410

Has your use of marijuana ever caused any of the following problems for you?

F. Involved you with people you think are a bad influence

on you

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2253	89.3 %	91.8%
1	MARKED:(1)	201	8.0 %	8.2%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3360	**103D08MG:MJ HURT PERF JOB**

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09420

Has your use of marijuana ever caused any of the following problems for you?

G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2357	93.4 %	96.0%
1	MARKED:(1)	97	3.8 %	4.0%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3361	**103D08MH:MJ CAUS<INTERSTD**

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09430

Has your use of marijuana ever caused any of the following problems for you?

H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2326	92.2 %	94.8%
1	MARKED:(1)	128	5.1 %	5.2%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3362	**103D08MI:MJ CS<STABL EMTN**

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09440

Has your use of marijuana ever caused any of the following problems for you?

I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2385	94.5 %	97.2%
1	MARKED:(1)	69	2.7 %	2.8%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3363	**103D08MJ:MJ CS HAV<ENERGY**

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09450

Has your use of marijuana ever caused any of the following problems for you?

J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2225	88.2 %	90.7%
1	MARKED:(1)	229	9.1 %	9.3%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3364		103D08MK:MJ INTF THNK CLR			

Location:	572-573 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09460

Has your use of marijuana ever caused any of the following problems for you?

K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2243	88.9 %	91.4%
1	MARKED:(1)	211	8.4 %	8.6%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3365		103D08ML:MJ BD PSYCH EFCT			

Location:	574-575 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09470

Has your use of marijuana ever caused any of the following problems for you?

L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2387	94.6 %	97.3%
1	MARKED:(1)	67	2.7 %	2.7%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3366		103D08MM:MJ CS HEALTH BAD			

Location:	576-577 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09480

Has your use of marijuana ever caused any of the following
problems for you?

M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2405	95.3 %	98.0%
1	MARKED:(1)	49	1.9 %	2.0%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3367	**103D08MN:MJ CS DRIV UNSAF**

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09490

Has your use of marijuana ever caused any of the following
problems for you?

N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2382	94.4 %	97.1%
1	MARKED:(1)	72	2.9 %	2.9%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3368	**103D08MO:MJ GT TRBL W POL**

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09500

Has your use of marijuana ever caused any of the following
problems for you?

O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2400	95.1 %	97.8%
1	MARKED:(1)	54	2.1 %	2.2%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3369	**103D08MP:MJ CS NO PROBLEM**

Location: 582-583 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 09510

Has your use of marijuana ever caused any of the following problems for you?

P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1824	72.3 %	74.3%
1	MARKED:(1)	630	25.0 %	25.7%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3370	**103D08MQ:MJ NEVER USED DG**

Location: 584-585 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 09520

Has your use of marijuana ever caused any of the following problems for you?

Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1974	78.2 %	80.4%
1	MARKED:(1)	480	19.0 %	19.6%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2454 valid cases out of 2523 total cases.

V3371   103D08OA:OT CS BEHV REGRT

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09530

Has your use of other illegal drugs ever caused any of the following problems for you?

A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2294	90.9 %	98.7%
1	MARKED:(1)	31	1.2 %	1.3%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3372   103D08OB:OT HURT REL PRNT

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09540

Has your use of other illegal drugs ever caused any of the following problems for you?

B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2286	90.6 %	98.3%
1	MARKED:(1)	39	1.5 %	1.7%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3373	**103D08OC:OT HURT REL SPSE**

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09550

Has your use of other illegal drugs ever caused any of the following problems for you?

C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2291	90.8 %	98.5%
1	MARKED:(1)	34	1.3 %	1.5%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3374	**103D08OD:OT HURT REL FRND**

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09560

Has your use of other illegal drugs ever caused any of the following problems for you?

D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2294	90.9 %	98.7%
1	MARKED:(1)	31	1.2 %	1.3%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3375	**103D08OE:OT HURT REL TCHR**

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09570

Has your use of other illegal drugs ever caused any of the
following problems for you?

E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2300	91.2 %	98.9%
1	MARKED:(1)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3376	103D08OF:OT INV PL BD INF

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09580

Has your use of other illegal drugs ever caused any of the
following problems for you?

F. Involved you with people you think are a bad influence
on you

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2265	89.8 %	97.4%
1	MARKED:(1)	60	2.4 %	2.6%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3377	103D08OG:OT HURT PERF JOB

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09590

Has your use of other illegal drugs ever caused any of the

following problems for you?

G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2300	91.2 %	98.9%
1	MARKED:(1)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3378	103D08OH:OT CAUS<INTERSTD

Location:	600-601 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09600

Has your use of other illegal drugs ever caused any of the following problems for you?

H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2297	91.0 %	98.8%
1	MARKED:(1)	28	1.1 %	1.2%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3379	103D08OI:OT CS<STABL EMTN

Location:	602-603 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09610

Has your use of other illegal drugs ever caused any of the following problems for you?

I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2294	90.9 %	98.7%
1	MARKED:(1)	31	1.2 %	1.3%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3380	103D08OJ:OT CS HAV<ENERGY

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09620

Has your use of other illegal drugs ever caused any of the following problems for you?

J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2302	91.2 %	99.0%
1	MARKED:(1)	23	0.9 %	1.0%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3381	103D08OK:OT INTF THNK CLR

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09630

Has your use of other illegal drugs ever caused any of the following problems for you?

K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2281	90.4 %	98.1%
1	MARKED:(1)	44	1.7 %	1.9%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3382	**103D08OL:OT BD PSYCH EFCT**

Location:	608-609 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09640

Has your use of other illegal drugs ever caused any of the following problems for you?

L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2295	91.0 %	98.7%
1	MARKED:(1)	30	1.2 %	1.3%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3383	**103D08OM:OT CS HEALTH BAD**

Location:	610-611 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09650

Has your use of other illegal drugs ever caused any of the following problems for you?

M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2299	91.1 %	98.9%
1	MARKED:(1)	26	1.0 %	1.1%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3384	**103D08ON:OT CS DRIV UNSAF**

| Location: | 612-613 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):   -9

Question:

Item Number: 09660

Has your use of other illegal drugs ever caused any of the following problems for you?

N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2305	91.4 %	99.1%
1	MARKED:(1)	20	0.8 %	0.9%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3385   103D08OO:OT GT TRBL W POL

Location: 614-615 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 09670

Has your use of other illegal drugs ever caused any of the following problems for you?

O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2308	91.5 %	99.3%
1	MARKED:(1)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3386   103D08OP:OT CS NO PROBLEM

Location: 616-617 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 09680

Has your use of other illegal drugs ever caused any of the following problems for you?

P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1740	69.0 %	74.8%
1	MARKED:(1)	585	23.2 %	25.2%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3387	**103D08OQ:OT NEVER USED DG**

Location: 618-619 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09690

Has your use of other illegal drugs ever caused any of the following problems for you?

Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1773	70.3 %	76.3%
1	MARKED:(1)	552	21.9 %	23.7%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2325 valid cases out of 2523 total cases.

V3477	**103E01A:ALL FRD SMK CIGS**

Location: 620-621 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	435	17.2 %	20.0%
2	A FEW:(2)	827	32.8 %	38.0%
3	SOME:(3)	581	23.0 %	26.7%
4	MOST:(4)	294	11.7 %	13.5%
5	ALL:(5)	41	1.6 %	1.9%
-9 (M)	MISSING:(-9)	345	13.7 %	-

Based upon 2178 valid cases out of 2523 total cases.

V3478	**103E01B:ALL FRD SMK MARJ**

Location:	622-623 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	391	15.5 %	17.9%
2	A FEW:(2)	644	25.5 %	29.5%
3	SOME:(3)	560	22.2 %	25.7%
4	MOST:(4)	472	18.7 %	21.7%
5	ALL:(5)	113	4.5 %	5.2%
-9 (M)	MISSING:(-9)	343	13.6 %	-

Based upon 2180 valid cases out of 2523 total cases.

V3479	**103E01C:# FRNDS TK CRACK**

Location:	624-625 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1854	73.5 %	85.6%
2	A FEW:(2)	244	9.7 %	11.3%
3	SOME:(3)	41	1.6 %	1.9%
4	MOST:(4)	10	0.4 %	0.5%
5	ALL:(5)	18	0.7 %	0.8%
-9 (M)	MISSING:(-9)	356	14.1 %	-

Based upon 2167 valid cases out of 2523 total cases.

V3480   **103E01D:# FRNDS TK C PWD**

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1755	69.6 %	81.7%
2	A FEW:(2)	310	12.3 %	14.4%
3	SOME:(3)	50	2.0 %	2.3%
4	MOST:(4)	13	0.5 %	0.6%
5	ALL:(5)	21	0.8 %	1.0%
-9 (M)	MISSING:(-9)	374	14.8 %	-

Based upon 2149 valid cases out of 2523 total cases.

V3481   **103E01E:ALL FRD DRK ALCL**

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07190

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	228	9.0 %	10.5%
2	A FEW:(2)	273	10.8 %	12.6%
3	SOME:(3)	414	16.4 %	19.1%
4	MOST:(4)	843	33.4 %	39.0%
5	ALL:(5)	406	16.1 %	18.8%
-9 (M)	MISSING:(-9)	359	14.2 %	-

Based upon 2164 valid cases out of 2523 total cases.

V3482	**103E01F:ALL FRD GT DRUNK**

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07200

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	516	20.5 %	23.8%
2	A FEW:(2)	576	22.8 %	26.6%
3	SOME:(3)	547	21.7 %	25.3%
4	MOST:(4)	386	15.3 %	17.8%
5	ALL:(5)	140	5.5 %	6.5%
-9 (M)	MISSING:(-9)	358	14.2 %	-

Based upon 2165 valid cases out of 2523 total cases.

V3499	**103E02:USUAL CIG BRAND**

Location: 632-634 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 30065

If you have smoked one or more cigarettes in the last 30 days,
please answer this question. (If not, skip to Question 3.)
What brand of cigarettes do you usually smoke? (Brands are
in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"

11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
24="Other" 25="No usual brand"

Value	Label	Unweighted Frequency	%	Valid %
1	BASIC:(1)	6	0.2 %	1.8%
3	BLACK WHT:(3)	1	0.0 %	0.3%
5	CAMEL:(5)	48	1.9 %	14.7%
6	CAPRI:(6)	1	0.0 %	0.3%
8	DORAL:(8)	1	0.0 %	0.3%
10	KENT:(10)	1	0.0 %	0.3%
11	KOOL:(11)	10	0.4 %	3.1%
12	MARLBORO:(12)	148	5.9 %	45.3%
13	MERIT:(13)	1	0.0 %	0.3%
17	NEWPORT:(17)	57	2.3 %	17.4%
18	PALLMALL:(18)	3	0.1 %	0.9%
19	PARLMENT:(19)	4	0.2 %	1.2%
20	SALEM:(20)	1	0.0 %	0.3%
22	VA SLIMS:(22)	1	0.0 %	0.3%
24	OTHER:(24)	14	0.6 %	4.3%
25	NO USUAL:(25)	30	1.2 %	9.2%
-9 (M)	MISSING:(-9)	2196	87.0 %	-

Based upon 327 valid cases out of 2523 total cases.

V3394	103E03 :FUTR,HAV2 CNSUM<

Location:	635-636 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09750

There has been talk about shortages of energy, food, and
raw materials in this country. Do you think that in the
coming years we will have plenty to meet our needs, a
sufficient amount, or will we have to consume less?

1="Plenty to meet our needs" 2="A sufficient amount" 3="Will
have to consume less"

Value	Label	Unweighted Frequency	%	Valid %
1	PLENTY:(1)	339	13.4 %	16.4%
2	SUFFICIENT:(2)	983	39.0 %	47.5%
3	CNSUM LESS:(3)	748	29.6 %	36.1%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	453	18.0 %	-

Based upon 2070 valid cases out of 2523 total cases.

V3395	**103E04A:GOV HP PRB POPL**

Location: 637-638 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09760

The questions in this section deal with population problems.
How much do you agree or disagree with each statement?

A: Our government should help other countries to control
their population

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	659	26.1 %	31.2%
2	MOST DIS:(2)	348	13.8 %	16.5%
3	NEITHER:(3)	680	27.0 %	32.2%
4	MOST AGR:(4)	269	10.7 %	12.7%
5	AGREE:(5)	156	6.2 %	7.4%
-9 (M)	MISSING:(-9)	411	16.3 %	-

Based upon 2112 valid cases out of 2523 total cases.

V3396	**103E04B:GOV NO POP PLCY**

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09770

How much do you agree or disagree with each statement?

B: Governments should avoid making policy about population
and let the individual decide

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	262	10.4 %	12.5%
2	MOST DIS:(2)	306	12.1 %	14.6%
3	NEITHER:(3)	787	31.2 %	37.5%
4	MOST AGR:(4)	434	17.2 %	20.7%
5	AGREE:(5)	310	12.3 %	14.8%
-9 (M)	MISSING:(-9)	424	16.8 %	-

Based upon 2099 valid cases out of 2523 total cases.

V3397	**103E04C:STR OVPOP,LMT FM**

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09780

How much do you agree or disagree with each statement?

C: I feel strongly enough about preventing overpopulation
that I'd be willing to limit my family to two children

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	582	23.1 %	27.7%
2	MOST DIS:(2)	289	11.5 %	13.8%
3	NEITHER:(3)	694	27.5 %	33.0%
4	MOST AGR:(4)	266	10.5 %	12.7%
5	AGREE:(5)	270	10.7 %	12.9%
-9 (M)	MISSING:(-9)	422	16.7 %	-

Based upon 2101 valid cases out of 2523 total cases.

V3445	**103E05A:STS SCH RT FAMLY**

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13580

How important is each of the following for being looked up
to or having high status in your school?

A: Coming from the right family

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	473	18.7 %	22.5%
2	LITL IMP:(2)	417	16.5 %	19.8%
3	MOD IMPT:(3)	566	22.4 %	26.9%
4	GRT IMPT:(4)	318	12.6 %	15.1%
5	VGRT IMP:(5)	330	13.1 %	15.7%
-9 (M)	MISSING:(-9)	419	16.6 %	-

Based upon 2104 valid cases out of 2523 total cases.

V3446	**103E05B:STS SCH LDS STU**

Location:	645-646 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13590

How important is each of the following for being looked up
to or having high status in your school?

B: Being a leader in student activities

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	231	9.2 %	11.0%
2	LITL IMP:(2)	296	11.7 %	14.1%
3	MOD IMPT:(3)	658	26.1 %	31.2%
4	GRT IMPT:(4)	549	21.8 %	26.1%
5	VGRT IMP:(5)	372	14.7 %	17.7%
-9 (M)	MISSING:(-9)	417	16.5 %	-

Based upon 2106 valid cases out of 2523 total cases.

V3447	**103E05C:STS SCH NIC CAR**

Location:	647-648 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13600

How important is each of the following for being looked up

to or having high status in your school?

C: Having a nice car

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	491	19.5 %	23.4%
2	LITL IMP:(2)	546	21.6 %	26.0%
3	MOD IMPT:(3)	582	23.1 %	27.7%
4	GRT IMPT:(4)	285	11.3 %	13.6%
5	VGRT IMP:(5)	196	7.8 %	9.3%
-9 (M)	MISSING:(-9)	423	16.8 %	-

Based upon 2100 valid cases out of 2523 total cases.

V3448	**103E05D:STS SCH HI GRDE**

Location:	649-650 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13610

How important is each of the following for being looked up to or having high status in your school?

D: Getting good grades

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	158	6.3 %	7.5%
2	LITL IMP:(2)	295	11.7 %	14.0%
3	MOD IMPT:(3)	598	23.7 %	28.5%
4	GRT IMPT:(4)	535	21.2 %	25.5%
5	VGRT IMP:(5)	515	20.4 %	24.5%
-9 (M)	MISSING:(-9)	422	16.7 %	-

Based upon 2101 valid cases out of 2523 total cases.

V3449	**103E05E:STS SCH GD ATHLT**

Location:	651-652 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 13620

How important is each of the following for being looked up
to or having high status in your school?

E: Being a good athlete

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	194	7.7 %	9.2%
2	LITL IMP:(2)	202	8.0 %	9.6%
3	MOD IMPT:(3)	501	19.9 %	23.8%
4	GRT IMPT:(4)	629	24.9 %	29.9%
5	VGRT IMP:(5)	576	22.8 %	27.4%
-9 (M)	MISSING:(-9)	421	16.7 %	-

Based upon 2102 valid cases out of 2523 total cases.

V3450	103E05F:STS SCH INTLCTL

Location: 653-654 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13630

How important is each of the following for being looked up
to or having high status in your school?

F: Knowing a lot about intellectual matters

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	247	9.8 %	11.8%
2	LITL IMP:(2)	445	17.6 %	21.2%
3	MOD IMPT:(3)	712	28.2 %	33.9%
4	GRT IMPT:(4)	413	16.4 %	19.7%
5	VGRT IMP:(5)	282	11.2 %	13.4%
-9 (M)	MISSING:(-9)	424	16.8 %	-

Based upon 2099 valid cases out of 2523 total cases.

V3451	103E05G:STS SCH PLN CLG

Location:	655-656 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13640

How important is each of the following for being looked up
to or having high status in your school?

G: Planning to go to college

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	190	7.5 %	9.1%
2	LITL IMP:(2)	237	9.4 %	11.3%
3	MOD IMPT:(3)	496	19.7 %	23.6%
4	GRT IMPT:(4)	496	19.7 %	23.6%
5	VGRT IMP:(5)	679	26.9 %	32.4%
-9 (M)	MISSING:(-9)	425	16.8 %	-

Based upon 2098 valid cases out of 2523 total cases.

V3452	**103E06:DRG USE+,MAJ STD**

Location:	657-658 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13650

How about using drugs (other than marijuana or alcohol)--
does that cause a student to be looked up to or looked down
on?

Among the majority of students in my school, such drug
use is . . .

1="Looked down on a lot" 2="Looked down on some" 3="Neither,
mixed" 4="Looked up to some" 5="Looked up to a lot"

Value	Label	Unweighted Frequency	%	Valid %
1	DOWN LOT:(1)	432	17.1 %	20.8%
2	DOWN SOME:(2)	376	14.9 %	18.1%
3	NEITHR/MIXD:(3)	1055	41.8 %	50.9%
4	UP SOME:(4)	151	6.0 %	7.3%
5	UP A LOT:(5)	60	2.4 %	2.9%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	449	17.8 %	-

Based upon 2074 valid cases out of 2523 total cases.

V3496	**103E07A:#HR/W CMPUTR SCH**

Location:	659-660 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29930

About how many hours a week do you spend using a computer . . .

A: . . . doing school work?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"
9="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	222	8.8 %	10.6%
2	< 1 HR:(2)	385	15.3 %	18.4%
3	1-2 HRS:(3)	666	26.4 %	31.8%
4	3-5 HRS:(4)	471	18.7 %	22.5%
5	6-9 HRS:(5)	209	8.3 %	10.0%
6	10-19 HRS:(6)	73	2.9 %	3.5%
7	20-29 HRS:(7)	27	1.1 %	1.3%
8	30-39 HRS:(8)	12	0.5 %	0.6%
9	40+ HRS:(9)	30	1.2 %	1.4%
-9 (M)	MISSING:(-9)	428	17.0 %	-

Based upon 2095 valid cases out of 2523 total cases.

V3497	**103E07B:#HR/W CMPUTR JOB**

Location:	661-662 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29940

About how many hours a week do you spend using a computer . . .

B: . . . at your job, if you have one?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"
9="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1584	62.8 %	79.6%
2	< 1 HR:(2)	132	5.2 %	6.6%
3	1-2 HRS:(3)	66	2.6 %	3.3%
4	3-5 HRS:(4)	64	2.5 %	3.2%
5	6-9 HRS:(5)	49	1.9 %	2.5%
6	10-19 HRS:(6)	42	1.7 %	2.1%
7	20-29 HRS:(7)	32	1.3 %	1.6%
8	30-39 HRS:(8)	8	0.3 %	0.4%
9	40+ HRS:(9)	14	0.6 %	0.7%
-9 (M)	MISSING:(-9)	532	21.1 %	-

Based upon 1991 valid cases out of 2523 total cases.

V3498   103E07C:#HR/W CMPUTR OTH

Location:	663-664 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29950

About how many hours a week do you spend using a
computer . . .

C: . . . doing other things?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"
9="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	156	6.2 %	7.5%
2	< 1 HR:(2)	176	7.0 %	8.4%
3	1-2 HRS:(3)	353	14.0 %	16.9%
4	3-5 HRS:(4)	470	18.6 %	22.5%
5	6-9 HRS:(5)	355	14.1 %	17.0%
6	10-19 HRS:(6)	258	10.2 %	12.4%
7	20-29 HRS:(7)	145	5.7 %	7.0%
8	30-39 HRS:(8)	47	1.9 %	2.3%
9	40+ HRS:(9)	126	5.0 %	6.0%
-9 (M)	MISSING:(-9)	437	17.3 %	-

Based upon 2086 valid cases out of 2523 total cases.

V3524	103E08:HR/W INTERNET S

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31680

Not counting work for school or a job, about how many
hours a week do you spend on the Internet e-mailing,
instant messaging, gaming, shopping, searching,
downloading music, etc.?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"
9="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	130	5.2 %	6.3%
2	< 1 HR:(2)	194	7.7 %	9.4%
3	1-2 HRS:(3)	352	14.0 %	17.0%
4	3-5 HRS:(4)	464	18.4 %	22.4%
5	6-9 HRS:(5)	345	13.7 %	16.6%
6	10-19 HRS:(6)	279	11.1 %	13.5%
7	20-29 HRS:(7)	143	5.7 %	6.9%
8	30-39 HRS:(8)	52	2.1 %	2.5%
9	40+ HRS:(9)	114	4.5 %	5.5%
-9 (M)	MISSING:(-9)	450	17.8 %	-

Based upon 2073 valid cases out of 2523 total cases.

V3525	103E09A:#HR/W GAMING

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31990

About how many hours a week do you spend playing electronic
games on a computer, TV, phone, or other device?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"
9="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	285	11.3 %	14.7%
2	< 1 HR:(2)	264	10.5 %	13.6%
3	1-2 HRS:(3)	329	13.0 %	16.9%
4	3-5 HRS:(4)	328	13.0 %	16.9%
5	6-9 HRS:(5)	247	9.8 %	12.7%
6	10-19 HRS:(6)	175	6.9 %	9.0%
7	20-29 HRS:(7)	123	4.9 %	6.3%
8	30-39 HRS:(8)	41	1.6 %	2.1%
9	40+ HRS:(9)	150	5.9 %	7.7%
-9 (M)	MISSING:(-9)	581	23.0 %	-

Based upon 1942 valid cases out of 2523 total cases.

V3529   103E09B:#HR/W TEXT CELL PHO

Location: 669-670 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32580

About how many hours a week do you spend . . .

B: . . . texting on a cell phone?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30-39 hours"
9="40 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	167	6.6 %	8.1%
2	LESS THAN 1 HOUR:(2)	193	7.6 %	9.4%
3	1-2 HOURS:(3)	263	10.4 %	12.8%
4	3-5 HOURS:(4)	280	11.1 %	13.6%
5	6-9 HOURS:(5)	239	9.5 %	11.6%
6	10-19 HOURS:(6)	206	8.2 %	10.0%
7	20-29 HOURS:(7)	152	6.0 %	7.4%
8	30-39 HOURS:(8)	93	3.7 %	4.5%
9	40 OR MORE:(9)	469	18.6 %	22.7%
-9 (M)	MISSING:(-9)	461	18.3 %	-

Based upon 2062 valid cases out of 2523 total cases.

V3530   103E09C:#HR/W TALK CELL PHO

Location: 671-672 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item number: 32590

About how many hours a week do you spend . . .

C: . . . talking on a cell phone?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30-39 hours"
9="40 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	182	7.2 %	8.8%
2	LESS THAN 1 HOUR:(2)	569	22.6 %	27.4%
3	1-2 HOURS:(3)	441	17.5 %	21.2%
4	3-5 HOURS:(4)	343	13.6 %	16.5%
5	6-9 HOURS:(5)	198	7.8 %	9.5%
6	10-19 HOURS:(6)	126	5.0 %	6.1%
7	20-29 HOURS:(7)	79	3.1 %	3.8%
8	30-39 HOURS:(8)	48	1.9 %	2.3%
9	40 OR MORE:(9)	94	3.7 %	4.5%
-9 (M)	MISSING:(-9)	443	17.6 %	-

Based upon 2080 valid cases out of 2523 total cases.

V3407 — 103E10A:SM1 SCL ROB <$50

Location:	673-674 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09871

The next questions are about some things which may
have happened TO YOU while you were at school (inside
or outside or in a school bus). During the LAST 12
MONTHS, how often . . .

A: . . . Has something of yours (worth under $50) been
stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1486	58.9 %	70.9%

Value	Label	Unweighted Frequency	%	Valid %
2	ONCE:(2)	413	16.4 %	19.7%
3	TWICE:(3)	117	4.6 %	5.6%
4	3-4TIMES:(4)	50	2.0 %	2.4%
5	5+ TIMES:(5)	29	1.1 %	1.4%
-9 (M)	MISSING:(-9)	428	17.0 %	-

Based upon 2095 valid cases out of 2523 total cases.

V3408	**103E10B:SM1 SCL ROB >$50**

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09872

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1606	63.7 %	76.8%
2	ONCE:(2)	336	13.3 %	16.1%
3	TWICE:(3)	93	3.7 %	4.4%
4	3-4TIMES:(4)	39	1.5 %	1.9%
5	5+ TIMES:(5)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	432	17.1 %	-

Based upon 2091 valid cases out of 2523 total cases.

V3409	**103E10C:SM1 SCL DMG PRTY**

Location: 677-678 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09873

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or

More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1655	65.6 %	79.3%
2	ONCE:(2)	273	10.8 %	13.1%
3	TWICE:(3)	107	4.2 %	5.1%
4	3-4TIMES:(4)	28	1.1 %	1.3%
5	5+ TIMES:(5)	24	1.0 %	1.1%
-9 (M)	MISSING:(-9)	436	17.3 %	-

Based upon 2087 valid cases out of 2523 total cases.

V3410	**103E10D:SM1 SCL IN U W/W**

Location:	679-680 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09874

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1963	77.8 %	94.5%
2	ONCE:(2)	61	2.4 %	2.9%
3	TWICE:(3)	25	1.0 %	1.2%
4	3-4TIMES:(4)	11	0.4 %	0.5%
5	5+ TIMES:(5)	18	0.7 %	0.9%
-9 (M)	MISSING:(-9)	445	17.6 %	-

Based upon 2078 valid cases out of 2523 total cases.

V3411	**103E10E:SM1 SCL TH U W/W**

Location:	681-682 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09875

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but
not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1815	71.9 %	87.1%
2	ONCE:(2)	152	6.0 %	7.3%
3	TWICE:(3)	51	2.0 %	2.4%
4	3-4TIMES:(4)	31	1.2 %	1.5%
5	5+ TIMES:(5)	34	1.3 %	1.6%
-9 (M)	MISSING:(-9)	440	17.4 %	-

Based upon 2083 valid cases out of 2523 total cases.

V3412	**103E10F:SM1 SCL IN U -WP**

Location:	683-684 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09876

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without
using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1798	71.3 %	86.5%
2	ONCE:(2)	146	5.8 %	7.0%
3	TWICE:(3)	78	3.1 %	3.8%
4	3-4TIMES:(4)	21	0.8 %	1.0%
5	5+ TIMES:(5)	35	1.4 %	1.7%
-9 (M)	MISSING:(-9)	445	17.6 %	-

Based upon 2078 valid cases out of 2523 total cases.

V3413	**103E10G:SM1 SCL TH U W/I**

Location:	685-686 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 09877

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with
injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1665	66.0 %	80.5%
2	ONCE:(2)	181	7.2 %	8.7%
3	TWICE:(3)	91	3.6 %	4.4%
4	3-4TIMES:(4)	53	2.1 %	2.6%
5	5+ TIMES:(5)	79	3.1 %	3.8%
-9 (M)	MISSING:(-9)	454	18.0 %	-

Based upon 2069 valid cases out of 2523 total cases.

V3434	103E11A:IMP HAV NW CR OF

Location:	687-688 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13860

Looking toward the future, how important would it be for you
to have each of the following things?

A: A new car every two or three years

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	1280	50.7 %	61.7%
2	SOM IMPT:(2)	521	20.7 %	25.1%
3	QUITE IM:(3)	169	6.7 %	8.2%
4	EXTR IMP:(4)	103	4.1 %	5.0%
-9 (M)	MISSING:(-9)	450	17.8 %	-

Based upon 2073 valid cases out of 2523 total cases.

V3435	103E11B:IMP HAV NW CLTHS

| Location: | 689-690 (width: 2; decimal: 0) |

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13870

Looking toward the future, how important would it be for you
to have each of the following things?

B: Clothes in the latest style

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	607	24.1 %	29.2%
2	SOM IMPT:(2)	778	30.8 %	37.4%
3	QUITE IM:(3)	471	18.7 %	22.7%
4	EXTR IMP:(4)	223	8.8 %	10.7%
-9 (M)	MISSING:(-9)	444	17.6 %	-

Based upon 2079 valid cases out of 2523 total cases.

V3436	103E11C:IMP HAV OWN HSE

Location:	691-692 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13880

Looking toward the future, how important would it be for you
to have each of the following things?

C: A house of my own (instead of an apartment or condominium)

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	233	9.2 %	11.3%
2	SOM IMPT:(2)	419	16.6 %	20.3%
3	QUITE IM:(3)	669	26.5 %	32.3%
4	EXTR IMP:(4)	748	29.6 %	36.2%
-9 (M)	MISSING:(-9)	454	18.0 %	-

Based upon 2069 valid cases out of 2523 total cases.

V3437	103E11D:IMP HAV BIG YARD

Location:	693-694 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13890

Looking toward the future, how important would it be for you
to have each of the following things?

D: Lots of space around my house, a big yard

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	330	13.1 %	16.0%
2	SOM IMPT:(2)	630	25.0 %	30.5%
3	QUITE IM:(3)	615	24.4 %	29.8%
4	EXTR IMP:(4)	491	19.5 %	23.8%
-9 (M)	MISSING:(-9)	457	18.1 %	-

Based upon 2066 valid cases out of 2523 total cases.

V3441	**103E11E:IMP HAV VAC HSE**

Location:	695-696 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13930

Looking toward the future, how important would it be for you
to have each of the following things?

E: A vacation house

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	1240	49.1 %	60.1%
2	SOM IMPT:(2)	468	18.5 %	22.7%
3	QUITE IM:(3)	199	7.9 %	9.6%
4	EXTR IMP:(4)	157	6.2 %	7.6%
-9 (M)	MISSING:(-9)	459	18.2 %	-

Based upon 2064 valid cases out of 2523 total cases.

V3442	**103E11F:IMP HAV REC VEH**

Location:	697-698 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13940

Looking toward the future, how important would it be for you
to have each of the following things?

F: A motor-powered, recreational vehicle (powerboat,
snowmobile, etc.)

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	1225	48.6 %	59.4%
2	SOM IMPT:(2)	449	17.8 %	21.8%
3	QUITE IM:(3)	212	8.4 %	10.3%
4	EXTR IMP:(4)	177	7.0 %	8.6%
-9 (M)	MISSING:(-9)	460	18.2 %	-

Based upon 2063 valid cases out of 2523 total cases.

V3418   103E12A:GR 1ST SMOK DLY

Location:	699-700 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05570

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	24	1.0 %	1.2%
2	GRADE 7:(2)	21	0.8 %	1.1%
3	GRADE 8:(3)	41	1.6 %	2.1%
4	GRADE 9:(4)	62	2.5 %	3.2%
5	GRADE 10:(5)	59	2.3 %	3.0%
6	GRADE 11:(6)	65	2.6 %	3.3%

Value	Label	Unweighted Frequency	%	Valid %
7	GRADE 12:(7)	59	2.3 %	3.0%
8	NEVER:(8)	1630	64.6 %	83.1%
-9 (M)	MISSING:(-9)	562	22.3 %	-

Based upon 1961 valid cases out of 2523 total cases.

V3419	103E12B:GR 1ST TRY ALC

Location: 701-702 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	71	2.8 %	3.9%
2	GRADE 7:(2)	118	4.7 %	6.4%
3	GRADE 8:(3)	200	7.9 %	10.9%
4	GRADE 9:(4)	334	13.2 %	18.2%
5	GRADE 10:(5)	237	9.4 %	12.9%
6	GRADE 11:(6)	215	8.5 %	11.7%
7	GRADE 12:(7)	124	4.9 %	6.7%
8	NEVER:(8)	540	21.4 %	29.4%
-9 (M)	MISSING:(-9)	684	27.1 %	-

Based upon 1839 valid cases out of 2523 total cases.

V3420	103E12C:GR 1ST TRY MJ

Location: 703-704 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05590

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	37	1.5 %	1.9%
2	GRADE 7:(2)	54	2.1 %	2.8%
3	GRADE 8:(3)	103	4.1 %	5.3%
4	GRADE 9:(4)	195	7.7 %	10.1%
5	GRADE 10:(5)	152	6.0 %	7.8%
6	GRADE 11:(6)	175	6.9 %	9.0%
7	GRADE 12:(7)	112	4.4 %	5.8%
8	NEVER:(8)	1112	44.1 %	57.3%
-9 (M)	MISSING:(-9)	583	23.1 %	-

Based upon 1940 valid cases out of 2523 total cases.

V3421   103E12D:GR 1ST TRY LSD

Location:	705-706 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05600

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.2%
2	GRADE 7:(2)	1	0.0 %	0.1%
3	GRADE 8:(3)	5	0.2 %	0.3%
4	GRADE 9:(4)	5	0.2 %	0.3%
5	GRADE 10:(5)	20	0.8 %	1.0%
6	GRADE 11:(6)	16	0.6 %	0.8%
7	GRADE 12:(7)	10	0.4 %	0.5%
8	NEVER:(8)	1920	76.1 %	97.0%
-9 (M)	MISSING:(-9)	543	21.5 %	-

Based upon 1980 valid cases out of 2523 total cases.

V3422	**103E12E:GR 1ST TRY PSY**

Location: 707-708 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05610

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

E: Try any hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	6	0.2 %	0.3%
2	GRADE 7:(2)	1	0.0 %	0.1%
3	GRADE 8:(3)	6	0.2 %	0.3%
4	GRADE 9:(4)	13	0.5 %	0.7%
5	GRADE 10:(5)	30	1.2 %	1.5%
6	GRADE 11:(6)	28	1.1 %	1.4%
7	GRADE 12:(7)	19	0.8 %	1.0%
8	NEVER:(8)	1848	73.2 %	94.7%
-9 (M)	MISSING:(-9)	572	22.7 %	-

Based upon 1951 valid cases out of 2523 total cases.

V3423	**103E12F:GR 1ST TRY AMP**

Location: 709-710 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05620

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	8	0.3 %	0.4%
3	GRADE 8:(3)	8	0.3 %	0.4%
4	GRADE 9:(4)	20	0.8 %	1.1%
5	GRADE 10:(5)	28	1.1 %	1.5%
6	GRADE 11:(6)	15	0.6 %	0.8%
7	GRADE 12:(7)	12	0.5 %	0.6%
8	NEVER:(8)	1775	70.4 %	95.1%
-9 (M)	MISSING:(-9)	657	26.0 %	-

Based upon 1866 valid cases out of 2523 total cases.

V3424   103E12G:GR 1ST TRY QUA

Location: 711-712 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05630

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

G: Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	8	0.3 %	0.4%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	6	0.2 %	0.3%
4	GRADE 9:(4)	9	0.4 %	0.4%
5	GRADE 10:(5)	3	0.1 %	0.1%
6	GRADE 11:(6)	5	0.2 %	0.2%
7	GRADE 12:(7)	3	0.1 %	0.1%
8	NEVER:(8)	1978	78.4 %	98.3%
-9 (M)	MISSING:(-9)	510	20.2 %	-

Based upon 2013 valid cases out of 2523 total cases.

V3511   103E12H:GR 1ST TRY SED/B

Location: 713-714 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05645

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

H: Try sedatives/barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	10	0.4 %	0.5%
2	GRADE 7:(2)	3	0.1 %	0.2%
3	GRADE 8:(3)	15	0.6 %	0.8%
4	GRADE 9:(4)	24	1.0 %	1.2%
5	GRADE 10:(5)	19	0.8 %	1.0%
6	GRADE 11:(6)	18	0.7 %	0.9%
7	GRADE 12:(7)	8	0.3 %	0.4%
8	NEVER:(8)	1840	72.9 %	95.0%
-9 (M)	MISSING:(-9)	586	23.2 %	-

Based upon 1937 valid cases out of 2523 total cases.

V3426	103E12I:GR 1ST TRY TRN

Location: 715-716 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 05650

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

I: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	6	0.2 %	0.3%
2	GRADE 7:(2)	5	0.2 %	0.3%
3	GRADE 8:(3)	4	0.2 %	0.2%
4	GRADE 9:(4)	19	0.8 %	1.0%
5	GRADE 10:(5)	13	0.5 %	0.7%

Value	Label	Unweighted Frequency	%	Valid %
6	GRADE 11:(6)	18	0.7 %	0.9%
7	GRADE 12:(7)	9	0.4 %	0.5%
8	NEVER:(8)	1833	72.7 %	96.1%
-9 (M)	MISSING:(-9)	616	24.4 %	-

Based upon 1907 valid cases out of 2523 total cases.

V3427	**103E12J:GR 1ST TRY COK**

Location:	717-718 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05660

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

J: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.3%
2	GRADE 7:(2)	3	0.1 %	0.2%
3	GRADE 8:(3)	7	0.3 %	0.4%
4	GRADE 9:(4)	14	0.6 %	0.7%
5	GRADE 10:(5)	20	0.8 %	1.0%
6	GRADE 11:(6)	25	1.0 %	1.3%
7	GRADE 12:(7)	15	0.6 %	0.8%
8	NEVER:(8)	1886	74.8 %	95.5%
-9 (M)	MISSING:(-9)	548	21.7 %	-

Based upon 1975 valid cases out of 2523 total cases.

V3428	**103E12K:GR 1ST TRY HER**

Location:	719-720 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05670

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

K: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	1	0.0 %	0.1%
3	GRADE 8:(3)	3	0.1 %	0.2%
4	GRADE 9:(4)	2	0.1 %	0.1%
5	GRADE 10:(5)	8	0.3 %	0.4%
6	GRADE 11:(6)	5	0.2 %	0.3%
7	GRADE 12:(7)	3	0.1 %	0.2%
8	NEVER:(8)	1957	77.6 %	98.8%
-9 (M)	MISSING:(-9)	542	21.5 %	-

Based upon 1981 valid cases out of 2523 total cases.

V3429	**103E12L:GR 1ST TRY NRC**

Location:	721-722 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05680

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

L: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.3%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	12	0.5 %	0.7%
4	GRADE 9:(4)	15	0.6 %	0.8%
5	GRADE 10:(5)	19	0.8 %	1.1%
6	GRADE 11:(6)	13	0.5 %	0.7%
7	GRADE 12:(7)	9	0.4 %	0.5%
8	NEVER:(8)	1733	68.7 %	95.9%
-9 (M)	MISSING:(-9)	715	28.3 %	-

Based upon 1808 valid cases out of 2523 total cases.

V3430	**103E12M:GR 1ST TRY INHAL**

Location:	723-724 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05685

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

M: Try inhalants

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	10	0.4 %	0.5%
2	GRADE 7:(2)	11	0.4 %	0.6%
3	GRADE 8:(3)	8	0.3 %	0.4%
4	GRADE 9:(4)	10	0.4 %	0.5%
5	GRADE 10:(5)	17	0.7 %	0.9%
6	GRADE 11:(6)	13	0.5 %	0.7%
7	GRADE 12:(7)	10	0.4 %	0.5%
8	NEVER:(8)	1813	71.9 %	95.8%
-9 (M)	MISSING:(-9)	631	25.0 %	-

Based upon 1892 valid cases out of 2523 total cases.

V3457	**103E12N:GR 1ST SMOKE EVR**

Location:	725-726 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

N: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	102	4.0 %	5.5%
2	GRADE 7:(2)	82	3.3 %	4.5%
3	GRADE 8:(3)	102	4.0 %	5.5%
4	GRADE 9:(4)	127	5.0 %	6.9%
5	GRADE 10:(5)	119	4.7 %	6.5%
6	GRADE 11:(6)	98	3.9 %	5.3%
7	GRADE 12:(7)	67	2.7 %	3.6%
8	NEVER:(8)	1141	45.2 %	62.1%
-9 (M)	MISSING:(-9)	685	27.2 %	-

Based upon 1838 valid cases out of 2523 total cases.

V3458	**103E12O:GR 1ST SMOKELESS**

Location:	727-728 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05576

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

O: Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	18	0.7 %	0.9%
2	GRADE 7:(2)	23	0.9 %	1.1%
3	GRADE 8:(3)	43	1.7 %	2.1%
4	GRADE 9:(4)	66	2.6 %	3.3%
5	GRADE 10:(5)	76	3.0 %	3.8%
6	GRADE 11:(6)	66	2.6 %	3.3%
7	GRADE 12:(7)	49	1.9 %	2.4%
8	NEVER:(8)	1668	66.1 %	83.0%
-9 (M)	MISSING:(-9)	514	20.4 %	-

Based upon 2009 valid cases out of 2523 total cases.

V3459	**103E12P:GR 1ST DRUNK**

Location:	729-730 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05585

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

P: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	25	1.0 %	1.3%
2	GRADE 7:(2)	47	1.9 %	2.4%
3	GRADE 8:(3)	121	4.8 %	6.1%
4	GRADE 9:(4)	227	9.0 %	11.4%
5	GRADE 10:(5)	224	8.9 %	11.3%
6	GRADE 11:(6)	218	8.6 %	11.0%
7	GRADE 12:(7)	115	4.6 %	5.8%
8	NEVER:(8)	1006	39.9 %	50.7%
-9 (M)	MISSING:(-9)	540	21.4 %	-

Based upon 1983 valid cases out of 2523 total cases.

V3483   103E12Q:GR 1ST TRY CRACK

Location: 731-732 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05661

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

Q: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.2%
2	GRADE 7:(2)	4	0.2 %	0.2%
3	GRADE 8:(3)	3	0.1 %	0.2%
4	GRADE 9:(4)	5	0.2 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
5	GRADE 10:(5)	4	0.2 %	0.2%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	1942	77.0 %	98.8%
-9 (M)	MISSING:(-9)	558	22.1 %	-

Based upon 1965 valid cases out of 2523 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

> Monographs
> Reference Volumes
> Books
> Journal Articles
> Chapters
> Research Reports
> Occasional Papers
> Congressional Testimony
> Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.