

ICPSR 30985

## Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Lloyd D. Johnston

*University of Michigan. Institute for Social Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social Research. Survey Research Center*

Form 6 Data Codebook

**SAMHDA**  
is sponsored by



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**  
Substance Abuse and Mental Health Services Administration  
Office of Applied Studies  
[www.samhsa.gov](http://www.samhsa.gov)

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/30985.xml>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



## TABLE OF CONTENTS

|   |               |
|---|---------------|
| <b>INTRODUCTION.....</b>                                | <b>1</b>      |
| DATA COLLECTION DESCRIPTION .....                       | 1             |
| DATA COLLECTION PROCEDURES .....                        | 1             |
| SAMPLING INFORMATION .....                              | 2             |
| Stage 1: Geographic Areas.....                          | 2             |
| Stage 2: Schools .....                                  | 2             |
| Stage 3: Students .....                                 | 2             |
| School Recruiting Procedures .....                      | 3             |
| Advance Contact With Teachers and Students .....        | 3             |
| Questionnaire Administration .....                      | 3             |
| Procedures for Protecting Confidentiality. ....         | 4             |
| CONTENT AREAS AND QUESTIONNAIRE DESIGN .....            | 4             |
| MEASUREMENT CONTENT AREAS .....                         | 4             |
| REPRESENTATIVENESS AND VALIDITY .....                   | 6             |
| School Participation .....                              | 6             |
| Student Participation .....                             | 7             |
| Validity of Self-Report Data .....                      | 7             |
| Accuracy of the Sample .....                            | 7             |
| Consistency and the Measurement of Trends .....         | 8             |
| Interpreting Racial Differences .....                   | 8             |
| Differential Representation .....                       | 9             |
| Differential Response Tendencies. ....                  | 9             |
| Covariance With Other Factors .....                     | 10            |
| WEIGHTING INFORMATION .....                             | 11            |
| FILE STRUCTURE .....                                    | 11            |
| CODEBOOK INFORMATION .....                              | 12            |
| ICPSR PROCESSING INFORMATION .....                      | 14            |
| Omitted Variables .....                                 | 14            |
| Recoded Variables .....                                 | 15            |
| Missing Data for Western Region.....                    | 16            |
| Questionnaire Form 1 Processing .....                   | 16            |
| Revised Question Text for the Core Dataset.....         | 17            |
| <br><b>FREQUENCIES.....</b>                             | <br><b>19</b> |
| <b>APPENDICES .....</b>                                 | <b>201</b>    |
| Appendix A: Publications .....                          | 203           |
| Appendix B: Sample Size and Student Response Rates..... | 205           |



## **INTRODUCTION**

### **DATA COLLECTION DESCRIPTION**

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2010 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

### **DATA COLLECTION PROCEDURES**

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

### **SAMPLING INFORMATION**

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

**STAGE 1: GEOGRAPHIC AREAS.** The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

**STAGE 2: SCHOOLS.** In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

**STAGE 3: STUDENTS.** Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and



examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

**SCHOOL RECRUITING PROCEDURES.** Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

**ADVANCE CONTACT WITH TEACHERS AND STUDENTS.** The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

**QUESTIONNAIRE ADMINISTRATION.** The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

**PROCEDURES FOR PROTECTING CONFIDENTIALITY.** In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

## **CONTENT AREAS AND QUESTIONNAIRE DESIGN**

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

### **MEASUREMENT CONTENT AREAS**

---

---

- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

---

---

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

### **REPRESENTATIVENESS AND VALIDITY**

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

**SCHOOL PARTICIPATION.** As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

**STUDENT PARTICIPATION.** Completed questionnaires are obtained from three-fourths to four-fifths of all 12<sup>th</sup> graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

**VALIDITY OF SELF-REPORT DATA.** Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

**ACCURACY OF THE SAMPLE.** A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

**CONSISTENCY AND THE MEASUREMENT OF TRENDS.** One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

**INTERPRETING RACIAL DIFFERENCES.** Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

**DIFFERENTIAL REPRESENTATION.** Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

**DIFFERENTIAL RESPONSE TENDENCIES.** In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

**COVARIANCE WITH OTHER FACTORS.** Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.



## WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

## FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2010 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

| part # | form   | # of variables | Logical<br>record length | Unweighted n |
|--------|--------|----------------|--------------------------|--------------|
| 1      | Core   | 189            | 392                      | 15,127       |
| 2      | Form 1 | 637            | 1,285                    | 2,526        |
| 3      | Form 2 | 329            | 671                      | 2,536        |
| 4      | Form 3 | 359            | 732                      | 2,523        |
| 5      | Form 4 | 270            | 556                      | 2,496        |
| 6      | Form 5 | 320            | 653                      | 2,519        |
| 7      | Form 6 | 336            | 686                      | 2,527        |

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

## CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

| [1] V2119                                     | [2] 082A04E #X INTERNET NEWS   |
|---|--|
| [3] Location:                                 | 64-65(width: 2, decimal: 0)  |
| [4] Variable Type:                            | numeric (ISO)  |
| [5] Range of Missing Values (M):<br>Question: | -9   |
|   | [6] Item Number: 24815   |
|   | [7] Question Number(s): 2A04E  |
|   | [8] How often do you use each of the following to get information about news and current events?             |
|   | E: The Internet  |
|   | [9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never" |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

## ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

### OMITTED VARIABLES:

|              |  |
|--------------|--|
| All datasets | C01. R'S BIRTH YEAR<br>C02. R'S BIRTH MONTH<br>C04A-I, R'S RACE (9 categories)<br>C07A-B. # OLDER BR/SR, # YOUNGER BR/SR<br>C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)<br>C13A. R'S RELGS PRFNC |
| Form 1       | D19. CURRENT HEIGHT<br>D20. CURRENT WEIGHT   |
| Form 2       | 2A19P. ARRSTD&TKN 2 POL  |
| Form 5       | 5A21. CURRENT HEIGHT<br>5A22. CURRENT WEIGHT   |

## **RECODED VARIABLES:**

### **Core dataset and Part C section of individual forms**

AGE < 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

### **Core dataset (Part B)**

\*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

\*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

### Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

### MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

|              |   |
|--------------|---|
| All datasets | C13B R'ATTND REL SVC<br>C13C RLGN IMP R'S LF  |
| Form 2       | 2A19A FRQ FIGHT PARNTS  |
| Form 4       | 4A15A FEW GD MAR, ? IT<br>4A15B GD LIV TG BF MRG<br>4A15C 1 PRTNR=RSTRCTVE  |
| Form 5       | 5A18I FAM BUYS THG -ND<br>5A18J FULLR LVS IF MRY<br>5A18N HSB MAK IMP DCSN  |
| Form 6       | 6A08A #X PRNT CHK HMWK<br>6A08B #X PRNT HLP HMWK<br>6A08C #X PRNT GV CHORE<br>6A08D #X PRNT LIMIT TV<br>6A08E #X PRNT LMT OUT |

### QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

## **REVISED QUESTION TEXT FOR THE CORE DATASET**

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.





## **ICPSR 30985**

# **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010**

## **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

## Form 6 Data

| CASEID | CASE IDENTIFICATION NUMBER |
|--------|----------------------------|
|--------|----------------------------|

Location: 1-4 (width: 4; decimal: 0)  
Variable Type: numeric  
Based upon 2527 valid cases out of 2527 total cases.

| V1 | YEAR OF ADMIN (4-DIGITS) |
|----|--------------------------|
|----|--------------------------|

Location: 5-8 (width: 4; decimal: 0)  
Variable Type: numeric

| Value | Unweighted Frequency | %       | Valid % |
|-------|----------------------|---------|---------|
| 2010  | 2527                 | 100.0 % | 100.0%  |

Based upon 2527 valid cases out of 2527 total cases.

| V3 | 106:FORM ID |
|----|-------------|
|----|-------------|

Location: 9-10 (width: 2; decimal: 0)  
Variable Type: numeric

| Value | Unweighted Frequency | %       | Valid % |
|-------|----------------------|---------|---------|
| 6     | 2527                 | 100.0 % | 100.0%  |

Based upon 2527 valid cases out of 2527 total cases.

| V4 | 106:Rs ID-SERIAL # |
|----|--------------------|
|----|--------------------|

Location: 11-15 (width: 5; decimal: 0)  
Variable Type: numeric  
Based upon 2527 valid cases out of 2527 total cases.

| V5 | SAMPLING WEIGHT |
|----|-----------------|
|----|-----------------|

Location: 16-21 (width: 6; decimal: 4)  
Variable Type: numeric  
Based upon 2527 valid cases out of 2527 total cases.

| V13 | SCH REG-4 CAT |
|-----|---------------|
|-----|---------------|

Location: 22-23 (width: 2; decimal: 0)  
Variable Type: numeric  
Question: Region of the country, based on Census categories, in which respondent's school is located.  
  
1=Northeast 2=North Central 3=South 4=West

| <i>Value</i> | <i>Label</i>     | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|-----------------------------|----------|----------------|
| 1            | NORTHEAST:(1)    | 539                         | 21.3 %   | 21.3%          |
| 2            | NORTH CENTRL:(2) | 619                         | 24.5 %   | 24.5%          |
| 3            | SOUTH:(3)        | 839                         | 33.2 %   | 33.2%          |
| 4            | WEST:(4)         | 530                         | 21.0 %   | 21.0%          |

Based upon 2527 valid cases out of 2527 total cases.

|            |                          |
|------------|--------------------------|
| <b>V16</b> | <b>LARGE MSA=1/NOT=0</b> |
|------------|--------------------------|

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

| <i>Value</i> | <i>Label</i>  | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|-----------------------------|----------|----------------|
| 0            | NOT:(0)       | 1653                        | 65.4 %   | 65.4%          |
| 1            | LARGE MSA:(1) | 874                         | 34.6 %   | 34.6%          |

Based upon 2527 valid cases out of 2527 total cases.

|            |                      |
|------------|----------------------|
| <b>V17</b> | <b>MSA/NON-MSA=0</b> |
|------------|----------------------|

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NOT:(0)      | 468                         | 18.5 %   | 18.5%          |
| 1            | MSA:(1)      | 2059                        | 81.5 %   | 81.5%          |

Based upon 2527 valid cases out of 2527 total cases.

|              |                                 |
|--------------|---------------------------------|
| <b>V6207</b> | <b>106A01 :CMP SATFD W/LIFE</b> |
|--------------|---------------------------------|

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

| Value  | Label         | Unweighted Frequency | %      | Valid % |
|--------|---------------|----------------------|--------|---------|
| 1      | COMP DIS:(1)  | 51                   | 2.0 %  | 2.1%    |
| 2      | QUITE DIS:(2) | 130                  | 5.1 %  | 5.3%    |
| 3      | SOME DIS:(3)  | 131                  | 5.2 %  | 5.3%    |
| 4      | NEITHER:(4)   | 243                  | 9.6 %  | 9.9%    |
| 5      | SOME SAT:(5)  | 543                  | 21.5 % | 22.0%   |
| 6      | QUITE SAT:(6) | 1039                 | 41.1 % | 42.1%   |
| 7      | COMPLETE:(7)  | 329                  | 13.0 % | 13.3%   |
| -9 (M) | MISSING:(-9)  | 61                   | 2.4 %  | -       |

Based upon 2466 valid cases out of 2527 total cases.

**V6208**

**106A02A:DALY WATCH TV**

Location: 30-31 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 05820

The next questions ask about the kinds of things you might do.  
 How often do you do each of the following?

A: Watch TV

1="Never" 2="A few times a year" 3="Once or twice a month"  
 4="At least once a week" 5="Almost every day"

| Value  | Label            | Unweighted Frequency | %      | Valid % |
|--------|------------------|----------------------|--------|---------|
| 1      | NEVER:(1)        | 38                   | 1.5 %  | 1.5%    |
| 2      | FEW/YR:(2)       | 62                   | 2.5 %  | 2.5%    |
| 3      | 1X-2X/MO:(3)     | 146                  | 5.8 %  | 5.8%    |
| 4      | ONCE+/WK:(4)     | 692                  | 27.4 % | 27.5%   |
| 5      | ALM EVERYDAY:(5) | 1578                 | 62.4 % | 62.7%   |
| -9 (M) | MISSING:(-9)     | 11                   | 0.4 %  | -       |

Based upon 2516 valid cases out of 2527 total cases.

**V6209 106A02B:DALY GO TO MOVIE**

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05830

How often do you do each of the following?

B: Go to movies

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)        | 70                          | 2.8 %    | 2.8%           |
| 2            | FEW/YR:(2)       | 1010                        | 40.0 %   | 40.1%          |
| 3            | 1X-2X/MO:(3)     | 1277                        | 50.5 %   | 50.7%          |
| 4            | ONCE+/WK:(4)     | 146                         | 5.8 %    | 5.8%           |
| 5            | ALM EVERYDAY:(5) | 14                          | 0.6 %    | 0.6%           |
| -9 (M)       | MISSING:(-9)     | 10                          | 0.4 %    | -              |

Based upon 2517 valid cases out of 2527 total cases.

**V6210 106A02C:DALY MUSIC CNCRT**

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05846

How often do you do each of the following?

C: Go to music concerts

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 1032                        | 40.8 %   | 41.2%          |
| 2            | FEW /YR:(2)  | 1264                        | 50.0 %   | 50.5%          |
| 3            | 1-2 /MO:(3)  | 167                         | 6.6 %    | 6.7%           |
| 4            | 1 /WK:(4)    | 29                          | 1.1 %    | 1.2%           |
| 5            | NR DAILY:(5) | 13                          | 0.5 %    | 0.5%           |
| -9 (M)       | MISSING:(-9) | 22                          | 0.9 %    | -              |

Based upon 2505 valid cases out of 2527 total cases.

**V6211 106A02D:DALY RIDE FORFUN**

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05850

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)        | 369                             | 14.6 %   | 14.7%          |
| 2            | FEW/YR:(2)       | 286                             | 11.3 %   | 11.4%          |
| 3            | 1X-2X/MO:(3)     | 418                             | 16.5 %   | 16.6%          |
| 4            | ONCE+/WK:(4)     | 695                             | 27.5 %   | 27.6%          |
| 5            | ALM EVERYDAY:(5) | 747                             | 29.6 %   | 29.7%          |
| -9 (M)       | MISSING:(-9)     | 12                              | 0.5 %    | -              |

Based upon 2515 valid cases out of 2527 total cases.

**V6212 106A02E:DALY CMNTY AFFRS**

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05860

How often do you do each of the following?

E: Participate in community affairs or volunteer work

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)        | 615                             | 24.3 %   | 24.5%          |
| 2            | FEW/YR:(2)       | 1061                            | 42.0 %   | 42.2%          |
| 3            | 1X-2X/MO:(3)     | 526                             | 20.8 %   | 20.9%          |
| 4            | ONCE+/WK:(4)     | 229                             | 9.1 %    | 9.1%           |
| 5            | ALM EVERYDAY:(5) | 83                              | 3.3 %    | 3.3%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 13                              | 0.5 %    | -              |

Based upon 2514 valid cases out of 2527 total cases.

**V6213 106A02F:DALY ACTV SPORTS**

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05890

How often do you do each of the following?

F: Actively participate in sports, athletics or exercising

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)        | 254                             | 10.1 %   | 10.1%          |
| 2            | FEW/YR:(2)       | 253                             | 10.0 %   | 10.0%          |
| 3            | 1X-2X/MO:(3)     | 307                             | 12.1 %   | 12.2%          |
| 4            | ONCE+/WK:(4)     | 632                             | 25.0 %   | 25.1%          |
| 5            | ALM EVERYDAY:(5) | 1073                            | 42.5 %   | 42.6%          |
| -9 (M)       | MISSING:(-9)     | 8                               | 0.3 %    | -              |

Based upon 2519 valid cases out of 2527 total cases.

**V6214 106A02G:DALY VIST W/FRDS**

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05920

How often do you do each of the following?

G: Get together with friends informally

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)    | 32                              | 1.3 %    | 1.3%           |
| 2            | FEW/YR:(2)   | 101                             | 4.0 %    | 4.0%           |

| <i>Value</i> | <i>Label</i>     | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|-----------------------------|----------|----------------|
| 3            | 1X-2X/MO:(3)     | 307                         | 12.1 %   | 12.3%          |
| 4            | ONCE+/WK:(4)     | 1009                        | 39.9 %   | 40.3%          |
| 5            | ALM EVERYDAY:(5) | 1055                        | 41.7 %   | 42.1%          |
| -9 (M)       | MISSING:(-9)     | 23                          | 0.9 %    | -              |

Based upon 2504 valid cases out of 2527 total cases.

**V6603**

**106A02H:DALY GO TO MALL**

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05935

How often do you do each of the following?

H. Go to a shopping mall

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)        | 102                         | 4.0 %    | 4.1%           |
| 2            | FEW/YR:(2)       | 616                         | 24.4 %   | 24.5%          |
| 3            | 1X-2X/MO:(3)     | 1348                        | 53.3 %   | 53.7%          |
| 4            | ONCE+/WK:(4)     | 383                         | 15.2 %   | 15.2%          |
| 5            | ALM EVERYDAY:(5) | 63                          | 2.5 %    | 2.5%           |
| -9 (M)       | MISSING:(-9)     | 15                          | 0.6 %    | -              |

Based upon 2512 valid cases out of 2527 total cases.

**V6216**

**106A02I:DALY ALONE LEISR**

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05940

How often do you do each of the following?

I: Spend at least an hour of leisure time alone

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"



| <i>Value</i> | <i>Label</i>     | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)        | 100                             | 4.0 %    | 4.0%           |
| 2            | FEW/YR:(2)       | 125                             | 4.9 %    | 5.0%           |
| 3            | 1X-2X/MO:(3)     | 271                             | 10.7 %   | 10.8%          |
| 4            | ONCE+/WK:(4)     | 755                             | 29.9 %   | 30.1%          |
| 5            | ALM EVERYDAY:(5) | 1254                            | 49.6 %   | 50.1%          |
| -9 (M)       | MISSING:(-9)     | 22                              | 0.9 %    | -              |

Based upon 2505 valid cases out of 2527 total cases.

**V6217 106A02J:DALY READ MAGZNS**

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23070

How often do you do each of the following?

J: Read magazines

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)        | 465                             | 18.4 %   | 18.6%          |
| 2            | FEW/YR:(2)       | 590                             | 23.3 %   | 23.5%          |
| 3            | 1X-2X/MO:(3)     | 866                             | 34.3 %   | 34.6%          |
| 4            | ONCE+/WK:(4)     | 482                             | 19.1 %   | 19.2%          |
| 5            | ALM EVERYDAY:(5) | 103                             | 4.1 %    | 4.1%           |
| -9 (M)       | MISSING:(-9)     | 21                              | 0.8 %    | -              |

Based upon 2506 valid cases out of 2527 total cases.

**V6218 106A02K:DALY READ NWSPPR**

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23080

How often do you do each of the following?

K: Read newspapers

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)        | 665                             | 26.3 %   | 26.5%          |
| 2            | FEW/YR:(2)       | 589                             | 23.3 %   | 23.5%          |
| 3            | 1X-2X/MO:(3)     | 557                             | 22.0 %   | 22.2%          |
| 4            | ONCE+/WK:(4)     | 498                             | 19.7 %   | 19.9%          |
| 5            | ALM EVERYDAY:(5) | 198                             | 7.8 %    | 7.9%           |
| -9 (M)       | MISSING:(-9)     | 20                              | 0.8 %    | -              |

Based upon 2507 valid cases out of 2527 total cases.

|              |                                |
|--------------|--------------------------------|
| <b>V6219</b> | <b>106A02L:DALY GO TO BARS</b> |
|--------------|--------------------------------|

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05960

How often do you do each of the following?

L: Go to taverns, bars or nightclubs

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)        | 1516                            | 60.0 %   | 60.3%          |
| 2            | FEW/YR:(2)       | 448                             | 17.7 %   | 17.8%          |
| 3            | 1X-2X/MO:(3)     | 309                             | 12.2 %   | 12.3%          |
| 4            | ONCE+/WK:(4)     | 179                             | 7.1 %    | 7.1%           |
| 5            | ALM EVERYDAY:(5) | 61                              | 2.4 %    | 2.4%           |
| -9 (M)       | MISSING:(-9)     | 14                              | 0.6 %    | -              |

Based upon 2513 valid cases out of 2527 total cases.

|              |                                 |
|--------------|---------------------------------|
| <b>V6220</b> | <b>106A02M:DALY GO TO PARTY</b> |
|--------------|---------------------------------|

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05970

How often do you do each of the following?

M: Go to parties or other social affairs

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)        | 239                         | 9.5 %    | 9.5%           |
| 2            | FEW/YR:(2)       | 637                         | 25.2 %   | 25.3%          |
| 3            | 1X-2X/MO:(3)     | 859                         | 34.0 %   | 34.2%          |
| 4            | ONCE+/WK:(4)     | 679                         | 26.9 %   | 27.0%          |
| 5            | ALM EVERYDAY:(5) | 101                         | 4.0 %    | 4.0%           |
| -9 (M)       | MISSING:(-9)     | 12                          | 0.5 %    | -              |

Based upon 2515 valid cases out of 2527 total cases.

**V6604 106A02N:DALY GO TO RAVES**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29760

How often do you do each of the following?

N: Go to raves

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)        | 1997                        | 79.0 %   | 80.3%          |
| 2            | FEW/YR:(2)       | 268                         | 10.6 %   | 10.8%          |
| 3            | 1X-2X/MO:(3)     | 108                         | 4.3 %    | 4.3%           |
| 4            | ONCE+/WK:(4)     | 49                          | 1.9 %    | 2.0%           |
| 5            | ALM EVERYDAY:(5) | 66                          | 2.6 %    | 2.7%           |
| -9 (M)       | MISSING:(-9)     | 39                          | 1.5 %    | -              |

Based upon 2488 valid cases out of 2527 total cases.

**V6221 106A03 :\*SC WRK NVR MNG**

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05700

The next questions are about your experiences in school.

How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

| <i>Value</i> | <i>Label</i>  | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)     | 106                         | 4.2 %    | 4.3%           |
| 2            | SELDOM:(2)    | 484                         | 19.2 %   | 19.6%          |
| 3            | SOMETIME:(3)  | 1077                        | 42.6 %   | 43.7%          |
| 4            | OFTEN:(4)     | 565                         | 22.4 %   | 22.9%          |
| 5            | ALM ALWYS:(5) | 232                         | 9.2 %    | 9.4%           |
| -9 (M)       | MISSING:(-9)  | 63                          | 2.5 %    | -              |

Based upon 2464 valid cases out of 2527 total cases.

**V6222 106A04 : \*MST COUR V DUL**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"

3="Fairly interesting" 2="Slightly dull" 1="Very dull"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|-----------------------------|----------|----------------|
| 1            | VERY DULL:(1)    | 199                         | 7.9 %    | 7.9%           |
| 2            | SLIGHT DULL:(2)  | 536                         | 21.2 %   | 21.4%          |
| 3            | FAIRLY INTR:(3)  | 1153                        | 45.6 %   | 46.0%          |
| 4            | QUITE INTRST:(4) | 543                         | 21.5 %   | 21.6%          |
| 5            | VRY EXCITG:(5)   | 78                          | 3.1 %    | 3.1%           |
| -9 (M)       | MISSING:(-9)     | 18                          | 0.7 %    | -              |

Based upon 2509 valid cases out of 2527 total cases.

**V6223 106A05 : \*LRN SCH NT IMP**

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"  
2="Slightly important" 1="Not at all important"

| <i>Value</i> | <i>Label</i>   | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|----------------|---------------------------------|----------|----------------|
| 1            | NOT@ALL:(1)    | 113                             | 4.5 %    | 4.5%           |
| 2            | SLIGHT:(2)     | 539                             | 21.3 %   | 21.6%          |
| 3            | FAIR IMPT:(3)  | 840                             | 33.2 %   | 33.6%          |
| 4            | QUITE IMPT:(4) | 588                             | 23.3 %   | 23.5%          |
| 5            | VRV IMPT:(5)   | 421                             | 16.7 %   | 16.8%          |
| -9 (M)       | MISSING:(-9)   | 26                              | 1.0 %    | -              |

Based upon 2501 valid cases out of 2527 total cases.

**V6224 106A06A:LSTYR/ENJOY SCHL**

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23090

Now thinking back over the past year in school, how often did  
you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)    | 124                             | 4.9 %    | 4.9%           |
| 2            | SELDOM:(2)   | 392                             | 15.5 %   | 15.6%          |
| 3            | SOMETIME:(3) | 1016                            | 40.2 %   | 40.3%          |
| 4            | OFTEN:(4)    | 747                             | 29.6 %   | 29.7%          |
| 5            | ALWAYS:(5)   | 239                             | 9.5 %    | 9.5%           |
| -9 (M)       | MISSING:(-9) | 9                               | 0.4 %    | -              |

Based upon 2518 valid cases out of 2527 total cases.

**V6225 106A06B:LSTYR/HATE SCHL**

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23100

Now thinking back over the past year in school, how often did

you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)    | 177                             | 7.0 %    | 7.0%           |
| 2            | SELDOM:(2)   | 686                             | 27.1 %   | 27.3%          |
| 3            | SOMETIME:(3) | 842                             | 33.3 %   | 33.5%          |
| 4            | OFTEN:(4)    | 596                             | 23.6 %   | 23.7%          |
| 5            | ALWAYS:(5)   | 216                             | 8.5 %    | 8.6%           |
| -9 (M)       | MISSING:(-9) | 10                              | 0.4 %    | -              |

Based upon 2517 valid cases out of 2527 total cases.

**V6226**

**106A06C:LSTYR/DO BEST WK**

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23110

Now thinking back over the past year in school, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)    | 41                              | 1.6 %    | 1.6%           |
| 2            | SELDOM:(2)   | 143                             | 5.7 %    | 5.7%           |
| 3            | SOMETIME:(3) | 562                             | 22.2 %   | 22.4%          |
| 4            | OFTEN:(4)    | 930                             | 36.8 %   | 37.1%          |
| 5            | ALWAYS:(5)   | 831                             | 32.9 %   | 33.1%          |
| -9 (M)       | MISSING:(-9) | 20                              | 0.8 %    | -              |

Based upon 2507 valid cases out of 2527 total cases.

**V6227**

**106A06D:LSTYR/SCH 2 HARD**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23120

Now thinking back over the past year in school, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 371                         | 14.7 %   | 14.8%          |
| 2            | SELDOM:(2)   | 1031                        | 40.8 %   | 41.0%          |
| 3            | SOMETIME:(3) | 846                         | 33.5 %   | 33.7%          |
| 4            | OFTEN:(4)    | 204                         | 8.1 %    | 8.1%           |
| 5            | ALWAYS:(5)   | 61                          | 2.4 %    | 2.4%           |
| -9 (M)       | MISSING:(-9) | 14                          | 0.6 %    | -              |

Based upon 2513 valid cases out of 2527 total cases.

**V6228 106A06E:LSTYR/FOOL ROUND**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23130

Now thinking back over the past year in school, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 288                         | 11.4 %   | 11.5%          |
| 2            | SELDOM:(2)   | 659                         | 26.1 %   | 26.3%          |
| 3            | SOMETIME:(3) | 834                         | 33.0 %   | 33.2%          |
| 4            | OFTEN:(4)    | 476                         | 18.8 %   | 19.0%          |
| 5            | ALWAYS:(5)   | 252                         | 10.0 %   | 10.0%          |
| -9 (M)       | MISSING:(-9) | 18                          | 0.7 %    | -              |

Based upon 2509 valid cases out of 2527 total cases.

**V6229 106A06F:LSTYR/WK NT DONE**

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23140

Now thinking back over the past year in school, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 579                         | 22.9 %   | 23.0%          |
| 2            | SELDOM:(2)   | 910                         | 36.0 %   | 36.2%          |
| 3            | SOMETIME:(3) | 696                         | 27.5 %   | 27.7%          |
| 4            | OFTEN:(4)    | 268                         | 10.6 %   | 10.7%          |
| 5            | ALWAYS:(5)   | 59                          | 2.3 %    | 2.3%           |
| -9 (M)       | MISSING:(-9) | 15                          | 0.6 %    | -              |

Based upon 2512 valid cases out of 2527 total cases.

**V6230**

**106A06G:LSTYR/GT GD GRDS**

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23150

Now thinking back over the past year in school, how often did you . . .

G: . . . Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 40                          | 1.6 %    | 1.6%           |
| 2            | SELDOM:(2)   | 217                         | 8.6 %    | 8.6%           |
| 3            | SOMETIME:(3) | 585                         | 23.1 %   | 23.3%          |
| 4            | OFTEN:(4)    | 664                         | 26.3 %   | 26.5%          |
| 5            | ALWAYS:(5)   | 1004                        | 39.7 %   | 40.0%          |
| -9 (M)       | MISSING:(-9) | 17                          | 0.7 %    | -              |

Based upon 2510 valid cases out of 2527 total cases.

**V6231**

**106A06H:LSTYR/U MISBEHAV**

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric



Range of Missing Values (M): -9

Question:

Item Number: 23160

Now thinking back over the past year in school, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 1853                        | 73.3 %   | 73.6%          |
| 2            | SELDOM:(2)   | 462                         | 18.3 %   | 18.4%          |
| 3            | SOMETIME:(3) | 130                         | 5.1 %    | 5.2%           |
| 4            | OFTEN:(4)    | 51                          | 2.0 %    | 2.0%           |
| 5            | ALWAYS:(5)   | 20                          | 0.8 %    | 0.8%           |
| -9 (M)       | MISSING:(-9) | 11                          | 0.4 %    | -              |

Based upon 2516 valid cases out of 2527 total cases.

**V6232**

**106A06I:LSTYR/SKIP SCHL**

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23170

Now thinking back over the past year in school, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 1272                        | 50.3 %   | 50.6%          |
| 2            | SELDOM:(2)   | 566                         | 22.4 %   | 22.5%          |
| 3            | SOMETIME:(3) | 411                         | 16.3 %   | 16.4%          |
| 4            | OFTEN:(4)    | 200                         | 7.9 %    | 8.0%           |
| 5            | ALWAYS:(5)   | 63                          | 2.5 %    | 2.5%           |
| -9 (M)       | MISSING:(-9) | 15                          | 0.6 %    | -              |

Based upon 2512 valid cases out of 2527 total cases.

**V6242**

**106A07A:5-6GR/ENJOY SCHL**

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23270

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 254                         | 10.1 %   | 10.2%          |
| 2            | SELDOM:(2)   | 278                         | 11.0 %   | 11.1%          |
| 3            | SOMETIME:(3) | 559                         | 22.1 %   | 22.3%          |
| 4            | OFTEN:(4)    | 751                         | 29.7 %   | 30.0%          |
| 5            | ALWAYS:(5)   | 660                         | 26.1 %   | 26.4%          |
| -9 (M)       | MISSING:(-9) | 25                          | 1.0 %    | -              |

Based upon 2502 valid cases out of 2527 total cases.

**V6243**

**106A07B:5-6GR/HATE SCHL**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23280

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 512                         | 20.3 %   | 20.5%          |
| 2            | SELDOM:(2)   | 733                         | 29.0 %   | 29.3%          |
| 3            | SOMETIME:(3) | 660                         | 26.1 %   | 26.4%          |
| 4            | OFTEN:(4)    | 345                         | 13.7 %   | 13.8%          |
| 5            | ALWAYS:(5)   | 252                         | 10.0 %   | 10.1%          |
| -9 (M)       | MISSING:(-9) | 25                          | 1.0 %    | -              |

Based upon 2502 valid cases out of 2527 total cases.

**V6244 106A07C:5-6GR/DO BEST WK**

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23290

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 65                          | 2.6 %    | 2.6%           |
| 2            | SELDOM:(2)   | 176                         | 7.0 %    | 7.0%           |
| 3            | SOMETIME:(3) | 466                         | 18.4 %   | 18.6%          |
| 4            | OFTEN:(4)    | 679                         | 26.9 %   | 27.1%          |
| 5            | ALWAYS:(5)   | 1116                        | 44.2 %   | 44.6%          |
| -9 (M)       | MISSING:(-9) | 25                          | 1.0 %    | -              |

Based upon 2502 valid cases out of 2527 total cases.

**V6245 106A07D:5-6GR/SCH 2 HARD**

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23300

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 741                         | 29.3 %   | 29.6%          |
| 2            | SELDOM:(2)   | 765                         | 30.3 %   | 30.5%          |
| 3            | SOMETIME:(3) | 645                         | 25.5 %   | 25.7%          |
| 4            | OFTEN:(4)    | 274                         | 10.8 %   | 10.9%          |
| 5            | ALWAYS:(5)   | 80                          | 3.2 %    | 3.2%           |
| -9 (M)       | MISSING:(-9) | 22                          | 0.9 %    | -              |

Based upon 2505 valid cases out of 2527 total cases.

**V6246 106A07E:5-6GR/FOOL ROUND**

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23310

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 512                         | 20.3 %   | 20.5%          |
| 2            | SELDOM:(2)   | 540                         | 21.4 %   | 21.6%          |
| 3            | SOMETIME:(3) | 657                         | 26.0 %   | 26.3%          |
| 4            | OFTEN:(4)    | 464                         | 18.4 %   | 18.6%          |
| 5            | ALWAYS:(5)   | 328                         | 13.0 %   | 13.1%          |
| -9 (M)       | MISSING:(-9) | 26                          | 1.0 %    | -              |

Based upon 2501 valid cases out of 2527 total cases.

**V6247 106A07F:5-6GR/WK NT DONE**

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23320

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 1063                        | 42.1 %   | 42.6%          |
| 2            | SELDOM:(2)   | 704                         | 27.9 %   | 28.2%          |
| 3            | SOMETIME:(3) | 439                         | 17.4 %   | 17.6%          |
| 4            | OFTEN:(4)    | 216                         | 8.5 %    | 8.6%           |
| 5            | ALWAYS:(5)   | 76                          | 3.0 %    | 3.0%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 29                              | 1.1 %    | -              |

Based upon 2498 valid cases out of 2527 total cases.

**V6248 106A07G:5-6GR/GT GD GRDS**

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23330

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

G: . . . Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)    | 79                              | 3.1 %    | 3.2%           |
| 2            | SELDOM:(2)   | 190                             | 7.5 %    | 7.6%           |
| 3            | SOMETIME:(3) | 394                             | 15.6 %   | 15.7%          |
| 4            | OFTEN:(4)    | 566                             | 22.4 %   | 22.6%          |
| 5            | ALWAYS:(5)   | 1274                            | 50.4 %   | 50.9%          |
| -9 (M)       | MISSING:(-9) | 24                              | 0.9 %    | -              |

Based upon 2503 valid cases out of 2527 total cases.

**V6249 106A07H:5-6GR/U MISBEHAV**

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23340

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)    | 1548                            | 61.3 %   | 61.9%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 2            | SELDOM:(2)   | 463                             | 18.3 %   | 18.5%          |
| 3            | SOMETIME:(3) | 277                             | 11.0 %   | 11.1%          |
| 4            | OFTEN:(4)    | 140                             | 5.5 %    | 5.6%           |
| 5            | ALWAYS:(5)   | 74                              | 2.9 %    | 3.0%           |
| -9 (M)       | MISSING:(-9) | 25                              | 1.0 %    | -              |

Based upon 2502 valid cases out of 2527 total cases.

**V6250**

**106A07I:5-6GR/SKIP SCHL**

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23350

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)    | 2128                            | 84.2 %   | 85.0%          |
| 2            | SELDOM:(2)   | 202                             | 8.0 %    | 8.1%           |
| 3            | SOMETIME:(3) | 112                             | 4.4 %    | 4.5%           |
| 4            | OFTEN:(4)    | 43                              | 1.7 %    | 1.7%           |
| 5            | ALWAYS:(5)   | 20                              | 0.8 %    | 0.8%           |
| -9 (M)       | MISSING:(-9) | 22                              | 0.9 %    | -              |

Based upon 2505 valid cases out of 2527 total cases.

**V6491**

**106A08A:#X PRNT CHK HMWK**

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25180

How often do your parents (or stepparents or guardians) do the following?

A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 794                         | 31.4 %   | 40.2%          |
| 2            | RARELY:(2)   | 514                         | 20.3 %   | 26.0%          |
| 3            | SOMETIME:(3) | 376                         | 14.9 %   | 19.0%          |
| 4            | OFTEN:(4)    | 292                         | 11.6 %   | 14.8%          |
| -9 (M)       | MISSING:(-9) | 551                         | 21.8 %   | -              |

Based upon 1976 valid cases out of 2527 total cases.

**V6492 106A08B:#X PRNT HLP HMWK**

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25190

How often do your parents (or stepparents or guardians) do the following?

B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 574                         | 22.7 %   | 29.1%          |
| 2            | RARELY:(2)   | 401                         | 15.9 %   | 20.3%          |
| 3            | SOMETIME:(3) | 496                         | 19.6 %   | 25.2%          |
| 4            | OFTEN:(4)    | 500                         | 19.8 %   | 25.4%          |
| -9 (M)       | MISSING:(-9) | 556                         | 22.0 %   | -              |

Based upon 1971 valid cases out of 2527 total cases.

**V6493 106A08C:#X PRNT GV CHORE**

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25200

How often do your parents (or stepparents or guardians) do the following?

C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 159                         | 6.3 %    | 8.1%           |
| 2            | RARELY:(2)   | 263                         | 10.4 %   | 13.3%          |
| 3            | SOMETIME:(3) | 600                         | 23.7 %   | 30.4%          |
| 4            | OFTEN:(4)    | 949                         | 37.6 %   | 48.1%          |
| -9 (M)       | MISSING:(-9) | 556                         | 22.0 %   | -              |

Based upon 1971 valid cases out of 2527 total cases.

**V6494**

**106A08D:#X PRNT LIMIT TV**

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25210

How often do your parents (or stepparents or guardians) do the following?

D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 1364                        | 54.0 %   | 69.3%          |
| 2            | RARELY:(2)   | 323                         | 12.8 %   | 16.4%          |
| 3            | SOMETIME:(3) | 175                         | 6.9 %    | 8.9%           |
| 4            | OFTEN:(4)    | 106                         | 4.2 %    | 5.4%           |
| -9 (M)       | MISSING:(-9) | 559                         | 22.1 %   | -              |

Based upon 1968 valid cases out of 2527 total cases.

**V6495**

**106A08E:#X PRNT LMT OUT**

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25220



How often do your parents (or stepparents or guardians) do the following?

E: Limit the amount of time you can go out with friends on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 572                         | 22.6 %   | 29.0%          |
| 2            | RARELY:(2)   | 409                         | 16.2 %   | 20.8%          |
| 3            | SOMETIME:(3) | 493                         | 19.5 %   | 25.0%          |
| 4            | OFTEN:(4)    | 496                         | 19.6 %   | 25.2%          |
| -9 (M)       | MISSING:(-9) | 557                         | 22.0 %   | -              |

Based upon 1970 valid cases out of 2527 total cases.

**V6251 106A09A:SCH ACTV-PBLCTNS**

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 1920                        | 76.0 %   | 76.7%          |
| 2            | SLIGHT:(2)   | 256                         | 10.1 %   | 10.2%          |
| 3            | MODERATE:(3) | 98                          | 3.9 %    | 3.9%           |
| 4            | CONSDRBL:(4) | 75                          | 3.0 %    | 3.0%           |
| 5            | GRT EXT:(5)  | 153                         | 6.1 %    | 6.1%           |
| -9 (M)       | MISSING:(-9) | 25                          | 1.0 %    | -              |

Based upon 2502 valid cases out of 2527 total cases.

**V6252 106A09B:SCH ACTV-PRF ART**

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 1507                        | 59.6 %   | 60.3%          |
| 2            | SLIGHT:(2)   | 234                         | 9.3 %    | 9.4%           |
| 3            | MODERATE:(3) | 200                         | 7.9 %    | 8.0%           |
| 4            | CONSDRBL:(4) | 170                         | 6.7 %    | 6.8%           |
| 5            | GRT EXT:(5)  | 387                         | 15.3 %   | 15.5%          |
| -9 (M)       | MISSING:(-9) | 29                          | 1.1 %    | -              |

Based upon 2498 valid cases out of 2527 total cases.

**V6253 106A09C:SCH ACTV-ATHLTCS**

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 1094                        | 43.3 %   | 43.7%          |
| 2            | SLIGHT:(2)   | 200                         | 7.9 %    | 8.0%           |
| 3            | MODERATE:(3) | 226                         | 8.9 %    | 9.0%           |
| 4            | CONSDRBL:(4) | 274                         | 10.8 %   | 11.0%          |
| 5            | GRT EXT:(5)  | 707                         | 28.0 %   | 28.3%          |
| -9 (M)       | MISSING:(-9) | 26                          | 1.0 %    | -              |

Based upon 2501 valid cases out of 2527 total cases.

**V6254 106A09D:SCH ATV-ACDMC CL**

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23360

To what extent have you participated in the following school activities during this school year?

D: Academic clubs (e.g., science, math, language)

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 1657                        | 65.6 %   | 66.3%          |
| 2            | SLIGHT:(2)   | 267                         | 10.6 %   | 10.7%          |
| 3            | MODERATE:(3) | 210                         | 8.3 %    | 8.4%           |
| 4            | CONSDRBL:(4) | 170                         | 6.7 %    | 6.8%           |
| 5            | GRT EXT:(5)  | 194                         | 7.7 %    | 7.8%           |
| -9 (M)       | MISSING:(-9) | 29                          | 1.1 %    | -              |

Based upon 2498 valid cases out of 2527 total cases.

**V6255 106A09E:SCH ATV-STDN GVT**

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23370

To what extent have you participated in the following school activities during this school year?

E: Student council or government

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 1967                        | 77.8 %   | 78.9%          |
| 2            | SLIGHT:(2)   | 178                         | 7.0 %    | 7.1%           |
| 3            | MODERATE:(3) | 123                         | 4.9 %    | 4.9%           |
| 4            | CONSDRBL:(4) | 91                          | 3.6 %    | 3.6%           |
| 5            | GRT EXT:(5)  | 135                         | 5.3 %    | 5.4%           |
| -9 (M)       | MISSING:(-9) | 33                          | 1.3 %    | -              |

Based upon 2494 valid cases out of 2527 total cases.

**V6256 106A09F:SCH ACTV-OTH ACT**

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

F: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 944                             | 37.4 %   | 37.8%          |
| 2            | SLIGHT:(2)   | 328                             | 13.0 %   | 13.1%          |
| 3            | MODERATE:(3) | 426                             | 16.9 %   | 17.1%          |
| 4            | CONSDRBL:(4) | 352                             | 13.9 %   | 14.1%          |
| 5            | GRT EXT:(5)  | 447                             | 17.7 %   | 17.9%          |
| -9 (M)       | MISSING:(-9) | 30                              | 1.2 %    | -              |

Based upon 2497 valid cases out of 2527 total cases.

**V6272 106A10R:EVER HELD BACK**

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 2262                            | 89.5 %   | 90.3%          |
| 2            | YES:(2-3)    | 243                             | 9.6 %    | 9.7%           |
| -9 (M)       | MISSING:(-9) | 22                              | 0.9 %    | -              |

Based upon 2505 valid cases out of 2527 total cases.

**V6273 106A11R:NEED SUMMER SCHL**

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23540

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers"

Codes 2, 3, and 4 are combined in this dataset.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO:(1)       | 1880                        | 74.4 %   | 75.1%          |
| 2            | YES:(2-4)    | 624                         | 24.7 %   | 24.9%          |
| -9 (M)       | MISSING:(-9) | 23                          | 0.9 %    | -              |

Based upon 2504 valid cases out of 2527 total cases.

**V6496 106A12R:EVER SUSPENDED**

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 1764                        | 69.8 %   | 70.6%          |
| 2            | YES:(2-3)    | 735                         | 29.1 %   | 29.4%          |
| -9 (M)       | MISSING:(-9) | 28                          | 1.1 %    | -              |

Based upon 2499 valid cases out of 2527 total cases.

**V6507 106A13:#DA GUN SCHL/4WK**

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29590

During the LAST FOUR WEEKS, on how many days (if any) did you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 2421                        | 95.8 %   | 96.8%          |
| 2            | 1 DAY:(2)    | 13                          | 0.5 %    | 0.5%           |
| 3            | 2 DAYS:(3)   | 5                           | 0.2 %    | 0.2%           |
| 4            | 3-5 DAYS:(4) | 12                          | 0.5 %    | 0.5%           |
| 5            | 6-9 DAYS:(5) | 6                           | 0.2 %    | 0.2%           |
| 6            | 10+ DAYS:(6) | 44                          | 1.7 %    | 1.8%           |
| -9 (M)       | MISSING:(-9) | 26                          | 1.0 %    | -              |

Based upon 2501 valid cases out of 2527 total cases.

**V6504 106A14 :ILL DRG SOLD@SCH**

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25820

During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="No" 2="Yes"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO:(1)       | 1871                        | 74.0 %   | 75.2%          |
| 2            | YES:(2)      | 617                         | 24.4 %   | 24.8%          |
| -9 (M)       | MISSING:(-9) | 39                          | 1.5 %    | -              |

Based upon 2488 valid cases out of 2527 total cases.

**V6274 106A15A:TCHR PRVNT SMKNG**

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23550

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students

from . . .

A: . . . Smoking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"  
5="Very vigorous" 8="Don't Know"

| <i>Value</i> | <i>Label</i>   | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|----------------|---------------------------------|----------|----------------|
| 1            | NOT @ALL:(1)   | 351                             | 13.9 %   | 14.1%          |
| 2            | SLIGHT:(2)     | 365                             | 14.4 %   | 14.7%          |
| 3            | SOMEWHAT:(3)   | 407                             | 16.1 %   | 16.4%          |
| 4            | FRLY VIGOR:(4) | 437                             | 17.3 %   | 17.6%          |
| 5            | VRY VIGOR:(5)  | 460                             | 18.2 %   | 18.5%          |
| 8            | DK:(8)         | 469                             | 18.6 %   | 18.8%          |
| -9 (M)       | MISSING:(-9)   | 38                              | 1.5 %    | -              |

Based upon 2489 valid cases out of 2527 total cases.

**V6275 106A15B:TCHR PRVNT DRNGK**

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23560

In your present school, how vigorous are the teachers  
and administrators in their attempts to prevent students  
from . . .

B: . . . Drinking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"  
5="Very vigorous" 8="Don't Know"

| <i>Value</i> | <i>Label</i>   | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|----------------|---------------------------------|----------|----------------|
| 1            | NOT @ALL:(1)   | 296                             | 11.7 %   | 11.9%          |
| 2            | SLIGHT:(2)     | 298                             | 11.8 %   | 12.0%          |
| 3            | SOMEWHAT:(3)   | 413                             | 16.3 %   | 16.6%          |
| 4            | FRLY VIGOR:(4) | 449                             | 17.8 %   | 18.1%          |
| 5            | VRY VIGOR:(5)  | 544                             | 21.5 %   | 21.9%          |
| 8            | DK:(8)         | 486                             | 19.2 %   | 19.5%          |
| -9 (M)       | MISSING:(-9)   | 41                              | 1.6 %    | -              |

Based upon 2486 valid cases out of 2527 total cases.

**V6276 106A15C:TCHR PRVNT DRUGS**

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 23570

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

C: . . . Drug use?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"  
 5="Very vigorous" 8="Don't Know"

| Value  | Label          | Unweighted Frequency | %      | Valid % |
|--------|----------------|----------------------|--------|---------|
| 1      | NOT @ALL:(1)   | 281                  | 11.1 % | 11.3%   |
| 2      | SLIGHT:(2)     | 265                  | 10.5 % | 10.7%   |
| 3      | SOMEWHAT:(3)   | 344                  | 13.6 % | 13.8%   |
| 4      | FRLY VIGOR:(4) | 448                  | 17.7 % | 18.0%   |
| 5      | VRY VIGOR:(5)  | 684                  | 27.1 % | 27.5%   |
| 8      | DK:(8)         | 466                  | 18.4 % | 18.7%   |
| -9 (M) | MISSING:(-9)   | 39                   | 1.5 %  | -       |

Based upon 2488 valid cases out of 2527 total cases.

**V6277 106A16A:CNSEQNC 4 SMOKNG**

Location: 138-139 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 23580

How severe do you think the consequences would be for a student in your school who gets caught . . .

A: . . . Smoking?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"  
 8="Don't Know"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | NO:(1)       | 124                  | 4.9 %  | 5.0%    |
| 2      | MILD:(2)     | 650                  | 25.7 % | 26.2%   |
| 3      | MODERATE:(3) | 745                  | 29.5 % | 30.0%   |
| 4      | SEVERE:(4)   | 761                  | 30.1 % | 30.6%   |
| 8      | DK:(8)       | 204                  | 8.1 %  | 8.2%    |
| -9 (M) | MISSING:(-9) | 43                   | 1.7 %  | -       |



Based upon 2484 valid cases out of 2527 total cases.

**V6278 106A16B:CNSEQNC 4 ALCOHL**

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23590

How severe do you think the consequences would be for a student in your school who gets caught . . .

B: . . . Using (or possessing) alcohol?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"  
8="Don't Know"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO:(1)       | 55                          | 2.2 %    | 2.2%           |
| 2            | MILD:(2)     | 175                         | 6.9 %    | 7.0%           |
| 3            | MODERATE:(3) | 692                         | 27.4 %   | 27.8%          |
| 4            | SEVERE:(4)   | 1374                        | 54.4 %   | 55.3%          |
| 8            | DK:(8)       | 190                         | 7.5 %    | 7.6%           |
| -9 (M)       | MISSING:(-9) | 41                          | 1.6 %    | -              |

Based upon 2486 valid cases out of 2527 total cases.

**V6279 106A16C:CNSEQNC 4 DRUGS**

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23600

How severe do you think the consequences would be for a student in your school who gets caught . . .

C: . . . Using (or possessing) an illegal drug?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"  
8="Don't Know"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO:(1)       | 52                          | 2.1 %    | 2.1%           |
| 2            | MILD:(2)     | 99                          | 3.9 %    | 4.0%           |
| 3            | MODERATE:(3) | 320                         | 12.7 %   | 12.9%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 4            | SEVERE:(4)   | 1820                            | 72.0 %   | 73.2%          |
| 8            | DK:(8)       | 196                             | 7.8 %    | 7.9%           |
| -9 (M)       | MISSING:(-9) | 40                              | 1.6 %    | -              |

Based upon 2487 valid cases out of 2527 total cases.

**V6297 106A17A:RSK OF CIG1+PK/D**

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NO RISK:(1)  | 80                              | 3.2 %    | 3.2%           |
| 2            | SLIGHT:(2)   | 112                             | 4.4 %    | 4.5%           |
| 3            | MOD RISK:(3) | 426                             | 16.9 %   | 17.2%          |
| 4            | GRT RISK:(4) | 1798                            | 71.2 %   | 72.5%          |
| 5            | CANT SAY:(5) | 63                              | 2.5 %    | 2.5%           |
| -9 (M)       | MISSING:(-9) | 48                              | 1.9 %    | -              |

Based upon 2479 valid cases out of 2527 total cases.

**V6298 106A17B:RSK OF MJ 1-2 X**

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO RISK:(1)  | 925                         | 36.6 %   | 37.4%          |
| 2            | SLIGHT:(2)   | 766                         | 30.3 %   | 30.9%          |
| 3            | MOD RISK:(3) | 353                         | 14.0 %   | 14.3%          |
| 4            | GRT RISK:(4) | 352                         | 13.9 %   | 14.2%          |
| 5            | CANT SAY:(5) | 80                          | 3.2 %    | 3.2%           |
| -9 (M)       | MISSING:(-9) | 51                          | 2.0 %    | -              |

Based upon 2476 valid cases out of 2527 total cases.

**V6299 106A17C:RSK OF MJ OCSNLY**

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12380

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO RISK:(1)  | 495                         | 19.6 %   | 20.0%          |
| 2            | SLIGHT:(2)   | 666                         | 26.4 %   | 26.9%          |
| 3            | MOD RISK:(3) | 673                         | 26.6 %   | 27.2%          |
| 4            | GRT RISK:(4) | 568                         | 22.5 %   | 22.9%          |
| 5            | CANT SAY:(5) | 75                          | 3.0 %    | 3.0%           |
| -9 (M)       | MISSING:(-9) | 50                          | 2.0 %    | -              |

Based upon 2477 valid cases out of 2527 total cases.

**V6300 106A17D:RSK OF MJ REGLY**

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12390

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO RISK:(1)  | 257                         | 10.2 %   | 10.4%          |
| 2            | SLIGHT:(2)   | 391                         | 15.5 %   | 15.8%          |
| 3            | MOD RISK:(3) | 559                         | 22.1 %   | 22.6%          |
| 4            | GRT RISK:(4) | 1196                        | 47.3 %   | 48.3%          |
| 5            | CANT SAY:(5) | 74                          | 2.9 %    | 3.0%           |
| -9 (M)       | MISSING:(-9) | 50                          | 2.0 %    | -              |

Based upon 2477 valid cases out of 2527 total cases.

**V6523**

**106A17E:RSK OF COKE 1-2X**

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12490

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO RISK:(1)  | 134                         | 5.3 %    | 5.4%           |
| 2            | SLIGHT:(2)   | 362                         | 14.3 %   | 14.6%          |
| 3            | MOD RISK:(3) | 552                         | 21.8 %   | 22.3%          |
| 4            | GRT RISK:(4) | 1300                        | 51.4 %   | 52.5%          |
| 5            | CANT SAY:(5) | 126                         | 5.0 %    | 5.1%           |
| -9 (M)       | MISSING:(-9) | 53                          | 2.1 %    | -              |

Based upon 2474 valid cases out of 2527 total cases.

**V6316**

**106A17F:RSK OF 1-2 DR/DA**

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12520

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NO RISK:(1)  | 223                             | 8.8 %    | 9.0%           |
| 2            | SLIGHT:(2)   | 502                             | 19.9 %   | 20.3%          |
| 3            | MOD RISK:(3) | 817                             | 32.3 %   | 33.1%          |
| 4            | GRT RISK:(4) | 861                             | 34.1 %   | 34.8%          |
| 5            | CANT SAY:(5) | 68                              | 2.7 %    | 2.8%           |
| -9 (M)       | MISSING:(-9) | 56                              | 2.2 %    | -              |

Based upon 2471 valid cases out of 2527 total cases.

**V6317**

**106A17G:RSK OF 4-5 DR/DA**

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12530

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NO RISK:(1)  | 105                             | 4.2 %    | 4.2%           |
| 2            | SLIGHT:(2)   | 131                             | 5.2 %    | 5.3%           |
| 3            | MOD RISK:(3) | 466                             | 18.4 %   | 18.9%          |
| 4            | GRT RISK:(4) | 1701                            | 67.3 %   | 68.8%          |
| 5            | CANT SAY:(5) | 68                              | 2.7 %    | 2.8%           |
| -9 (M)       | MISSING:(-9) | 56                              | 2.2 %    | -              |

Based upon 2471 valid cases out of 2527 total cases.

**V6318**

**106A17H:RSK OF 5+DR/WKND**

Location: 158-159 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12540

How much do you think people risk harming themselves  
 (physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
 5="Can't Say, Drug Unfamiliar"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NO RISK:(1)  | 194                             | 7.7 %    | 7.9%           |
| 2            | SLIGHT:(2)   | 342                             | 13.5 %   | 13.8%          |
| 3            | MOD RISK:(3) | 660                             | 26.1 %   | 26.7%          |
| 4            | GRT RISK:(4) | 1201                            | 47.5 %   | 48.6%          |
| 5            | CANT SAY:(5) | 74                              | 2.9 %    | 3.0%           |
| -9 (M)       | MISSING:(-9) | 56                              | 2.2 %    | -              |

Based upon 2471 valid cases out of 2527 total cases.

**V6478 106A17I:RSK STEROID ATHL**

Location: 160-161 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 24510

How much do you think people risk harming themselves  
 (physically or in other ways), if they . . .

I: . . . Take steroids for body-building or improved athletic  
 performance?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
 5="Can't Say, Drug Unfamiliar"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NO RISK:(1)  | 101                             | 4.0 %    | 4.1%           |
| 2            | SLIGHT:(2)   | 163                             | 6.5 %    | 6.6%           |
| 3            | MOD RISK:(3) | 581                             | 23.0 %   | 23.5%          |
| 4            | GRT RISK:(4) | 1460                            | 57.8 %   | 58.9%          |
| 5            | CANT SAY:(5) | 172                             | 6.8 %    | 6.9%           |
| -9 (M)       | MISSING:(-9) | 50                              | 2.0 %    | -              |

Based upon 2477 valid cases out of 2527 total cases.

**V6524 106A17J:RSK MDMA 1-2X**

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23040

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

J: . . . Take MDMA (ecstasy) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

| Value  | Label        | Unweighted<br>Frequency | %      | Valid % |
|--------|--------------|-------------------------|--------|---------|
| 1      | NO RISK:(1)  | 136                     | 5.4 %  | 5.5%    |
| 2      | SLIGHT:(2)   | 288                     | 11.4 % | 11.7%   |
| 3      | MOD RISK:(3) | 525                     | 20.8 % | 21.2%   |
| 4      | GRT RISK:(4) | 1235                    | 48.9 % | 50.0%   |
| 5      | CANT SAY:(5) | 288                     | 11.4 % | 11.7%   |
| -9 (M) | MISSING:(-9) | 55                      | 2.2 %  | -       |

Based upon 2472 valid cases out of 2527 total cases.

**V6320 106A18A:DAP SMK 1PCK CIG**

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08560

Individuals differ in whether or not they disapprove of people  
doing certain things. Do YOU disapprove of people (who are 18  
or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted<br>Frequency | %      | Valid % |
|-------|--------------|-------------------------|--------|---------|
| 1     | DNT DISP:(1) | 616                     | 24.4 % | 24.8%   |
| 2     | DISAPPRV:(2) | 956                     | 37.8 % | 38.5%   |
| 3     | STRG DIS:(3) | 912                     | 36.1 % | 36.7%   |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 43                              | 1.7 %    | -              |

Based upon 2484 valid cases out of 2527 total cases.

**V6321**

**106A18B:DAP TRY MRJ 1-2T**

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 1286                            | 50.9 %   | 51.8%          |
| 2            | DISAPPRV:(2) | 627                             | 24.8 %   | 25.3%          |
| 3            | STRG DIS:(3) | 569                             | 22.5 %   | 22.9%          |
| -9 (M)       | MISSING:(-9) | 45                              | 1.8 %    | -              |

Based upon 2482 valid cases out of 2527 total cases.

**V6322**

**106A18C:DAP SMK MRJ OCCS**

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 1003                            | 39.7 %   | 40.4%          |
| 2            | DISAPPRV:(2) | 732                             | 29.0 %   | 29.5%          |
| 3            | STRG DIS:(3) | 747                             | 29.6 %   | 30.1%          |
| -9 (M)       | MISSING:(-9) | 45                              | 1.8 %    | -              |



Based upon 2482 valid cases out of 2527 total cases.

**V6323 106A18D:DAP SMK MRJ REGL**

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 640                         | 25.3 %   | 25.8%          |
| 2            | DISAPPRV:(2) | 714                         | 28.3 %   | 28.7%          |
| 3            | STRG DIS:(3) | 1130                        | 44.7 %   | 45.5%          |
| -9 (M)       | MISSING:(-9) | 43                          | 1.7 %    | -              |

Based upon 2484 valid cases out of 2527 total cases.

**V6525 106A18E:DAP TRY COC 1-2T**

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 297                         | 11.8 %   | 12.0%          |
| 2            | DISAPPRV:(2) | 627                         | 24.8 %   | 25.3%          |
| 3            | STRG DIS:(3) | 1550                        | 61.3 %   | 62.7%          |
| -9 (M)       | MISSING:(-9) | 53                          | 2.1 %    | -              |

Based upon 2474 valid cases out of 2527 total cases.

**V6339 106A18F:DAP 1-2 DRK/DAY**

Location: 174-175 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 739                         | 29.2 %   | 29.8%          |
| 2            | DISAPPRV:(2) | 998                         | 39.5 %   | 40.3%          |
| 3            | STRG DIS:(3) | 742                         | 29.4 %   | 29.9%          |
| -9 (M)       | MISSING:(-9) | 48                          | 1.9 %    | -              |

Based upon 2479 valid cases out of 2527 total cases.

**V6340 106A18G:DAP 4-5 DRK/DAY**

Location: 176-177 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 324                         | 12.8 %   | 13.1%          |
| 2            | DISAPPRV:(2) | 751                         | 29.7 %   | 30.3%          |
| 3            | STRG DIS:(3) | 1403                        | 55.5 %   | 56.6%          |
| -9 (M)       | MISSING:(-9) | 49                          | 1.9 %    | -              |

Based upon 2478 valid cases out of 2527 total cases.

**V6341 106A18H:DAP 5+ DRK WKND**

Location: 178-179 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

Question:

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 760                         | 30.1 %   | 30.7%          |
| 2            | DISAPPRV:(2) | 735                         | 29.1 %   | 29.7%          |
| 3            | STRG DIS:(3) | 983                         | 38.9 %   | 39.7%          |
| -9 (M)       | MISSING:(-9) | 49                          | 1.9 %    | -              |

Based upon 2478 valid cases out of 2527 total cases.

**V6479 106A18I:DAP STEROID ATHL**

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24520

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking steroids for body-building or improved athletic performance

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 255                         | 10.1 %   | 10.3%          |
| 2            | DISAPPRV:(2) | 762                         | 30.2 %   | 30.8%          |
| 3            | STRG DIS:(3) | 1459                        | 57.7 %   | 58.9%          |
| -9 (M)       | MISSING:(-9) | 51                          | 2.0 %    | -              |

Based upon 2476 valid cases out of 2527 total cases.

**V6509 106A18J:DAP H -NDL 1-2X**

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DONT DIS:(1) | 169                         | 6.7 %    | 6.8%           |
| 2            | DISAPPRV:(2) | 375                         | 14.8 %   | 15.1%          |
| 3            | STRG DIS:(3) | 1936                        | 76.6 %   | 78.1%          |
| -9 (M)       | MISSING:(-9) | 47                          | 1.9 %    | -              |

Based upon 2480 valid cases out of 2527 total cases.

**V6510**

**106A18K:DAP H -NDL OCC**

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29700

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking heroin occasionally without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DONT DIS:(1) | 136                         | 5.4 %    | 5.5%           |
| 2            | DISAPPRV:(2) | 318                         | 12.6 %   | 12.8%          |
| 3            | STRG DIS:(3) | 2025                        | 80.1 %   | 81.7%          |
| -9 (M)       | MISSING:(-9) | 48                          | 1.9 %    | -              |

Based upon 2479 valid cases out of 2527 total cases.

**V6526**

**106A18L:DAP MDMA 1-2X**

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29960

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking MDMA ("ecstasy") once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 334                         | 13.2 %   | 13.5%          |
| 2            | DISAPPRV:(2) | 613                         | 24.3 %   | 24.8%          |
| 3            | STRG DIS:(3) | 1522                        | 60.2 %   | 61.6%          |
| -9 (M)       | MISSING:(-9) | 58                          | 2.3 %    | -              |

Based upon 2469 valid cases out of 2527 total cases.

**V6342 106A19A:EASY GT MARIJUAN**

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | PROB IMP:(1) | 133                         | 5.3 %    | 5.4%           |
| 2            | VRY DIFF:(2) | 80                          | 3.2 %    | 3.2%           |
| 3            | FRLY DIF:(3) | 165                         | 6.5 %    | 6.7%           |
| 4            | FRLY EAS:(4) | 541                         | 21.4 %   | 21.8%          |
| 5            | VRY EASY:(5) | 1561                        | 61.8 %   | 62.9%          |
| -9 (M)       | MISSING:(-9) | 47                          | 1.9 %    | -              |

Based upon 2480 valid cases out of 2527 total cases.

**V6343 106A19B:EASY GT LSD**

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | PROB IMP:(1) | 491                         | 19.4 %   | 20.1%          |
| 2            | VRy DIFF:(2) | 574                         | 22.7 %   | 23.5%          |
| 3            | FRLY DIF:(3) | 768                         | 30.4 %   | 31.4%          |
| 4            | FRLY EAS:(4) | 412                         | 16.3 %   | 16.9%          |
| 5            | VRy EASY:(5) | 198                         | 7.8 %    | 8.1%           |
| -9 (M)       | MISSING:(-9) | 84                          | 3.3 %    | -              |

Based upon 2443 valid cases out of 2527 total cases.

**V6344**

**106A19C:EASY GT PCP**

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06771

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: PCP (angel dust)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | PROB IMP:(1) | 663                         | 26.2 %   | 27.0%          |
| 2            | VRy DIFF:(2) | 708                         | 28.0 %   | 28.8%          |
| 3            | FRLY DIF:(3) | 663                         | 26.2 %   | 27.0%          |
| 4            | FRLY EAS:(4) | 254                         | 10.1 %   | 10.3%          |
| 5            | VRy EASY:(5) | 168                         | 6.6 %    | 6.8%           |
| -9 (M)       | MISSING:(-9) | 71                          | 2.8 %    | -              |

Based upon 2456 valid cases out of 2527 total cases.

**V6345**

**106A19D:EASY GT MDMA**

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23050

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: MDMA ("ecstasy")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | PROB IMP:(1) | 446                         | 17.6 %   | 18.1%          |
| 2            | VRD DIFF:(2) | 492                         | 19.5 %   | 20.0%          |
| 3            | FRLY DIF:(3) | 621                         | 24.6 %   | 25.2%          |
| 4            | FRLY EAS:(4) | 522                         | 20.7 %   | 21.2%          |
| 5            | VRD EASY:(5) | 380                         | 15.0 %   | 15.4%          |
| -9 (M)       | MISSING:(-9) | 66                          | 2.6 %    | -              |

Based upon 2461 valid cases out of 2527 total cases.

**V6480**

**106A19E:EASY GT ICE**

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24410

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | PROB IMP:(1) | 685                         | 27.1 %   | 27.9%          |
| 2            | VRD DIFF:(2) | 707                         | 28.0 %   | 28.8%          |
| 3            | FRLY DIF:(3) | 564                         | 22.3 %   | 22.9%          |
| 4            | FRLY EAS:(4) | 273                         | 10.8 %   | 11.1%          |
| 5            | VRD EASY:(5) | 229                         | 9.1 %    | 9.3%           |
| -9 (M)       | MISSING:(-9) | 69                          | 2.7 %    | -              |

Based upon 2458 valid cases out of 2527 total cases.

**V6481**

**106A19F:EASY GT STEROIDS**

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23060

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Steroids

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | PROB IMP:(1) | 430                  | 17.0 % | 17.4%   |
| 2      | VRD DIFF:(2) | 493                  | 19.5 % | 20.0%   |
| 3      | FRLY DIF:(3) | 628                  | 24.9 % | 25.5%   |
| 4      | FRLY EAS:(4) | 528                  | 20.9 % | 21.4%   |
| 5      | VRD EASY:(5) | 386                  | 15.3 % | 15.7%   |
| -9 (M) | MISSING:(-9) | 62                   | 2.5 %  | -       |

Based upon 2465 valid cases out of 2527 total cases.

**V6580**

**106A19G:EASY GT ALCOHOL**

Location:

200-201 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 30950

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G. Alcohol

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | PROB IMP:(1) | 89                   | 3.5 %  | 3.6%    |
| 2      | VRD DIFF:(2) | 36                   | 1.4 %  | 1.5%    |
| 3      | FRLY DIF:(3) | 116                  | 4.6 %  | 4.7%    |
| 4      | FRLY EAS:(4) | 392                  | 15.5 % | 15.8%   |
| 5      | VRD EASY:(5) | 1847                 | 73.1 % | 74.5%   |
| -9 (M) | MISSING:(-9) | 47                   | 1.9 %  | -       |

Based upon 2480 valid cases out of 2527 total cases.

**V6101**

**106B01 :EVR SMK CIG,REGL**



Location: 202-203 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 1472                        | 58.3 %   | 59.4%          |
| 2            | 1-2X:(2)     | 448                         | 17.7 %   | 18.1%          |
| 3            | OCCASNLY:(3) | 258                         | 10.2 %   | 10.4%          |
| 4            | REG PAST:(4) | 105                         | 4.2 %    | 4.2%           |
| 5            | REG NOW:(5)  | 197                         | 7.8 %    | 7.9%           |
| -9 (M)       | MISSING:(-9) | 47                          | 1.9 %    | -              |

Based upon 2480 valid cases out of 2527 total cases.

**V6102 106B02 :#CIGS SMKD/30DAY**

Location: 204-205 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6" [Includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NT DAILY:(1) | 2001                        | 79.2 %   | 80.9%          |
| 2            | <1 CIG/D:(2) | 215                         | 8.5 %    | 8.7%           |
| 3            | 1-5/DAY:(3)  | 147                         | 5.8 %    | 5.9%           |
| 4            | 1/2 PK:(4)   | 62                          | 2.5 %    | 2.5%           |
| 5            | 1 PK:(5)     | 27                          | 1.1 %    | 1.1%           |
| 6            | 1 1/2 PK:(6) | 7                           | 0.3 %    | 0.3%           |
| 7            | 2+ PKS:(7)   | 13                          | 0.5 %    | 0.5%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 55                              | 2.2 %    | -              |

Based upon 2472 valid cases out of 2527 total cases.

**V6527 106B03A:CIG HOW BUY-FRND**

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29970

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

A: . . . by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 302                             | 12.0 %   | 64.5%          |
| 2            | 1 TIME:(2)   | 61                              | 2.4 %    | 13.0%          |
| 3            | 2 TIMES:(3)  | 32                              | 1.3 %    | 6.8%           |
| 4            | 3-5 TMS:(4)  | 39                              | 1.5 %    | 8.3%           |
| 5            | 6-9 TMS:(5)  | 13                              | 0.5 %    | 2.8%           |
| 6            | 10+ TMS:(6)  | 21                              | 0.8 %    | 4.5%           |
| -9 (M)       | MISSING:(-9) | 2059                            | 81.5 %   | -              |

Based upon 468 valid cases out of 2527 total cases.

**V6528 106B03B:CIG HOW BUY-VEND**

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29980

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

B: . . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 441                             | 17.5 %   | 93.8%          |
| 2            | 1 TIME:(2)   | 8                               | 0.3 %    | 1.7%           |
| 3            | 2 TIMES:(3)  | 5                               | 0.2 %    | 1.1%           |
| 4            | 3-5 TMS:(4)  | 6                               | 0.2 %    | 1.3%           |
| 6            | 10+ TMS:(6)  | 10                              | 0.4 %    | 2.1%           |
| -9 (M)       | MISSING:(-9) | 2057                            | 81.4 %   | -              |

Based upon 470 valid cases out of 2527 total cases.

**V6529 106B03C:CIG HOW BUY-MAIL**

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29990

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

C: . . . through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 448                             | 17.7 %   | 95.9%          |
| 2            | 1 TIME:(2)   | 5                               | 0.2 %    | 1.1%           |
| 3            | 2 TIMES:(3)  | 5                               | 0.2 %    | 1.1%           |
| 4            | 3-5 TMS:(4)  | 1                               | 0.0 %    | 0.2%           |
| 6            | 10+ TMS:(6)  | 8                               | 0.3 %    | 1.7%           |
| -9 (M)       | MISSING:(-9) | 2060                            | 81.5 %   | -              |

Based upon 467 valid cases out of 2527 total cases.

**V6530 106B03D:CIG HOW BUY-PKUP**

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30000

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

D: . . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 340                         | 13.5 %   | 72.5%          |
| 2            | 1 TIME:(2)   | 33                          | 1.3 %    | 7.0%           |
| 3            | 2 TIMES:(3)  | 26                          | 1.0 %    | 5.5%           |
| 4            | 3-5 TMS:(4)  | 34                          | 1.3 %    | 7.2%           |
| 5            | 6-9 TMS:(5)  | 9                           | 0.4 %    | 1.9%           |
| 6            | 10+ TMS:(6)  | 27                          | 1.1 %    | 5.8%           |
| -9 (M)       | MISSING:(-9) | 2058                        | 81.4 %   | -              |

Based upon 469 valid cases out of 2527 total cases.

**V6531 106B03E:CIG HOW BUY-CLRK**

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30010

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

E: . . . in a store where the clerk has to hand you the pack or carton?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 152                         | 6.0 %    | 32.3%          |
| 2            | 1 TIME:(2)   | 92                          | 3.6 %    | 19.5%          |
| 3            | 2 TIMES:(3)  | 61                          | 2.4 %    | 13.0%          |
| 4            | 3-5 TMS:(4)  | 71                          | 2.8 %    | 15.1%          |
| 5            | 6-9 TMS:(5)  | 28                          | 1.1 %    | 5.9%           |
| 6            | 10+ TMS:(6)  | 67                          | 2.7 %    | 14.2%          |
| -9 (M)       | MISSING:(-9) | 2056                        | 81.4 %   | -              |

Based upon 471 valid cases out of 2527 total cases.

**V6598 106B03F:CIG HOW BUY-OTHR**

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31330

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

F: . . . bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 381                         | 15.1 %   | 81.4%          |
| 2            | 1 TIME:(2)   | 35                          | 1.4 %    | 7.5%           |
| 3            | 2 TIMES:(3)  | 11                          | 0.4 %    | 2.4%           |
| 4            | 3-5 TMS:(4)  | 19                          | 0.8 %    | 4.1%           |
| 5            | 6-9 TMS:(5)  | 6                           | 0.2 %    | 1.3%           |
| 6            | 10+ TMS:(6)  | 16                          | 0.6 %    | 3.4%           |
| -9 (M)       | MISSING:(-9) | 2059                        | 81.5 %   | -              |

Based upon 468 valid cases out of 2527 total cases.

**V6532**

**106B04A:CIG WHERE-SUPMKT**

Location:

218-219 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 30020

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 381                         | 15.1 %   | 81.4%          |
| 2            | 1 TIME:(2)   | 33                          | 1.3 %    | 7.1%           |
| 3            | 2 TIMES:(3)  | 23                          | 0.9 %    | 4.9%           |
| 4            | 3-5 TMS:(4)  | 16                          | 0.6 %    | 3.4%           |
| 5            | 6-9 TMS:(5)  | 1                           | 0.0 %    | 0.2%           |
| 6            | 10+ TMS:(6)  | 14                          | 0.6 %    | 3.0%           |
| -9 (M)       | MISSING:(-9) | 2059                        | 81.5 %   | -              |

Based upon 468 valid cases out of 2527 total cases.

**V6533 106B04B:CIG WHERE-SMLGRC**

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30030

During the last 30 days, about how many times (if any) did  
YOU buy cigarettes for your own use . . .

B: . . . at a small grocery store?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9  
Times" 6="10 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 350                             | 13.9 %   | 74.6%          |
| 2            | 1 TIME:(2)   | 36                              | 1.4 %    | 7.7%           |
| 3            | 2 TIMES:(3)  | 27                              | 1.1 %    | 5.8%           |
| 4            | 3-5 TMS:(4)  | 28                              | 1.1 %    | 6.0%           |
| 5            | 6-9 TMS:(5)  | 10                              | 0.4 %    | 2.1%           |
| 6            | 10+ TMS:(6)  | 18                              | 0.7 %    | 3.8%           |
| -9 (M)       | MISSING:(-9) | 2058                            | 81.4 %   | -              |

Based upon 469 valid cases out of 2527 total cases.

**V6534 106B04C:CIG WHERE-DRGSTR**

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30040

During the last 30 days, about how many times (if any) did  
YOU buy cigarettes for your own use . . .

C: . . . at a drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9  
Times" 6="10 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 359                             | 14.2 %   | 76.9%          |
| 2            | 1 TIME:(2)   | 39                              | 1.5 %    | 8.4%           |
| 3            | 2 TIMES:(3)  | 22                              | 0.9 %    | 4.7%           |
| 4            | 3-5 TMS:(4)  | 23                              | 0.9 %    | 4.9%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 5            | 6-9 TMS:(5)  | 6                               | 0.2 %    | 1.3%           |
| 6            | 10+ TMS:(6)  | 18                              | 0.7 %    | 3.9%           |
| -9 (M)       | MISSING:(-9) | 2060                            | 81.5 %   | -              |

Based upon 467 valid cases out of 2527 total cases.

**V6535 106B04D:CIG WHERE-CNVGAS**

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30050

During the last 30 days, about how many times (if any) did  
YOU buy cigarettes for your own use . . .

D: . . . at a convenience store (like a Hop-In or 7-11) or  
a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9  
Times" 6="10 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 154                             | 6.1 %    | 32.6%          |
| 2            | 1 TIME:(2)   | 99                              | 3.9 %    | 21.0%          |
| 3            | 2 TIMES:(3)  | 56                              | 2.2 %    | 11.9%          |
| 4            | 3-5 TMS:(4)  | 73                              | 2.9 %    | 15.5%          |
| 5            | 6-9 TMS:(5)  | 32                              | 1.3 %    | 6.8%           |
| 6            | 10+ TMS:(6)  | 58                              | 2.3 %    | 12.3%          |
| -9 (M)       | MISSING:(-9) | 2055                            | 81.3 %   | -              |

Based upon 472 valid cases out of 2527 total cases.

**V6599 106B04E:CIG WHERE-WEB**

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31340

During the last 30 days, about how many times (if any) did  
YOU buy cigarettes for your own use . . .

E: . . . from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9  
Times"

Times" 6="10 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | NONE:(1)     | 445                  | 17.6 % | 95.9%   |
| 2      | 1 TIME:(2)   | 5                    | 0.2 %  | 1.1%    |
| 3      | 2 TIMES:(3)  | 4                    | 0.2 %  | 0.9%    |
| 4      | 3-5 TMS:(4)  | 3                    | 0.1 %  | 0.6%    |
| 5      | 6-9 TMS:(5)  | 3                    | 0.1 %  | 0.6%    |
| 6      | 10+ TMS:(6)  | 4                    | 0.2 %  | 0.9%    |
| -9 (M) | MISSING:(-9) | 2063                 | 81.6 % | -       |

Based upon 464 valid cases out of 2527 total cases.

**V6536**

**106B05 :USUAL CIG BRAND**

Location: 228-230 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"  
5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"  
11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"  
16="More" 17="Newport" 18="Pall Mall" 19="Parliament"  
20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"  
24="Other" 25="No usual brand"

| Value | Label         | Unweighted Frequency | %     | Valid % |
|-------|---------------|----------------------|-------|---------|
| 1     | BASIC:(1)     | 2                    | 0.1 % | 0.5%    |
| 2     | BNSN HDGS:(2) | 2                    | 0.1 % | 0.5%    |
| 3     | BLACK WHT:(3) | 2                    | 0.1 % | 0.5%    |
| 5     | CAMEL:(5)     | 64                   | 2.5 % | 15.2%   |
| 6     | CAPRI:(6)     | 1                    | 0.0 % | 0.2%    |
| 11    | KOOL:(11)     | 11                   | 0.4 % | 2.6%    |
| 12    | MARLBORO:(12) | 162                  | 6.4 % | 38.6%   |
| 17    | NEWPORT:(17)  | 80                   | 3.2 % | 19.0%   |
| 18    | PALLMALL:(18) | 7                    | 0.3 % | 1.7%    |
| 19    | PARLMENT:(19) | 1                    | 0.0 % | 0.2%    |
| 20    | SALEM:(20)    | 1                    | 0.0 % | 0.2%    |
| 22    | VA SLIMS:(22) | 2                    | 0.1 % | 0.5%    |
| 24    | OTHER:(24)    | 33                   | 1.3 % | 7.9%    |
| 25    | NO USUAL:(25) | 52                   | 2.1 % | 12.4%   |



| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 2107                            | 83.4 %   | -              |

Based upon 420 valid cases out of 2527 total cases.

**V6537 106B06 :CIG PROOF OF AGE**

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30070

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas station." 2="No, they didn't ask me and they sold me the cigarettes." 3="No, they didn't ask but they didn't sell me the cigarettes." 4="Yes, I was asked for proof of age."  
[arrow to Q.B06A]

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|-----------------|---------------------------------|----------|----------------|
| 1            | NEVER TRIED:(1) | 423                             | 16.7 %   | 42.9%          |
| 2            | NO & SOLD:(2)   | 170                             | 6.7 %    | 17.2%          |
| 3            | NO & NOSALE:(3) | 11                              | 0.4 %    | 1.1%           |
| 4            | YES:(4)         | 383                             | 15.2 %   | 38.8%          |
| -9 (M)       | MISSING:(-9)    | 1540                            | 60.9 %   | -              |

Based upon 987 valid cases out of 2527 total cases.

**V6538 106B06A:CIG SHOW ID/SELL**

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30080

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

A: If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some ID but they refused to sell me the cigarettes" 3="I didn't show ID and they sold them to me anyway" 4="I didn't show ID and they didn't sell me any cigarettes"

| <i>Value</i> | <i>Label</i>       | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------------|---------------------------------|----------|----------------|
| 1            | ID & GOT:(1)       | 333                             | 13.2 %   | 86.7%          |
| 2            | ID & NOSALE:(2)    | 11                              | 0.4 %    | 2.9%           |
| 3            | NO ID & SOLD:(3)   | 18                              | 0.7 %    | 4.7%           |
| 4            | NO ID & NOSALE:(4) | 22                              | 0.9 %    | 5.7%           |
| -9 (M)       | MISSING:(-9)       | 2143                            | 84.8 %   | -              |

Based upon 384 valid cases out of 2527 total cases.

**V6539**

**106B07 :CIG STORE BUY<20**

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30090

Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|---------------------------------|----------|----------------|
| 1            | NO:(1)           | 826                             | 32.7 %   | 83.4%          |
| 2            | PAST 12MO:(2)    | 130                             | 5.1 %    | 13.1%          |
| 3            | NOT PAST12MO:(3) | 35                              | 1.4 %    | 3.5%           |
| -9 (M)       | MISSING:(-9)     | 1536                            | 60.8 %   | -              |

Based upon 991 valid cases out of 2527 total cases.

**V6540**

**106B08 :\*TRY STP SMK/FL**

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | YES:(1)      | 132                             | 5.2 %    | 13.5%          |
| 2            | NO:(2)       | 848                             | 33.6 %   | 86.5%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 1547                        | 61.2 %   | -              |

Based upon 980 valid cases out of 2527 total cases.

**V6541 106B09 :#X TRY STOP SMK**

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01691

How many times, if any, have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10 or more times"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 649                         | 25.7 %   | 67.0%          |
| 2            | ONCE:(2)     | 154                         | 6.1 %    | 15.9%          |
| 3            | TWICE:(3)    | 100                         | 4.0 %    | 10.3%          |
| 4            | 3-5X:(4)     | 44                          | 1.7 %    | 4.5%           |
| 5            | 6-9X:(5)     | 11                          | 0.4 %    | 1.1%           |
| 6            | 10+ TIME:(6) | 11                          | 0.4 %    | 1.1%           |
| -9 (M)       | MISSING:(-9) | 1558                        | 61.7 %   | -              |

Based upon 969 valid cases out of 2527 total cases.

**V6542 106B10 :\*WNT STP SMK NW**

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | YES:(1)      | 109                         | 4.3 %    | 11.2%          |
| 2            | NO:(2)       | 246                         | 9.7 %    | 25.2%          |
| 8            | DNT SMOK:(8) | 622                         | 24.6 %   | 63.7%          |
| -9 (M)       | MISSING:(-9) | 1550                        | 61.3 %   | -              |

Based upon 977 valid cases out of 2527 total cases.

**V6543 106B11 :QUIT SMK WRY FAT**

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30100

Do you (or did you) worry that quitting smoking would make you gain weight?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO:(1)       | 854                         | 33.8 %   | 89.1%          |
| 2            | A LITTLE:(2) | 55                          | 2.2 %    | 5.7%           |
| 3            | SOME:(3)     | 27                          | 1.1 %    | 2.8%           |
| 4            | A LOT:(4)    | 23                          | 0.9 %    | 2.4%           |
| -9 (M)       | MISSING:(-9) | 1568                        | 62.0 %   | -              |

Based upon 959 valid cases out of 2527 total cases.

**V6544 106B12 :START SMK LOSEWT**

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30110

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO:(1)       | 909                         | 36.0 %   | 94.6%          |
| 2            | A LITTLE:(2) | 29                          | 1.1 %    | 3.0%           |
| 3            | SOME:(3)     | 12                          | 0.5 %    | 1.2%           |
| 4            | A LOT:(4)    | 11                          | 0.4 %    | 1.1%           |
| -9 (M)       | MISSING:(-9) | 1566                        | 62.0 %   | -              |

Based upon 961 valid cases out of 2527 total cases.

**V6545 106B13 :START SMK THISYR**

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30120

If you have never smoked, do you think you will try smoking cigarettes sometime this year?

1="I already have tried cigarettes" 2="I definitely will" 3="I probably will" 4="I probably will not" 5="I definitely will not"

| Value  | Label             | Unweighted Frequency | %      | Valid % |
|--------|-------------------|----------------------|--------|---------|
| 1      | ALREADY TRIED:(1) | 694                  | 27.5 % | 28.7%   |
| 2      | DEF WILL:(2)      | 21                   | 0.8 %  | 0.9%    |
| 3      | PROB WILL:(3)     | 70                   | 2.8 %  | 2.9%    |
| 4      | PROB WONT:(4)     | 287                  | 11.4 % | 11.9%   |
| 5      | DEF WONT:(5)      | 1349                 | 53.4 % | 55.7%   |
| -9 (M) | MISSING:(-9)      | 106                  | 4.2 %  | -       |

Based upon 2421 valid cases out of 2527 total cases.

**V6546 106B14 :NO SMK IN 5 YR**

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | DEF WILL:(1) | 41                   | 1.6 %  | 1.7%    |
| 2      | PRB WILL:(2) | 230                  | 9.1 %  | 9.3%    |
| 3      | PRB WONT:(3) | 531                  | 21.0 % | 21.5%   |
| 4      | DEF WONT:(4) | 1663                 | 65.8 % | 67.5%   |
| -9 (M) | MISSING:(-9) | 62                   | 2.5 %  | -       |

Based upon 2465 valid cases out of 2527 total cases.

**V6547 106B15A:NEVER CIG ADDICT**

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30130

How much do you agree or disagree with the following statements?

A: I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 424                         | 16.8 %   | 17.2%          |
| 2            | MOST DIS:(2) | 166                         | 6.6 %    | 6.7%           |
| 3            | NEITHER:(3)  | 183                         | 7.2 %    | 7.4%           |
| 4            | MOST AGR:(4) | 226                         | 8.9 %    | 9.2%           |
| 5            | AGREE:(5)    | 1467                        | 58.1 %   | 59.5%          |
| -9 (M)       | MISSING:(-9) | 61                          | 2.4 %    | -              |

Based upon 2466 valid cases out of 2527 total cases.

**V6548 106B15B:QUIT CIG WN WANT**

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30140

How much do you agree or disagree with the following statements?

B: I could smoke a pack a day for a year or more and still be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 1349                        | 53.4 %   | 55.0%          |
| 2            | MOST DIS:(2) | 357                         | 14.1 %   | 14.6%          |
| 3            | NEITHER:(3)  | 285                         | 11.3 %   | 11.6%          |
| 4            | MOST AGR:(4) | 145                         | 5.7 %    | 5.9%           |
| 5            | AGREE:(5)    | 317                         | 12.5 %   | 12.9%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 74                              | 2.9 %    | -              |

Based upon 2453 valid cases out of 2527 total cases.

**V6549 106B15C:SMK -DANGER QUIT**

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30150

How much do you agree or disagree with the following statements?

C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 1790                            | 70.8 %   | 73.0%          |
| 2            | MOST DIS:(2) | 273                             | 10.8 %   | 11.1%          |
| 3            | NEITHER:(3)  | 218                             | 8.6 %    | 8.9%           |
| 4            | MOST AGR:(4) | 69                              | 2.7 %    | 2.8%           |
| 5            | AGREE:(5)    | 101                             | 4.0 %    | 4.1%           |
| -9 (M)       | MISSING:(-9) | 76                              | 3.0 %    | -              |

Based upon 2451 valid cases out of 2527 total cases.

**V6550 106B16 :OWN TOBACCO LOGO**

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30160

Some tobacco companies make clothing, hats, bags, or other things with their brand on it. Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

1="No" 2="Yes" [arrow to Q.B16A]

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NO:(1)       | 2273                            | 89.9 %   | 92.7%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 2            | YES:(2)      | 178                             | 7.0 %    | 7.3%           |
| -9 (M)       | MISSING:(-9) | 76                              | 3.0 %    | -              |

Based upon 2451 valid cases out of 2527 total cases.

**V6551 106B16Aa:CIG LOGO CAMEL**

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30170

What brand name is on it (or on them)? (Mark all that apply.)

A. Camel

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 147                             | 5.8 %    | 81.2%          |
| 1            | MARKED:(1)   | 34                              | 1.3 %    | 18.8%          |
| -9 (M)       | MISSING:(-9) | 2346                            | 92.8 %   | -              |

Based upon 181 valid cases out of 2527 total cases.

**V6552 106B16Ab:CIG LOGO KOOL**

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30180

What brand name is on it (or on them)? (Mark all that apply.)

B. Kool

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 165                             | 6.5 %    | 91.2%          |
| 1            | MARKED:(1)   | 16                              | 0.6 %    | 8.8%           |
| -9 (M)       | MISSING:(-9) | 2346                            | 92.8 %   | -              |

Based upon 181 valid cases out of 2527 total cases.

**V6553 106B16Ac:CIG LOGO MARLB**



Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30190

What brand name is on it (or on them)? (Mark all that apply.)

C. Marlboro

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 75                              | 3.0 %    | 41.4%          |
| 1            | MARKED:(1)   | 106                             | 4.2 %    | 58.6%          |
| -9 (M)       | MISSING:(-9) | 2346                            | 92.8 %   | -              |

Based upon 181 valid cases out of 2527 total cases.

**V6554 106B16Ad:CIG LOGO NEWPT**

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30200

What brand name is on it (or on them)? (Mark all that apply.)

D. Newport

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 154                             | 6.1 %    | 85.1%          |
| 1            | MARKED:(1)   | 27                              | 1.1 %    | 14.9%          |
| -9 (M)       | MISSING:(-9) | 2346                            | 92.8 %   | -              |

Based upon 181 valid cases out of 2527 total cases.

**V6555 106B16Ae:CIG LOGO VASLM**

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30210

What brand name is on it (or on them)? (Mark all that apply.)

E. Virginia Slims

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 177                         | 7.0 %    | 97.8%          |
| 1            | MARKED:(1)   | 4                           | 0.2 %    | 2.2%           |
| -9 (M)       | MISSING:(-9) | 2346                        | 92.8 %   | -              |

Based upon 181 valid cases out of 2527 total cases.

**V6556**

**106B16Af:CIG LOGO OTHER**

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30220

What brand name is on it (or on them)? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 135                         | 5.3 %    | 74.6%          |
| 1            | MARKED:(1)   | 46                          | 1.8 %    | 25.4%          |
| -9 (M)       | MISSING:(-9) | 2346                        | 92.8 %   | -              |

Based upon 181 valid cases out of 2527 total cases.

**V6557**

**106B17 :SAVED CIG COUPON**

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30230

Have you ever saved coupons from cigarettes (whether or not you bought them yourself)?

1="No" 2="Yes" [arrow to QB17A]

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO:(1)       | 2325                        | 92.0 %   | 95.0%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 2            | YES:(2)      | 123                             | 4.9 %    | 5.0%           |
| -9 (M)       | MISSING:(-9) | 79                              | 3.1 %    | -              |

Based upon 2448 valid cases out of 2527 total cases.

**V6558 106B17A:SAVE CIG CPN NOW**

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30240

A: Are you currently saving coupons from cigarettes?

1="No" 2="Yes"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NO:(1)       | 81                              | 3.2 %    | 64.8%          |
| 2            | YES:(2)      | 44                              | 1.7 %    | 35.2%          |
| -9 (M)       | MISSING:(-9) | 2402                            | 95.1 %   | -              |

Based upon 125 valid cases out of 2527 total cases.

**V6559 106B18 :CO GIVE FREE CIG**

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30250

Has anyone from a tobacco company ever given you, or mailed you, a free sample of their cigarettes?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

| <i>Value</i> | <i>Label</i>     | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|------------------|---------------------------------|----------|----------------|
| 1            | NO:(1)           | 2401                            | 95.0 %   | 97.5%          |
| 2            | PAST 12MO:(2)    | 52                              | 2.1 %    | 2.1%           |
| 3            | NOT PAST12MO:(3) | 9                               | 0.4 %    | 0.4%           |
| -9 (M)       | MISSING:(-9)     | 65                              | 2.6 %    | -              |

Based upon 2462 valid cases out of 2527 total cases.

**V6505 106B19 :EVR USE SMOKLESS**

Location: 277-278 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 22230

Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 2036                        | 80.6 %   | 82.6%          |
| 2            | 1-2X:(2)     | 204                         | 8.1 %    | 8.3%           |
| 3            | OCCASNLY:(3) | 107                         | 4.2 %    | 4.3%           |
| 4            | REG PAST:(4) | 41                          | 1.6 %    | 1.7%           |
| 5            | REG NOW:(5)  | 78                          | 3.1 %    | 3.2%           |
| -9 (M)       | MISSING:(-9) | 61                          | 2.4 %    | -              |

Based upon 2466 valid cases out of 2527 total cases.

**V6506 106B20 :#X SMKLESS/30 DA**

Location: 279-280 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 22240

How frequently have you taken smokeless tobacco during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. 19]  
 2="Once or twice" 3="Once or twice per week" 4="Three to five times per week" 5="About once a day" 6="More than once a day"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT@ALL:(1)  | 2265                        | 89.6 %   | 91.9%          |
| 2            | 1-2 X:(2)    | 80                          | 3.2 %    | 3.2%           |
| 3            | 1-2/WK:(3)   | 36                          | 1.4 %    | 1.5%           |
| 4            | 3-5/WK:(4)   | 14                          | 0.6 %    | 0.6%           |
| 5            | 1/DAY:(5)    | 14                          | 0.6 %    | 0.6%           |
| 6            | >1/DAY:(6)   | 56                          | 2.2 %    | 2.3%           |
| -9 (M)       | MISSING:(-9) | 62                          | 2.5 %    | -              |

Based upon 2465 valid cases out of 2527 total cases.

**V6103 106B21 :EVER DRINK**

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NO:(1)       | 713                         | 28.2 %   | 29.4%          |
| 2            | YES:(2)      | 1709                        | 67.6 %   | 70.6%          |
| -9 (M)       | MISSING:(-9) | 105                         | 4.2 %    | -              |

Based upon 2422 valid cases out of 2527 total cases.

**V6104 106B22A:#X ALC/LIF SIPS**

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who indicated nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 713                         | 28.2 %   | 29.8%          |
| 2            | 1-2X:(2)     | 169                         | 6.7 %    | 7.1%           |
| 3            | 3-5X:(3)     | 258                         | 10.2 %   | 10.8%          |
| 4            | 6-9X:(4)     | 223                         | 8.8 %    | 9.3%           |
| 5            | 10-19X:(5)   | 286                         | 11.3 %   | 12.0%          |
| 6            | 20-39X:(6)   | 235                         | 9.3 %    | 9.8%           |
| 7            | 40+OCCAS:(7) | 505                         | 20.0 %   | 21.1%          |
| -9 (M)       | MISSING:(-9) | 138                         | 5.5 %    | -              |

Based upon 2389 valid cases out of 2527 total cases.

**V6105 106B22B:#X ALC/ANN SIPS**

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | 0 OCCAS:(1)  | 830                  | 32.8 % | 34.8%   |
| 2      | 1-2X:(2)     | 395                  | 15.6 % | 16.6%   |
| 3      | 3-5X:(3)     | 300                  | 11.9 % | 12.6%   |
| 4      | 6-9X:(4)     | 228                  | 9.0 %  | 9.6%    |
| 5      | 10-19X:(5)   | 257                  | 10.2 % | 10.8%   |
| 6      | 20-39X:(6)   | 178                  | 7.0 %  | 7.5%    |
| 7      | 40+OCCAS:(7) | 196                  | 7.8 %  | 8.2%    |
| -9 (M) | MISSING:(-9) | 143                  | 5.7 %  | -       |

Based upon 2384 valid cases out of 2527 total cases.

**V6106 106B22C:#X ALC/30D SIPS**

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 1332                            | 52.7 %   | 55.9%          |
| 2            | 1-2X:(2)     | 502                             | 19.9 %   | 21.1%          |
| 3            | 3-5X:(3)     | 248                             | 9.8 %    | 10.4%          |
| 4            | 6-9X:(4)     | 153                             | 6.1 %    | 6.4%           |
| 5            | 10-19X:(5)   | 81                              | 3.2 %    | 3.4%           |
| 6            | 20-39X:(6)   | 20                              | 0.8 %    | 0.8%           |
| 7            | 40+OCCAS:(7) | 48                              | 1.9 %    | 2.0%           |
| -9 (M)       | MISSING:(-9) | 143                             | 5.7 %    | -              |

Based upon 2384 valid cases out of 2527 total cases.

**V6107 106B23 :#X DRK ENF FL HI**

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 459                             | 18.2 %   | 27.0%          |
| 2            | FEW OCC:(2)  | 452                             | 17.9 %   | 26.5%          |
| 3            | HALF OCC:(3) | 245                             | 9.7 %    | 14.4%          |
| 4            | MOST OCC:(4) | 351                             | 13.9 %   | 20.6%          |
| 5            | NRLY ALL:(5) | 196                             | 7.8 %    | 11.5%          |
| -9 (M)       | MISSING:(-9) | 824                             | 32.6 %   | -              |

Based upon 1703 valid cases out of 2527 total cases.

**V6108 106B24 :5+DRK ROW/LST 2W**

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor,

a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]  
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10  
or more times"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 1752                            | 69.3 %   | 74.3%          |
| 2            | ONCE:(2)     | 217                             | 8.6 %    | 9.2%           |
| 3            | TWICE:(3)    | 166                             | 6.6 %    | 7.0%           |
| 4            | 3-5X:(4)     | 156                             | 6.2 %    | 6.6%           |
| 5            | 6-9X:(5)     | 32                              | 1.3 %    | 1.4%           |
| 6            | 10+ TIME:(6) | 35                              | 1.4 %    | 1.5%           |
| -9 (M)       | MISSING:(-9) | 169                             | 6.7 %    | -              |

Based upon 2358 valid cases out of 2527 total cases.

**V6115 106B25A:#XMJ+HS/LIFETIME**

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

On how many occasions (if any) have you used marijuana  
(weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 1359                            | 53.8 %   | 56.0%          |
| 2            | 1-2X:(2)     | 248                             | 9.8 %    | 10.2%          |
| 3            | 3-5X:(3)     | 148                             | 5.9 %    | 6.1%           |
| 4            | 6-9X:(4)     | 102                             | 4.0 %    | 4.2%           |
| 5            | 10-19X:(5)   | 127                             | 5.0 %    | 5.2%           |
| 6            | 20-39X:(6)   | 99                              | 3.9 %    | 4.1%           |
| 7            | 40+OCCAS:(7) | 343                             | 13.6 %   | 14.1%          |
| -9 (M)       | MISSING:(-9) | 101                             | 4.0 %    | -              |

Based upon 2426 valid cases out of 2527 total cases.

**V6116 106B25B:#XMJ+HS/LAST12MO**



Location: 295-296 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00870

On how many occasions (if any) have you used marijuana  
 (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 1576                            | 62.4 %   | 65.0%          |
| 2            | 1-2X:(2)     | 248                             | 9.8 %    | 10.2%          |
| 3            | 3-5X:(3)     | 137                             | 5.4 %    | 5.6%           |
| 4            | 6-9X:(4)     | 81                              | 3.2 %    | 3.3%           |
| 5            | 10-19X:(5)   | 101                             | 4.0 %    | 4.2%           |
| 6            | 20-39X:(6)   | 72                              | 2.8 %    | 3.0%           |
| 7            | 40+OCCAS:(7) | 210                             | 8.3 %    | 8.7%           |
| -9 (M)       | MISSING:(-9) | 102                             | 4.0 %    | -              |

Based upon 2425 valid cases out of 2527 total cases.

**V6117 106B25C:#XMJ+HS/LAST30DA**

Location: 297-298 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00880

On how many occasions (if any) have you used marijuana  
 (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 1912                            | 75.7 %   | 78.9%          |
| 2            | 1-2X:(2)     | 172                             | 6.8 %    | 7.1%           |
| 3            | 3-5X:(3)     | 79                              | 3.1 %    | 3.3%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 4            | 6-9X:(4)     | 46                              | 1.8 %    | 1.9%           |
| 5            | 10-19X:(5)   | 69                              | 2.7 %    | 2.8%           |
| 6            | 20-39X:(6)   | 50                              | 2.0 %    | 2.1%           |
| 7            | 40+OCCAS:(7) | 95                              | 3.8 %    | 3.9%           |
| -9 (M)       | MISSING:(-9) | 104                             | 4.1 %    | -              |

Based upon 2423 valid cases out of 2527 total cases.

**V6118**

**106B26A:#X LSD/LIFETIME**

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

On how many occasions (if any) have you used LSD  
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 2383                            | 94.3 %   | 97.0%          |
| 2            | 1-2X:(2)     | 40                              | 1.6 %    | 1.6%           |
| 3            | 3-5X:(3)     | 13                              | 0.5 %    | 0.5%           |
| 4            | 6-9X:(4)     | 6                               | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 5                               | 0.2 %    | 0.2%           |
| 6            | 20-39X:(6)   | 5                               | 0.2 %    | 0.2%           |
| 7            | 40+OCCAS:(7) | 5                               | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 70                              | 2.8 %    | -              |

Based upon 2457 valid cases out of 2527 total cases.

**V6119**

**106B26B:#X LSD/LAST 12MO**

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

On how many occasions (if any) have you used LSD  
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2411                        | 95.4 %   | 98.1%          |
| 2            | 1-2X:(2)     | 26                          | 1.0 %    | 1.1%           |
| 3            | 3-5X:(3)     | 11                          | 0.4 %    | 0.4%           |
| 4            | 6-9X:(4)     | 4                           | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 1                           | 0.0 %    | 0.0%           |
| 6            | 20-39X:(6)   | 3                           | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 2                           | 0.1 %    | 0.1%           |
| -9 (M)       | MISSING:(-9) | 69                          | 2.7 %    | -              |

Based upon 2458 valid cases out of 2527 total cases.

**V6120 106B26C:#X LSD/LAST 30DA**

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2440                        | 96.6 %   | 99.3%          |
| 2            | 1-2X:(2)     | 11                          | 0.4 %    | 0.4%           |
| 3            | 3-5X:(3)     | 2                           | 0.1 %    | 0.1%           |
| 4            | 6-9X:(4)     | 3                           | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 2                           | 0.1 %    | 0.1%           |
| -9 (M)       | MISSING:(-9) | 69                          | 2.7 %    | -              |

Based upon 2458 valid cases out of 2527 total cases.

**V6121 106B27A:#X PSYD/LIFETIME**

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | O OCCAS:(1)  | 2276                 | 90.1 % | 92.7%   |
| 2      | 1-2X:(2)     | 100                  | 4.0 %  | 4.1%    |
| 3      | 3-5X:(3)     | 28                   | 1.1 %  | 1.1%    |
| 4      | 6-9X:(4)     | 20                   | 0.8 %  | 0.8%    |
| 5      | 10-19X:(5)   | 15                   | 0.6 %  | 0.6%    |
| 6      | 20-39X:(6)   | 5                    | 0.2 %  | 0.2%    |
| 7      | 40+OCCAS:(7) | 12                   | 0.5 %  | 0.5%    |
| -9 (M) | MISSING:(-9) | 71                   | 2.8 %  | -       |

Based upon 2456 valid cases out of 2527 total cases.

**V6122 106B27B:#X PSYD/LAST12MO**

Location: 307-308 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      | Valid % |
|-------|-------------|----------------------|--------|---------|
| 1     | O OCCAS:(1) | 2352                 | 93.1 % | 95.6%   |
| 2     | 1-2X:(2)    | 62                   | 2.5 %  | 2.5%    |
| 3     | 3-5X:(3)    | 18                   | 0.7 %  | 0.7%    |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 4            | 6-9X:(4)     | 12                              | 0.5 %    | 0.5%           |
| 5            | 10-19X:(5)   | 7                               | 0.3 %    | 0.3%           |
| 6            | 20-39X:(6)   | 5                               | 0.2 %    | 0.2%           |
| 7            | 40+OCCAS:(7) | 4                               | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 67                              | 2.7 %    | -              |

Based upon 2460 valid cases out of 2527 total cases.

**V6123 106B27C:#X PSYD/LAST30DA**

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 2421                            | 95.8 %   | 98.4%          |
| 2            | 1-2X:(2)     | 18                              | 0.7 %    | 0.7%           |
| 3            | 3-5X:(3)     | 9                               | 0.4 %    | 0.4%           |
| 4            | 6-9X:(4)     | 6                               | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 3                               | 0.1 %    | 0.1%           |
| 6            | 20-39X:(6)   | 1                               | 0.0 %    | 0.0%           |
| 7            | 40+OCCAS:(7) | 2                               | 0.1 %    | 0.1%           |
| -9 (M)       | MISSING:(-9) | 67                              | 2.7 %    | -              |

Based upon 2460 valid cases out of 2527 total cases.

**V6127 106B28A:#X AMPH/LIFETIME**

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people

who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own, that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | O OCCAS:(1)  | 2204                 | 87.2 % | 90.0%   |
| 2      | 1-2X:(2)     | 89                   | 3.5 %  | 3.6%    |
| 3      | 3-5X:(3)     | 57                   | 2.3 %  | 2.3%    |
| 4      | 6-9X:(4)     | 24                   | 0.9 %  | 1.0%    |
| 5      | 10-19X:(5)   | 27                   | 1.1 %  | 1.1%    |
| 6      | 20-39X:(6)   | 23                   | 0.9 %  | 0.9%    |
| 7      | 40+OCCAS:(7) | 24                   | 0.9 %  | 1.0%    |
| -9 (M) | MISSING:(-9) | 79                   | 3.1 %  | -       |

Based upon 2448 valid cases out of 2527 total cases.

**V6128**

**106B28B:#X AMPH/LAST12MO**

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      | Valid % |
|-------|-------------|----------------------|--------|---------|
| 1     | O OCCAS:(1) | 2280                 | 90.2 % | 93.2%   |
| 2     | 1-2X:(2)    | 76                   | 3.0 %  | 3.1%    |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 3            | 3-5X:(3)     | 39                              | 1.5 %    | 1.6%           |
| 4            | 6-9X:(4)     | 15                              | 0.6 %    | 0.6%           |
| 5            | 10-19X:(5)   | 18                              | 0.7 %    | 0.7%           |
| 6            | 20-39X:(6)   | 7                               | 0.3 %    | 0.3%           |
| 7            | 40+OCCAS:(7) | 11                              | 0.4 %    | 0.4%           |
| -9 (M)       | MISSING:(-9) | 81                              | 3.2 %    | -              |

Based upon 2446 valid cases out of 2527 total cases.

**V6129 106B28C:#X AMPH/LAST30DA**

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01000

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 2372                            | 93.9 %   | 96.9%          |
| 2            | 1-2X:(2)     | 42                              | 1.7 %    | 1.7%           |
| 3            | 3-5X:(3)     | 22                              | 0.9 %    | 0.9%           |
| 4            | 6-9X:(4)     | 4                               | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 3                               | 0.1 %    | 0.1%           |
| 6            | 20-39X:(6)   | 2                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 3                               | 0.1 %    | 0.1%           |
| -9 (M)       | MISSING:(-9) | 79                              | 3.1 %    | -              |

Based upon 2448 valid cases out of 2527 total cases.

**V6517 106B29A:#X CRACK/LIFETIM**

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2392                        | 94.7 %   | 97.4%          |
| 2            | 1-2X:(2)     | 24                          | 0.9 %    | 1.0%           |
| 3            | 3-5X:(3)     | 11                          | 0.4 %    | 0.4%           |
| 4            | 6-9X:(4)     | 3                           | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 8                           | 0.3 %    | 0.3%           |
| 6            | 20-39X:(6)   | 8                           | 0.3 %    | 0.3%           |
| 7            | 40+OCCAS:(7) | 9                           | 0.4 %    | 0.4%           |
| -9 (M)       | MISSING:(-9) | 72                          | 2.8 %    | -              |

Based upon 2455 valid cases out of 2527 total cases.

**V6518**

**106B29B:#X CRACK/LAST12M**

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2415                        | 95.6 %   | 98.4%          |
| 2            | 1-2X:(2)     | 15                          | 0.6 %    | 0.6%           |
| 3            | 3-5X:(3)     | 10                          | 0.4 %    | 0.4%           |
| 4            | 6-9X:(4)     | 3                           | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 3                           | 0.1 %    | 0.1%           |
| 6            | 20-39X:(6)   | 1                           | 0.0 %    | 0.0%           |
| 7            | 40+OCCAS:(7) | 7                           | 0.3 %    | 0.3%           |
| -9 (M)       | MISSING:(-9) | 73                          | 2.9 %    | -              |



Based upon 2454 valid cases out of 2527 total cases.

**V6519 106B29C:#X CRACK/LAST30D**

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | O OCCAS:(1)  | 2436                 | 96.4 % | 99.2%   |
| 2      | 1-2X:(2)     | 6                    | 0.2 %  | 0.2%    |
| 3      | 3-5X:(3)     | 6                    | 0.2 %  | 0.2%    |
| 5      | 10-19X:(5)   | 1                    | 0.0 %  | 0.0%    |
| 6      | 20-39X:(6)   | 1                    | 0.0 %  | 0.0%    |
| 7      | 40+OCCAS:(7) | 5                    | 0.2 %  | 0.2%    |
| -9 (M) | MISSING:(-9) | 72                   | 2.8 %  | -       |

Based upon 2455 valid cases out of 2527 total cases.

**V6520 106B30A:#XOTH COKE/LIFE**

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      | Valid % |
|-------|-------------|----------------------|--------|---------|
| 1     | O OCCAS:(1) | 2328                 | 92.1 % | 95.3%   |

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 2            | 1-2X:(2)     | 62                          | 2.5 %    | 2.5%           |
| 3            | 3-5X:(3)     | 14                          | 0.6 %    | 0.6%           |
| 4            | 6-9X:(4)     | 9                           | 0.4 %    | 0.4%           |
| 5            | 10-19X:(5)   | 10                          | 0.4 %    | 0.4%           |
| 6            | 20-39X:(6)   | 8                           | 0.3 %    | 0.3%           |
| 7            | 40+OCCAS:(7) | 13                          | 0.5 %    | 0.5%           |
| -9 (M)       | MISSING:(-9) | 83                          | 3.3 %    | -              |

Based upon 2444 valid cases out of 2527 total cases.

**V6521 106B30B:#XOTH COKE/12MO**

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2386                        | 94.4 %   | 97.4%          |
| 2            | 1-2X:(2)     | 33                          | 1.3 %    | 1.3%           |
| 3            | 3-5X:(3)     | 12                          | 0.5 %    | 0.5%           |
| 4            | 6-9X:(4)     | 7                           | 0.3 %    | 0.3%           |
| 5            | 10-19X:(5)   | 3                           | 0.1 %    | 0.1%           |
| 6            | 20-39X:(6)   | 1                           | 0.0 %    | 0.0%           |
| 7            | 40+OCCAS:(7) | 8                           | 0.3 %    | 0.3%           |
| -9 (M)       | MISSING:(-9) | 77                          | 3.0 %    | -              |

Based upon 2450 valid cases out of 2527 total cases.

**V6522 106B30C:#XOTH COKE/30DA**

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2415                        | 95.6 %   | 98.6%          |
| 2            | 1-2X:(2)     | 26                          | 1.0 %    | 1.1%           |
| 3            | 3-5X:(3)     | 3                           | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 2                           | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 3                           | 0.1 %    | 0.1%           |
| -9 (M)       | MISSING:(-9) | 78                          | 3.1 %    | -              |

Based upon 2449 valid cases out of 2527 total cases.

**V6124**

**106R :#X COKE/LIFETIME**

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2312                        | 91.5 %   | 94.6%          |
| 2            | 1-2X:(2)     | 53                          | 2.1 %    | 2.2%           |
| 3            | 3-5X:(3)     | 26                          | 1.0 %    | 1.1%           |
| 4            | 6-9X:(4)     | 10                          | 0.4 %    | 0.4%           |
| 5            | 10-19X:(5)   | 14                          | 0.6 %    | 0.6%           |
| 6            | 20-39X:(6)   | 9                           | 0.4 %    | 0.4%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 7            | 40+OCCAS:(7) | 19                              | 0.8 %    | 0.8%           |
| -9 (M)       | MISSING:(-9) | 84                              | 3.3 %    | -              |

Based upon 2443 valid cases out of 2527 total cases.

**V6125**

**106R :#X COKE/LAST12MO**

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 2372                            | 93.9 %   | 96.9%          |
| 2            | 1-2X:(2)     | 32                              | 1.3 %    | 1.3%           |
| 3            | 3-5X:(3)     | 20                              | 0.8 %    | 0.8%           |
| 4            | 6-9X:(4)     | 4                               | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 7                               | 0.3 %    | 0.3%           |
| 6            | 20-39X:(6)   | 2                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 11                              | 0.4 %    | 0.4%           |
| -9 (M)       | MISSING:(-9) | 79                              | 3.1 %    | -              |

Based upon 2448 valid cases out of 2527 total cases.

**V6126**

**106R :#X COKE/LAST30DA**

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

Component questions: "On how many occasions (if any) have you

used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2408                        | 95.3 %   | 98.4%          |
| 2            | 1-2X:(2)     | 24                          | 0.9 %    | 1.0%           |
| 3            | 3-5X:(3)     | 6                           | 0.2 %    | 0.2%           |
| 4            | 6-9X:(4)     | 2                           | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 1                           | 0.0 %    | 0.0%           |
| 6            | 20-39X:(6)   | 2                           | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 5                           | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 79                          | 3.1 %    | -              |

Based upon 2448 valid cases out of 2527 total cases.

**V6133**

**106B31A:#X SED/BARB/LIFE**

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2270                        | 89.8 %   | 92.9%          |
| 2            | 1-2X:(2)     | 72                          | 2.8 %    | 2.9%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 3            | 3-5X:(3)     | 42                              | 1.7 %    | 1.7%           |
| 4            | 6-9X:(4)     | 20                              | 0.8 %    | 0.8%           |
| 5            | 10-19X:(5)   | 11                              | 0.4 %    | 0.5%           |
| 6            | 20-39X:(6)   | 14                              | 0.6 %    | 0.6%           |
| 7            | 40+OCCAS:(7) | 14                              | 0.6 %    | 0.6%           |
| -9 (M)       | MISSING:(-9) | 84                              | 3.3 %    | -              |

Based upon 2443 valid cases out of 2527 total cases.

**V6134 106B31B:#X SED/BARB/12MO**

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 2322                            | 91.9 %   | 95.0%          |
| 2            | 1-2X:(2)     | 61                              | 2.4 %    | 2.5%           |
| 3            | 3-5X:(3)     | 26                              | 1.0 %    | 1.1%           |
| 4            | 6-9X:(4)     | 17                              | 0.7 %    | 0.7%           |
| 5            | 10-19X:(5)   | 11                              | 0.4 %    | 0.5%           |
| 6            | 20-39X:(6)   | 4                               | 0.2 %    | 0.2%           |
| 7            | 40+OCCAS:(7) | 3                               | 0.1 %    | 0.1%           |
| -9 (M)       | MISSING:(-9) | 83                              | 3.3 %    | -              |

Based upon 2444 valid cases out of 2527 total cases.

**V6135 106B31C:#X SED/BARB/30DA**

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2393                        | 94.7 %   | 98.0%          |
| 2            | 1-2X:(2)     | 32                          | 1.3 %    | 1.3%           |
| 3            | 3-5X:(3)     | 11                          | 0.4 %    | 0.5%           |
| 4            | 6-9X:(4)     | 3                           | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 4                           | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 84                          | 3.3 %    | -              |

Based upon 2443 valid cases out of 2527 total cases.

**V6136**

**106B32A:#X TRQL/LIFETIME**

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2248                        | 89.0 %   | 92.0%          |
| 2            | 1-2X:(2)     | 82                          | 3.2 %    | 3.4%           |
| 3            | 3-5X:(3)     | 45                          | 1.8 %    | 1.8%           |
| 4            | 6-9X:(4)     | 18                          | 0.7 %    | 0.7%           |
| 5            | 10-19X:(5)   | 15                          | 0.6 %    | 0.6%           |
| 6            | 20-39X:(6)   | 14                          | 0.6 %    | 0.6%           |
| 7            | 40+OCCAS:(7) | 22                          | 0.9 %    | 0.9%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 83                              | 3.3 %    | -              |

Based upon 2444 valid cases out of 2527 total cases.

**V6137 106B32B:#X TRQL/LAST12MO**

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2317                            | 91.7 %   | 94.9%          |
| 2            | 1-2X:(2)     | 61                              | 2.4 %    | 2.5%           |
| 3            | 3-5X:(3)     | 21                              | 0.8 %    | 0.9%           |
| 4            | 6-9X:(4)     | 12                              | 0.5 %    | 0.5%           |
| 5            | 10-19X:(5)   | 14                              | 0.6 %    | 0.6%           |
| 6            | 20-39X:(6)   | 12                              | 0.5 %    | 0.5%           |
| 7            | 40+OCCAS:(7) | 5                               | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 85                              | 3.4 %    | -              |

Based upon 2442 valid cases out of 2527 total cases.

**V6138 106B32C:#X TRQL/LAST30DA**

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9



Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | O OCCAS:(1)  | 2390                 | 94.6 % | 97.9%   |
| 2      | 1-2X:(2)     | 22                   | 0.9 %  | 0.9%    |
| 3      | 3-5X:(3)     | 10                   | 0.4 %  | 0.4%    |
| 4      | 6-9X:(4)     | 12                   | 0.5 %  | 0.5%    |
| 5      | 10-19X:(5)   | 8                    | 0.3 %  | 0.3%    |
| -9 (M) | MISSING:(-9) | 85                   | 3.4 %  | -       |

Based upon 2442 valid cases out of 2527 total cases.

**V6511 106B33A:#X H LIF USE NDL**

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | O OCCAS:(1)  | 2423                 | 95.9 % | 99.1%   |
| 2      | 1-2X:(2)     | 8                    | 0.3 %  | 0.3%    |
| 3      | 3-5X:(3)     | 2                    | 0.1 %  | 0.1%    |
| 4      | 6-9X:(4)     | 3                    | 0.1 %  | 0.1%    |
| 5      | 10-19X:(5)   | 2                    | 0.1 %  | 0.1%    |
| 6      | 20-39X:(6)   | 1                    | 0.0 %  | 0.0%    |
| 7      | 40+OCCAS:(7) | 6                    | 0.2 %  | 0.2%    |
| -9 (M) | MISSING:(-9) | 82                   | 3.2 %  | -       |

Based upon 2445 valid cases out of 2527 total cases.

**V6512 106B33B:#X H 12M USE NDL**

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | O OCCAS:(1)  | 2436                 | 96.4 % | 99.6%   |
| 2      | 1-2X:(2)     | 3                    | 0.1 %  | 0.1%    |
| 3      | 3-5X:(3)     | 1                    | 0.0 %  | 0.0%    |
| 4      | 6-9X:(4)     | 1                    | 0.0 %  | 0.0%    |
| 5      | 10-19X:(5)   | 1                    | 0.0 %  | 0.0%    |
| 6      | 20-39X:(6)   | 1                    | 0.0 %  | 0.0%    |
| 7      | 40+OCCAS:(7) | 3                    | 0.1 %  | 0.1%    |
| -9 (M) | MISSING:(-9) | 81                   | 3.2 %  | -       |

Based upon 2446 valid cases out of 2527 total cases.

**V6513**

**106B33C:#X H 30D USE NDL**

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | O OCCAS:(1)  | 2440                 | 96.6 % | 99.7%   |
| 2      | 1-2X:(2)     | 2                    | 0.1 %  | 0.1%    |
| 3      | 3-5X:(3)     | 2                    | 0.1 %  | 0.1%    |
| 4      | 6-9X:(4)     | 1                    | 0.0 %  | 0.0%    |
| 7      | 40+OCCAS:(7) | 2                    | 0.1 %  | 0.1%    |
| -9 (M) | MISSING:(-9) | 80                   | 3.2 %  | -       |

Based upon 2447 valid cases out of 2527 total cases.

**V6514 106B34A:#X H LIF W/O NDL**

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | 0 OCCAS:(1)  | 2405                 | 95.2 % | 98.7%   |
| 2      | 1-2X:(2)     | 13                   | 0.5 %  | 0.5%    |
| 3      | 3-5X:(3)     | 7                    | 0.3 %  | 0.3%    |
| 4      | 6-9X:(4)     | 2                    | 0.1 %  | 0.1%    |
| 5      | 10-19X:(5)   | 4                    | 0.2 %  | 0.2%    |
| 6      | 20-39X:(6)   | 1                    | 0.0 %  | 0.0%    |
| 7      | 40+OCCAS:(7) | 5                    | 0.2 %  | 0.2%    |
| -9 (M) | MISSING:(-9) | 90                   | 3.6 %  | -       |

Based upon 2437 valid cases out of 2527 total cases.

**V6515 106B34B:#X H 12M W/O NDL**

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2421                            | 95.8 %   | 99.2%          |
| 2            | 1-2X:(2)     | 10                              | 0.4 %    | 0.4%           |
| 3            | 3-5X:(3)     | 4                               | 0.2 %    | 0.2%           |
| 4            | 6-9X:(4)     | 1                               | 0.0 %    | 0.0%           |
| 5            | 10-19X:(5)   | 2                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 2                               | 0.1 %    | 0.1%           |
| -9 (M)       | MISSING:(-9) | 87                              | 3.4 %    | -              |

Based upon 2440 valid cases out of 2527 total cases.

**V6516**

**106B34C:#X H 30D W/O NDL**

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2432                            | 96.2 %   | 99.7%          |
| 2            | 1-2X:(2)     | 3                               | 0.1 %    | 0.1%           |
| 3            | 3-5X:(3)     | 2                               | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 1                               | 0.0 %    | 0.0%           |
| 7            | 40+OCCAS:(7) | 1                               | 0.0 %    | 0.0%           |
| -9 (M)       | MISSING:(-9) | 88                              | 3.5 %    | -              |

Based upon 2439 valid cases out of 2527 total cases.

**V6139**

**106R\* :#X H/LIFETIME**

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin  
WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| Value  | Label        | Unweighted<br>Frequency | %      | Valid % |
|--------|--------------|-------------------------|--------|---------|
| 1      | O OCCAS:(1)  | 2409                    | 95.3 % | 98.3%   |
| 2      | 1-2X:(2)     | 16                      | 0.6 %  | 0.7%    |
| 3      | 3-5X:(3)     | 5                       | 0.2 %  | 0.2%    |
| 4      | 6-9X:(4)     | 4                       | 0.2 %  | 0.2%    |
| 5      | 10-19X:(5)   | 3                       | 0.1 %  | 0.1%    |
| 6      | 20-39X:(6)   | 3                       | 0.1 %  | 0.1%    |
| 7      | 40+OCCAS:(7) | 10                      | 0.4 %  | 0.4%    |
| -9 (M) | MISSING:(-9) | 77                      | 3.0 %  | -       |

Based upon 2450 valid cases out of 2527 total cases.

**V6140**

**106R\* :#X H/LAST12MO**

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01110

Component questions for "any heroin" measure: "On how many  
occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin  
WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| Value | Label       | Unweighted<br>Frequency | %      | Valid % |
|-------|-------------|-------------------------|--------|---------|
| 1     | O OCCAS:(1) | 2428                    | 96.1 % | 99.1%   |
| 2     | 1-2X:(2)    | 7                       | 0.3 %  | 0.3%    |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 3            | 3-5X:(3)     | 4                               | 0.2 %    | 0.2%           |
| 4            | 6-9X:(4)     | 2                               | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 3                               | 0.1 %    | 0.1%           |
| 6            | 20-39X:(6)   | 1                               | 0.0 %    | 0.0%           |
| 7            | 40+OCCAS:(7) | 5                               | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 77                              | 3.0 %    | -              |

Based upon 2450 valid cases out of 2527 total cases.

**V6141**

**106R\* :#X H/LAST30DAY**

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 2439                            | 96.5 %   | 99.6%          |
| 2            | 1-2X:(2)     | 3                               | 0.1 %    | 0.1%           |
| 3            | 3-5X:(3)     | 2                               | 0.1 %    | 0.1%           |
| 4            | 6-9X:(4)     | 1                               | 0.0 %    | 0.0%           |
| 5            | 10-19X:(5)   | 2                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 3                               | 0.1 %    | 0.1%           |
| -9 (M)       | MISSING:(-9) | 77                              | 3.0 %    | -              |

Based upon 2450 valid cases out of 2527 total cases.

**V6142**

**106B35A:#X NARC/LIFETIME**

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2126                        | 84.1 %   | 87.9%          |
| 2            | 1-2X:(2)     | 103                         | 4.1 %    | 4.3%           |
| 3            | 3-5X:(3)     | 65                          | 2.6 %    | 2.7%           |
| 4            | 6-9X:(4)     | 32                          | 1.3 %    | 1.3%           |
| 5            | 10-19X:(5)   | 41                          | 1.6 %    | 1.7%           |
| 6            | 20-39X:(6)   | 17                          | 0.7 %    | 0.7%           |
| 7            | 40+OCCAS:(7) | 36                          | 1.4 %    | 1.5%           |
| -9 (M)       | MISSING:(-9) | 107                         | 4.2 %    | -              |

Based upon 2420 valid cases out of 2527 total cases.

**V6143 106B35B:#X NARC/LAST12MO**

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2215                        | 87.7 %   | 91.6%          |
| 2            | 1-2X:(2)     | 84                          | 3.3 %    | 3.5%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 3            | 3-5X:(3)     | 48                              | 1.9 %    | 2.0%           |
| 4            | 6-9X:(4)     | 22                              | 0.9 %    | 0.9%           |
| 5            | 10-19X:(5)   | 20                              | 0.8 %    | 0.8%           |
| 6            | 20-39X:(6)   | 16                              | 0.6 %    | 0.7%           |
| 7            | 40+OCCAS:(7) | 14                              | 0.6 %    | 0.6%           |
| -9 (M)       | MISSING:(-9) | 108                             | 4.3 %    | -              |

Based upon 2419 valid cases out of 2527 total cases.

**V6144 106B35C:#X NARC/LAST30DA**

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 2333                            | 92.3 %   | 96.4%          |
| 2            | 1-2X:(2)     | 42                              | 1.7 %    | 1.7%           |
| 3            | 3-5X:(3)     | 22                              | 0.9 %    | 0.9%           |
| 4            | 6-9X:(4)     | 4                               | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 14                              | 0.6 %    | 0.6%           |
| 6            | 20-39X:(6)   | 2                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 3                               | 0.1 %    | 0.1%           |
| -9 (M)       | MISSING:(-9) | 107                             | 4.2 %    | -              |

Based upon 2420 valid cases out of 2527 total cases.

**V129 106B36A:#X METHAMPH/LIFE**

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30800



On how many occasions (if any) have you used methamphetamine  
(meth, speed, crank, crystal meth) by any method . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2363                            | 93.5 %   | 97.8%          |
| 2            | 1-2X:(2)     | 26                              | 1.0 %    | 1.1%           |
| 3            | 3-5X:(3)     | 8                               | 0.3 %    | 0.3%           |
| 4            | 6-9X:(4)     | 4                               | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 4                               | 0.2 %    | 0.2%           |
| 6            | 20-39X:(6)   | 3                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 8                               | 0.3 %    | 0.3%           |
| -9 (M)       | MISSING:(-9) | 111                             | 4.4 %    | -              |

Based upon 2416 valid cases out of 2527 total cases.

|             |                                 |
|-------------|---------------------------------|
| <b>V130</b> | <b>106B36B:#X METHAMPH/12MO</b> |
|-------------|---------------------------------|

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30810

On how many occasions (if any) have you used methamphetamine  
(meth, speed, crank, crystal meth) by any method . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2333                            | 92.3 %   | 98.8%          |
| 2            | 1-2X:(2)     | 15                              | 0.6 %    | 0.6%           |
| 3            | 3-5X:(3)     | 5                               | 0.2 %    | 0.2%           |
| 4            | 6-9X:(4)     | 2                               | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 1                               | 0.0 %    | 0.0%           |
| 6            | 20-39X:(6)   | 1                               | 0.0 %    | 0.0%           |
| 7            | 40+OCCAS:(7) | 5                               | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 165                             | 6.5 %    | -              |

Based upon 2362 valid cases out of 2527 total cases.

**V131 106B36C:#X METHAMPH/30DA**

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | O OCCAS:(1)  | 2345                 | 92.8 % | 99.4%   |
| 2      | 1-2X:(2)     | 7                    | 0.3 %  | 0.3%    |
| 3      | 3-5X:(3)     | 2                    | 0.1 %  | 0.1%    |
| 4      | 6-9X:(4)     | 1                    | 0.0 %  | 0.0%    |
| 5      | 10-19X:(5)   | 1                    | 0.0 %  | 0.0%    |
| 7      | 40+OCCAS:(7) | 2                    | 0.1 %  | 0.1%    |
| -9 (M) | MISSING:(-9) | 169                  | 6.7 %  | -       |

Based upon 2358 valid cases out of 2527 total cases.

**V6148 106C01(R):AGE <>18 DICHOTOMY**

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | < 18 YRS:(1) | 1056                 | 41.8 % | 43.4%   |
| 2      | 18+ YRS:(2)  | 1375                 | 54.4 % | 56.6%   |
| -9 (M) | MISSING:(-9) | 96                   | 3.8 %  | -       |

Based upon 2431 valid cases out of 2527 total cases.

**V6150 106C03 :Rs SEX**

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00030

What is your sex?

1="Male" 2="Female"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | MALE:(1)     | 1165                        | 46.1 %   | 49.1%          |
| 2            | FEMALE:(2)   | 1208                        | 47.8 %   | 50.9%          |
| -9 (M)       | MISSING:(-9) | 154                         | 6.1 %    | -              |

Based upon 2373 valid cases out of 2527 total cases.

**V6151 106C04(R):R'S RACEB/W/H**

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; "Hispanic" = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above].

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | BLACK:(1)    | 361                         | 14.3 %   | 17.3%          |
| 2            | WHITE:(2)    | 1365                        | 54.0 %   | 65.3%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 3            | HISPANIC:(3) | 364                             | 14.4 %   | 17.4%          |
| -9 (M)       | MISSING:(-9) | 437                             | 17.3 %   | -              |

Based upon 2090 valid cases out of 2527 total cases.

**V6152 106C05 :R SPD >TIM R-URB**

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

| <i>Value</i> | <i>Label</i>   | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|----------------|---------------------------------|----------|----------------|
| 0            | DK/MIXED:(0)   | 310                             | 12.3 %   | 12.3%          |
| 1            | A FARM:(1)     | 92                              | 3.6 %    | 3.6%           |
| 2            | COUNTRY:(2)    | 251                             | 9.9 %    | 9.9%           |
| 3            | SM CITY:(3)    | 585                             | 23.1 %   | 23.1%          |
| 4            | MED CITY:(4)   | 335                             | 13.3 %   | 13.3%          |
| 5            | SUB MED:(5)    | 275                             | 10.9 %   | 10.9%          |
| 6            | LGE CITY:(6)   | 286                             | 11.3 %   | 11.3%          |
| 7            | SUB LGE:(7)    | 154                             | 6.1 %    | 6.1%           |
| 8            | V-LGE CITY:(8) | 150                             | 5.9 %    | 5.9%           |
| 9            | SUB V-LGE:(9)  | 89                              | 3.5 %    | 3.5%           |

Based upon 2527 valid cases out of 2527 total cases.

**V6153 106C06 :R NOT MARRIED**

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | MARRIED:(1)  | 89                   | 3.5 %  | 3.7%    |
| 2      | ENGAGED:(2)  | 111                  | 4.4 %  | 4.6%    |
| 3      | SEP/DIV:(3)  | 37                   | 1.5 %  | 1.5%    |
| 4      | SINGLE:(4)   | 2194                 | 86.8 % | 90.3%   |
| -9 (M) | MISSING:(-9) | 96                   | 3.8 %  | -       |

Based upon 2431 valid cases out of 2527 total cases.

**V49 10C07R:# SIBLINGS**

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 0      | NONE:(0)     | 151                  | 6.0 %  | 6.2%    |
| 1      | ONE:(1)      | 666                  | 26.4 % | 27.3%   |
| 2      | TWO:(2)      | 600                  | 23.7 % | 24.6%   |
| 3      | THREE+:(3-4) | 1023                 | 40.5 % | 41.9%   |
| -9 (M) | MISSING:(-9) | 87                   | 3.4 %  | -       |

Based upon 2440 valid cases out of 2527 total cases.

**V6155 106C07Cb(R):R'S HSHLD FATHER**

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00090

Which of the following people live in the same household with

you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 743                         | 29.4 %   | 30.4%          |
| 1            | MARKED:(1)   | 1703                        | 67.4 %   | 69.6%          |
| -9 (M)       | MISSING:(-9) | 81                          | 3.2 %    | -              |

Based upon 2446 valid cases out of 2527 total cases.

**V6156 106C07Cc(R):R'S HSHLD MOTHER**

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 263                         | 10.4 %   | 10.8%          |
| 1            | MARKED:(1)   | 2183                        | 86.4 %   | 89.2%          |
| -9 (M)       | MISSING:(-9) | 81                          | 3.2 %    | -              |

Based upon 2446 valid cases out of 2527 total cases.

**V6157 106C07Cd(R):R'S HSHLD BR/SR**

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"

"My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 850                         | 33.6 %   | 34.8%          |
| 1            | MARKED:(1)   | 1596                        | 63.2 %   | 65.2%          |
| -9 (M)       | MISSING:(-9) | 81                          | 3.2 %    | -              |

Based upon 2446 valid cases out of 2527 total cases.

**V6163 106C08 :FATHR EDUC LEVEL**

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"  
7="Don't know, or does not apply"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | GRDE SCH:(1) | 130                         | 5.1 %    | 5.3%           |
| 2            | SOME HS:(2)  | 281                         | 11.1 %   | 11.5%          |
| 3            | HS GRAD:(3)  | 681                         | 26.9 %   | 27.8%          |
| 4            | SOME CLG:(4) | 388                         | 15.4 %   | 15.9%          |
| 5            | CLG GRAD:(5) | 478                         | 18.9 %   | 19.5%          |
| 6            | GRAD SCH:(6) | 287                         | 11.4 %   | 11.7%          |
| 7            | DK:(7)       | 201                         | 8.0 %    | 8.2%           |
| -9 (M)       | MISSING:(-9) | 81                          | 3.2 %    | -              |

Based upon 2446 valid cases out of 2527 total cases.

**V6164 106C09 :MOTHR EDUC LEVEL**

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"  
7="Don't know, or does not apply"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | GRDE SCH:(1) | 118                  | 4.7 %  | 4.8%    |
| 2      | SOME HS:(2)  | 198                  | 7.8 %  | 8.1%    |
| 3      | HS GRAD:(3)  | 579                  | 22.9 % | 23.7%   |
| 4      | SOME CLG:(4) | 511                  | 20.2 % | 20.9%   |
| 5      | CLG GRAD:(5) | 649                  | 25.7 % | 26.5%   |
| 6      | GRAD SCH:(6) | 290                  | 11.5 % | 11.9%   |
| 7      | DK:(7)       | 100                  | 4.0 %  | 4.1%    |
| -9 (M) | MISSING:(-9) | 82                   | 3.2 %  | -       |

Based upon 2445 valid cases out of 2527 total cases.

**V6165**

**106C10 :MOTH PD JB R YNG**

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

| Value  | Label            | Unweighted Frequency | %      | Valid % |
|--------|------------------|----------------------|--------|---------|
| 1      | NO:(1)           | 320                  | 12.7 % | 13.1%   |
| 2      | YES/SOME:(2)     | 400                  | 15.8 % | 16.4%   |
| 3      | YES/MOST:(3)     | 447                  | 17.7 % | 18.4%   |
| 4      | YES/NRLY ALL:(4) | 1267                 | 50.1 % | 52.1%   |
| -9 (M) | MISSING:(-9)     | 93                   | 3.7 %  | -       |

Based upon 2434 valid cases out of 2527 total cases.

**V6166**

**106C11 :Rs POLTL PRFNC**

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric



Range of Missing Values (M): -9

Question:

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

| <i>Value</i> | <i>Label</i>      | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|-------------------|-----------------------------|----------|----------------|
| 1            | STRG GOP:(1)      | 228                         | 9.0 %    | 9.7%           |
| 2            | MILD GOP:(2)      | 256                         | 10.1 %   | 10.9%          |
| 3            | MILD DEM:(3)      | 299                         | 11.8 %   | 12.7%          |
| 4            | STRG DEM:(4)      | 243                         | 9.6 %    | 10.3%          |
| 5            | INDEPNDT:(5)      | 268                         | 10.6 %   | 11.4%          |
| 6            | NO PREF:(6)       | 377                         | 14.9 %   | 16.0%          |
| 7            | OTHER:(7)         | 55                          | 2.2 %    | 2.3%           |
| 8            | DK/HVNT DECID:(8) | 625                         | 24.7 %   | 26.6%          |
| -9 (M)       | MISSING:(-9)      | 176                         | 7.0 %    | -              |

Based upon 2351 valid cases out of 2527 total cases.

**V6167**

**106C12 :R POL BLF RADCL**

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | VRV CONS:(1) | 135                         | 5.3 %    | 5.6%           |
| 2            | CONSERV:(2)  | 276                         | 10.9 %   | 11.4%          |
| 3            | MODERATE:(3) | 520                         | 20.6 %   | 21.4%          |
| 4            | LIBERAL:(4)  | 371                         | 14.7 %   | 15.3%          |
| 5            | VRV LIB:(5)  | 108                         | 4.3 %    | 4.4%           |
| 6            | RADICAL:(6)  | 48                          | 1.9 %    | 2.0%           |
| 8            | NONE/DK:(8)  | 970                         | 38.4 %   | 40.0%          |
| -9 (M)       | MISSING:(-9) | 99                          | 3.9 %    | -              |

Based upon 2428 valid cases out of 2527 total cases.

**V6169 106C13B:R ATTND REL SVC**

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 442                         | 17.5 %   | 23.2%          |
| 2            | RARELY:(2)   | 624                         | 24.7 %   | 32.8%          |
| 3            | 1-2X/MO:(3)  | 321                         | 12.7 %   | 16.9%          |
| 4            | 1/WK OR+:(4) | 517                         | 20.5 %   | 27.2%          |
| -9 (M)       | MISSING:(-9) | 623                         | 24.7 %   | -              |

Based upon 1904 valid cases out of 2527 total cases.

**V6170 106C13C:RLGN IMP Rs LF**

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Responses from the western region intentionally obliterated.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT IMP:(1)  | 423                         | 16.7 %   | 22.2%          |
| 2            | LITL IMP:(2) | 482                         | 19.1 %   | 25.3%          |
| 3            | PRTY IMP:(3) | 520                         | 20.6 %   | 27.3%          |
| 4            | VERY IMP:(4) | 478                         | 18.9 %   | 25.1%          |
| -9 (M)       | MISSING:(-9) | 624                         | 24.7 %   | -              |

Based upon 1903 valid cases out of 2527 total cases.

**V6171 106C14 :WHEN R XPCT GRAD**

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"  
6="Don't expect to graduate"

| Value  | Label          | Unweighted Frequency | %      | Valid % |
|--------|----------------|----------------------|--------|---------|
| 1      | JUNE:(1)       | 2393                 | 94.7 % | 98.4%   |
| 2      | JUL-JAN:(2)    | 28                   | 1.1 %  | 1.2%    |
| 6      | DONT EXPCT:(6) | 11                   | 0.4 %  | 0.5%    |
| -9 (M) | MISSING:(-9)   | 95                   | 3.8 %  | -       |

Based upon 2432 valid cases out of 2527 total cases.

**V6172 106C15 :Rs HS PROGRAM**

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | CLG PREP:(1) | 1329                 | 52.6 % | 55.0%   |
| 2      | GENERAL:(2)  | 751                  | 29.7 % | 31.1%   |
| 3      | VOC-TECH:(3) | 96                   | 3.8 %  | 4.0%    |
| 4      | OTH/DK:(4)   | 239                  | 9.5 %  | 9.9%    |
| -9 (M) | MISSING:(-9) | 112                  | 4.4 %  | -       |

Based upon 2415 valid cases out of 2527 total cases.

**V6173 106C16 :RT SF SCH AB>AVG**

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

| Value  | Label            | Unweighted Frequency | %      | Valid % |
|--------|------------------|----------------------|--------|---------|
| 1      | FAR BELOW:(1)    | 37                   | 1.5 %  | 1.5%    |
| 2      | BELOW AVG:(2)    | 43                   | 1.7 %  | 1.8%    |
| 3      | SLIGHT BELOW:(3) | 109                  | 4.3 %  | 4.5%    |
| 4      | AVERAGE:(4)      | 777                  | 30.7 % | 32.4%   |
| 5      | SLIGHT ABOVE:(5) | 565                  | 22.4 % | 23.5%   |
| 6      | ABOVE AVG:(6)    | 688                  | 27.2 % | 28.7%   |
| 7      | FAR ABOVE:(7)    | 182                  | 7.2 %  | 7.6%    |
| -9 (M) | MISSING:(-9)     | 126                  | 5.0 %  | -       |

Based upon 2401 valid cases out of 2527 total cases.

**V6174**

**106C17 :RT SF INTELL>AVG**

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

| Value  | Label            | Unweighted Frequency | %      | Valid % |
|--------|------------------|----------------------|--------|---------|
| 1      | FAR BELOW:(1)    | 35                   | 1.4 %  | 1.5%    |
| 2      | BELOW AVG:(2)    | 32                   | 1.3 %  | 1.3%    |
| 3      | SLIGHT BELOW:(3) | 123                  | 4.9 %  | 5.1%    |
| 4      | AVERAGE:(4)      | 719                  | 28.5 % | 29.9%   |
| 5      | SLIGHT ABOVE:(5) | 562                  | 22.2 % | 23.3%   |
| 6      | ABOVE AVG:(6)    | 713                  | 28.2 % | 29.6%   |
| 7      | FAR ABOVE:(7)    | 224                  | 8.9 %  | 9.3%    |
| -9 (M) | MISSING:(-9)     | 119                  | 4.7 %  | -       |

Based upon 2408 valid cases out of 2527 total cases.

**V6175 106C18A:#DA/4W SC MS ILL**

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | NONE:(1)     | 1368                 | 54.1 % | 57.7%   |
| 2      | 1 DAY:(2)    | 395                  | 15.6 % | 16.7%   |
| 3      | 2 DAYS:(3)   | 279                  | 11.0 % | 11.8%   |
| 4      | 3 DAYS:(4)   | 158                  | 6.3 %  | 6.7%    |
| 5      | 4-5 DAYS:(5) | 97                   | 3.8 %  | 4.1%    |
| 6      | 6-10 DA:(6)  | 47                   | 1.9 %  | 2.0%    |
| 7      | 11+ DAYS:(7) | 27                   | 1.1 %  | 1.1%    |
| -9 (M) | MISSING:(-9) | 156                  | 6.2 %  | -       |

Based upon 2371 valid cases out of 2527 total cases.

**V6176 106C18B:#DA/4W SC MS CUT**

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

| Value | Label      | Unweighted Frequency | %      | Valid % |
|-------|------------|----------------------|--------|---------|
| 1     | NONE:(1)   | 1618                 | 64.0 % | 69.0%   |
| 2     | 1 DAY:(2)  | 285                  | 11.3 % | 12.1%   |
| 3     | 2 DAYS:(3) | 175                  | 6.9 %  | 7.5%    |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 4            | 3 DAYS:(4)   | 113                             | 4.5 %    | 4.8%           |
| 5            | 4-5 DAYS:(5) | 84                              | 3.3 %    | 3.6%           |
| 6            | 6-10 DA:(6)  | 30                              | 1.2 %    | 1.3%           |
| 7            | 11+ DAYS:(7) | 41                              | 1.6 %    | 1.7%           |
| -9 (M)       | MISSING:(-9) | 181                             | 7.2 %    | -              |

Based upon 2346 valid cases out of 2527 total cases.

**V6177 106C18C:#DA/4W SC MS OTH**

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 1294                            | 51.2 %   | 54.7%          |
| 2            | 1 DAY:(2)    | 447                             | 17.7 %   | 18.9%          |
| 3            | 2 DAYS:(3)   | 262                             | 10.4 %   | 11.1%          |
| 4            | 3 DAYS:(4)   | 161                             | 6.4 %    | 6.8%           |
| 5            | 4-5 DAYS:(5) | 118                             | 4.7 %    | 5.0%           |
| 6            | 6-10 DA:(6)  | 50                              | 2.0 %    | 2.1%           |
| 7            | 11+ DAYS:(7) | 33                              | 1.3 %    | 1.4%           |
| -9 (M)       | MISSING:(-9) | 162                             | 6.4 %    | -              |

Based upon 2365 valid cases out of 2527 total cases.

**V6178 106C19 :#DA/4W SKP CLASS**

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 1660                        | 65.7 %   | 68.9%          |
| 2            | 1-2:(2)      | 447                         | 17.7 %   | 18.6%          |
| 3            | 3-5:(3)      | 189                         | 7.5 %    | 7.8%           |
| 4            | 6-10:(4)     | 63                          | 2.5 %    | 2.6%           |
| 5            | 11-20:(5)    | 21                          | 0.8 %    | 0.9%           |
| 6            | 21+: (6)     | 28                          | 1.1 %    | 1.2%           |
| -9 (M)       | MISSING:(-9) | 119                         | 4.7 %    | -              |

Based upon 2408 valid cases out of 2527 total cases.

**V6179 106C20 :R HS GRADE/D = 1**

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
1="D (69 or below)"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | D:(1)        | 28                          | 1.1 %    | 1.2%           |
| 2            | C-:(2)       | 58                          | 2.3 %    | 2.4%           |
| 3            | C:(3)        | 134                         | 5.3 %    | 5.6%           |
| 4            | C+:(4)       | 221                         | 8.7 %    | 9.2%           |
| 5            | B-:(5)       | 293                         | 11.6 %   | 12.2%          |
| 6            | B:(6)        | 431                         | 17.1 %   | 18.0%          |
| 7            | B+:(7)       | 423                         | 16.7 %   | 17.6%          |
| 8            | A-:(8)       | 410                         | 16.2 %   | 17.1%          |
| 9            | A:(9)        | 399                         | 15.8 %   | 16.6%          |
| -9 (M)       | MISSING:(-9) | 130                         | 5.1 %    | -              |

Based upon 2397 valid cases out of 2527 total cases.

**V6180 106C21A:R WL DO VOC/TEC**

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DEF WONT:(1) | 1331                        | 52.7 %   | 57.4%          |
| 2            | PRB WONT:(2) | 538                         | 21.3 %   | 23.2%          |
| 3            | PRB WILL:(3) | 288                         | 11.4 %   | 12.4%          |
| 4            | DEF WILL:(4) | 162                         | 6.4 %    | 7.0%           |
| -9 (M)       | MISSING:(-9) | 208                         | 8.2 %    | -              |

Based upon 2319 valid cases out of 2527 total cases.

**V6181 106C21B:R WL DO ARMD FC**

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DEF WONT:(1) | 1637                        | 64.8 %   | 70.3%          |
| 2            | PRB WONT:(2) | 407                         | 16.1 %   | 17.5%          |
| 3            | PRB WILL:(3) | 171                         | 6.8 %    | 7.3%           |
| 4            | DEF WILL:(4) | 113                         | 4.5 %    | 4.9%           |
| -9 (M)       | MISSING:(-9) | 199                         | 7.9 %    | -              |

Based upon 2328 valid cases out of 2527 total cases.

**V6182 106C21C:R WL DO 2YR CLG**

Location: 431-432 (width: 2; decimal: 0)



Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DEF WONT:(1) | 857                         | 33.9 %   | 37.1%          |
| 2            | PRB WONT:(2) | 408                         | 16.1 %   | 17.7%          |
| 3            | PRB WILL:(3) | 536                         | 21.2 %   | 23.2%          |
| 4            | DEF WILL:(4) | 509                         | 20.1 %   | 22.0%          |
| -9 (M)       | MISSING:(-9) | 217                         | 8.6 %    | -              |

Based upon 2310 valid cases out of 2527 total cases.

**V6183**

**106C21D:R WL DO 4YR CLG**

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DEF WONT:(1) | 180                         | 7.1 %    | 7.7%           |
| 2            | PRB WONT:(2) | 215                         | 8.5 %    | 9.2%           |
| 3            | PRB WILL:(3) | 546                         | 21.6 %   | 23.3%          |
| 4            | DEF WILL:(4) | 1404                        | 55.6 %   | 59.9%          |
| -9 (M)       | MISSING:(-9) | 182                         | 7.2 %    | -              |

Based upon 2345 valid cases out of 2527 total cases.

**V6184**

**106C21E:R WL DO GRD/PRF**

Location: 435-436 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
 4="Definitely Will"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DEF WONT:(1) | 363                         | 14.4 %   | 15.6%          |
| 2            | PRB WONT:(2) | 599                         | 23.7 %   | 25.7%          |
| 3            | PRB WILL:(3) | 800                         | 31.7 %   | 34.4%          |
| 4            | DEF WILL:(4) | 566                         | 22.4 %   | 24.3%          |
| -9 (M)       | MISSING:(-9) | 199                         | 7.9 %    | -              |

Based upon 2328 valid cases out of 2527 total cases.

**V6185 106C22A:R WNTDO VOC/TEC**

Location: 437-438 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 2010                        | 79.5 %   | 85.2%          |
| 1            | MARKED:(1)   | 350                         | 13.9 %   | 14.8%          |
| -9 (M)       | MISSING:(-9) | 167                         | 6.6 %    | -              |

Based upon 2360 valid cases out of 2527 total cases.

**V6186 106C22B:R WNTDO ARMD FC**

Location: 439-440 (width: 2; decimal: 0)  
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 1998                        | 79.1 %   | 84.7%          |
| 1            | MARKED:(1)   | 362                         | 14.3 %   | 15.3%          |
| -9 (M)       | MISSING:(-9) | 167                         | 6.6 %    | -              |

Based upon 2360 valid cases out of 2527 total cases.

**V6187 106C22C:R WNTDO 2YR CLG**

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 1714                        | 67.8 %   | 72.6%          |
| 1            | MARKED:(1)   | 646                         | 25.6 %   | 27.4%          |
| -9 (M)       | MISSING:(-9) | 167                         | 6.6 %    | -              |

Based upon 2360 valid cases out of 2527 total cases.

**V6188 106C22D:R WNTDO 4YR CLG**

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 484                         | 19.2 %   | 20.5%          |
| 1            | MARKED:(1)   | 1876                        | 74.2 %   | 79.5%          |
| -9 (M)       | MISSING:(-9) | 167                         | 6.6 %    | -              |

Based upon 2360 valid cases out of 2527 total cases.

**V6189 106C22E:R WNTDO GRD/PRF**

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 1014                        | 40.1 %   | 43.0%          |
| 1            | MARKED:(1)   | 1346                        | 53.3 %   | 57.0%          |
| -9 (M)       | MISSING:(-9) | 167                         | 6.6 %    | -              |

Based upon 2360 valid cases out of 2527 total cases.

**V6190 106C22F:R WNTDO NONE**

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 2243                        | 88.8 %   | 95.0%          |
| 1            | MARKED:(1)   | 117                         | 4.6 %    | 5.0%           |
| -9 (M)       | MISSING:(-9) | 167                         | 6.6 %    | -              |

Based upon 2360 valid cases out of 2527 total cases.

**V6191 106C23 :HRS/W WRK SCHYR**

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 1047                        | 41.4 %   | 44.2%          |
| 2            | 5 OR <:(2)   | 224                         | 8.9 %    | 9.5%           |
| 3            | 6-10 HRS:(3) | 242                         | 9.6 %    | 10.2%          |
| 4            | 11-15 HR:(4) | 230                         | 9.1 %    | 9.7%           |
| 5            | 16-20 HR:(5) | 212                         | 8.4 %    | 9.0%           |
| 6            | 21-25 HR:(6) | 184                         | 7.3 %    | 7.8%           |
| 7            | 26-30 HR:(7) | 112                         | 4.4 %    | 4.7%           |
| 8            | 30+ HRS:(8)  | 116                         | 4.6 %    | 4.9%           |
| -9 (M)       | MISSING:(-9) | 160                         | 6.3 %    | -              |

Based upon 2367 valid cases out of 2527 total cases.

**V6192 106C24A:R\$/AVG WEEK JOB**

Location: 451-453 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

| <i>Value</i> | <i>Label</i>  | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)      | 1125                            | 44.5 %   | 48.3%          |
| 2            | \$1-5:(2)     | 17                              | 0.7 %    | 0.7%           |
| 3            | \$6-10:(3)    | 61                              | 2.4 %    | 2.6%           |
| 4            | \$11-20:(4)   | 47                              | 1.9 %    | 2.0%           |
| 5            | \$21-35:(5)   | 89                              | 3.5 %    | 3.8%           |
| 6            | \$36-50:(6)   | 109                             | 4.3 %    | 4.7%           |
| 7            | \$51-75:(7)   | 152                             | 6.0 %    | 6.5%           |
| 8            | \$76-125:(8)  | 308                             | 12.2 %   | 13.2%          |
| 9            | \$126-175:(9) | 212                             | 8.4 %    | 9.1%           |
| 10           | \$176+:(10)   | 211                             | 8.3 %    | 9.1%           |
| -9 (M)       | MISSING:(-9)  | 196                             | 7.8 %    | -              |

Based upon 2331 valid cases out of 2527 total cases.

**V6193**

**106C24B:R\$/AVG WEEK OTH**

Location: 454-456 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

| <i>Value</i> | <i>Label</i>  | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)      | 924                             | 36.6 %   | 39.9%          |
| 2            | \$1-5:(2)     | 107                             | 4.2 %    | 4.6%           |
| 3            | \$6-10:(3)    | 221                             | 8.7 %    | 9.6%           |
| 4            | \$11-20:(4)   | 416                             | 16.5 %   | 18.0%          |
| 5            | \$21-35:(5)   | 246                             | 9.7 %    | 10.6%          |
| 6            | \$36-50:(6)   | 167                             | 6.6 %    | 7.2%           |
| 7            | \$51-75:(7)   | 86                              | 3.4 %    | 3.7%           |
| 8            | \$76-125:(8)  | 69                              | 2.7 %    | 3.0%           |
| 9            | \$126-175:(9) | 29                              | 1.1 %    | 1.3%           |
| 10           | \$176+:(10)   | 48                              | 1.9 %    | 2.1%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 214                             | 8.5 %    | -              |

Based upon 2313 valid cases out of 2527 total cases.

**V6194 106C25 :#X/AV WK GO OUT**

Location: 457-458 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"  
6="Six or Seven"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | < 1:(1)      | 305                             | 12.1 %   | 12.9%          |
| 2            | ONE:(2)      | 345                             | 13.7 %   | 14.6%          |
| 3            | TWO:(3)      | 609                             | 24.1 %   | 25.8%          |
| 4            | THREE:(4)    | 559                             | 22.1 %   | 23.7%          |
| 5            | 4-5:(5)      | 343                             | 13.6 %   | 14.5%          |
| 6            | 6-7:(6)      | 198                             | 7.8 %    | 8.4%           |
| -9 (M)       | MISSING:(-9) | 168                             | 6.6 %    | -              |

Based upon 2359 valid cases out of 2527 total cases.

**V6195 106C26 :#X DATE 3+/WK**

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NEVER:(1)    | 753                             | 29.8 %   | 31.9%          |
| 2            | ONCE/MO:(2)  | 429                             | 17.0 %   | 18.2%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 3            | 2-3X MO:(3)  | 385                             | 15.2 %   | 16.3%          |
| 4            | ONCE WK:(4)  | 297                             | 11.8 %   | 12.6%          |
| 5            | 2-3X WK:(5)  | 322                             | 12.7 %   | 13.7%          |
| 6            | 3+ WEEK:(6)  | 172                             | 6.8 %    | 7.3%           |
| -9 (M)       | MISSING:(-9) | 169                             | 6.7 %    | -              |

Based upon 2358 valid cases out of 2527 total cases.

**V6196**

**106C27 :DRIVE>200 MI/WK**

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NONE:(1)     | 561                             | 22.2 %   | 23.7%          |
| 2            | 1-10 MI:(2)  | 251                             | 9.9 %    | 10.6%          |
| 3            | 11-50:(3)    | 570                             | 22.6 %   | 24.1%          |
| 4            | 51-100:(4)   | 490                             | 19.4 %   | 20.7%          |
| 5            | 101-200:(5)  | 309                             | 12.2 %   | 13.0%          |
| 6            | > 200:(6)    | 188                             | 7.4 %    | 7.9%           |
| -9 (M)       | MISSING:(-9) | 158                             | 6.3 %    | -              |

Based upon 2369 valid cases out of 2527 total cases.

**V6197**

**106C28 :#X/12MO R TCKTD**

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"



4="Four or more times"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 0            | NONE:(0)     | 1810                            | 71.6 %   | 77.4%          |
| 1            | ONCE:(1)     | 318                             | 12.6 %   | 13.6%          |
| 2            | TWICE:(2)    | 129                             | 5.1 %    | 5.5%           |
| 3            | 3 TIMES:(3)  | 51                              | 2.0 %    | 2.2%           |
| 4            | 4+ TIMES:(4) | 32                              | 1.3 %    | 1.4%           |
| -9 (M)       | MISSING:(-9) | 187                             | 7.4 %    | -              |

Based upon 2340 valid cases out of 2527 total cases.

**V6198 106C29AR:#TCKTS AFT DRNK**

Location: 465-466 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 0            | NONE:(0)     | 505                             | 20.0 %   | 95.5%          |
| 1            | ONE:(1)      | 21                              | 0.8 %    | 4.0%           |
| 2            | TWO:(2)      | 2                               | 0.1 %    | 0.4%           |
| 3            | THREE+:(3-4) | 1                               | 0.0 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 1998                            | 79.1 %   | -              |

Based upon 529 valid cases out of 2527 total cases.

**V6199 106C29BR:#TCKTS AFT MARJ**

Location: 467-468 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| <i>Value</i> | <i>Label</i>  | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|---------------------------------|----------|----------------|
| 0            | NONE:(0)      | 494                             | 19.5 %   | 93.6%          |
| 1            | ONE:(1)       | 22                              | 0.9 %    | 4.2%           |
| 2            | TWO:(2)       | 7                               | 0.3 %    | 1.3%           |
| 3            | THREE+: (3-4) | 5                               | 0.2 %    | 0.9%           |
| -9 (M)       | MISSING:(-9)  | 1999                            | 79.1 %   | -              |

Based upon 528 valid cases out of 2527 total cases.

**V6200 106C29CR:#TCKTS AFT OTDG**

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| <i>Value</i> | <i>Label</i>  | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|---------------------------------|----------|----------------|
| 0            | NONE:(0)      | 512                             | 20.3 %   | 98.1%          |
| 1            | ONE:(1)       | 8                               | 0.3 %    | 1.5%           |
| 2            | TWO:(2)       | 1                               | 0.0 %    | 0.2%           |
| 3            | THREE+: (3-4) | 1                               | 0.0 %    | 0.2%           |
| -9 (M)       | MISSING:(-9)  | 2005                            | 79.3 %   | -              |

Based upon 522 valid cases out of 2527 total cases.

**V6201 106C30 :#ACCIDNTS/12 MO**

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NONE:(0)     | 1960                        | 77.6 %   | 83.5%          |
| 1            | ONCE:(1)     | 297                         | 11.8 %   | 12.7%          |
| 2            | TWICE:(2)    | 61                          | 2.4 %    | 2.6%           |
| 3            | 3 TIMES:(3)  | 17                          | 0.7 %    | 0.7%           |
| 4            | 4+ TIMES:(4) | 12                          | 0.5 %    | 0.5%           |
| -9 (M)       | MISSING:(-9) | 180                         | 7.1 %    | -              |

Based upon 2347 valid cases out of 2527 total cases.

**V6202 106C31AR:#ACDTS AFT DRNK**

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NONE:(0)     | 358                         | 14.2 %   | 94.5%          |
| 1            | ONE:(1)      | 17                          | 0.7 %    | 4.5%           |
| 2            | TWO:(2)      | 3                           | 0.1 %    | 0.8%           |
| 3            | THREE+:(3-4) | 1                           | 0.0 %    | 0.3%           |
| -9 (M)       | MISSING:(-9) | 2148                        | 85.0 %   | -              |

Based upon 379 valid cases out of 2527 total cases.

**V6203 106C31BR:#ACDTS AFT MARJ**

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NONE:(0)     | 360                         | 14.2 %   | 95.0%          |
| 1            | ONE:(1)      | 13                          | 0.5 %    | 3.4%           |
| 2            | TWO:(2)      | 4                           | 0.2 %    | 1.1%           |
| 3            | THREE+:(3-4) | 2                           | 0.1 %    | 0.5%           |
| -9 (M)       | MISSING:(-9) | 2148                        | 85.0 %   | -              |

Based upon 379 valid cases out of 2527 total cases.

**V6204**

**106C31CR:#ACDTS AFT OTDG**

Location:

477-478 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NONE:(0)     | 372                         | 14.7 %   | 98.2%          |
| 1            | ONE:(1)      | 4                           | 0.2 %    | 1.1%           |
| 2            | TWO:(2)      | 2                           | 0.1 %    | 0.5%           |
| 3            | THREE+:(3-4) | 1                           | 0.0 %    | 0.3%           |
| -9 (M)       | MISSING:(-9) | 2148                        | 85.0 %   | -              |

Based upon 379 valid cases out of 2527 total cases.

**V6205**

**106C32 :USE SEATBLT-DRVR**

Location:

479-480 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M): -9

Question:

Item Number: 22210

When you drive a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"  
8="Does Not Apply"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 109                         | 4.3 %    | 4.7%           |
| 2            | SELDOM:(2)   | 87                          | 3.4 %    | 3.7%           |
| 3            | SOMETIME:(3) | 136                         | 5.4 %    | 5.8%           |
| 4            | OFTEN:(4)    | 219                         | 8.7 %    | 9.4%           |
| 5            | ALWAYS:(5)   | 1647                        | 65.2 %   | 70.3%          |
| 8            | INAP:(8)     | 144                         | 5.7 %    | 6.1%           |
| -9 (M)       | MISSING:(-9) | 185                         | 7.3 %    | -              |

Based upon 2342 valid cases out of 2527 total cases.

**V6206**

**106C33 :USE SEATBLT-RIDR**

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22220

When you are riding in the front passenger seat of a car,  
how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"  
8="Does Not Apply"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NEVER:(1)    | 101                         | 4.0 %    | 4.3%           |
| 2            | SELDOM:(2)   | 100                         | 4.0 %    | 4.3%           |
| 3            | SOMETIME:(3) | 169                         | 6.7 %    | 7.2%           |
| 4            | OFTEN:(4)    | 361                         | 14.3 %   | 15.5%          |
| 5            | ALWAYS:(5)   | 1596                        | 63.2 %   | 68.4%          |
| 8            | INAP:(8)     | 7                           | 0.3 %    | 0.3%           |
| -9 (M)       | MISSING:(-9) | 193                         | 7.6 %    | -              |

Based upon 2334 valid cases out of 2527 total cases.

**V6560**

**106D01 :#X ANTISMK TV/RD**

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30260

The next questions are about anti-smoking commercials or "spots" that are intended to discourage cigarette smoking. In recent months, about how often have you seen such anti-smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | NOT@ALL:(1)  | 442                  | 17.5 % | 18.8%   |
| 2      | <1/MONTH:(2) | 458                  | 18.1 % | 19.5%   |
| 3      | 1-3X/MON:(3) | 656                  | 26.0 % | 27.9%   |
| 4      | 1-3/WEEK:(4) | 469                  | 18.6 % | 20.0%   |
| 5      | DAILY:(5)    | 260                  | 10.3 % | 11.1%   |
| 6      | >1/DAY:(6)   | 63                   | 2.5 %  | 2.7%    |
| -9 (M) | MISSING:(-9) | 179                  | 7.1 %  | -       |

Based upon 2348 valid cases out of 2527 total cases.

**V6561**

**106D02 :#X ANTISMK PRINT**

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30270

In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

| Value | Label        | Unweighted Frequency | %      | Valid % |
|-------|--------------|----------------------|--------|---------|
| 1     | NOT@ALL:(1)  | 630                  | 24.9 % | 26.8%   |
| 2     | <1/MONTH:(2) | 669                  | 26.5 % | 28.5%   |
| 3     | 1-3X/MON:(3) | 661                  | 26.2 % | 28.2%   |
| 4     | 1-3/WEEK:(4) | 243                  | 9.6 %  | 10.4%   |
| 5     | DAILY:(5)    | 106                  | 4.2 %  | 4.5%    |
| 6     | >1/DAY:(6)   | 38                   | 1.5 %  | 1.6%    |

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 180                         | 7.1 %    | -              |

Based upon 2347 valid cases out of 2527 total cases.

**V6562 106D03A:ANTISMK ADS<FVRB**

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30280

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

A: . . . made you less favorable toward smoking cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 891                         | 35.3 %   | 38.3%          |
| 2            | LTTL EXT:(2) | 415                         | 16.4 %   | 17.8%          |
| 3            | SOME EXT:(3) | 526                         | 20.8 %   | 22.6%          |
| 4            | GRT EXT:(4)  | 220                         | 8.7 %    | 9.4%           |
| 5            | VRGR EXT:(5) | 277                         | 11.0 %   | 11.9%          |
| -9 (M)       | MISSING:(-9) | 198                         | 7.8 %    | -              |

Based upon 2329 valid cases out of 2527 total cases.

**V6563 106D03B:ANTISMK ADS<LKLY**

Location: 489-490 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30290

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

B: . . . made you less likely to smoke cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 912                         | 36.1 %   | 39.4%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 2            | LTTL EXT:(2) | 364                             | 14.4 %   | 15.7%          |
| 3            | SOME EXT:(3) | 479                             | 19.0 %   | 20.7%          |
| 4            | GRT EXT:(4)  | 231                             | 9.1 %    | 10.0%          |
| 5            | VRGR EXT:(5) | 329                             | 13.0 %   | 14.2%          |
| -9 (M)       | MISSING:(-9) | 212                             | 8.4 %    | -              |

Based upon 2315 valid cases out of 2527 total cases.

**V6564 106D03C:ANTISMK ADS EXAG**

Location: 491-492 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30300

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

C: . . . overstated the dangers or risks of cigarette smoking?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 969                             | 38.3 %   | 42.0%          |
| 2            | LTTL EXT:(2) | 414                             | 16.4 %   | 17.9%          |
| 3            | SOME EXT:(3) | 458                             | 18.1 %   | 19.8%          |
| 4            | GRT EXT:(4)  | 217                             | 8.6 %    | 9.4%           |
| 5            | VRGR EXT:(5) | 251                             | 9.9 %    | 10.9%          |
| -9 (M)       | MISSING:(-9) | 218                             | 8.6 %    | -              |

Based upon 2309 valid cases out of 2527 total cases.

**V6565 106D04A:CIG SMKRS-ATHLTS**

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30310

These days, how many people in the following groups would you guess are regular cigarette smokers?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"



5="71% to 90%" 6="91% to 100%" 8="Have no idea"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0%-10%:(1)   | 970                             | 38.4 %   | 42.3%          |
| 2            | 11%-30%:(2)  | 527                             | 20.9 %   | 23.0%          |
| 3            | 31%-50%:(3)  | 271                             | 10.7 %   | 11.8%          |
| 4            | 51%-70%:(4)  | 130                             | 5.1 %    | 5.7%           |
| 5            | 71%-90%:(5)  | 70                              | 2.8 %    | 3.1%           |
| 6            | 91%-100%:(6) | 27                              | 1.1 %    | 1.2%           |
| 8            | NO IDEA:(8)  | 300                             | 11.9 %   | 13.1%          |
| -9 (M)       | MISSING:(-9) | 232                             | 9.2 %    | -              |

Based upon 2295 valid cases out of 2527 total cases.

**V6566 106D04B:CIG SMKRS-ROCKRS**

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30320

These days, how many people in the following groups would you guess are regular cigarette smokers?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0%-10%:(1)   | 90                              | 3.6 %    | 3.9%           |
| 2            | 11%-30%:(2)  | 125                             | 4.9 %    | 5.4%           |
| 3            | 31%-50%:(3)  | 292                             | 11.6 %   | 12.7%          |
| 4            | 51%-70%:(4)  | 474                             | 18.8 %   | 20.7%          |
| 5            | 71%-90%:(5)  | 631                             | 25.0 %   | 27.5%          |
| 6            | 91%-100%:(6) | 473                             | 18.7 %   | 20.6%          |
| 8            | NO IDEA:(8)  | 209                             | 8.3 %    | 9.1%           |
| -9 (M)       | MISSING:(-9) | 233                             | 9.2 %    | -              |

Based upon 2294 valid cases out of 2527 total cases.

**V6567 106D04C:CIG SMKRS-ACTORS**

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30330

These days, how many people in the following groups would you guess are regular cigarette smokers?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | 0%-10%:(1)   | 134                  | 5.3 %  | 5.9%    |
| 2      | 11%-30%:(2)  | 271                  | 10.7 % | 11.8%   |
| 3      | 31%-50%:(3)  | 440                  | 17.4 % | 19.2%   |
| 4      | 51%-70%:(4)  | 617                  | 24.4 % | 27.0%   |
| 5      | 71%-90%:(5)  | 423                  | 16.7 % | 18.5%   |
| 6      | 91%-100%:(6) | 163                  | 6.5 %  | 7.1%    |
| 8      | NO IDEA:(8)  | 239                  | 9.5 %  | 10.5%   |
| -9 (M) | MISSING:(-9) | 240                  | 9.5 %  | -       |

Based upon 2287 valid cases out of 2527 total cases.

**V6568**

**106D04D:CIG SMKRS-PEERS**

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30340

These days, how many people in the following groups would you guess are regular cigarette smokers?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

| Value | Label        | Unweighted Frequency | %      | Valid % |
|-------|--------------|----------------------|--------|---------|
| 1     | 0%-10%:(1)   | 217                  | 8.6 %  | 9.5%    |
| 2     | 11%-30%:(2)  | 465                  | 18.4 % | 20.3%   |
| 3     | 31%-50%:(3)  | 471                  | 18.6 % | 20.6%   |
| 4     | 51%-70%:(4)  | 509                  | 20.1 % | 22.3%   |
| 5     | 71%-90%:(5)  | 324                  | 12.8 % | 14.2%   |
| 6     | 91%-100%:(6) | 138                  | 5.5 %  | 6.0%    |
| 8     | NO IDEA:(8)  | 163                  | 6.5 %  | 7.1%    |

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 240                         | 9.5 %    | -              |

Based upon 2287 valid cases out of 2527 total cases.

**V6569 106D05A:USE DRUGS-ATHLTS**

Location: 501-502 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22380

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | 0%-10%:(1)   | 693                         | 27.4 %   | 30.3%          |
| 2            | 11%-30%:(2)  | 584                         | 23.1 %   | 25.5%          |
| 3            | 31%-50%:(3)  | 275                         | 10.9 %   | 12.0%          |
| 4            | 51%-70%:(4)  | 197                         | 7.8 %    | 8.6%           |
| 5            | 71%-90%:(5)  | 140                         | 5.5 %    | 6.1%           |
| 6            | 91%-100%:(6) | 82                          | 3.2 %    | 3.6%           |
| 8            | NO IDEA:(8)  | 317                         | 12.5 %   | 13.9%          |
| -9 (M)       | MISSING:(-9) | 239                         | 9.5 %    | -              |

Based upon 2288 valid cases out of 2527 total cases.

**V6570 106D05B:USE DRUGS-ROCKRS**

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22390

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | 0%-10%:(1)   | 83                   | 3.3 %  | 3.6%    |
| 2      | 11%-30%:(2)  | 127                  | 5.0 %  | 5.6%    |
| 3      | 31%-50%:(3)  | 241                  | 9.5 %  | 10.6%   |
| 4      | 51%-70%:(4)  | 391                  | 15.5 % | 17.1%   |
| 5      | 71%-90%:(5)  | 610                  | 24.1 % | 26.7%   |
| 6      | 91%-100%:(6) | 590                  | 23.3 % | 25.8%   |
| 8      | NO IDEA:(8)  | 241                  | 9.5 %  | 10.6%   |
| -9 (M) | MISSING:(-9) | 244                  | 9.7 %  | -       |

Based upon 2283 valid cases out of 2527 total cases.

**V6571 106D05C:USE DRUGS-ACTORS**

Location: 505-506 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22400

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | 0%-10%:(1)   | 176                  | 7.0 %  | 7.7%    |
| 2      | 11%-30%:(2)  | 342                  | 13.5 % | 15.0%   |
| 3      | 31%-50%:(3)  | 473                  | 18.7 % | 20.7%   |
| 4      | 51%-70%:(4)  | 480                  | 19.0 % | 21.0%   |
| 5      | 71%-90%:(5)  | 342                  | 13.5 % | 15.0%   |
| 6      | 91%-100%:(6) | 168                  | 6.6 %  | 7.4%    |
| 8      | NO IDEA:(8)  | 301                  | 11.9 % | 13.2%   |
| -9 (M) | MISSING:(-9) | 245                  | 9.7 %  | -       |

Based upon 2282 valid cases out of 2527 total cases.

**V6572 106D05D:USE DRUGS-PEERS**

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22405

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | 0%-10%:(1)   | 233                  | 9.2 %  | 10.2%   |
| 2      | 11%-30%:(2)  | 363                  | 14.4 % | 15.9%   |
| 3      | 31%-50%:(3)  | 433                  | 17.1 % | 19.0%   |
| 4      | 51%-70%:(4)  | 472                  | 18.7 % | 20.7%   |
| 5      | 71%-90%:(5)  | 370                  | 14.6 % | 16.2%   |
| 6      | 91%-100%:(6) | 210                  | 8.3 %  | 9.2%    |
| 8      | NO IDEA:(8)  | 198                  | 7.8 %  | 8.7%    |
| -9 (M) | MISSING:(-9) | 248                  | 9.8 %  | -       |

Based upon 2279 valid cases out of 2527 total cases.

**V6573**

**106D06 :SMKRS MOVIE THTR**

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30360

Think about the movie that you watched most recently in a theater. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

| Value  | Label             | Unweighted Frequency | %      | Valid % |
|--------|-------------------|----------------------|--------|---------|
| 1      | NO:(1)            | 731                  | 28.9 % | 32.0%   |
| 2      | SOME:(2)          | 1103                 | 43.6 % | 48.3%   |
| 3      | A LOT:(3)         | 185                  | 7.3 %  | 8.1%    |
| 4      | DONT REMEMBER:(4) | 266                  | 10.5 % | 11.6%   |
| -9 (M) | MISSING:(-9)      | 242                  | 9.6 %  | -       |

Based upon 2285 valid cases out of 2527 total cases.

**V6574**

**106D07 :SMKRS MOVIE HOME**

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30370

Think about the movie that you watched most recently on video, DVD or TV. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

| <i>Value</i> | <i>Label</i>      | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|-------------------|-----------------------------|----------|----------------|
| 1            | NO:(1)            | 659                         | 26.1 %   | 28.8%          |
| 2            | SOME:(2)          | 1164                        | 46.1 %   | 50.9%          |
| 3            | A LOT:(3)         | 234                         | 9.3 %    | 10.2%          |
| 4            | DONT REMEMBER:(4) | 228                         | 9.0 %    | 10.0%          |
| -9 (M)       | MISSING:(-9)      | 242                         | 9.6 %    | -              |

Based upon 2285 valid cases out of 2527 total cases.

**V6581**

**106D08 :#X SEE DRUG SPTS**

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22460

The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT@ALL:(1)  | 614                         | 24.3 %   | 27.0%          |
| 2            | <1/MONTH:(2) | 559                         | 22.1 %   | 24.6%          |
| 3            | 1-3X/MON:(3) | 605                         | 23.9 %   | 26.6%          |
| 4            | 1-3/WEEK:(4) | 317                         | 12.5 %   | 14.0%          |
| 5            | DAILY:(5)    | 135                         | 5.3 %    | 5.9%           |
| 6            | >1/DAY:(6)   | 41                          | 1.6 %    | 1.8%           |
| -9 (M)       | MISSING:(-9) | 256                         | 10.1 %   | -              |

Based upon 2271 valid cases out of 2527 total cases.

**V6582 106D09A:ADS-PEOPL <FAVBL**

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22470

To what extent do you think such commercials have . . .

A: . . . Made people your age less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 744                         | 29.4 %   | 33.4%          |
| 2            | LTTL EXT:(2) | 657                         | 26.0 %   | 29.5%          |
| 3            | SOME EXT:(3) | 615                         | 24.3 %   | 27.6%          |
| 4            | GRT EXT:(4)  | 120                         | 4.7 %    | 5.4%           |
| 5            | VRGR EXT:(5) | 92                          | 3.6 %    | 4.1%           |
| -9 (M)       | MISSING:(-9) | 299                         | 11.8 %   | -              |

Based upon 2228 valid cases out of 2527 total cases.

**V6583 106D09B:ADS-YOU <FAVORBL**

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22480

To what extent do you think such commercials have . . .

B: . . . Made you less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 761                         | 30.1 %   | 34.4%          |
| 2            | LTTL EXT:(2) | 455                         | 18.0 %   | 20.5%          |
| 3            | SOME EXT:(3) | 519                         | 20.5 %   | 23.4%          |
| 4            | GRT EXT:(4)  | 220                         | 8.7 %    | 9.9%           |
| 5            | VRGR EXT:(5) | 260                         | 10.3 %   | 11.7%          |
| -9 (M)       | MISSING:(-9) | 312                         | 12.3 %   | -              |

Based upon 2215 valid cases out of 2527 total cases.

**V6584 106D09C:ADS-YOU <TRY DRG**

Location: 519-520 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22490

To what extent do you think such commercials have . . .

C: . . . Made you less likely to use drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 786                         | 31.1 %   | 35.5%          |
| 2            | LTTL EXT:(2) | 425                         | 16.8 %   | 19.2%          |
| 3            | SOME EXT:(3) | 473                         | 18.7 %   | 21.4%          |
| 4            | GRT EXT:(4)  | 219                         | 8.7 %    | 9.9%           |
| 5            | VRGR EXT:(5) | 310                         | 12.3 %   | 14.0%          |
| -9 (M)       | MISSING:(-9) | 314                         | 12.4 %   | -              |

Based upon 2213 valid cases out of 2527 total cases.

**V6585 106D09D:ADS-OVRST DANGER**

Location: 521-522 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22500

To what extent do you think such commercials have . . .

D: . . . Overstated the dangers or risks of drug use?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NOT @ALL:(1) | 862                         | 34.1 %   | 39.1%          |
| 2            | LTTL EXT:(2) | 448                         | 17.7 %   | 20.3%          |
| 3            | SOME EXT:(3) | 490                         | 19.4 %   | 22.2%          |
| 4            | GRT EXT:(4)  | 194                         | 7.7 %    | 8.8%           |
| 5            | VRGR EXT:(5) | 209                         | 8.3 %    | 9.5%           |



| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 324                             | 12.8 %   | -              |

Based upon 2203 valid cases out of 2527 total cases.

**V6353 106D10A:POS ATT TWD SELF**

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12550

How much do you agree or disagree with each of the following statements?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 91                              | 3.6 %    | 4.1%           |
| 2            | MOST DIS:(2) | 106                             | 4.2 %    | 4.7%           |
| 3            | NEITHER:(3)  | 218                             | 8.6 %    | 9.7%           |
| 4            | MOST AGR:(4) | 907                             | 35.9 %   | 40.5%          |
| 5            | AGREE:(5)    | 920                             | 36.4 %   | 41.0%          |
| -9 (M)       | MISSING:(-9) | 285                             | 11.3 %   | -              |

Based upon 2242 valid cases out of 2527 total cases.

**V6354 106D10B:LIFE MEANINGLESS**

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23700

How much do you agree or disagree with each of the following statements?

B: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 957                             | 37.9 %   | 42.7%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 2            | MOST DIS:(2) | 586                             | 23.2 %   | 26.1%          |
| 3            | NEITHER:(3)  | 376                             | 14.9 %   | 16.8%          |
| 4            | MOST AGR:(4) | 221                             | 8.7 %    | 9.9%           |
| 5            | AGREE:(5)    | 101                             | 4.0 %    | 4.5%           |
| -9 (M)       | MISSING:(-9) | 286                             | 11.3 %   | -              |

Based upon 2241 valid cases out of 2527 total cases.

**V6355 106D10C:SHD DO OWN THING**

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07040

How much do you agree or disagree with each of the following statements?

C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 76                              | 3.0 %    | 3.4%           |
| 2            | MOST DIS:(2) | 70                              | 2.8 %    | 3.2%           |
| 3            | NEITHER:(3)  | 202                             | 8.0 %    | 9.1%           |
| 4            | MOST AGR:(4) | 792                             | 31.3 %   | 35.6%          |
| 5            | AGREE:(5)    | 1082                            | 42.8 %   | 48.7%          |
| -9 (M)       | MISSING:(-9) | 305                             | 12.1 %   | -              |

Based upon 2222 valid cases out of 2527 total cases.

**V6356 106D10D:-MUCH TO B PROUD**

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12660

How much do you agree or disagree with each of the following statements?

D: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 1021                            | 40.4 %   | 46.1%          |
| 2            | MOST DIS:(2) | 559                             | 22.1 %   | 25.2%          |
| 3            | NEITHER:(3)  | 311                             | 12.3 %   | 14.0%          |
| 4            | MOST AGR:(4) | 215                             | 8.5 %    | 9.7%           |
| 5            | AGREE:(5)    | 108                             | 4.3 %    | 4.9%           |
| -9 (M)       | MISSING:(-9) | 313                             | 12.4 %   | -              |

Based upon 2214 valid cases out of 2527 total cases.

**V6357 106D10E:AM PRSN OF WORTH**

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12570

How much do you agree or disagree with each of the following statements?

E: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 96                              | 3.8 %    | 4.3%           |
| 2            | MOST DIS:(2) | 126                             | 5.0 %    | 5.7%           |
| 3            | NEITHER:(3)  | 275                             | 10.9 %   | 12.4%          |
| 4            | MOST AGR:(4) | 675                             | 26.7 %   | 30.5%          |
| 5            | AGREE:(5)    | 1039                            | 41.1 %   | 47.0%          |
| -9 (M)       | MISSING:(-9) | 316                             | 12.5 %   | -              |

Based upon 2211 valid cases out of 2527 total cases.

**V6358 106D10F:I ENJOY LIFE**

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23710

How much do you agree or disagree with each of the following statements?

F: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 98                          | 3.9 %    | 4.4%           |
| 2            | MOST DIS:(2) | 133                         | 5.3 %    | 6.0%           |
| 3            | NEITHER:(3)  | 263                         | 10.4 %   | 11.9%          |
| 4            | MOST AGR:(4) | 685                         | 27.1 %   | 31.0%          |
| 5            | AGREE:(5)    | 1028                        | 40.7 %   | 46.6%          |
| -9 (M)       | MISSING:(-9) | 320                         | 12.7 %   | -              |

Based upon 2207 valid cases out of 2527 total cases.

**V6359**

**106D10G:KICK DO DANGR TH**

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07050

How much do you agree or disagree with each of the following statements?

G: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 300                         | 11.9 %   | 13.6%          |
| 2            | MOST DIS:(2) | 344                         | 13.6 %   | 15.6%          |
| 3            | NEITHER:(3)  | 527                         | 20.9 %   | 23.9%          |
| 4            | MOST AGR:(4) | 641                         | 25.4 %   | 29.1%          |
| 5            | AGREE:(5)    | 391                         | 15.5 %   | 17.7%          |
| -9 (M)       | MISSING:(-9) | 324                         | 12.8 %   | -              |

Based upon 2203 valid cases out of 2527 total cases.

**V6360**

**106D10H:I AM NO GOOD**

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12680

How much do you agree or disagree with each of the following statements?

H: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 954                         | 37.8 %   | 43.4%          |
| 2            | MOST DIS:(2) | 484                         | 19.2 %   | 22.0%          |
| 3            | NEITHER:(3)  | 348                         | 13.8 %   | 15.8%          |
| 4            | MOST AGR:(4) | 258                         | 10.2 %   | 11.7%          |
| 5            | AGREE:(5)    | 154                         | 6.1 %    | 7.0%           |
| -9 (M)       | MISSING:(-9) | 329                         | 13.0 %   | -              |

Based upon 2198 valid cases out of 2527 total cases.

#### **V6361 106D10I:DO WELL AS OTHRS**

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 78                          | 3.1 %    | 3.5%           |
| 2            | MOST DIS:(2) | 99                          | 3.9 %    | 4.5%           |
| 3            | NEITHER:(3)  | 298                         | 11.8 %   | 13.5%          |
| 4            | MOST AGR:(4) | 823                         | 32.6 %   | 37.3%          |
| 5            | AGREE:(5)    | 907                         | 35.9 %   | 41.1%          |
| -9 (M)       | MISSING:(-9) | 322                         | 12.7 %   | -              |

Based upon 2205 valid cases out of 2527 total cases.

#### **V6362 106D10J:FUTURE HOPELESS**

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23720

How much do you agree or disagree with each of the following statements?

J: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 1123                            | 44.4 %   | 50.9%          |
| 2            | MOST DIS:(2) | 484                             | 19.2 %   | 21.9%          |
| 3            | NEITHER:(3)  | 337                             | 13.3 %   | 15.3%          |
| 4            | MOST AGR:(4) | 172                             | 6.8 %    | 7.8%           |
| 5            | AGREE:(5)    | 90                              | 3.6 %    | 4.1%           |
| -9 (M)       | MISSING:(-9) | 321                             | 12.7 %   | -              |

Based upon 2206 valid cases out of 2527 total cases.

**V6363**

**106D10K:LIKE RISK SOME X**

Location: 543-544 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07060

How much do you agree or disagree with each of the following statements?

K: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 381                             | 15.1 %   | 17.3%          |
| 2            | MOST DIS:(2) | 336                             | 13.3 %   | 15.3%          |
| 3            | NEITHER:(3)  | 461                             | 18.2 %   | 21.0%          |
| 4            | MOST AGR:(4) | 656                             | 26.0 %   | 29.8%          |
| 5            | AGREE:(5)    | 364                             | 14.4 %   | 16.6%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 329                             | 13.0 %   | -              |

Based upon 2198 valid cases out of 2527 total cases.

**V6364 106D10L:I DO WRONG THING**

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12720

How much do you agree or disagree with each of the following statements?

L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 1084                            | 42.9 %   | 49.5%          |
| 2            | MOST DIS:(2) | 534                             | 21.1 %   | 24.4%          |
| 3            | NEITHER:(3)  | 317                             | 12.5 %   | 14.5%          |
| 4            | MOST AGR:(4) | 167                             | 6.6 %    | 7.6%           |
| 5            | AGREE:(5)    | 90                              | 3.6 %    | 4.1%           |
| -9 (M)       | MISSING:(-9) | 335                             | 13.3 %   | -              |

Based upon 2192 valid cases out of 2527 total cases.

**V6365 106D10M:SATISFD W MYSELF**

Location: 547-548 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12620

How much do you agree or disagree with each of the following statements?

M: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 98                              | 3.9 %    | 4.5%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 2            | MOST DIS:(2) | 130                             | 5.1 %    | 5.9%           |
| 3            | NEITHER:(3)  | 272                             | 10.8 %   | 12.4%          |
| 4            | MOST AGR:(4) | 695                             | 27.5 %   | 31.7%          |
| 5            | AGREE:(5)    | 996                             | 39.4 %   | 45.5%          |
| -9 (M)       | MISSING:(-9) | 336                             | 13.3 %   | -              |

Based upon 2191 valid cases out of 2527 total cases.

**V6366**

**106D10N:MY LIFE NT USEFL**

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12750

How much do you agree or disagree with each of the following statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 1196                            | 47.3 %   | 54.7%          |
| 2            | MOST DIS:(2) | 461                             | 18.2 %   | 21.1%          |
| 3            | NEITHER:(3)  | 314                             | 12.4 %   | 14.4%          |
| 4            | MOST AGR:(4) | 145                             | 5.7 %    | 6.6%           |
| 5            | AGREE:(5)    | 72                              | 2.8 %    | 3.3%           |
| -9 (M)       | MISSING:(-9) | 339                             | 13.4 %   | -              |

Based upon 2188 valid cases out of 2527 total cases.

**V6367**

**106D10O:GOOD TO BE ALIVE**

Location: 551-552 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23730

How much do you agree or disagree with each of the following statements?

O: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"



5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 65                              | 2.6 %    | 3.0%           |
| 2            | MOST DIS:(2) | 61                              | 2.4 %    | 2.8%           |
| 3            | NEITHER:(3)  | 205                             | 8.1 %    | 9.4%           |
| 4            | MOST AGR:(4) | 451                             | 17.8 %   | 20.7%          |
| 5            | AGREE:(5)    | 1392                            | 55.1 %   | 64.0%          |
| -9 (M)       | MISSING:(-9) | 353                             | 14.0 %   | -              |

Based upon 2174 valid cases out of 2527 total cases.

**V6587 106D10P:LIK XPLOR STRANG**

Location: 553-554 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31080

How much do you agree or disagree with each of the following statements?

P: I would like to explore strange places

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 148                             | 5.9 %    | 6.8%           |
| 2            | MOST DIS:(2) | 117                             | 4.6 %    | 5.4%           |
| 3            | NEITHER:(3)  | 319                             | 12.6 %   | 14.7%          |
| 4            | MOST AGR:(4) | 577                             | 22.8 %   | 26.5%          |
| 5            | AGREE:(5)    | 1015                            | 40.2 %   | 46.6%          |
| -9 (M)       | MISSING:(-9) | 351                             | 13.9 %   | -              |

Based upon 2176 valid cases out of 2527 total cases.

**V6588 106D10Q:LIK DO FRIGHT TG**

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31090

How much do you agree or disagree with each of the following statements?

Q: I like to do frightening things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 426                             | 16.9 %   | 19.5%          |
| 2            | MOST DIS:(2) | 360                             | 14.2 %   | 16.5%          |
| 3            | NEITHER:(3)  | 545                             | 21.6 %   | 25.0%          |
| 4            | MOST AGR:(4) | 477                             | 18.9 %   | 21.9%          |
| 5            | AGREE:(5)    | 372                             | 14.7 %   | 17.1%          |
| -9 (M)       | MISSING:(-9) | 347                             | 13.7 %   | -              |

Based upon 2180 valid cases out of 2527 total cases.

**V6589**

**106D10R:LIK EVN BRK RULE**

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31100

How much do you agree or disagree with each of the following statements?

R: I like new and exciting experiences, even if I have to break the rules

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 294                             | 11.6 %   | 13.6%          |
| 2            | MOST DIS:(2) | 320                             | 12.7 %   | 14.8%          |
| 3            | NEITHER:(3)  | 466                             | 18.4 %   | 21.5%          |
| 4            | MOST AGR:(4) | 596                             | 23.6 %   | 27.5%          |
| 5            | AGREE:(5)    | 491                             | 19.4 %   | 22.7%          |
| -9 (M)       | MISSING:(-9) | 360                             | 14.2 %   | -              |

Based upon 2167 valid cases out of 2527 total cases.

**V6590**

**106D10S:PRF FRND EXCITNG**

Location: 559-560 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31110

How much do you agree or disagree with each of the following statements?

S: I prefer friends who are exciting and unpredictable

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 154                         | 6.1 %    | 7.1%           |
| 2            | MOST DIS:(2) | 176                         | 7.0 %    | 8.1%           |
| 3            | NEITHER:(3)  | 563                         | 22.3 %   | 25.9%          |
| 4            | MOST AGR:(4) | 652                         | 25.8 %   | 30.0%          |
| 5            | AGREE:(5)    | 631                         | 25.0 %   | 29.0%          |
| -9 (M)       | MISSING:(-9) | 351                         | 13.9 %   | -              |

Based upon 2176 valid cases out of 2527 total cases.

**V6616**

**106D10T:I AM OFTEN BORED**

Location: 561-562 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32000

How much do you agree or disagree with each of the following statements?

T: I am often bored

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DISAGREE:(1) | 434                         | 17.2 %   | 20.0%          |
| 2            | MOST DIS:(2) | 506                         | 20.0 %   | 23.3%          |
| 3            | NEITHER:(3)  | 488                         | 19.3 %   | 22.5%          |
| 4            | MOST AGR:(4) | 405                         | 16.0 %   | 18.7%          |
| 5            | AGREE:(5)    | 338                         | 13.4 %   | 15.6%          |
| -9 (M)       | MISSING:(-9) | 356                         | 14.1 %   | -              |

Based upon 2171 valid cases out of 2527 total cases.

**V6497**

**106D11A:#XDRUNK/LIFETIME**

Location: 563-564 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 25020

The different questionnaire forms used in this study emphasize different topics. In the rest of this questionnaire, we ask more about your experiences and attitudes relating to alcohol and other drugs.

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 986                         | 39.0 %   | 45.5%          |
| 2            | 1-2X:(2)     | 281                         | 11.1 %   | 13.0%          |
| 3            | 3-5X:(3)     | 171                         | 6.8 %    | 7.9%           |
| 4            | 6-9X:(4)     | 136                         | 5.4 %    | 6.3%           |
| 5            | 10-19X:(5)   | 177                         | 7.0 %    | 8.2%           |
| 6            | 20-39X:(6)   | 134                         | 5.3 %    | 6.2%           |
| 7            | 40+OCCAS:(7) | 282                         | 11.2 %   | 13.0%          |
| -9 (M)       | MISSING:(-9) | 360                         | 14.2 %   | -              |

Based upon 2167 valid cases out of 2527 total cases.

**V6498 106D11B:#XDRUNK/LAST12MO**

Location: 565-566 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 1184                            | 46.9 %   | 54.8%          |
| 2            | 1-2X:(2)     | 314                             | 12.4 %   | 14.5%          |
| 3            | 3-5X:(3)     | 151                             | 6.0 %    | 7.0%           |
| 4            | 6-9X:(4)     | 150                             | 5.9 %    | 6.9%           |
| 5            | 10-19X:(5)   | 149                             | 5.9 %    | 6.9%           |
| 6            | 20-39X:(6)   | 98                              | 3.9 %    | 4.5%           |
| 7            | 40+OCCAS:(7) | 115                             | 4.6 %    | 5.3%           |
| -9 (M)       | MISSING:(-9) | 366                             | 14.5 %   | -              |

Based upon 2161 valid cases out of 2527 total cases.

**V6499 106D11C:#XDRUNK/LAST30DA**

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 1520                            | 60.2 %   | 70.5%          |
| 2            | 1-2X:(2)     | 317                             | 12.5 %   | 14.7%          |
| 3            | 3-5X:(3)     | 126                             | 5.0 %    | 5.8%           |
| 4            | 6-9X:(4)     | 103                             | 4.1 %    | 4.8%           |
| 5            | 10-19X:(5)   | 53                              | 2.1 %    | 2.5%           |
| 6            | 20-39X:(6)   | 12                              | 0.5 %    | 0.6%           |
| 7            | 40+OCCAS:(7) | 26                              | 1.0 %    | 1.2%           |
| -9 (M)       | MISSING:(-9) | 370                             | 14.6 %   | -              |

Based upon 2157 valid cases out of 2527 total cases.

**V6368 106D12A:#X STRD/LIFETIME**

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value  | Label        | Unweighted Frequency | %      | Valid % |
|--------|--------------|----------------------|--------|---------|
| 1      | O OCCAS:(1)  | 2121                 | 83.9 % | 98.0%   |
| 2      | 1-2X:(2)     | 14                   | 0.6 %  | 0.6%    |
| 3      | 3-5X:(3)     | 10                   | 0.4 %  | 0.5%    |
| 4      | 6-9X:(4)     | 5                    | 0.2 %  | 0.2%    |
| 5      | 10-19X:(5)   | 3                    | 0.1 %  | 0.1%    |
| 6      | 20-39X:(6)   | 1                    | 0.0 %  | 0.0%    |
| 7      | 40+OCCAS:(7) | 11                   | 0.4 %  | 0.5%    |
| -9 (M) | MISSING:(-9) | 362                  | 14.3 % | -       |

Based upon 2165 valid cases out of 2527 total cases.

**V6369** **106D12B:#X STRD/LAST12MO**

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      | Valid % |
|-------|-------------|----------------------|--------|---------|
| 1     | O OCCAS:(1) | 2133                 | 84.4 % | 98.4%   |
| 2     | 1-2X:(2)    | 12                   | 0.5 %  | 0.6%    |
| 3     | 3-5X:(3)    | 6                    | 0.2 %  | 0.3%    |
| 4     | 6-9X:(4)    | 4                    | 0.2 %  | 0.2%    |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 5            | 10-19X:(5)   | 1                               | 0.0 %    | 0.0%           |
| 6            | 20-39X:(6)   | 1                               | 0.0 %    | 0.0%           |
| 7            | 40+OCCAS:(7) | 11                              | 0.4 %    | 0.5%           |
| -9 (M)       | MISSING:(-9) | 359                             | 14.2 %   | -              |

Based upon 2168 valid cases out of 2527 total cases.

**V6370 106D12C:#X STRD/LAST30DA**

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2141                            | 84.7 %   | 98.8%          |
| 2            | 1-2X:(2)     | 7                               | 0.3 %    | 0.3%           |
| 3            | 3-5X:(3)     | 3                               | 0.1 %    | 0.1%           |
| 4            | 6-9X:(4)     | 3                               | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 1                               | 0.0 %    | 0.0%           |
| 6            | 20-39X:(6)   | 2                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 10                              | 0.4 %    | 0.5%           |
| -9 (M)       | MISSING:(-9) | 360                             | 14.2 %   | -              |

Based upon 2167 valid cases out of 2527 total cases.

**V6376 106D13A:MTHD STRD-INJECT**

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23790

What methods have you used for taking steroids on your own?  
(Mark ALL that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 25                          | 1.0 %    | 73.5%          |
| 1            | MARKED:(1)   | 9                           | 0.4 %    | 26.5%          |
| -9 (M)       | MISSING:(-9) | 2493                        | 98.7 %   | -              |

Based upon 34 valid cases out of 2527 total cases.

**V6377 106D13B:MTHD STRD-MOUTH**

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23800

What methods have you used for taking steroids on your own?  
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 14                          | 0.6 %    | 41.2%          |
| 1            | MARKED:(1)   | 20                          | 0.8 %    | 58.8%          |
| -9 (M)       | MISSING:(-9) | 2493                        | 98.7 %   | -              |

Based upon 34 valid cases out of 2527 total cases.

**V6586 106D13C:HVNT USED STRDS**

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30940

What methods have you used for taking steroids on your own?

C: Haven't used steroids.

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 0            | NT MARKD:(0) | 25                          | 1.0 %    | 1.2%           |



| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | MARKED:(1)   | 2130                            | 84.3 %   | 98.8%          |
| -9 (M)       | MISSING:(-9) | 372                             | 14.7 %   | -              |

Based upon 2155 valid cases out of 2527 total cases.

**V6500**

**106D14A:#X INJECT/LIFE**

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25050

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

A: . . . in your lifetime?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2123                            | 84.0 %   | 98.6%          |
| 2            | 1-2X:(2)     | 11                              | 0.4 %    | 0.5%           |
| 3            | 3-5X:(3)     | 3                               | 0.1 %    | 0.1%           |
| 4            | 6-9X:(4)     | 7                               | 0.3 %    | 0.3%           |
| 5            | 10-19X:(5)   | 5                               | 0.2 %    | 0.2%           |
| 7            | 40+OCCAS:(7) | 5                               | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 373                             | 14.8 %   | -              |

Based upon 2154 valid cases out of 2527 total cases.

**V6501**

**106D14B:#X INJECT/LST12M**

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25060

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

B: . . . during the last 12 months?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2140                        | 84.7 %   | 99.3%          |
| 2            | 1-2X:(2)     | 4                           | 0.2 %    | 0.2%           |
| 3            | 3-5X:(3)     | 4                           | 0.2 %    | 0.2%           |
| 4            | 6-9X:(4)     | 3                           | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 1                           | 0.0 %    | 0.0%           |
| 7            | 40+OCCAS:(7) | 4                           | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 371                         | 14.7 %   | -              |

Based upon 2156 valid cases out of 2527 total cases.

**V6502**

**106D14C:#X INJECT/LST30D**

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25070

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

C: . . . during the last 30 days?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2144                        | 84.8 %   | 99.5%          |
| 2            | 1-2X:(2)     | 3                           | 0.1 %    | 0.1%           |
| 3            | 3-5X:(3)     | 1                           | 0.0 %    | 0.0%           |
| 4            | 6-9X:(4)     | 2                           | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 4                           | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 373                         | 14.8 %   | -              |

Based upon 2154 valid cases out of 2527 total cases.

**V6503**

**106D15 :GR 1ST INJECT**

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25680

When (if ever) did you FIRST inject any drug with a needle  
(without doctor's orders)?

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | GRADE 6:(1)  | 6                               | 0.2 %    | 0.3%           |
| 2            | GRADE 7:(2)  | 5                               | 0.2 %    | 0.2%           |
| 3            | GRADE 8:(3)  | 2                               | 0.1 %    | 0.1%           |
| 4            | GRADE 9:(4)  | 5                               | 0.2 %    | 0.2%           |
| 5            | GRADE 10:(5) | 5                               | 0.2 %    | 0.2%           |
| 6            | GRADE 11:(6) | 5                               | 0.2 %    | 0.2%           |
| 7            | GRADE 12:(7) | 2                               | 0.1 %    | 0.1%           |
| 8            | NEVER:(8)    | 2117                            | 83.8 %   | 98.6%          |
| -9 (M)       | MISSING:(-9) | 380                             | 15.0 %   | -              |

Based upon 2147 valid cases out of 2527 total cases.

**V6378 106D16A:GR 1ST SMOK EVR**

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05575

When (if ever) did you FIRST do each of the following things?

A: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | GRADE 6:(1)  | 112                             | 4.4 %    | 5.4%           |
| 2            | GRADE 7:(2)  | 102                             | 4.0 %    | 4.9%           |
| 3            | GRADE 8:(3)  | 111                             | 4.4 %    | 5.3%           |
| 4            | GRADE 9:(4)  | 144                             | 5.7 %    | 6.9%           |
| 5            | GRADE 10:(5) | 156                             | 6.2 %    | 7.5%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 6            | GRADE 11:(6) | 118                             | 4.7 %    | 5.6%           |
| 7            | GRADE 12:(7) | 72                              | 2.8 %    | 3.4%           |
| 8            | NEVER:(8)    | 1274                            | 50.4 %   | 61.0%          |
| -9 (M)       | MISSING:(-9) | 438                             | 17.3 %   | -              |

Based upon 2089 valid cases out of 2527 total cases.

**V6379**

**106D16B:GR 1ST SMOK DLY**

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05570

When (if ever) did you FIRST do each of the following things?

B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | GRADE 6:(1)  | 15                              | 0.6 %    | 0.7%           |
| 2            | GRADE 7:(2)  | 16                              | 0.6 %    | 0.8%           |
| 3            | GRADE 8:(3)  | 25                              | 1.0 %    | 1.2%           |
| 4            | GRADE 9:(4)  | 56                              | 2.2 %    | 2.6%           |
| 5            | GRADE 10:(5) | 55                              | 2.2 %    | 2.6%           |
| 6            | GRADE 11:(6) | 73                              | 2.9 %    | 3.5%           |
| 7            | GRADE 12:(7) | 72                              | 2.8 %    | 3.4%           |
| 8            | NEVER:(8)    | 1803                            | 71.3 %   | 85.2%          |
| -9 (M)       | MISSING:(-9) | 412                             | 16.3 %   | -              |

Based upon 2115 valid cases out of 2527 total cases.

**V6380**

**106D16C:GR 1ST SMOKELESS**

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05576

When (if ever) did you FIRST do each of the following things?

C: Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | GRADE 6:(1)  | 37                          | 1.5 %    | 1.7%           |
| 2            | GRADE 7:(2)  | 23                          | 0.9 %    | 1.1%           |
| 3            | GRADE 8:(3)  | 44                          | 1.7 %    | 2.0%           |
| 4            | GRADE 9:(4)  | 69                          | 2.7 %    | 3.2%           |
| 5            | GRADE 10:(5) | 71                          | 2.8 %    | 3.3%           |
| 6            | GRADE 11:(6) | 86                          | 3.4 %    | 4.0%           |
| 7            | GRADE 12:(7) | 58                          | 2.3 %    | 2.7%           |
| 8            | NEVER:(8)    | 1777                        | 70.3 %   | 82.1%          |
| -9 (M)       | MISSING:(-9) | 362                         | 14.3 %   | -              |

Based upon 2165 valid cases out of 2527 total cases.

**V6482 106D17A:FUTR SMOKE CIGS**

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24440

In the future, do you think that you will . . .

A: . . . Smoke cigarettes?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

| <i>Value</i> | <i>Label</i>  | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|-----------------------------|----------|----------------|
| 1            | DEF WILL:(1)  | 113                         | 4.5 %    | 5.2%           |
| 2            | PROB WILL:(2) | 182                         | 7.2 %    | 8.4%           |
| 3            | DK:(3)        | 159                         | 6.3 %    | 7.3%           |
| 4            | PRB WONT:(4)  | 272                         | 10.8 %   | 12.6%          |
| 5            | DEF WONT:(5)  | 1440                        | 57.0 %   | 66.5%          |
| -9 (M)       | MISSING:(-9)  | 361                         | 14.3 %   | -              |

Based upon 2166 valid cases out of 2527 total cases.

**V6483 106D17B:FUTR DRINK ALCOL**

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24450

In the future, do you think that you will . . .

B: . . . Drink alcoholic beverages?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

| <i>Value</i> | <i>Label</i>  | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|---------------------------------|----------|----------------|
| 1            | DEF WILL:(1)  | 676                             | 26.8 %   | 31.2%          |
| 2            | PROB WILL:(2) | 727                             | 28.8 %   | 33.6%          |
| 3            | DK:(3)        | 258                             | 10.2 %   | 11.9%          |
| 4            | PRB WONT:(4)  | 130                             | 5.1 %    | 6.0%           |
| 5            | DEF WONT:(5)  | 373                             | 14.8 %   | 17.2%          |
| -9 (M)       | MISSING:(-9)  | 363                             | 14.4 %   | -              |

Based upon 2164 valid cases out of 2527 total cases.

**V6484**

**106D17C:FUTR TRY/USE MJ**

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24460

In the future, do you think that you will . . .

C: . . . Try or use marijuana?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

| <i>Value</i> | <i>Label</i>  | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|---------------------------------|----------|----------------|
| 1            | DEF WILL:(1)  | 278                             | 11.0 %   | 12.8%          |
| 2            | PROB WILL:(2) | 311                             | 12.3 %   | 14.4%          |
| 3            | DK:(3)        | 267                             | 10.6 %   | 12.3%          |
| 4            | PRB WONT:(4)  | 227                             | 9.0 %    | 10.5%          |
| 5            | DEF WONT:(5)  | 1081                            | 42.8 %   | 50.0%          |
| -9 (M)       | MISSING:(-9)  | 363                             | 14.4 %   | -              |

Based upon 2164 valid cases out of 2527 total cases.

**V6485**

**106D17D:FUTR TRY/USE CRK**

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24470

In the future, do you think that you will . . .

D: . . . Try or use "crack" cocaine?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

| <i>Value</i> | <i>Label</i>  | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|-----------------------------|----------|----------------|
| 1            | DEF WILL:(1)  | 102                         | 4.0 %    | 4.7%           |
| 2            | PROB WILL:(2) | 15                          | 0.6 %    | 0.7%           |
| 3            | DK:(3)        | 51                          | 2.0 %    | 2.4%           |
| 4            | PRB WONT:(4)  | 80                          | 3.2 %    | 3.7%           |
| 5            | DEF WONT:(5)  | 1916                        | 75.8 %   | 88.5%          |
| -9 (M)       | MISSING:(-9)  | 363                         | 14.4 %   | -              |

Based upon 2164 valid cases out of 2527 total cases.

**V6486**

**106D17E:FUTR TRY/US COKP**

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24480

In the future, do you think that you will . . .

E: . . . Try or use cocaine in powder form?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

| <i>Value</i> | <i>Label</i>  | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|-----------------------------|----------|----------------|
| 1            | DEF WILL:(1)  | 103                         | 4.1 %    | 4.8%           |
| 2            | PROB WILL:(2) | 32                          | 1.3 %    | 1.5%           |
| 3            | DK:(3)        | 64                          | 2.5 %    | 3.0%           |
| 4            | PRB WONT:(4)  | 83                          | 3.3 %    | 3.8%           |
| 5            | DEF WONT:(5)  | 1882                        | 74.5 %   | 87.0%          |
| -9 (M)       | MISSING:(-9)  | 363                         | 14.4 %   | -              |

Based upon 2164 valid cases out of 2527 total cases.

**V6487**

**106D17F:FUTR TR/U OTH DG**

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 24490

In the future, do you think that you will . . .

F: . . . Try or use any other illegal drugs?

1="Definitely will" 2="Probably will" 3="Don't know"  
 4="Probably won't" 5="Definitely won't"

| <i>Value</i> | <i>Label</i>  | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|---------------|---------------------------------|----------|----------------|
| 1            | DEF WILL:(1)  | 123                             | 4.9 %    | 5.7%           |
| 2            | PROB WILL:(2) | 78                              | 3.1 %    | 3.6%           |
| 3            | DK:(3)        | 127                             | 5.0 %    | 5.9%           |
| 4            | PRB WONT:(4)  | 120                             | 4.7 %    | 5.6%           |
| 5            | DEF WONT:(5)  | 1714                            | 67.8 %   | 79.3%          |
| -9 (M)       | MISSING:(-9)  | 365                             | 14.4 %   | -              |

Based upon 2162 valid cases out of 2527 total cases.

**V6575 106D18A:FRND DAP CIG OCC**

Location: 607-608 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 30380

How do you think your CLOSE FRIENDS feel (or would feel)  
 about YOU doing each of the following things?

A: Smoking cigarettes occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 647                             | 25.6 %   | 30.3%          |
| 2            | DISAPPRV:(2) | 689                             | 27.3 %   | 32.3%          |
| 3            | STRG DIS:(3) | 800                             | 31.7 %   | 37.5%          |
| -9 (M)       | MISSING:(-9) | 391                             | 15.5 %   | -              |

Based upon 2136 valid cases out of 2527 total cases.

**V6576 106D18B:FRND DAP CIG DLY**

Location: 609-610 (width: 2; decimal: 0)  
 Variable Type: numeric



Range of Missing Values (M): -9

Question:

Item Number: 30390

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

B: Smoking cigarettes every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 413                         | 16.3 %   | 19.3%          |
| 2            | DISAPPRV:(2) | 575                         | 22.8 %   | 26.9%          |
| 3            | STRG DIS:(3) | 1149                        | 45.5 %   | 53.8%          |
| -9 (M)       | MISSING:(-9) | 390                         | 15.4 %   | -              |

Based upon 2137 valid cases out of 2527 total cases.

**V6408 106D18C:FRD DAP CIGS**

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11470

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

C: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 287                         | 11.4 %   | 13.4%          |
| 2            | DISAPPRV:(2) | 472                         | 18.7 %   | 22.1%          |
| 3            | STRG DIS:(3) | 1379                        | 54.6 %   | 64.5%          |
| -9 (M)       | MISSING:(-9) | 389                         | 15.4 %   | -              |

Based upon 2138 valid cases out of 2527 total cases.

**V6577 106D18D:FRND DAP SMK OC**

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30400

How do you think your CLOSE FRIENDS feel (or would feel)  
about YOU doing each of the following things?

D: Using smokeless tobacco occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 464                             | 18.4 %   | 21.8%          |
| 2            | DISAPPRV:(2) | 604                             | 23.9 %   | 28.4%          |
| 3            | STRG DIS:(3) | 1061                            | 42.0 %   | 49.8%          |
| -9 (M)       | MISSING:(-9) | 398                             | 15.7 %   | -              |

Based upon 2129 valid cases out of 2527 total cases.

**V6578**

**106D18E:FRND DAP SMKL DL**

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30410

How do you think your CLOSE FRIENDS feel (or would feel)  
about YOU doing each of the following things?

E: Using smokeless tobacco every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 379                             | 15.0 %   | 17.8%          |
| 2            | DISAPPRV:(2) | 524                             | 20.7 %   | 24.6%          |
| 3            | STRG DIS:(3) | 1225                            | 48.5 %   | 57.6%          |
| -9 (M)       | MISSING:(-9) | 399                             | 15.8 %   | -              |

Based upon 2128 valid cases out of 2527 total cases.

**V6579**

**106D18F:FRND DAP SMKL D+**

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30420

How do you think your CLOSE FRIENDS feel (or would feel)  
about YOU doing each of the following things?

F: Using smokeless tobacco several times per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 325                         | 12.9 %   | 15.3%          |
| 2            | DISAPPRV:(2) | 464                         | 18.4 %   | 21.8%          |
| 3            | STRG DIS:(3) | 1337                        | 52.9 %   | 62.9%          |
| -9 (M)       | MISSING:(-9) | 401                         | 15.9 %   | -              |

Based upon 2126 valid cases out of 2527 total cases.

**V6409 106D18G:FRD DAP TRY MARJ**

Location: 619-620 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11480

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

G: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 941                         | 37.2 %   | 44.1%          |
| 2            | DISAPPRV:(2) | 452                         | 17.9 %   | 21.2%          |
| 3            | STRG DIS:(3) | 741                         | 29.3 %   | 34.7%          |
| -9 (M)       | MISSING:(-9) | 393                         | 15.6 %   | -              |

Based upon 2134 valid cases out of 2527 total cases.

**V6410 106D18H:FRD DAP MJ OCC**

Location: 621-622 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11490

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

H: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 743                             | 29.4 %   | 34.8%          |
| 2            | DISAPPRV:(2) | 471                             | 18.6 %   | 22.1%          |
| 3            | STRG DIS:(3) | 918                             | 36.3 %   | 43.1%          |
| -9 (M)       | MISSING:(-9) | 395                             | 15.6 %   | -              |

Based upon 2132 valid cases out of 2527 total cases.

**V6411**

**106D18I:FRD DAP MJ REG**

Location: 623-624 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11500

How do you think your CLOSE FRIENDS feel (or would feel)  
about YOU doing each of the following things?

I: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 480                             | 19.0 %   | 22.5%          |
| 2            | DISAPPRV:(2) | 500                             | 19.8 %   | 23.5%          |
| 3            | STRG DIS:(3) | 1149                            | 45.5 %   | 54.0%          |
| -9 (M)       | MISSING:(-9) | 398                             | 15.7 %   | -              |

Based upon 2129 valid cases out of 2527 total cases.

**V6414**

**106D18J:FRD DAP TRY CRCK**

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23940

How do you think your CLOSE FRIENDS feel (or would feel)  
about YOU doing each of the following things?

J: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 147                             | 5.8 %    | 6.8%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 2            | DISAPPRV:(2) | 310                             | 12.3 %   | 14.3%          |
| 3            | STRG DIS:(3) | 1707                            | 67.6 %   | 78.9%          |
| -9 (M)       | MISSING:(-9) | 363                             | 14.4 %   | -              |

Based upon 2164 valid cases out of 2527 total cases.

**V6415 106D18K:FRD DAP CRCK OCC**

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23950

How do you think your CLOSE FRIENDS feel (or would feel)  
about YOU doing each of the following things?

K: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 107                             | 4.2 %    | 4.9%           |
| 2            | DISAPPRV:(2) | 267                             | 10.6 %   | 12.3%          |
| 3            | STRG DIS:(3) | 1788                            | 70.8 %   | 82.7%          |
| -9 (M)       | MISSING:(-9) | 365                             | 14.4 %   | -              |

Based upon 2162 valid cases out of 2527 total cases.

**V6416 106D18L:FRD DAP TRY PWDR**

Location: 629-630 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23960

How do you think your CLOSE FRIENDS feel (or would feel)  
about YOU doing each of the following things?

L: Trying cocaine powder once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 151                             | 6.0 %    | 7.0%           |
| 2            | DISAPPRV:(2) | 305                             | 12.1 %   | 14.1%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 3            | STRG DIS:(3) | 1706                        | 67.5 %   | 78.9%          |
| -9 (M)       | MISSING:(-9) | 365                         | 14.4 %   | -              |

Based upon 2162 valid cases out of 2527 total cases.

**V6417 106D18M:FRD DAP PWDR OCC**

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23970

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

M: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 113                         | 4.5 %    | 5.3%           |
| 2            | DISAPPRV:(2) | 280                         | 11.1 %   | 13.0%          |
| 3            | STRG DIS:(3) | 1753                        | 69.4 %   | 81.7%          |
| -9 (M)       | MISSING:(-9) | 381                         | 15.1 %   | -              |

Based upon 2146 valid cases out of 2527 total cases.

**V6418 106D18N:FRD DAP 1-2DR/DA**

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11530

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

N: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 541                         | 21.4 %   | 25.0%          |
| 2            | DISAPPRV:(2) | 611                         | 24.2 %   | 28.3%          |
| 3            | STRG DIS:(3) | 1010                        | 40.0 %   | 46.7%          |

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| -9 (M)       | MISSING:(-9) | 365                         | 14.4 %   | -              |

Based upon 2162 valid cases out of 2527 total cases.

**V6419 106D18O:FRD DAP 4-5DR/DA**

Location: 635-636 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11540

How do you think your CLOSE FRIENDS feel (or would feel)  
about YOU doing each of the following things?

O: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 316                         | 12.5 %   | 14.7%          |
| 2            | DISAPPRV:(2) | 504                         | 19.9 %   | 23.4%          |
| 3            | STRG DIS:(3) | 1336                        | 52.9 %   | 62.0%          |
| -9 (M)       | MISSING:(-9) | 371                         | 14.7 %   | -              |

Based upon 2156 valid cases out of 2527 total cases.

**V6420 106D18P:FRD DAP 5+DR/WKD**

Location: 637-638 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11550

How do you think your CLOSE FRIENDS feel (or would feel)  
about YOU doing each of the following things?

P: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 741                         | 29.3 %   | 34.4%          |
| 2            | DISAPPRV:(2) | 441                         | 17.5 %   | 20.5%          |
| 3            | STRG DIS:(3) | 974                         | 38.5 %   | 45.2%          |
| -9 (M)       | MISSING:(-9) | 371                         | 14.7 %   | -              |

Based upon 2156 valid cases out of 2527 total cases.

**V6421 106D18Q:FRD DAP DRIV+2DR**

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11551

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Q: Driving a car after having 1-2 drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 329                         | 13.0 %   | 15.3%          |
| 2            | DISAPPRV:(2) | 577                         | 22.8 %   | 26.8%          |
| 3            | STRG DIS:(3) | 1246                        | 49.3 %   | 57.9%          |
| -9 (M)       | MISSING:(-9) | 375                         | 14.8 %   | -              |

Based upon 2152 valid cases out of 2527 total cases.

**V6422 106D18R:FRD DAP DRIV+5DR**

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11552

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

R: Driving a car after having 5 or more drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | DNT DISP:(1) | 129                         | 5.1 %    | 6.0%           |
| 2            | DISAPPRV:(2) | 287                         | 11.4 %   | 13.3%          |
| 3            | STRG DIS:(3) | 1739                        | 68.8 %   | 80.7%          |
| -9 (M)       | MISSING:(-9) | 372                         | 14.7 %   | -              |

Based upon 2155 valid cases out of 2527 total cases.

**V6423 106D19A:ALL FRD SMK CIGS**



Location: 643-644 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 575                         | 22.8 %   | 26.6%          |
| 2            | A FEW:(2)    | 815                         | 32.3 %   | 37.8%          |
| 3            | SOME:(3)     | 513                         | 20.3 %   | 23.8%          |
| 4            | MOST:(4)     | 214                         | 8.5 %    | 9.9%           |
| 5            | ALL:(5)      | 41                          | 1.6 %    | 1.9%           |
| -9 (M)       | MISSING:(-9) | 369                         | 14.6 %   | -              |

Based upon 2158 valid cases out of 2527 total cases.

**V6424 106D19B:ALL FRD SMK MARJ**

Location: 645-646 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 538                         | 21.3 %   | 25.0%          |
| 2            | A FEW:(2)    | 631                         | 25.0 %   | 29.3%          |
| 3            | SOME:(3)     | 542                         | 21.4 %   | 25.1%          |
| 4            | MOST:(4)     | 355                         | 14.0 %   | 16.5%          |
| 5            | ALL:(5)      | 90                          | 3.6 %    | 4.2%           |
| -9 (M)       | MISSING:(-9) | 371                         | 14.7 %   | -              |

Based upon 2156 valid cases out of 2527 total cases.

**V6432 106D19C:# FRNDS TK CRACK**

Location: 647-648 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 1805                        | 71.4 %   | 83.9%          |
| 2            | A FEW:(2)    | 269                         | 10.6 %   | 12.5%          |
| 3            | SOME:(3)     | 50                          | 2.0 %    | 2.3%           |
| 4            | MOST:(4)     | 10                          | 0.4 %    | 0.5%           |
| 5            | ALL:(5)      | 17                          | 0.7 %    | 0.8%           |
| -9 (M)       | MISSING:(-9) | 376                         | 14.9 %   | -              |

Based upon 2151 valid cases out of 2527 total cases.

**V6433 106D19D:# FRNDS TK C PWD**

Location: 649-650 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine in powder form?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 1762                        | 69.7 %   | 82.0%          |
| 2            | A FEW:(2)    | 309                         | 12.2 %   | 14.4%          |
| 3            | SOME:(3)     | 51                          | 2.0 %    | 2.4%           |
| 4            | MOST:(4)     | 9                           | 0.4 %    | 0.4%           |
| 5            | ALL:(5)      | 17                          | 0.7 %    | 0.8%           |
| -9 (M)       | MISSING:(-9) | 379                         | 15.0 %   | -              |

Based upon 2148 valid cases out of 2527 total cases.

**V6436 106D19E:ALL FRD TK INHL**

Location: 651-652 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 07180

How many of your friends would you estimate . . .

E: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 1776                        | 70.3 %   | 82.5%          |
| 2            | A FEW:(2)    | 276                         | 10.9 %   | 12.8%          |
| 3            | SOME:(3)     | 65                          | 2.6 %    | 3.0%           |
| 4            | MOST:(4)     | 17                          | 0.7 %    | 0.8%           |
| 5            | ALL:(5)      | 18                          | 0.7 %    | 0.8%           |
| -9 (M)       | MISSING:(-9) | 375                         | 14.8 %   | -              |

Based upon 2152 valid cases out of 2527 total cases.

**V6488 106D19F:ALL FRD TK MDMA**

Location: 653-654 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 23020

How many of your friends would you estimate . . .

F: . . . Take MDMA (ecstasy)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 1578                        | 62.4 %   | 73.4%          |
| 2            | A FEW:(2)    | 396                         | 15.7 %   | 18.4%          |
| 3            | SOME:(3)     | 128                         | 5.1 %    | 6.0%           |
| 4            | MOST:(4)     | 28                          | 1.1 %    | 1.3%           |
| 5            | ALL:(5)      | 21                          | 0.8 %    | 1.0%           |
| -9 (M)       | MISSING:(-9) | 376                         | 14.9 %   | -              |

Based upon 2151 valid cases out of 2527 total cases.

**V6489 106D19G:ALL FRD TK ICE**

Location: 655-656 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 24500

How many of your friends would you estimate . . .

G: . . . Take crystal meth ("ice")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 1943                        | 76.9 %   | 90.4%          |
| 2            | A FEW:(2)    | 150                         | 5.9 %    | 7.0%           |
| 3            | SOME:(3)     | 30                          | 1.2 %    | 1.4%           |
| 4            | MOST:(4)     | 9                           | 0.4 %    | 0.4%           |
| 5            | ALL:(5)      | 18                          | 0.7 %    | 0.8%           |
| -9 (M)       | MISSING:(-9) | 377                         | 14.9 %   | -              |

Based upon 2150 valid cases out of 2527 total cases.

**V6490 106D19H:ALL FRD TK STERS**

Location: 657-658 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 23030

How many of your friends would you estimate . . .

H: . . . Take steroids?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | NONE:(1)     | 1777                        | 70.3 %   | 82.7%          |
| 2            | A FEW:(2)    | 283                         | 11.2 %   | 13.2%          |
| 3            | SOME:(3)     | 48                          | 1.9 %    | 2.2%           |
| 4            | MOST:(4)     | 14                          | 0.6 %    | 0.7%           |
| 5            | ALL:(5)      | 26                          | 1.0 %    | 1.2%           |
| -9 (M)       | MISSING:(-9) | 379                         | 15.0 %   | -              |

Based upon 2148 valid cases out of 2527 total cases.

**V6591 106D20A:#X GHB/LAST12MO**

Location: 659-660 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 31050

Lately there has been some attention paid to certain drugs.  
 During the LAST 12 MONTHS, on how many occasions (if any)  
 have you . . .

A. . . . taken GHB ("liquid G," "grievous bodily harm")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2107                            | 83.4 %   | 98.7%          |
| 2            | 1-2X:(2)     | 10                              | 0.4 %    | 0.5%           |
| 3            | 3-5X:(3)     | 3                               | 0.1 %    | 0.1%           |
| 4            | 6-9X:(4)     | 4                               | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 5                               | 0.2 %    | 0.2%           |
| 7            | 40+OCCAS:(7) | 5                               | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 393                             | 15.6 %   | -              |

Based upon 2134 valid cases out of 2527 total cases.

**V6592 106D20B:#X KETAMINE/12M**

Location: 661-662 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any)  
 have you . . .

B. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2101                            | 83.1 %   | 98.6%          |
| 2            | 1-2X:(2)     | 11                              | 0.4 %    | 0.5%           |
| 3            | 3-5X:(3)     | 5                               | 0.2 %    | 0.2%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 4            | 6-9X:(4)     | 6                               | 0.2 %    | 0.3%           |
| 5            | 10-19X:(5)   | 2                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 5                               | 0.2 %    | 0.2%           |
| -9 (M)       | MISSING:(-9) | 397                             | 15.7 %   | -              |

Based upon 2130 valid cases out of 2527 total cases.

**V6593**

**106D20C:#X SMK BIDI/12M**

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31070

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

C. . . . smoked bidis (or beedies) which are small brown  
cigarettes from India?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 2093                            | 82.8 %   | 98.4%          |
| 2            | 1-2X:(2)     | 17                              | 0.7 %    | 0.8%           |
| 3            | 3-5X:(3)     | 5                               | 0.2 %    | 0.2%           |
| 4            | 6-9X:(4)     | 3                               | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 1                               | 0.0 %    | 0.0%           |
| 7            | 40+OCCAS:(7) | 7                               | 0.3 %    | 0.3%           |
| -9 (M)       | MISSING:(-9) | 401                             | 15.9 %   | -              |

Based upon 2126 valid cases out of 2527 total cases.

**V6594**

**106D20D:#X SMK KRETK/12M**

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31150

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

D. . . . smoked kreteks (clove cigarettes)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2022                        | 80.0 %   | 95.3%          |
| 2            | 1-2X:(2)     | 46                          | 1.8 %    | 2.2%           |
| 3            | 3-5X:(3)     | 22                          | 0.9 %    | 1.0%           |
| 4            | 6-9X:(4)     | 13                          | 0.5 %    | 0.6%           |
| 5            | 10-19X:(5)   | 6                           | 0.2 %    | 0.3%           |
| 6            | 20-39X:(6)   | 2                           | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 10                          | 0.4 %    | 0.5%           |
| -9 (M)       | MISSING:(-9) | 406                         | 16.1 %   | -              |

Based upon 2121 valid cases out of 2527 total cases.

**V6595**

**106D20E:#X ANDRO/12MO**

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31160

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2089                        | 82.7 %   | 98.5%          |
| 2            | 1-2X:(2)     | 12                          | 0.5 %    | 0.6%           |
| 3            | 3-5X:(3)     | 3                           | 0.1 %    | 0.1%           |
| 4            | 6-9X:(4)     | 5                           | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 3                           | 0.1 %    | 0.1%           |
| 6            | 20-39X:(6)   | 1                           | 0.0 %    | 0.0%           |
| 7            | 40+OCCAS:(7) | 8                           | 0.3 %    | 0.4%           |
| -9 (M)       | MISSING:(-9) | 406                         | 16.1 %   | -              |

Based upon 2121 valid cases out of 2527 total cases.

**V6596**

**106D20F:#X CREATINE/12MO**

Location: 669-670 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F. . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 1941                        | 76.8 %   | 91.3%          |
| 2            | 1-2X:(2)     | 49                          | 1.9 %    | 2.3%           |
| 3            | 3-5X:(3)     | 27                          | 1.1 %    | 1.3%           |
| 4            | 6-9X:(4)     | 28                          | 1.1 %    | 1.3%           |
| 5            | 10-19X:(5)   | 27                          | 1.1 %    | 1.3%           |
| 6            | 20-39X:(6)   | 16                          | 0.6 %    | 0.8%           |
| 7            | 40+OCCAS:(7) | 38                          | 1.5 %    | 1.8%           |
| -9 (M)       | MISSING:(-9) | 401                         | 15.9 %   | -              |

Based upon 2126 valid cases out of 2527 total cases.

**V6597**

**106D20G:#X RITALIN/12MO**

Location: 671-672 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G. . . taken ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2056                        | 81.4 %   | 97.0%          |
| 2            | 1-2X:(2)     | 30                          | 1.2 %    | 1.4%           |
| 3            | 3-5X:(3)     | 12                          | 0.5 %    | 0.6%           |



| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 4            | 6-9X:(4)     | 4                               | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 7                               | 0.3 %    | 0.3%           |
| 6            | 20-39X:(6)   | 2                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 9                               | 0.4 %    | 0.4%           |
| -9 (M)       | MISSING:(-9) | 407                             | 16.1 %   | -              |

Based upon 2120 valid cases out of 2527 total cases.

**V6617 106D20H:#X ADDERALL/12MO**

Location: 673-674 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32540

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

H. . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 1984                            | 78.5 %   | 93.6%          |
| 2            | 1-2X:(2)     | 68                              | 2.7 %    | 3.2%           |
| 3            | 3-5X:(3)     | 32                              | 1.3 %    | 1.5%           |
| 4            | 6-9X:(4)     | 7                               | 0.3 %    | 0.3%           |
| 5            | 10-19X:(5)   | 11                              | 0.4 %    | 0.5%           |
| 6            | 20-39X:(6)   | 4                               | 0.2 %    | 0.2%           |
| 7            | 40+OCCAS:(7) | 13                              | 0.5 %    | 0.6%           |
| -9 (M)       | MISSING:(-9) | 408                             | 16.1 %   | -              |

Based upon 2119 valid cases out of 2527 total cases.

**V6600 106D20I:#X OXYCONTN/12MO**

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

I: . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2015                        | 79.7 %   | 95.1%          |
| 2            | 1-2X:(2)     | 52                          | 2.1 %    | 2.5%           |
| 3            | 3-5X:(3)     | 23                          | 0.9 %    | 1.1%           |
| 4            | 6-9X:(4)     | 8                           | 0.3 %    | 0.4%           |
| 5            | 10-19X:(5)   | 11                          | 0.4 %    | 0.5%           |
| 6            | 20-39X:(6)   | 2                           | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 8                           | 0.3 %    | 0.4%           |
| -9 (M)       | MISSING:(-9) | 408                         | 16.1 %   | -              |

Based upon 2119 valid cases out of 2527 total cases.

**V6601**

**106D20J:#X VICODIN/12MO**

Location: 677-678 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J: . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 1930                        | 76.4 %   | 91.1%          |
| 2            | 1-2X:(2)     | 91                          | 3.6 %    | 4.3%           |
| 3            | 3-5X:(3)     | 38                          | 1.5 %    | 1.8%           |
| 4            | 6-9X:(4)     | 26                          | 1.0 %    | 1.2%           |
| 5            | 10-19X:(5)   | 15                          | 0.6 %    | 0.7%           |
| 6            | 20-39X:(6)   | 7                           | 0.3 %    | 0.3%           |
| 7            | 40+OCCAS:(7) | 12                          | 0.5 %    | 0.6%           |
| -9 (M)       | MISSING:(-9) | 408                         | 16.1 %   | -              |

Based upon 2119 valid cases out of 2527 total cases.

**V6602 106D20K:#X ROHYPNL/12MO**

Location: 679-680 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29785

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

K: . . . taken Rohypnol ("rophies," "roofies")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2090                        | 82.7 %   | 98.6%          |
| 2            | 1-2X:(2)     | 7                           | 0.3 %    | 0.3%           |
| 3            | 3-5X:(3)     | 8                           | 0.3 %    | 0.4%           |
| 4            | 6-9X:(4)     | 4                           | 0.2 %    | 0.2%           |
| 5            | 10-19X:(5)   | 2                           | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 9                           | 0.4 %    | 0.4%           |
| -9 (M)       | MISSING:(-9) | 407                         | 16.1 %   | -              |

Based upon 2120 valid cases out of 2527 total cases.

**V6615 106D20L:#X COUGHMED/12MO**

Location: 681-682 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31670

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

L. . . . taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|-----------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 1991                        | 78.8 %   | 94.0%          |
| 2            | 1-2X:(2)     | 53                          | 2.1 %    | 2.5%           |

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 3            | 3-5X:(3)     | 28                              | 1.1 %    | 1.3%           |
| 4            | 6-9X:(4)     | 18                              | 0.7 %    | 0.9%           |
| 5            | 10-19X:(5)   | 8                               | 0.3 %    | 0.4%           |
| 6            | 20-39X:(6)   | 9                               | 0.4 %    | 0.4%           |
| 7            | 40+OCCAS:(7) | 10                              | 0.4 %    | 0.5%           |
| -9 (M)       | MISSING:(-9) | 410                             | 16.2 %   | -              |

Based upon 2117 valid cases out of 2527 total cases.

**V6618 106D20M:#X SALVIA/12MO**

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32500

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

M. . . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | 0 OCCAS:(1)  | 1998                            | 79.1 %   | 94.3%          |
| 2            | 1-2X:(2)     | 81                              | 3.2 %    | 3.8%           |
| 3            | 3-5X:(3)     | 14                              | 0.6 %    | 0.7%           |
| 4            | 6-9X:(4)     | 11                              | 0.4 %    | 0.5%           |
| 5            | 10-19X:(5)   | 7                               | 0.3 %    | 0.3%           |
| 6            | 20-39X:(6)   | 2                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 6                               | 0.2 %    | 0.3%           |
| -9 (M)       | MISSING:(-9) | 408                             | 16.1 %   | -              |

Based upon 2119 valid cases out of 2527 total cases.

**V6619 106D20N:#X PROVIGIL/12MO**

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32510

During the LAST 12 MONTHS, on how many occasions (if any)

have you . . .

N. . . . taken Provigil, a prescription stay-awake drug  
(without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> | <i>Valid %</i> |
|--------------|--------------|---------------------------------|----------|----------------|
| 1            | O OCCAS:(1)  | 2076                            | 82.2 %   | 98.4%          |
| 2            | 1-2X:(2)     | 12                              | 0.5 %    | 0.6%           |
| 3            | 3-5X:(3)     | 4                               | 0.2 %    | 0.2%           |
| 4            | 6-9X:(4)     | 2                               | 0.1 %    | 0.1%           |
| 5            | 10-19X:(5)   | 4                               | 0.2 %    | 0.2%           |
| 6            | 20-39X:(6)   | 2                               | 0.1 %    | 0.1%           |
| 7            | 40+OCCAS:(7) | 9                               | 0.4 %    | 0.4%           |
| -9 (M)       | MISSING:(-9) | 418                             | 16.5 %   | -              |

Based upon 2109 valid cases out of 2527 total cases.



# **APPENDIX**





## **Appendix A: Publications**

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.



## Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

|      | <u>Number of<br/>Public Schools</u> | <u>Number of<br/>Private Schools</u> | <u>Total Number<br/>of Schools</u> | <u>Total Number<br/>of Students</u> | <u>Student<br/>Response Rate*</u> |
|------|-------------------------------------|--------------------------------------|------------------------------------|-------------------------------------|-----------------------------------|
| 1975 | 111                                 | 14                                   | 125                                | 15,791                              | 78%                               |
| 1976 | 108                                 | 15                                   | 123                                | 16,678                              | 77                                |
| 1977 | 108                                 | 16                                   | 124                                | 18,436                              | 79                                |
| 1978 | 111                                 | 20                                   | 131                                | 18,924                              | 83                                |
| 1979 | 111                                 | 20                                   | 131                                | 16,662                              | 82                                |
| 1980 | 107                                 | 20                                   | 127                                | 16,524                              | 82                                |
| 1981 | 109                                 | 19                                   | 128                                | 18,267                              | 81                                |
| 1982 | 116                                 | 21                                   | 137                                | 18,348                              | 83                                |
| 1983 | 112                                 | 22                                   | 134                                | 16,947                              | 84                                |
| 1984 | 117                                 | 17                                   | 134                                | 16,499                              | 83                                |
| 1985 | 115                                 | 17                                   | 132                                | 16,502                              | 84                                |
| 1986 | 113                                 | 16                                   | 129                                | 15,713                              | 83                                |
| 1987 | 117                                 | 18                                   | 135                                | 16,843                              | 84                                |
| 1988 | 113                                 | 19                                   | 132                                | 16,795                              | 83                                |
| 1989 | 111                                 | 22                                   | 133                                | 17,142                              | 86                                |
| 1990 | 114                                 | 23                                   | 137                                | 15,676                              | 86                                |
| 1991 | 117                                 | 19                                   | 136                                | 15,483                              | 83                                |
| 1992 | 120                                 | 18                                   | 138                                | 16,251                              | 84                                |
| 1993 | 121                                 | 18                                   | 139                                | 16,763                              | 84                                |
| 1994 | 119                                 | 20                                   | 139                                | 15,929                              | 84                                |
| 1995 | 120                                 | 24                                   | 144                                | 15,876                              | 84                                |
| 1996 | 118                                 | 21                                   | 139                                | 14,824                              | 83                                |
| 1997 | 125                                 | 21                                   | 146                                | 15,963                              | 83                                |
| 1998 | 124                                 | 20                                   | 144                                | 15,780                              | 82                                |
| 1999 | 124                                 | 19                                   | 143                                | 14,056                              | 83                                |
| 2000 | 116                                 | 18                                   | 134                                | 13,286                              | 83                                |
| 2001 | 117                                 | 17                                   | 134                                | 13,304                              | 82                                |
| 2002 | 102                                 | 18                                   | 120                                | 13,544                              | 83                                |
| 2003 | 103                                 | 19                                   | 122                                | 15,200                              | 83                                |

|      | <u>Number of<br/>Public Schools</u> | <u>Number of<br/>Private Schools</u> | <u>Total Number<br/>of Schools</u> | <u>Total Number<br/>of Students</u> | <u>Student<br/>Response Rate*</u> |
|------|-------------------------------------|--------------------------------------|------------------------------------|-------------------------------------|-----------------------------------|
| 2004 | 109                                 | 19                                   | 128                                | 15,222                              | 82                                |
| 2005 | 108                                 | 21                                   | 129                                | 15,378                              | 82                                |
| 2006 | 116                                 | 20                                   | 136                                | 14,814                              | 83                                |
| 2007 | 111                                 | 21                                   | 132                                | 15,132                              | 81                                |
| 2008 | 103                                 | 17                                   | 120                                | 14,577                              | 79                                |
| 2009 | 106                                 | 19                                   | 125                                | 14,268                              | 82                                |
| 2010 | 104                                 | 22                                   | 126                                | 15,127                              | 85                                |

\* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.