

ICPSR 34409

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social
Research. Survey Research Center*

Form 6 Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34409/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2011 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2011 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	185	384	14,855
2	Form 1	635	1,281	2,478
3	Form 2	329	671	2,465
4	Form 3	360	734	2,470
5	Form 4	267	550	2,463
6	Form 5	309	631	2,493
7	Form 6	337	688	2,486

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119	[2] 082A04E #X INTERNET NEWS
[3] Location:	64-65(width: 2, decimal: 0)
[4] Variable Type:	numeric (ISO)
[5] Range of Missing Values (M): Question:	-9
	[6] Item Number: 24815
	[7] Question Number(s): 2A04E
	[8] How often do you use each of the following to get information about news and current events?
	E: The Internet
	[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE < 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 34409

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Form 6 Data

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
GROUP 1	SURVEY INFORMATION	20
GROUP 2	GEOGRAPHIC	20
GROUP 3	SECTION A	20
GROUP 4	SECTION B	22
GROUP 5	SECTION C	25
GROUP 6	SECTION D	26

GROUP 1 SURVEY INFORMATION

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	29
V1	YEAR OF ADMIN (4-DIGITS)	29
V3	116:FORM ID	29
V4	116:Rs ID-SERIAL #	29
V5	SAMPLING WEIGHT	29

GROUP 2 GEOGRAPHIC

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V13	SCH REG-4 CAT	29
V16	LARGE MSA = 1/NOT = 0	30
V17	MSA/NON-MSA = 0	30

GROUP 3 SECTION A

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6207	116A01 :CMP SATFD W/LIFE	31
V6208	116A02A:DALY WATCH TV	31
V6209	116A02B:DALY GO TO MOVIE	32
V6210	116A02C:DALY MUSIC CNCRT	32
V6211	116A02D:DALY RIDE FORFUN	33
V6212	116A02E:DALY CMNTY AFFRS	33
V6213	116A02F:DALY ACTV SPORTS	34
V6214	116A02G:DALY VIST W/FRDS	34
V6603	116A02H:DALY GO TO MALL	35

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6216	116A02I:DALY ALONE LEISR	35
V6217	116A02J:DALY READ MAGZNS	36
V6218	116A02K:DALY READ NWSPPR	36
V6219	116A02L:DALY GO TO BARS	37
V6220	116A02M:DALY GO TO PARTY	37
V6604	116A02N:DALY GO TO RAVES	38
V6221	116A03 :*SC WRK NVR MNG	38
V6222	116A04 :*MST COUR V DUL	39
V6223	116A05 :*LRN SCH NT IMP	39
V6224	116A06A:LSTYR/ENJOY SCHL	40
V6225	116A06B:LSTYR/HATE SCHL	40
V6226	116A06C:LSTYR/DO BEST WK	41
V6227	116A06D:LSTYR/SCH 2 HARD	41
V6228	116A06E:LSTYR/FOOL ROUND	42
V6229	116A06F:LSTYR/WK NT DONE	42
V6230	116A06G:LSTYR/GT GD GRDS	43
V6231	116A06H:LSTYR/U MISBEHAV	43
V6232	116A06I:LSTYR/SKIP SCHL	44
V6242	116A07A:5-6GR/ENJOY SCHL	45
V6243	116A07B:5-6GR/HATE SCHL	45
V6244	116A07C:5-6GR/DO BEST WK	46
V6245	116A07D:5-6GR/SCH 2 HARD	46
V6246	116A07E:5-6GR/FOOL ROUND	47
V6247	116A07F:5-6GR/WK NT DONE	47
V6248	116A07G:5-6GR/GT GD GRDS	48
V6249	116A07H:5-6GR/U MISBEHAV	48
V6250	116A07I:5-6GR/SKIP SCHL	49
V6491	116A08A:#X PRNT CHK HMWK	49
V6492	116A08B:#X PRNT HLP HMWK	50
V6493	116A08C:#X PRNT GV CHORE	50
V6494	116A08D:#X PRNT LIMIT TV	51
V6495	116A08E:#X PRNT LMT OUT	51
V6251	116A09A:SCH ACTV-PBLCTNS	52
V6252	116A09B:SCH ACTV-PRF ART	53
V6253	116A09C:SCH ACTV-ATHLTCS	53
V6254	116A09D:SCH ATV-ACDMC CL	54
V6255	116A09E:SCH ATV-STDN GVT	54
V6256	116A09F:SCH ACTV-OTH ACT	55
V6272	116A10R:EVER HELD BACK	55
V6273	116A11R:NEED SUMMER SCHL	56
V6496	116A12R:EVER SUSPENDED	56

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6507	116A13:#DA GUN SCHL/4WK	57
V6504	116A14 :ILL DRG SOLD@SCH	57
V6274	116A15A:TCHR PRVNT SMKNG	57
V6275	116A15B:TCHR PRVNT DRNKG	58
V6276	116A15C:TCHR PRVNT DRUGS	59
V6277	116A16A:CNSEQNC 4 SMOKNG	59
V6278	116A16B:CNSEQNC 4 ALCOHL	60
V6279	116A16C:CNSEQNC 4 DRUGS	60
V6297	116A17A:RSK OF CIG1+PK/D	61
V6298	116A17B:RSK OF MJ 1-2 X	61
V6299	116A17C:RSK OF MJ OCSNLY	62
V6300	116A17D:RSK OF MJ REGLY	62
V6523	116A17E:RSK OF COKE 1-2X	63
V6316	116A17F:RSK OF 1-2 DR/DA	64
V6317	116A17G:RSK OF 4-5 DR/DA	64
V6318	116A17H:RSK OF 5+DR/WKND	65
V6478	116A17I:RSK STEROID ATHL	65
V6524	116A17J:RSK MDMA 1-2X	66
V6320	116A18A:DAP SMK 1PCK CIG	66
V6321	116A18B:DAP TRY MRJ 1-2T	67
V6322	116A18C:DAP SMK MRJ OCCS	67
V6323	116A18D:DAP SMK MRJ REGL	68
V6525	116A18E:DAP TRY COC 1-2T	68
V6339	116A18F:DAP 1-2 DRK/DAY	69
V6340	116A18G:DAP 4-5 DRK/DAY	69
V6341	116A18H:DAP 5+ DRK WKND	70
V6479	116A18I:DAP STEROID ATHL	70
V6509	116A18J:DAP H -NDL 1-2X	71
V6510	116A18K:DAP H -NDL OCC	71
V6526	116A18L:DAP MDMA 1-2X	72
V6342	116A19A:EASY GT MARIJUAN	72
V6343	116A19B:EASY GT LSD	73
V6344	116A19C:EASY GT PCP	73
V6345	116A19D:EASY GT MDMA	74
V6480	116A19E:EASY GT ICE	74
V6481	116A19F:EASY GT STEROIDS	75
V6580	116A19G:EASY GT ALCOHOL	75

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6101	116B01 :EVR SMK CIG,REGL	76
V6102	116B02 :#CIGS SMKD/30DAY	76
V6527	116B03A:CIG HOW BUY-FRND	77
V6528	116B03B:CIG HOW BUY-VEND	78
V6529	116B03C:CIG HOW BUY-MAIL	78
V6530	116B03D:CIG HOW BUY-PKUP	79
V6531	116B03E:CIG HOW BUY-CLRK	79
V6598	116B03F:CIG HOW BUY-OTHR	80
V6532	116B04A:CIG WHERE-SUPMKT	80
V6533	116B04B:CIG WHERE-SMLGRC	81
V6534	116B04C:CIG WHERE-DRGSTR	81
V6535	116B04D:CIG WHERE-CNVGAS	82
V6599	116B04E:CIG WHERE-WEB	82
V6536	116B05 :USUAL CIG BRAND	83
V6537	116B06 :CIG PROOF OF AGE	84
V6538	116B06A:CIG SHOW ID/SELL	84
V6539	116B07 :CIG STORE BUY<20	85
V6540	116B08 :*TRY STP SMK/FL	85
V6541	116B09 :#X TRY STOP SMK	86
V6542	116B10 :*WNT STP SMK NW	86
V6543	116B11 :QUIT SMK WRY FAT	87
V6544	116B12 :START SMK LOSEWT	87
V6545	116B13 :START SMK THISYR	88
V6546	116B14 :NO SMK IN 5 YR	88
V6547	116B15A:NEVER CIG ADDICT	89
V6548	116B15B:QUIT CIG WN WANT	89
V6549	116B15C:SMK -DANGER QUIT	90
V6550	116B16 :OWN TOBACCO LOGO	90
V6551	116B16Aa:CIG LOGO CAMEL	91
V6552	116B16Ab:CIG LOGO KOOL	91
V6553	116B16Ac:CIG LOGO MARLB	92
V6554	116B16Ad:CIG LOGO NEWPT	92
V6555	116B16Ae:CIG LOGO VASLM	92
V6556	116B16Af:CIG LOGO OTHER	93
V6557	116B17 :SAVED CIG COUPON	93
V6558	116B17A:SAVE CIG CPN NOW	94
V6559	116B18 :CO GIVE FREE CIG	94
V6505	116B19 :EVR USE SMOKLESS	95
V6506	116B20 :#X SMKLESS/30 DA	95
V6103	116B21 :EVER DRINK	96
V6104	116B22A:#X ALC/LIF SIPS	96

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6105	116B22B:#X ALC/ANN SIPS	97
V6106	116B22C:#X ALC/30D SIPS	97
V6107	116B23 :#X DRK ENF FL HI	98
V6108	116B24 :5+DRK ROW/LST 2W	98
V6115	116B25A:#XMJ+HS/LIFETIME	99
V6116	116B25B:#XMJ+HS/LAST12MO	100
V6117	116B25C:#XMJ+HS/LAST30DA	100
V6118	116B26A:#X LSD/LIFETIME	101
V6119	116B26B:#X LSD/LAST 12MO	101
V6120	116B26C:#X LSD/LAST 30DA	102
V6121	116B27A:#X PSYD/LIFETIME	102
V6122	116B27B:#X PSYD/LAST12MO	103
V6123	116B27C:#X PSYD/LAST30DA	104
V6127	116B28A:#X AMPH/LIFETIME	104
V6128	116B28B:#X AMPH/LAST12MO	105
V6129	116B28C:#X AMPH/LAST30DA	106
V6517	116B29A:#X CRACK/LIFETIM	106
V6518	116B29B:#X CRACK/LAST12M	107
V6519	116B29C:#X CRACK/LAST30D	107
V6520	116B30A:#XOTH COKE/LIFE	108
V6521	116B30B:#XOTH COKE/12MO	109
V6522	116B30C:#XOTH COKE/30DA	109
V6124	116R :#X COKE/LIFETIME	110
V6125	116R :#X COKE/LAST12MO	111
V6126	116R :#X COKE/LAST30DA	111
V6133	116B31A:#X SED/BARB/LIFE	112
V6134	116B31B:#X SED/BARB/12MO	113
V6135	116B31C:#X SED/BARB/30DA	113
V6136	116B32A:#X TRQL/LIFETIME	114
V6137	116B32B:#X TRQL/LAST12MO	114
V6138	116B32C:#X TRQL/LAST30DA	115
V6511	116B33A:#X H LIF USE NDL	116
V6512	116B33B:#X H 12M USE NDL	116
V6513	116B33C:#X H 30D USE NDL	117
V6514	116B34A:#X H LIF W/O NDL	117
V6515	116B34B:#X H 12M W/O NDL	118
V6516	116B34C:#X H 30D W/O NDL	119
V6139	116R* :#X H/LIFETIME	119
V6140	116R* :#X H/LAST12MO	120
V6141	116R* :#X H/LAST30DAY	120
V6142	116B35A:#X NARC/LIFETIME	121

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6143	116B35B:#X NARC/LAST12MO	122
V6144	116B35C:#X NARC/LAST30DA	122
V6620	116B36A:#X METHAMPH/LIFE	123
V6621	116B36B:#X METHAMPH/12MO	124
V6622	116B36C:#X METHAMPH/30DA	124

GROUP 5

SECTION C

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6148	116C01(R):AGE <>18 DICHOTOMY	125
V6150	116C03 :Rs SEX	125
V6151	116C04(R):R'S RACE B/W/H	126
V6152	116C05 :R SPD >TIM R-URB	126
V6153	116C06 :R NOT MARRIED	127
V49	11C07R:# SIBLINGS	127
V6155	116C07Cb(R):R'S HSHLD FATHER	128
V6156	116C07Cc(R):R'S HSHLD MOTHER	128
V6157	116C07Cd(R):R'S HSHLD BR/SR	129
V6163	116C08 :FATHR EDUC LEVEL	129
V6164	116C09 :MOTHR EDUC LEVEL	130
V6165	116C10 :MOTH PD JB R YNG	131
V6166	116C11 :Rs POLTL PRFNC	131
V6167	116C12 :R POL BLF RADCL	132
V6169	116C13B:R ATTND REL SVC	132
V6170	116C13C:RLGN IMP Rs LF	133
V6171	116C14 :WHEN R XPCT GRAD	133
V6172	116C15 :Rs HS PROGRAM	134
V6173	116C16 :RT SF SCH AB>AVG	134
V6174	116C17 :RT SF INTELL>AVG	135
V6175	116C18A:#DA/4W SC MS ILL	135
V6176	116C18B:#DA/4W SC MS CUT	136
V6177	116C18C:#DA/4W SC MS OTH	137
V6178	116C19 :#DA/4W SKP CLASS	137
V6179	116C20 :R HS GRADE/D = 1	138
V6180	116C21A:R WL DO VOC/TEC	138
V6181	116C21B:R WL DO ARMD FC	139
V6182	116C21C:R WL DO 2YR CLG	139
V6183	116C21D:R WL DO 4YR CLG	140
V6184	116C21E:R WL DO GRD/PRF	140
V6185	116C22A:R WNTDO VOC/TEC	141
V6186	116C22B:R WNTDO ARMD FC	141

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6187	116C22C:R WNTDO 2YR CLG	142
V6188	116C22D:R WNTDO 4YR CLG	142
V6189	116C22E:R WNTDO GRD/PRF	143
V6190	116C22F:R WNTDO NONE	143
V6191	116C23 :HRS/W WRK SCHYR	144
V6192	116C24A:R\$/AVG WEEK JOB	144
V6193	116C24B:R\$/AVG WEEK OTH	145
V6194	116C25 :#X/AV WK GO OUT	145
V6195	116C26 :#X DATE 3+/WK	146
V6196	116C27 :DRIVE>200 MI/WK	147
V6197	116C28 :#X/12MO R TCKTD	147
V6198	116C29AR:#TCKTS AFT DRNK	148
V6199	116C29BR:#TCKTS AFT MARJ	148
V6200	116C29CR:#TCKTS AFT OTDG	149
V6201	116C30 :#ACCDNTS/12 MO	149
V6202	116C31AR:#ACDTS AFT DRNK	150
V6203	116C31BR:#ACDTS AFT MARJ	150
V6204	116C31CR:#ACDTS AFT OTDG	151
V6205	116C32 :USE SEATBLT-DRVR	151
V6206	116C33 :USE SEATBLT-RIDR	152

GROUP 6

SECTION D

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6560	116D01 :#X ANTISMK TV/RD	152
V6561	116D02 :#X ANTISMK PRINT	153
V6562	116D03A:ANTISMK ADS<FVRB	153
V6563	116D03B:ANTISMK ADS<LKLY	154
V6564	116D03C:ANTISMK ADS EXAG	154
V6565	116D04A:CIG SMKRS-ATHLTS	155
V6566	116D04B:CIG SMKRS-ROCKRS	156
V6567	116D04C:CIG SMKRS-ACTORS	156
V6568	116D04D:CIG SMKRS-PEERS	157
V6569	116D05A:USE DRUGS-ATHLTS	157
V6570	116D05B:USE DRUGS-ROCKRS	158
V6571	116D05C:USE DRUGS-ACTORS	159
V6572	116D05D:USE DRUGS-PEERS	159
V6573	116D06 :SMKRS MOVIE THTR	160
V6574	116D07 :SMKRS MOVIE HOME	160
V6581	116D08 :#X SEE DRUG SPTS	161
V6582	116D09A:ADS-PEOPL <FAVBL	161

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6583	116D09B:ADS-YOU <FAVORBL	162
V6584	116D09C:ADS-YOU <TRY DRG	162
V6585	116D09D:ADS-OVRST DANGER	163
V6353	116D10A:POS ATT TWD SELF	163
V6354	116D10B:LIFE MEANINGLESS	164
V6355	116D10C:SHD DO OWN THING	164
V6356	116D10D:-MUCH TO B PROUD	165
V6357	116D10E:AM PRSN OF WORTH	166
V6358	116D10F:I ENJOY LIFE	166
V6359	116D10G:KICK DO DANGR TH	167
V6360	116D10H:I AM NO GOOD	167
V6361	116D10I:DO WELL AS OTHRS	168
V6362	116D10J:FUTURE HOPELESS	168
V6363	116D10K:LIKE RISK SOME X	169
V6364	116D10L:I DO WRONG THING	169
V6365	116D10M:SATISFD W MYSELF	170
V6366	116D10N:MY LIFE NT USEFL	170
V6367	116D10O:GOOD TO BE ALIVE	171
V6587	116D10P:LIK XPLOR STRANG	172
V6588	116D10Q:LIK DO FRIGHT TG	172
V6589	116D10R:LIK EVN BRK RULE	173
V6590	116D10S:PRF FRND EXCITNG	173
V6616	116D10T:I AM OFTEN BORED	174
V6497	116D11A:#XDRUNK/LIFETIME	174
V6498	116D11B:#XDRUNK/LAST12MO	175
V6499	116D11C:#XDRUNK/LAST30DA	176
V6368	116D12A:#X STRD/LIFETIME	176
V6369	116D12B:#X STRD/LAST12MO	177
V6370	116D12C:#X STRD/LAST30DA	177
V6376	116D13A:MTHD STRD-INJECT	178
V6377	116D13B:MTHD STRD-MOUTH	178
V6586	116D13C:HVNT USED STRDS	179
V6500	116D14A:#X INJECT/LIFE	179
V6501	116D14B:#X INJECT/LST12M	180
V6502	116D14C:#X INJECT/LST30D	181
V6503	116D15 :GR 1ST INJECT	181
V6378	116D16A:GR 1ST SMOK EVR	182
V6379	116D16B:GR 1ST SMOK DLY	182
V6380	116D16C:GR 1ST SMOKELESS	183
V6482	116D17A:FUTR SMOKE CIGS	184
V6483	116D17B:FUTR DRINK ALCOL	184

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V6484	116D17C:FUTR TRY/USE MJ	185
V6485	116D17D:FUTR TRY/USE CRK	185
V6486	116D17E:FUTR TRY/US COKP	186
V6487	116D17F:FUTR TR/U OTH DG	186
V6575	116D18A:FRND DAP CIG OCC	187
V6576	116D18B:FRND DAP CIG DLY	187
V6408	116D18C:FRD DAP CIGS	188
V6577	116D18D:FRND DAP SMKL OC	188
V6578	116D18E:FRND DAP SMKL DL	189
V6579	116D18F:FRND DAP SMKL D+	189
V6409	116D18G:FRD DAP TRY MARJ	190
V6410	116D18H:FRD DAP MJ OCC	190
V6411	116D18I:FRD DAP MJ REG	191
V6414	116D18J:FRD DAP TRY CRCK	191
V6415	116D18K:FRD DAP CRCK OCC	192
V6416	116D18L:FRD DAP TRY PWDR	192
V6417	116D18M:FRD DAP PWDR OCC	193
V6418	116D18N:FRD DAP 1-2DR/DA	193
V6419	116D18O:FRD DAP 4-5DR/DA	193
V6420	116D18P:FRD DAP 5+DR/WKD	194
V6421	116D18Q:FRD DAP DRIV+2DR	194
V6422	116D18R:FRD DAP DRIV+5DR	195
V6423	116D19A:ALL FRD SMK CIGS	195
V6424	116D19B:ALL FRD SMK MARJ	196
V6432	116D19C:# FRNDS TK CRACK	196
V6433	116D19D:# FRNDS TK C PWD	197
V6436	116D19E:ALL FRD TK INHL	197
V6488	116D19F:ALL FRD TK MDMA	198
V6489	116D19G:ALL FRD TK ICE	198
V6490	116D19H:ALL FRD TK STERS	199
V6591	116D20A:#X GHB/LAST12MO	199
V6592	116D20B:#X KETAMINE/12M	200
V6594	116D20C:#X SMK KRETK/12M	201
V6595	116D20D:#X ANDRO/12MO	201
V6596	116D20E:#X CREATINE/12MO	202
V6597	116D20F:#X RITALIN/12MO	202
V6617	116D20G:#X ADDERALL/12MO	203
V6600	116D20H:#X OXYCONTN/12MO	204
V6601	116D20I:#X VICODIN/12MO	204
V6602	116D20J:#X ROHYPNL/12MO	205
V6615	116D20K:#X COUGHMED/12MO	205

Variables within this Variable Group		
Variable	Variable Label	Page
V6618	116D20L:#X SALVIA/12MO	206
V6619	116D20M:#X PROVIGIL/12MO	207
V6623	116D20N:#X SYNTHETIC MJ/12MO	207
V6624	116D20O:#X ALC BVRG W-CAFF/12MO	208

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric
Based upon 2486 valid cases out of 2486 total cases.

V1	YEAR OF ADMIN (4-DIGITS)
----	--------------------------

Location: 5-8 (width: 4; decimal: 0)
Variable Type: numeric

Value	Unweighted Frequency	%	Valid %
2011	2486	100.0 %	100.0%

Based upon 2486 valid cases out of 2486 total cases.

V3	116:FORM ID
----	-------------

Location: 9-10 (width: 2; decimal: 0)
Variable Type: numeric

Value	Unweighted Frequency	%	Valid %
6	2486	100.0 %	100.0%

Based upon 2486 valid cases out of 2486 total cases.

V4	116:Rs ID-SERIAL #
----	--------------------

Location: 11-15 (width: 5; decimal: 0)
Variable Type: numeric
Based upon 2486 valid cases out of 2486 total cases.

V5	SAMPLING WEIGHT
----	-----------------

Location: 16-21 (width: 6; decimal: 4)
Variable Type: numeric
Based upon 2486 valid cases out of 2486 total cases.

V13	SCH REG-4 CAT
-----	---------------

Location: 22-23 (width: 2; decimal: 0)
Variable Type: numeric
Question: Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NORTHEAST:(1)	458	18.4 %	18.4%
2	NORTH CENTRL:(2)	650	26.1 %	26.1%
3	SOUTH:(3)	815	32.8 %	32.8%
4	WEST:(4)	563	22.6 %	22.6%

Based upon 2486 valid cases out of 2486 total cases.

V16 LARGE MSA = 1/NOT = 0

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	1586	63.8 %	63.8%
1	LARGE MSA:(1)	900	36.2 %	36.2%

Based upon 2486 valid cases out of 2486 total cases.

V17 MSA/NON-MSA = 0

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	487	19.6 %	19.6%
1	MSA:(1)	1999	80.4 %	80.4%

Based upon 2486 valid cases out of 2486 total cases.

V6207 116A01 :CMP SATFD W/LIFE

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	55	2.2 %	2.3%
2	QUITE DIS:(2)	149	6.0 %	6.1%
3	SOME DIS:(3)	137	5.5 %	5.6%
4	NEITHER:(4)	242	9.7 %	9.9%
5	SOME SAT:(5)	492	19.8 %	20.2%
6	QUITE SAT:(6)	1013	40.7 %	41.6%
7	COMPLETE:(7)	350	14.1 %	14.4%
-9 (M)	MISSING:(-9)	48	1.9 %	-

Based upon 2438 valid cases out of 2486 total cases.

V6208 116A02A:DALY WATCH TV

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05820

The next questions ask about the kinds of things you might do.
How often do you do each of the following?

A: Watch TV

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	46	1.9 %	1.9%
2	FEW/YR:(2)	70	2.8 %	2.8%
3	1X-2X/MO:(3)	132	5.3 %	5.3%
4	ONCE+/WK:(4)	696	28.0 %	28.1%
5	ALM EVERYDAY:(5)	1534	61.7 %	61.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	8	0.3 %	-

Based upon 2478 valid cases out of 2486 total cases.

V6209 116A02B:DALY GO TO MOVIE

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05830

How often do you do each of the following?

B: Go to movies

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	91	3.7 %	3.7%
2	FEW/YR:(2)	1138	45.8 %	46.0%
3	1X-2X/MO:(3)	1124	45.2 %	45.4%
4	ONCE+/WK:(4)	106	4.3 %	4.3%
5	ALM EVERYDAY:(5)	16	0.6 %	0.6%
-9 (M)	MISSING:(-9)	11	0.4 %	-

Based upon 2475 valid cases out of 2486 total cases.

V6210 116A02C:DALY MUSIC CNCRT

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05846

How often do you do each of the following?

C: Go to music concerts

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1055	42.4 %	42.8%
2	FEW /YR:(2)	1218	49.0 %	49.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	1-2 /MO:(3)	155	6.2 %	6.3%
4	1 /WK:(4)	24	1.0 %	1.0%
5	NR DAILY:(5)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2466 valid cases out of 2486 total cases.

V6211 116A02D:DALY RIDE FORFUN

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05850

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	437	17.6 %	17.7%
2	FEW/YR:(2)	289	11.6 %	11.7%
3	1X-2X/MO:(3)	453	18.2 %	18.3%
4	ONCE+/WK:(4)	651	26.2 %	26.3%
5	ALM EVERYDAY:(5)	643	25.9 %	26.0%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2473 valid cases out of 2486 total cases.

V6212 116A02E:DALY CMNTY AFFRS

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05860

How often do you do each of the following?

E: Participate in community affairs or volunteer work

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	598	24.1 %	24.2%
2	FEW/YR:(2)	1023	41.2 %	41.4%
3	1X-2X/MO:(3)	521	21.0 %	21.1%
4	ONCE+/WK:(4)	268	10.8 %	10.9%
5	ALM EVERYDAY:(5)	59	2.4 %	2.4%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2469 valid cases out of 2486 total cases.

V6213 116A02F:DALY ACTV SPORTS

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05890

How often do you do each of the following?

F: Actively participate in sports, athletics or exercising

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	244	9.8 %	9.9%
2	FEW/YR:(2)	242	9.7 %	9.8%
3	1X-2X/MO:(3)	263	10.6 %	10.6%
4	ONCE+/WK:(4)	583	23.5 %	23.6%
5	ALM EVERYDAY:(5)	1139	45.8 %	46.1%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2471 valid cases out of 2486 total cases.

V6214 116A02G:DALY VIST W/FRDS

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05920

How often do you do each of the following?

G: Get together with friends informally

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	41	1.6 %	1.7%
2	FEW/YR:(2)	94	3.8 %	3.8%
3	1X-2X/MO:(3)	310	12.5 %	12.6%
4	ONCE+/WK:(4)	1102	44.3 %	44.7%
5	ALM EVERYDAY:(5)	920	37.0 %	37.3%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2467 valid cases out of 2486 total cases.

V6603	116A02H:DALY GO TO MALL
--------------	--------------------------------

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05935

How often do you do each of the following?

H. Go to a shopping mall

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	110	4.4 %	4.4%
2	FEW/YR:(2)	630	25.3 %	25.5%
3	1X-2X/MO:(3)	1295	52.1 %	52.4%
4	ONCE+/WK:(4)	379	15.2 %	15.3%
5	ALM EVERYDAY:(5)	59	2.4 %	2.4%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2473 valid cases out of 2486 total cases.

V6216	116A02I:DALY ALONE LEISR
--------------	---------------------------------

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05940

How often do you do each of the following?

I: Spend at least an hour of leisure time alone

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	123	4.9 %	5.0%
2	FEW/YR:(2)	112	4.5 %	4.5%
3	1X-2X/MO:(3)	273	11.0 %	11.1%
4	ONCE+/WK:(4)	778	31.3 %	31.6%
5	ALM EVERYDAY:(5)	1178	47.4 %	47.8%
-9 (M)	MISSING:(-9)	22	0.9 %	-

Based upon 2464 valid cases out of 2486 total cases.

V6217

116A02J:DALY READ MAGZNS

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23070

How often do you do each of the following?

J: Read magazines

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	530	21.3 %	21.5%
2	FEW/YR:(2)	567	22.8 %	23.0%
3	1X-2X/MO:(3)	854	34.4 %	34.6%
4	ONCE+/WK:(4)	433	17.4 %	17.5%
5	ALM EVERYDAY:(5)	86	3.5 %	3.5%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2470 valid cases out of 2486 total cases.

V6218

116A02K:DALY READ NWSPPR

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23080

How often do you do each of the following?

K: Read newspapers

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	712	28.6 %	28.8%
2	FEW/YR:(2)	624	25.1 %	25.3%
3	1X-2X/MO:(3)	556	22.4 %	22.5%
4	ONCE+/WK:(4)	396	15.9 %	16.0%
5	ALM EVERYDAY:(5)	181	7.3 %	7.3%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2469 valid cases out of 2486 total cases.

V6219

116A02L:DALY GO TO BARS

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05960

How often do you do each of the following?

L: Go to taverns, bars or nightclubs

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1534	61.7 %	62.1%
2	FEW/YR:(2)	421	16.9 %	17.0%
3	1X-2X/MO:(3)	330	13.3 %	13.4%
4	ONCE+/WK:(4)	143	5.8 %	5.8%
5	ALM EVERYDAY:(5)	42	1.7 %	1.7%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2470 valid cases out of 2486 total cases.

V6220

116A02M:DALY GO TO PARTY

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05970

How often do you do each of the following?

M: Go to parties or other social affairs

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	242	9.7 %	9.8%
2	FEW/YR:(2)	683	27.5 %	27.6%
3	1X-2X/MO:(3)	852	34.3 %	34.5%
4	ONCE+/WK:(4)	611	24.6 %	24.7%
5	ALM EVERYDAY:(5)	83	3.3 %	3.4%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2471 valid cases out of 2486 total cases.

V6604 116A02N:DALY GO TO RAVES

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29760

How often do you do each of the following?

N: Go to raves

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1964	79.0 %	80.1%
2	FEW/YR:(2)	300	12.1 %	12.2%
3	1X-2X/MO:(3)	114	4.6 %	4.6%
4	ONCE+/WK:(4)	41	1.6 %	1.7%
5	ALM EVERYDAY:(5)	33	1.3 %	1.3%
-9 (M)	MISSING:(-9)	34	1.4 %	-

Based upon 2452 valid cases out of 2486 total cases.

V6221 116A03 :*SC WRK NVR MNG

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05700

The next questions are about your experiences in school.
How often do you feel that the school work you are assigned
is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	113	4.5 %	4.7%
2	SELDOM:(2)	416	16.7 %	17.3%
3	SOMETIME:(3)	1073	43.2 %	44.6%
4	OFTEN:(4)	561	22.6 %	23.3%
5	ALM ALWYS:(5)	243	9.8 %	10.1%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2406 valid cases out of 2486 total cases.

V6222

116A04 : *MST COUR V DUL

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"
3="Fairly interesting" 2="Slightly dull" 1="Very dull"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY DULL:(1)	186	7.5 %	7.6%
2	SLIGHT DULL:(2)	595	23.9 %	24.2%
3	FAIRLY INTR:(3)	1111	44.7 %	45.1%
4	QUITE INTRST:(4)	486	19.5 %	19.7%
5	VRY EXCITG:(5)	85	3.4 %	3.5%
-9 (M)	MISSING:(-9)	23	0.9 %	-

Based upon 2463 valid cases out of 2486 total cases.

V6223

116A05 : *LRN SCH NT IMP

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"
2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	125	5.0 %	5.1%
2	SLIGHT:(2)	556	22.4 %	22.7%
3	FAIR IMPT:(3)	763	30.7 %	31.1%
4	QUITE IMPT:(4)	620	24.9 %	25.3%
5	VRy IMPT:(5)	388	15.6 %	15.8%
-9 (M)	MISSING:(-9)	34	1.4 %	-

Based upon 2452 valid cases out of 2486 total cases.

V6224 116A06A:LSTYR/ENJOY SCHL

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23090

Now thinking back over the past year in school, how often did you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	138	5.6 %	5.6%
2	SELDOM:(2)	394	15.8 %	15.9%
3	SOMETIME:(3)	1008	40.5 %	40.8%
4	OFTEN:(4)	703	28.3 %	28.5%
5	ALWAYS:(5)	228	9.2 %	9.2%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2471 valid cases out of 2486 total cases.

V6225 116A06B:LSTYR/HATE SCHL

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23100

Now thinking back over the past year in school, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	154	6.2 %	6.2%
2	SELDOM:(2)	625	25.1 %	25.3%
3	SOMETIME:(3)	874	35.2 %	35.4%
4	OFTEN:(4)	558	22.4 %	22.6%
5	ALWAYS:(5)	258	10.4 %	10.4%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2469 valid cases out of 2486 total cases.

V6226

116A06C:LSTYR/DO BEST WK

Location:

68-69 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 23110

Now thinking back over the past year in school, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	24	1.0 %	1.0%
2	SELDOM:(2)	142	5.7 %	5.8%
3	SOMETIME:(3)	509	20.5 %	20.6%
4	OFTEN:(4)	909	36.6 %	36.8%
5	ALWAYS:(5)	883	35.5 %	35.8%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2467 valid cases out of 2486 total cases.

V6227

116A06D:LSTYR/SCH 2 HARD

Location:

70-71 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M): -9

Question:

Item Number: 23120

Now thinking back over the past year in school, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	394	15.8 %	16.0%
2	SELDOM:(2)	1009	40.6 %	40.9%
3	SOMETIME:(3)	818	32.9 %	33.2%
4	OFTEN:(4)	192	7.7 %	7.8%
5	ALWAYS:(5)	54	2.2 %	2.2%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2467 valid cases out of 2486 total cases.

V6228

116A06E:LSTYR/FOOL ROUND

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23130

Now thinking back over the past year in school, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	307	12.3 %	12.4%
2	SELDOM:(2)	602	24.2 %	24.4%
3	SOMETIME:(3)	846	34.0 %	34.3%
4	OFTEN:(4)	487	19.6 %	19.7%
5	ALWAYS:(5)	227	9.1 %	9.2%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2469 valid cases out of 2486 total cases.

V6229

116A06F:LSTYR/WK NT DONE

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 23140

Now thinking back over the past year in school, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	624	25.1 %	25.3%
2	SELDOM:(2)	897	36.1 %	36.4%
3	SOMETIME:(3)	655	26.3 %	26.6%
4	OFTEN:(4)	244	9.8 %	9.9%
5	ALWAYS:(5)	47	1.9 %	1.9%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2467 valid cases out of 2486 total cases.

V6230 116A06G:LSTYR/GT GD GRDS

Location: 76-77 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 23150

Now thinking back over the past year in school, how often did you . . .

G: . . . Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	36	1.4 %	1.5%
2	SELDOM:(2)	174	7.0 %	7.1%
3	SOMETIME:(3)	522	21.0 %	21.2%
4	OFTEN:(4)	686	27.6 %	27.8%
5	ALWAYS:(5)	1049	42.2 %	42.5%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2467 valid cases out of 2486 total cases.

V6231 116A06H:LSTYR/U MISBEHAV

Location: 78-79 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 23160

Now thinking back over the past year in school, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1825	73.4 %	73.9%
2	SELDOM:(2)	443	17.8 %	17.9%
3	SOMETIME:(3)	137	5.5 %	5.6%
4	OFTEN:(4)	42	1.7 %	1.7%
5	ALWAYS:(5)	21	0.8 %	0.9%
-9 (M)	MISSING:(-9)	18	0.7 %	-

Based upon 2468 valid cases out of 2486 total cases.

V6232 116A06I:LSTYR/SKIP SCHL

Location: 80-81 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 23170

Now thinking back over the past year in school, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1352	54.4 %	54.8%
2	SELDOM:(2)	524	21.1 %	21.2%
3	SOMETIME:(3)	346	13.9 %	14.0%
4	OFTEN:(4)	177	7.1 %	7.2%
5	ALWAYS:(5)	67	2.7 %	2.7%
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2466 valid cases out of 2486 total cases.

V6242 116A07A:5-6GR/ENJOY SCHL

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23270

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	250	10.1 %	10.1%
2	SELDOM:(2)	278	11.2 %	11.3%
3	SOMETIME:(3)	586	23.6 %	23.7%
4	OFTEN:(4)	726	29.2 %	29.4%
5	ALWAYS:(5)	629	25.3 %	25.5%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2469 valid cases out of 2486 total cases.

V6243 116A07B:5-6GR/HATE SCHL

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23280

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	480	19.3 %	19.5%
2	SELDOM:(2)	744	29.9 %	30.2%
3	SOMETIME:(3)	632	25.4 %	25.7%
4	OFTEN:(4)	332	13.4 %	13.5%
5	ALWAYS:(5)	275	11.1 %	11.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	23	0.9 %	-

Based upon 2463 valid cases out of 2486 total cases.

V6244 116A07C:5-6GR/DO BEST WK

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23290

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	60	2.4 %	2.4%
2	SELDOM:(2)	183	7.4 %	7.5%
3	SOMETIME:(3)	445	17.9 %	18.1%
4	OFTEN:(4)	658	26.5 %	26.8%
5	ALWAYS:(5)	1107	44.5 %	45.1%
-9 (M)	MISSING:(-9)	33	1.3 %	-

Based upon 2453 valid cases out of 2486 total cases.

V6245 116A07D:5-6GR/SCH 2 HARD

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23300

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	755	30.4 %	30.6%
2	SELDOM:(2)	714	28.7 %	29.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	SOMETIME:(3)	644	25.9 %	26.1%
4	OFTEN:(4)	259	10.4 %	10.5%
5	ALWAYS:(5)	93	3.7 %	3.8%
-9 (M)	MISSING:(-9)	21	0.8 %	-

Based upon 2465 valid cases out of 2486 total cases.

V6246 116A07E:5-6GR/FOOL ROUND

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23310

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	555	22.3 %	22.6%
2	SELDOM:(2)	543	21.8 %	22.1%
3	SOMETIME:(3)	607	24.4 %	24.7%
4	OFTEN:(4)	444	17.9 %	18.0%
5	ALWAYS:(5)	311	12.5 %	12.6%
-9 (M)	MISSING:(-9)	26	1.0 %	-

Based upon 2460 valid cases out of 2486 total cases.

V6247 116A07F:5-6GR/WK NT DONE

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23320

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1061	42.7 %	43.1%
2	SELDOM:(2)	693	27.9 %	28.1%
3	SOMETIME:(3)	428	17.2 %	17.4%
4	OFTEN:(4)	198	8.0 %	8.0%
5	ALWAYS:(5)	83	3.3 %	3.4%
-9 (M)	MISSING:(-9)	23	0.9 %	-

Based upon 2463 valid cases out of 2486 total cases.

V6248 116A07G:5-6GR/GT GD GRDS

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23330

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

G: . . . Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	73	2.9 %	3.0%
2	SELDOM:(2)	191	7.7 %	7.8%
3	SOMETIME:(3)	372	15.0 %	15.1%
4	OFTEN:(4)	529	21.3 %	21.5%
5	ALWAYS:(5)	1298	52.2 %	52.7%
-9 (M)	MISSING:(-9)	23	0.9 %	-

Based upon 2463 valid cases out of 2486 total cases.

V6249 116A07H:5-6GR/U MISBEHAV

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23340

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1582	63.6 %	64.3%
2	SELDOM:(2)	438	17.6 %	17.8%
3	SOMETIME:(3)	252	10.1 %	10.2%
4	OFTEN:(4)	131	5.3 %	5.3%
5	ALWAYS:(5)	57	2.3 %	2.3%
-9 (M)	MISSING:(-9)	26	1.0 %	-

Based upon 2460 valid cases out of 2486 total cases.

V6250 116A07I:5-6GR/SKIP SCHL

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23350

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	2143	86.2 %	87.0%
2	SELDOM:(2)	152	6.1 %	6.2%
3	SOMETIME:(3)	90	3.6 %	3.7%
4	OFTEN:(4)	51	2.1 %	2.1%
5	ALWAYS:(5)	26	1.0 %	1.1%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2462 valid cases out of 2486 total cases.

V6491 116A08A:#X PRNT CHK HMWK

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25180

How often do your parents (or stepparents or guardians) do the following?

A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	743	29.9 %	39.1%
2	RARELY:(2)	498	20.0 %	26.2%
3	SOMETIME:(3)	366	14.7 %	19.3%
4	OFTEN:(4)	291	11.7 %	15.3%
-9 (M)	MISSING:(-9)	588	23.7 %	-

Based upon 1898 valid cases out of 2486 total cases.

V6492 116A08B:#X PRNT HLP HMWK

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25190

How often do your parents (or stepparents or guardians) do the following?

B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	548	22.0 %	28.9%
2	RARELY:(2)	395	15.9 %	20.9%
3	SOMETIME:(3)	450	18.1 %	23.8%
4	OFTEN:(4)	501	20.2 %	26.5%
-9 (M)	MISSING:(-9)	592	23.8 %	-

Based upon 1894 valid cases out of 2486 total cases.

V6493 116A08C:#X PRNT GV CHORE

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25200

How often do your parents (or stepparents or guardians) do the following?

C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	157	6.3 %	8.3%
2	RARELY:(2)	264	10.6 %	14.0%
3	SOMETIME:(3)	564	22.7 %	29.8%
4	OFTEN:(4)	905	36.4 %	47.9%
-9 (M)	MISSING:(-9)	596	24.0 %	-

Based upon 1890 valid cases out of 2486 total cases.

V6494

116A08D:#X PRNT LIMIT TV

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25210

How often do your parents (or stepparents or guardians) do the following?

D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1276	51.3 %	67.4%
2	RARELY:(2)	341	13.7 %	18.0%
3	SOMETIME:(3)	193	7.8 %	10.2%
4	OFTEN:(4)	83	3.3 %	4.4%
-9 (M)	MISSING:(-9)	593	23.9 %	-

Based upon 1893 valid cases out of 2486 total cases.

V6495

116A08E:#X PRNT LMT OUT

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25220

How often do your parents (or stepparents or guardians) do the following?

E: Limit the amount of time you can go out with friends on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	511	20.6 %	27.0%
2	RARELY:(2)	448	18.0 %	23.7%
3	SOMETIME:(3)	481	19.3 %	25.4%
4	OFTEN:(4)	453	18.2 %	23.9%
-9 (M)	MISSING:(-9)	593	23.9 %	-

Based upon 1893 valid cases out of 2486 total cases.

V6251 116A09A:SCH ACTV-PBLCTNS

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1917	77.1 %	78.1%
2	SLIGHT:(2)	239	9.6 %	9.7%
3	MODERATE:(3)	97	3.9 %	4.0%
4	CONSDRBL:(4)	67	2.7 %	2.7%
5	GRT EXT:(5)	135	5.4 %	5.5%
-9 (M)	MISSING:(-9)	31	1.2 %	-

Based upon 2455 valid cases out of 2486 total cases.

V6252 116A09B:SCH ACTV-PRF ART

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1464	58.9 %	59.7%
2	SLIGHT:(2)	237	9.5 %	9.7%
3	MODERATE:(3)	195	7.8 %	8.0%
4	CONSDRBL:(4)	189	7.6 %	7.7%
5	GRT EXT:(5)	367	14.8 %	15.0%
-9 (M)	MISSING:(-9)	34	1.4 %	-

Based upon 2452 valid cases out of 2486 total cases.

V6253 116A09C:SCH ACTV-ATHLTCS

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1055	42.4 %	43.0%
2	SLIGHT:(2)	187	7.5 %	7.6%
3	MODERATE:(3)	230	9.3 %	9.4%
4	CONSDRBL:(4)	216	8.7 %	8.8%
5	GRT EXT:(5)	763	30.7 %	31.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	35	1.4 %	-

Based upon 2451 valid cases out of 2486 total cases.

V6254 116A09D:SCH ATV-ACDMC CL

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23360

To what extent have you participated in the following school activities during this school year?

D: Academic clubs (e.g., science, math, language)

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1621	65.2 %	66.0%
2	SLIGHT:(2)	287	11.5 %	11.7%
3	MODERATE:(3)	213	8.6 %	8.7%
4	CONSDRBL:(4)	169	6.8 %	6.9%
5	GRT EXT:(5)	165	6.6 %	6.7%
-9 (M)	MISSING:(-9)	31	1.2 %	-

Based upon 2455 valid cases out of 2486 total cases.

V6255 116A09E:SCH ATV-STDN GVT

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23370

To what extent have you participated in the following school activities during this school year?

E: Student council or government

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1915	77.0 %	78.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	SLIGHT:(2)	149	6.0 %	6.1%
3	MODERATE:(3)	115	4.6 %	4.7%
4	CONSDRBL:(4)	99	4.0 %	4.0%
5	GRT EXT:(5)	175	7.0 %	7.1%
-9 (M)	MISSING:(-9)	33	1.3 %	-

Based upon 2453 valid cases out of 2486 total cases.

V6256 116A09F:SCH ACTV-OTH ACT

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

F: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	924	37.2 %	37.7%
2	SLIGHT:(2)	336	13.5 %	13.7%
3	MODERATE:(3)	403	16.2 %	16.4%
4	CONSDRBL:(4)	346	13.9 %	14.1%
5	GRT EXT:(5)	442	17.8 %	18.0%
-9 (M)	MISSING:(-9)	35	1.4 %	-

Based upon 2451 valid cases out of 2486 total cases.

V6272 116A10R:EVER HELD BACK

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	2211	88.9 %	90.0%
2	YES:(2-3)	245	9.9 %	10.0%
-9 (M)	MISSING:(-9)	30	1.2 %	-

Based upon 2456 valid cases out of 2486 total cases.

V6273 116A11R:NEED SUMMER SCHL

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23540

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers"

Codes 2, 3, and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1840	74.0 %	74.9%
2	YES:(2-4)	617	24.8 %	25.1%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2457 valid cases out of 2486 total cases.

V6496 116A12R:EVER SUSPENDED

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1814	73.0 %	74.0%
2	YES:(2-3)	636	25.6 %	26.0%
-9 (M)	MISSING:(-9)	36	1.4 %	-

Based upon 2450 valid cases out of 2486 total cases.

V6507 116A13:#DA GUN SCHL/4WK

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29590

During the LAST FOUR WEEKS, on how many days (if any) did you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	2398	96.5 %	97.6%
2	1 DAY:(2)	7	0.3 %	0.3%
3	2 DAYS:(3)	5	0.2 %	0.2%
4	3-5 DAYS:(4)	14	0.6 %	0.6%
5	6-9 DAYS:(5)	8	0.3 %	0.3%
6	10+ DAYS:(6)	24	1.0 %	1.0%
-9 (M)	MISSING:(-9)	30	1.2 %	-

Based upon 2456 valid cases out of 2486 total cases.

V6504 116A14 :ILL DRG SOLD@SCH

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25820

During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="No" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1828	73.5 %	74.9%
2	YES:(2)	612	24.6 %	25.1%
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2440 valid cases out of 2486 total cases.

V6274 116A15A:TCHR PRVNT SMKNG

Location: 132-133 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 23550

In your present school, how vigorous are the teachers
 and administrators in their attempts to prevent students
 from . . .

A: . . . Smoking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"
 5="Very vigorous" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	353	14.2 %	14.4%
2	SLIGHT:(2)	387	15.6 %	15.8%
3	SOMEWHAT:(3)	429	17.3 %	17.5%
4	FRLY VIGOR:(4)	407	16.4 %	16.6%
5	VRV VIGOR:(5)	386	15.5 %	15.8%
8	DK:(8)	484	19.5 %	19.8%
-9 (M)	MISSING:(-9)	40	1.6 %	-

Based upon 2446 valid cases out of 2486 total cases.

V6275 116A15B:TCHR PRVNT DRNGK

Location: 134-135 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 23560

In your present school, how vigorous are the teachers
 and administrators in their attempts to prevent students
 from . . .

B: . . . Drinking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"
 5="Very vigorous" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	318	12.8 %	13.0%
2	SLIGHT:(2)	333	13.4 %	13.6%
3	SOMEWHAT:(3)	402	16.2 %	16.4%
4	FRLY VIGOR:(4)	417	16.8 %	17.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	VRY VIGOR:(5)	475	19.1 %	19.4%
8	DK:(8)	499	20.1 %	20.4%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2444 valid cases out of 2486 total cases.

V6276 116A15C:TCHR PRVNT DRUGS

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23570

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

C: . . . Drug use?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"

5="Very vigorous" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	277	11.1 %	11.3%
2	SLIGHT:(2)	290	11.7 %	11.9%
3	SOMEWHAT:(3)	409	16.5 %	16.7%
4	FRLY VIGOR:(4)	426	17.1 %	17.4%
5	VRY VIGOR:(5)	556	22.4 %	22.8%
8	DK:(8)	484	19.5 %	19.8%
-9 (M)	MISSING:(-9)	44	1.8 %	-

Based upon 2442 valid cases out of 2486 total cases.

V6277 116A16A:CNSEQNC 4 SMOKNG

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23580

How severe do you think the consequences would be for a student in your school who gets caught . . .

A: . . . Smoking?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"

8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	120	4.8 %	4.9%
2	MILD:(2)	590	23.7 %	24.1%
3	MODERATE:(3)	761	30.6 %	31.1%
4	SEVERE:(4)	781	31.4 %	31.9%
8	DK:(8)	193	7.8 %	7.9%
-9 (M)	MISSING:(-9)	41	1.6 %	-

Based upon 2445 valid cases out of 2486 total cases.

V6278 116A16B:CNSEQNC 4 ALCOHL

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23590

How severe do you think the consequences would be for a student in your school who gets caught . . .

B: . . . Using (or possessing) alcohol?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"
8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	45	1.8 %	1.8%
2	MILD:(2)	195	7.8 %	8.0%
3	MODERATE:(3)	634	25.5 %	25.9%
4	SEVERE:(4)	1400	56.3 %	57.3%
8	DK:(8)	170	6.8 %	7.0%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2444 valid cases out of 2486 total cases.

V6279 116A16C:CNSEQNC 4 DRUGS

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23600

How severe do you think the consequences would be for a student in your school who gets caught . . .

C: . . . Using (or possessing) an illegal drug?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"
8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	36	1.4 %	1.5%
2	MILD:(2)	97	3.9 %	4.0%
3	MODERATE:(3)	340	13.7 %	13.9%
4	SEVERE:(4)	1790	72.0 %	73.2%
8	DK:(8)	182	7.3 %	7.4%
-9 (M)	MISSING:(-9)	41	1.6 %	-

Based upon 2445 valid cases out of 2486 total cases.

V6297

116A17A:RSK OF CIG1+PK/D

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	64	2.6 %	2.6%
2	SLIGHT:(2)	107	4.3 %	4.4%
3	MOD RISK:(3)	398	16.0 %	16.3%
4	GRT RISK:(4)	1827	73.5 %	75.0%
5	CANT SAY:(5)	41	1.6 %	1.7%
-9 (M)	MISSING:(-9)	49	2.0 %	-

Based upon 2437 valid cases out of 2486 total cases.

V6298

116A17B:RSK OF MJ 1-2 X

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	990	39.8 %	40.7%
2	SLIGHT:(2)	746	30.0 %	30.7%
3	MOD RISK:(3)	318	12.8 %	13.1%
4	GRT RISK:(4)	313	12.6 %	12.9%
5	CANT SAY:(5)	66	2.7 %	2.7%
-9 (M)	MISSING:(-9)	53	2.1 %	-

Based upon 2433 valid cases out of 2486 total cases.

V6299

116A17C:RSK OF MJ OCSNLY

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	545	21.9 %	22.4%
2	SLIGHT:(2)	673	27.1 %	27.6%
3	MOD RISK:(3)	653	26.3 %	26.8%
4	GRT RISK:(4)	503	20.2 %	20.7%
5	CANT SAY:(5)	61	2.5 %	2.5%
-9 (M)	MISSING:(-9)	51	2.1 %	-

Based upon 2435 valid cases out of 2486 total cases.

V6300

116A17D:RSK OF MJ REGLY

Location: 150-151 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12390

How much do you think people risk harming themselves
 (physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	298	12.0 %	12.3%
2	SLIGHT:(2)	410	16.5 %	16.9%
3	MOD RISK:(3)	595	23.9 %	24.5%
4	GRT RISK:(4)	1066	42.9 %	43.9%
5	CANT SAY:(5)	61	2.5 %	2.5%
-9 (M)	MISSING:(-9)	56	2.3 %	-

Based upon 2430 valid cases out of 2486 total cases.

V6523 116A17E:RSK OF COKE 1-2X

Location: 152-153 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12490

How much do you think people risk harming themselves
 (physically or in other ways), if they . . .

E: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	107	4.3 %	4.4%
2	SLIGHT:(2)	353	14.2 %	14.6%
3	MOD RISK:(3)	548	22.0 %	22.6%
4	GRT RISK:(4)	1304	52.5 %	53.8%
5	CANT SAY:(5)	113	4.5 %	4.7%
-9 (M)	MISSING:(-9)	61	2.5 %	-

Based upon 2425 valid cases out of 2486 total cases.

V6316 116A17F:RSK OF 1-2 DR/DA

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	207	8.3 %	8.5%
2	SLIGHT:(2)	511	20.6 %	21.0%
3	MOD RISK:(3)	792	31.9 %	32.6%
4	GRT RISK:(4)	873	35.1 %	35.9%
5	CANT SAY:(5)	49	2.0 %	2.0%
-9 (M)	MISSING:(-9)	54	2.2 %	-

Based upon 2432 valid cases out of 2486 total cases.

V6317 116A17G:RSK OF 4-5 DR/DA

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	83	3.3 %	3.4%
2	SLIGHT:(2)	149	6.0 %	6.1%
3	MOD RISK:(3)	464	18.7 %	19.1%
4	GRT RISK:(4)	1686	67.8 %	69.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	CANT SAY:(5)	50	2.0 %	2.1%
-9 (M)	MISSING:(-9)	54	2.2 %	-

Based upon 2432 valid cases out of 2486 total cases.

V6318 116A17H:RSK OF 5+DR/WKND

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12540

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	154	6.2 %	6.3%
2	SLIGHT:(2)	351	14.1 %	14.4%
3	MOD RISK:(3)	642	25.8 %	26.4%
4	GRT RISK:(4)	1235	49.7 %	50.7%
5	CANT SAY:(5)	52	2.1 %	2.1%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2434 valid cases out of 2486 total cases.

V6478 116A17I:RSK STEROID ATHL

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24510

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take steroids for body-building or improved athletic
performance?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	77	3.1 %	3.2%
2	SLIGHT:(2)	172	6.9 %	7.1%
3	MOD RISK:(3)	570	22.9 %	23.4%
4	GRT RISK:(4)	1483	59.7 %	60.9%
5	CANT SAY:(5)	133	5.3 %	5.5%
-9 (M)	MISSING:(-9)	51	2.1 %	-

Based upon 2435 valid cases out of 2486 total cases.

V6524

116A17J:RSK MDMA 1-2X

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23040

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Take MDMA (ecstasy) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	134	5.4 %	5.5%
2	SLIGHT:(2)	343	13.8 %	14.1%
3	MOD RISK:(3)	509	20.5 %	20.9%
4	GRT RISK:(4)	1216	48.9 %	50.0%
5	CANT SAY:(5)	229	9.2 %	9.4%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2431 valid cases out of 2486 total cases.

V6320

116A18A:DAP SMK 1PCK CIG

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08560

Individuals differ in whether or not they disapprove of people
doing certain things. Do YOU disapprove of people (who are 18
or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	600	24.1 %	24.6%
2	DISAPPRV:(2)	924	37.2 %	37.8%
3	STRG DIS:(3)	918	36.9 %	37.6%
-9 (M)	MISSING:(-9)	44	1.8 %	-

Based upon 2442 valid cases out of 2486 total cases.

V6321 116A18B:DAP TRY MRJ 1-2T

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	1330	53.5 %	54.4%
2	DISAPPRV:(2)	618	24.9 %	25.3%
3	STRG DIS:(3)	495	19.9 %	20.3%
-9 (M)	MISSING:(-9)	43	1.7 %	-

Based upon 2443 valid cases out of 2486 total cases.

V6322 116A18C:DAP SMK MRJ OCCS

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	1067	42.9 %	43.7%
2	DISAPPRV:(2)	708	28.5 %	29.0%
3	STRG DIS:(3)	669	26.9 %	27.4%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2444 valid cases out of 2486 total cases.

V6323 116A18D:DAP SMK MRJ REGL

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	694	27.9 %	28.4%
2	DISAPPRV:(2)	712	28.6 %	29.1%
3	STRG DIS:(3)	1037	41.7 %	42.4%
-9 (M)	MISSING:(-9)	43	1.7 %	-

Based upon 2443 valid cases out of 2486 total cases.

V6525 116A18E:DAP TRY COC 1-2T

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	305	12.3 %	12.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	DISAPPRV:(2)	631	25.4 %	25.9%
3	STRG DIS:(3)	1497	60.2 %	61.5%
-9 (M)	MISSING:(-9)	53	2.1 %	-

Based upon 2433 valid cases out of 2486 total cases.

V6339 116A18F:DAP 1-2 DRK/DAY

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	708	28.5 %	29.0%
2	DISAPPRV:(2)	978	39.3 %	40.0%
3	STRG DIS:(3)	756	30.4 %	31.0%
-9 (M)	MISSING:(-9)	44	1.8 %	-

Based upon 2442 valid cases out of 2486 total cases.

V6340 116A18G:DAP 4-5 DRK/DAY

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	324	13.0 %	13.3%
2	DISAPPRV:(2)	697	28.0 %	28.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	STRG DIS:(3)	1419	57.1 %	58.2%
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2440 valid cases out of 2486 total cases.

V6341 116A18H:DAP 5+ DRK WKND5

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	711	28.6 %	29.1%
2	DISAPPRV:(2)	727	29.2 %	29.8%
3	STRG DIS:(3)	1002	40.3 %	41.1%
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2440 valid cases out of 2486 total cases.

V6479 116A18I:DAP STEROID ATHL

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24520

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking steroids for body-building or improved athletic performance

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	250	10.1 %	10.2%
2	DISAPPRV:(2)	728	29.3 %	29.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	STRG DIS:(3)	1465	58.9 %	60.0%
-9 (M)	MISSING:(-9)	43	1.7 %	-

Based upon 2443 valid cases out of 2486 total cases.

V6509

116A18J:DAP H -NDL 1-2X

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	174	7.0 %	7.1%
2	DISAPPRV:(2)	377	15.2 %	15.4%
3	STRG DIS:(3)	1891	76.1 %	77.4%
-9 (M)	MISSING:(-9)	44	1.8 %	-

Based upon 2442 valid cases out of 2486 total cases.

V6510

116A18K:DAP H -NDL OCC

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29700

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking heroin occasionally without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	144	5.8 %	5.9%
2	DISAPPRV:(2)	301	12.1 %	12.3%
3	STRG DIS:(3)	1996	80.3 %	81.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	45	1.8 %	-

Based upon 2441 valid cases out of 2486 total cases.

V6526

116A18L:DAP MDMA 1-2X

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29960

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking MDMA ("ecstasy") once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	387	15.6 %	15.9%
2	DISAPPRV:(2)	648	26.1 %	26.6%
3	STRG DIS:(3)	1404	56.5 %	57.6%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2439 valid cases out of 2486 total cases.

V6342

116A19A:EASY GT MARIJUAN

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	141	5.7 %	5.8%
2	VRY DIFF:(2)	67	2.7 %	2.7%
3	FRLY DIF:(3)	168	6.8 %	6.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	FRLY EAS:(4)	549	22.1 %	22.5%
5	VRY EASY:(5)	1514	60.9 %	62.1%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2439 valid cases out of 2486 total cases.

V6343 116A19B:EASY GT LSD

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	526	21.2 %	21.9%
2	VRY DIFF:(2)	562	22.6 %	23.4%
3	FRLY DIF:(3)	784	31.5 %	32.6%
4	FRLY EAS:(4)	351	14.1 %	14.6%
5	VRY EASY:(5)	183	7.4 %	7.6%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2406 valid cases out of 2486 total cases.

V6344 116A19C:EASY GT PCP

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06771

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: PCP (angel dust)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	699	28.1 %	29.1%
2	VRY DIFF:(2)	686	27.6 %	28.5%
3	FRLY DIF:(3)	645	25.9 %	26.8%
4	FRLY EAS:(4)	236	9.5 %	9.8%
5	VRY EASY:(5)	140	5.6 %	5.8%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2406 valid cases out of 2486 total cases.

V6345

116A19D:EASY GT MDMA

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23050

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: MDMA ("ecstasy")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	461	18.5 %	19.1%
2	VRY DIFF:(2)	454	18.3 %	18.8%
3	FRLY DIF:(3)	592	23.8 %	24.5%
4	FRLY EAS:(4)	526	21.2 %	21.7%
5	VRY EASY:(5)	386	15.5 %	16.0%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2419 valid cases out of 2486 total cases.

V6480

116A19E:EASY GT ICE

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24410

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	772	31.1 %	32.0%
2	VRy DIFF:(2)	692	27.8 %	28.7%
3	FRLY DIF:(3)	537	21.6 %	22.3%
4	FRLY EAS:(4)	236	9.5 %	9.8%
5	VRy EASY:(5)	175	7.0 %	7.3%
-9 (M)	MISSING:(-9)	74	3.0 %	-

Based upon 2412 valid cases out of 2486 total cases.

V6481

116A19F:EASY GT STEROIDS

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23060

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Steroids

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	498	20.0 %	20.6%
2	VRy DIFF:(2)	493	19.8 %	20.4%
3	FRLY DIF:(3)	659	26.5 %	27.3%
4	FRLY EAS:(4)	453	18.2 %	18.7%
5	VRy EASY:(5)	314	12.6 %	13.0%
-9 (M)	MISSING:(-9)	69	2.8 %	-

Based upon 2417 valid cases out of 2486 total cases.

V6580

116A19G:EASY GT ALCOHOL

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30950

How difficult do you think it would be for you to get each of

the following types of drugs, if you wanted some?

G. Alcohol

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	97	3.9 %	4.0%
2	VRy DIFF:(2)	41	1.6 %	1.7%
3	FRLY DIF:(3)	107	4.3 %	4.4%
4	FRLY EAS:(4)	366	14.7 %	15.0%
5	VRy EASY:(5)	1822	73.3 %	74.9%
-9 (M)	MISSING:(-9)	53	2.1 %	-

Based upon 2433 valid cases out of 2486 total cases.

V6101 116B01 :EVR SMK CIG,REGL

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1488	59.9 %	61.0%
2	1-2X:(2)	417	16.8 %	17.1%
3	OCCASNLY:(3)	275	11.1 %	11.3%
4	REG PAST:(4)	113	4.5 %	4.6%
5	REG NOW:(5)	146	5.9 %	6.0%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2439 valid cases out of 2486 total cases.

V6102 116B02 :#CIGS SMKD/30DAY

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6" [Includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DAILY:(1)	2005	80.7 %	82.3%
2	<1 CIG/D:(2)	222	8.9 %	9.1%
3	1-5/DAY:(3)	137	5.5 %	5.6%
4	1/2 PK:(4)	47	1.9 %	1.9%
5	1 PK:(5)	18	0.7 %	0.7%
6	1 1/2 PK:(6)	6	0.2 %	0.2%
7	2+ PKS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	49	2.0 %	-

Based upon 2437 valid cases out of 2486 total cases.

V6527

116B03A:CIG HOW BUY-FRND

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29970

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

A: . . . by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	283	11.4 %	66.3%
2	1 TIME:(2)	52	2.1 %	12.2%
3	2 TIMES:(3)	41	1.6 %	9.6%
4	3-5 TMS:(4)	25	1.0 %	5.9%
5	6-9 TMS:(5)	8	0.3 %	1.9%
6	10+ TMS:(6)	18	0.7 %	4.2%
-9 (M)	MISSING:(-9)	2059	82.8 %	-

Based upon 427 valid cases out of 2486 total cases.

V6528 116B03B:CIG HOW BUY-VEND

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29980

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

B: . . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	416	16.7 %	97.7%
2	1 TIME:(2)	6	0.2 %	1.4%
3	2 TIMES:(3)	2	0.1 %	0.5%
4	3-5 TMS:(4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	2060	82.9 %	-

Based upon 426 valid cases out of 2486 total cases.

V6529 116B03C:CIG HOW BUY-MAIL

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29990

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

C: . . . through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	423	17.0 %	99.3%
2	1 TIME:(2)	1	0.0 %	0.2%
3	2 TIMES:(3)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	2060	82.9 %	-

Based upon 426 valid cases out of 2486 total cases.

V6530 116B03D:CIG HOW BUY-PKUP

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30000

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

D: . . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	325	13.1 %	76.7%
2	1 TIME:(2)	22	0.9 %	5.2%
3	2 TIMES:(3)	29	1.2 %	6.8%
4	3-5 TMS:(4)	24	1.0 %	5.7%
5	6-9 TMS:(5)	6	0.2 %	1.4%
6	10+ TMS:(6)	18	0.7 %	4.2%
-9 (M)	MISSING:(-9)	2062	82.9 %	-

Based upon 424 valid cases out of 2486 total cases.

V6531 116B03E:CIG HOW BUY-CLRK

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30010

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

E: . . . in a store where the clerk has to hand you the pack or carton?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	171	6.9 %	40.0%
2	1 TIME:(2)	69	2.8 %	16.1%
3	2 TIMES:(3)	60	2.4 %	14.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	3-5 TMS:(4)	51	2.1 %	11.9%
5	6-9 TMS:(5)	26	1.0 %	6.1%
6	10+ TMS:(6)	51	2.1 %	11.9%
-9 (M)	MISSING:(-9)	2058	82.8 %	-

Based upon 428 valid cases out of 2486 total cases.

V6598 116B03F:CIG HOW BUY-OTHR

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31330

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

F: . . . bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	359	14.4 %	84.7%
2	1 TIME:(2)	16	0.6 %	3.8%
3	2 TIMES:(3)	22	0.9 %	5.2%
4	3-5 TMS:(4)	10	0.4 %	2.4%
5	6-9 TMS:(5)	3	0.1 %	0.7%
6	10+ TMS:(6)	14	0.6 %	3.3%
-9 (M)	MISSING:(-9)	2062	82.9 %	-

Based upon 424 valid cases out of 2486 total cases.

V6532 116B04A:CIG WHERE-SUPMKT

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30020

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9

Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	387	15.6 %	91.1%
2	1 TIME:(2)	15	0.6 %	3.5%
3	2 TIMES:(3)	11	0.4 %	2.6%
4	3-5 TMS:(4)	9	0.4 %	2.1%
5	6-9 TMS:(5)	1	0.0 %	0.2%
6	10+ TMS:(6)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	2061	82.9 %	-

Based upon 425 valid cases out of 2486 total cases.

V6533 116B04B:CIG WHERE-SMLGRC

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30030

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

B: . . . at a small grocery store?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	353	14.2 %	82.7%
2	1 TIME:(2)	33	1.3 %	7.7%
3	2 TIMES:(3)	15	0.6 %	3.5%
4	3-5 TMS:(4)	14	0.6 %	3.3%
5	6-9 TMS:(5)	2	0.1 %	0.5%
6	10+ TMS:(6)	10	0.4 %	2.3%
-9 (M)	MISSING:(-9)	2059	82.8 %	-

Based upon 427 valid cases out of 2486 total cases.

V6534 116B04C:CIG WHERE-DRGSTR

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30040

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

C: . . . at a drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	361	14.5 %	84.9%
2	1 TIME:(2)	21	0.8 %	4.9%
3	2 TIMES:(3)	17	0.7 %	4.0%
4	3-5 TMS:(4)	16	0.6 %	3.8%
5	6-9 TMS:(5)	3	0.1 %	0.7%
6	10+ TMS:(6)	7	0.3 %	1.6%
-9 (M)	MISSING:(-9)	2061	82.9 %	-

Based upon 425 valid cases out of 2486 total cases.

V6535 116B04D:CIG WHERE-CNVGAS

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30050

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

D: . . . at a convenience store (like a Hop-In or 7-11) or
a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	159	6.4 %	37.2%
2	1 TIME:(2)	85	3.4 %	19.9%
3	2 TIMES:(3)	51	2.1 %	11.9%
4	3-5 TMS:(4)	49	2.0 %	11.5%
5	6-9 TMS:(5)	25	1.0 %	5.9%
6	10+ TMS:(6)	58	2.3 %	13.6%
-9 (M)	MISSING:(-9)	2059	82.8 %	-

Based upon 427 valid cases out of 2486 total cases.

V6599 116B04E:CIG WHERE-WEB

Location: 226-227 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 31340

During the last 30 days, about how many times (if any) did
 YOU buy cigarettes for your own use . . .

E: . . . from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
 Times" 6="10 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	421	16.9 %	99.1%
2	1 TIME:(2)	3	0.1 %	0.7%
3	2 TIMES:(3)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	2061	82.9 %	-

Based upon 425 valid cases out of 2486 total cases.

V6536 116B05 :USUAL CIG BRAND

Location: 228-230 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in
 alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
 5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
 11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
 16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
 20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
 24="Other" 25="No usual brand"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BASIC:(1)	1	0.0 %	0.3%
3	BLACK WHT:(3)	1	0.0 %	0.3%
5	CAMEL:(5)	51	2.1 %	13.4%
9	GPC:(9)	1	0.0 %	0.3%
11	KOOL:(11)	12	0.5 %	3.1%
12	MARLBORO:(12)	153	6.2 %	40.1%
17	NEWPORT:(17)	80	3.2 %	20.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18	PALLMALL:(18)	5	0.2 %	1.3%
19	PARLMENT:(19)	4	0.2 %	1.0%
20	SALEM:(20)	1	0.0 %	0.3%
22	VA SLIMS:(22)	1	0.0 %	0.3%
24	OTHER:(24)	26	1.0 %	6.8%
25	NO USUAL:(25)	46	1.9 %	12.0%
-9 (M)	MISSING:(-9)	2104	84.6 %	-

Based upon 382 valid cases out of 2486 total cases.

V6537

116B06 :CIG PROOF OF AGE

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30070

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas station." 2="No, they didn't ask me and they sold me the cigarettes." 3="No, they didn't ask but they didn't sell me the cigarettes." 4="Yes, I was asked for proof of age."
[arrow to Q.B06A]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRIED:(1)	434	17.5 %	46.5%
2	NO & SOLD:(2)	149	6.0 %	16.0%
3	NO & NOSALE:(3)	4	0.2 %	0.4%
4	YES:(4)	347	14.0 %	37.2%
-9 (M)	MISSING:(-9)	1552	62.4 %	-

Based upon 934 valid cases out of 2486 total cases.

V6538

116B06A:CIG SHOW ID/SELL

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30080

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

A: If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some ID but they refused to sell me the cigarettes" 3="I didn't show ID and they sold them to me anyway" 4="I didn't show ID and they didn't sell me any cigarettes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ID & GOT:(1)	310	12.5 %	89.3%
2	ID & NOSALE:(2)	9	0.4 %	2.6%
3	NO ID & SOLD:(3)	14	0.6 %	4.0%
4	NO ID & NOSALE:(4)	14	0.6 %	4.0%
-9 (M)	MISSING:(-9)	2139	86.0 %	-

Based upon 347 valid cases out of 2486 total cases.

V6539	116B07 :CIG STORE BUY<20
--------------	------------------------------------

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 30090

Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	777	31.3 %	83.1%
2	PAST 12MO:(2)	132	5.3 %	14.1%
3	NOT PAST12MO:(3)	26	1.0 %	2.8%
-9 (M)	MISSING:(-9)	1551	62.4 %	-

Based upon 935 valid cases out of 2486 total cases.

V6540	116B08 :*TRY STP SMK/FL
--------------	--------------------------------

Location: 237-238 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	107	4.3 %	11.5%
2	NO:(2)	824	33.1 %	88.5%
-9 (M)	MISSING:(-9)	1555	62.6 %	-

Based upon 931 valid cases out of 2486 total cases.

V6541 116B09 :#X TRY STOP SMK

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01691

How many times, if any, have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	620	24.9 %	67.5%
2	ONCE:(2)	146	5.9 %	15.9%
3	TWICE:(3)	86	3.5 %	9.4%
4	3-5X:(4)	45	1.8 %	4.9%
5	6-9X:(5)	8	0.3 %	0.9%
6	10+ TIME:(6)	13	0.5 %	1.4%
-9 (M)	MISSING:(-9)	1568	63.1 %	-

Based upon 918 valid cases out of 2486 total cases.

V6542 116B10 :*WNT STP SMK NW

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	96	3.9 %	10.4%
2	NO:(2)	212	8.5 %	22.9%
8	DNT SMOK:(8)	618	24.9 %	66.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	1560	62.8 %	-

Based upon 926 valid cases out of 2486 total cases.

V6543

116B11 :QUIT SMK WRY FAT

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30100

Do you (or did you) worry that quitting smoking would make you gain weight?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	802	32.3 %	87.8%
2	A LITTLE:(2)	55	2.2 %	6.0%
3	SOME:(3)	27	1.1 %	3.0%
4	A LOT:(4)	29	1.2 %	3.2%
-9 (M)	MISSING:(-9)	1573	63.3 %	-

Based upon 913 valid cases out of 2486 total cases.

V6544

116B12 :START SMK LOSEWT

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30110

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	853	34.3 %	94.2%
2	A LITTLE:(2)	30	1.2 %	3.3%
3	SOME:(3)	17	0.7 %	1.9%
4	A LOT:(4)	6	0.2 %	0.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	1580	63.6 %	-

Based upon 906 valid cases out of 2486 total cases.

V6545 116B13 :START SMK THISYR

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30120

If you have never smoked, do you think you will try smoking cigarettes sometime this year?

1="I already have tried cigarettes" 2="I definitely will" 3="I probably will" 4="I probably will not" 5="I definitely will not"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALREADY TRIED:(1)	696	28.0 %	29.2%
2	DEF WILL:(2)	19	0.8 %	0.8%
3	PROB WILL:(3)	71	2.9 %	3.0%
4	PROB WONT:(4)	254	10.2 %	10.6%
5	DEF WONT:(5)	1345	54.1 %	56.4%
-9 (M)	MISSING:(-9)	101	4.1 %	-

Based upon 2385 valid cases out of 2486 total cases.

V6546 116B14 :NO SMK IN 5 YR

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	36	1.4 %	1.5%
2	PRB WILL:(2)	178	7.2 %	7.4%
3	PRB WONT:(3)	552	22.2 %	22.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	DEF WONT:(4)	1655	66.6 %	68.4%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2421 valid cases out of 2486 total cases.

V6547 116B15A:NEVER CIG ADDICT

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30130

How much do you agree or disagree with the following statements?

A: I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	389	15.6 %	16.1%
2	MOST DIS:(2)	173	7.0 %	7.2%
3	NEITHER:(3)	176	7.1 %	7.3%
4	MOST AGR:(4)	198	8.0 %	8.2%
5	AGREE:(5)	1480	59.5 %	61.3%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2416 valid cases out of 2486 total cases.

V6548 116B15B:QUIT CIG WN WANT

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30140

How much do you agree or disagree with the following statements?

B: I could smoke a pack a day for a year or more and still be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1377	55.4 %	57.3%
2	MOST DIS:(2)	328	13.2 %	13.6%
3	NEITHER:(3)	309	12.4 %	12.9%
4	MOST AGR:(4)	131	5.3 %	5.4%
5	AGREE:(5)	259	10.4 %	10.8%
-9 (M)	MISSING:(-9)	82	3.3 %	-

Based upon 2404 valid cases out of 2486 total cases.

V6549 116B15C:SMK -DANGER QUIT

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30150

How much do you agree or disagree with the following statements?

C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1774	71.4 %	73.7%
2	MOST DIS:(2)	299	12.0 %	12.4%
3	NEITHER:(3)	198	8.0 %	8.2%
4	MOST AGR:(4)	62	2.5 %	2.6%
5	AGREE:(5)	75	3.0 %	3.1%
-9 (M)	MISSING:(-9)	78	3.1 %	-

Based upon 2408 valid cases out of 2486 total cases.

V6550 116B16 :OWN TOBACCO LOGO

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30160

Some tobacco companies make clothing, hats, bags, or other things with their brand on it. Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

1="No" 2="Yes" [arrow to Q.B16A]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	2247	90.4 %	93.2%
2	YES:(2)	164	6.6 %	6.8%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2411 valid cases out of 2486 total cases.

V6551	116B16Aa:CIG LOGO CAMEL
--------------	--------------------------------

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Item Number: 30170

What brand name is on it (or on them)? (Mark all that apply.)

A. Camel

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	129	5.2 %	77.7%
1	MARKED:(1)	37	1.5 %	22.3%
-9 (M)	MISSING:(-9)	2320	93.3 %	-

Based upon 166 valid cases out of 2486 total cases.

V6552	116B16Ab:CIG LOGO KOOL
--------------	-------------------------------

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Item Number: 30180

What brand name is on it (or on them)? (Mark all that apply.)

B. Koool

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	154	6.2 %	92.8%
1	MARKED:(1)	12	0.5 %	7.2%
-9 (M)	MISSING:(-9)	2320	93.3 %	-

Based upon 166 valid cases out of 2486 total cases.

V6553 116B16Ac:CIG LOGO MARLB

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30190

What brand name is on it (or on them)? (Mark all that apply.)

C. Marlboro

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	76	3.1 %	45.8%
1	MARKED:(1)	90	3.6 %	54.2%
-9 (M)	MISSING:(-9)	2320	93.3 %	-

Based upon 166 valid cases out of 2486 total cases.

V6554 116B16Ad:CIG LOGO NEWPT

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30200

What brand name is on it (or on them)? (Mark all that apply.)

D. Newport

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	140	5.6 %	84.3%
1	MARKED:(1)	26	1.0 %	15.7%
-9 (M)	MISSING:(-9)	2320	93.3 %	-

Based upon 166 valid cases out of 2486 total cases.

V6555 116B16Ae:CIG LOGO VASLM

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30210

What brand name is on it (or on them)? (Mark all that apply.)

E. Virginia Slims

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	162	6.5 %	97.6%
1	MARKED:(1)	4	0.2 %	2.4%
-9 (M)	MISSING:(-9)	2320	93.3 %	-

Based upon 166 valid cases out of 2486 total cases.

V6556

116B16Af:CIG LOGO OTHER

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30220

What brand name is on it (or on them)? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	123	4.9 %	74.1%
1	MARKED:(1)	43	1.7 %	25.9%
-9 (M)	MISSING:(-9)	2320	93.3 %	-

Based upon 166 valid cases out of 2486 total cases.

V6557

116B17 :SAVED CIG COUPON

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30230

Have you ever saved coupons from cigarettes (whether or not you bought them yourself)?

1="No" 2="Yes" [arrow to QB17A]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	2300	92.5 %	95.6%
2	YES:(2)	105	4.2 %	4.4%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2405 valid cases out of 2486 total cases.

V6558 116B17A:SAVE CIG CPN NOW

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30240

A: Are you currently saving coupons from cigarettes?

1="No" 2="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	64	2.6 %	62.1%
2	YES:(2)	39	1.6 %	37.9%
-9 (M)	MISSING:(-9)	2383	95.9 %	-

Based upon 103 valid cases out of 2486 total cases.

V6559 116B18 :CO GIVE FREE CIG

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30250

Has anyone from a tobacco company ever given you, or mailed you, a free sample of their cigarettes?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	2381	95.8 %	98.6%
2	PAST 12MO:(2)	25	1.0 %	1.0%
3	NOT PAST12MO:(3)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2416 valid cases out of 2486 total cases.

V6505 116B19 :EVR USE SMOKLESS

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22230

Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing tobacco, snus, dissolvable tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	2018	81.2 %	83.6%
2	1-2X:(2)	180	7.2 %	7.5%
3	OCCASNLV:(3)	92	3.7 %	3.8%
4	REG PAST:(4)	50	2.0 %	2.1%
5	REG NOW:(5)	74	3.0 %	3.1%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2414 valid cases out of 2486 total cases.

V6506 116B20 :#X SMKLESS/30 DA

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22240

How frequently have you taken smokeless tobacco during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. 19]
2="Once or twice" 3="Once or twice per week" 4="Three to five times per week" 5="About once a day" 6="More than once a day"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	2228	89.6 %	92.3%
2	1-2 X:(2)	74	3.0 %	3.1%
3	1-2/WK:(3)	21	0.8 %	0.9%
4	3-5/WK:(4)	22	0.9 %	0.9%
5	1/DAY:(5)	20	0.8 %	0.8%
6	>1/DAY:(6)	49	2.0 %	2.0%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2414 valid cases out of 2486 total cases.

V6103 116B21 :EVER DRINK

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	755	30.4 %	31.8%
2	YES:(2)	1620	65.2 %	68.2%
-9 (M)	MISSING:(-9)	111	4.5 %	-

Based upon 2375 valid cases out of 2486 total cases.

V6104 116B22A:#X ALC/LIF SIPS

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who indicated nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	755	30.4 %	32.1%
2	1-2X:(2)	181	7.3 %	7.7%
3	3-5X:(3)	260	10.5 %	11.0%
4	6-9X:(4)	209	8.4 %	8.9%
5	10-19X:(5)	298	12.0 %	12.7%
6	20-39X:(6)	230	9.3 %	9.8%
7	40+OCCAS:(7)	421	16.9 %	17.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	132	5.3 %	-

Based upon 2354 valid cases out of 2486 total cases.

V6105 116B22B:#X ALC/ANN SIPS

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	892	35.9 %	38.0%
2	1-2X:(2)	371	14.9 %	15.8%
3	3-5X:(3)	303	12.2 %	12.9%
4	6-9X:(4)	249	10.0 %	10.6%
5	10-19X:(5)	241	9.7 %	10.3%
6	20-39X:(6)	128	5.1 %	5.5%
7	40+OCCAS:(7)	163	6.6 %	6.9%
-9 (M)	MISSING:(-9)	139	5.6 %	-

Based upon 2347 valid cases out of 2486 total cases.

V6106 116B22C:#X ALC/30D SIPS

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1408	56.6 %	60.0%
2	1-2X:(2)	470	18.9 %	20.0%
3	3-5X:(3)	215	8.6 %	9.2%
4	6-9X:(4)	130	5.2 %	5.5%
5	10-19X:(5)	78	3.1 %	3.3%
6	20-39X:(6)	21	0.8 %	0.9%
7	40+OCCAS:(7)	24	1.0 %	1.0%
-9 (M)	MISSING:(-9)	140	5.6 %	-

Based upon 2346 valid cases out of 2486 total cases.

V6107

116B23 :#X DRK ENF FL HI

Location: 289-290 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often
 do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On
 about half of the occasions" 4="On most of the occasions"
 5="On nearly all of the occasions"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	438	17.6 %	27.0%
2	FEW OCC:(2)	417	16.8 %	25.7%
3	HALF OCC:(3)	242	9.7 %	14.9%
4	MOST OCC:(4)	327	13.2 %	20.2%
5	NRLY ALL:(5)	197	7.9 %	12.2%
-9 (M)	MISSING:(-9)	865	34.8 %	-

Based upon 1621 valid cases out of 2486 total cases.

V6108

116B24 :5+DRK ROW/LST 2W

Location: 291-292 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you

had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1789	72.0 %	77.5%
2	ONCE:(2)	196	7.9 %	8.5%
3	TWICE:(3)	142	5.7 %	6.1%
4	3-5X:(4)	130	5.2 %	5.6%
5	6-9X:(5)	25	1.0 %	1.1%
6	10+ TIME:(6)	27	1.1 %	1.2%
-9 (M)	MISSING:(-9)	177	7.1 %	-

Based upon 2309 valid cases out of 2486 total cases.

V6115 116B25A:#XMJ+HS/LIFETIME

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1331	53.5 %	55.7%
2	1-2X:(2)	212	8.5 %	8.9%
3	3-5X:(3)	135	5.4 %	5.7%
4	6-9X:(4)	114	4.6 %	4.8%
5	10-19X:(5)	117	4.7 %	4.9%
6	20-39X:(6)	116	4.7 %	4.9%
7	40+OCCAS:(7)	363	14.6 %	15.2%
-9 (M)	MISSING:(-9)	98	3.9 %	-

Based upon 2388 valid cases out of 2486 total cases.

V6116 116B25B:#XMJ+HS/LAST12MO

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1552	62.4 %	65.0%
2	1-2X:(2)	207	8.3 %	8.7%
3	3-5X:(3)	143	5.8 %	6.0%
4	6-9X:(4)	88	3.5 %	3.7%
5	10-19X:(5)	91	3.7 %	3.8%
6	20-39X:(6)	77	3.1 %	3.2%
7	40+OCCAS:(7)	229	9.2 %	9.6%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2387 valid cases out of 2486 total cases.

V6117 116B25C:#XMJ+HS/LAST30DA

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1864	75.0 %	78.1%
2	1-2X:(2)	163	6.6 %	6.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3-5X:(3)	90	3.6 %	3.8%
4	6-9X:(4)	44	1.8 %	1.8%
5	10-19X:(5)	68	2.7 %	2.8%
6	20-39X:(6)	61	2.5 %	2.6%
7	40+OCCAS:(7)	97	3.9 %	4.1%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2387 valid cases out of 2486 total cases.

V6118 116B26A:#X LSD/LIFETIME

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

On how many occasions (if any) have you used LSD
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2337	94.0 %	96.6%
2	1-2X:(2)	48	1.9 %	2.0%
3	3-5X:(3)	15	0.6 %	0.6%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2419 valid cases out of 2486 total cases.

V6119 116B26B:#X LSD/LAST 12MO

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

On how many occasions (if any) have you used LSD

("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2366	95.2 %	97.9%
2	1-2X:(2)	32	1.3 %	1.3%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.2%
-9 (M)	MISSING:(-9)	69	2.8 %	-

Based upon 2417 valid cases out of 2486 total cases.

V6120

116B26C:#X LSD/LAST 30DA

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2401	96.6 %	99.3%
2	1-2X:(2)	6	0.2 %	0.2%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	69	2.8 %	-

Based upon 2417 valid cases out of 2486 total cases.

V6121

116B27A:#X PSYD/LIFETIME

Location: 305-306 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2238	90.0 %	92.9%
2	1-2X:(2)	106	4.3 %	4.4%
3	3-5X:(3)	31	1.2 %	1.3%
4	6-9X:(4)	15	0.6 %	0.6%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.2 %	0.2%
-9 (M)	MISSING:(-9)	78	3.1 %	-

Based upon 2408 valid cases out of 2486 total cases.

V6122 116B27B:#X PSYD/LAST12MO

Location: 307-308 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2316	93.2 %	96.3%
2	1-2X:(2)	63	2.5 %	2.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2406 valid cases out of 2486 total cases.

V6123 116B27C:#X PSYD/LAST30DA

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2378	95.7 %	98.8%
2	1-2X:(2)	18	0.7 %	0.7%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2406 valid cases out of 2486 total cases.

V6127 116B28A:#X AMPH/LIFETIME

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and

Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own, that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2129	85.6 %	88.6%
2	1-2X:(2)	97	3.9 %	4.0%
3	3-5X:(3)	56	2.3 %	2.3%
4	6-9X:(4)	34	1.4 %	1.4%
5	10-19X:(5)	33	1.3 %	1.4%
6	20-39X:(6)	20	0.8 %	0.8%
7	40+OCCAS:(7)	35	1.4 %	1.5%
-9 (M)	MISSING:(-9)	82	3.3 %	-

Based upon 2404 valid cases out of 2486 total cases.

V6128

116B28B:#X AMPH/LAST12MO

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2212	89.0 %	92.0%
2	1-2X:(2)	75	3.0 %	3.1%
3	3-5X:(3)	47	1.9 %	2.0%
4	6-9X:(4)	23	0.9 %	1.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	22	0.9 %	0.9%
6	20-39X:(6)	14	0.6 %	0.6%
7	40+OCCAS:(7)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	82	3.3 %	-

Based upon 2404 valid cases out of 2486 total cases.

V6129 116B28C:#X AMPH/LAST30DA

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01000

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2306	92.8 %	96.0%
2	1-2X:(2)	51	2.1 %	2.1%
3	3-5X:(3)	23	0.9 %	1.0%
4	6-9X:(4)	13	0.5 %	0.5%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2403 valid cases out of 2486 total cases.

V6517 116B29A:#X CRACK/LIFETIM

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine
in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2374	95.5 %	98.3%
2	1-2X:(2)	19	0.8 %	0.8%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2416 valid cases out of 2486 total cases.

V6518 116B29B:#X CRACK/LAST12M

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2390	96.1 %	98.8%
2	1-2X:(2)	11	0.4 %	0.5%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	6	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2418 valid cases out of 2486 total cases.

V6519 116B29C:#X CRACK/LAST30D

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2402	96.6 %	99.3%
2	1-2X:(2)	6	0.2 %	0.2%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2418 valid cases out of 2486 total cases.

V6520

116B30A:#XOTH COKE/LIFE

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2294	92.3 %	95.4%
2	1-2X:(2)	53	2.1 %	2.2%
3	3-5X:(3)	29	1.2 %	1.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2405 valid cases out of 2486 total cases.

V6521 116B30B:#XOTH COKE/12MO

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2343	94.2 %	97.4%
2	1-2X:(2)	30	1.2 %	1.2%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	6	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2405 valid cases out of 2486 total cases.

V6522 116B30C:#XOTH COKE/30DA

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2377	95.6 %	98.9%
2	1-2X:(2)	17	0.7 %	0.7%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	82	3.3 %	-

Based upon 2404 valid cases out of 2486 total cases.

V6124

116R :#X COKE/LIFETIME

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2281	91.8 %	95.0%
2	1-2X:(2)	51	2.1 %	2.1%
3	3-5X:(3)	35	1.4 %	1.5%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	13	0.5 %	0.5%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2402 valid cases out of 2486 total cases.

V6125 116R :#X COKE/LAST12MO

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2335	93.9 %	97.2%
2	1-2X:(2)	24	1.0 %	1.0%
3	3-5X:(3)	21	0.8 %	0.9%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.2 %	0.2%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2402 valid cases out of 2486 total cases.

V6126 116R :#X COKE/LAST30DA

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2371	95.4 %	98.7%
2	1-2X:(2)	15	0.6 %	0.6%
3	3-5X:(3)	6	0.2 %	0.2%
5	10-19X:(5)	6	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2402 valid cases out of 2486 total cases.

V6133

116B31A:#X SED/BARB/LIFE

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2242	90.2 %	93.0%
2	1-2X:(2)	67	2.7 %	2.8%
3	3-5X:(3)	37	1.5 %	1.5%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	21	0.8 %	0.9%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2411 valid cases out of 2486 total cases.

V6134 116B31B:#X SED/BARB/12MO

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2298	92.4 %	95.2%
2	1-2X:(2)	61	2.5 %	2.5%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	16	0.6 %	0.7%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2414 valid cases out of 2486 total cases.

V6135 116B31C:#X SED/BARB/30DA

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2369	95.3 %	98.1%
2	1-2X:(2)	23	0.9 %	1.0%
3	3-5X:(3)	11	0.4 %	0.5%
4	6-9X:(4)	6	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2414 valid cases out of 2486 total cases.

V6136

116B32A:#X TRQL/LIFETIME

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2187	88.0 %	90.7%
2	1-2X:(2)	97	3.9 %	4.0%
3	3-5X:(3)	40	1.6 %	1.7%
4	6-9X:(4)	20	0.8 %	0.8%
5	10-19X:(5)	23	0.9 %	1.0%
6	20-39X:(6)	17	0.7 %	0.7%
7	40+OCCAS:(7)	26	1.0 %	1.1%
-9 (M)	MISSING:(-9)	76	3.1 %	-

Based upon 2410 valid cases out of 2486 total cases.

V6137

116B32B:#X TRQL/LAST12MO

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2254	90.7 %	93.6%
2	1-2X:(2)	74	3.0 %	3.1%
3	3-5X:(3)	30	1.2 %	1.2%
4	6-9X:(4)	15	0.6 %	0.6%
5	10-19X:(5)	15	0.6 %	0.6%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2409 valid cases out of 2486 total cases.

V6138

116B32C:#X TRQL/LAST30DA

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2342	94.2 %	97.2%
2	1-2X:(2)	35	1.4 %	1.5%
3	3-5X:(3)	11	0.4 %	0.5%
4	6-9X:(4)	8	0.3 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	6	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2409 valid cases out of 2486 total cases.

V6511

116B33A:#X H LIF USE NDL

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2393	96.3 %	99.5%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2406 valid cases out of 2486 total cases.

V6512

116B33B:#X H 12M USE NDL

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2401	96.6 %	99.7%
2	1-2X:(2)	2	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2409 valid cases out of 2486 total cases.

V6513 116B33C:#X H 30D USE NDL

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2402	96.6 %	99.7%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2409 valid cases out of 2486 total cases.

V6514 116B34A:#X H LIF W/O NDL

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2380	95.7 %	99.2%
2	1-2X:(2)	12	0.5 %	0.5%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	87	3.5 %	-

Based upon 2399 valid cases out of 2486 total cases.

V6515

116B34B:#X H 12M W/O NDL

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2392	96.2 %	99.7%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	87	3.5 %	-

Based upon 2399 valid cases out of 2486 total cases.

V6516 116B34C:#X H 30D W/O NDL

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2392	96.2 %	99.7%
2	1-2X:(2)	1	0.0 %	0.0%
4	6-9X:(4)	4	0.2 %	0.2%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	88	3.5 %	-

Based upon 2398 valid cases out of 2486 total cases.

V6139 116R* :#X H/LIFETIME

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2386	96.0 %	99.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	13	0.5 %	0.5%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	76	3.1 %	-

Based upon 2410 valid cases out of 2486 total cases.

V6140 116R* :#X H/LAST12MO

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2402	96.6 %	99.6%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2411 valid cases out of 2486 total cases.

V6141 116R* :#X H/LAST30DAY

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2402	96.6 %	99.7%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	76	3.1 %	-

Based upon 2410 valid cases out of 2486 total cases.

V6142

116B35A:#X NARC/LIFETIME

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2074	83.4 %	86.9%
2	1-2X:(2)	116	4.7 %	4.9%
3	3-5X:(3)	68	2.7 %	2.8%
4	6-9X:(4)	31	1.2 %	1.3%
5	10-19X:(5)	37	1.5 %	1.5%
6	20-39X:(6)	29	1.2 %	1.2%
7	40+OCCAS:(7)	33	1.3 %	1.4%
-9 (M)	MISSING:(-9)	98	3.9 %	-

Based upon 2388 valid cases out of 2486 total cases.

V6143 116B35B:#X NARC/LAST12MO

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2171	87.3 %	91.0%
2	1-2X:(2)	88	3.5 %	3.7%
3	3-5X:(3)	39	1.6 %	1.6%
4	6-9X:(4)	38	1.5 %	1.6%
5	10-19X:(5)	24	1.0 %	1.0%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	13	0.5 %	0.5%
-9 (M)	MISSING:(-9)	101	4.1 %	-

Based upon 2385 valid cases out of 2486 total cases.

V6144 116B35C:#X NARC/LAST30DA

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2289	92.1 %	95.9%
2	1-2X:(2)	55	2.2 %	2.3%
3	3-5X:(3)	22	0.9 %	0.9%
4	6-9X:(4)	16	0.6 %	0.7%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	100	4.0 %	-

Based upon 2386 valid cases out of 2486 total cases.

V6620

116B36A:#X METHAMPH/LIFE

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

30800

Item Number:

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A. . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2339	94.1 %	97.8%
2	1-2X:(2)	29	1.2 %	1.2%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	7	0.3 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	94	3.8 %	-

Based upon 2392 valid cases out of 2486 total cases.

V6621 116B36B:#X METHAMPH/12MO

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30810

On how many occasions (if any) have you used methamphetamine
(meth, speed, crank, crystal meth) by any method . . .

B. . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2320	93.3 %	98.7%
2	1-2X:(2)	18	0.7 %	0.8%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	135	5.4 %	-

Based upon 2351 valid cases out of 2486 total cases.

V6622 116B36C:#X METHAMPH/30DA

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30820

On how many occasions (if any) have you used methamphetamine
(meth, speed, crank, crystal meth) by any method . . .

C. . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2337	94.0 %	99.5%
2	1-2X:(2)	6	0.2 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	138	5.6 %	-

Based upon 2348 valid cases out of 2486 total cases.

V6148 116C01(R):AGE <>18 DICHOTOMY

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 18 YRS:(1)	1032	41.5 %	43.0%
2	18+ YRS:(2)	1370	55.1 %	57.0%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2402 valid cases out of 2486 total cases.

V6150 116C03 :Rs SEX

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00030

What is your sex?

1="Male" 2="Female"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE:(1)	1199	48.2 %	51.1%
2	FEMALE:(2)	1147	46.1 %	48.9%
-9 (M)	MISSING:(-9)	140	5.6 %	-

Based upon 2346 valid cases out of 2486 total cases.

V6151 116C04(R):R'S RACE B/W/H

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; "Hispanic" = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
3="Hispanic" [see above].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BLACK:(1)	344	13.8 %	16.9%
2	WHITE:(2)	1359	54.7 %	66.9%
3	HISPANIC:(3)	327	13.2 %	16.1%
-9 (M)	MISSING:(-9)	456	18.3 %	-

Based upon 2030 valid cases out of 2486 total cases.

V6152 116C05 :R SPD >TIM R-URB

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DK/MIXED:(0)	263	10.6 %	10.6%
1	A FARM:(1)	90	3.6 %	3.6%
2	COUNTRY:(2)	250	10.1 %	10.1%
3	SM CITY:(3)	617	24.8 %	24.8%
4	MED CITY:(4)	300	12.1 %	12.1%
5	SUB MED:(5)	251	10.1 %	10.1%
6	LGE CITY:(6)	264	10.6 %	10.6%
7	SUB LGE:(7)	223	9.0 %	9.0%
8	V-LGE CITY:(8)	145	5.8 %	5.8%
9	SUB V-LGE:(9)	83	3.3 %	3.3%

Based upon 2486 valid cases out of 2486 total cases.

V6153

116C06 :R NOT MARRIED

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARRIED:(1)	99	4.0 %	4.1%
2	ENGAGED:(2)	82	3.3 %	3.4%
3	SEP/DIV:(3)	35	1.4 %	1.5%
4	SINGLE:(4)	2193	88.2 %	91.0%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2409 valid cases out of 2486 total cases.

V49

11C07R:# SIBLINGS

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	139	5.6 %	5.8%
1	ONE:(1)	683	27.5 %	28.4%
2	TWO:(2)	631	25.4 %	26.2%
3	THREE+:(3-4)	954	38.4 %	39.6%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2407 valid cases out of 2486 total cases.

V6155 116C07Cb(R):R'S HSHLD FATHER

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	691	27.8 %	28.7%
1	MARKED:(1)	1715	69.0 %	71.3%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2406 valid cases out of 2486 total cases.

V6156 116C07Cc(R):R'S HSHLD MOTHER

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	295	11.9 %	12.3%
1	MARKED:(1)	2111	84.9 %	87.7%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2406 valid cases out of 2486 total cases.

V6157 116C07Cd(R):R'S HSHLD BR/SR

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	810	32.6 %	33.7%
1	MARKED:(1)	1596	64.2 %	66.3%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2406 valid cases out of 2486 total cases.

V6163 116C08 :FATHR EDUC LEVEL

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	91	3.7 %	3.8%
2	SOME HS:(2)	231	9.3 %	9.6%
3	HS GRAD:(3)	621	25.0 %	25.8%
4	SOME CLG:(4)	408	16.4 %	17.0%
5	CLG GRAD:(5)	531	21.4 %	22.1%
6	GRAD SCH:(6)	306	12.3 %	12.7%
7	DK:(7)	217	8.7 %	9.0%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2405 valid cases out of 2486 total cases.

V6164

116C09 :MOTHR EDUC LEVEL

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	89	3.6 %	3.7%
2	SOME HS:(2)	173	7.0 %	7.2%
3	HS GRAD:(3)	521	21.0 %	21.7%
4	SOME CLG:(4)	515	20.7 %	21.4%
5	CLG GRAD:(5)	700	28.2 %	29.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	GRAD SCH:(6)	299	12.0 %	12.4%
7	DK:(7)	105	4.2 %	4.4%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2402 valid cases out of 2486 total cases.

V6165

116C10 :MOTH PD JB R YNG

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	326	13.1 %	13.6%
2	YES/SOME:(2)	408	16.4 %	17.0%
3	YES/MOST:(3)	413	16.6 %	17.3%
4	YES/NRLY ALL:(4)	1247	50.2 %	52.1%
-9 (M)	MISSING:(-9)	92	3.7 %	-

Based upon 2394 valid cases out of 2486 total cases.

V6166

116C11 :Rs POLTL PRFNC

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRG GOP:(1)	232	9.3 %	9.9%
2	MILD GOP:(2)	278	11.2 %	11.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	MILD DEM:(3)	265	10.7 %	11.3%
4	STRG DEM:(4)	221	8.9 %	9.4%
5	INDEPNDT:(5)	285	11.5 %	12.2%
6	NO PREF:(6)	405	16.3 %	17.3%
7	OTHER:(7)	51	2.1 %	2.2%
8	DK/HVNT DECID:(8)	607	24.4 %	25.9%
-9 (M)	MISSING:(-9)	142	5.7 %	-

Based upon 2344 valid cases out of 2486 total cases.

V6167

116C12 :R POL BLF RADCL

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of
the above, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VRV CONS:(1)	128	5.1 %	5.4%
2	CONSERV:(2)	298	12.0 %	12.5%
3	MODERATE:(3)	543	21.8 %	22.8%
4	LIBERAL:(4)	335	13.5 %	14.1%
5	VRV LIB:(5)	98	3.9 %	4.1%
6	RADICAL:(6)	39	1.6 %	1.6%
8	NONE/DK:(8)	938	37.7 %	39.4%
-9 (M)	MISSING:(-9)	107	4.3 %	-

Based upon 2379 valid cases out of 2486 total cases.

V6169

116C13B:R ATTND REL SVC

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once"

a week or more"

Responses from the western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	386	15.5 %	21.0%
2	RARELY:(2)	608	24.5 %	33.1%
3	1-2X/MO:(3)	312	12.6 %	17.0%
4	1/WK OR+:(4)	531	21.4 %	28.9%
-9 (M)	MISSING:(-9)	649	26.1 %	-

Based upon 1837 valid cases out of 2486 total cases.

V6170 116C13C:RLGN IMP Rs LF

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	373	15.0 %	20.3%
2	LITL IMP:(2)	439	17.7 %	23.9%
3	PRTY IMP:(3)	526	21.2 %	28.7%
4	VERY IMP:(4)	497	20.0 %	27.1%
-9 (M)	MISSING:(-9)	651	26.2 %	-

Based upon 1835 valid cases out of 2486 total cases.

V6171 116C14 :WHEN R XPCT GRAD

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	JUNE:(1)	2355	94.7 %	98.4%
2	JUL-JAN:(2)	25	1.0 %	1.0%
6	DONT EXPCT:(6)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	92	3.7 %	-

Based upon 2394 valid cases out of 2486 total cases.

V6172

116C15 :Rs HS PROGRAM

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	CLG PREP:(1)	1290	51.9 %	54.1%
2	GENERAL:(2)	759	30.5 %	31.8%
3	VOC-TECH:(3)	112	4.5 %	4.7%
4	OTH/DK:(4)	224	9.0 %	9.4%
-9 (M)	MISSING:(-9)	101	4.1 %	-

Based upon 2385 valid cases out of 2486 total cases.

V6173

116C16 :RT SF SCH AB>AVG

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BELOW:(1)	38	1.5 %	1.6%
2	BELOW AVG:(2)	46	1.9 %	1.9%
3	SLIGHT BELOW:(3)	111	4.5 %	4.7%
4	AVERAGE:(4)	728	29.3 %	30.5%
5	SLIGHT ABOVE:(5)	574	23.1 %	24.1%
6	ABOVE AVG:(6)	712	28.6 %	29.9%
7	FAR ABOVE:(7)	176	7.1 %	7.4%
-9 (M)	MISSING:(-9)	101	4.1 %	-

Based upon 2385 valid cases out of 2486 total cases.

V6174 116C17 :RT SF INTELL>AVG

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00420

How intelligent do you think you are compared with others
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BELOW:(1)	28	1.1 %	1.2%
2	BELOW AVG:(2)	28	1.1 %	1.2%
3	SLIGHT BELOW:(3)	87	3.5 %	3.6%
4	AVERAGE:(4)	680	27.4 %	28.5%
5	SLIGHT ABOVE:(5)	599	24.1 %	25.1%
6	ABOVE AVG:(6)	753	30.3 %	31.6%
7	FAR ABOVE:(7)	209	8.4 %	8.8%
-9 (M)	MISSING:(-9)	102	4.1 %	-

Based upon 2384 valid cases out of 2486 total cases.

V6175 116C18A:#DA/4W SC MS ILL

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1348	54.2 %	57.4%
2	1 DAY:(2)	429	17.3 %	18.3%
3	2 DAYS:(3)	272	10.9 %	11.6%
4	3 DAYS:(4)	148	6.0 %	6.3%
5	4-5 DAYS:(5)	103	4.1 %	4.4%
6	6-10 DA:(6)	32	1.3 %	1.4%
7	11+ DAYS:(7)	18	0.7 %	0.8%
-9 (M)	MISSING:(-9)	136	5.5 %	-

Based upon 2350 valid cases out of 2486 total cases.

V6176

116C18B:#DA/4W SC MS CUT

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1617	65.0 %	69.6%
2	1 DAY:(2)	317	12.8 %	13.7%
3	2 DAYS:(3)	158	6.4 %	6.8%
4	3 DAYS:(4)	96	3.9 %	4.1%
5	4-5 DAYS:(5)	76	3.1 %	3.3%
6	6-10 DA:(6)	26	1.0 %	1.1%
7	11+ DAYS:(7)	32	1.3 %	1.4%
-9 (M)	MISSING:(-9)	164	6.6 %	-

Based upon 2322 valid cases out of 2486 total cases.

V6177 116C18C:#DA/4W SC MS OTH

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1259	50.6 %	53.7%
2	1 DAY:(2)	486	19.5 %	20.7%
3	2 DAYS:(3)	284	11.4 %	12.1%
4	3 DAYS:(4)	145	5.8 %	6.2%
5	4-5 DAYS:(5)	90	3.6 %	3.8%
6	6-10 DA:(6)	45	1.8 %	1.9%
7	11+ DAYS:(7)	36	1.4 %	1.5%
-9 (M)	MISSING:(-9)	141	5.7 %	-

Based upon 2345 valid cases out of 2486 total cases.

V6178 116C19 :#DA/4W SKP CLASS

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1698	68.3 %	71.3%
2	1-2:(2)	424	17.1 %	17.8%
3	3-5:(3)	160	6.4 %	6.7%
4	6-10:(4)	68	2.7 %	2.9%
5	11-20:(5)	20	0.8 %	0.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	21+:(6)	13	0.5 %	0.5%
-9 (M)	MISSING:(-9)	103	4.1 %	-

Based upon 2383 valid cases out of 2486 total cases.

V6179 116C20 :R HS GRADE/D = 1

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	D:(1)	23	0.9 %	1.0%
2	C-:(2)	46	1.9 %	1.9%
3	C:(3)	118	4.7 %	5.0%
4	C+:(4)	202	8.1 %	8.5%
5	B-:(5)	285	11.5 %	12.0%
6	B:(6)	438	17.6 %	18.5%
7	B+:(7)	452	18.2 %	19.0%
8	A-:(8)	423	17.0 %	17.8%
9	A:(9)	386	15.5 %	16.3%
-9 (M)	MISSING:(-9)	113	4.5 %	-

Based upon 2373 valid cases out of 2486 total cases.

V6180 116C21A:R WL DO VOC/TEC

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1336	53.7 %	58.5%
2	PRB WONT:(2)	501	20.2 %	21.9%
3	PRB WILL:(3)	288	11.6 %	12.6%
4	DEF WILL:(4)	159	6.4 %	7.0%
-9 (M)	MISSING:(-9)	202	8.1 %	-

Based upon 2284 valid cases out of 2486 total cases.

V6181 116C21B:R WL DO ARMD FC

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1607	64.6 %	70.1%
2	PRB WONT:(2)	432	17.4 %	18.8%
3	PRB WILL:(3)	155	6.2 %	6.8%
4	DEF WILL:(4)	98	3.9 %	4.3%
-9 (M)	MISSING:(-9)	194	7.8 %	-

Based upon 2292 valid cases out of 2486 total cases.

V6182 116C21C:R WL DO 2YR CLG

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	858	34.5 %	37.6%
2	PRB WONT:(2)	412	16.6 %	18.1%
3	PRB WILL:(3)	525	21.1 %	23.0%
4	DEF WILL:(4)	487	19.6 %	21.3%
-9 (M)	MISSING:(-9)	204	8.2 %	-

Based upon 2282 valid cases out of 2486 total cases.

V6183 116C21D:R WL DO 4YR CLG

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	156	6.3 %	6.7%
2	PRB WONT:(2)	191	7.7 %	8.2%
3	PRB WILL:(3)	548	22.0 %	23.5%
4	DEF WILL:(4)	1441	58.0 %	61.7%
-9 (M)	MISSING:(-9)	150	6.0 %	-

Based upon 2336 valid cases out of 2486 total cases.

V6184 116C21E:R WL DO GRD/PRF

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	358	14.4 %	15.6%
2	PRB WONT:(2)	622	25.0 %	27.1%
3	PRB WILL:(3)	767	30.9 %	33.4%
4	DEF WILL:(4)	547	22.0 %	23.8%
-9 (M)	MISSING:(-9)	192	7.7 %	-

Based upon 2294 valid cases out of 2486 total cases.

V6185 116C22A:R WNTDO VOC/TEC

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1988	80.0 %	85.1%
1	MARKED:(1)	349	14.0 %	14.9%
-9 (M)	MISSING:(-9)	149	6.0 %	-

Based upon 2337 valid cases out of 2486 total cases.

V6186 116C22B:R WNTDO ARMD FC

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1987	79.9 %	85.0%
1	MARKED:(1)	350	14.1 %	15.0%
-9 (M)	MISSING:(-9)	149	6.0 %	-

Based upon 2337 valid cases out of 2486 total cases.

V6187	116C22C:R WNTDO 2YR CLG
--------------	--------------------------------

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1731	69.6 %	74.1%
1	MARKED:(1)	606	24.4 %	25.9%
-9 (M)	MISSING:(-9)	149	6.0 %	-

Based upon 2337 valid cases out of 2486 total cases.

V6188	116C22D:R WNTDO 4YR CLG
--------------	--------------------------------

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	386	15.5 %	16.5%
1	MARKED:(1)	1951	78.5 %	83.5%
-9 (M)	MISSING:(-9)	149	6.0 %	-

Based upon 2337 valid cases out of 2486 total cases.

V6189 116C22E:R WNTDO GRD/PRF

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	985	39.6 %	42.1%
1	MARKED:(1)	1352	54.4 %	57.9%
-9 (M)	MISSING:(-9)	149	6.0 %	-

Based upon 2337 valid cases out of 2486 total cases.

V6190 116C22F:R WNTDO NONE

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2247	90.4 %	96.1%
1	MARKED:(1)	90	3.6 %	3.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	149	6.0 %	-

Based upon 2337 valid cases out of 2486 total cases.

V6191 116C23 :HRS/W WRK SCHYR

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1020	41.0 %	43.3%
2	5 OR <:(2)	262	10.5 %	11.1%
3	6-10 HRS:(3)	240	9.7 %	10.2%
4	11-15 HR:(4)	221	8.9 %	9.4%
5	16-20 HR:(5)	220	8.8 %	9.3%
6	21-25 HR:(6)	165	6.6 %	7.0%
7	26-30 HR:(7)	109	4.4 %	4.6%
8	30+ HRS:(8)	121	4.9 %	5.1%
-9 (M)	MISSING:(-9)	128	5.1 %	-

Based upon 2358 valid cases out of 2486 total cases.

V6192 116C24A:R\$/AVG WEEK JOB

Location: 451-453 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1096	44.1 %	47.1%
2	\$1-5:(2)	15	0.6 %	0.6%
3	\$6-10:(3)	59	2.4 %	2.5%
4	\$11-20:(4)	70	2.8 %	3.0%
5	\$21-35:(5)	92	3.7 %	4.0%
6	\$36-50:(6)	115	4.6 %	4.9%
7	\$51-75:(7)	154	6.2 %	6.6%
8	\$76-125:(8)	306	12.3 %	13.2%
9	\$126-175:(9)	196	7.9 %	8.4%
10	\$176+:(10)	223	9.0 %	9.6%
-9 (M)	MISSING:(-9)	160	6.4 %	-

Based upon 2326 valid cases out of 2486 total cases.

V6193 116C24B:R\$/AVG WEEK OTH

Location: 454-456 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"

7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	923	37.1 %	40.1%
2	\$1-5:(2)	116	4.7 %	5.0%
3	\$6-10:(3)	194	7.8 %	8.4%
4	\$11-20:(4)	405	16.3 %	17.6%
5	\$21-35:(5)	274	11.0 %	11.9%
6	\$36-50:(6)	159	6.4 %	6.9%
7	\$51-75:(7)	75	3.0 %	3.3%
8	\$76-125:(8)	68	2.7 %	3.0%
9	\$126-175:(9)	21	0.8 %	0.9%
10	\$176+:(10)	67	2.7 %	2.9%
-9 (M)	MISSING:(-9)	184	7.4 %	-

Based upon 2302 valid cases out of 2486 total cases.

V6194 116C25 :#X/AV WK GO OUT

Location: 457-458 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 1:(1)	354	14.2 %	15.1%
2	ONE:(2)	367	14.8 %	15.7%
3	TWO:(3)	612	24.6 %	26.1%
4	THREE:(4)	521	21.0 %	22.2%
5	4-5:(5)	330	13.3 %	14.1%
6	6-7:(6)	160	6.4 %	6.8%
-9 (M)	MISSING:(-9)	142	5.7 %	-

Based upon 2344 valid cases out of 2486 total cases.

V6195

116C26 :#X DATE 3+/WK

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	797	32.1 %	34.0%
2	ONCE/MO:(2)	442	17.8 %	18.8%
3	2-3X MO:(3)	337	13.6 %	14.4%
4	ONCE WK:(4)	367	14.8 %	15.6%
5	2-3X WK:(5)	259	10.4 %	11.0%
6	3+ WEEK:(6)	144	5.8 %	6.1%
-9 (M)	MISSING:(-9)	140	5.6 %	-

Based upon 2346 valid cases out of 2486 total cases.

V6196 116C27 :DRIVE>200 MI/WK

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	530	21.3 %	22.4%
2	1-10 MI:(2)	256	10.3 %	10.8%
3	11-50:(3)	615	24.7 %	26.0%
4	51-100:(4)	496	20.0 %	21.0%
5	101-200:(5)	304	12.2 %	12.9%
6	> 200:(6)	163	6.6 %	6.9%
-9 (M)	MISSING:(-9)	122	4.9 %	-

Based upon 2364 valid cases out of 2486 total cases.

V6197 116C28 :#X/12MO R TCKTD

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1843	74.1 %	78.6%
1	ONCE:(1)	313	12.6 %	13.3%
2	TWICE:(2)	113	4.5 %	4.8%
3	3 TIMES:(3)	47	1.9 %	2.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	4+ TIMES:(4)	29	1.2 %	1.2%
-9 (M)	MISSING:(-9)	141	5.7 %	-

Based upon 2345 valid cases out of 2486 total cases.

V6198

116C29AR:#TCKTS AFT DRNK

Location: 465-466 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	474	19.1 %	95.4%
1	ONE:(1)	15	0.6 %	3.0%
2	TWO:(2)	5	0.2 %	1.0%
3	THREE+:(3-4)	3	0.1 %	0.6%
-9 (M)	MISSING:(-9)	1989	80.0 %	-

Based upon 497 valid cases out of 2486 total cases.

V6199

116C29BR:#TCKTS AFT MARJ

Location: 467-468 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	471	18.9 %	94.6%
1	ONE:(1)	19	0.8 %	3.8%
2	TWO:(2)	5	0.2 %	1.0%
3	THREE+: (3-4)	3	0.1 %	0.6%
-9 (M)	MISSING:(-9)	1988	80.0 %	-

Based upon 498 valid cases out of 2486 total cases.

V6200

116C29CR:#TCKTS AFT OTDG

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	487	19.6 %	98.6%
1	ONE:(1)	5	0.2 %	1.0%
2	TWO:(2)	1	0.0 %	0.2%
3	THREE+: (3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1992	80.1 %	-

Based upon 494 valid cases out of 2486 total cases.

V6201

116C30 :#ACCIDNTS/12 MO

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1960	78.8 %	83.7%
1	ONCE:(1)	317	12.8 %	13.5%
2	TWICE:(2)	48	1.9 %	2.1%
3	3 TIMES:(3)	12	0.5 %	0.5%
4	4+ TIMES:(4)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	145	5.8 %	-

Based upon 2341 valid cases out of 2486 total cases.

V6202 116C31AR:#ACDTS AFT DRNK

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	376	15.1 %	98.4%
1	ONE:(1)	5	0.2 %	1.3%
2	TWO:(2)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2104	84.6 %	-

Based upon 382 valid cases out of 2486 total cases.

V6203 116C31BR:#ACDTS AFT MARJ

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	368	14.8 %	97.4%
1	ONE:(1)	10	0.4 %	2.6%
-9 (M)	MISSING:(-9)	2108	84.8 %	-

Based upon 378 valid cases out of 2486 total cases.

V6204 116C31CR:#ACDTS AFT OTDG

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	375	15.1 %	99.2%
1	ONE:(1)	2	0.1 %	0.5%
2	TWO:(2)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2108	84.8 %	-

Based upon 378 valid cases out of 2486 total cases.

V6205 116C32 :USE SEATBLT-DRVR

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22210

When you drive a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"
8="Does Not Apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	103	4.1 %	4.4%
2	SELDOM:(2)	80	3.2 %	3.4%
3	SOMETIME:(3)	108	4.3 %	4.6%
4	OFTEN:(4)	195	7.8 %	8.3%
5	ALWAYS:(5)	1720	69.2 %	73.3%
8	INAP:(8)	141	5.7 %	6.0%
-9 (M)	MISSING:(-9)	139	5.6 %	-

Based upon 2347 valid cases out of 2486 total cases.

V6206

116C33 :USE SEATBLT-RIDR

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22220

When you are riding in the front passenger seat of a car,
how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"
8="Does Not Apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	99	4.0 %	4.2%
2	SELDOM:(2)	85	3.4 %	3.6%
3	SOMETIME:(3)	136	5.5 %	5.8%
4	OFTEN:(4)	329	13.2 %	14.1%
5	ALWAYS:(5)	1675	67.4 %	71.9%
8	INAP:(8)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	155	6.2 %	-

Based upon 2331 valid cases out of 2486 total cases.

V6560

116D01 :#X ANTISMK TV/RD

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30260

The next questions are about anti-smoking commercials or
"spots" that are intended to discourage cigarette smoking.
In recent months, about how often have you seen such anti-
smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	431	17.3 %	18.4%
2	<1/MONTH:(2)	417	16.8 %	17.8%
3	1-3X/MON:(3)	650	26.1 %	27.7%
4	1-3/WEEK:(4)	507	20.4 %	21.6%
5	DAILY:(5)	265	10.7 %	11.3%
6	>1/DAY:(6)	74	3.0 %	3.2%
-9 (M)	MISSING:(-9)	142	5.7 %	-

Based upon 2344 valid cases out of 2486 total cases.

V6561

116D02 :#X ANTISMK PRINT

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30270

In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	622	25.0 %	26.6%
2	<1/MONTH:(2)	624	25.1 %	26.7%
3	1-3X/MON:(3)	674	27.1 %	28.8%
4	1-3/WEEK:(4)	256	10.3 %	10.9%
5	DAILY:(5)	131	5.3 %	5.6%
6	>1/DAY:(6)	31	1.2 %	1.3%
-9 (M)	MISSING:(-9)	148	6.0 %	-

Based upon 2338 valid cases out of 2486 total cases.

V6562

116D03A:ANTISMK ADS<FVRB

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30280

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

A: . . . made you less favorable toward smoking cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	849	34.2 %	36.6%
2	LTTL EXT:(2)	452	18.2 %	19.5%
3	SOME EXT:(3)	531	21.4 %	22.9%
4	GRT EXT:(4)	219	8.8 %	9.4%
5	VRGR EXT:(5)	268	10.8 %	11.6%
-9 (M)	MISSING:(-9)	167	6.7 %	-

Based upon 2319 valid cases out of 2486 total cases.

V6563

116D03B:ANTISMK ADS<LKLY

Location: 489-490 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30290

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

B: . . . made you less likely to smoke cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	856	34.4 %	37.0%
2	LTTL EXT:(2)	414	16.7 %	17.9%
3	SOME EXT:(3)	490	19.7 %	21.2%
4	GRT EXT:(4)	226	9.1 %	9.8%
5	VRGR EXT:(5)	327	13.2 %	14.1%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2313 valid cases out of 2486 total cases.

V6564

116D03C:ANTISMK ADS EXAG

Location: 491-492 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 30300

To what extent do you think such ads on TV, radio, and
 billboards or in magazines and newspapers have . . .

C: . . . overstated the dangers or risks of cigarette smoking?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To
 a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	932	37.5 %	40.5%
2	LTTL EXT:(2)	413	16.6 %	17.9%
3	SOME EXT:(3)	487	19.6 %	21.1%
4	GRT EXT:(4)	217	8.7 %	9.4%
5	VRGR EXT:(5)	254	10.2 %	11.0%
-9 (M)	MISSING:(-9)	183	7.4 %	-

Based upon 2303 valid cases out of 2486 total cases.

V6565 116D04A:CIG SMKRS-ATHLTS

Location: 493-494 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 30310

These days, how many people in the following groups would
 you guess are regular cigarette smokers?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0%-10%:(1)	1074	43.2 %	46.5%
2	11%-30%:(2)	512	20.6 %	22.2%
3	31%-50%:(3)	240	9.7 %	10.4%
4	51%-70%:(4)	135	5.4 %	5.8%
5	71%-90%:(5)	55	2.2 %	2.4%
6	91%-100%:(6)	26	1.0 %	1.1%
8	NO IDEA:(8)	269	10.8 %	11.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	175	7.0 %	-

Based upon 2311 valid cases out of 2486 total cases.

V6566 116D04B:CIG SMKRS-ROCKRS

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30320

These days, how many people in the following groups would you guess are regular cigarette smokers?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0%-10%:(1)	79	3.2 %	3.4%
2	11%-30%:(2)	134	5.4 %	5.8%
3	31%-50%:(3)	287	11.5 %	12.4%
4	51%-70%:(4)	493	19.8 %	21.3%
5	71%-90%:(5)	675	27.2 %	29.2%
6	91%-100%:(6)	450	18.1 %	19.5%
8	NO IDEA:(8)	192	7.7 %	8.3%
-9 (M)	MISSING:(-9)	176	7.1 %	-

Based upon 2310 valid cases out of 2486 total cases.

V6567 116D04C:CIG SMKRS-ACTORS

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30330

These days, how many people in the following groups would you guess are regular cigarette smokers?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0%-10%:(1)	114	4.6 %	4.9%
2	11%-30%:(2)	288	11.6 %	12.5%
3	31%-50%:(3)	492	19.8 %	21.3%
4	51%-70%:(4)	605	24.3 %	26.2%
5	71%-90%:(5)	434	17.5 %	18.8%
6	91%-100%:(6)	147	5.9 %	6.4%
8	NO IDEA:(8)	227	9.1 %	9.8%
-9 (M)	MISSING:(-9)	179	7.2 %	-

Based upon 2307 valid cases out of 2486 total cases.

V6568 116D04D:CIG SMKRS-PEERS

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30340

These days, how many people in the following groups would you guess are regular cigarette smokers?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0%-10%:(1)	255	10.3 %	11.1%
2	11%-30%:(2)	477	19.2 %	20.7%
3	31%-50%:(3)	537	21.6 %	23.3%
4	51%-70%:(4)	474	19.1 %	20.6%
5	71%-90%:(5)	280	11.3 %	12.1%
6	91%-100%:(6)	136	5.5 %	5.9%
8	NO IDEA:(8)	147	5.9 %	6.4%
-9 (M)	MISSING:(-9)	180	7.2 %	-

Based upon 2306 valid cases out of 2486 total cases.

V6569 116D05A:USE DRUGS-ATHLTS

Location: 501-502 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22380

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	729	29.3 %	31.6%
2	11%-30%:(2)	548	22.0 %	23.8%
3	31%-50%:(3)	302	12.1 %	13.1%
4	51%-70%:(4)	236	9.5 %	10.2%
5	71%-90%:(5)	129	5.2 %	5.6%
6	91%-100%:(6)	76	3.1 %	3.3%
8	NO IDEA:(8)	287	11.5 %	12.4%
-9 (M)	MISSING:(-9)	179	7.2 %	-

Based upon 2307 valid cases out of 2486 total cases.

V6570

116D05B:USE DRUGS-ROCKRS

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22390

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	77	3.1 %	3.3%
2	11%-30%:(2)	111	4.5 %	4.8%
3	31%-50%:(3)	237	9.5 %	10.3%
4	51%-70%:(4)	384	15.4 %	16.7%
5	71%-90%:(5)	646	26.0 %	28.1%
6	91%-100%:(6)	631	25.4 %	27.4%
8	NO IDEA:(8)	216	8.7 %	9.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	184	7.4 %	-

Based upon 2302 valid cases out of 2486 total cases.

V6571 116D05C:USE DRUGS-ACTORS

Location: 505-506 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22400

How many people in the following groups would you guess use
illicit drugs (like marijuana, cocaine, etc.) occasionally
or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0%-10%:(1)	161	6.5 %	7.0%
2	11%-30%:(2)	313	12.6 %	13.6%
3	31%-50%:(3)	464	18.7 %	20.2%
4	51%-70%:(4)	492	19.8 %	21.4%
5	71%-90%:(5)	400	16.1 %	17.4%
6	91%-100%:(6)	198	8.0 %	8.6%
8	NO IDEA:(8)	274	11.0 %	11.9%
-9 (M)	MISSING:(-9)	184	7.4 %	-

Based upon 2302 valid cases out of 2486 total cases.

V6572 116D05D:USE DRUGS-PEERS

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22405

How many people in the following groups would you guess use
illicit drugs (like marijuana, cocaine, etc.) occasionally
or regularly?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0%-10%:(1)	240	9.7 %	10.5%
2	11%-30%:(2)	363	14.6 %	15.8%
3	31%-50%:(3)	474	19.1 %	20.6%
4	51%-70%:(4)	446	17.9 %	19.4%
5	71%-90%:(5)	394	15.8 %	17.2%
6	91%-100%:(6)	203	8.2 %	8.8%
8	NO IDEA:(8)	176	7.1 %	7.7%
-9 (M)	MISSING:(-9)	190	7.6 %	-

Based upon 2296 valid cases out of 2486 total cases.

V6573 116D06 :SMKRS MOVIE THTR

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30360

Think about the movie that you watched most recently in a theater. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	673	27.1 %	29.2%
2	SOME:(2)	1116	44.9 %	48.4%
3	A LOT:(3)	193	7.8 %	8.4%
4	DONT REMEMBER:(4)	323	13.0 %	14.0%
-9 (M)	MISSING:(-9)	181	7.3 %	-

Based upon 2305 valid cases out of 2486 total cases.

V6574 116D07 :SMKRS MOVIE HOME

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30370

Think about the movie that you watched most recently on video, DVD or TV. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	639	25.7 %	27.7%
2	SOME:(2)	1173	47.2 %	50.8%
3	A LOT:(3)	248	10.0 %	10.7%
4	DONT REMEMBER:(4)	247	9.9 %	10.7%
-9 (M)	MISSING:(-9)	179	7.2 %	-

Based upon 2307 valid cases out of 2486 total cases.

V6581 116D08 :#X SEE DRUG SPTS

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22460

The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	573	23.0 %	25.0%
2	<1/MONTH:(2)	483	19.4 %	21.1%
3	1-3X/MON:(3)	603	24.3 %	26.3%
4	1-3/WEEK:(4)	406	16.3 %	17.7%
5	DAILY:(5)	179	7.2 %	7.8%
6	>1/DAY:(6)	46	1.9 %	2.0%
-9 (M)	MISSING:(-9)	196	7.9 %	-

Based upon 2290 valid cases out of 2486 total cases.

V6582 116D09A:ADS-PEOPL <FAVBL

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22470

To what extent do you think such commercials have . . .

A: . . . Made people your age less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	697	28.0 %	31.0%
2	LTTL EXT:(2)	682	27.4 %	30.3%
3	SOME EXT:(3)	632	25.4 %	28.1%
4	GRT EXT:(4)	139	5.6 %	6.2%
5	VRGR EXT:(5)	100	4.0 %	4.4%
-9 (M)	MISSING:(-9)	236	9.5 %	-

Based upon 2250 valid cases out of 2486 total cases.

V6583 116D09B:ADS-YOU <FAVORBL

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22480

To what extent do you think such commercials have . . .

B: . . . Made you less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	747	30.0 %	33.3%
2	LTTL EXT:(2)	470	18.9 %	20.9%
3	SOME EXT:(3)	555	22.3 %	24.7%
4	GRT EXT:(4)	220	8.8 %	9.8%
5	VRGR EXT:(5)	253	10.2 %	11.3%
-9 (M)	MISSING:(-9)	241	9.7 %	-

Based upon 2245 valid cases out of 2486 total cases.

V6584 116D09C:ADS-YOU <TRY DRG

Location: 519-520 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22490

To what extent do you think such commercials have . . .

C: . . . Made you less likely to use drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	755	30.4 %	33.8%
2	LTTL EXT:(2)	464	18.7 %	20.7%
3	SOME EXT:(3)	502	20.2 %	22.4%
4	GRT EXT:(4)	221	8.9 %	9.9%
5	VRGR EXT:(5)	295	11.9 %	13.2%
-9 (M)	MISSING:(-9)	249	10.0 %	-

Based upon 2237 valid cases out of 2486 total cases.

V6585

116D09D:ADS-OVRST DANGER

Location: 521-522 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22500

To what extent do you think such commercials have . . .

D: . . . Overstated the dangers or risks of drug use?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	854	34.4 %	38.3%
2	LTTL EXT:(2)	438	17.6 %	19.7%
3	SOME EXT:(3)	501	20.2 %	22.5%
4	GRT EXT:(4)	224	9.0 %	10.0%
5	VRGR EXT:(5)	212	8.5 %	9.5%
-9 (M)	MISSING:(-9)	257	10.3 %	-

Based upon 2229 valid cases out of 2486 total cases.

V6353

116D10A:POS ATT TWD SELF

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12550

How much do you agree or disagree with each of the following statements?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	105	4.2 %	4.6%
2	MOST DIS:(2)	122	4.9 %	5.4%
3	NEITHER:(3)	210	8.4 %	9.2%
4	MOST AGR:(4)	897	36.1 %	39.5%
5	AGREE:(5)	938	37.7 %	41.3%
-9 (M)	MISSING:(-9)	214	8.6 %	-

Based upon 2272 valid cases out of 2486 total cases.

V6354 116D10B:LIFE MEANINGLESS

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23700

How much do you agree or disagree with each of the following statements?

B: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	980	39.4 %	43.2%
2	MOST DIS:(2)	619	24.9 %	27.3%
3	NEITHER:(3)	357	14.4 %	15.8%
4	MOST AGR:(4)	211	8.5 %	9.3%
5	AGREE:(5)	99	4.0 %	4.4%
-9 (M)	MISSING:(-9)	220	8.8 %	-

Based upon 2266 valid cases out of 2486 total cases.

V6355 116D10C:SHD DO OWN THING

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07040

How much do you agree or disagree with each of the following statements?

C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	65	2.6 %	2.9%
2	MOST DIS:(2)	60	2.4 %	2.7%
3	NEITHER:(3)	228	9.2 %	10.1%
4	MOST AGR:(4)	776	31.2 %	34.3%
5	AGREE:(5)	1135	45.7 %	50.1%
-9 (M)	MISSING:(-9)	222	8.9 %	-

Based upon 2264 valid cases out of 2486 total cases.

V6356 116D10D:-MUCH TO B PROUD

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12660

How much do you agree or disagree with each of the following statements?

D: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1014	40.8 %	44.8%
2	MOST DIS:(2)	603	24.3 %	26.7%
3	NEITHER:(3)	296	11.9 %	13.1%
4	MOST AGR:(4)	239	9.6 %	10.6%
5	AGREE:(5)	109	4.4 %	4.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	225	9.1 %	-

Based upon 2261 valid cases out of 2486 total cases.

V6357 116D10E:AM PRSN OF WORTH

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12570

How much do you agree or disagree with each of the following statements?

E: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	99	4.0 %	4.4%
2	MOST DIS:(2)	125	5.0 %	5.5%
3	NEITHER:(3)	295	11.9 %	13.0%
4	MOST AGR:(4)	681	27.4 %	30.1%
5	AGREE:(5)	1062	42.7 %	46.9%
-9 (M)	MISSING:(-9)	224	9.0 %	-

Based upon 2262 valid cases out of 2486 total cases.

V6358 116D10F:I ENJOY LIFE

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23710

How much do you agree or disagree with each of the following statements?

F: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	102	4.1 %	4.5%
2	MOST DIS:(2)	154	6.2 %	6.8%
3	NEITHER:(3)	273	11.0 %	12.1%
4	MOST AGR:(4)	708	28.5 %	31.4%
5	AGREE:(5)	1018	40.9 %	45.1%
-9 (M)	MISSING:(-9)	231	9.3 %	-

Based upon 2255 valid cases out of 2486 total cases.

V6359 116D10G:KICK DO DANGR TH

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07050

How much do you agree or disagree with each of the following statements?

G: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	291	11.7 %	12.9%
2	MOST DIS:(2)	351	14.1 %	15.5%
3	NEITHER:(3)	551	22.2 %	24.4%
4	MOST AGR:(4)	633	25.5 %	28.0%
5	AGREE:(5)	434	17.5 %	19.2%
-9 (M)	MISSING:(-9)	226	9.1 %	-

Based upon 2260 valid cases out of 2486 total cases.

V6360 116D10H:I AM NO GOOD

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12680

How much do you agree or disagree with each of the following statements?

H: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	971	39.1 %	43.1%
2	MOST DIS:(2)	506	20.4 %	22.5%
3	NEITHER:(3)	339	13.6 %	15.0%
4	MOST AGR:(4)	282	11.3 %	12.5%
5	AGREE:(5)	155	6.2 %	6.9%
-9 (M)	MISSING:(-9)	233	9.4 %	-

Based upon 2253 valid cases out of 2486 total cases.

V6361

116D10I:DO WELL AS OTHRS

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	84	3.4 %	3.7%
2	MOST DIS:(2)	122	4.9 %	5.4%
3	NEITHER:(3)	272	10.9 %	12.1%
4	MOST AGR:(4)	847	34.1 %	37.5%
5	AGREE:(5)	931	37.4 %	41.3%
-9 (M)	MISSING:(-9)	230	9.3 %	-

Based upon 2256 valid cases out of 2486 total cases.

V6362

116D10J:FUTURE HOPELESS

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23720

How much do you agree or disagree with each of the following statements?

J: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1146	46.1 %	51.0%
2	MOST DIS:(2)	478	19.2 %	21.3%
3	NEITHER:(3)	321	12.9 %	14.3%
4	MOST AGR:(4)	206	8.3 %	9.2%
5	AGREE:(5)	97	3.9 %	4.3%
-9 (M)	MISSING:(-9)	238	9.6 %	-

Based upon 2248 valid cases out of 2486 total cases.

V6363

116D10K:LIKE RISK SOME X

Location: 543-544 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07060

How much do you agree or disagree with each of the following statements?

K: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	367	14.8 %	16.3%
2	MOST DIS:(2)	370	14.9 %	16.5%
3	NEITHER:(3)	486	19.5 %	21.6%
4	MOST AGR:(4)	623	25.1 %	27.7%
5	AGREE:(5)	403	16.2 %	17.9%
-9 (M)	MISSING:(-9)	237	9.5 %	-

Based upon 2249 valid cases out of 2486 total cases.

V6364

116D10L:I DO WRONG THING

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12720

How much do you agree or disagree with each of the following statements?

L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1125	45.3 %	50.0%
2	MOST DIS:(2)	503	20.2 %	22.4%
3	NEITHER:(3)	317	12.8 %	14.1%
4	MOST AGR:(4)	197	7.9 %	8.8%
5	AGREE:(5)	106	4.3 %	4.7%
-9 (M)	MISSING:(-9)	238	9.6 %	-

Based upon 2248 valid cases out of 2486 total cases.

V6365 116D10M:SATISFD W MYSELF

Location: 547-548 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12620

How much do you agree or disagree with each of the following statements?

M: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	115	4.6 %	5.1%
2	MOST DIS:(2)	129	5.2 %	5.7%
3	NEITHER:(3)	280	11.3 %	12.4%
4	MOST AGR:(4)	683	27.5 %	30.4%
5	AGREE:(5)	1042	41.9 %	46.3%
-9 (M)	MISSING:(-9)	237	9.5 %	-

Based upon 2249 valid cases out of 2486 total cases.

V6366 116D10N:MY LIFE NT USEFL

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12750

How much do you agree or disagree with each of the following statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1247	50.2 %	55.7%
2	MOST DIS:(2)	451	18.1 %	20.1%
3	NEITHER:(3)	299	12.0 %	13.3%
4	MOST AGR:(4)	150	6.0 %	6.7%
5	AGREE:(5)	93	3.7 %	4.2%
-9 (M)	MISSING:(-9)	246	9.9 %	-

Based upon 2240 valid cases out of 2486 total cases.

V6367 116D100:GOOD TO BE ALIVE

Location: 551-552 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23730

How much do you agree or disagree with each of the following statements?

O: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	68	2.7 %	3.0%
2	MOST DIS:(2)	76	3.1 %	3.4%
3	NEITHER:(3)	213	8.6 %	9.5%
4	MOST AGR:(4)	473	19.0 %	21.1%
5	AGREE:(5)	1415	56.9 %	63.0%
-9 (M)	MISSING:(-9)	241	9.7 %	-

Based upon 2245 valid cases out of 2486 total cases.

V6587 116D10P:LIK XPLOR STRANG

Location: 553-554 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31080

How much do you agree or disagree with each of the following statements?

P: I would like to explore strange places

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	142	5.7 %	6.3%
2	MOST DIS:(2)	142	5.7 %	6.3%
3	NEITHER:(3)	336	13.5 %	15.0%
4	MOST AGR:(4)	591	23.8 %	26.3%
5	AGREE:(5)	1032	41.5 %	46.0%
-9 (M)	MISSING:(-9)	243	9.8 %	-

Based upon 2243 valid cases out of 2486 total cases.

V6588 116D10Q:LIK DO FRIGHT TG

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31090

How much do you agree or disagree with each of the following statements?

Q: I like to do frightening things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	441	17.7 %	19.7%
2	MOST DIS:(2)	394	15.8 %	17.6%
3	NEITHER:(3)	522	21.0 %	23.3%
4	MOST AGR:(4)	485	19.5 %	21.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	AGREE:(5)	399	16.0 %	17.8%
-9 (M)	MISSING:(-9)	245	9.9 %	-

Based upon 2241 valid cases out of 2486 total cases.

V6589 116D10R:LIK EVN BRK RULE

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31100

How much do you agree or disagree with each of the following statements?

R: I like new and exciting experiences, even if I have to break the rules

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	284	11.4 %	12.7%
2	MOST DIS:(2)	324	13.0 %	14.4%
3	NEITHER:(3)	455	18.3 %	20.3%
4	MOST AGR:(4)	631	25.4 %	28.1%
5	AGREE:(5)	549	22.1 %	24.5%
-9 (M)	MISSING:(-9)	243	9.8 %	-

Based upon 2243 valid cases out of 2486 total cases.

V6590 116D10S:PRF FRND EXCITNG

Location: 559-560 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31110

How much do you agree or disagree with each of the following statements?

S: I prefer friends who are exciting and unpredictable

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	145	5.8 %	6.5%
2	MOST DIS:(2)	209	8.4 %	9.3%
3	NEITHER:(3)	585	23.5 %	26.1%
4	MOST AGR:(4)	667	26.8 %	29.8%
5	AGREE:(5)	635	25.5 %	28.3%
-9 (M)	MISSING:(-9)	245	9.9 %	-

Based upon 2241 valid cases out of 2486 total cases.

V6616 116D10T:I AM OFTEN BORED

Location: 561-562 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32000

How much do you agree or disagree with each of the following statements?

T: I am often bored

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	403	16.2 %	18.0%
2	MOST DIS:(2)	507	20.4 %	22.6%
3	NEITHER:(3)	542	21.8 %	24.2%
4	MOST AGR:(4)	465	18.7 %	20.7%
5	AGREE:(5)	326	13.1 %	14.5%
-9 (M)	MISSING:(-9)	243	9.8 %	-

Based upon 2243 valid cases out of 2486 total cases.

V6497 116D11A:#XDRUNK/LIFETIME

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25020

The different questionnaire forms used in this study emphasize different topics. In the rest of this questionnaire, we ask more about your experiences and attitudes relating to alcohol and other drugs.

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1057	42.5 %	47.6%
2	1-2X:(2)	279	11.2 %	12.6%
3	3-5X:(3)	184	7.4 %	8.3%
4	6-9X:(4)	153	6.2 %	6.9%
5	10-19X:(5)	175	7.0 %	7.9%
6	20-39X:(6)	135	5.4 %	6.1%
7	40+OCCAS:(7)	238	9.6 %	10.7%
-9 (M)	MISSING:(-9)	265	10.7 %	-

Based upon 2221 valid cases out of 2486 total cases.

V6498

116D11B:#XDRUNK/LAST12MO

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1258	50.6 %	56.9%
2	1-2X:(2)	312	12.6 %	14.1%
3	3-5X:(3)	185	7.4 %	8.4%
4	6-9X:(4)	140	5.6 %	6.3%
5	10-19X:(5)	122	4.9 %	5.5%
6	20-39X:(6)	91	3.7 %	4.1%
7	40+OCCAS:(7)	103	4.1 %	4.7%
-9 (M)	MISSING:(-9)	275	11.1 %	-

Based upon 2211 valid cases out of 2486 total cases.

V6499 116D11C:#XDRUNK/LAST30DA

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1615	65.0 %	73.1%
2	1-2X:(2)	307	12.3 %	13.9%
3	3-5X:(3)	129	5.2 %	5.8%
4	6-9X:(4)	76	3.1 %	3.4%
5	10-19X:(5)	53	2.1 %	2.4%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	23	0.9 %	1.0%
-9 (M)	MISSING:(-9)	277	11.1 %	-

Based upon 2209 valid cases out of 2486 total cases.

V6368 116D12A:#X STRD/LIFETIME

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2192	88.2 %	97.9%
2	1-2X:(2)	21	0.8 %	0.9%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	246	9.9 %	-

Based upon 2240 valid cases out of 2486 total cases.

V6369 116D12B:#X STRD/LAST12MO

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2205	88.7 %	98.4%
2	1-2X:(2)	14	0.6 %	0.6%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	245	9.9 %	-

Based upon 2241 valid cases out of 2486 total cases.

V6370 116D12C:#X STRD/LAST30DA

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2215	89.1 %	98.9%
2	1-2X:(2)	11	0.4 %	0.5%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	247	9.9 %	-

Based upon 2239 valid cases out of 2486 total cases.

V6376 116D13A:MTHD STRD-INJECT

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23790

What methods have you used for taking steroids on your own?
(Mark ALL that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	23	0.9 %	63.9%
1	MARKED:(1)	13	0.5 %	36.1%
-9 (M)	MISSING:(-9)	2450	98.6 %	-

Based upon 36 valid cases out of 2486 total cases.

V6377 116D13B:MTHD STRD-MOUTH

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23800

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	18	0.7 %	50.0%
1	MARKED:(1)	18	0.7 %	50.0%
-9 (M)	MISSING:(-9)	2450	98.6 %	-

Based upon 36 valid cases out of 2486 total cases.

V6586 116D13C:HVNT USED STRDS

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30940

What methods have you used for taking steroids on your own?

C: Haven't used steroids.

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	28	1.1 %	1.3%
1	MARKED:(1)	2200	88.5 %	98.7%
-9 (M)	MISSING:(-9)	258	10.4 %	-

Based upon 2228 valid cases out of 2486 total cases.

V6500 116D14A:#X INJECT/LIFE

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25050

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines,

or steroids) . . .

A: . . . in your lifetime?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2191	88.1 %	98.2%
2	1-2X:(2)	13	0.5 %	0.6%
3	3-5X:(3)	8	0.3 %	0.4%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	254	10.2 %	-

Based upon 2232 valid cases out of 2486 total cases.

V6501

116D14B:#X INJECT/LST12M

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25060

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

B: . . . during the last 12 months?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2206	88.7 %	99.0%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	257	10.3 %	-

Based upon 2229 valid cases out of 2486 total cases.

V6502 116D14C:#X INJECT/LST30D

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25070

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

C: . . . during the last 30 days?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2215	89.1 %	99.4%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	257	10.3 %	-

Based upon 2229 valid cases out of 2486 total cases.

V6503 116D15 :GR 1ST INJECT

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25680

When (if ever) did you FIRST inject any drug with a needle (without doctor's orders)?

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	7	0.3 %	0.3%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	4	0.2 %	0.2%
4	GRADE 9:(4)	3	0.1 %	0.1%
5	GRADE 10:(5)	3	0.1 %	0.1%
6	GRADE 11:(6)	2	0.1 %	0.1%
7	GRADE 12:(7)	3	0.1 %	0.1%
8	NEVER:(8)	2171	87.3 %	98.9%
-9 (M)	MISSING:(-9)	291	11.7 %	-

Based upon 2195 valid cases out of 2486 total cases.

V6378

116D16A:GR 1ST SMOK EVR

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05575

When (if ever) did you FIRST do each of the following things?

A: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	123	4.9 %	5.7%
2	GRADE 7:(2)	82	3.3 %	3.8%
3	GRADE 8:(3)	107	4.3 %	5.0%
4	GRADE 9:(4)	148	6.0 %	6.9%
5	GRADE 10:(5)	144	5.8 %	6.7%
6	GRADE 11:(6)	126	5.1 %	5.9%
7	GRADE 12:(7)	88	3.5 %	4.1%
8	NEVER:(8)	1331	53.5 %	61.9%
-9 (M)	MISSING:(-9)	337	13.6 %	-

Based upon 2149 valid cases out of 2486 total cases.

V6379

116D16B:GR 1ST SMOK DLY

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 05570

When (if ever) did you FIRST do each of the following things?

B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	15	0.6 %	0.7%
2	GRADE 7:(2)	15	0.6 %	0.7%
3	GRADE 8:(3)	29	1.2 %	1.3%
4	GRADE 9:(4)	52	2.1 %	2.4%
5	GRADE 10:(5)	68	2.7 %	3.1%
6	GRADE 11:(6)	62	2.5 %	2.8%
7	GRADE 12:(7)	51	2.1 %	2.3%
8	NEVER:(8)	1900	76.4 %	86.7%
-9 (M)	MISSING:(-9)	294	11.8 %	-

Based upon 2192 valid cases out of 2486 total cases.

V6380 116D16C:GR 1ST SMOKELESS

Location: 593-594 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 05576

When (if ever) did you FIRST do each of the following things?

C: Try smokeless tobacco (snuff, plug, chewing tobacco, snus, dissolvable tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	40	1.6 %	1.8%
2	GRADE 7:(2)	36	1.4 %	1.6%
3	GRADE 8:(3)	40	1.6 %	1.8%
4	GRADE 9:(4)	77	3.1 %	3.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	GRADE 10:(5)	81	3.3 %	3.6%
6	GRADE 11:(6)	70	2.8 %	3.1%
7	GRADE 12:(7)	46	1.9 %	2.1%
8	NEVER:(8)	1841	74.1 %	82.5%
-9 (M)	MISSING:(-9)	255	10.3 %	-

Based upon 2231 valid cases out of 2486 total cases.

V6482

116D17A:FUTR SMOKE CIGS

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24440

In the future, do you think that you will . . .

A: . . . Smoke cigarettes?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	113	4.5 %	5.1%
2	PROB WILL:(2)	179	7.2 %	8.0%
3	DK:(3)	147	5.9 %	6.6%
4	PRB WONT:(4)	280	11.3 %	12.5%
5	DEF WONT:(5)	1515	60.9 %	67.8%
-9 (M)	MISSING:(-9)	252	10.1 %	-

Based upon 2234 valid cases out of 2486 total cases.

V6483

116D17B:FUTR DRINK ALCOL

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24450

In the future, do you think that you will . . .

B: . . . Drink alcoholic beverages?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	683	27.5 %	30.6%
2	PROB WILL:(2)	763	30.7 %	34.2%
3	DK:(3)	259	10.4 %	11.6%
4	PRB WONT:(4)	170	6.8 %	7.6%
5	DEF WONT:(5)	355	14.3 %	15.9%
-9 (M)	MISSING:(-9)	256	10.3 %	-

Based upon 2230 valid cases out of 2486 total cases.

V6484

116D17C:FUTR TRY/USE MJ

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24460

In the future, do you think that you will . . .

C: . . . Try or use marijuana?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	335	13.5 %	15.0%
2	PROB WILL:(2)	348	14.0 %	15.6%
3	DK:(3)	283	11.4 %	12.7%
4	PRB WONT:(4)	235	9.5 %	10.5%
5	DEF WONT:(5)	1030	41.4 %	46.2%
-9 (M)	MISSING:(-9)	255	10.3 %	-

Based upon 2231 valid cases out of 2486 total cases.

V6485

116D17D:FUTR TRY/USE CRK

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24470

In the future, do you think that you will . . .

D: . . . Try or use "crack" cocaine?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	95	3.8 %	4.3%
2	PROB WILL:(2)	11	0.4 %	0.5%
3	DK:(3)	53	2.1 %	2.4%
4	PRB WONT:(4)	83	3.3 %	3.7%
5	DEF WONT:(5)	1988	80.0 %	89.1%
-9 (M)	MISSING:(-9)	256	10.3 %	-

Based upon 2230 valid cases out of 2486 total cases.

V6486 116D17E:FUTR TRY/US COKP

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24480

In the future, do you think that you will . . .

E: . . . Try or use cocaine in powder form?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	97	3.9 %	4.3%
2	PROB WILL:(2)	33	1.3 %	1.5%
3	DK:(3)	62	2.5 %	2.8%
4	PRB WONT:(4)	90	3.6 %	4.0%
5	DEF WONT:(5)	1949	78.4 %	87.4%
-9 (M)	MISSING:(-9)	255	10.3 %	-

Based upon 2231 valid cases out of 2486 total cases.

V6487 116D17F:FUTR TR/U OTH DG

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24490

In the future, do you think that you will . . .

F: . . . Try or use any other illegal drugs?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	125	5.0 %	5.6%
2	PROB WILL:(2)	90	3.6 %	4.0%
3	DK:(3)	132	5.3 %	5.9%
4	PRB WONT:(4)	133	5.3 %	6.0%
5	DEF WONT:(5)	1750	70.4 %	78.5%
-9 (M)	MISSING:(-9)	256	10.3 %	-

Based upon 2230 valid cases out of 2486 total cases.

V6575 116D18A:FRND DAP CIG OCC

Location: 607-608 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 30380

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

A: Smoking cigarettes occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	652	26.2 %	29.5%
2	DISAPPRV:(2)	752	30.2 %	34.0%
3	STRG DIS:(3)	809	32.5 %	36.6%
-9 (M)	MISSING:(-9)	273	11.0 %	-

Based upon 2213 valid cases out of 2486 total cases.

V6576 116D18B:FRND DAP CIG DLY

Location: 609-610 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 30390

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

B: Smoking cigarettes every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	431	17.3 %	19.5%
2	DISAPPRV:(2)	614	24.7 %	27.8%
3	STRG DIS:(3)	1165	46.9 %	52.7%
-9 (M)	MISSING:(-9)	276	11.1 %	-

Based upon 2210 valid cases out of 2486 total cases.

V6408 116D18C:FRD DAP CIGS

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11470

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

C: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	293	11.8 %	13.3%
2	DISAPPRV:(2)	512	20.6 %	23.2%
3	STRG DIS:(3)	1402	56.4 %	63.5%
-9 (M)	MISSING:(-9)	279	11.2 %	-

Based upon 2207 valid cases out of 2486 total cases.

V6577 116D18D:FRND DAP SMK OC

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30400

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

D: Using smokeless tobacco occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	505	20.3 %	22.9%
2	DISAPPRV:(2)	633	25.5 %	28.7%
3	STRG DIS:(3)	1066	42.9 %	48.4%
-9 (M)	MISSING:(-9)	282	11.3 %	-

Based upon 2204 valid cases out of 2486 total cases.

V6578 116D18E:FRND DAP SMKL DL

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30410

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

E: Using smokeless tobacco every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	396	15.9 %	18.0%
2	DISAPPRV:(2)	545	21.9 %	24.8%
3	STRG DIS:(3)	1259	50.6 %	57.2%
-9 (M)	MISSING:(-9)	286	11.5 %	-

Based upon 2200 valid cases out of 2486 total cases.

V6579 116D18F:FRND DAP SMKL D+

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30420

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

F: Using smokeless tobacco several times per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	347	14.0 %	15.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	DISAPPRV:(2)	498	20.0 %	22.7%
3	STRG DIS:(3)	1352	54.4 %	61.5%
-9 (M)	MISSING:(-9)	289	11.6 %	-

Based upon 2197 valid cases out of 2486 total cases.

V6409 116D18G:FRD DAP TRY MARJ

Location: 619-620 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11480

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

G: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	1018	40.9 %	46.2%
2	DISAPPRV:(2)	493	19.8 %	22.4%
3	STRG DIS:(3)	692	27.8 %	31.4%
-9 (M)	MISSING:(-9)	283	11.4 %	-

Based upon 2203 valid cases out of 2486 total cases.

V6410 116D18H:FRD DAP MJ OCC

Location: 621-622 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11490

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

H: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	827	33.3 %	37.5%
2	DISAPPRV:(2)	488	19.6 %	22.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	STRG DIS:(3)	890	35.8 %	40.4%
-9 (M)	MISSING:(-9)	281	11.3 %	-

Based upon 2205 valid cases out of 2486 total cases.

V6411 116D18I:FRD DAP MJ REG

Location: 623-624 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11500

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

I: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	544	21.9 %	24.7%
2	DISAPPRV:(2)	531	21.4 %	24.1%
3	STRG DIS:(3)	1125	45.3 %	51.1%
-9 (M)	MISSING:(-9)	286	11.5 %	-

Based upon 2200 valid cases out of 2486 total cases.

V6414 116D18J:FRD DAP TRY CRCK

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23940

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

J: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	159	6.4 %	7.1%
2	DISAPPRV:(2)	349	14.0 %	15.7%
3	STRG DIS:(3)	1717	69.1 %	77.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	261	10.5 %	-

Based upon 2225 valid cases out of 2486 total cases.

V6415 116D18K:FRD DAP CRCK OCC

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23950

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

K: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	129	5.2 %	5.8%
2	DISAPPRV:(2)	266	10.7 %	12.0%
3	STRG DIS:(3)	1829	73.6 %	82.2%
-9 (M)	MISSING:(-9)	262	10.5 %	-

Based upon 2224 valid cases out of 2486 total cases.

V6416 116D18L:FRD DAP TRY PWDR

Location: 629-630 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23960

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

L: Trying cocaine powder once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	180	7.2 %	8.1%
2	DISAPPRV:(2)	305	12.3 %	13.7%
3	STRG DIS:(3)	1737	69.9 %	78.2%
-9 (M)	MISSING:(-9)	264	10.6 %	-

Based upon 2222 valid cases out of 2486 total cases.

V6417 116D18M:FRD DAP PWDR OCC

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23970

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

M: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	151	6.1 %	6.8%
2	DISAPPRV:(2)	268	10.8 %	12.1%
3	STRG DIS:(3)	1795	72.2 %	81.1%
-9 (M)	MISSING:(-9)	272	10.9 %	-

Based upon 2214 valid cases out of 2486 total cases.

V6418 116D18N:FRD DAP 1-2DR/DA

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11530

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

N: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	559	22.5 %	25.2%
2	DISAPPRV:(2)	670	27.0 %	30.2%
3	STRG DIS:(3)	991	39.9 %	44.6%
-9 (M)	MISSING:(-9)	266	10.7 %	-

Based upon 2220 valid cases out of 2486 total cases.

V6419 116D18O:FRD DAP 4-5DR/DA

Location: 635-636 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 11540

How do you think your CLOSE FRIENDS feel (or would feel)
 about YOU doing each of the following things?

O: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	311	12.5 %	14.0%
2	DISAPPRV:(2)	508	20.4 %	22.9%
3	STRG DIS:(3)	1400	56.3 %	63.1%
-9 (M)	MISSING:(-9)	267	10.7 %	-

Based upon 2219 valid cases out of 2486 total cases.

V6420 116D18P:FRD DAP 5+DR/WKD

Location: 637-638 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 11550

How do you think your CLOSE FRIENDS feel (or would feel)
 about YOU doing each of the following things?

P: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	741	29.8 %	33.3%
2	DISAPPRV:(2)	479	19.3 %	21.6%
3	STRG DIS:(3)	1002	40.3 %	45.1%
-9 (M)	MISSING:(-9)	264	10.6 %	-

Based upon 2222 valid cases out of 2486 total cases.

V6421 116D18Q:FRD DAP DRIV+2DR

Location: 639-640 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

Question:

Item Number: 11551

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

Q: Driving a car after having 1-2 drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	336	13.5 %	15.1%
2	DISAPPRV:(2)	585	23.5 %	26.3%
3	STRG DIS:(3)	1303	52.4 %	58.6%
-9 (M)	MISSING:(-9)	262	10.5 %	-

Based upon 2224 valid cases out of 2486 total cases.

V6422 116D18R:FRD DAP DRIV+5DR

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11552

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

R: Driving a car after having 5 or more drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	135	5.4 %	6.1%
2	DISAPPRV:(2)	280	11.3 %	12.6%
3	STRG DIS:(3)	1806	72.6 %	81.3%
-9 (M)	MISSING:(-9)	265	10.7 %	-

Based upon 2221 valid cases out of 2486 total cases.

V6423 116D19A:ALL FRD SMK CIGS

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	654	26.3 %	29.5%
2	A FEW:(2)	853	34.3 %	38.4%
3	SOME:(3)	445	17.9 %	20.1%
4	MOST:(4)	239	9.6 %	10.8%
5	ALL:(5)	28	1.1 %	1.3%
-9 (M)	MISSING:(-9)	267	10.7 %	-

Based upon 2219 valid cases out of 2486 total cases.

V6424 116D19B:ALL FRD SMK MARJ

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	556	22.4 %	25.1%
2	A FEW:(2)	573	23.0 %	25.8%
3	SOME:(3)	533	21.4 %	24.0%
4	MOST:(4)	467	18.8 %	21.0%
5	ALL:(5)	90	3.6 %	4.1%
-9 (M)	MISSING:(-9)	267	10.7 %	-

Based upon 2219 valid cases out of 2486 total cases.

V6432 116D19C:# FRNDS TK CRACK

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1899	76.4 %	85.8%
2	A FEW:(2)	225	9.1 %	10.2%
3	SOME:(3)	58	2.3 %	2.6%
4	MOST:(4)	10	0.4 %	0.5%
5	ALL:(5)	21	0.8 %	0.9%
-9 (M)	MISSING:(-9)	273	11.0 %	-

Based upon 2213 valid cases out of 2486 total cases.

V6433

116D19D:# FRNDS TK C PWD

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine in powder form?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1848	74.3 %	83.7%
2	A FEW:(2)	263	10.6 %	11.9%
3	SOME:(3)	60	2.4 %	2.7%
4	MOST:(4)	16	0.6 %	0.7%
5	ALL:(5)	22	0.9 %	1.0%
-9 (M)	MISSING:(-9)	277	11.1 %	-

Based upon 2209 valid cases out of 2486 total cases.

V6436

116D19E:ALL FRD TK INHL

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07180

How many of your friends would you estimate . . .

E: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1861	74.9 %	84.1%
2	A FEW:(2)	256	10.3 %	11.6%
3	SOME:(3)	63	2.5 %	2.8%
4	MOST:(4)	10	0.4 %	0.5%
5	ALL:(5)	24	1.0 %	1.1%
-9 (M)	MISSING:(-9)	272	10.9 %	-

Based upon 2214 valid cases out of 2486 total cases.

V6488

116D19F:ALL FRD TK MDMA

Location: 653-654 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23020

How many of your friends would you estimate . . .

F: . . . Take MDMA (ecstasy)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1605	64.6 %	72.5%
2	A FEW:(2)	393	15.8 %	17.8%
3	SOME:(3)	152	6.1 %	6.9%
4	MOST:(4)	42	1.7 %	1.9%
5	ALL:(5)	21	0.8 %	0.9%
-9 (M)	MISSING:(-9)	273	11.0 %	-

Based upon 2213 valid cases out of 2486 total cases.

V6489

116D19G:ALL FRD TK ICE

Location: 655-656 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24500

How many of your friends would you estimate . . .

G: . . . Take crystal meth ("ice")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	2016	81.1 %	91.1%
2	A FEW:(2)	129	5.2 %	5.8%
3	SOME:(3)	36	1.4 %	1.6%
4	MOST:(4)	8	0.3 %	0.4%
5	ALL:(5)	23	0.9 %	1.0%
-9 (M)	MISSING:(-9)	274	11.0 %	-

Based upon 2212 valid cases out of 2486 total cases.

V6490

116D19H:ALL FRD TK STERS

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23030

How many of your friends would you estimate . . .

H: . . . Take steroids?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1853	74.5 %	83.8%
2	A FEW:(2)	264	10.6 %	11.9%
3	SOME:(3)	66	2.7 %	3.0%
4	MOST:(4)	8	0.3 %	0.4%
5	ALL:(5)	20	0.8 %	0.9%
-9 (M)	MISSING:(-9)	275	11.1 %	-

Based upon 2211 valid cases out of 2486 total cases.

V6591

116D20A:#X GHB/LAST12MO

Location: 659-660 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31050

Lately there has been some attention paid to certain drugs.
During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

A. . . . taken GHB ("liquid G," "grievous bodily harm")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2173	87.4 %	98.5%
2	1-2X:(2)	15	0.6 %	0.7%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	280	11.3 %	-

Based upon 2206 valid cases out of 2486 total cases.

V6592

116D20B:#X KETAMINE/12M

Location: 661-662 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

B. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2167	87.2 %	98.5%
2	1-2X:(2)	14	0.6 %	0.6%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	285	11.5 %	-

Based upon 2201 valid cases out of 2486 total cases.

V6594 116D20C:#X SMK KRETK/12M

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31150

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

C. . . . smoked kreteks (clove cigarettes)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2139	86.0 %	97.0%
2	1-2X:(2)	32	1.3 %	1.5%
3	3-5X:(3)	16	0.6 %	0.7%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	280	11.3 %	-

Based upon 2206 valid cases out of 2486 total cases.

V6595 116D20D:#X ANDRO/12MO

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31160

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

D. . . . taken "andro" (androstenedione, non-prescription
steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2177	87.6 %	98.9%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	285	11.5 %	-

Based upon 2201 valid cases out of 2486 total cases.

V6596 116D20E:#X CREATINE/12MO

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

E. . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1990	80.0 %	90.5%
2	1-2X:(2)	58	2.3 %	2.6%
3	3-5X:(3)	36	1.4 %	1.6%
4	6-9X:(4)	17	0.7 %	0.8%
5	10-19X:(5)	25	1.0 %	1.1%
6	20-39X:(6)	24	1.0 %	1.1%
7	40+OCCAS:(7)	48	1.9 %	2.2%
-9 (M)	MISSING:(-9)	288	11.6 %	-

Based upon 2198 valid cases out of 2486 total cases.

V6597 116D20F:#X RITALIN/12MO

Location: 669-670 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

F. . . taken ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2127	85.6 %	97.0%
2	1-2X:(2)	31	1.2 %	1.4%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	294	11.8 %	-

Based upon 2192 valid cases out of 2486 total cases.

V6617

116D20G:#X ADDERALL/12MO

Location: 671-672 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32540

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

G. . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2050	82.5 %	93.3%
2	1-2X:(2)	72	2.9 %	3.3%
3	3-5X:(3)	22	0.9 %	1.0%
4	6-9X:(4)	22	0.9 %	1.0%
5	10-19X:(5)	10	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	288	11.6 %	-

Based upon 2198 valid cases out of 2486 total cases.

V6600 116D20H:#X OXYCONTN/12MO

Location: 673-674 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H: . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2086	83.9 %	95.1%
2	1-2X:(2)	58	2.3 %	2.6%
3	3-5X:(3)	22	0.9 %	1.0%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	292	11.7 %	-

Based upon 2194 valid cases out of 2486 total cases.

V6601 116D20I:#X VICODIN/12MO

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I: . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2016	81.1 %	92.1%
2	1-2X:(2)	85	3.4 %	3.9%
3	3-5X:(3)	38	1.5 %	1.7%
4	6-9X:(4)	27	1.1 %	1.2%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	296	11.9 %	-

Based upon 2190 valid cases out of 2486 total cases.

V6602 116D20J:#X ROHYPNL/12MO

Location: 677-678 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29785

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J: . . . taken Rohypnol ("rophies," "roofies")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2158	86.8 %	98.6%
2	1-2X:(2)	13	0.5 %	0.6%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	298	12.0 %	-

Based upon 2188 valid cases out of 2486 total cases.

V6615 116D20K:#X COUGHMED/12MO

Location: 679-680 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 31670

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

K. . . taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2080	83.7 %	94.8%
2	1-2X:(2)	50	2.0 %	2.3%
3	3-5X:(3)	31	1.2 %	1.4%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	292	11.7 %	-

Based upon 2194 valid cases out of 2486 total cases.

V6618 116D20L:#X SALVIA/12MO

Location: 681-682 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 32500

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

L. . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2057	82.7 %	94.0%
2	1-2X:(2)	84	3.4 %	3.8%
3	3-5X:(3)	21	0.8 %	1.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	298	12.0 %	-

Based upon 2188 valid cases out of 2486 total cases.

V6619 116D20M:#X PROVIGIL/12MO

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32510

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

M. . . . taken Provigil, a prescription stay-awake drug
(without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2150	86.5 %	98.3%
2	1-2X:(2)	15	0.6 %	0.7%
3	3-5X:(3)	11	0.4 %	0.5%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	299	12.0 %	-

Based upon 2187 valid cases out of 2486 total cases.

V6623 116D20N:#X SYNTHETIC MJ/12MO

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32700

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

N. . . taken "synthetic marijuana" ("K2", "Spice") to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1946	78.3 %	89.1%
2	1-2X:(2)	109	4.4 %	5.0%
3	3-5X:(3)	48	1.9 %	2.2%
4	6-9X:(4)	32	1.3 %	1.5%
5	10-19X:(5)	15	0.6 %	0.7%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	26	1.0 %	1.2%
-9 (M)	MISSING:(-9)	301	12.1 %	-

Based upon 2185 valid cases out of 2486 total cases.

V6624 116D200:#X ALC BVRG W-CAFF/12MO

Location: 687-688 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32690

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

O. . . had an alcoholic beverage containing caffeine (like Four Loko or Joose)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1602	64.4 %	73.1%
2	1-2X:(2)	244	9.8 %	11.1%
3	3-5X:(3)	143	5.8 %	6.5%
4	6-9X:(4)	88	3.5 %	4.0%
5	10-19X:(5)	56	2.3 %	2.6%
6	20-39X:(6)	28	1.1 %	1.3%
7	40+OCCAS:(7)	30	1.2 %	1.4%
-9 (M)	MISSING:(-9)	295	11.9 %	-

Based upon 2191 valid cases out of 2486 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.