

ICPSR 28401

## **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009**

Lloyd D. Johnston

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social  
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Form 5 Data Codebook



is sponsored by



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**  
Substance Abuse and Mental Health Services Administration  
Office of Applied Studies  
[www.samhsa.gov](http://www.samhsa.gov)

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/28401.xml>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



## TABLE OF CONTENTS

<b>INTRODUCTION.....</b>	<b>1</b>
DATA COLLECTION DESCRIPTION .....	1
DATA COLLECTION PROCEDURES .....	1
SAMPLING INFORMATION .....	2
Stage 1: Geographic Areas.....	2
Stage 2: Schools .....	2
Stage 3: Students .....	2
School Recruiting Procedures .....	3
Advance Contact With Teachers and Students .....	3
Questionnaire Administration .....	3
Procedures for Protecting Confidentiality. ....	4
CONTENT AREAS AND QUESTIONNAIRE DESIGN .....	4
MEASUREMENT CONTENT AREAS .....	4
REPRESENTATIVENESS AND VALIDITY .....	6
School Participation.....	6
Student Participation.....	7
Validity of Self-Report Data .....	7
Accuracy of the Sample.....	7
Consistency and the Measurement of Trends .....	8
Interpreting Racial Differences .....	8
Differential Representation.....	9
Differential Response Tendencies. ....	9
Covariance With Other Factors .....	10
WEIGHTING INFORMATION .....	11
FILE STRUCTURE .....	11
CODEBOOK INFORMATION .....	12
ICPSR PROCESSING INFORMATION .....	14
Omitted Variables.....	14
Recoded Variables.....	15
Missing Data for Western Region.....	16
Questionnaire Form 1 Processing .....	16
Revised Question Text for the Core Dataset.....	17
 <b>FREQUENCIES.....</b>	 <b>19</b>
<b>APPENDICES .....</b>	<b>207</b>
Appendix A: Publications.....	209
Appendix B: Sample Size and Student Response Rates.....	211



## **INTRODUCTION**

### **DATA COLLECTION DESCRIPTION**

**MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH,** 2009 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

### **DATA COLLECTION PROCEDURES**

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

### **SAMPLING INFORMATION**

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

**STAGE 1: GEOGRAPHIC AREAS.** The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

**STAGE 2: SCHOOLS.** In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

**STAGE 3: STUDENTS.** Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and



examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

**SCHOOL RECRUITING PROCEDURES.** Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

**ADVANCE CONTACT WITH TEACHERS AND STUDENTS.** The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

**QUESTIONNAIRE ADMINISTRATION.** The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

**PROCEDURES FOR PROTECTING CONFIDENTIALITY.** In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

## **CONTENT AREAS AND QUESTIONNAIRE DESIGN**

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

### **MEASUREMENT CONTENT AREAS**

---

---

- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

---

---

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

### **REPRESENTATIVENESS AND VALIDITY**

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

**SCHOOL PARTICIPATION.** As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

**STUDENT PARTICIPATION.** Completed questionnaires are obtained from three-fourths to four-fifths of all 12<sup>th</sup> graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

**VALIDITY OF SELF-REPORT DATA.** Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

**ACCURACY OF THE SAMPLE.** A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

**CONSISTENCY AND THE MEASUREMENT OF TRENDS.** One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

**INTERPRETING RACIAL DIFFERENCES.** Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

**DIFFERENTIAL REPRESENTATION.** Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

**DIFFERENTIAL RESPONSE TENDENCIES.** In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

**COVARIANCE WITH OTHER FACTORS.** Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.



## WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

## FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2009 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	188	390	14,268
2	Form 1	638	1,287	2,392
3	Form 2	332	677	2,381
4	Form 3	358	730	2,357
5	Form 4	270	556	2,385
6	Form 5	327	667	2,371
7	Form 6	336	686	2,382

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

## CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119

[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)

[4] Variable Type: numeric (ISO)

[5] Range of Missing Values (M): -9

Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS

Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

## ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

### OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

## **RECODED VARIABLES:**

### **Core dataset and Part C section of individual forms**

AGE < 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

### **Core dataset (Part B)**

\*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

\*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

**Form 6**

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

**MISSING DATA FOR WESTERN REGION:**

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

**QUESTIONNAIRE FORM 1 PROCESSING**

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

## **REVISED QUESTION TEXT FOR THE CORE DATASET**

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.





## **ICPSR 28401**

### **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009**

#### **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

## Form 5 Data

CASEID	CASE IDENTIFICATION NUMBER			
Location:	1-4 (width: 4; decimal: 0)			
Variable Type:	numeric			
	Based upon 2371 valid cases out of 2371 total cases.			
V1	YEAR OF ADMIN (4-DIGITS)			
Location:	5-8 (width: 4; decimal: 0)			
Variable Type:	numeric			
	Value	Unweighted Frequency	%	Valid %
	2009	2371	100.0 %	100.0%
	Based upon 2371 valid cases out of 2371 total cases.			
V3	095:FORM ID			
Location:	9-10 (width: 2; decimal: 0)			
Variable Type:	numeric			
	Value	Unweighted Frequency	%	Valid %
	5	2371	100.0 %	100.0%
	Based upon 2371 valid cases out of 2371 total cases.			
V4	095:Rs ID-SERIAL #			
Location:	11-15 (width: 5; decimal: 0)			
Variable Type:	numeric			
	Based upon 2371 valid cases out of 2371 total cases.			
V5	SAMPLING WEIGHT			
Location:	16-21 (width: 6; decimal: 4)			
Variable Type:	numeric			
	Based upon 2371 valid cases out of 2371 total cases.			
V13	SCH REG-4 CAT			
Location:	22-23 (width: 2; decimal: 0)			
Variable Type:	numeric			
Question:	Region of the country, based on Census categories, in which respondent's school is located.			
	1=Northeast 2=North Central 3=South 4=West			

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NE:(1)	575	24.3 %	24.3%
2	NC:(2)	580	24.5 %	24.5%
3	S:(3)	721	30.4 %	30.4%
4	W:(4)	495	20.9 %	20.9%

Based upon 2371 valid cases out of 2371 total cases.

**V16 LARGE MSA=1/NOT=0**

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	1515	63.9 %	63.9%
1	LARGE MSA:(1)	856	36.1 %	36.1%

Based upon 2371 valid cases out of 2371 total cases.

**V17 MSA/NON-MSA=0**

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NON-MSA:(0)	420	17.7 %	17.7%
1	MSA:(1)	1951	82.3 %	82.3%

Based upon 2371 valid cases out of 2371 total cases.

**V5208 095A01 :VRY HPY THS DAYS**

Location: 28-29 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 01190

Question Number(s): 5A01

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT HAPPY:(1)	353	14.9 %	14.9%
2	PRTY HPY:(2)	1491	62.9 %	63.0%
3	VRV HPY:(3)	522	22.0 %	22.1%
-9 (M)	MISSING:(-9)	5	0.2 %	-

Based upon 2366 valid cases out of 2371 total cases.

**V5209**

**095A02 :THK ABT SOC ISSU**

Location: 30-31 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06880

Question Number(s): 5A02

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	80	3.4 %	3.4%
2	SELDOM:(2)	400	16.9 %	16.9%
3	SOMETIME:(3)	1170	49.3 %	49.5%
4	OFTEN:(4)	565	23.8 %	23.9%
5	GRT DEAL:(5)	150	6.3 %	6.3%
-9 (M)	MISSING:(-9)	6	0.3 %	-

Based upon 2365 valid cases out of 2371 total cases.

- Study 28401 -

**V5210 095A03A:WR/NT NUCLEAR WAR**

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11660

Question Number(s): 5A03A

Of all the problems facing the nation today, how often do you worry about each of the following?

A: Chance of nuclear war

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	919	38.8 %	38.9%
2	SELDOM:(2)	870	36.7 %	36.8%
3	SOMETIME:(3)	462	19.5 %	19.5%
4	OFTEN:(4)	113	4.8 %	4.8%
-9 (M)	MISSING:(-9)	7	0.3 %	-

Based upon 2364 valid cases out of 2371 total cases.

**V5211 095A03B:WR/NT POP GROWTH**

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11670

Question Number(s): 5A03B

Of all the problems facing the nation today, how often do you worry about each of the following?

B: Population growth

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	793	33.4 %	33.6%
2	SELDOM:(2)	768	32.4 %	32.5%
3	SOMETIME:(3)	548	23.1 %	23.2%
4	OFTEN:(4)	253	10.7 %	10.7%
-9 (M)	MISSING:(-9)	9	0.4 %	-

- Study 28401 -

Based upon 2362 valid cases out of 2371 total cases.

**V5212 095A03C:WR/NT CRIME/VLNC**

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11680

Question Number(s): 5A03C

Of all the problems facing the nation today, how often do you worry about each of the following?

C: Crime and violence

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	115	4.9 %	4.9%
2	SELDOM:(2)	418	17.6 %	17.7%
3	SOMETIME:(3)	1033	43.6 %	43.7%
4	OFTEN:(4)	796	33.6 %	33.7%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2362 valid cases out of 2371 total cases.

**V5213 095A03D:WR/NT POLLUTION**

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11690

Question Number(s): 5A03D

Of all the problems facing the nation today, how often do you worry about each of the following?

D: Pollution

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	354	14.9 %	15.0%
2	SELDOM:(2)	683	28.8 %	28.9%
3	SOMETIME:(3)	778	32.8 %	33.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	OFTEN:(4)	545	23.0 %	23.1%
-9 (M)	MISSING:(-9)	11	0.5 %	-

Based upon 2360 valid cases out of 2371 total cases.

**V5214 095A03E:WR/NT ENRGY SHRT**

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11700

Question Number(s): 5A03E

Of all the problems facing the nation today, how often do you worry about each of the following?

E: Energy shortages

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	692	29.2 %	29.4%
2	SELDOM:(2)	803	33.9 %	34.1%
3	SOMETIME:(3)	580	24.5 %	24.6%
4	OFTEN:(4)	278	11.7 %	11.8%
-9 (M)	MISSING:(-9)	18	0.8 %	-

Based upon 2353 valid cases out of 2371 total cases.

**V5215 095A03F:WR/NT RACE RELTN**

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11710

Question Number(s): 5A03F

Of all the problems facing the nation today, how often do you worry about each of the following?

F: Race relations

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	613	25.9 %	26.0%
2	SELDOM:(2)	671	28.3 %	28.5%
3	SOMETIME:(3)	652	27.5 %	27.7%
4	OFTEN:(4)	418	17.6 %	17.8%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2354 valid cases out of 2371 total cases.

**V5216**

**095A03G:WR/NT HNDR/PVRTY**

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11720

Question Number(s): 5A03G

Of all the problems facing the nation today, how often do you worry about each of the following?

G: Hunger and poverty

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	271	11.4 %	11.5%
2	SELDOM:(2)	675	28.5 %	28.6%
3	SOMETIME:(3)	895	37.7 %	38.0%
4	OFTEN:(4)	516	21.8 %	21.9%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2357 valid cases out of 2371 total cases.

**V5217**

**095A03H:WR/NT USE OPN LD**

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11730

Question Number(s): 5A03H

Of all the problems facing the nation today, how often do you worry about each of the following?

H: Using open land for housing or industry



- Study 28401 -

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	987	41.6 %	41.9%
2	SELDOM:(2)	738	31.1 %	31.3%
3	SOMETIME:(3)	413	17.4 %	17.5%
4	OFTEN:(4)	220	9.3 %	9.3%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2358 valid cases out of 2371 total cases.

**V5218 095A03I:WR/NT URBN DECAY**

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11740

Question Number(s): 5A03I

Of all the problems facing the nation today, how often do you worry about each of the following?

I: Urban decay

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1221	51.5 %	52.0%
2	SELDOM:(2)	703	29.6 %	30.0%
3	SOMETIME:(3)	320	13.5 %	13.6%
4	OFTEN:(4)	103	4.3 %	4.4%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2347 valid cases out of 2371 total cases.

**V5219 095A03J:WR/NT ECON PRBLM**

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11750

Question Number(s): 5A03J

Of all the problems facing the nation today, how often do you

- Study 28401 -

worry about each of the following?

J: Economic problems

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	165	7.0 %	7.0%
2	SELDOM:(2)	304	12.8 %	12.9%
3	SOMETIME:(3)	790	33.3 %	33.5%
4	OFTEN:(4)	1099	46.4 %	46.6%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2358 valid cases out of 2371 total cases.

**V5220**

**095A03K:WR/NT DRUG ABUSE**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11760

Question Number(s): 5A03K

Of all the problems facing the nation today, how often do you worry about each of the following?

K: Drug abuse

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	430	18.1 %	18.2%
2	SELDOM:(2)	682	28.8 %	28.9%
3	SOMETIME:(3)	739	31.2 %	31.3%
4	OFTEN:(4)	511	21.6 %	21.6%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2362 valid cases out of 2371 total cases.

**V5221**

**095A04A:XPRC MK R GD SPS**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11770

- Study 28401 -

Question Number(s): 5A04A

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

A: . . . husband or wife?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POORLY:(1)	88	3.7 %	3.8%
2	NOT WELL:(2)	106	4.5 %	4.6%
3	FRLY WEL:(3)	404	17.0 %	17.4%
4	WELL:(4)	917	38.7 %	39.5%
5	VRV WELL:(5)	809	34.1 %	34.8%
-9 (M)	MISSING:(-9)	47	2.0 %	-

Based upon 2324 valid cases out of 2371 total cases.

**V5222**

**095A04B:XPRC MK R GD PRT**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11780

Question Number(s): 5A04B

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

B: . . . parent?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POORLY:(1)	69	2.9 %	2.9%
2	NOT WELL:(2)	109	4.6 %	4.7%
3	FRLY WEL:(3)	415	17.5 %	17.7%
4	WELL:(4)	761	32.1 %	32.5%
5	VRV WELL:(5)	986	41.6 %	42.1%
-9 (M)	MISSING:(-9)	31	1.3 %	-

Based upon 2340 valid cases out of 2371 total cases.

**V5223**

**095A04C:XPRC MK R GD WKR**

- Study 28401 -

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11790

Question Number(s): 5A04C

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

C: . . . worker on a job?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POORLY:(1)	32	1.3 %	1.4%
2	NOT WELL:(2)	56	2.4 %	2.4%
3	FRLY WEL:(3)	251	10.6 %	10.7%
4	WELL:(4)	824	34.8 %	35.1%
5	VRV WELL:(5)	1187	50.1 %	50.5%
-9 (M)	MISSING:(-9)	21	0.9 %	-

Based upon 2350 valid cases out of 2371 total cases.

**V5224**

**095A05A:PLC WRK LG CORPN**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11800

Question Number(s): 5A05A

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A: Working in a large corporation

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	139	5.9 %	5.9%
2	SMWT ACC:(2)	597	25.2 %	25.3%
3	ACCEPTBL:(3)	1204	50.8 %	51.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	DESIRABL:(4)	417	17.6 %	17.7%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2357 valid cases out of 2371 total cases.

**V5225 095A05B:PLC WRK SM BSNSS**

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11810

Question Number(s): 5A05B

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

B: Working in a small business

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	96	4.0 %	4.1%
2	SMWT ACC:(2)	522	22.0 %	22.1%
3	ACCEPTBL:(3)	1382	58.3 %	58.6%
4	DESIRABL:(4)	357	15.1 %	15.1%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2357 valid cases out of 2371 total cases.

**V5226 095A05C:PLC WRK GVT AGCY**

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11820

Question Number(s): 5A05C

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

C: Working in a government agency

1="Not at all acceptable" 2="Somewhat acceptable"

- Study 28401 -

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	373	15.7 %	15.9%
2	SMWT ACC:(2)	658	27.8 %	28.0%
3	ACCEPTBL:(3)	907	38.3 %	38.6%
4	DESIRABL:(4)	411	17.3 %	17.5%
-9 (M)	MISSING:(-9)	22	0.9 %	-

Based upon 2349 valid cases out of 2371 total cases.

**V5227 095A05D:PLC WRK MLTY SVC**

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11830

Question Number(s): 5A05D

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

D: Working in the military service

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	1019	43.0 %	43.4%
2	SMWT ACC:(2)	614	25.9 %	26.2%
3	ACCEPTBL:(3)	473	19.9 %	20.2%
4	DESIRABL:(4)	241	10.2 %	10.3%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2347 valid cases out of 2371 total cases.

**V5228 095A05E:PLC WRK SCH/UNIV**

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11840

Question Number(s): 5A05E

- Study 28401 -

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

E: Working in a school or university

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	436	18.4 %	18.6%
2	SMWT ACC:(2)	652	27.5 %	27.8%
3	ACCEPTBL:(3)	878	37.0 %	37.4%
4	DESIRABL:(4)	382	16.1 %	16.3%
-9 (M)	MISSING:(-9)	23	1.0 %	-

Based upon 2348 valid cases out of 2371 total cases.

**V5229 095A05F:PLC WRK PLC DEPT**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11850

Question Number(s): 5A05F

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

F: Working in a police department or police agency

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	659	27.8 %	28.0%
2	SMWT ACC:(2)	667	28.1 %	28.3%
3	ACCEPTBL:(3)	741	31.3 %	31.5%
4	DESIRABL:(4)	286	12.1 %	12.2%
-9 (M)	MISSING:(-9)	18	0.8 %	-

Based upon 2353 valid cases out of 2371 total cases.

**V5230 095A05G:PLC WRK SOC SVCS**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 11860

Question Number(s): 5A05G

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

G: Working in a social service organization

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	499	21.0 %	21.3%
2	SMWT ACC:(2)	792	33.4 %	33.8%
3	ACCEPTBL:(3)	754	31.8 %	32.1%
4	DESIRABL:(4)	301	12.7 %	12.8%
-9 (M)	MISSING:(-9)	25	1.1 %	-

Based upon 2346 valid cases out of 2371 total cases.

**V5231**

**095A05H:PLC WRK SML GRP**

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11870

Question Number(s): 5A05H

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

H: Working with a small group of partners

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	240	10.1 %	10.2%
2	SMWT ACC:(2)	668	28.2 %	28.4%
3	ACCEPTBL:(3)	1099	46.4 %	46.7%
4	DESIRABL:(4)	345	14.6 %	14.7%
-9 (M)	MISSING:(-9)	19	0.8 %	-



- Study 28401 -

Based upon 2352 valid cases out of 2371 total cases.

**V5232 095A05I:PLC WRK SLF EMPL**

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11880

Question Number(s): 5A05I

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

I: Working on your own (self-employed)

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	287	12.1 %	12.2%
2	SMWT ACC:(2)	495	20.9 %	21.1%
3	ACCEPTBL:(3)	831	35.0 %	35.4%
4	DESIRABL:(4)	737	31.1 %	31.4%
-9 (M)	MISSING:(-9)	21	0.9 %	-

Based upon 2350 valid cases out of 2371 total cases.

**V5233 095A06 :ENUF\$,NT WNT WRK**

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08100

Question Number(s): 5A06

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WORK:(1)	1762	74.3 %	75.5%
2	NOT WORK:(2)	573	24.2 %	24.5%
-9 (M)	MISSING:(-9)	36	1.5 %	-

- Study 28401 -

Based upon 2335 valid cases out of 2371 total cases.

**V5234 095A07A:RCL CNTCT SCHOOL**

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11890

Question Number(s): 5A07A

The next questions are about race relations. How much have you gotten to know people of other races . . .

A: . . . In school?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	113	4.8 %	5.0%
2	A LITTLE:(2)	392	16.5 %	17.2%
3	SOME:(3)	548	23.1 %	24.1%
4	A LOT:(4)	1198	50.5 %	52.6%
8	NT APPLY:(8)	27	1.1 %	1.2%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2278 valid cases out of 2371 total cases.

**V5235 095A07B:RCL CNTCT NGHBD**

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11900

Question Number(s): 5A07B

The next questions are about race relations. How much have you gotten to know people of other races . . .

B: . . . In your neighborhood?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	654	27.6 %	28.8%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	A LITTLE:(2)	652	27.5 %	28.7%
3	SOME:(3)	484	20.4 %	21.3%
4	A LOT:(4)	362	15.3 %	15.9%
8	NT APPLY:(8)	122	5.1 %	5.4%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2274 valid cases out of 2371 total cases.

**V5236**

**095A07C:RCL CNTCT CHURCH**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11910

Question Number(s): 5A07C

The next questions are about race relations. How much have you gotten to know people of other races . . .

C: . . . In church?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	617	26.0 %	27.1%
2	A LITTLE:(2)	487	20.5 %	21.4%
3	SOME:(3)	333	14.0 %	14.6%
4	A LOT:(4)	290	12.2 %	12.8%
8	NT APPLY:(8)	547	23.1 %	24.1%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2274 valid cases out of 2371 total cases.

**V5237**

**095A07D:RCL CNTCT SPORTS**

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11920

Question Number(s): 5A07D

The next questions are about race relations. How much have you gotten to know people of other races . . .

- Study 28401 -

D: . . . On sports teams?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	304	12.8 %	13.4%
2	A LITTLE:(2)	328	13.8 %	14.5%
3	SOME:(3)	454	19.1 %	20.0%
4	A LOT:(4)	715	30.2 %	31.6%
8	NT APPLY:(8)	464	19.6 %	20.5%
-9 (M)	MISSING:(-9)	106	4.5 %	-

Based upon 2265 valid cases out of 2371 total cases.

**V5238**

**095A07E:RCL CNTCT CLUBS**

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11930

Question Number(s): 5A07E

The next questions are about race relations. How much have you gotten to know people of other races . . .

E: . . . In clubs?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	433	18.3 %	19.0%
2	A LITTLE:(2)	390	16.4 %	17.2%
3	SOME:(3)	482	20.3 %	21.2%
4	A LOT:(4)	521	22.0 %	22.9%
8	NT APPLY:(8)	447	18.9 %	19.7%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2273 valid cases out of 2371 total cases.

**V5239**

**095A07F:RCL CNTCT JOB**

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 11940

Question Number(s): 5A07F

The next questions are about race relations. How much have you gotten to know people of other races . . .

F: . . . On a job?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	290	12.2 %	12.8%
2	A LITTLE:(2)	312	13.2 %	13.7%
3	SOME:(3)	472	19.9 %	20.8%
4	A LOT:(4)	785	33.1 %	34.6%
8	NT APPLY:(8)	411	17.3 %	18.1%
-9 (M)	MISSING:(-9)	101	4.3 %	-

Based upon 2270 valid cases out of 2371 total cases.

**V5240**

**095A08 :B/W RLTNS WRSE**

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11950

Question Number(s): 5A08

Thinking about the country as a whole, would you say relations between white people and black people have been getting better, getting worse, or staying pretty much the same?

1="Better" 2="A little better" 3="Same" 4="A little worse" 5="Worse"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BETTER:(1)	630	26.6 %	27.7%
2	LITL BTR:(2)	997	42.0 %	43.8%
3	SAME:(3)	493	20.8 %	21.7%
4	LITL WSE:(4)	110	4.6 %	4.8%
5	WORSE:(5)	44	1.9 %	1.9%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2274 valid cases out of 2371 total cases.

- Study 28401 -

**V5241 095A09 :DNT HV DRVR LCNS**

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11960

Question Number(s): 5A09

The next questions are about driving. Do you have a driver's license?

1="Yes" 2="No, but I soon will--GO TO TOP OF NEXT COLUMN"

3="No--GO TO TOP OF NEXT COLUMN"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	1604	67.7 %	74.1%
2	SOON WIL:(2)	438	18.5 %	20.2%
3	NO:(3)	122	5.1 %	5.6%
-9 (M)	MISSING:(-9)	207	8.7 %	-

Based upon 2164 valid cases out of 2371 total cases.

**V5242 095A10 :DONT OWN CAR**

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11970

Question Number(s): 5A10

Do you own a car?

1="Yes" 2="No, but I expect to own one in another year or two"

3="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	1173	49.5 %	73.2%
2	IN 1-2YR:(2)	293	12.4 %	18.3%
3	NO:(3)	136	5.7 %	8.5%
-9 (M)	MISSING:(-9)	769	32.4 %	-

Based upon 1602 valid cases out of 2371 total cases.

**V5243 095A11 :NEVR USE OTHS CR**

Location: 98-99 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 11980

Question Number(s): 5A11

Are you able to use someone else's car when you want to?

1="Yes, whenever I wish" 2="Yes, most of the time"  
 3="Sometimes" 4="Rarely" 5="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WHENEVER:(1)	448	18.9 %	28.0%
2	MST TIME:(2)	715	30.2 %	44.7%
3	SOMETIME:(3)	297	12.5 %	18.6%
4	RARELY:(4)	90	3.8 %	5.6%
5	NEVER:(5)	48	2.0 %	3.0%
-9 (M)	MISSING:(-9)	773	32.6 %	-

Based upon 1598 valid cases out of 2371 total cases.

**V5244**

**095A12 :R CUT DRIVING**

Location: 100-101 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 11990

Question Number(s): 5A12

Do you make an effort to cut down on driving, in order to save gasoline?

1="Not at all" 2="Not very much" 3="Yes, to some extent"  
 4="Yes, quite a bit" 8="Don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	275	11.6 %	17.2%
2	NOT VMCH:(2)	495	20.9 %	30.9%
3	SM EXTNT:(3)	666	28.1 %	41.6%
4	QUITEBIT:(4)	146	6.2 %	9.1%
8	DK:(8)	20	0.8 %	1.2%
-9 (M)	MISSING:(-9)	769	32.4 %	-

Based upon 1602 valid cases out of 2371 total cases.

**V5245**

**095A13 :R CUT ELECTRICTY**

- Study 28401 -

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12000

Question Number(s): 5A13

Do you make an effort to cut down on the amount of electricity you use, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent"

4="Yes, quite a bit" 8="Don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	252	10.6 %	11.1%
2	NOT VMCH:(2)	625	26.4 %	27.4%
3	SM EXTNT:(3)	943	39.8 %	41.4%
4	QUITEBIT:(4)	381	16.1 %	16.7%
8	DK:(8)	78	3.3 %	3.4%
-9 (M)	MISSING:(-9)	92	3.9 %	-

Based upon 2279 valid cases out of 2371 total cases.

**V5246**

**095A14 :RDCE HEAT Rs HM**

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12010

Question Number(s): 5A14

In the house or apartment where you live, is an effort made to reduce heat during the winter, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent"

4="Yes, quite a bit" 8="Don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	247	10.4 %	10.8%
2	NOT VMCH:(2)	563	23.7 %	24.7%
3	SM EXTNT:(3)	829	35.0 %	36.4%
4	QUITEBIT:(4)	508	21.4 %	22.3%
8	DK:(8)	130	5.5 %	5.7%
-9 (M)	MISSING:(-9)	94	4.0 %	-



- Study 28401 -

Based upon 2277 valid cases out of 2371 total cases.

**V5247 095A15A:ENJOY SHOPPING**

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12020

Question Number(s): 5A15A

How do you feel about each of the following?

A: How much do you enjoy shopping for things like clothes, tapes and discs, sporting goods, and books?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	74	3.1 %	3.2%
2	NOT VMCH:(2)	314	13.2 %	13.8%
3	PRTY MCH:(3)	801	33.8 %	35.2%
4	VRV MUCH:(4)	1088	45.9 %	47.8%
-9 (M)	MISSING:(-9)	94	4.0 %	-

Based upon 2277 valid cases out of 2371 total cases.

**V5248 095A15B:CARE LATST FASHN**

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12030

Question Number(s): 5A15B

How do you feel about each of the following?

B: How much do you care about having the latest fashion in your clothes, tapes and discs, leisure activities, and so on?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	352	14.8 %	15.5%
2	NOT VMCH:(2)	899	37.9 %	39.6%
3	PRTY MCH:(3)	663	28.0 %	29.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	VRY MUCH:(4)	358	15.1 %	15.8%
-9 (M)	MISSING:(-9)	99	4.2 %	-

Based upon 2272 valid cases out of 2371 total cases.

**V5249 095A15C:CR FAM HV NBR HV**

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12040

Question Number(s): 5A15C

How do you feel about each of the following?

C: How much do you care about whether your family has most of the things your friends and neighbors have?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	900	38.0 %	39.7%
2	NOT VMCH:(2)	1011	42.6 %	44.6%
3	PRTY MCH:(3)	272	11.5 %	12.0%
4	VRY MUCH:(4)	85	3.6 %	3.7%
-9 (M)	MISSING:(-9)	103	4.3 %	-

Based upon 2268 valid cases out of 2371 total cases.

**V5250 095A16 :XPCT 2 OWN>PRNTS**

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12050

Question Number(s): 5A16

When you are older, do you expect to own more possessions than your parents do now, or about the same, or less?  
I expect to own . . . ?

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	58	2.4 %	2.6%
2	SMWT LES:(2)	154	6.5 %	6.8%
3	AS MUCH:(3)	742	31.3 %	32.7%
4	SMWT MOR:(4)	810	34.2 %	35.7%
5	MCH MORE:(5)	507	21.4 %	22.3%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2271 valid cases out of 2371 total cases.

**V5251**      **095A17 :LST CNT OWN>PRNT**

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12060

Question Number(s): 5A17

Compared with your parents, what is the smallest amount that you could be content or satisfied to own? The least I could be content to own is . . . ?

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	248	10.5 %	11.0%
2	SMWT LES:(2)	590	24.9 %	26.1%
3	AS MUCH:(3)	878	37.0 %	38.9%
4	SMWT MOR:(4)	401	16.9 %	17.8%
5	MCH MORE:(5)	141	5.9 %	6.2%
-9 (M)	MISSING:(-9)	113	4.8 %	-

Based upon 2258 valid cases out of 2371 total cases.

**V5252**      **095A18A:WRRY ABT OW CTRY**

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12070

Question Number(s): 5A18A

These next questions ask your opinions about a number of

- Study 28401 -

different topics. How much do you agree or disagree with each statement below?

A: We ought to worry about our own country and let the rest of the world take care of itself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	408	17.2 %	18.0%
2	MOST DIS:(2)	509	21.5 %	22.5%
3	NEITHER:(3)	491	20.7 %	21.7%
4	MOST AGR:(4)	540	22.8 %	23.8%
5	AGREE:(5)	317	13.4 %	14.0%
-9 (M)	MISSING:(-9)	106	4.5 %	-

Based upon 2265 valid cases out of 2371 total cases.

**V5253**

**095A18B:BTTR IF CTZ WRLD**

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12080

Question Number(s): 5A18B

How much do you agree or disagree with each statement below?

B: It would be better if we all felt more like citizens of the world than of any particular country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	280	11.8 %	12.4%
2	MOST DIS:(2)	302	12.7 %	13.4%
3	NEITHER:(3)	651	27.5 %	28.8%
4	MOST AGR:(4)	599	25.3 %	26.5%
5	AGREE:(5)	428	18.1 %	18.9%
-9 (M)	MISSING:(-9)	111	4.7 %	-

Based upon 2260 valid cases out of 2371 total cases.

**V5254**

**095A18C:-SYMP TWD STARVG**

- Study 28401 -

Location: 120-121 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 12090

Question Number(s): 5A18C

How much do you agree or disagree with each statement below?

C: I find it hard to be sympathetic toward starving people  
 in foreign lands, when there is so much trouble in our own  
 country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	830	35.0 %	36.7%
2	MOST DIS:(2)	576	24.3 %	25.5%
3	NEITHER:(3)	357	15.1 %	15.8%
4	MOST AGR:(4)	301	12.7 %	13.3%
5	AGREE:(5)	197	8.3 %	8.7%
-9 (M)	MISSING:(-9)	110	4.6 %	-

Based upon 2261 valid cases out of 2371 total cases.

**V5255 095A18D:MNR TY NT MY BSNS**

Location: 122-123 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 12100

Question Number(s): 5A18D

How much do you agree or disagree with each statement below?

D: Maybe some minority groups do get unfair treatment, but  
 that's no business of mine

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	865	36.5 %	38.4%
2	MOST DIS:(2)	574	24.2 %	25.5%
3	NEITHER:(3)	480	20.2 %	21.3%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	MOST AGR:(4)	201	8.5 %	8.9%
5	AGREE:(5)	135	5.7 %	6.0%
-9 (M)	MISSING:(-9)	116	4.9 %	-

Based upon 2255 valid cases out of 2371 total cases.

**V5256 095A18E:UPST PL TR -FAIR**

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12110

Question Number(s): 5A18E

How much do you agree or disagree with each statement below?

E: I get very upset when I see other people treated unfairly

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	77	3.2 %	3.4%
2	MOST DIS:(2)	109	4.6 %	4.8%
3	NEITHER:(3)	243	10.2 %	10.7%
4	MOST AGR:(4)	773	32.6 %	34.2%
5	AGREE:(5)	1061	44.7 %	46.9%
-9 (M)	MISSING:(-9)	108	4.6 %	-

Based upon 2263 valid cases out of 2371 total cases.

**V5257 095A18F:HELP POOR W MY \$**

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12120

Question Number(s): 5A18F

How much do you agree or disagree with each statement below?

F: I would agree to a good plan to make a better life for the  
poor, even if it cost me money

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

- Study 28401 -

5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	168	7.1 %	7.5%
2	MOST DIS:(2)	251	10.6 %	11.1%
3	NEITHER:(3)	578	24.4 %	25.7%
4	MOST AGR:(4)	790	33.3 %	35.1%
5	AGREE:(5)	465	19.6 %	20.6%
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2252 valid cases out of 2371 total cases.

**V5258** **095A18G:-MY PRB OT ND HP**

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12130

Question Number(s): 5A18G

How much do you agree or disagree with each statement below?

G: It's not really my problem if others are in trouble and need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	835	35.2 %	37.1%
2	MOST DIS:(2)	798	33.7 %	35.5%
3	NEITHER:(3)	387	16.3 %	17.2%
4	MOST AGR:(4)	143	6.0 %	6.4%
5	AGREE:(5)	87	3.7 %	3.9%
-9 (M)	MISSING:(-9)	121	5.1 %	-

Based upon 2250 valid cases out of 2371 total cases.

**V5259** **095A18H:RB CHNG ETG HABT**

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12140

Question Number(s): 5A18H

- Study 28401 -

How much do you agree or disagree with each statement below?

H: Americans could change their eating habits to provide more food for the hungry people in other parts of the world, and at the same time be healthier themselves

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	162	6.8 %	7.2%
2	MOST DIS:(2)	176	7.4 %	7.8%
3	NEITHER:(3)	391	16.5 %	17.3%
4	MOST AGR:(4)	693	29.2 %	30.7%
5	AGREE:(5)	834	35.2 %	37.0%
-9 (M)	MISSING:(-9)	115	4.9 %	-

Based upon 2256 valid cases out of 2371 total cases.

**V5260**

**095A18I:FAM BUYS THG -ND**

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10060

Question Number(s): 5A18I

How much do you agree or disagree with each statement below?

I: My family and I often buy things we really don't need; we could get along with much less

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	238	10.0 %	13.4%
2	MOST DIS:(2)	313	13.2 %	17.7%
3	NEITHER:(3)	368	15.5 %	20.8%
4	MOST AGR:(4)	534	22.5 %	30.2%
5	AGREE:(5)	317	13.4 %	17.9%
-9 (M)	MISSING:(-9)	601	25.3 %	-

Based upon 1770 valid cases out of 2371 total cases.



- Study 28401 -

**V5261 095A18J:FULLR LVS IF MRY**

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12150

Question Number(s): 5A18J

How much do you agree or disagree with each statement below?

J: Most people will have fuller and happier lives if they choose legal marriage rather than staying single, or just living with someone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	382	16.1 %	21.5%
2	MOST DIS:(2)	218	9.2 %	12.3%
3	NEITHER:(3)	566	23.9 %	31.9%
4	MOST AGR:(4)	318	13.4 %	17.9%
5	AGREE:(5)	291	12.3 %	16.4%
-9 (M)	MISSING:(-9)	596	25.1 %	-

Based upon 1775 valid cases out of 2371 total cases.

**V5262 095A18K:ENCRG = INDP DT/SN**

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12160

Question Number(s): 5A18K

How much do you agree or disagree with each statement below?

K: Parents should encourage just as much independence in their daughters as in their sons

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	84	3.5 %	3.7%
2	MOST DIS:(2)	111	4.7 %	4.9%
3	NEITHER:(3)	289	12.2 %	12.8%
4	MOST AGR:(4)	540	22.8 %	23.9%
5	AGREE:(5)	1231	51.9 %	54.6%
-9 (M)	MISSING:(-9)	116	4.9 %	-

Based upon 2255 valid cases out of 2371 total cases.

**V5263**      **095A18L:BNG MOTH V FULFL**

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12170

Question Number(s): 5A18L

How much do you agree or disagree with each statement below?

L: Being a mother and raising children is one of the most fulfilling experiences a woman can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	124	5.2 %	5.5%
2	MOST DIS:(2)	113	4.8 %	5.0%
3	NEITHER:(3)	651	27.5 %	28.9%
4	MOST AGR:(4)	588	24.8 %	26.1%
5	AGREE:(5)	773	32.6 %	34.4%
-9 (M)	MISSING:(-9)	122	5.1 %	-

Based upon 2249 valid cases out of 2371 total cases.

**V5264**      **095A18M:FTHR>TIME W CHLD**

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12180

Question Number(s): 5A18M

How much do you agree or disagree with each statement below?

- Study 28401 -

M: Most fathers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	50	2.1 %	2.2%
2	MOST DIS:(2)	54	2.3 %	2.4%
3	NEITHER:(3)	434	18.3 %	19.3%
4	MOST AGR:(4)	759	32.0 %	33.7%
5	AGREE:(5)	956	40.3 %	42.4%
-9 (M)	MISSING:(-9)	118	5.0 %	-

Based upon 2253 valid cases out of 2371 total cases.

**V5265** **095A18N:HSB MAK IMP DCSN**

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12190

Question Number(s): 5A18N

How much do you agree or disagree with each statement below?

N: The husband should make all the important decisions in the family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	829	35.0 %	46.7%
2	MOST DIS:(2)	319	13.5 %	18.0%
3	NEITHER:(3)	372	15.7 %	20.9%
4	MOST AGR:(4)	145	6.1 %	8.2%
5	AGREE:(5)	111	4.7 %	6.2%
-9 (M)	MISSING:(-9)	595	25.1 %	-

Based upon 1776 valid cases out of 2371 total cases.

**V5266** **095A19 :INTEREST IN GOVT**

- Study 28401 -

Location: 144-145 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 06330

Question Number(s): 5A19

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO INTR:(1)	156	6.6 %	6.9%
2	LIT INTR:(2)	409	17.3 %	18.2%
3	SOM INTR:(3)	1021	43.1 %	45.5%
4	LOT INTR:(4)	450	19.0 %	20.0%
5	VGRT INT:(5)	209	8.8 %	9.3%
-9 (M)	MISSING:(-9)	126	5.3 %	-

Based upon 2245 valid cases out of 2371 total cases.

**V5267**

**095A20A:CTB TO UNTD FUND**

Location: 146-147 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 12200

Question Number(s): 5A20A

If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only. Are you likely to contribute to . . .

A: . . . The United Fund or other community charities?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	188	7.9 %	8.4%
2	PROB NOT:(2)	367	15.5 %	16.4%
3	DK:(3)	949	40.0 %	42.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	PRB WILL:(4)	546	23.0 %	24.4%
5	DEF WILL:(5)	97	4.1 %	4.3%
6	HAV DONE:(6)	92	3.9 %	4.1%
-9 (M)	MISSING:(-9)	132	5.6 %	-

Based upon 2239 valid cases out of 2371 total cases.

**V5268**

**095A20B:CTB TO INTL RELF**

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12210

Question Number(s): 5A20B

Are you likely to contribute to . . .

B: . . . International relief organizations (CARE, UNICEF, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	167	7.0 %	7.5%
2	PROB NOT:(2)	344	14.5 %	15.4%
3	DK:(3)	803	33.9 %	35.8%
4	PRB WILL:(4)	598	25.2 %	26.7%
5	DEF WILL:(5)	159	6.7 %	7.1%
6	HAV DONE:(6)	170	7.2 %	7.6%
-9 (M)	MISSING:(-9)	130	5.5 %	-

Based upon 2241 valid cases out of 2371 total cases.

**V5269**

**095A20C:CTB TO MNRTY GRP**

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12220

Question Number(s): 5A20C

Are you likely to contribute to . . .

C: . . . Minority group organizations (NAACP, SCLC, etc.)?

- Study 28401 -

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	282	11.9 %	12.6%
2	PROB NOT:(2)	517	21.8 %	23.2%
3	DK:(3)	877	37.0 %	39.3%
4	PRB WILL:(4)	370	15.6 %	16.6%
5	DEF WILL:(5)	143	6.0 %	6.4%
6	HAV DONE:(6)	42	1.8 %	1.9%
-9 (M)	MISSING:(-9)	140	5.9 %	-

Based upon 2231 valid cases out of 2371 total cases.

**V5270 095A20D:CTB TO RELGS ORG**

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12230

Question Number(s): 5A20D

Are you likely to contribute to . . .

D: . . . Church or religious organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	284	12.0 %	12.7%
2	PROB NOT:(2)	292	12.3 %	13.0%
3	DK:(3)	394	16.6 %	17.6%
4	PRB WILL:(4)	487	20.5 %	21.7%
5	DEF WILL:(5)	312	13.2 %	13.9%
6	HAV DONE:(6)	475	20.0 %	21.2%
-9 (M)	MISSING:(-9)	127	5.4 %	-

Based upon 2244 valid cases out of 2371 total cases.

**V5271 095A20E:CTB TO PLTCL PTY**

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 12240

Question Number(s): 5A20E

Are you likely to contribute to . . .

E: . . . Political parties or organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	499	21.0 %	22.4%
2	PROB NOT:(2)	588	24.8 %	26.4%
3	DK:(3)	768	32.4 %	34.4%
4	PRB WILL:(4)	246	10.4 %	11.0%
5	DEF WILL:(5)	75	3.2 %	3.4%
6	HAV DONE:(6)	55	2.3 %	2.5%
-9 (M)	MISSING:(-9)	140	5.9 %	-

Based upon 2231 valid cases out of 2371 total cases.

**V5272**

**095A20F:CTB TO CTZN LBBY**

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12250

Question Number(s): 5A20F

Are you likely to contribute to . . .

F: . . . Citizen lobbies (Common Cause, Public Citizen, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	329	13.9 %	14.8%
2	PROB NOT:(2)	538	22.7 %	24.2%
3	DK:(3)	992	41.8 %	44.6%
4	PRB WILL:(4)	280	11.8 %	12.6%
5	DEF WILL:(5)	58	2.4 %	2.6%
6	HAV DONE:(6)	29	1.2 %	1.3%
-9 (M)	MISSING:(-9)	145	6.1 %	-

- Study 28401 -

Based upon 2226 valid cases out of 2371 total cases.

**V5273 095A20G:CTB TO VS DISEAS**

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12260

Question Number(s): 5A20G

Are you likely to contribute to . . .

G: . . . Charities to help fight diseases (cancer, heart disease, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	96	4.0 %	4.3%
2	PROB NOT:(2)	103	4.3 %	4.6%
3	DK:(3)	354	14.9 %	15.8%
4	PRB WILL:(4)	725	30.6 %	32.4%
5	DEF WILL:(5)	610	25.7 %	27.3%
6	HAV DONE:(6)	348	14.7 %	15.6%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2236 valid cases out of 2371 total cases.

**V5274 095A20H:CTB TO POP PRBMS**

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12270

Question Number(s): 5A20H

Are you likely to contribute to . . .

H: . . . Organizations concerned with population problems (Planned Parenthood, ZPG, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	338	14.3 %	15.1%
2	PROB NOT:(2)	433	18.3 %	19.3%
3	DK:(3)	862	36.4 %	38.5%
4	PRB WILL:(4)	396	16.7 %	17.7%
5	DEF WILL:(5)	170	7.2 %	7.6%
6	HAV DONE:(6)	42	1.8 %	1.9%
-9 (M)	MISSING:(-9)	130	5.5 %	-

Based upon 2241 valid cases out of 2371 total cases.

**V5275**

**095A20I:CTB TO ENVIR PBM**

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12280

Question Number(s): 5A20I

Are you likely to contribute to . . .

I: . . . Organizations concerned with environmental problems  
(Sierra Club, Friends of the Earth, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably  
Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	245	10.3 %	11.0%
2	PROB NOT:(2)	344	14.5 %	15.4%
3	DK:(3)	743	31.3 %	33.2%
4	PRB WILL:(4)	527	22.2 %	23.6%
5	DEF WILL:(5)	284	12.0 %	12.7%
6	HAV DONE:(6)	93	3.9 %	4.2%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2236 valid cases out of 2371 total cases.

**V5503**

**095A23A:OFTN EAT BRKFST**

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20740

- Study 28401 -

Question Number(s): 5A23A

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	150	6.3 %	6.4%
2	SELDOM:(2)	490	20.7 %	21.0%
3	SOMETIME:(3)	507	21.4 %	21.7%
4	MST DAYS:(4)	310	13.1 %	13.3%
5	NR EV DA:(5)	304	12.8 %	13.0%
6	EVERYDAY:(6)	574	24.2 %	24.6%
-9 (M)	MISSING:(-9)	36	1.5 %	-

Based upon 2335 valid cases out of 2371 total cases.

**V5504**

**095A23B:OFTN EAT GN VEG**

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20750

Question Number(s): 5A23B

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	77	3.2 %	3.3%
2	SELDOM:(2)	200	8.4 %	8.6%
3	SOMETIME:(3)	591	24.9 %	25.3%
4	MST DAYS:(4)	579	24.4 %	24.8%
5	NR EV DA:(5)	437	18.4 %	18.7%
6	EVERYDAY:(6)	448	18.9 %	19.2%
-9 (M)	MISSING:(-9)	39	1.6 %	-

Based upon 2332 valid cases out of 2371 total cases.

- Study 28401 -

**V5505 095A23C:OFTN EAT FRUIT**

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20760

Question Number(s): 5A23C

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	33	1.4 %	1.4%
2	SELDOM:(2)	123	5.2 %	5.3%
3	SOMETIME:(3)	535	22.6 %	23.0%
4	MST DAYS:(4)	578	24.4 %	24.9%
5	NR EV DA:(5)	534	22.5 %	23.0%
6	EVERYDAY:(6)	521	22.0 %	22.4%
-9 (M)	MISSING:(-9)	47	2.0 %	-

Based upon 2324 valid cases out of 2371 total cases.

**V5506 095A23D:OFTN EXERCISE**

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20770

Question Number(s): 5A23D

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	102	4.3 %	4.4%
2	SELDOM:(2)	341	14.4 %	14.6%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	SOMETIME:(3)	597	25.2 %	25.6%
4	MST DAYS:(4)	472	19.9 %	20.2%
5	NR EV DA:(5)	410	17.3 %	17.6%
6	EVERYDAY:(6)	413	17.4 %	17.7%
-9 (M)	MISSING:(-9)	36	1.5 %	-

Based upon 2335 valid cases out of 2371 total cases.

**V5507**

**095A23E:OFTN 7HRS SLEEP**

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20780

Question Number(s): 5A23E

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly  
Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	113	4.8 %	4.8%
2	SELDOM:(2)	428	18.1 %	18.3%
3	SOMETIME:(3)	585	24.7 %	25.1%
4	MST DAYS:(4)	514	21.7 %	22.0%
5	NR EV DA:(5)	416	17.5 %	17.8%
6	EVERYDAY:(6)	279	11.8 %	11.9%
-9 (M)	MISSING:(-9)	36	1.5 %	-

Based upon 2335 valid cases out of 2371 total cases.

**V5508**

**095A23F:OFTN SLEEP<SHLD**

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20790

Question Number(s): 5A23F

How often do you . . .

- Study 28401 -

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	146	6.2 %	6.3%
2	SELDOM:(2)	274	11.6 %	11.8%
3	SOMETIME:(3)	637	26.9 %	27.3%
4	MST DAYS:(4)	441	18.6 %	18.9%
5	NR EV DA:(5)	432	18.2 %	18.5%
6	EVERYDAY:(6)	400	16.9 %	17.2%
-9 (M)	MISSING:(-9)	41	1.7 %	-

Based upon 2330 valid cases out of 2371 total cases.

**V5277 095A24A:DSCM WN COLLG ED**

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12290

Question Number(s): 5A24A

These questions are about whether you think women are discriminated against in each of the following areas.  
To what extent are women discriminated against . . .

A: . . . In getting a college education?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	915	38.6 %	39.5%
2	VRY LITL:(2)	658	27.8 %	28.4%
3	SOME:(3)	322	13.6 %	13.9%
4	GD DEAL:(4)	83	3.5 %	3.6%
5	GRT DEAL:(5)	57	2.4 %	2.5%
8	DK:(8)	280	11.8 %	12.1%
-9 (M)	MISSING:(-9)	56	2.4 %	-

Based upon 2315 valid cases out of 2371 total cases.

**V5278 095A24B:DSCM WN LDRSHP**

Location: 178-179 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12300

Question Number(s): 5A24B

To what extent are women discriminated against . . .

B: . . . In gaining positions of leadership over men and women?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	231	9.7 %	10.0%
2	VRV LITL:(2)	335	14.1 %	14.5%
3	SOME:(3)	743	31.3 %	32.1%
4	GD DEAL:(4)	538	22.7 %	23.2%
5	GRT DEAL:(5)	274	11.6 %	11.8%
8	DK:(8)	196	8.3 %	8.5%
-9 (M)	MISSING:(-9)	54	2.3 %	-

Based upon 2317 valid cases out of 2371 total cases.

**V5279 095A24C:DSCM WN EXEC/BSN**

Location: 180-181 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12310

Question Number(s): 5A24C

To what extent are women discriminated against . . .

C: . . . In obtaining executive positions in business?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	284	12.0 %	12.3%
2	VRV LITL:(2)	369	15.6 %	16.0%
3	SOME:(3)	693	29.2 %	30.0%
4	GD DEAL:(4)	471	19.9 %	20.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	GRT DEAL:(5)	227	9.6 %	9.8%
8	DK:(8)	269	11.3 %	11.6%
-9 (M)	MISSING:(-9)	58	2.4 %	-

Based upon 2313 valid cases out of 2371 total cases.

**V5280                      095A24D:DSCM WN TOP/PRFN**

Location:                      182-183 (width: 2; decimal: 0)

Variable Type:                numeric

Range of Missing Values (M): -9

Question:

Item Number: 12320

Question Number(s): 5A24D

To what extent are women discriminated against . . .

D: . . . In obtaining top jobs in the professions?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A  
Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	336	14.2 %	14.5%
2	VRy LITL:(2)	409	17.3 %	17.7%
3	SOME:(3)	651	27.5 %	28.2%
4	GD DEAL:(4)	437	18.4 %	18.9%
5	GRT DEAL:(5)	221	9.3 %	9.6%
8	DK:(8)	258	10.9 %	11.2%
-9 (M)	MISSING:(-9)	59	2.5 %	-

Based upon 2312 valid cases out of 2371 total cases.

**V5281                      095A24E:DSCM WN SKL LABR**

Location:                      184-185 (width: 2; decimal: 0)

Variable Type:                numeric

Range of Missing Values (M): -9

Question:

Item Number: 12330

Question Number(s): 5A24E

To what extent are women discriminated against . . .

E: . . . In getting skilled labor jobs?

- Study 28401 -

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	311	13.1 %	13.5%
2	VRy LITL:(2)	364	15.4 %	15.8%
3	SOME:(3)	646	27.2 %	28.0%
4	GD DEAL:(4)	421	17.8 %	18.2%
5	GRT DEAL:(5)	241	10.2 %	10.4%
8	DK:(8)	324	13.7 %	14.0%
-9 (M)	MISSING:(-9)	64	2.7 %	-

Based upon 2307 valid cases out of 2371 total cases.

**V5282 095A24F:DSCM WN PLTCL OF**

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12340

Question Number(s): 5A24F

To what extent are women discriminated against . . .

F: . . . In getting elected to political office?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	260	11.0 %	11.2%
2	VRy LITL:(2)	368	15.5 %	15.9%
3	SOME:(3)	585	24.7 %	25.3%
4	GD DEAL:(4)	484	20.4 %	20.9%
5	GRT DEAL:(5)	407	17.2 %	17.6%
8	DK:(8)	211	8.9 %	9.1%
-9 (M)	MISSING:(-9)	56	2.4 %	-

Based upon 2315 valid cases out of 2371 total cases.

**V5283 095A24G:DSCM WN = PAY = WK**

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9



- Study 28401 -

Question:

Item Number: 12350

Question Number(s): 5A24G

To what extent are women discriminated against . . .

G: . . . In getting equal pay for equal work?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	472	19.9 %	20.4%
2	VRy LITL:(2)	398	16.8 %	17.2%
3	SOME:(3)	517	21.8 %	22.4%
4	GD DEAL:(4)	334	14.1 %	14.4%
5	GRT DEAL:(5)	319	13.5 %	13.8%
8	DK:(8)	273	11.5 %	11.8%
-9 (M)	MISSING:(-9)	58	2.4 %	-

Based upon 2313 valid cases out of 2371 total cases.

**V5284**

**095A25A:RSK OF CIG1+PK/D**

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12360

Question Number(s): 5A25A

The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	55	2.3 %	2.4%
2	SLIGHT:(2)	83	3.5 %	3.6%
3	MOD RISK:(3)	385	16.2 %	16.6%
4	GRT RISK:(4)	1752	73.9 %	75.6%
5	CANT SAY:(5)	42	1.8 %	1.8%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	54	2.3 %	-

Based upon 2317 valid cases out of 2371 total cases.

**V5285**

**095A25B:RSK OF MJ 1-2 X**

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12370

Question Number(s): 5A25B

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	868	36.6 %	37.5%
2	SLIGHT:(2)	668	28.2 %	28.8%
3	MOD RISK:(3)	306	12.9 %	13.2%
4	GRT RISK:(4)	421	17.8 %	18.2%
5	CANT SAY:(5)	53	2.2 %	2.3%
-9 (M)	MISSING:(-9)	55	2.3 %	-

Based upon 2316 valid cases out of 2371 total cases.

**V5286**

**095A25C:RSK OF MJ OCSNLY**

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12380

Question Number(s): 5A25C

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	460	19.4 %	19.9%
2	SLIGHT:(2)	537	22.6 %	23.2%
3	MOD RISK:(3)	652	27.5 %	28.2%
4	GRT RISK:(4)	609	25.7 %	26.3%
5	CANT SAY:(5)	56	2.4 %	2.4%
-9 (M)	MISSING:(-9)	57	2.4 %	-

Based upon 2314 valid cases out of 2371 total cases.

**V5287**

**095A25D:RSK OF MJ REGLY**

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12390

Question Number(s): 5A25D

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	219	9.2 %	9.5%
2	SLIGHT:(2)	337	14.2 %	14.6%
3	MOD RISK:(3)	501	21.1 %	21.6%
4	GRT RISK:(4)	1198	50.5 %	51.7%
5	CANT SAY:(5)	60	2.5 %	2.6%
-9 (M)	MISSING:(-9)	56	2.4 %	-

Based upon 2315 valid cases out of 2371 total cases.

**V5288**

**095A25E:RSK OF LSD 1-2 X**

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12400

Question Number(s): 5A25E

How much do you think people risk harming themselves

- Study 28401 -

(physically or in other ways), if they . . .

E: . . . Try LSD once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	134	5.7 %	5.8%
2	SLIGHT:(2)	361	15.2 %	15.6%
3	MOD RISK:(3)	517	21.8 %	22.4%
4	GRT RISK:(4)	867	36.6 %	37.6%
5	CANT SAY:(5)	429	18.1 %	18.6%
-9 (M)	MISSING:(-9)	63	2.7 %	-

Based upon 2308 valid cases out of 2371 total cases.

**V5289 095A25F:RSK OF LSD REGLY**

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12410

Question Number(s): 5A25F

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Take LSD regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	62	2.6 %	2.7%
2	SLIGHT:(2)	47	2.0 %	2.0%
3	MOD RISK:(3)	200	8.4 %	8.7%
4	GRT RISK:(4)	1572	66.3 %	68.0%
5	CANT SAY:(5)	430	18.1 %	18.6%
-9 (M)	MISSING:(-9)	60	2.5 %	-

Based upon 2311 valid cases out of 2371 total cases.

**V5290 095A25G:RSK OF H 1-2 X**

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 12420

Question Number(s): 5A25G

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

G: . . . Try heroin once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	76	3.2 %	3.3%
2	SLIGHT:(2)	197	8.3 %	8.5%
3	MOD RISK:(3)	524	22.1 %	22.6%
4	GRT RISK:(4)	1397	58.9 %	60.4%
5	CANT SAY:(5)	120	5.1 %	5.2%
-9 (M)	MISSING:(-9)	57	2.4 %	-

Based upon 2314 valid cases out of 2371 total cases.

**V5291**

**095A25H:RSK OF H OCSNL**

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12430

Question Number(s): 5A25H

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

H: . . . Take heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	56	2.4 %	2.4%
2	SLIGHT:(2)	28	1.2 %	1.2%
3	MOD RISK:(3)	259	10.9 %	11.2%
4	GRT RISK:(4)	1855	78.2 %	80.1%
5	CANT SAY:(5)	117	4.9 %	5.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	56	2.4 %	-

Based upon 2315 valid cases out of 2371 total cases.

**V5292**

**095A25I:RSK OF H REGLY**

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12440

Question Number(s): 5A25I

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

I: . . . Take heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	53	2.2 %	2.3%
2	SLIGHT:(2)	11	0.5 %	0.5%
3	MOD RISK:(3)	42	1.8 %	1.8%
4	GRT RISK:(4)	2082	87.8 %	90.3%
5	CANT SAY:(5)	117	4.9 %	5.1%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2305 valid cases out of 2371 total cases.

**V5509**

**095A25J:RSK SED/BRB 1-2X**

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12455

Question Number(s): 5A25J

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

J: . . . Try sedatives/barbiturates (downers) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	164	6.9 %	7.1%
2	SLIGHT:(2)	425	17.9 %	18.4%
3	MOD RISK:(3)	572	24.1 %	24.8%
4	GRT RISK:(4)	680	28.7 %	29.5%
5	CANT SAY:(5)	465	19.6 %	20.2%
-9 (M)	MISSING:(-9)	65	2.7 %	-

Based upon 2306 valid cases out of 2371 total cases.

**V5510 095A25K:RSK SED/BRB REGY**

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12465

Question Number(s): 5A25K

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

K: . . . Take sedatives/barbiturates regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	60	2.5 %	2.6%
2	SLIGHT:(2)	103	4.3 %	4.5%
3	MOD RISK:(3)	397	16.7 %	17.2%
4	GRT RISK:(4)	1276	53.8 %	55.3%
5	CANT SAY:(5)	472	19.9 %	20.5%
-9 (M)	MISSING:(-9)	63	2.7 %	-

Based upon 2308 valid cases out of 2371 total cases.

**V5295 095A25L:RSK OF AMPH 1-2X**

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12470

Question Number(s): 5A25L

How much do you think people risk harming themselves

- Study 28401 -

(physically or in other ways), if they . . .

L: . . . Try amphetamines (uppers, pep pills, bennies, speed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	132	5.6 %	5.7%
2	SLIGHT:(2)	370	15.6 %	16.0%
3	MOD RISK:(3)	575	24.3 %	24.9%
4	GRT RISK:(4)	970	40.9 %	41.9%
5	CANT SAY:(5)	266	11.2 %	11.5%
-9 (M)	MISSING:(-9)	58	2.4 %	-

Based upon 2313 valid cases out of 2371 total cases.

**V5296**

**095A25M:RSK OF AMPH REG**

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12480

Question Number(s): 5A25M

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

M: . . . Take amphetamines regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	57	2.4 %	2.5%
2	SLIGHT:(2)	82	3.5 %	3.6%
3	MOD RISK:(3)	285	12.0 %	12.4%
4	GRT RISK:(4)	1582	66.7 %	68.7%
5	CANT SAY:(5)	297	12.5 %	12.9%
-9 (M)	MISSING:(-9)	68	2.9 %	-

Based upon 2303 valid cases out of 2371 total cases.

**V5297**

**095A25N:RSK OF COKE 1-2X**

Location: 216-217 (width: 2; decimal: 0)



- Study 28401 -

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12490

Question Number(s): 5A25N

How much do you think people risk harming themselves  
 (physically or in other ways), if they . . .

N: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	123	5.2 %	5.3%
2	SLIGHT:(2)	310	13.1 %	13.4%
3	MOD RISK:(3)	543	22.9 %	23.5%
4	GRT RISK:(4)	1243	52.4 %	53.8%
5	CANT SAY:(5)	90	3.8 %	3.9%
-9 (M)	MISSING:(-9)	62	2.6 %	-

Based upon 2309 valid cases out of 2371 total cases.

**V5298 095A25O:RSK OF COKE REG**

Location: 218-219 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12500

Question Number(s): 5A25O

How much do you think people risk harming themselves  
 (physically or in other ways), if they . . .

O: . . . Take cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	63	2.7 %	2.7%
2	SLIGHT:(2)	30	1.3 %	1.3%
3	MOD RISK:(3)	165	7.0 %	7.2%
4	GRT RISK:(4)	1957	82.5 %	84.9%
5	CANT SAY:(5)	90	3.8 %	3.9%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2305 valid cases out of 2371 total cases.

**V5299**

**095A25P:RSK OF 1-2 DRINK**

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12510

Question Number(s): 5A25P

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

P: . . . Try one or two drinks of an alcoholic beverage  
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	1047	44.2 %	45.4%
2	SLIGHT:(2)	761	32.1 %	33.0%
3	MOD RISK:(3)	229	9.7 %	9.9%
4	GRT RISK:(4)	227	9.6 %	9.8%
5	CANT SAY:(5)	44	1.9 %	1.9%
-9 (M)	MISSING:(-9)	63	2.7 %	-

Based upon 2308 valid cases out of 2371 total cases.

**V5300**

**095A25Q:RSK OF 1-2 DR/DA**

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12520

Question Number(s): 5A25Q

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

Q: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

- Study 28401 -

5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	270	11.4 %	11.7%
2	SLIGHT:(2)	616	26.0 %	26.7%
3	MOD RISK:(3)	825	34.8 %	35.8%
4	GRT RISK:(4)	547	23.1 %	23.7%
5	CANT SAY:(5)	49	2.1 %	2.1%
-9 (M)	MISSING:(-9)	64	2.7 %	-

Based upon 2307 valid cases out of 2371 total cases.

**V5301**

**095A25R:RSK OF 4-5 DR/DA**

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12530

Question Number(s): 5A25R

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

R: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	97	4.1 %	4.2%
2	SLIGHT:(2)	168	7.1 %	7.3%
3	MOD RISK:(3)	539	22.7 %	23.4%
4	GRT RISK:(4)	1454	61.3 %	63.0%
5	CANT SAY:(5)	49	2.1 %	2.1%
-9 (M)	MISSING:(-9)	64	2.7 %	-

Based upon 2307 valid cases out of 2371 total cases.

**V5302**

**095A25S:RSK OF 5+DR/WKND**

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12540

- Study 28401 -

Question Number(s): 5A25S

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

S: . . . Have five or more drinks once or twice each  
weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	191	8.1 %	8.3%
2	SLIGHT:(2)	356	15.0 %	15.4%
3	MOD RISK:(3)	611	25.8 %	26.5%
4	GRT RISK:(4)	1103	46.5 %	47.7%
5	CANT SAY:(5)	49	2.1 %	2.1%
-9 (M)	MISSING:(-9)	61	2.6 %	-

Based upon 2310 valid cases out of 2371 total cases.

**V5483**

**095A25T:RSK OF COKE OCSN**

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12495

Question Number(s): 5A25T

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

T: . . . Take cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	72	3.0 %	3.1%
2	SLIGHT:(2)	96	4.0 %	4.2%
3	MOD RISK:(3)	391	16.5 %	17.0%
4	GRT RISK:(4)	1654	69.8 %	71.7%
5	CANT SAY:(5)	93	3.9 %	4.0%
-9 (M)	MISSING:(-9)	65	2.7 %	-

Based upon 2306 valid cases out of 2371 total cases.

- Study 28401 -

**V5484 095A25U:RSK OF SMKLS RG**

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12365

Question Number(s): 5A25U

How much do you think people risk harming themselves (physically or in other ways), if they . . .

U: . . . Use smokeless tobacco regularly (chewing tobacco, plug, dipping tobacco, snuff)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	148	6.2 %	6.4%
2	SLIGHT:(2)	387	16.3 %	16.8%
3	MOD RISK:(3)	700	29.5 %	30.3%
4	GRT RISK:(4)	969	40.9 %	41.9%
5	CANT SAY:(5)	106	4.5 %	4.6%
-9 (M)	MISSING:(-9)	61	2.6 %	-

Based upon 2310 valid cases out of 2371 total cases.

**V5101 095B01 :EVR SMK CIG,REGL**

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00760

Question Number(s): 5B01

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1282	54.1 %	55.3%
2	1-2X:(2)	461	19.4 %	19.9%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	OCCASNLV:(3)	271	11.4 %	11.7%
4	REG PAST:(4)	110	4.6 %	4.7%
5	REG NOW:(5)	193	8.1 %	8.3%
-9 (M)	MISSING:(-9)	54	2.3 %	-

Based upon 2317 valid cases out of 2371 total cases.

**V5102                      095B02 :#CIGS SMKD/30DAY**

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:  
Item Number: 00780

Question Number(s): 5B02

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1847	77.9 %	79.8%
2	<1 CIG/D:(2)	208	8.8 %	9.0%
3	1-5/DAY:(3)	145	6.1 %	6.3%
4	1/2PK/D:(4)	70	3.0 %	3.0%
5	1 PK/DA:(5)	28	1.2 %	1.2%
6	1 1/2 PK/D:(6)	11	0.5 %	0.5%
7	2+ PKS/D:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	56	2.4 %	-

Based upon 2315 valid cases out of 2371 total cases.

**V5103                      095B03 :EVER DRINK**

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:  
Item Number: 00790

Question Number(s): 5B03

- Study 28401 -

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, or any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	627	26.4 %	27.6%
2	YES:(2)	1644	69.3 %	72.4%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2271 valid cases out of 2371 total cases.

**V5104**

**095B04A:#X ALC/LIF SIPS**

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00810

Question Number(s): 5B04A

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	628	26.5 %	28.0%
2	1-2X:(2)	185	7.8 %	8.3%
3	3-5X:(3)	239	10.1 %	10.7%
4	6-9X:(4)	225	9.5 %	10.0%
5	10-19X:(5)	280	11.8 %	12.5%
6	20-39X:(6)	209	8.8 %	9.3%
7	40+OCCAS:(7)	475	20.0 %	21.2%
-9 (M)	MISSING:(-9)	130	5.5 %	-

Based upon 2241 valid cases out of 2371 total cases.

**V5105**

**095B04B:#X ALC/ANN SIPS**

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 00820

Question Number(s): 5B04B

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	756	31.9 %	33.8%
2	1-2X:(2)	357	15.1 %	16.0%
3	3-5X:(3)	311	13.1 %	13.9%
4	6-9X:(4)	240	10.1 %	10.7%
5	10-19X:(5)	239	10.1 %	10.7%
6	20-39X:(6)	144	6.1 %	6.4%
7	40+OCCAS:(7)	188	7.9 %	8.4%
-9 (M)	MISSING:(-9)	136	5.7 %	-

Based upon 2235 valid cases out of 2371 total cases.

**V5106**

**095B04C:#X ALC/30D SIPS**

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

Question Number(s): 5B04C

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1283	54.1 %	57.3%
2	1-2X:(2)	457	19.3 %	20.4%



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3-5X:(3)	251	10.6 %	11.2%
4	6-9X:(4)	116	4.9 %	5.2%
5	10-19X:(5)	79	3.3 %	3.5%
6	20-39X:(6)	19	0.8 %	0.8%
7	40+OCCAS:(7)	35	1.5 %	1.6%
-9 (M)	MISSING:(-9)	131	5.5 %	-

Based upon 2240 valid cases out of 2371 total cases.

**V5107**

**095B05 :#X DRK ENF FL HI**

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00840

Question Number(s): 5B05

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	421	17.8 %	25.5%
2	FEW:(2)	439	18.5 %	26.6%
3	HALF:(3)	245	10.3 %	14.9%
4	MOST:(4)	368	15.5 %	22.3%
5	NRLY ALL:(5)	176	7.4 %	10.7%
-9 (M)	MISSING:(-9)	722	30.5 %	-

Based upon 1649 valid cases out of 2371 total cases.

**V5108**

**095B06 :5+DRK ROW/LST 2W**

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Question Number(s): 5B06

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of

- Study 28401 -

wine, a bottle of beer, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]  
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1636	69.0 %	74.5%
2	ONCE:(2)	207	8.7 %	9.4%
3	TWICE:(3)	160	6.7 %	7.3%
4	3-5X:(4)	130	5.5 %	5.9%
5	6-9X:(5)	33	1.4 %	1.5%
6	10+ TIME:(6)	31	1.3 %	1.4%
-9 (M)	MISSING:(-9)	174	7.3 %	-

Based upon 2197 valid cases out of 2371 total cases.

**V5115 095B07A:#XMJ+HS/LIFETIME**

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

Question Number(s): 5B07A

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1317	55.5 %	57.9%
2	1-2X:(2)	213	9.0 %	9.4%
3	3-5X:(3)	121	5.1 %	5.3%
4	6-9X:(4)	90	3.8 %	4.0%
5	10-19X:(5)	97	4.1 %	4.3%
6	20-39X:(6)	107	4.5 %	4.7%
7	40+OCCAS:(7)	330	13.9 %	14.5%
-9 (M)	MISSING:(-9)	96	4.0 %	-

Based upon 2275 valid cases out of 2371 total cases.

- Study 28401 -

**V5116 095B07B:#XMJ+HS/LAST12MO**

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00870

Question Number(s): 5B07B

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1505	63.5 %	66.3%
2	1-2X:(2)	223	9.4 %	9.8%
3	3-5X:(3)	118	5.0 %	5.2%
4	6-9X:(4)	86	3.6 %	3.8%
5	10-19X:(5)	81	3.4 %	3.6%
6	20-39X:(6)	59	2.5 %	2.6%
7	40+OCCAS:(7)	198	8.4 %	8.7%
-9 (M)	MISSING:(-9)	101	4.3 %	-

Based upon 2270 valid cases out of 2371 total cases.

**V5117 095B07C:#XMJ+HS/LAST30DA**

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00880

Question Number(s): 5B07C

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1783	75.2 %	78.6%
2	1-2X:(2)	180	7.6 %	7.9%
3	3-5X:(3)	77	3.2 %	3.4%
4	6-9X:(4)	59	2.5 %	2.6%
5	10-19X:(5)	52	2.2 %	2.3%
6	20-39X:(6)	38	1.6 %	1.7%
7	40+OCCAS:(7)	79	3.3 %	3.5%
-9 (M)	MISSING:(-9)	103	4.3 %	-

Based upon 2268 valid cases out of 2371 total cases.

**V5118 095B08A:#X LSD/LIFETIME**

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

Question Number(s): 5B08A

On how many occasions (if any) have you used LSD  
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2243	94.6 %	97.3%
2	1-2X:(2)	33	1.4 %	1.4%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2305 valid cases out of 2371 total cases.

**V5119 095B08B:#X LSD/LAST 12MO**

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 00900

Question Number(s): 5B08B

On how many occasions (if any) have you used LSD  
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2264	95.5 %	98.2%
2	1-2X:(2)	26	1.1 %	1.1%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	65	2.7 %	-

Based upon 2306 valid cases out of 2371 total cases.

**V5120**

**095B08C:#X LSD/LAST 30DA**

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

Question Number(s): 5B08C

On how many occasions (if any) have you used LSD  
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2291	96.6 %	99.3%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	65	2.7 %	-

Based upon 2306 valid cases out of 2371 total cases.

**V5121**

**095B09A:#X PSYD/LIFETIME**

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

Question Number(s): 5B09A

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2161	91.1 %	93.8%
2	1-2X:(2)	96	4.0 %	4.2%
3	3-5X:(3)	22	0.9 %	1.0%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2305 valid cases out of 2371 total cases.

**V5122**

**095B09B:#X PSYD/LAST12MO**

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00930

Question Number(s): 5B09B

On how many occasions (if any) have you used hallucinogens

- Study 28401 -

other than LSD (like mescaline, peyote, "shrooms" or  
psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2204	93.0 %	95.7%
2	1-2X:(2)	76	3.2 %	3.3%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	67	2.8 %	-

Based upon 2304 valid cases out of 2371 total cases.

**V5123                      095B09C:#X PSYD/LAST30DA**

Location:                      264-265 (width: 2; decimal: 0)

Variable Type:                numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

Question Number(s): 5B09C

On how many occasions (if any) have you used hallucinogens  
other than LSD (like mescaline, peyote, "shrooms" or  
psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2269	95.7 %	98.5%
2	1-2X:(2)	25	1.1 %	1.1%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	68	2.9 %	-

Based upon 2303 valid cases out of 2371 total cases.

- Study 28401 -

**V5124 095B10A:#X COKE/LIFETIME**

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

Question Number(s): 5B10A

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2167	91.4 %	94.0%
2	1-2X:(2)	62	2.6 %	2.7%
3	3-5X:(3)	27	1.1 %	1.2%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	11	0.5 %	0.5%
6	20-39X:(6)	11	0.5 %	0.5%
7	40+OCCAS:(7)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2305 valid cases out of 2371 total cases.

**V5125 095B10B:#X COKE/LAST12MO**

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

Question Number(s): 5B10B

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2228	94.0 %	96.7%
2	1-2X:(2)	34	1.4 %	1.5%
3	3-5X:(3)	13	0.5 %	0.6%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2305 valid cases out of 2371 total cases.

**V5126 095B10C:#X COKE/LAST30DA**

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

Question Number(s): 5B10C

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2265	95.5 %	98.3%
2	1-2X:(2)	23	1.0 %	1.0%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	67	2.8 %	-

Based upon 2304 valid cases out of 2371 total cases.

**V5127 095B11A:#X AMPH/LIFETIME**

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 00980

Question Number(s): 5B11A

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)), or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2088	88.1 %	90.7%
2	1-2X:(2)	82	3.5 %	3.6%
3	3-5X:(3)	39	1.6 %	1.7%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	25	1.1 %	1.1%
6	20-39X:(6)	16	0.7 %	0.7%
7	40+OCCAS:(7)	34	1.4 %	1.5%
-9 (M)	MISSING:(-9)	68	2.9 %	-

Based upon 2303 valid cases out of 2371 total cases.

**V5128**

**095B11B:#X AMPH/LAST12MO**

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

Question Number(s): 5B11B

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2147	90.6 %	93.1%
2	1-2X:(2)	79	3.3 %	3.4%
3	3-5X:(3)	22	0.9 %	1.0%
4	6-9X:(4)	18	0.8 %	0.8%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	18	0.8 %	0.8%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2305 valid cases out of 2371 total cases.

**V5129**

**095B11C:#X AMPH/LAST30DA**

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01000

Question Number(s): 5B11C

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2228	94.0 %	96.7%
2	1-2X:(2)	37	1.6 %	1.6%
3	3-5X:(3)	16	0.7 %	0.7%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	68	2.9 %	-

Based upon 2303 valid cases out of 2371 total cases.

**V5130**

**095B12A:#X ICE/LIFETIME**

- Study 28401 -

Location: 278-279 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 24380

Question Number(s): 5B12A

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2255	95.1 %	97.9%
2	1-2X:(2)	30	1.3 %	1.3%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	67	2.8 %	-

Based upon 2304 valid cases out of 2371 total cases.

**V5131 095B12B:#X ICE/LAST12MO**

Location: 280-281 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 24390

Question Number(s): 5B12B

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2279	96.1 %	98.9%
2	1-2X:(2)	13	0.5 %	0.6%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2305 valid cases out of 2371 total cases.

**V5132 095B12C:#X ICE/LAST30DA**

Location: 282-283 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:  
Item Number: 24400

Question Number(s): 5B12C

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2286	96.4 %	99.1%
2	1-2X:(2)	11	0.5 %	0.5%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	65	2.7 %	-

Based upon 2306 valid cases out of 2371 total cases.

**V5133 095B13A:#X SED/BARB/LIFE**

Location: 284-285 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 01042

Question Number(s): 5B13A

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2096	88.4 %	91.0%
2	1-2X:(2)	85	3.6 %	3.7%
3	3-5X:(3)	40	1.7 %	1.7%
4	6-9X:(4)	27	1.1 %	1.2%
5	10-19X:(5)	25	1.1 %	1.1%
6	20-39X:(6)	13	0.5 %	0.6%
7	40+OCCAS:(7)	18	0.8 %	0.8%
-9 (M)	MISSING:(-9)	67	2.8 %	-

Based upon 2304 valid cases out of 2371 total cases.

**V5134**      **095B13B:#X SED/BARB/12MO**

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

Question Number(s): 5B13B

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2170	91.5 %	94.3%
2	1-2X:(2)	64	2.7 %	2.8%
3	3-5X:(3)	30	1.3 %	1.3%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2301 valid cases out of 2371 total cases.

**V5135 095B13C:#X SED/BARB/30DA**

Location: 288-289 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 01062

Question Number(s): 5B13C

On how many occasions (if any) have you taken sedatives  
 on your own--that is, without a doctor telling you to  
 take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2239	94.4 %	97.3%
2	1-2X:(2)	38	1.6 %	1.7%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	69	2.9 %	-

Based upon 2302 valid cases out of 2371 total cases.

**V5136 095B14A:#X TRQL/LIFETIME**

Location: 290-291 (width: 2; decimal: 0)  
 Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 01070

Question Number(s): 5B14A

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2074	87.5 %	90.2%
2	1-2X:(2)	90	3.8 %	3.9%
3	3-5X:(3)	33	1.4 %	1.4%
4	6-9X:(4)	26	1.1 %	1.1%
5	10-19X:(5)	35	1.5 %	1.5%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	29	1.2 %	1.3%
-9 (M)	MISSING:(-9)	72	3.0 %	-

Based upon 2299 valid cases out of 2371 total cases.

**V5137**

**095B14B:#X TRQL/LAST12MO**

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

Question Number(s): 5B14B

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2143	90.4 %	93.3%
2	1-2X:(2)	67	2.8 %	2.9%
3	3-5X:(3)	30	1.3 %	1.3%
4	6-9X:(4)	24	1.0 %	1.0%
5	10-19X:(5)	20	0.8 %	0.9%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	11	0.5 %	0.5%
-9 (M)	MISSING:(-9)	73	3.1 %	-

Based upon 2298 valid cases out of 2371 total cases.

**V5138 095B14C:#X TRQL/LAST30DA**

Location: 294-295 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:  
 Item Number: 01090

Question Number(s): 5B14C

On how many occasions (if any) have you taken tranquilizers  
 on your own--that is, without a doctor telling you to take  
 them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2233	94.2 %	97.1%
2	1-2X:(2)	41	1.7 %	1.8%
3	3-5X:(3)	8	0.3 %	0.3%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	9	0.4 %	0.4%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	72	3.0 %	-

Based upon 2299 valid cases out of 2371 total cases.

**V5489 095B15A:#X H LIF USE NDL**

Location: 296-297 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 29630

Question Number(s): 5B15A

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2274	95.9 %	99.2%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	1	0.0 %	0.0%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2293 valid cases out of 2371 total cases.

**V5490**

**095B15B:#X H 12M USE NDL**

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29640

Question Number(s): 5B15B

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2284	96.3 %	99.5%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	75	3.2 %	-

Based upon 2296 valid cases out of 2371 total cases.

**V5491**

**095B15C:#X H 30D USE NDL**

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29650

Question Number(s): 5B15C

On how many occasions (if any) have you taken heroin using  
a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2286	96.4 %	99.6%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	76	3.2 %	-

Based upon 2295 valid cases out of 2371 total cases.

**V5492**

**095B16A:#X H LIF W/O NDL**

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29660

Question Number(s): 5B16A

On how many occasions (if any) have you taken heroin WITHOUT  
using a needle . . .

- Study 28401 -

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2266	95.6 %	99.0%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	82	3.5 %	-

Based upon 2289 valid cases out of 2371 total cases.

**V5493**

**095B16B:#X H 12M W/O NDL**

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29670

Question Number(s): 5B16B

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2274	95.9 %	99.1%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	77	3.2 %	-

- Study 28401 -

Based upon 2294 valid cases out of 2371 total cases.

**V5494 095B16C:#X H 30D W/O NDL**

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29680

Question Number(s): 5B16C

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2281	96.2 %	99.5%
2	1-2X:(2)	4	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	79	3.3 %	-

Based upon 2292 valid cases out of 2371 total cases.

**V5139 095R\* :#X H/LIFETIME**

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

Question Number(s): 5B16X

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

- Study 28401 -

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2272	95.8 %	98.6%
2	1-2X:(2)	11	0.5 %	0.5%
3	3-5X:(3)	4	0.2 %	0.2%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	67	2.8 %	-

Based upon 2304 valid cases out of 2371 total cases.

**V5140 095R\* :#X H/LAST12MO**

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01110

Question Number(s): 5B16Y

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2281	96.2 %	99.0%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	6	0.3 %	0.3%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2305 valid cases out of 2371 total cases.

**V5141**      **095R\* :#X H/LAST30DAY**

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

Question Number(s): 5B16Z

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin  
using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin  
WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2289	96.5 %	99.4%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	68	2.9 %	-

Based upon 2303 valid cases out of 2371 total cases.

**V5142**      **095B17A:#X NARC/LIFETIME**

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 01130

Question Number(s): 5B17A

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1955	82.5 %	85.4%
2	1-2X:(2)	140	5.9 %	6.1%
3	3-5X:(3)	59	2.5 %	2.6%
4	6-9X:(4)	36	1.5 %	1.6%
5	10-19X:(5)	41	1.7 %	1.8%
6	20-39X:(6)	16	0.7 %	0.7%
7	40+OCCAS:(7)	42	1.8 %	1.8%
-9 (M)	MISSING:(-9)	82	3.5 %	-

Based upon 2289 valid cases out of 2371 total cases.

**V5143**

**095B17B:#X NARC/LAST12MO**

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

Question Number(s): 5B17B

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2061	86.9 %	90.2%
2	1-2X:(2)	115	4.9 %	5.0%
3	3-5X:(3)	36	1.5 %	1.6%
4	6-9X:(4)	20	0.8 %	0.9%
5	10-19X:(5)	25	1.1 %	1.1%
6	20-39X:(6)	11	0.5 %	0.5%
7	40+OCCAS:(7)	18	0.8 %	0.8%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2286 valid cases out of 2371 total cases.

**V5144 095B17C:#X NARC/LAST30DA**

Location: 318-319 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:  
Item Number: 01150

Question Number(s): 5B17C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2198	92.7 %	96.2%
2	1-2X:(2)	52	2.2 %	2.3%
3	3-5X:(3)	11	0.5 %	0.5%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	6	0.3 %	0.3%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	87	3.7 %	-

Based upon 2284 valid cases out of 2371 total cases.

**V5145 095B18A:#X INHL/LIFETIME**

Location: 320-321 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 01160

Question Number(s): 5B18A

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2083	87.9 %	91.2%
2	1-2X:(2)	111	4.7 %	4.9%
3	3-5X:(3)	46	1.9 %	2.0%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2285 valid cases out of 2371 total cases.

**V5146**

**095B18B:#X INHL/LAST12MO**

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01170

Question Number(s): 5B18B

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2219	93.6 %	97.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	38	1.6 %	1.7%
3	3-5X:(3)	13	0.5 %	0.6%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	83	3.5 %	-

Based upon 2288 valid cases out of 2371 total cases.

**V5147** **095B18C:#X INHL/LAST30DA**

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01180

Question Number(s): 5B18C

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2259	95.3 %	98.8%
2	1-2X:(2)	13	0.5 %	0.6%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2286 valid cases out of 2371 total cases.

**V5148** **095C01(R):AGE <>18 DICHOTOMY**

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number:

Question Number(s): 5C01-2

Component questions: 1) "In what year were you born?" (item and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 18:(1)	965	40.7 %	41.8%
2	18+:(2)	1343	56.6 %	58.2%
-9 (M)	MISSING:(-9)	63	2.7 %	-

Based upon 2308 valid cases out of 2371 total cases.

**V5150**

**095C03 :Rs SEX**

Location:

328-329 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 00030

Question Number(s): 5C03

What is your sex?

1="Male" 2="Female"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE:(1)	1098	46.3 %	48.3%
2	FEMALE:(2)	1175	49.6 %	51.7%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2273 valid cases out of 2371 total cases.

**V5151**

**095C04(R):R'S RACEB/W/H**

Location:

330-331 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number:

Question Number(s): 5C04A-I

How do you describe yourself? (Select one or more responses.)  
Black or African American; Mexican American or Chicano; Cuban

- Study 28401 -

American; Puerto Rican; Other Hispanic or Latino; Asian  
American; White (Caucasian); American Indian or Alaska Native;  
Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American"  
= 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or  
"Cuban..." or "Puerto Rican" or "Other Hispanic..."). All  
other responses, including those of respondents who fell  
into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"  
3="Hispanic" [see above]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BLACK: (1)	239	10.1 %	11.9%
2	WHITE: (2)	1367	57.7 %	68.2%
3	HISPANIC: (3)	399	16.8 %	19.9%
-9 (M)	MISSING:(-9)	366	15.4 %	-

Based upon 2005 valid cases out of 2371 total cases.

**V5152**

**095C05 :R SPD >TIM R-URB**

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00050

Question Number(s): 5C05

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small  
city or town (under 50,000 people)" 4="In a medium-sized city  
(50,000-100,000)" 5="In a suburb of a medium-sized city"  
6="In a large city (100,000-500,000)" 7="In a suburb of a  
large city" 8="In a very large city (over 500,000)" 9="In a  
suburb of a very large city" 0="Can't say; mixed" and  
nonresponse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DK/MIXED:(0)	242	10.2 %	10.2%
1	FARM:(1)	93	3.9 %	3.9%
2	COUNTRY:(2)	212	8.9 %	8.9%
3	SML TOWN:(3)	552	23.3 %	23.3%
4	MED CITY:(4)	326	13.7 %	13.7%
5	SUBURB 4:(5)	247	10.4 %	10.4%
6	LRG CITY:(6)	290	12.2 %	12.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	SUBURB 6:(7)	149	6.3 %	6.3%
8	VRYLG CY:(8)	168	7.1 %	7.1%
9	SUBURB 8:(9)	92	3.9 %	3.9%

Based upon 2371 valid cases out of 2371 total cases.

**V5153**

**095C06 :R NOT MARRIED**

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00060

Question Number(s): 5C06

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARRIED:(1)	126	5.3 %	5.5%
2	ENGAGED:(2)	112	4.7 %	4.9%
3	SEP/DIV:(3)	38	1.6 %	1.6%
4	SINGLE:(4)	2028	85.5 %	88.0%
-9 (M)	MISSING:(-9)	67	2.8 %	-

Based upon 2304 valid cases out of 2371 total cases.

**V49**

**095C07(R):#SIBLINGS**

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 5C07A-B

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning

- Study 28401 -

"Three or more siblings".

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	139	5.9 %	6.0%
1	ONE:(1)	611	25.8 %	26.4%
2	TWO:(2)	621	26.2 %	26.8%
3	3 OR MORE:(3)	942	39.7 %	40.7%
-9 (M)	MISSING:(-9)	58	2.4 %	-

Based upon 2313 valid cases out of 2371 total cases.

**V5155                      095C07Cb(R):R'S HSHLD FATHER**

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00090

Question Number(s): 5C07Cb

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	647	27.3 %	28.0%
1	MARKED:(1)	1662	70.1 %	72.0%
-9 (M)	MISSING:(-9)	62	2.6 %	-

Based upon 2309 valid cases out of 2371 total cases.

**V5156                      095C07Cc(R):R'S HSHLD MOTHER**

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00100

Question Number(s): 5C07Cc

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

- Study 28401 -

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	249	10.5 %	10.8%
1	MARKED:(1)	2060	86.9 %	89.2%
-9 (M)	MISSING:(-9)	62	2.6 %	-

Based upon 2309 valid cases out of 2371 total cases.

**V5157 095C07Cd(R):R'S HSHLD BR/SR**

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Question Number(s): 5C07Cd

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	706	29.8 %	30.6%
1	MARKED:(1)	1603	67.6 %	69.4%
-9 (M)	MISSING:(-9)	62	2.6 %	-

Based upon 2309 valid cases out of 2371 total cases.

**V5163 095C08 :FATHR EDUC LEVEL**

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

Question Number(s): 5C08

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather



- Study 28401 -

and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"  
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	132	5.6 %	5.7%
2	SOME HS:(2)	228	9.6 %	9.9%
3	HS GRAD:(3)	609	25.7 %	26.4%
4	SOME CLG:(4)	389	16.4 %	16.9%
5	CLG GRAD:(5)	464	19.6 %	20.1%
6	GRAD SCH:(6)	310	13.1 %	13.4%
7	DK:(7)	176	7.4 %	7.6%
-9 (M)	MISSING:(-9)	63	2.7 %	-

Based upon 2308 valid cases out of 2371 total cases.

**V5164 095C09 :MOTHR EDUC LEVEL**

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

Question Number(s): 5C09

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"  
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	106	4.5 %	4.6%
2	SOME HS:(2)	206	8.7 %	8.9%
3	HS GRAD:(3)	555	23.4 %	24.0%
4	SOME CLG:(4)	485	20.5 %	21.0%
5	CLG GRAD:(5)	578	24.4 %	25.0%
6	GRAD SCH:(6)	278	11.7 %	12.0%
7	DK:(7)	100	4.2 %	4.3%
-9 (M)	MISSING:(-9)	63	2.7 %	-

- Study 28401 -

Based upon 2308 valid cases out of 2371 total cases.

**V5165 095C10 :MOTH PD JB R YNG**

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Question Number(s): 5C10

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	293	12.4 %	12.8%
2	SOMETIME:(2)	418	17.6 %	18.2%
3	MOSTTIME:(3)	406	17.1 %	17.7%
4	ALL TIME:(4)	1175	49.6 %	51.3%
-9 (M)	MISSING:(-9)	79	3.3 %	-

Based upon 2292 valid cases out of 2371 total cases.

**V5166 095C11 :Rs POLTL PRFNC**

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00340

Question Number(s): 5C11

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRG GOP:(1)	233	9.8 %	10.5%
2	MILD GOP:(2)	251	10.6 %	11.3%
3	MILD DEM:(3)	346	14.6 %	15.6%
4	STRG DEM:(4)	310	13.1 %	13.9%
5	INDEPNDT:(5)	235	9.9 %	10.6%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	NO PREF:(6)	338	14.3 %	15.2%
7	OTHER:(7)	33	1.4 %	1.5%
8	DK:(8)	478	20.2 %	21.5%
-9 (M)	MISSING:(-9)	147	6.2 %	-

Based upon 2224 valid cases out of 2371 total cases.

**V5167**

**095C12 :R POL BLF RADCL**

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00350

Question Number(s): 5C12

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"  
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of  
the above, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VRV CONS:(1)	116	4.9 %	5.1%
2	CONSERV:(2)	284	12.0 %	12.4%
3	MODERATE:(3)	587	24.8 %	25.7%
4	LIBERAL:(4)	386	16.3 %	16.9%
5	VRV LIB:(5)	118	5.0 %	5.2%
6	RADICAL:(6)	43	1.8 %	1.9%
8	NONE/DK:(8)	754	31.8 %	33.0%
-9 (M)	MISSING:(-9)	83	3.5 %	-

Based upon 2288 valid cases out of 2371 total cases.

**V5169**

**095C13B:R ATTND REL SVC**

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00370

Question Number(s): 5C13B

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a

- Study 28401 -

week or more"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	364	15.4 %	20.6%
2	RARELY:(2)	588	24.8 %	33.2%
3	1-2X/MO:(3)	282	11.9 %	15.9%
4	1/WK OR+:(4)	536	22.6 %	30.3%
-9 (M)	MISSING:(-9)	601	25.3 %	-

Based upon 1770 valid cases out of 2371 total cases.

**V5170**

**095C13C:RLGN IMP Rs LF**

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

Question Number(s): 5C13C

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	377	15.9 %	21.4%
2	LITL IMP:(2)	426	18.0 %	24.1%
3	PRTY IMP:(3)	489	20.6 %	27.7%
4	VERY IMP:(4)	473	19.9 %	26.8%
-9 (M)	MISSING:(-9)	606	25.6 %	-

Based upon 1765 valid cases out of 2371 total cases.

**V5171**

**095C14 :WHEN R XPCT GRAD**

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

Question Number(s): 5C14

- Study 28401 -

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"  
6="Don't expect to graduate"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BY JUNE:(1)	2242	94.6 %	97.9%
2	JULY-JAN:(2)	37	1.6 %	1.6%
6	WONT:(6)	11	0.5 %	0.5%
-9 (M)	MISSING:(-9)	81	3.4 %	-

Based upon 2290 valid cases out of 2371 total cases.

**V5172                      095C15 :Rs HS PROGRAM**

Location: 360-361 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:  
  
Item Number: 00400

Question Number(s): 5C15

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	CLG PREP:(1)	1232	52.0 %	54.0%
2	GENERAL:(2)	742	31.3 %	32.5%
3	VOC-TECH:(3)	103	4.3 %	4.5%
4	OTH/DK:(4)	206	8.7 %	9.0%
-9 (M)	MISSING:(-9)	88	3.7 %	-

Based upon 2283 valid cases out of 2371 total cases.

**V5173                      095C16 :RT SF SCH AB>AVG**

Location: 362-363 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:  
  
Item Number: 00410

Question Number(s): 5C16

Compared with others your age throughout the country, how do you rate yourself on school ability?

- Study 28401 -

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BLOW:(1)	25	1.1 %	1.1%
2	BELOW AV:(2)	36	1.5 %	1.6%
3	SL BELOW:(3)	106	4.5 %	4.7%
4	AVERAGE:(4)	739	31.2 %	32.4%
5	SL ABOVE:(5)	564	23.8 %	24.8%
6	ABOVE AV:(6)	670	28.3 %	29.4%
7	FAR ABOV:(7)	138	5.8 %	6.1%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2278 valid cases out of 2371 total cases.

**V5174 095C17 :RT SF INTELL>AVG**

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00420

Question Number(s): 5C17

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BLOW:(1)	21	0.9 %	0.9%
2	BELOW AV:(2)	35	1.5 %	1.5%
3	SL BELOW:(3)	101	4.3 %	4.4%
4	AVERAGE:(4)	669	28.2 %	29.3%
5	SL ABOVE:(5)	611	25.8 %	26.8%
6	ABOVE AV:(6)	657	27.7 %	28.8%
7	FAR ABOV:(7)	187	7.9 %	8.2%
-9 (M)	MISSING:(-9)	90	3.8 %	-

Based upon 2281 valid cases out of 2371 total cases.

**V5175 095C18A:#DA/4W SC MS ILL**

- Study 28401 -

Location: 366-367 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00430

Question Number(s): 5C18A

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1282	54.1 %	57.2%
2	1 DAY:(2)	398	16.8 %	17.8%
3	2 DAYS:(3)	269	11.3 %	12.0%
4	3 DAYS:(4)	142	6.0 %	6.3%
5	4-5 DAYS:(5)	88	3.7 %	3.9%
6	6-10 DA:(6)	42	1.8 %	1.9%
7	11+ DAYS:(7)	20	0.8 %	0.9%
-9 (M)	MISSING:(-9)	130	5.5 %	-

Based upon 2241 valid cases out of 2371 total cases.

**V5176 095C18B:#DA/4W SC MS CUT**

Location: 368-369 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00440

Question Number(s): 5C18B

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1561	65.8 %	70.7%
2	1 DAY:(2)	288	12.1 %	13.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	2 DAYS:(3)	145	6.1 %	6.6%
4	3 DAYS:(4)	97	4.1 %	4.4%
5	4-5 DAYS:(5)	69	2.9 %	3.1%
6	6-10 DA:(6)	23	1.0 %	1.0%
7	11+ DAYS:(7)	25	1.1 %	1.1%
-9 (M)	MISSING:(-9)	163	6.9 %	-

Based upon 2208 valid cases out of 2371 total cases.

**V5177 095C18C:#DA/4W SC MS OTH**

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

Question Number(s): 5C18C

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1238	52.2 %	55.4%
2	1 DAY:(2)	446	18.8 %	19.9%
3	2 DAYS:(3)	267	11.3 %	11.9%
4	3 DAYS:(4)	143	6.0 %	6.4%
5	4-5 DAYS:(5)	92	3.9 %	4.1%
6	6-10 DA:(6)	32	1.3 %	1.4%
7	11+ DAYS:(7)	18	0.8 %	0.8%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2236 valid cases out of 2371 total cases.

**V5178 095C19 :#DA/4W SKP CLASS**

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460



- Study 28401 -

Question Number(s): 5C19

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1639	69.1 %	71.9%
2	1-2:(2)	402	17.0 %	17.6%
3	3-5:(3)	152	6.4 %	6.7%
4	6-10:(4)	55	2.3 %	2.4%
5	11-20:(5)	14	0.6 %	0.6%
6	21+: (6)	18	0.8 %	0.8%
-9 (M)	MISSING:(-9)	91	3.8 %	-

Based upon 2280 valid cases out of 2371 total cases.

**V5179**

**095C20 :R HS GRADE/D = 1**

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00470

Question Number(s): 5C20

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
1="D (69 or below)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	D:(1)	31	1.3 %	1.4%
2	C-:(2)	42	1.8 %	1.8%
3	C:(3)	112	4.7 %	4.9%
4	C+:(4)	173	7.3 %	7.6%
5	B-:(5)	247	10.4 %	10.9%
6	B:(6)	421	17.8 %	18.5%
7	B+:(7)	437	18.4 %	19.2%
8	A-:(8)	423	17.8 %	18.6%
9	A:(9)	385	16.2 %	17.0%
-9 (M)	MISSING:(-9)	100	4.2 %	-

- Study 28401 -

Based upon 2271 valid cases out of 2371 total cases.

**V5180 095C21A:R WL DO VOC/TEC**

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00480

Question Number(s): 5C21A

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1250	52.7 %	56.3%
2	PRB WONT:(2)	558	23.5 %	25.1%
3	PRB WILL:(3)	239	10.1 %	10.8%
4	DEF WILL:(4)	174	7.3 %	7.8%
-9 (M)	MISSING:(-9)	150	6.3 %	-

Based upon 2221 valid cases out of 2371 total cases.

**V5181 095C21B:R WL DO ARMD FC**

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00490

Question Number(s): 5C21B

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1471	62.0 %	69.0%
2	PRB WONT:(2)	393	16.6 %	18.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	PRB WILL:(3)	153	6.5 %	7.2%
4	DEF WILL:(4)	116	4.9 %	5.4%
-9 (M)	MISSING:(-9)	238	10.0 %	-

Based upon 2133 valid cases out of 2371 total cases.

**V5182                      095C21C:R WL DO 2YR CLG**

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00500

Question Number(s): 5C21C

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	832	35.1 %	37.6%
2	PRB WONT:(2)	396	16.7 %	17.9%
3	PRB WILL:(3)	493	20.8 %	22.3%
4	DEF WILL:(4)	490	20.7 %	22.2%
-9 (M)	MISSING:(-9)	160	6.7 %	-

Based upon 2211 valid cases out of 2371 total cases.

**V5183                      095C21D:R WL DO 4YR CLG**

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00510

Question Number(s): 5C21D

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

- Study 28401 -

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	148	6.2 %	6.6%
2	PRB WONT:(2)	189	8.0 %	8.5%
3	PRB WILL:(3)	511	21.6 %	22.9%
4	DEF WILL:(4)	1381	58.2 %	62.0%
-9 (M)	MISSING:(-9)	142	6.0 %	-

Based upon 2229 valid cases out of 2371 total cases.

**V5184**

**095C21E:R WL DO GRD/PRF**

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00520

Question Number(s): 5C21E

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	338	14.3 %	15.2%
2	PRB WONT:(2)	568	24.0 %	25.6%
3	PRB WILL:(3)	760	32.1 %	34.3%
4	DEF WILL:(4)	552	23.3 %	24.9%
-9 (M)	MISSING:(-9)	153	6.5 %	-

Based upon 2218 valid cases out of 2371 total cases.

**V5185**

**095C22A:R WNTDO VOC/TEC**

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Question Number(s): 5C22A

Suppose you could do just what you'd like and nothing stood

- Study 28401 -

in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1916	80.8 %	85.2%
1	MARKED:(1)	332	14.0 %	14.8%
-9 (M)	MISSING:(-9)	123	5.2 %	-

Based upon 2248 valid cases out of 2371 total cases.

**V5186 095C22B:R WNTDO ARMD FC**

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Question Number(s): 5C22B

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1931	81.4 %	85.9%
1	MARKED:(1)	317	13.4 %	14.1%
-9 (M)	MISSING:(-9)	123	5.2 %	-

Based upon 2248 valid cases out of 2371 total cases.

**V5187 095C22C:R WNTDO 2YR CLG**

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00550

Question Number(s): 5C22C

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT

- Study 28401 -

to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1591	67.1 %	70.8%
1	MARKED:(1)	657	27.7 %	29.2%
-9 (M)	MISSING:(-9)	123	5.2 %	-

Based upon 2248 valid cases out of 2371 total cases.

**V5188** **095C22D:R WNTDO 4YR CLG**

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00560

Question Number(s): 5C22D

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	409	17.3 %	18.2%
1	MARKED:(1)	1839	77.6 %	81.8%
-9 (M)	MISSING:(-9)	123	5.2 %	-

Based upon 2248 valid cases out of 2371 total cases.

**V5189** **095C22E:R WNTDO GRD/PRF**

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00570

Question Number(s): 5C22E

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

- Study 28401 -

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	953	40.2 %	42.4%
1	MARKED:(1)	1295	54.6 %	57.6%
-9 (M)	MISSING:(-9)	123	5.2 %	-

Based upon 2248 valid cases out of 2371 total cases.

**V5190**

**095C22F:R WNTDO NONE**

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00580

Question Number(s): 5C22F

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2165	91.3 %	96.3%
1	MARKED:(1)	83	3.5 %	3.7%
-9 (M)	MISSING:(-9)	123	5.2 %	-

Based upon 2248 valid cases out of 2371 total cases.

**V5191**

**095C23 :HRS/W WRK SCHYR**

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

Question Number(s): 5C23

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15

- Study 28401 -

hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours"  
8="More than 30 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	794	33.5 %	35.3%
2	5 OR <:(2)	243	10.2 %	10.8%
3	6-10 HRS:(3)	234	9.9 %	10.4%
4	11-15 HR:(4)	246	10.4 %	10.9%
5	16-20 HR:(5)	291	12.3 %	12.9%
6	21-25 HR:(6)	197	8.3 %	8.8%
7	26-30 HR:(7)	105	4.4 %	4.7%
8	30+ HRS:(8)	141	5.9 %	6.3%
-9 (M)	MISSING:(-9)	120	5.1 %	-

Based upon 2251 valid cases out of 2371 total cases.

**V5192**

**095C24A:R\$/AVG WEEK JOB**

Location: 400-402 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

Question Number(s): 5C24A

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	911	38.4 %	41.1%
2	\$1-5:(2)	14	0.6 %	0.6%
3	\$6-10:(3)	72	3.0 %	3.3%
4	\$11-20:(4)	52	2.2 %	2.3%
5	\$21-35:(5)	81	3.4 %	3.7%
6	\$36-50:(6)	125	5.3 %	5.6%
7	\$51-75:(7)	180	7.6 %	8.1%
8	\$76-125:(8)	342	14.4 %	15.4%
9	\$126-175:(9)	222	9.4 %	10.0%
10	\$176+:(10)	215	9.1 %	9.7%
-9 (M)	MISSING:(-9)	157	6.6 %	-



- Study 28401 -

Based upon 2214 valid cases out of 2371 total cases.

**V5193 095C24B:R\$/AVG WEEK OTH**

Location: 403-405 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00610

Question Number(s): 5C24B

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	895	37.7 %	41.6%
2	\$1-5:(2)	114	4.8 %	5.3%
3	\$6-10:(3)	162	6.8 %	7.5%
4	\$11-20:(4)	331	14.0 %	15.4%
5	\$21-35:(5)	240	10.1 %	11.2%
6	\$36-50:(6)	159	6.7 %	7.4%
7	\$51-75:(7)	87	3.7 %	4.0%
8	\$76-125:(8)	70	3.0 %	3.3%
9	\$126-175:(9)	16	0.7 %	0.7%
10	\$176+:(10)	78	3.3 %	3.6%
-9 (M)	MISSING:(-9)	219	9.2 %	-

Based upon 2152 valid cases out of 2371 total cases.

**V5194 095C25 :#X/AV WK GO OUT**

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00620

Question Number(s): 5C25

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"  
6="Six or seven"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 1:(1)	241	10.2 %	10.8%
2	ONE:(2)	312	13.2 %	13.9%
3	TWO:(3)	599	25.3 %	26.8%
4	THREE:(4)	539	22.7 %	24.1%
5	4-5:(5)	375	15.8 %	16.8%
6	6-7:(6)	171	7.2 %	7.6%
-9 (M)	MISSING:(-9)	134	5.7 %	-

Based upon 2237 valid cases out of 2371 total cases.

**V5195                      095C26 :#X DATE 3+/WK**

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

Question Number(s): 5C26

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	642	27.1 %	29.1%
2	1/MO OR<:(2)	385	16.2 %	17.4%
3	2-3/MO:(3)	358	15.1 %	16.2%
4	1/WK:(4)	307	12.9 %	13.9%
5	2-3/WK:(5)	327	13.8 %	14.8%
6	3+/WK:(6)	188	7.9 %	8.5%
-9 (M)	MISSING:(-9)	164	6.9 %	-

Based upon 2207 valid cases out of 2371 total cases.

**V5196                      095C27 :DRIVE>200 MI/WK**

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

Question Number(s): 5C27

- Study 28401 -

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	520	21.9 %	23.3%
2	1-10 MI:(2)	215	9.1 %	9.6%
3	11-50:(3)	569	24.0 %	25.5%
4	51-100:(4)	475	20.0 %	21.3%
5	101-200:(5)	287	12.1 %	12.9%
6	> 200:(6)	163	6.9 %	7.3%
-9 (M)	MISSING:(-9)	142	6.0 %	-

Based upon 2229 valid cases out of 2371 total cases.

**V5197                      095C28 :#X/12MO R TCKTD**

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00650

Question Number(s): 5C28

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1659	70.0 %	75.4%
1	ONE:(1)	329	13.9 %	15.0%
2	TWO:(2)	136	5.7 %	6.2%
3	THREE:(3)	46	1.9 %	2.1%
4	4+:(4)	30	1.3 %	1.4%
-9 (M)	MISSING:(-9)	171	7.2 %	-

Based upon 2200 valid cases out of 2371 total cases.

**V5198                      095C29AR:#TCKTS AFT DRNK**

Location: 414-415 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

Question Number(s): 5C29A

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	501	21.1 %	93.3%
1	ONE:(1)	28	1.2 %	5.2%
2	TWO:(2)	4	0.2 %	0.7%
3	3 - 4 OR +:(3-4)	4	0.2 %	0.7%
-9 (M)	MISSING:(-9)	1834	77.4 %	-

Based upon 537 valid cases out of 2371 total cases.

**V5199**

**095C29BR:#TCKTS AFT MARJ**

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00670

Question Number(s): 5C29B

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	499	21.0 %	93.4%
1	ONE:(1)	21	0.9 %	3.9%
2	TWO:(2)	11	0.5 %	2.1%
3	3 - 4 OR +:(3-4)	3	0.1 %	0.6%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	1837	77.5 %	-

Based upon 534 valid cases out of 2371 total cases.

**V5200 095C29CR:#TCKTS AFT OTDG**

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00680

Question Number(s): 5C29C

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	519	21.9 %	97.7%
1	ONE:(1)	5	0.2 %	0.9%
2	TWO:(2)	3	0.1 %	0.6%
3	3 - 4 OR +:(3-4)	4	0.2 %	0.8%
-9 (M)	MISSING:(-9)	1840	77.6 %	-

Based upon 531 valid cases out of 2371 total cases.

**V5201 095C30 :#ACCIDNTS/12 MO**

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00690

Question Number(s): 5C30

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"

- Study 28401 -

4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1738	73.3 %	80.2%
1	ONE:(1)	341	14.4 %	15.7%
2	TWO:(2)	68	2.9 %	3.1%
3	THREE:(3)	19	0.8 %	0.9%
4	4+:(4)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	203	8.6 %	-

Based upon 2168 valid cases out of 2371 total cases.

**V5202** **095C31AR:#ACDTS AFT DRNK**

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

Question Number(s): 5C31A

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	409	17.3 %	96.0%
1	ONE:(1)	12	0.5 %	2.8%
2	TWO:(2)	4	0.2 %	0.9%
3	3 - 4 OR +:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1945	82.0 %	-

Based upon 426 valid cases out of 2371 total cases.

**V5203** **095C31BR:#ACDTS AFT MARJ**

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

Question Number(s): 5C31B

- Study 28401 -

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	415	17.5 %	96.7%
1	ONE:(1)	9	0.4 %	2.1%
2	TWO:(2)	3	0.1 %	0.7%
3	3 - 4 OR +:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	1942	81.9 %	-

Based upon 429 valid cases out of 2371 total cases.

**V5204**

**095C31CR:#ACDTS AFT OTDG**

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00720

Question Number(s): 5C31C

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	421	17.8 %	98.8%
1	ONE:(1)	2	0.1 %	0.5%
2	TWO:(2)	2	0.1 %	0.5%
3	3 - 4 OR +:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1945	82.0 %	-

Based upon 426 valid cases out of 2371 total cases.

**V5205**

**095C32 :Rs BRANCH SERV**

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 00730

Question Number(s): 5C32

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ARMY:(1)	77	3.2 %	24.8%
2	NAVY:(2)	52	2.2 %	16.7%
3	MARINES:(3)	63	2.7 %	20.3%
4	AIRFORCE:(4)	68	2.9 %	21.9%
5	COAST GD:(5)	15	0.6 %	4.8%
6	UNCERTN:(6)	36	1.5 %	11.6%
-9 (M)	MISSING:(-9)	2060	86.9 %	-

Based upon 311 valid cases out of 2371 total cases.

**V5206**

**095C33 :R XPCTS B OFFCR**

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00740

Question Number(s): 5C33

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	59	2.5 %	18.7%
2	UNCERTN:(2)	126	5.3 %	40.0%
3	YES:(3)	130	5.5 %	41.3%
-9 (M)	MISSING:(-9)	2056	86.7 %	-

Based upon 315 valid cases out of 2371 total cases.

**V5207**

**095C34 :R XPCTS MLTR CR**

Location: 432-433 (width: 2; decimal: 0)



- Study 28401 -

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00750

Question Number(s): 5C34

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	60	2.5 %	19.0%
2	UNCERTN:(2)	140	5.9 %	44.3%
3	YES:(3)	116	4.9 %	36.7%
-9 (M)	MISSING:(-9)	2055	86.7 %	-

Based upon 316 valid cases out of 2371 total cases.

**V5303 095D01A:POS ATT TWD SELF**

Location: 434-435 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12550

Question Number(s): 5D01A

This section asks for your views and feelings about a number of different things. Do you agree or disagree with each of the following?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	74	3.1 %	3.3%
2	MOST DIS:(2)	133	5.6 %	6.0%
3	NEITHER:(3)	205	8.6 %	9.3%
4	MOST AGR:(4)	947	39.9 %	42.8%
5	AGREE:(5)	852	35.9 %	38.5%
-9 (M)	MISSING:(-9)	160	6.7 %	-

Based upon 2211 valid cases out of 2371 total cases.

**V5304 095D01B:LUCK>IMP HRD WRK**

- Study 28401 -

Location: 436-437 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12560

Question Number(s): 5D01B

Do you agree or disagree with each of the following?

B: Good luck is more important than hard work for success

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	803	33.9 %	36.3%
2	MOST DIS:(2)	740	31.2 %	33.5%
3	NEITHER:(3)	439	18.5 %	19.9%
4	MOST AGR:(4)	149	6.3 %	6.7%
5	AGREE:(5)	79	3.3 %	3.6%
-9 (M)	MISSING:(-9)	161	6.8 %	-

Based upon 2210 valid cases out of 2371 total cases.

**V5305 095D01C:AM PRSN OF WORTH**

Location: 438-439 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12570

Question Number(s): 5D01C

Do you agree or disagree with each of the following?

C: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	62	2.6 %	2.8%
2	MOST DIS:(2)	111	4.7 %	5.0%
3	NEITHER:(3)	277	11.7 %	12.6%
4	MOST AGR:(4)	859	36.2 %	39.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	AGREE:(5)	890	37.5 %	40.5%
-9 (M)	MISSING:(-9)	172	7.3 %	-

Based upon 2199 valid cases out of 2371 total cases.

**V5306 095D01D:DO WELL AS OTHRS**

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12580

Question Number(s): 5D01D

Do you agree or disagree with each of the following?

D: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	38	1.6 %	1.7%
2	MOST DIS:(2)	76	3.2 %	3.5%
3	NEITHER:(3)	174	7.3 %	7.9%
4	MOST AGR:(4)	887	37.4 %	40.3%
5	AGREE:(5)	1024	43.2 %	46.6%
-9 (M)	MISSING:(-9)	172	7.3 %	-

Based upon 2199 valid cases out of 2371 total cases.

**V5307 095D01E:TRY GT AHD,STOPD**

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12590

Question Number(s): 5D01E

Do you agree or disagree with each of the following?

E: Every time I try to get ahead, something or somebody stops me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

- Study 28401 -

5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	404	17.0 %	18.4%
2	MOST DIS:(2)	669	28.2 %	30.4%
3	NEITHER:(3)	607	25.6 %	27.6%
4	MOST AGR:(4)	363	15.3 %	16.5%
5	AGREE:(5)	155	6.5 %	7.1%
-9 (M)	MISSING:(-9)	173	7.3 %	-

Based upon 2198 valid cases out of 2371 total cases.

**V5308** **095D01F:PLNNG MKS UNHPPY**

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12600

Question Number(s): 5D01F

Do you agree or disagree with each of the following?

F: Planning only makes a person unhappy since plans hardly ever work out anyway

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	597	25.2 %	27.1%
2	MOST DIS:(2)	646	27.2 %	29.3%
3	NEITHER:(3)	482	20.3 %	21.9%
4	MOST AGR:(4)	319	13.5 %	14.5%
5	AGREE:(5)	158	6.7 %	7.2%
-9 (M)	MISSING:(-9)	169	7.1 %	-

Based upon 2202 valid cases out of 2371 total cases.

**V5309** **095D01G:ACPT LIFE->HAPPR**

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12610

- Study 28401 -

Question Number(s): 5D01G

Do you agree or disagree with each of the following?

G: People who accept their condition in life are happier than those who try to change things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	322	13.6 %	14.7%
2	MOST DIS:(2)	453	19.1 %	20.7%
3	NEITHER:(3)	530	22.4 %	24.2%
4	MOST AGR:(4)	533	22.5 %	24.3%
5	AGREE:(5)	355	15.0 %	16.2%
-9 (M)	MISSING:(-9)	178	7.5 %	-

Based upon 2193 valid cases out of 2371 total cases.

**V5310**

**095D01H:SATISFD W MYSELF**

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12620

Question Number(s): 5D01H

Do you agree or disagree with each of the following?

H: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	87	3.7 %	4.0%
2	MOST DIS:(2)	164	6.9 %	7.5%
3	NEITHER:(3)	253	10.7 %	11.5%
4	MOST AGR:(4)	794	33.5 %	36.2%
5	AGREE:(5)	897	37.8 %	40.9%
-9 (M)	MISSING:(-9)	176	7.4 %	-

Based upon 2195 valid cases out of 2371 total cases.

**V5311**

**095D01I:PPL LK ME -CHANC**

- Study 28401 -

Location: 450-451 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12630

Question Number(s): 5D01I

Do you agree or disagree with each of the following?

I: People like me don't have much of a chance to be successful in life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1315	55.5 %	59.9%
2	MOST DIS:(2)	432	18.2 %	19.7%
3	NEITHER:(3)	289	12.2 %	13.2%
4	MOST AGR:(4)	89	3.8 %	4.1%
5	AGREE:(5)	69	2.9 %	3.1%
-9 (M)	MISSING:(-9)	177	7.5 %	-

Based upon 2194 valid cases out of 2371 total cases.

**V5312 095D01J:MY PLANS DO WORK**

Location: 452-453 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12640

Question Number(s): 5D01J

Do you agree or disagree with each of the following?

J: When I make plans, I am almost certain that I can make them work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	58	2.4 %	2.6%
2	MOST DIS:(2)	142	6.0 %	6.5%
3	NEITHER:(3)	382	16.1 %	17.4%
4	MOST AGR:(4)	996	42.0 %	45.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	AGREE:(5)	616	26.0 %	28.1%
-9 (M)	MISSING:(-9)	177	7.5 %	-

Based upon 2194 valid cases out of 2371 total cases.

**V5313 095D01K:OFTN FEEL LONELY**

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12650

Question Number(s): 5D01K

Do you agree or disagree with each of the following?

K: A lot of times I feel lonely

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	669	28.2 %	30.7%
2	MOST DIS:(2)	532	22.4 %	24.4%
3	NEITHER:(3)	425	17.9 %	19.5%
4	MOST AGR:(4)	379	16.0 %	17.4%
5	AGREE:(5)	171	7.2 %	7.9%
-9 (M)	MISSING:(-9)	195	8.2 %	-

Based upon 2176 valid cases out of 2371 total cases.

**V5314 095D01L:-MUCH TO B PROUD**

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12660

Question Number(s): 5D01L

Do you agree or disagree with each of the following?

L: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1024	43.2 %	47.2%
2	MOST DIS:(2)	552	23.3 %	25.4%
3	NEITHER:(3)	270	11.4 %	12.4%
4	MOST AGR:(4)	218	9.2 %	10.0%
5	AGREE:(5)	106	4.5 %	4.9%
-9 (M)	MISSING:(-9)	201	8.5 %	-

Based upon 2170 valid cases out of 2371 total cases.

**V5315**      **095D01M:ALWYS SM1 HELP R**

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12670

Question Number(s): 5D01M

Do you agree or disagree with each of the following?

M: There is always someone I can turn to if I need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	93	3.9 %	4.3%
2	MOST DIS:(2)	117	4.9 %	5.4%
3	NEITHER:(3)	195	8.2 %	9.0%
4	MOST AGR:(4)	613	25.9 %	28.4%
5	AGREE:(5)	1137	48.0 %	52.8%
-9 (M)	MISSING:(-9)	216	9.1 %	-

Based upon 2155 valid cases out of 2371 total cases.

**V5316**      **095D01N:I AM NO GOOD**

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12680

Question Number(s): 5D01N

Do you agree or disagree with each of the following?



- Study 28401 -

N: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	874	36.9 %	40.5%
2	MOST DIS:(2)	451	19.0 %	20.9%
3	NEITHER:(3)	385	16.2 %	17.8%
4	MOST AGR:(4)	290	12.2 %	13.4%
5	AGREE:(5)	158	6.7 %	7.3%
-9 (M)	MISSING:(-9)	213	9.0 %	-

Based upon 2158 valid cases out of 2371 total cases.

**V5317** **095D01O:OFTN FL LEFT OUT**

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12690

Question Number(s): 5D01O

Do you agree or disagree with each of the following?

O: I often feel left out of things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	623	26.3 %	28.9%
2	MOST DIS:(2)	515	21.7 %	23.9%
3	NEITHER:(3)	437	18.4 %	20.3%
4	MOST AGR:(4)	400	16.9 %	18.6%
5	AGREE:(5)	179	7.5 %	8.3%
-9 (M)	MISSING:(-9)	217	9.2 %	-

Based upon 2154 valid cases out of 2371 total cases.

**V5318** **095D01P:PPL MASTER FATE**

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 12700

Question Number(s): 5D01P

Do you agree or disagree with each of the following?

P: I believe a person is master of his/her own fate

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	124	5.2 %	5.8%
2	MOST DIS:(2)	121	5.1 %	5.6%
3	NEITHER:(3)	409	17.3 %	19.0%
4	MOST AGR:(4)	669	28.2 %	31.1%
5	AGREE:(5)	831	35.0 %	38.6%
-9 (M)	MISSING:(-9)	217	9.2 %	-

Based upon 2154 valid cases out of 2371 total cases.

**V5319**

**095D01Q:USLY SM1 TALK TO**

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12710

Question Number(s): 5D01Q

Do you agree or disagree with each of the following?

Q: There is usually someone I can talk to if I need to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	76	3.2 %	3.5%
2	MOST DIS:(2)	87	3.7 %	4.0%
3	NEITHER:(3)	161	6.8 %	7.5%
4	MOST AGR:(4)	615	25.9 %	28.6%
5	AGREE:(5)	1214	51.2 %	56.4%
-9 (M)	MISSING:(-9)	218	9.2 %	-

Based upon 2153 valid cases out of 2371 total cases.

- Study 28401 -

**V5320 095D01R:I DO WRONG THING**

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12720

Question Number(s): 5D01R

Do you agree or disagree with each of the following?

R: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	971	41.0 %	45.3%
2	MOST DIS:(2)	558	23.5 %	26.0%
3	NEITHER:(3)	343	14.5 %	16.0%
4	MOST AGR:(4)	189	8.0 %	8.8%
5	AGREE:(5)	83	3.5 %	3.9%
-9 (M)	MISSING:(-9)	227	9.6 %	-

Based upon 2144 valid cases out of 2371 total cases.

**V5321 095D01S:OFT WSH MOR FRND**

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12730

Question Number(s): 5D01S

Do you agree or disagree with each of the following?

S: I often wish I had more good friends

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	578	24.4 %	26.9%
2	MOST DIS:(2)	361	15.2 %	16.8%
3	NEITHER:(3)	393	16.6 %	18.3%
4	MOST AGR:(4)	450	19.0 %	21.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	AGREE:(5)	363	15.3 %	16.9%
-9 (M)	MISSING:(-9)	226	9.5 %	-

Based upon 2145 valid cases out of 2371 total cases.

**V5322 095D01T:PLANS->BTR RSLTS**

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12740

Question Number(s): 5D01T

Do you agree or disagree with each of the following?

T: Planning ahead makes things turn out better

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	113	4.8 %	5.3%
2	MOST DIS:(2)	138	5.8 %	6.4%
3	NEITHER:(3)	551	23.2 %	25.7%
4	MOST AGR:(4)	792	33.4 %	37.0%
5	AGREE:(5)	548	23.1 %	25.6%
-9 (M)	MISSING:(-9)	229	9.7 %	-

Based upon 2142 valid cases out of 2371 total cases.

**V5323 095D01U:MY LIFE NT USEFL**

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12750

Question Number(s): 5D01U

Do you agree or disagree with each of the following?

U: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1151	48.5 %	54.0%
2	MOST DIS:(2)	471	19.9 %	22.1%
3	NEITHER:(3)	305	12.9 %	14.3%
4	MOST AGR:(4)	126	5.3 %	5.9%
5	AGREE:(5)	79	3.3 %	3.7%
-9 (M)	MISSING:(-9)	239	10.1 %	-

Based upon 2132 valid cases out of 2371 total cases.

**V5324 095D01V:USLY FRDS BE WTH**

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12760

Question Number(s): 5D01V

Do you agree or disagree with each of the following?

V: I usually have a few friends around that I can get together with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	118	5.0 %	5.5%
2	MOST DIS:(2)	119	5.0 %	5.6%
3	NEITHER:(3)	238	10.0 %	11.1%
4	MOST AGR:(4)	752	31.7 %	35.1%
5	AGREE:(5)	914	38.5 %	42.7%
-9 (M)	MISSING:(-9)	230	9.7 %	-

Based upon 2141 valid cases out of 2371 total cases.

**V5414 095D01W:EAGR TO LEAV HOM**

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13950

Question Number(s): 5D01W

Do you agree or disagree with each of the following?

- Study 28401 -

W: I am eager to leave home and live on my own--independent from my parents

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	164	6.9 %	7.7%
2	MOST DIS:(2)	191	8.1 %	8.9%
3	NEITHER:(3)	467	19.7 %	21.9%
4	MOST AGR:(4)	585	24.7 %	27.4%
5	AGREE:(5)	729	30.7 %	34.1%
-9 (M)	MISSING:(-9)	235	9.9 %	-

Based upon 2136 valid cases out of 2371 total cases.

**V5415** **095D01X:HEST PRT ADLT WL**

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13960

Question Number(s): 5D01X

Do you agree or disagree with each of the following?

X: I feel hesitant about taking a full-time job and becoming part of the "adult" world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	574	24.2 %	26.8%
2	MOST DIS:(2)	413	17.4 %	19.3%
3	NEITHER:(3)	427	18.0 %	20.0%
4	MOST AGR:(4)	457	19.3 %	21.4%
5	AGREE:(5)	267	11.3 %	12.5%
-9 (M)	MISSING:(-9)	233	9.8 %	-

Based upon 2138 valid cases out of 2371 total cases.

**V5416** **095D02A:%\$SAVE FUTR EDUC**

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 20830

Question Number(s): 5D02A

Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into:

A: Savings for your future education?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1016	42.9 %	48.2%
2	1-20%:(2)	433	18.3 %	20.5%
3	21-40%:(3)	267	11.3 %	12.7%
4	41-60%:(4)	182	7.7 %	8.6%
5	61-80%:(5)	125	5.3 %	5.9%
6	81-99%:(6)	52	2.2 %	2.5%
7	ALL:(7)	33	1.4 %	1.6%
-9 (M)	MISSING:(-9)	263	11.1 %	-

Based upon 2108 valid cases out of 2371 total cases.

**V5417 095D02B:%\$SAVE/SPEND CAR**

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20840

Question Number(s): 5D02B

About how much of your past year's earnings have gone into:

B: Savings or payments for a car or car expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1044	44.0 %	49.7%
2	1-20%:(2)	349	14.7 %	16.6%
3	21-40%:(3)	270	11.4 %	12.9%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	41-60%:(4)	220	9.3 %	10.5%
5	61-80%:(5)	119	5.0 %	5.7%
6	81-99%:(6)	62	2.6 %	3.0%
7	ALL:(7)	36	1.5 %	1.7%
-9 (M)	MISSING:(-9)	271	11.4 %	-

Based upon 2100 valid cases out of 2371 total cases.

**V5418**

**095D02C:%\$SAVE OTHER**

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20850

Question Number(s): 5D02C

About how much of your past year's earnings have gone into:

C: Other savings for long-range purposes?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	990	41.8 %	47.2%
2	1-20%:(2)	435	18.3 %	20.7%
3	21-40%:(3)	277	11.7 %	13.2%
4	41-60%:(4)	177	7.5 %	8.4%
5	61-80%:(5)	116	4.9 %	5.5%
6	81-99%:(6)	60	2.5 %	2.9%
7	ALL:(7)	43	1.8 %	2.0%
-9 (M)	MISSING:(-9)	273	11.5 %	-

Based upon 2098 valid cases out of 2371 total cases.

**V5419**

**095D02D:%\$SPEND ON SELF**

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20860

Question Number(s): 5D02D



- Study 28401 -

About how much of your past year's earnings have gone into:

D: Spending on your own needs and activities--things such as clothing, stereo, TV, tapes and discs, other possessions, movies, eating out, other recreation, hobbies, gifts for others, and other personal expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	207	8.7 %	9.9%
2	1-20%:(2)	393	16.6 %	18.9%
3	21-40%:(3)	346	14.6 %	16.6%
4	41-60%:(4)	339	14.3 %	16.3%
5	61-80%:(5)	400	16.9 %	19.2%
6	81-99%:(6)	250	10.5 %	12.0%
7	ALL:(7)	149	6.3 %	7.1%
-9 (M)	MISSING:(-9)	287	12.1 %	-

Based upon 2084 valid cases out of 2371 total cases.

**V5420**

**095D02E:%\$SPEND HELP FAM**

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20870

Question Number(s): 5D02E

About how much of your past year's earnings have gone into:

E: Helping to pay family living expenses (groceries, housing, etc.)?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1104	46.6 %	53.0%
2	1-20%:(2)	483	20.4 %	23.2%
3	21-40%:(3)	222	9.4 %	10.7%
4	41-60%:(4)	136	5.7 %	6.5%
5	61-80%:(5)	67	2.8 %	3.2%
6	81-99%:(6)	47	2.0 %	2.3%
7	ALL:(7)	24	1.0 %	1.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	288	12.1 %	-

Based upon 2083 valid cases out of 2371 total cases.

**V5523**

**095D03:EVER AD STIM DR**

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31460

Question Number(s): 5D03

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Cylert, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil.)

1="No--GO TO QUESTION 6" 2="Yes, in the past, but not now"

3="Yes, I take them now"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1915	80.8 %	92.1%
2	YES PAST:(2)	107	4.5 %	5.1%
3	YES NOW:(3)	57	2.4 %	2.7%
-9 (M)	MISSING:(-9)	292	12.3 %	-

Based upon 2079 valid cases out of 2371 total cases.

**V5524**

**095D04:AGE 1ST AD STIM**

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31470

Question Number(s): 5D04

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

- Study 28401 -

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1-4 YRS:(1)	10	0.4 %	6.1%
2	5-9:(2)	50	2.1 %	30.3%
3	10-14:(3)	53	2.2 %	32.1%
4	15+ YRS:(4)	52	2.2 %	31.5%
-9 (M)	MISSING:(-9)	2206	93.0 %	-

Based upon 165 valid cases out of 2371 total cases.

**V5525**

**095D05:# YRS TK AD STIM**

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31480

Question Number(s): 5D05

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	<1 YEAR:(1)	43	1.8 %	26.1%
2	1 YEAR:(2)	11	0.5 %	6.7%
3	2 YRS:(3)	31	1.3 %	18.8%
4	3-5 YRS:(4)	38	1.6 %	23.0%
5	6-9 YRS:(5)	22	0.9 %	13.3%
6	10+ YRS:(6)	20	0.8 %	12.1%
-9 (M)	MISSING:(-9)	2206	93.0 %	-

Based upon 165 valid cases out of 2371 total cases.

**V5526**

**095D06:EVER AD NONSTIM**

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31490

Question Number(s): 5D06

- Study 28401 -

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil)?

1="No" 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1848	77.9 %	90.1%
2	YES PAST:(2)	71	3.0 %	3.5%
3	YES NOW:(3)	29	1.2 %	1.4%
8	DONT KNOW:(8)	103	4.3 %	5.0%
-9 (M)	MISSING:(-9)	320	13.5 %	-

Based upon 2051 valid cases out of 2371 total cases.

**V5334** **095E01A:I/MJ USR,>CREATV**

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13060

Question Number(s): 5E01A

The next questions ask about characteristics which some people associate with the use of particular drugs. We want to know what you think. Do YOU think that people who smoke marijuana several times a week tend to be . . .

A: . . . more creative than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1043	44.0 %	49.7%
2	YES:(2)	604	25.5 %	28.8%
3	NOT SURE:(3)	451	19.0 %	21.5%
-9 (M)	MISSING:(-9)	273	11.5 %	-

Based upon 2098 valid cases out of 2371 total cases.

**V5335** **095E01B:I/MJ USR,<SENSBL**

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 13070

Question Number(s): 5E01B

Do YOU think that people who smoke marijuana several times a week tend to be . . .

B: . . . less sensible than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	648	27.3 %	31.0%
2	YES:(2)	984	41.5 %	47.0%
3	NOT SURE:(3)	461	19.4 %	22.0%
-9 (M)	MISSING:(-9)	278	11.7 %	-

Based upon 2093 valid cases out of 2371 total cases.

**V5336**

**095E01C:I/MJ USR,>INTRST**

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13080

Question Number(s): 5E01C

Do YOU think that people who smoke marijuana several times a week tend to be . . .

C: . . . more interesting people than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1101	46.4 %	52.6%
2	YES:(2)	596	25.1 %	28.5%
3	NOT SURE:(3)	395	16.7 %	18.9%
-9 (M)	MISSING:(-9)	279	11.8 %	-

Based upon 2092 valid cases out of 2371 total cases.

**V5337**

**095E01D:I/MJ USR,<HRDWKG**

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 13090

Question Number(s): 5E01D

Do YOU think that people who smoke marijuana several times a week tend to be . . .

D: . . . less hard-working than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	568	24.0 %	27.2%
2	YES:(2)	1190	50.2 %	56.9%
3	NOT SURE:(3)	333	14.0 %	15.9%
-9 (M)	MISSING:(-9)	280	11.8 %	-

Based upon 2091 valid cases out of 2371 total cases.

**V5338**

**095E01E:I/MJ USR,>INDPND**

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13100

Question Number(s): 5E01E

Do YOU think that people who smoke marijuana several times a week tend to be . . .

E: . . . more independent than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1154	48.7 %	55.2%
2	YES:(2)	476	20.1 %	22.8%
3	NOT SURE:(3)	461	19.4 %	22.0%
-9 (M)	MISSING:(-9)	280	11.8 %	-

Based upon 2091 valid cases out of 2371 total cases.

**V5339**

**095E01F:I/MJ USR,>UNSTBL**

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 13110

Question Number(s): 5E01F

Do YOU think that people who smoke marijuana several times a week tend to be . . .

F: . . . more emotionally unstable than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	716	30.2 %	34.3%
2	YES:(2)	944	39.8 %	45.2%
3	NOT SURE:(3)	429	18.1 %	20.5%
-9 (M)	MISSING:(-9)	282	11.9 %	-

Based upon 2089 valid cases out of 2371 total cases.

**V5340**

**095E01G:I/MJ USR,>CNCRND**

Location:

512-513 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 13120

Question Number(s): 5E01G

Do YOU think that people who smoke marijuana several times a week tend to be . . .

G: . . . more concerned about other people than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1321	55.7 %	63.3%
2	YES:(2)	301	12.7 %	14.4%
3	NOT SURE:(3)	466	19.7 %	22.3%
-9 (M)	MISSING:(-9)	283	11.9 %	-

Based upon 2088 valid cases out of 2371 total cases.

**V5341**

**095E01H:I/MJ USR,>WKWLD**

Location:

514-515 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

- Study 28401 -

Question:

Item Number: 13130

Question Number(s): 5E01H

Do YOU think that people who smoke marijuana several times a week tend to be . . .

H: . . . more weak-willed than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	689	29.1 %	33.0%
2	YES:(2)	935	39.4 %	44.8%
3	NOT SURE:(3)	465	19.6 %	22.3%
-9 (M)	MISSING:(-9)	282	11.9 %	-

Based upon 2089 valid cases out of 2371 total cases.

**V5342**

**095E01I:I/MJ USR,>CRMNL**

Location:

516-517 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 13140

Question Number(s): 5E01I

Do YOU think that people who smoke marijuana several times a week tend to be . . .

I: . . . more criminal than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	707	29.8 %	34.0%
2	YES:(2)	958	40.4 %	46.1%
3	NOT SURE:(3)	415	17.5 %	20.0%
-9 (M)	MISSING:(-9)	291	12.3 %	-

Based upon 2080 valid cases out of 2371 total cases.

**V5421**

**095E02A:GUY SMK COOL**

Location:

518-519 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9



- Study 28401 -

Question:

Item Number: 20880

Question Number(s): 5E02A

The next few questions ask how you view cigarette smoking. In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

A: . . . Cool, calm, in control.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1419	59.8 %	68.2%
2	MOST DIS:(2)	209	8.8 %	10.0%
3	NEITHER:(3)	334	14.1 %	16.0%
4	MOST AGR:(4)	76	3.2 %	3.7%
5	AGREE:(5)	43	1.8 %	2.1%
-9 (M)	MISSING:(-9)	290	12.2 %	-

Based upon 2081 valid cases out of 2371 total cases.

**V5422**

**095E02B:GUY SMK INSECURE**

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20890

Question Number(s): 5E02B

In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

B: . . . Insecure.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	446	18.8 %	21.5%
2	MOST DIS:(2)	164	6.9 %	7.9%
3	NEITHER:(3)	654	27.6 %	31.5%
4	MOST AGR:(4)	372	15.7 %	17.9%
5	AGREE:(5)	441	18.6 %	21.2%
-9 (M)	MISSING:(-9)	294	12.4 %	-

- Study 28401 -

Based upon 2077 valid cases out of 2371 total cases.

**V5423 095E02C:GUY SMK INDPNDNT**

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20900

Question Number(s): 5E02C

In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

C: . . . Rugged, tough, independent.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1201	50.7 %	57.9%
2	MOST DIS:(2)	244	10.3 %	11.8%
3	NEITHER:(3)	423	17.8 %	20.4%
4	MOST AGR:(4)	149	6.3 %	7.2%
5	AGREE:(5)	59	2.5 %	2.8%
-9 (M)	MISSING:(-9)	295	12.4 %	-

Based upon 2076 valid cases out of 2371 total cases.

**V5424 095E02D:GUY SMK CONFORMG**

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20910

Question Number(s): 5E02D

In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

D: . . . Conforming.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	780	32.9 %	37.7%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	MOST DIS:(2)	163	6.9 %	7.9%
3	NEITHER:(3)	639	27.0 %	30.9%
4	MOST AGR:(4)	242	10.2 %	11.7%
5	AGREE:(5)	243	10.2 %	11.8%
-9 (M)	MISSING:(-9)	304	12.8 %	-

Based upon 2067 valid cases out of 2371 total cases.

**V5425**

**095E02E:GUY SMK MATURE**

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20920

Question Number(s): 5E02E

In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

E: . . . Mature, sophisticated.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1392	58.7 %	67.2%
2	MOST DIS:(2)	214	9.0 %	10.3%
3	NEITHER:(3)	376	15.9 %	18.1%
4	MOST AGR:(4)	56	2.4 %	2.7%
5	AGREE:(5)	34	1.4 %	1.6%
-9 (M)	MISSING:(-9)	299	12.6 %	-

Based upon 2072 valid cases out of 2371 total cases.

**V5426**

**095E02F:GUY SM TRY MATUR**

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20930

Question Number(s): 5E02F

In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

- Study 28401 -

F: . . . Like he's trying to appear mature and sophisticated.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	377	15.9 %	18.2%
2	MOST DIS:(2)	110	4.6 %	5.3%
3	NEITHER:(3)	409	17.3 %	19.7%
4	MOST AGR:(4)	484	20.4 %	23.3%
5	AGREE:(5)	693	29.2 %	33.4%
-9 (M)	MISSING:(-9)	298	12.6 %	-

Based upon 2073 valid cases out of 2371 total cases.

**V5427**

**095E03A:GIRL SMK COOL**

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20940

Question Number(s): 5E03A

In my opinion, when a girl my age is smoking a cigarette, it  
makes her look . . .

A: . . . Cool, calm, in control.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1541	65.0 %	74.6%
2	MOST DIS:(2)	158	6.7 %	7.7%
3	NEITHER:(3)	270	11.4 %	13.1%
4	MOST AGR:(4)	56	2.4 %	2.7%
5	AGREE:(5)	40	1.7 %	1.9%
-9 (M)	MISSING:(-9)	306	12.9 %	-

Based upon 2065 valid cases out of 2371 total cases.

**V5428**

**095E03B:GRL SMK INSECURE**

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 20950

Question Number(s): 5E03B

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

B: . . . Insecure.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	465	19.6 %	22.6%
2	MOST DIS:(2)	110	4.6 %	5.3%
3	NEITHER:(3)	494	20.8 %	24.0%
4	MOST AGR:(4)	357	15.1 %	17.4%
5	AGREE:(5)	631	26.6 %	30.7%
-9 (M)	MISSING:(-9)	314	13.2 %	-

Based upon 2057 valid cases out of 2371 total cases.

**V5429**

**095E03C:GRL SMK INDPNDNT**

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20960

Question Number(s): 5E03C

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

C: . . . Independent and liberated.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1304	55.0 %	63.5%
2	MOST DIS:(2)	202	8.5 %	9.8%
3	NEITHER:(3)	395	16.7 %	19.2%
4	MOST AGR:(4)	92	3.9 %	4.5%
5	AGREE:(5)	60	2.5 %	2.9%
-9 (M)	MISSING:(-9)	318	13.4 %	-

- Study 28401 -

Based upon 2053 valid cases out of 2371 total cases.

**V5430 095E03D:GRL SMK CONFORMG**

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20970

Question Number(s): 5E03D

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

D: . . . Conforming.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	838	35.3 %	41.0%
2	MOST DIS:(2)	143	6.0 %	7.0%
3	NEITHER:(3)	561	23.7 %	27.4%
4	MOST AGR:(4)	205	8.6 %	10.0%
5	AGREE:(5)	299	12.6 %	14.6%
-9 (M)	MISSING:(-9)	325	13.7 %	-

Based upon 2046 valid cases out of 2371 total cases.

**V5431 095E03E:GRL SMK MATURE**

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20980

Question Number(s): 5E03E

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

E: . . . Mature, sophisticated.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1465	61.8 %	71.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	MOST DIS:(2)	190	8.0 %	9.2%
3	NEITHER:(3)	329	13.9 %	16.0%
4	MOST AGR:(4)	43	1.8 %	2.1%
5	AGREE:(5)	32	1.3 %	1.6%
-9 (M)	MISSING:(-9)	312	13.2 %	-

Based upon 2059 valid cases out of 2371 total cases.

**V5432**

**095E03F:GRL SM TRY MATUR**

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20990

Question Number(s): 5E03F

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

F: . . . Like she's trying to appear mature and sophisticated.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	432	18.2 %	20.9%
2	MOST DIS:(2)	82	3.5 %	4.0%
3	NEITHER:(3)	349	14.7 %	16.9%
4	MOST AGR:(4)	412	17.4 %	20.0%
5	AGREE:(5)	788	33.2 %	38.2%
-9 (M)	MISSING:(-9)	308	13.0 %	-

Based upon 2063 valid cases out of 2371 total cases.

**V5433**

**095E04A:SMKRS ENJOY LIFE**

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21000

Question Number(s): 5E04A

Do you agree or disagree?

- Study 28401 -

A: Smokers know how to enjoy life more than non-smokers

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1478	62.3 %	72.1%
2	MOST DIS:(2)	165	7.0 %	8.1%
3	NEITHER:(3)	324	13.7 %	15.8%
4	MOST AGR:(4)	53	2.2 %	2.6%
5	AGREE:(5)	29	1.2 %	1.4%
-9 (M)	MISSING:(-9)	322	13.6 %	-

Based upon 2049 valid cases out of 2371 total cases.

**V5434** **095E04B:PRFR DATE N-SMKR**

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21010

Question Number(s): 5E04B

Do you agree or disagree?

B: I would prefer to date people who don't smoke

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	154	6.5 %	7.5%
2	MOST DIS:(2)	59	2.5 %	2.9%
3	NEITHER:(3)	291	12.3 %	14.2%
4	MOST AGR:(4)	219	9.2 %	10.7%
5	AGREE:(5)	1324	55.8 %	64.7%
-9 (M)	MISSING:(-9)	324	13.7 %	-

Based upon 2047 valid cases out of 2371 total cases.

**V5435** **095E04C:HARMFUL CIG EXAG**

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9



- Study 28401 -

Question:

Item Number: 21020

Question Number(s): 5E04C

Do you agree or disagree?

C: The harmful effects of cigarettes have been exaggerated

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1030	43.4 %	50.5%
2	MOST DIS:(2)	330	13.9 %	16.2%
3	NEITHER:(3)	368	15.5 %	18.0%
4	MOST AGR:(4)	173	7.3 %	8.5%
5	AGREE:(5)	138	5.8 %	6.8%
-9 (M)	MISSING:(-9)	332	14.0 %	-

Based upon 2039 valid cases out of 2371 total cases.

**V5436**

**095E04D:SMKR POOR JDGMNT**

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21030

Question Number(s): 5E04D

Do you agree or disagree?

D: I think that becoming a smoker reflects poor judgment

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	238	10.0 %	11.6%
2	MOST DIS:(2)	151	6.4 %	7.4%
3	NEITHER:(3)	470	19.8 %	23.0%
4	MOST AGR:(4)	395	16.7 %	19.3%
5	AGREE:(5)	789	33.3 %	38.6%
-9 (M)	MISSING:(-9)	328	13.8 %	-

Based upon 2043 valid cases out of 2371 total cases.

- Study 28401 -

**V5437 095E04E:DONT MIND SMOKNG**

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21040

Question Number(s): 5E04E

Do you agree or disagree?

E: I personally don't mind being around people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	736	31.0 %	36.0%
2	MOST DIS:(2)	287	12.1 %	14.0%
3	NEITHER:(3)	376	15.9 %	18.4%
4	MOST AGR:(4)	342	14.4 %	16.7%
5	AGREE:(5)	306	12.9 %	14.9%
-9 (M)	MISSING:(-9)	324	13.7 %	-

Based upon 2047 valid cases out of 2371 total cases.

**V5438 095E04F:SMKG DIRTY HABIT**

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21050

Question Number(s): 5E04F

Do you agree or disagree?

F: Smoking is a dirty habit

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	153	6.5 %	7.5%
2	MOST DIS:(2)	83	3.5 %	4.1%
3	NEITHER:(3)	300	12.7 %	14.7%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	MOST AGR:(4)	377	15.9 %	18.5%
5	AGREE:(5)	1128	47.6 %	55.3%
-9 (M)	MISSING:(-9)	330	13.9 %	-

Based upon 2041 valid cases out of 2371 total cases.

**V5485 095E04G:DTEST NEAR SMKRS**

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21055

Question Number(s): 5E04G

Do you agree or disagree?

G: I strongly dislike being near people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	389	16.4 %	19.1%
2	MOST DIS:(2)	236	10.0 %	11.6%
3	NEITHER:(3)	421	17.8 %	20.6%
4	MOST AGR:(4)	292	12.3 %	14.3%
5	AGREE:(5)	702	29.6 %	34.4%
-9 (M)	MISSING:(-9)	331	14.0 %	-

Based upon 2040 valid cases out of 2371 total cases.

**V5511 095E05A:#X FLVRDALC/LIFE**

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31360

Question Number(s): 5E05A

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink-- more than just a few sips . . .

A: . . . in your lifetime?

- Study 28401 -

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	658	27.8 %	32.6%
2	1-2X:(2)	290	12.2 %	14.4%
3	3-5X:(3)	252	10.6 %	12.5%
4	6-9X:(4)	196	8.3 %	9.7%
5	10-19X:(5)	226	9.5 %	11.2%
6	20-39X:(6)	155	6.5 %	7.7%
7	40+OCCAS:(7)	241	10.2 %	11.9%
-9 (M)	MISSING:(-9)	353	14.9 %	-

Based upon 2018 valid cases out of 2371 total cases.

**V5512 095E05B:#X FLVRDALC/12MO**

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31370

Question Number(s): 5E05B

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink-- more than just a few sips . . .

B: . . . During the last 12 months?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	931	39.3 %	46.2%
2	1-2X:(2)	352	14.8 %	17.5%
3	3-5X:(3)	274	11.6 %	13.6%
4	6-9X:(4)	181	7.6 %	9.0%
5	10-19X:(5)	124	5.2 %	6.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X:(6)	77	3.2 %	3.8%
7	40+OCCAS:(7)	78	3.3 %	3.9%
-9 (M)	MISSING:(-9)	354	14.9 %	-

Based upon 2017 valid cases out of 2371 total cases.

**V5513**      **095E05C:#X FLVRDALC/30DA**

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31380

Question Number(s): 5E05C

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink-- more than just a few sips . . .

C: . . . During the last 30 days?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1448	61.1 %	72.0%
2	1-2X:(2)	311	13.1 %	15.5%
3	3-5X:(3)	136	5.7 %	6.8%
4	6-9X:(4)	61	2.6 %	3.0%
5	10-19X:(5)	27	1.1 %	1.3%
6	20-39X:(6)	8	0.3 %	0.4%
7	40+OCCAS:(7)	21	0.9 %	1.0%
-9 (M)	MISSING:(-9)	359	15.1 %	-

Based upon 2012 valid cases out of 2371 total cases.

**V5486**      **095E06A:#X CRACK/LIFETIM**

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22260

- Study 28401 -

Question Number(s): 5E06A

Lately, there has been some attention paid to certain drugs, including "crack" (cocaine in chunks or rocks). On how many occasions have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1948	82.2 %	96.6%
2	1-2X:(2)	26	1.1 %	1.3%
3	3-5X:(3)	12	0.5 %	0.6%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	14	0.6 %	0.7%
-9 (M)	MISSING:(-9)	354	14.9 %	-

Based upon 2017 valid cases out of 2371 total cases.

**V5487**

**095E06B:#X CRACK/LAST12M**

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

Question Number(s): 5E06B

On how many occasions have you used "crack" cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1974	83.3 %	97.7%
2	1-2X:(2)	17	0.7 %	0.8%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	8	0.3 %	0.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	351	14.8 %	-

Based upon 2020 valid cases out of 2371 total cases.

**V5488**      **095E06C:#X CRACK/LAST30D**

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

Question Number(s): 5E06C

On how many occasions have you used "crack" cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1991	84.0 %	98.8%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	356	15.0 %	-

Based upon 2015 valid cases out of 2371 total cases.

**V5527**      **095E07A:#X STRD/LIFETIME**

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22690

Question Number(s): 5E07A

Anabolic steroids are prescription drugs sometimes prescribed

- Study 28401 -

by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1971	83.1 %	97.5%
2	1-2X:(2)	24	1.0 %	1.2%
3	3-5X:(3)	8	0.3 %	0.4%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	349	14.7 %	-

Based upon 2022 valid cases out of 2371 total cases.

**V5528 095E07B:#X STRD/LAST12MO**

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22700

Question Number(s): 5E07B

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1987	83.8 %	98.3%
2	1-2X:(2)	15	0.6 %	0.7%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	350	14.8 %	-

Based upon 2021 valid cases out of 2371 total cases.

**V5529 095E07C:#X STRD/LAST30DA**

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22710

Question Number(s): 5E07C

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1995	84.1 %	98.6%
2	1-2X:(2)	13	0.5 %	0.6%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	348	14.7 %	-

Based upon 2023 valid cases out of 2371 total cases.

**V5530 095E08A:MTHD STRD-INJECT**

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23790

Question Number(s): 5E08A

What methods have you used for taking steroids on your own?

- Study 28401 -

(Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MRKED:(0)	33	1.4 %	73.3%
1	MARKED:(1)	12	0.5 %	26.7%
-9 (M)	MISSING:(-9)	2326	98.1 %	-

Based upon 45 valid cases out of 2371 total cases.

**V5531**

**095E08B:MTHD STRD-MOUTH**

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23800

Question Number(s): 5E08B

What methods have you used for taking steroids on your own?  
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MRKED:(0)	15	0.6 %	33.3%
1	MARKED:(1)	30	1.3 %	66.7%
-9 (M)	MISSING:(-9)	2326	98.1 %	-

Based upon 45 valid cases out of 2371 total cases.

**V5532**

**095E08C:HVNT USED STRDS**

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30940

Question Number(s): 5E08C

What methods have you used for taking steroids on your own?  
(Mark all that apply.)

C. Haven't used steroids

- Study 28401 -

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MRKED:(0)	41	1.7 %	2.0%
1	MARKED:(1)	1975	83.3 %	98.0%
-9 (M)	MISSING:(-9)	355	15.0 %	-

Based upon 2016 valid cases out of 2371 total cases.

**V5496**

**095E09A:#X KETAMINE/12M**

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31060

Question Number(s): 5E09A

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

A. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2022	85.3 %	98.0%
2	1-2X:(2)	13	0.5 %	0.6%
3	3-5X:(3)	10	0.4 %	0.5%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	308	13.0 %	-

Based upon 2063 valid cases out of 2371 total cases.

**V5499**

**095E09B:#X OXYCONTN/12MO**

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31310

- Study 28401 -

Question Number(s): 5E09B

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1950	82.2 %	95.0%
2	1-2X:(2)	44	1.9 %	2.1%
3	3-5X:(3)	23	1.0 %	1.1%
4	6-9X:(4)	11	0.5 %	0.5%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+ OCCAS:(7)	12	0.5 %	0.6%
-9 (M)	MISSING:(-9)	319	13.5 %	-

Based upon 2052 valid cases out of 2371 total cases.

**V5500**

**095E09C:#X VICODIN/12MO**

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31320

Question Number(s): 5E09C

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1844	77.8 %	89.9%
2	1-2X:(2)	101	4.3 %	4.9%
3	3-5X:(3)	39	1.6 %	1.9%
4	6-9X:(4)	20	0.8 %	1.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	25	1.1 %	1.2%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+ OCCAS:(7)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	319	13.5 %	-

Based upon 2052 valid cases out of 2371 total cases.

**V5550**

**095E09D:#X SALVIA/12MO**

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32500

Question Number(s): 5E09D

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1934	81.6 %	94.5%
2	1-2X:(2)	66	2.8 %	3.2%
3	3-5X:(3)	24	1.0 %	1.2%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	325	13.7 %	-

Based upon 2046 valid cases out of 2371 total cases.

**V5551**

**095E09E:#X PROVIGIL/12MO**

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32510

Question Number(s): 5E09E

- Study 28401 -

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . taken Provigil, a prescription stay-awake drug (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2010	84.8 %	98.4%
2	1-2X:(2)	16	0.7 %	0.8%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	328	13.8 %	-

Based upon 2043 valid cases out of 2371 total cases.

**V5461**

**095E10 :#X/LAST12M PARTY**

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21900

Question Number(s): 5E10

Over the LAST 12 MONTHS, about how often have you gone to parties?

1="Not at all--GO TO Q. 12" 2="Once a month or less" 3="2 or 3 times a month" 4="About once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO TIMES:(1)	552	23.3 %	27.0%
2	0-1/MO:(2)	627	26.4 %	30.6%
3	2-3/MO:(3)	432	18.2 %	21.1%
4	ONCE/WK:(4)	233	9.8 %	11.4%
5	2-3/WEEK:(5)	145	6.1 %	7.1%
6	OVR 3/WK:(6)	57	2.4 %	2.8%
-9 (M)	MISSING:(-9)	325	13.7 %	-

- Study 28401 -

Based upon 2046 valid cases out of 2371 total cases.

**V5462 095E11A:PARTY-PPL OVR 30**

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21910

Question Number(s): 5E11A

Now think about the parties you went to in the last 12 months.  
How often . . .

A: . . . Were people over age 30 present at least some of the time?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	713	30.1 %	46.2%
2	SELDOM:(2)	361	15.2 %	23.4%
3	SOMETIME:(3)	233	9.8 %	15.1%
4	MST TIME:(4)	133	5.6 %	8.6%
5	ALWAYS:(5)	102	4.3 %	6.6%
-9 (M)	MISSING:(-9)	829	35.0 %	-

Based upon 1542 valid cases out of 2371 total cases.

**V5463 095E11B:PARTY-ONE HI ALC**

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21920

Question Number(s): 5E11B

Now think about the parties you went to in the last 12 months.  
How often . . .

B: . . . Did someone get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	295	12.4 %	19.1%
2	SELDOM:(2)	93	3.9 %	6.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	SOMETIME:(3)	203	8.6 %	13.1%
4	MST TIME:(4)	366	15.4 %	23.7%
5	ALWAYS:(5)	590	24.9 %	38.1%
-9 (M)	MISSING:(-9)	824	34.8 %	-

Based upon 1547 valid cases out of 2371 total cases.

**V5464** **095E11C:PARTY-OTH HI ALC**

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21930

Question Number(s): 5E11C

Now think about the parties you went to in the last 12 months.  
How often . . .

C: . . . Did most people get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	317	13.4 %	20.6%
2	SELDOM:(2)	133	5.6 %	8.7%
3	SOMETIME:(3)	244	10.3 %	15.9%
4	MST TIME:(4)	419	17.7 %	27.3%
5	ALWAYS:(5)	424	17.9 %	27.6%
-9 (M)	MISSING:(-9)	834	35.2 %	-

Based upon 1537 valid cases out of 2371 total cases.

**V5465** **095E11D:PARTY-YOU HI ALC**

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21940

Question Number(s): 5E11D

Now think about the parties you went to in the last 12 months.  
How often . . .

D: . . . Did you get high on alcohol?



- Study 28401 -

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	609	25.7 %	39.6%
2	SELDOM:(2)	191	8.1 %	12.4%
3	SOMETIME:(3)	280	11.8 %	18.2%
4	MST TIME:(4)	267	11.3 %	17.4%
5	ALWAYS:(5)	189	8.0 %	12.3%
-9 (M)	MISSING:(-9)	835	35.2 %	-

Based upon 1536 valid cases out of 2371 total cases.

**V5466** **095E11E:PARTY-PRESS ALCL**

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21950

Question Number(s): 5E11E

Now think about the parties you went to in the last 12 months.  
How often . . .

E: . . . Did you feel pressure to drink alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1015	42.8 %	66.0%
2	SELDOM:(2)	260	11.0 %	16.9%
3	SOMETIME:(3)	164	6.9 %	10.7%
4	MST TIME:(4)	56	2.4 %	3.6%
5	ALWAYS:(5)	43	1.8 %	2.8%
-9 (M)	MISSING:(-9)	833	35.1 %	-

Based upon 1538 valid cases out of 2371 total cases.

**V5467** **095E11F:PARTY-PRS HI ALC**

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21960

- Study 28401 -

Question Number(s): 5E11F

Now think about the parties you went to in the last 12 months.  
How often . . .

F: . . . Did you feel pressure to drink enough to get high?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1121	47.3 %	73.0%
2	SELDOM:(2)	205	8.6 %	13.4%
3	SOMETIME:(3)	124	5.2 %	8.1%
4	MST TIME:(4)	44	1.9 %	2.9%
5	ALWAYS:(5)	41	1.7 %	2.7%
-9 (M)	MISSING:(-9)	836	35.3 %	-

Based upon 1535 valid cases out of 2371 total cases.

**V5468**

**095E11G:PARTY-ONE HI MJ**

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21970

Question Number(s): 5E11G

Now think about the parties you went to in the last 12 months.  
How often . . .

G: . . . Did someone get high on marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	534	22.5 %	34.9%
2	SELDOM:(2)	165	7.0 %	10.8%
3	SOMETIME:(3)	280	11.8 %	18.3%
4	MST TIME:(4)	287	12.1 %	18.7%
5	ALWAYS:(5)	266	11.2 %	17.4%
-9 (M)	MISSING:(-9)	839	35.4 %	-

Based upon 1532 valid cases out of 2371 total cases.

**V5469**

**095E11H:PARTY-OTH HI MJ**

Location: 606-607 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 21980

Question Number(s): 5E11H

Now think about the parties you went to in the last 12 months.  
 How often . . .

H: . . . Did most people get high on marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	615	25.9 %	40.1%
2	SELDOM:(2)	270	11.4 %	17.6%
3	SOMETIME:(3)	295	12.4 %	19.3%
4	MST TIME:(4)	194	8.2 %	12.7%
5	ALWAYS:(5)	158	6.7 %	10.3%
-9 (M)	MISSING:(-9)	839	35.4 %	-

Based upon 1532 valid cases out of 2371 total cases.

**V5470**

**095E11I:PARTY-YOU HI MJ**

Location: 608-609 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 21990

Question Number(s): 5E11I

Now think about the parties you went to in the last 12 months.  
 How often . . .

I: . . . Did you get high on marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1019	43.0 %	66.5%
2	SELDOM:(2)	152	6.4 %	9.9%
3	SOMETIME:(3)	151	6.4 %	9.9%
4	MST TIME:(4)	89	3.8 %	5.8%
5	ALWAYS:(5)	121	5.1 %	7.9%
-9 (M)	MISSING:(-9)	839	35.4 %	-

- Study 28401 -

Based upon 1532 valid cases out of 2371 total cases.

**V5471 095E11J:PARTY-PRESS MJ**

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22000

Question Number(s): 5E11J

Now think about the parties you went to in the last 12 months.

How often . . .

J: . . . Did you feel pressure to use marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1269	53.5 %	83.1%
2	SELDOM:(2)	123	5.2 %	8.1%
3	SOMETIME:(3)	81	3.4 %	5.3%
4	MST TIME:(4)	29	1.2 %	1.9%
5	ALWAYS:(5)	25	1.1 %	1.6%
-9 (M)	MISSING:(-9)	844	35.6 %	-

Based upon 1527 valid cases out of 2371 total cases.

**V5472 095E11K:PARTY-ONE HI OTD**

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22010

Question Number(s): 5E11K

Now think about the parties you went to in the last 12 months.

How often . . .

K: . . . Did someone get high on other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	969	40.9 %	63.5%
2	SELDOM:(2)	231	9.7 %	15.1%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	SOMETIME:(3)	193	8.1 %	12.6%
4	MST TIME:(4)	75	3.2 %	4.9%
5	ALWAYS:(5)	58	2.4 %	3.8%
-9 (M)	MISSING:(-9)	845	35.6 %	-

Based upon 1526 valid cases out of 2371 total cases.

**V5473**

**095E11L:PARTY-OTH HI OTD**

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22020

Question Number(s): 5E11L

Now think about the parties you went to in the last 12 months.  
How often . . .

L: . . . Did most people get high on other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1073	45.3 %	70.3%
2	SELDOM:(2)	238	10.0 %	15.6%
3	SOMETIME:(3)	121	5.1 %	7.9%
4	MST TIME:(4)	44	1.9 %	2.9%
5	ALWAYS:(5)	50	2.1 %	3.3%
-9 (M)	MISSING:(-9)	845	35.6 %	-

Based upon 1526 valid cases out of 2371 total cases.

**V5474**

**095E11M:PARTY-YOU HI OTD**

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22030

Question Number(s): 5E11M

Now think about the parties you went to in the last 12 months.  
How often . . .

M: . . . Did you get high on other drugs?

- Study 28401 -

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1362	57.4 %	89.4%
2	SELDOM:(2)	72	3.0 %	4.7%
3	SOMETIME:(3)	46	1.9 %	3.0%
4	MST TIME:(4)	21	0.9 %	1.4%
5	ALWAYS:(5)	23	1.0 %	1.5%
-9 (M)	MISSING:(-9)	847	35.7 %	-

Based upon 1524 valid cases out of 2371 total cases.

**V5475 095E11N:PARTY-PRESS OTDG**

Location: 618-619 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22040

Question Number(s): 5E11N

Now think about the parties you went to in the last 12 months.  
How often . . .

N: . . . Did you feel pressure to use other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1401	59.1 %	92.2%
2	SELDOM:(2)	50	2.1 %	3.3%
3	SOMETIME:(3)	37	1.6 %	2.4%
4	MST TIME:(4)	12	0.5 %	0.8%
5	ALWAYS:(5)	20	0.8 %	1.3%
-9 (M)	MISSING:(-9)	851	35.9 %	-

Based upon 1520 valid cases out of 2371 total cases.

**V5476 095E12A:PRFR PTY-PPL >30**

Location: 620-621 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22050

- Study 28401 -

Question Number(s): 5E12A

Now think about how you would LIKE parties to be. At the parties you go to, how often . . .

A: . . . Would you like people over age 30 to be present at least some of the time?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1067	45.0 %	53.3%
2	SELDOM:(2)	413	17.4 %	20.6%
3	SOMETIME:(3)	339	14.3 %	16.9%
4	MST TIME:(4)	100	4.2 %	5.0%
5	ALWAYS:(5)	83	3.5 %	4.1%
-9 (M)	MISSING:(-9)	369	15.6 %	-

Based upon 2002 valid cases out of 2371 total cases.

**V5477**

**095E12B:PRF PTY-U HI ALC**

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22060

Question Number(s): 5E12B

At the parties you go to, how often . . .

B: . . . Would you like to get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	907	38.3 %	45.5%
2	SELDOM:(2)	260	11.0 %	13.0%
3	SOMETIME:(3)	396	16.7 %	19.9%
4	MST TIME:(4)	222	9.4 %	11.1%
5	ALWAYS:(5)	208	8.8 %	10.4%
-9 (M)	MISSING:(-9)	378	15.9 %	-

Based upon 1993 valid cases out of 2371 total cases.

**V5478**

**095E12C:PR PTY-OTH HI AL**

Location: 624-625 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22070

Question Number(s): 5E12C

At the parties you go to, how often . . .

C: . . . Would you like other people to get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	876	36.9 %	44.0%
2	SELDOM:(2)	256	10.8 %	12.9%
3	SOMETIME:(3)	433	18.3 %	21.8%
4	MST TIME:(4)	237	10.0 %	11.9%
5	ALWAYS:(5)	188	7.9 %	9.4%
-9 (M)	MISSING:(-9)	381	16.1 %	-

Based upon 1990 valid cases out of 2371 total cases.

**V5479**

**095E12D:PRF PTY-U USE MJ**

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22080

Question Number(s): 5E12D

At the parties you go to, how often . . .

D: . . . Would you like to use marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1415	59.7 %	71.1%
2	SELDOM:(2)	172	7.3 %	8.6%
3	SOMETIME:(3)	178	7.5 %	8.9%
4	MST TIME:(4)	94	4.0 %	4.7%
5	ALWAYS:(5)	130	5.5 %	6.5%
-9 (M)	MISSING:(-9)	382	16.1 %	-

Based upon 1989 valid cases out of 2371 total cases.



- Study 28401 -

**V5480 095E12E:PR PTY-OT USE MJ**

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22090

Question Number(s): 5E12E

At the parties you go to, how often . . .

E: . . . Would you like other people to use marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1345	56.7 %	67.6%
2	SELDOM:(2)	207	8.7 %	10.4%
3	SOMETIME:(3)	239	10.1 %	12.0%
4	MST TIME:(4)	92	3.9 %	4.6%
5	ALWAYS:(5)	106	4.5 %	5.3%
-9 (M)	MISSING:(-9)	382	16.1 %	-

Based upon 1989 valid cases out of 2371 total cases.

**V5481 095E12F:PR PTY-U USE OTD**

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22100

Question Number(s): 5E12F

At the parties you go to, how often . . .

F: . . . Would you like to use other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1771	74.7 %	89.3%
2	SELDOM:(2)	82	3.5 %	4.1%
3	SOMETIME:(3)	73	3.1 %	3.7%
4	MST TIME:(4)	28	1.2 %	1.4%
5	ALWAYS:(5)	30	1.3 %	1.5%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	387	16.3 %	-

Based upon 1984 valid cases out of 2371 total cases.

**V5482** **095E12G:PR PTY-OT USE OT**

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22110

Question Number(s): 5E12G

At the parties you go to, how often . . .

G: . . . Would you like other people to use other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1747	73.7 %	88.3%
2	SELDOM:(2)	96	4.0 %	4.9%
3	SOMETIME:(3)	77	3.2 %	3.9%
4	MST TIME:(4)	26	1.1 %	1.3%
5	ALWAYS:(5)	32	1.3 %	1.6%
-9 (M)	MISSING:(-9)	393	16.6 %	-

Based upon 1978 valid cases out of 2371 total cases.

**V5533** **095E13A:SPORT/12M NONE**

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31500

Question Number(s): 5E13A

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

A: None

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1371	57.8 %	69.5%
1	MARKED:(1)	601	25.3 %	30.5%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5534 095E13B:SPORT/12M BASEBL**

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31510

Question Number(s): 5E13B

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

B: Baseball/Softball

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1689	71.2 %	85.6%
1	MARKED:(1)	283	11.9 %	14.4%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5535 095E13C:SPORT/12M BSKTBL**

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31520

Question Number(s): 5E13C

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

C: Basketball

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1576	66.5 %	79.9%
1	MARKED:(1)	396	16.7 %	20.1%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5536 095E13D:SPORT/12M XCNTY**

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31530

Question Number(s): 5E13D

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

D: Cross country

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1878	79.2 %	95.2%
1	MARKED:(1)	94	4.0 %	4.8%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5537 095E13E:SPORT/12M FLDHKY**

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31540

Question Number(s): 5E13E

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

E: Field hockey

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1951	82.3 %	98.9%
1	MARKED:(1)	21	0.9 %	1.1%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5538 095E13F:SPORT/12M FOOTBL**

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31550

Question Number(s): 5E13F

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

F: Football

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1670	70.4 %	84.7%
1	MARKED:(1)	302	12.7 %	15.3%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5539 095E13G:SPORT/12M GYMNST**

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31560

Question Number(s): 5E13G

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

G: Gymnastics

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1932	81.5 %	98.0%
1	MARKED:(1)	40	1.7 %	2.0%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5540 095E13H:SPORT/12M ICEHKY**

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31570

Question Number(s): 5E13H

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

H: Ice hockey

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1926	81.2 %	97.7%
1	MARKED:(1)	46	1.9 %	2.3%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5541 095E13I:SPORT/12M LCRESSE**

Location: 650-651 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31580

Question Number(s): 5E13I

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

I: Lacrosse

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1927	81.3 %	97.7%
1	MARKED:(1)	45	1.9 %	2.3%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5542 095E13J:SPORT/12M SWIM**

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31590

Question Number(s): 5E13J

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

J: Swimming/Diving

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1791	75.5 %	90.8%
1	MARKED:(1)	181	7.6 %	9.2%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5543 095E13K:SPORT/12M SOCCER**

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31600

Question Number(s): 5E13K

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

K: Soccer

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1717	72.4 %	87.1%
1	MARKED:(1)	255	10.8 %	12.9%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5544 095E13L:SPORT/12M TENNIS**

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31610

Question Number(s): 5E13L

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

L: Tennis

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1822	76.8 %	92.4%
1	MARKED:(1)	150	6.3 %	7.6%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5545 095E13M:SPORT/12M TRACK**

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31620

Question Number(s): 5E13M

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

M: Track & Field

0="UNMARKED" 1="MARKED"



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1737	73.3 %	88.1%
1	MARKED:(1)	235	9.9 %	11.9%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5546** **095E13N:SPORT/12M VLLYBL**

Location: 660-661 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31630

Question Number(s): 5E13N

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

N: Volleyball

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1794	75.7 %	91.0%
1	MARKED:(1)	178	7.5 %	9.0%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5547** **095E13O:SPORT/12M WTLIFT**

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31640

Question Number(s): 5E13O

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

O: Weight lifting

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1725	72.8 %	87.5%
1	MARKED:(1)	247	10.4 %	12.5%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5548 095E13P:SPORT/12M WRESTL**

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31650

Question Number(s): 5E13P

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

P: Wrestling

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1894	79.9 %	96.0%
1	MARKED:(1)	78	3.3 %	4.0%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.

**V5549 095E13Q:SPORT/12M OTHER**

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31660

Question Number(s): 5E13Q

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

Q: Other

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1480	62.4 %	75.1%
1	MARKED:(1)	492	20.8 %	24.9%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1972 valid cases out of 2371 total cases.



## **APPENDIX**



## **Appendix A: Publications**

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.





## Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82

\* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.