

ICPSR 37416

**Monitoring the Future: A  
Continuing Study of American  
Youth (12th-Grade Survey), 2018**

ICPSR Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2018**

Richard A. Miech

*University of Michigan. Institute for Social Research. Survey Research Center*

Lloyd D. Johnston

*University of Michigan. Institute for Social Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social Research. Survey Research Center*

## **Terms of Use**

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37416/terms>

## **Information about Copyrighted Content**

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE  
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

**ICPSR PROCESSING NOTES FOR 37416**  
*Monitoring the Future: A Continuing Study of American Youth  
(12th-Grade Survey), 2018*

1. **Sequential Record Identifier:** ICPSR created a unique sequential record identifier variable named **CASEID**.

## INTRODUCTION

### DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2018 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, John Schulenberg, and Richard A. Miech, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

### DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort—between 9 and 20 percent—though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency, tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions that drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

## SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

**STAGE 1: GEOGRAPHIC AREAS.** The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

**STAGE 2: SCHOOLS.** In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

**STAGE 3: STUDENTS.** Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

**SCHOOL RECRUITING PROCEDURES.** Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

**ADVANCE CONTACT WITH TEACHERS AND STUDENTS.** The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

**QUESTIONNAIRE ADMINISTRATION.** The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

**PROCEDURES FOR PROTECTING CONFIDENTIALITY.** In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

## **CONTENT AREAS AND QUESTIONNAIRE DESIGN**

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

## **MEASUREMENT CONTENT AREAS**

---

---

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

- regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
  - C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
  - D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
  - E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
  - F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
  - G. RELIGION. Religious affiliation, practices, and views.
  - H. POLITICS. Political affiliation, activities, and views.
  - I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
  - J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
  - K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
  - L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
  - M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
  - N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
  - O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
  - P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
  - Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
  - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
  - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
  - T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.
- 
-

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

## **REPRESENTATIVENESS AND VALIDITY**

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

**SCHOOL PARTICIPATION.** As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

**STUDENT PARTICIPATION.** Completed questionnaires are obtained from three-fourths to four-fifths of all 12<sup>th</sup> graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

**VALIDITY OF SELF-REPORT DATA.** Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

**ACCURACY OF THE SAMPLE.** A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

**CONSISTENCY AND THE MEASUREMENT OF TRENDS.** One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

**INTERPRETING RACIAL DIFFERENCES.** Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

**DIFFERENTIAL REPRESENTATION.** Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

**DIFFERENTIAL RESPONSE TENDENCIES.** In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

**COVARIANCE WITH OTHER FACTORS.** Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

## WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable ARCHIVE\_WT (previously V5) as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

## FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2018 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ASCII text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	184	385	14,502
2	Form 1	607	1,230	2,437
3	Form 2	328	672	2,402
4	Form 3	388	792	2,416
5	Form 4	259	534	2,407
6	Form 5	322	660	2,416
7	Form 6	325	666	2,424

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

## ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (ARCHIVE\_WT) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

**Omitted Variables:**

Beginning in 1997, a select group of questions were excluded from some schools in the Western region, rendering those schools potentially identifiable. Thus, these variables were intentionally changed to missing data (coded -9) from all schools in the Western region of the contiguous United States.

Data set	Item Number	Variable Label	Notes
All datasets	00010	R'S BIRTH YEAR	Please see section on RECODED VARIABLES
	00020	R'S BIRTH MONTH	AGE <> 18 DICHOTOMY
	00041	BY R'S RACE BLACK	
	00042	BY R'S RACE CHICANO	
	00043	BY R'S RACE CUBAN	
	00044	BY R'S RACE PUERTO	Please see section on RECODED VARIABLES
	00045	BY R'S RACE OTH HIS	
	00046	BY R'S RACE ASIAN	
	00047	BY R'S RACE WHITE	R'S RACE B/W/H
	00048	BY R'S RACE IND/AK	
	00049	BY R'S RACE HI/OTPI	
	00075	# OLDER BR/SIS	Please see section on RECODED VARIABLES
	00076	# YOUNGER BR/SIS	R'S # SIBLINGS
	00080	R'S HSHLD ALONE	
	00120	R'S HSHLD GRPRNT	
	00130	R'S HSHLD SPOUSE	Please see section on RECODED VARIABLES
	00140	R'S HSHLD CHLDRN	
	00150	R'S HSHLD RELTVS	R'S HSHLD FATHER, MOTHER, SIBLING
	00160	R'S HSHLD NONRLT	
	34810	R'S HSHLD OTHER	
	00360	R'S RELGS PRFNC	
Form 1	22155	CURRENT HEIGHT 3	
	22165	CURRENT WEIGHT 3	
Form 2	25880	ARRSTD&TKN 2 POL	Not available in the public use data
Form 5	22155	CURRENT HEIGHT 3	
	22165	CURRENT WEIGHT 3	

## RECODED VARIABLES:

### Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9>All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

### Core dataset (Part B)

\*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

\*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

**Form 6**

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

**Missing Data for Western Region:**

Beginning in 1997, a select group of questions were excluded from some schools in the Western region, rendering those schools potentially identifiable. Thus, these variables were intentionally changed to missing data (coded -9) from all schools in the Western region of the contiguous United States.

Data set	Item Number	Variable Label
All datasets	00370	R'ATTND REL SVC
	00380	RLGN IMP R'S LF
Form 2	06520	FRQ FIGHT PARNTS
Form 4	10470	FEW GD MAR, ? IT
	10480	GD LIV TG BF MRG
	10490	1 PRTNR=RSTRCTVE
Form 5	10060	FAM BUYS THG -ND
	12150	FULLR LVS IF MRY
	12190	HSB MAK IMP DCSN
Form 6	25180	#X PRNT CHK HMWK
	25190	#X PRNT HLP HMWK
	25200	#X PRNT GV CHORE
	25210	#X PRNT LIMIT TV
	25220	#X PRNT LMT OUT

**OF SPECIAL NOTE:** For researchers who wish to incorporate these variables in their work and would like to use all available data for the Western region, these variables are now accessible through restricted access from NAHDAP. Please see [Monitoring the Future \(MTF\) Restricted-Use CrossSectional Datasets](#) for details.

## **QUESTIONNAIRE FORM 1 PROCESSING**

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

## **REVISED QUESTION TEXT FOR THE CORE DATASET**

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

## Index of Core Drug Variables by Substance Category

Substance Category	Page #	Combined Form Dataset Variable Number	Item Reference Number	Variable Label	Question Number					
					Form 1	Form 2	Form 3	Form 4	Form 5	Form 6
Tobacco	51	V2101	00760	EVR SMK CIG, REGL	1B001	2B01	3B01	4B01	5B01	6B01
	52	V2102	00780	#CIGS SMKD/30DAY	1B002	2B02	3B02	4B02	5B02	6B02
	52	V2546	33710	#X E-CIG/30DAY						6B16
	53	V2547	33720	#X LRG CIGAR/30DAY						
	54	V2548	33730	#X FLAV SML CIGAR/30DAY						
	54	V2549	33740	#X REG SML CIGAR/30DAY						
	55	V2564	34050	#X TOB HOOKAH/30DA						
	55	V2566	34230	EVER VAPE	1B100					
	56	V2567	34240	#X VAPE NIC/LIFETIM	1B102A	2B22A				
	56	V2568	34250	#X VAPE NIC/LST12M	1B102B	2B22B				
	57	V2569	34260	#X VAPE NIC/LAST30D	1B102C	2B22C				
	58	V2570	34270	#X VAPE MJ/LIFETIME	1B103A	2B23A				
	58	V2571	34280	#X VAPE MJ/LAST12M	1B103B	2B23B				
	59	V2572	34290	#X VAPE MJ/LAST03D	1B103C	2B23C				
	60	V2573	34300	#X VAPE FLAV/LIFE	1B104A	2B24A				
	60	V2574	34310	#X VAPE FLAV/LS12M	1B104B	2B24B				
	61	V2575	34320	#X VAPE FLAV/LS30D	1B104C	2B24C				
	62	V2576	34390	#X DAYS SMKLS/30D					5E12E	
	62	V2930	34370	#X DAYS VAPE NIC/30					5E12G	
Alcohol	63	V2103	00790	EVER DRINK					5B03	6B19
	63	V2104	00810	#X DRNK/LIFETIME	1B010A	2B03	3B03	4B03	5B04A	6B20A
	64	V2105	00820	#X DRNK/LAST12M	1B010B	2B04A	3B04A	4B04A	5B04B	6B20B
	65	V2106	00830	#X DRNK/LAST30D	1B010C	2B04B	3B04B	4B04B	5B04C	6B20C
	65	V2107	00840	#X DRK ENF FL HI		2B05	3B05	4B05	5B05	6B21
	66	V2108	00850	5+ DRK ROW/LST 2W	1B016	2B06	3B06	4B06	5B06	6B22
	66	V2020	25020	#X DRUNK/LIFETIM	1B021A					6D08A
	67	V2021	25030	#X DRUNK/LAST12M	1B021B					6D08B
	68	V2022	25040	#X DRUNK/LAST30D	1B021C					6D08C
	68	V2009	32690	#X ALC BVRG W-CAFF/12MO					5E11H	6D17O
	69	V2929	34040	#X PWD ALCOHOL/12MO					5E11I	6D17P
Marijuana / Hashish	70	V2115	00860	#XMJ+HS/LIFETIME					5B07A	6B25A
	70	V2116	00870	#XMJ+HS/LAST12MO	2B07A	3B07A	4B07A	5B07B	6B25B	
	71	V2117	00880	#XMJ+HS/LAST30DA	2B07B	3B07B	4B07B	5B07C	6B25C	
	72	V2927	33980	#X HASH/OIL/12MO	2B07C	3B07C	4B07C	5B07C	5E11J	6D17N
	72	V2003	32700	#X SYNTHETIC MJ/12MO		3D03J				6D17K
Hallucinogens	73	V2118	00890	#X LSD/LIFETIME	1B042A	2B09A	3B08A	4B08A	5B08A	
	74	V2119	00900	#X LSD/LAST 12M	1B042B	2B09B	3B08B	4B08B	5B08B	
	74	V2120	00910	#X LSD/LAST 30D	1B042C	2B09C	3B08C	4B08C	5B08C	
	75	V2121	00920	#X PSYD/LIFETIM	1B043A	2B10A	3B09A	4B09A	5B09A	
	76	V2122	00930	#X PSYD/LAST12M	1B043B	2B10B	3B09B	4B09B	5B09B	
	76	V2123	00940	#X PSYD/LAST30D	1B043C	2B10C	3B09C	4B09C	5B09C	
	77	V2032	22660	#X MDMA/LIFETIME			3B18A	4B18A		6B27A
	78	V2033	22670	#X MDMA/LAST12MO			3B18B	4B18B		6B27B
	78	V2034	22680	#X MDMA/LAST30DA			3B18C	4B18C		6B27C
	79	V2305	32500	#X SALVIA/12MO						6D17J
Cocaine / Crack	80	V2124	00950	#X COKE/LIFETIME		2B11A			5B10A	
	80	V2125	00960	#X COKE/LAST12MO		2B11B			5B10B	
	81	V2126	00970	#X COKE/LAST30DA		2B11C			5B10C	
	82	V2459	22260	#X CRACK/LIFETIM	1B075A	2E02A	3B11A	4B11A	5E08A	6B29A
	82	V2460	22270	#X CRACK/LAST12M	1B075B	2E02B	3B11B	4B11B	5E08B	6B29B
	83	V2461	22280	#X CRACK/LAST30D	1B075C	2E02C	3B11C	4B11C	5E08C	6B29C
	84	V2042	22320	#XOTH COKE/LIFE	1B076A		3B12A	4B12A		6B30A
	84	V2043	22330	#XOTH COKE/12MO	1B076B		3B12B	4B12B		6B30B
	85	V2044	22340	#XOTH COKE/30DA	1B076C		3B12C	4B12C		6B30C

Substance Category		Combined Form Dataset Variable Number	Item Reference Number	Variable Label	Question Number					
					Form 1	Form 2	Form 3	Form 4	Form 5	Form 6
Amphetamines / Methamphetamines	86	V2127	00980	#X AMPH/LIFETIM	1B050A 1B050B 1B050C	2B12A	3B10A	4B10A	5B11A	6B28A
	86	V2128	00990	#X AMPH/LAST12M		2B12B	3B10B	4B10B	5B11B	6B28B
	87	V2129	01000	#X AMPH/LAST30D		2B12C	3B10C	4B10C	5B11C	6B28C
	88	V2029	30800	#X METHAMPH/LIFE				4B17A		6B35A
	89	V2030	30810	#X METHAMPH/12MO				4B17B		6B36B
	89	V2031	30820	#X METHAMPH/30DA				4B17C		6B36C
	90	V2909	31180	#X RITALIN/12MO			3D03C			6D17D
	91	V2307	32450	#X ADDERALL/12MO			3D03D			6D17E
	91	V2922	32730	#X BATH SALTS/12MO			3D03K			6D17M
Sedatives	92	V2133	01042	#X SED/BARB/LIFE	1B061A 1B061B 1B061C	2B14A	3B13A	4B13A	5B13A	6B31A
	93	V2134	01052	#X SED/BARB/12MO		2B14B	3B13B	4B13B	5B13B	6B31B
	93	V2135	01062	#X SED/BARB/30DA		2B14C	3B13C	4B13C	5B13C	6B31C
	94	V2912	31060	#X KETAMINE/12M					5E11A	6D17B
Tranquilizers	95	V2136	01070	#X TRQL/LIFETIME	1B065A 1B065B 1B065C	2B15A	3B14A	4B14A	5B14A	6B32A
	95	V2137	01080	#X TRQL/LAST12M		2B15B	3B14B	4B14B	5B14B	6B32B
	96	V2138	01090	#X TRQL/LAST30D		2B15C	3B14C	4B14C	5B14C	6B32C
Heroin	97	V2139	01100	#X H/LIFETIME	1B085A 1B085B 1B085C		3B15A	4B15A		
	98	V2140	01110	#X H/LAST 12MO			3B15B	4B15B		
	98	V2141	01120	#X H/LAST 30DAY			3B15C	4B15C		
	99	V2510	29630	#X H LIF USE NDL		2B16A			5B15A	6B33A
	100	V2511	29640	#X H 12M USE NDL		2B16B			5B15B	6B33B
	100	V2512	29650	#X H 30D USE NDL		2B16C			5B15C	6B33C
	101	V2513	29660	#X H LIF W/O NDL		2B17A			5B16A	6B34A
	102	V2514	29670	#X H 12M W/O NDL		2B17B			5B16B	6B34B
	102	V2515	29680	#X H 30D W/O NDL		2B17C			5B16C	6B34C
Other Narcotics	103	V2142	01130	#X NARC/LIFETIME	1B087A 1B087B 1B087C	2B18A	3B16A	4B16A	5B17A	6B35A
	104	V2143	01140	#X NARC/LAST12M		2B18B	3B16B	4B16B	5B17B	6B35B
	104	V2144	01150	#X NARC/LAST30D		2B18C	3B16C	4B16C	5B17C	6B35C
	105	V2907	31310	#X OXYCONTN/12MO			3D03F		5E11C	6D17F
	106	V2908	31320	#X VICODIN/12MO			3D03G		5E11D	6D17G
	106	V2920	31670	#X COUGHMED/12MO			3D03E		5E11E	6D17I
Inhalants	107	V2145	01160	#X INHL/LIFETIME		2B19A	3B17A		5B18A	
	108	V2146	01170	#X INHL/LAST12MO		2B19B	3B17B		5B18B	
	108	V2147	01180	#X INHL/LAST30DA		2B19C	3B17C		5B18C	
Steroids / Body Building	109	V2493	22690	#X STRD/LIFETIME		2E03A			5E09A	6D09A
	110	V2494	22700	#X STRD/LAST12MO		2E03B			5E09B	6D09B
	110	V2495	22710	#X STRD/LAST30DA		2E03C			5E09C	6D09C
	111	V2918	31160	#X ANDRO/12MO			3D03A			6D17C
	112	V2919	31170	#X CREATINE/12MO			3D03B			

## ICPSR 37416

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2018

## Core Data Variable Description and Frequencies

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## Core Data

---

### CASEID: CASE IDENTIFICATION NUMBER

Based upon 14,502 valid cases out of 14,502 total cases.

*Location:* 1-5 (width: 5; decimal: 0)

*Variable Type:* numeric

---

### RESPONDENT\_ID: R'S ID-SERIAL #

Based upon 14,502 valid cases out of 14,502 total cases.

*Location:* 6-10 (width: 5; decimal: 0)

*Variable Type:* numeric

---

### V1: BY18 80001 YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2018	-	14502	100.0 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 14,502 valid cases out of 14,502 total cases.

*Location:* 11-14 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V3: BY18 80003 FORM ID

Value	Label	Unweighted Frequency	%
1	-	2437	16.8 %
2	-	2402	16.6 %
3	-	2416	16.7 %
4	-	2407	16.6 %
5	-	2416	16.7 %
6	-	2424	16.7 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 14,502 valid cases out of 14,502 total cases.

*Location:* 15-15 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### ARCHIVE\_WT: ARCHIVE WEIGHT

Based upon 14,502 valid cases out of 14,502 total cases.

*Location:* 16-30 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### V13: BY18 80013 SCHL RGN-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	2817	19.4 %
2	NORTH CENTRAL:(2)	3146	21.7 %
3	SOUTH:(3)	5498	37.9 %
4	WEST:(4)	3041	21.0 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 14,502 valid cases out of 14,502 total cases.

*Location:* 31-31 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	8626	59.5 %
1	LARGE MSA:(1)	5876	40.5 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 14,502 valid cases out of 14,502 total cases.

*Location:* 32-32 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## V17: BY18 80017 SMSA/NON-SMSA=0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Non MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	2574	17.7 %
1	MSA:(1)	11928	82.3 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 14,502 valid cases out of 14,502 total cases.

*Location:* 33-33 (width: 1; decimal: 0)

*Variable Type:* numeric

## RESPONDENT\_AGE: 181C01(R):AGE <>18 DICHOTOMY

Item Number: 00010-00020

Component questions: 1) "In what year were you born?" (item 00010), 2) "In what month were you born?" (item 00020), and 3) Date of questionnaire administration as recorded by interviewer.

1="under 18 years old" 2="18 years of age and over"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	5862	40.4 %
2	18+ YRS:(2)	7595	52.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1045	7.2 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,457 valid cases out of 14,502 total cases.

*Location:* 34-35 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2150: BY18 00030 R'S SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	6080	41.9 %
2	FEMALE:(2)	6652	45.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1770	12.2 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,732 valid cases out of 14,502 total cases.

*Location:* 36-37 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2151: 181C04(R):Rs RACE B/W/H

Item Number: 00041-00049

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.

1="Black or African American" 2="White (Caucasian)" 3="Hispanic [see above]".

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	1292	8.9 %
2	WHITE:(2)	6835	47.1 %
3	HISPANIC:(3)	2999	20.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	3376	23.3 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 11,126 valid cases out of 14,502 total cases.

*Location:* 38-39 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2152: BY18 00050 R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000- 100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a

large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed; and nonresponse"

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	2309	15.9 %
1	A FARM:(1)	463	3.2 %
2	COUNTRY:(2)	1251	8.6 %
3	SM CITY:(3)	3620	25.0 %
4	MED CITY:(4)	1830	12.6 %
5	SUB MED:(5)	1672	11.5 %
6	LGE CITY:(6)	1244	8.6 %
7	SUB LGE:(7)	896	6.2 %
8	V-LGE CITY:(8)	737	5.1 %
9	SUB V-LGE:(9)	480	3.3 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 14,502 valid cases out of 14,502 total cases.

*Location:* 40-41 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2153: BY18 00060 R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	648	4.5 %
2	ENGAGED:(2)	282	1.9 %
3	SEP/DIV:(3)	282	1.9 %
4	SINGLE:(4)	12086	83.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1204	8.3 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,298 valid cases out of 14,502 total cases.

*Location:* 42-43 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V49: 181C07(R):# SIBLINGS

Item Number: 00075-00076

How many brothers and sisters do you have?

(Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters [item 00075] b) Younger brothers and sisters [item 00076]

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

[For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more brothers or sisters".]

Value	Label	Unweighted Frequency	%
0	NONE:(0)	957	6.6 %
1	ONE:(1)	3730	25.7 %
2	TWO:(2)	3516	24.2 %
3	THREE+:(3-4)	5180	35.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1119	7.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,383 valid cases out of 14,502 total cases.

*Location:* 44-45 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2155: BY18 00090 R'S HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	3922	27.0 %
1	MARKED:(1)	9453	65.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1127	7.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,375 valid cases out of 14,502 total cases.

*Location:* 46-47 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2156: BY18 00100 R'S HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1502	10.4 %
1	MARKED:(1)	11873	81.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1127	7.8 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,375 valid cases out of 14,502 total cases.

*Location:* 48-49 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2157: BY18 00110 R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

[Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.]

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	4301	29.7 %
1	MARKED:(1)	9074	62.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1127	7.8 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,375 valid cases out of 14,502 total cases.

*Location:* 50-51 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2577: BY18 34810 R'S HSHLD OTHER

Item Number: 34810

Which of the following people live in the same household with you? (Mark all that apply.)

Other, specify \_\_\_\_\_

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	12528	86.4 %
1	MARKED:(1)	847	5.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1127	7.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,375 valid cases out of 14,502 total cases.

*Location:* 52-53 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2163: BY18 00310 FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	760	5.2 %
2	SOME HS:(2)	1561	10.8 %
3	HS GRAD:(3)	3199	22.1 %
4	SOME CLG:(4)	2043	14.1 %

Value	Label	Unweighted Frequency	%
5	CLG GRAD:(5)	2735	18.9 %
6	GRAD SCH:(6)	1691	11.7 %
7	DK:(7)	1382	9.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1131	7.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,371 valid cases out of 14,502 total cases.

*Location:* 54-55 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2164: BY18 00320 MOTH EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	699	4.8 %
2	SOME HS:(2)	1129	7.8 %
3	HS GRAD:(3)	2591	17.9 %
4	SOME CLG:(4)	2382	16.4 %
5	CLG GRAD:(5)	3777	26.0 %
6	GRAD SCH:(6)	2065	14.2 %
7	DK:(7)	716	4.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1143	7.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,359 valid cases out of 14,502 total cases.

*Location:* 56-57 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2165: BY18 00330 MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1994	13.7 %
2	YES/SOME:(2)	2516	17.3 %
3	YES/MOST:(3)	2321	16.0 %
4	YES/NRLY ALL:(4)	6434	44.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1237	8.5 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,265 valid cases out of 14,502 total cases.

*Location:* 58-59 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2166: BY18 00340 R'S POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	1283	8.8 %
2	MILD GOP:(2)	1481	10.2 %
3	MILD DEM:(3)	1642	11.3 %
4	STRG DEM:(4)	1665	11.5 %
5	INDEPNNDT:(5)	1389	9.6 %
6	NO PREF:(6)	1916	13.2 %
7	OTHER:(7)	252	1.7 %
8	DK/HVNT DECID:(8)	3161	21.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1713	11.8 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,789 valid cases out of 14,502 total cases.

*Location:* 60-61 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2167: BY18 00350 R'POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	739	5.1 %
2	CONSERV:(2)	1505	10.4 %
3	MODERATE:(3)	2866	19.8 %
4	LIBERAL:(4)	2128	14.7 %
5	VRY LIB:(5)	830	5.7 %
6	RADICAL:(6)	125	0.9 %
8	NONE/DK:(8)	5006	34.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1303	9.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,199 valid cases out of 14,502 total cases.

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2169: BY18 00370 R'ATTND REL SVC

Item Number: 00370

The next three questions are about religion.

B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2780	19.2 %
2	RARELY:(2)	3524	24.3 %
3	1-2X/MO:(3)	1599	11.0 %

Value	Label	Unweighted Frequency	%
4	1/WK OR+:(4)	2438	16.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	4161	28.7 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 10,341 valid cases out of 14,502 total cases.

*Location:* 64-65 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2170: BY18 00380 RLGN IMP R'S LF

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	2920	20.1 %
2	LITL IMP:(2)	2527	17.4 %
3	PRTY IMP:(3)	2481	17.1 %
4	VERY IMP:(4)	2400	16.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	4174	28.8 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 10,328 valid cases out of 14,502 total cases.

*Location:* 66-67 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2171: BY18 00390 WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January" 6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	12936	89.2 %
2	JUL-JAN:(2)	137	0.9 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	112	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1317	9.1 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,185 valid cases out of 14,502 total cases.

*Location:* 68-69 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2172: BY18 00400 R'S HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	6727	46.4 %
2	GENERAL:(2)	4416	30.5 %
3	VOC-TECH:(3)	415	2.9 %
4	OTH/DK:(4)	1498	10.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1446	10.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,056 valid cases out of 14,502 total cases.

*Location:* 70-71 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2173: BY18 00410 RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above

Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	285	2.0 %
2	BELOW AVG:(2)	348	2.4 %
3	SLIGHT BELOW:(3)	714	4.9 %
4	AVERAGE:(4)	4363	30.1 %
5	SLIGHT ABOVE:(5)	3153	21.7 %
6	ABOVE AVG:(6)	3262	22.5 %
7	FAR ABOVE:(7)	854	5.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1523	10.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,979 valid cases out of 14,502 total cases.

*Location:* 72-73 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2174: BY18 00420 RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	274	1.9 %
2	BELOW AVG:(2)	271	1.9 %
3	SLIGHT BELOW:(3)	779	5.4 %
4	AVERAGE:(4)	4071	28.1 %
5	SLIGHT ABOVE:(5)	3272	22.6 %
6	ABOVE AVG:(6)	3315	22.9 %
7	FAR ABOVE:(7)	1021	7.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1499	10.3 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,003 valid cases out of 14,502 total cases.

*Location:* 74-75 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2175: BY18 00430 #DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	7298	50.3 %
2	1 DAY:(2)	2128	14.7 %
3	2 DAYS:(3)	1411	9.7 %
4	3 DAYS:(4)	906	6.2 %
5	4-5 DAYS:(5)	627	4.3 %
6	6-10 DA:(6)	264	1.8 %
7	11+ DAYS:(7)	140	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1728	11.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,774 valid cases out of 14,502 total cases.

*Location:* 76-77 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2176: BY18 00440 #DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	8902	61.4 %
2	1 DAY:(2)	1697	11.7 %
3	2 DAYS:(3)	781	5.4 %
4	3 DAYS:(4)	503	3.5 %

Value	Label	Unweighted Frequency	%
5	4-5 DAYS:(5)	330	2.3 %
6	6-10 DA:(6)	148	1.0 %
7	11+ DAYS:(7)	151	1.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1990	13.7 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,512 valid cases out of 14,502 total cases.

*Location:* 78-79 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2177: BY18 00450 #DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	7105	49.0 %
2	1 DAY:(2)	2359	16.3 %
3	2 DAYS:(3)	1378	9.5 %
4	3 DAYS:(4)	819	5.6 %
5	4-5 DAYS:(5)	574	4.0 %
6	6-10 DA:(6)	205	1.4 %
7	11+ DAYS:(7)	196	1.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1866	12.9 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,636 valid cases out of 14,502 total cases.

*Location:* 80-81 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2178: BY18 00460 #DA/4W SKP CLASS

Item Number: 00460

During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	10024	69.1 %
2	1-2:(2)	1823	12.6 %
3	3-5:(3)	716	4.9 %
4	6-10:(4)	274	1.9 %
5	11-20:(5)	81	0.6 %
6	21+:(6)	126	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1458	10.1 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,044 valid cases out of 14,502 total cases.

*Location:* 82-83 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2179: BY18 00470 R HS GRADE/D=1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	137	0.9 %
2	C-:(2)	215	1.5 %
3	C:(3)	448	3.1 %
4	C+:(4)	931	6.4 %
5	B-:(5)	1345	9.3 %
6	B:(6)	1985	13.7 %
7	B+:(7)	2435	16.8 %
8	A-:(8)	2763	19.1 %
9	A:(9)	2684	18.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1559	10.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,943 valid cases out of 14,502 total cases.

*Location:* 84-85 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2180: BY18 00480 R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	7241	49.9 %
2	PRB WONT:(2)	2908	20.1 %
3	PRB WILL:(3)	1450	10.0 %
4	DEF WILL:(4)	763	5.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2140	14.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,362 valid cases out of 14,502 total cases.

*Location:* 86-87 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2182: BY18 00500 R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	4652	32.1 %
2	PRB WONT:(2)	2365	16.3 %
3	PRB WILL:(3)	2783	19.2 %
4	DEF WILL:(4)	2527	17.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	2175	15.0 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,327 valid cases out of 14,502 total cases.

*Location:* 88-89 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2183: BY18 00510 R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1154	8.0 %
2	PRB WONT:(2)	1084	7.5 %
3	PRB WILL:(3)	3013	20.8 %
4	DEF WILL:(4)	7388	50.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1863	12.8 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,639 valid cases out of 14,502 total cases.

*Location:* 90-91 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2184: BY18 00520 R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	2362	16.3 %
2	PRB WONT:(2)	3128	21.6 %
3	PRB WILL:(3)	3958	27.3 %
4	DEF WILL:(4)	2929	20.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2125	14.7 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,377 valid cases out of 14,502 total cases.

*Location:* 92-93 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2185: BY18 00530 R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	11073	76.4 %
1	MARKED:(1)	1630	11.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1799	12.4 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,703 valid cases out of 14,502 total cases.

*Location:* 94-95 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2187: BY18 00550 R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	9447	65.1 %
1	MARKED:(1)	3256	22.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1799	12.4 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,703 valid cases out of 14,502 total cases.

*Location:* 96-97 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2188: BY18 00560 R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	3000	20.7 %
1	MARKED:(1)	9703	66.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1799	12.4 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,703 valid cases out of 14,502 total cases.

*Location:* 98-99 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2189: BY18 00570 R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	5893	40.6 %
1	MARKED:(1)	6810	47.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1799	12.4 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,703 valid cases out of 14,502 total cases.

*Location:* 100-101 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2190: BY18 00580 R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	11746	81.0 %
1	MARKED:(1)	957	6.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1799	12.4 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,703 valid cases out of 14,502 total cases.

*Location:* 102-103 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2181: BY18 00490 R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	8148	56.2 %
2	PRB WONT:(2)	2630	18.1 %
3	PRB WILL:(3)	855	5.9 %
4	DEF WILL:(4)	599	4.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2270	15.7 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,232 valid cases out of 14,502 total cases.

*Location:* 104-105 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2186: BY18 00540 R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

B. Serve in the military (armed forces)

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	10887	75.1 %
1	MARKED:(1)	1816	12.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1799	12.4 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,703 valid cases out of 14,502 total cases.

*Location:* 106-107 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2205: BY18 00730 R'S BRANCH SERV

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

Value	Label	Unweighted Frequency	%
1	ARMY:(1)	107	0.7 %
2	NAVY:(2)	83	0.6 %
3	MARINES:(3)	84	0.6 %
4	AIR FORCE:(4)	85	0.6 %
5	COAST GUARD:(5)	14	0.1 %
6	UNCERTN:(6)	95	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	14034	96.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 468 valid cases out of 14,502 total cases.

*Location:* 108-109 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2206: BY18 00740 R XPCTS B OFFCR

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	113	0.8 %
2	UNCERTN:(2)	216	1.5 %
3	YES:(3)	150	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	14023	96.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 479 valid cases out of 14,502 total cases.

*Location:* 110-111 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2207: BY18 00750 R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	78	0.5 %
2	UNCERTN:(2)	227	1.6 %
3	YES:(3)	175	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	14022	96.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 480 valid cases out of 14,502 total cases.

*Location:* 112-113 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2191: BY18 00590 HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	5126	35.3 %
2	5 OR <:(2)	1174	8.1 %
3	6-10 HRS:(3)	1274	8.8 %
4	11-15 HR:(4)	1208	8.3 %
5	16-20 HR:(5)	1358	9.4 %
6	21-25 HR:(6)	1096	7.6 %
7	26-30 HR:(7)	747	5.2 %
8	30+ HRS:(8)	791	5.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1728	11.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,774 valid cases out of 14,502 total cases.

*Location:* 114-115 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2192: BY18 00600 R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	5350	36.9 %
2	\$1-5:(2)	83	0.6 %
3	\$6-10:(3)	372	2.6 %
4	\$11-20:(4)	390	2.7 %
5	\$21-35:(5)	343	2.4 %
6	\$36-50:(6)	455	3.1 %
7	\$51-75:(7)	692	4.8 %
8	\$76-125:(8)	1594	11.0 %
9	\$126-175:(9)	1279	8.8 %
10	\$176+:(10)	1959	13.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1985	13.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,517 valid cases out of 14,502 total cases.

*Location:* 116-117 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2193: BY18 00610 R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money do you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	6501	44.8 %
2	\$1-5:(2)	517	3.6 %
3	\$6-10:(3)	778	5.4 %
4	\$11-20:(4)	1554	10.7 %
5	\$21-35:(5)	876	6.0 %
6	\$36-50:(6)	688	4.7 %
7	\$51-75:(7)	336	2.3 %
8	\$76-125:(8)	309	2.1 %
9	\$126-175:(9)	124	0.9 %
10	\$176+:(10)	381	2.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2438	16.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,064 valid cases out of 14,502 total cases.

*Location:* 118-119 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2194: BY18 00620 #X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	2527	17.4 %
2	ONE:(2)	2520	17.4 %
3	TWO:(3)	3433	23.7 %
4	THREE:(4)	2509	17.3 %
5	4-5:(5)	1179	8.1 %
6	6-7:(6)	519	3.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1815	12.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,687 valid cases out of 14,502 total cases.

*Location:* 120-121 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2195: BY18 00630 #X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	6347	43.8 %
2	ONCE/MO:(2)	1543	10.6 %
3	2-3X MO:(3)	1417	9.8 %
4	ONCE WK:(4)	1561	10.8 %
5	2-3X WK:(5)	1321	9.1 %
6	3+ WEEK:(6)	533	3.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1780	12.3 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,722 valid cases out of 14,502 total cases.

*Location:* 122-123 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2196: BY18 00640 DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	3708	25.6 %
2	1-10 MI:(2)	1209	8.3 %
3	11-50:(3)	2813	19.4 %
4	51-100:(4)	2486	17.1 %
5	101-200:(5)	1540	10.6 %
6	> 200:(6)	992	6.8 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1754	12.1 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,748 valid cases out of 14,502 total cases.

*Location:* 124-125 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2197: BY18 00650 #X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	10696	73.8 %
1	ONCE:(1)	1196	8.2 %
2	TWICE:(2)	383	2.6 %
3	3 TIMES:(3)	122	0.8 %
4	4+ TIMES:(4)	84	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2021	13.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,481 valid cases out of 14,502 total cases.

*Location:* 126-127 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2198: BY18 00660 #TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1724	11.9 %
1	ONE:(1)	27	0.2 %
2	TWO:(2)	11	0.1 %
3	THREE+:(3-4)	7	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	12733	87.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 1,769 valid cases out of 14,502 total cases.

*Location:* 128-129 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2199: BY18 00670 #TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1675	11.6 %
1	ONE:(1)	61	0.4 %
2	TWO:(2)	20	0.1 %
3	THREE+:(3-4)	10	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	12736	87.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 1,766 valid cases out of 14,502 total cases.

*Location:* 130-131 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2200: BY18 00680 #TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1734	12.0 %
1	ONE:(1)	12	0.1 %
2	TWO:(2)	5	0.0 %
3	THREE+:(3-4)	6	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	12745	87.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 1,757 valid cases out of 14,502 total cases.

*Location:* 132-133 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2201: BY18 00690 #ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	10670	73.6 %
1	ONCE:(1)	1403	9.7 %
2	TWICE:(2)	255	1.8 %
3	3 TIMES:(3)	62	0.4 %
4	4+ TIMES:(4)	29	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2083	14.4 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,419 valid cases out of 14,502 total cases.

*Location:* 134-135 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2202: BY18 00700 #ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1704	11.8 %
1	ONE:(1)	27	0.2 %
2	TWO:(2)	7	0.0 %
3	THREE+:(3-4)	6	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	12758	88.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 1,744 valid cases out of 14,502 total cases.

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2203: BY18 00710 #ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1692	11.7 %
1	ONE:(1)	24	0.2 %
2	TWO:(2)	6	0.0 %
3	THREE+:(3-4)	9	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	12771	88.1 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 1,731 valid cases out of 14,502 total cases.

*Location:* 138-139 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2204: BY18 00720 #ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1711	11.8 %
1	ONE:(1)	6	0.0 %
2	TWO:(2)	7	0.0 %
3	THREE+:(3-4)	7	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	12771	88.1 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 1,731 valid cases out of 14,502 total cases.

*Location:* 140-141 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2101: BY18 00760 EVR SMK CIG,REGL

Item Number: 00760

Have you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	10439	72.0 %
2	1-2X:(2)	1819	12.5 %
3	OCCASONLY:(3)	778	5.4 %
4	REG PAST:(4)	345	2.4 %
5	REG NOW:(5)	299	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	822	5.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,680 valid cases out of 14,502 total cases.

*Location:* 142-143 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2102: BY18 00780 #CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [Includes respondents who marked category 1 on Q.B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	12639	87.2 %
2	<1 CIG/D:(2)	588	4.1 %
3	1-5/DAY:(3)	263	1.8 %
4	1/2 PK:(4)	97	0.7 %
5	1 PK:(5)	44	0.3 %
6	1 1/2 PK:(6)	11	0.1 %
7	2+ PKS:(7)	30	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	830	5.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,672 valid cases out of 14,502 total cases.

*Location:* 144-145 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2546: BY18 33710 #X E-CIG/30DAY

Item Number: 33710

During the LAST 30 DAYS, on how many occasions (if any) have you used electronic cigarettes (e-cigarettes)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1786	12.3 %
2	1-2 DAYS:(2)	140	1.0 %
3	3-5 DAYS:(3)	68	0.5 %
4	6-9 DAYS:(4)	45	0.3 %
5	10-19 DAYS:(5)	64	0.4 %
6	20-30 DAYS:(6)	181	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	12218	84.3 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 2,284 valid cases out of 14,502 total cases.

*Location:* 146-147 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2547: BY18 33720 #X LRG CIGAR/30DAY

Item Number: 33720

During the LAST 30 DAYS, on how many occasions (if any) have you smoked large cigars?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	3762	25.9 %
2	1-2 DAYS:(2)	141	1.0 %
3	3-5 DAYS:(3)	30	0.2 %
4	6-9 DAYS:(4)	17	0.1 %
5	10-19 DAYS:(5)	8	0.1 %
6	20-30 DAYS:(6)	18	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10526	72.6 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 3,976 valid cases out of 14,502 total cases.

*Location:* 148-149 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V2548: BY18 33730 #X FLVD SML CIGAR/30DAY

Item Number: 33730

During the LAST 30 DAYS, on how many occasions (if any) have you smoked flavored little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	3625	25.0 %
2	1-2 DAYS:(2)	189	1.3 %
3	3-5 DAYS:(3)	60	0.4 %
4	6-9 DAYS:(4)	36	0.2 %
5	10-19 DAYS:(5)	20	0.1 %
6	20-30 DAYS:(6)	34	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10538	72.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 3,964 valid cases out of 14,502 total cases.

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2549: BY18 33740 #X REG SML CIGAR/30DAY

Item Number: 33740

During the LAST 30 DAYS, on how many occasions (if any) have you smoked regular little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE: (1)	3732	25.7 %
2	1-2 DAYS: (2)	112	0.8 %
3	3-5 DAYS: (3)	38	0.3 %
4	6-9 DAYS: (4)	23	0.2 %
5	10-19 DAYS: (5)	15	0.1 %
6	20-30 DAYS: (6)	25	0.2 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	10557	72.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 3,945 valid cases out of 14,502 total cases.

*Location:* 152-153 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2564: BY18 34050 #X TOB HOOKAH/30DAY

Item Number: 34050

During the LAST 30 DAYS, on how many days (if any) have you smoked tobacco using a hookah (water pipe)?

1="None" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	3767	26.0 %
2	1-2 DAYS:(2)	105	0.7 %
3	3-5 DAYS:(3)	24	0.2 %
4	6-9 DAYS:(4)	25	0.2 %
5	10-19 DAYS:(5)	13	0.1 %
6	20-30 DAYS:(6)	19	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10549	72.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 3,953 valid cases out of 14,502 total cases.

*Location:* 154-155 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2566: BY18 34230 EVER VAPE

Item Number: 34230

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist or vapor into the lungs. Have you ever vaped?

0="No-GO TO PART C" 1="Yes"

Value	Label	Unweighted Frequency	%
0	NO:(0)	2405	16.6 %
1	YES:(1)	1918	13.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	10179	70.2 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 4,323 valid cases out of 14,502 total cases.

*Location:* 156-157 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2567: BY18 34240 #X VAPE NIC/LIFETIME

Item Number:

34240

On how many occasions (if any) have you vaped NICOTINE . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2782	19.2 %
2	1-2X:(2)	369	2.5 %
3	3-5X:(3)	183	1.3 %
4	6-9X:(4)	130	0.9 %
5	10-19X:(5)	144	1.0 %
6	20-39X:(6)	122	0.8 %
7	40+OCCAS:(7)	580	4.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	10192	70.3 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 4,310 valid cases out of 14,502 total cases.

*Location:* 158-159 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2568: BY18 34250 #X VAPE NIC/LAST12MO

Item Number: 34250

On how many occasions (if any) have you vaped NICOTINE . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2937	20.3 %
2	1-2X:(2)	326	2.2 %
3	3-5X:(3)	164	1.1 %
4	6-9X:(4)	115	0.8 %
5	10-19X:(5)	134	0.9 %
6	20-39X:(6)	130	0.9 %
7	40+OCCAS:(7)	467	3.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10229	70.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,273 valid cases out of 14,502 total cases.

*Location:* 160-161 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2569: BY18 34260 #X VAPE NIC/LAST30DAY

Item Number: 34260

On how many occasions (if any) have you vaped NICOTINE . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3313	22.8 %
2	1-2X:(2)	255	1.8 %
3	3-5X:(3)	130	0.9 %
4	6-9X:(4)	101	0.7 %
5	10-19X:(5)	91	0.6 %
6	20-39X:(6)	81	0.6 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	300	2.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	10231	70.5 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 4,271 valid cases out of 14,502 total cases.

*Location:* 162-163 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2570: BY18 34270 #X VAPE MJ/LIFETIME

Item Number: 34270

On how many occasions (if any) have you vaped MARIJUANA . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3535	24.4 %
2	1-2X:(2)	256	1.8 %
3	3-5X:(3)	122	0.8 %
4	6-9X:(4)	95	0.7 %
5	10-19X:(5)	85	0.6 %
6	20-39X:(6)	69	0.5 %
7	40+OCCAS:(7)	141	1.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	10199	70.3 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 4,303 valid cases out of 14,502 total cases.

*Location:* 164-165 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2571: BY18 34280 #X VAPE MJ/LAST12MO

Item Number: 34280

On how many occasions (if any) have you vaped MARIJUANA . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3603	24.8 %
2	1-2X:(2)	236	1.6 %
3	3-5X:(3)	93	0.6 %
4	6-9X:(4)	81	0.6 %
5	10-19X:(5)	83	0.6 %
6	20-39X:(6)	63	0.4 %
7	40+OCCAS:(7)	94	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10249	70.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,253 valid cases out of 14,502 total cases.

*Location:* 166-167 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2572: BY18 34290 #X VAPE MJ/LAST30DAY

Item Number: 34290

On how many occasions (if any) have you vaped MARIJUANA . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3869	26.7 %
2	1-2X:(2)	150	1.0 %
3	3-5X:(3)	73	0.5 %
4	6-9X:(4)	52	0.4 %
5	10-19X:(5)	43	0.3 %
6	20-39X:(6)	17	0.1 %
7	40+OCCAS:(7)	43	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10255	70.7 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,247 valid cases out of 14,502 total cases.

*Location:* 168-169 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2573: BY18 34300 #X VAPE FLAV/LIFETIME

Item Number: 34300

On how many occasions (if any) have you vaped just FLAVORING . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2802	19.3 %
2	1-2X:(2)	452	3.1 %
3	3-5X:(3)	272	1.9 %
4	6-9X:(4)	188	1.3 %
5	10-19X:(5)	168	1.2 %
6	20-39X:(6)	119	0.8 %
7	40+OCCAS:(7)	287	2.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10214	70.4 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,288 valid cases out of 14,502 total cases.

*Location:* 170-171 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2574: BY18 34310 #X VAPE FLAV/LAST12MO

Item Number: 34310

On how many occasions (if any) have you vaped just FLAVORING . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3143	21.7 %
2	1-2X:(2)	378	2.6 %
3	3-5X:(3)	216	1.5 %
4	6-9X:(4)	142	1.0 %
5	10-19X:(5)	121	0.8 %
6	20-39X:(6)	93	0.6 %
7	40+OCCAS:(7)	171	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10238	70.6 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,264 valid cases out of 14,502 total cases.

*Location:* 172-173 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2575: BY18 34320 #X VAPE FLAV/LAST30DAY

Item Number: 34320

On how many occasions (if any) have you vaped just FLAVORING . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3659	25.2 %
2	1-2X:(2)	226	1.6 %
3	3-5X:(3)	118	0.8 %
4	6-9X:(4)	71	0.5 %
5	10-19X:(5)	57	0.4 %
6	20-39X:(6)	32	0.2 %
7	40+OCCAS:(7)	93	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10246	70.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,256 valid cases out of 14,502 total cases.

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2576: BY18 34390 # DAYS SMKLESS/30DAY

Item Number: 34390

During the LAST 30 DAYS, on how many occasions (if any) have you used smokeless tobacco?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	3756	25.9 %
2	1-2 DAYS:(2)	67	0.5 %
3	3-5 DAYS:(3)	36	0.2 %
4	6-9 DAYS:(4)	16	0.1 %
5	10-19 DAYS:(5)	14	0.1 %
6	20-30 DAYS:(6)	55	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10558	72.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 3,944 valid cases out of 14,502 total cases.

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2930: BY18 34370 # DAYS VAPE NIC/30DAY

Item Number: 34370

During the LAST 30 DAYS, on how many occasions (if any) have you vaped an e-liquid with nicotine?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1391	9.6 %
2	1-2 DAYS:(2)	136	0.9 %
3	3-5 DAYS:(3)	93	0.6 %
4	6-9 DAYS:(4)	63	0.4 %
5	10-19 DAYS:(5)	56	0.4 %
6	20-30 DAYS:(6)	204	1.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	12559	86.6 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 1,943 valid cases out of 14,502 total cases.

*Location:* 178-179 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2103: BY18 00790 EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	4601	31.7 %
2	YES:(2)	6491	44.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	3410	23.5 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 11,092 valid cases out of 14,502 total cases.

*Location:* 180-181 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2104: BY18 00810 #X DRNK/LIFETIME

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

[Above this item in form 1 reads "The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol."]

1="0 Occasions" [Includes respondents who report non-use on item QB03] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5284	36.4 %
2	1-2X:(2)	1232	8.5 %
3	3-5X:(3)	1497	10.3 %
4	6-9X:(4)	1260	8.7 %
5	10-19X:(5)	1479	10.2 %
6	20-39X:(6)	998	6.9 %
7	40+OCCAS:(7)	1469	10.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1283	8.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,219 valid cases out of 14,502 total cases.

*Location:* 182-183 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2105: BY18 00820 #X DRNK/LAST12MO

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5945	41.0 %
2	1-2X:(2)	2262	15.6 %
3	3-5X:(3)	1634	11.3 %
4	6-9X:(4)	1235	8.5 %
5	10-19X:(5)	1078	7.4 %
6	20-39X:(6)	556	3.8 %
7	40+OCCAS:(7)	481	3.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1311	9.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,191 valid cases out of 14,502 total cases.

*Location:* 184-185 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2106: BY18 00830 #X DRNK/LAST30DAY

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	8931	61.6 %
2	1-2X:(2)	2430	16.8 %
3	3-5X:(3)	1001	6.9 %
4	6-9X:(4)	413	2.8 %
5	10-19X:(5)	231	1.6 %
6	20-39X:(6)	62	0.4 %
7	40+OCCAS:(7)	103	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1331	9.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,171 valid cases out of 14,502 total cases.

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2107: BY18 00840 #X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1860	12.8 %
2	FEW OCC:(2)	1859	12.8 %
3	HALF OCC:(3)	895	6.2 %
4	MOST OCC:(4)	1126	7.8 %

Value	Label	Unweighted Frequency	%
5	NRLY ALL:(5)	795	5.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	7967	54.9 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 6,535 valid cases out of 14,502 total cases.

*Location:* 188-189 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2108: BY18 00850 5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.) [Worded slightly differently in form 1; see form 1 codebook.]

1="None" [Includes respondents who previously reported non-use] 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	11074	76.4 %
2	ONCE:(2)	965	6.7 %
3	TWICE:(3)	541	3.7 %
4	3-5X:(4)	362	2.5 %
5	6-9X:(5)	66	0.5 %
6	10+ TIME:(6)	52	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1442	9.9 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,060 valid cases out of 14,502 total cases.

*Location:* 190-191 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2020: BY18 25020 #XDRUNK/LIFETIME

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2290	15.8 %
2	1-2X:(2)	580	4.0 %
3	3-5X:(3)	345	2.4 %
4	6-9X:(4)	219	1.5 %
5	10-19X:(5)	265	1.8 %
6	20-39X:(6)	174	1.2 %
7	40+OCCAS:(7)	239	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10390	71.6 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,112 valid cases out of 14,502 total cases.

*Location:* 192-193 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2021: BY18 25030 #XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2612	18.0 %
2	1-2X:(2)	589	4.1 %
3	3-5X:(3)	318	2.2 %
4	6-9X:(4)	200	1.4 %
5	10-19X:(5)	194	1.3 %
6	20-39X:(6)	86	0.6 %
7	40+OCCAS:(7)	92	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10411	71.8 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,091 valid cases out of 14,502 total cases.

*Location:* 194-195 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2022: BY18 25040 #XDRUNK/LAST30DAY

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3304	22.8 %
2	1-2X:(2)	462	3.2 %
3	3-5X:(3)	167	1.2 %
4	6-9X:(4)	79	0.5 %
5	10-19X:(5)	42	0.3 %
6	20-39X:(6)	13	0.1 %
7	40+OCCAS:(7)	19	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10416	71.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,086 valid cases out of 14,502 total cases.

*Location:* 196-197 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2009: BY18 32690 #X ALC BVRG W-CAFF/12MO

Item Number: 32690

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . had an alcoholic beverage containing caffeine (like Four Loko or Joose)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40

or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3294	22.7 %
2	1-2X:(2)	302	2.1 %
3	3-5X:(3)	159	1.1 %
4	6-9X:(4)	73	0.5 %
5	10-19X:(5)	56	0.4 %
6	20-39X:(6)	22	0.2 %
7	40+OCCAS:(7)	38	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10558	72.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 3,944 valid cases out of 14,502 total cases.

*Location:* 198-199 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2929: BY18 34040 #X PWD ALCOHOL/12MO

Item Number: 34040

During the LAST 12 MONTHS, on how many occasions (if any) have you had powdered alcohol?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3872	26.7 %
2	1-2X:(2)	19	0.1 %
3	3-5X:(3)	10	0.1 %
4	6-9X:(4)	6	0.0 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	4	0.0 %
7	40+OCCAS:(7)	10	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10578	72.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 3,924 valid cases out of 14,502 total cases.

*Location:* 200-201 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2115: BY18 00860 #XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

[For form 1, item is recoded from separate marijuana and hashish questions, and "Dope" is given as another example of what marijuana is called.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	7449	51.4 %
2	1-2X:(2)	1304	9.0 %
3	3-5X:(3)	938	6.5 %
4	6-9X:(4)	620	4.3 %
5	10-19X:(5)	699	4.8 %
6	20-39X:(6)	578	4.0 %
7	40+OCCAS:(7)	1807	12.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1107	7.6 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,395 valid cases out of 14,502 total cases.

*Location:* 202-203 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2116: BY18 00870 #XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

[For form 1, item is recoded from separate marijuana and hashish questions, and "Dope" is given as another example of what marijuana is called.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	8409	58.0 %
2	1-2X:(2)	1413	9.7 %
3	3-5X:(3)	880	6.1 %
4	6-9X:(4)	540	3.7 %
5	10-19X:(5)	552	3.8 %
6	20-39X:(6)	443	3.1 %
7	40+OCCAS:(7)	1137	7.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1128	7.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,374 valid cases out of 14,502 total cases.

*Location:* 204-205 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2117: BY18 00880 #XMJ+HS/LAST30DAY

Item Number: 00880

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

[For form 1, item is recoded from separate marijuana and hashish questions, and "Dope" is given as another example of what marijuana is called.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10259	70.7 %
2	1-2X:(2)	1125	7.8 %
3	3-5X:(3)	495	3.4 %
4	6-9X:(4)	342	2.4 %
5	10-19X:(5)	366	2.5 %
6	20-39X:(6)	285	2.0 %
7	40+OCCAS:(7)	483	3.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1147	7.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,355 valid cases out of 14,502 total cases.

*Location:* 206-207 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2927: BY18 33980 #X HASH/OIL/12MO

Item number: 33980

During the LAST 12 MONTHS, on how many occasions (if any) have you used hash oil ("dabs," "honey oil," "budder," "shatter")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3447	23.8 %
2	1-2X:(2)	155	1.1 %
3	3-5X:(3)	104	0.7 %
4	6-9X:(4)	57	0.4 %
5	10-19X:(5)	50	0.3 %
6	20-39X:(6)	33	0.2 %
7	40+OCCAS:(7)	88	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10568	72.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 3,934 valid cases out of 14,502 total cases.

*Location:* 208-209 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2003: BY18 32700 #X SYNTHETIC MJ/12MO

Item Number: 32700

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken "synthetic marijuana" ("K2," "Spice") to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3925	27.1 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	73	0.5 %
3	3-5X:(3)	19	0.1 %
4	6-9X:(4)	8	0.1 %
5	10-19X:(5)	12	0.1 %
6	20-39X:(6)	9	0.1 %
7	40+OCCAS:(7)	18	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10438	72.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,064 valid cases out of 14,502 total cases.

*Location:* 210-211 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2118: BY18 00890 #X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10626	73.3 %
2	1-2X:(2)	332	2.3 %
3	3-5X:(3)	114	0.8 %
4	6-9X:(4)	63	0.4 %
5	10-19X:(5)	29	0.2 %
6	20-39X:(6)	19	0.1 %
7	40+OCCAS:(7)	27	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	3292	22.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 11,210 valid cases out of 14,502 total cases.

*Location:* 212-213 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2119: BY18 00900 #X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10827	74.7 %
2	1-2X:(2)	264	1.8 %
3	3-5X:(3)	64	0.4 %
4	6-9X:(4)	27	0.2 %
5	10-19X:(5)	13	0.1 %
6	20-39X:(6)	7	0.0 %
7	40+OCCAS:(7)	18	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	3282	22.6 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 11,220 valid cases out of 14,502 total cases.

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2120: BY18 00910 #X LSD/LAST 30DAY

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	11101	76.5 %
2	1-2X:(2)	84	0.6 %
3	3-5X:(3)	5	0.0 %
4	6-9X:(4)	12	0.1 %
5	10-19X:(5)	5	0.0 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	12	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	3281	22.6 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 11,221 valid cases out of 14,502 total cases.

*Location:* 216-217 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2121: BY18 00920 #X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10705	73.8 %
2	1-2X:(2)	297	2.0 %
3	3-5X:(3)	87	0.6 %
4	6-9X:(4)	43	0.3 %
5	10-19X:(5)	34	0.2 %
6	20-39X:(6)	8	0.1 %
7	40+OCCAS:(7)	28	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	3300	22.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 11,202 valid cases out of 14,502 total cases.

*Location:* 218-219 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2122: BY18 00930 #X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10895	75.1 %
2	1-2X:(2)	202	1.4 %
3	3-5X:(3)	55	0.4 %
4	6-9X:(4)	19	0.1 %
5	10-19X:(5)	12	0.1 %
6	20-39X:(6)	5	0.0 %
7	40+OCCAS:(7)	14	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	3300	22.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 11,202 valid cases out of 14,502 total cases.

*Location:* 220-221 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2123: BY18 00940 #X PSYD/LAST30DAY

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	11089	76.5 %
2	1-2X:(2)	71	0.5 %
3	3-5X:(3)	10	0.1 %
4	6-9X:(4)	12	0.1 %
5	10-19X:(5)	4	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	8	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	3308	22.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 11,194 valid cases out of 14,502 total cases.

*Location:* 222-223 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2032: BY18 22660 #X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6481	44.7 %
2	1-2X:(2)	146	1.0 %
3	3-5X:(3)	59	0.4 %
4	6-9X:(4)	20	0.1 %
5	10-19X:(5)	14	0.1 %
6	20-39X:(6)	4	0.0 %
7	40+OCCAS:(7)	12	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7766	53.6 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,736 valid cases out of 14,502 total cases.

*Location:* 224-225 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2033: BY18 22670 #X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6594	45.5 %
2	1-2X:(2)	95	0.7 %
3	3-5X:(3)	27	0.2 %
4	6-9X:(4)	13	0.1 %
5	10-19X:(5)	4	0.0 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	5	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7762	53.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,740 valid cases out of 14,502 total cases.

*Location:* 226-227 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2034: BY18 22680 #X MDMA/LAST30DAY

Item Number: 22680

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6702	46.2 %
2	1-2X:(2)	26	0.2 %
3	3-5X:(3)	4	0.0 %
4	6-9X:(4)	3	0.0 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7761	53.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,741 valid cases out of 14,502 total cases.

*Location:* 228-229 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2305: BY18 32500 #X SALVIA/12MO

Item Number: 32500

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1952	13.5 %
2	1-2X:(2)	6	0.0 %
3	3-5X:(3)	3	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	12533	86.4 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 1,969 valid cases out of 14,502 total cases.

*Location:* 230-231 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2124: BY18 00950 #X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

[For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12861	88.7 %
2	1-2X:(2)	253	1.7 %
3	3-5X:(3)	87	0.6 %
4	6-9X:(4)	40	0.3 %
5	10-19X:(5)	41	0.3 %
6	20-39X:(6)	20	0.1 %
7	40+OCCAS:(7)	59	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1141	7.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,361 valid cases out of 14,502 total cases.

*Location:* 232-233 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2125: BY18 00960 #X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

[For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	13059	90.0 %
2	1-2X:(2)	146	1.0 %
3	3-5X:(3)	62	0.4 %
4	6-9X:(4)	28	0.2 %
5	10-19X:(5)	31	0.2 %
6	20-39X:(6)	21	0.1 %
7	40+OCCAS:(7)	27	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1128	7.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,374 valid cases out of 14,502 total cases.

*Location:* 234-235 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2126: BY18 00970 #X COKE/LAST30DAY

Item Number: 00970

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

[For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	13219	91.2 %
2	1-2X:(2)	77	0.5 %
3	3-5X:(3)	28	0.2 %
4	6-9X:(4)	11	0.1 %
5	10-19X:(5)	13	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	20	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1134	7.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,368 valid cases out of 14,502 total cases.

*Location:* 236-237 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2459: BY18 22260 #X CRACK/LIFETIME

Item Number: 22260

[Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

[Form 1 has different context and examples: see form 1 codebook.]

[Forms 2, 5:] On how many occasions (if any) have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12739	87.8 %
2	1-2X:(2)	95	0.7 %
3	3-5X:(3)	22	0.2 %
4	6-9X:(4)	17	0.1 %
5	10-19X:(5)	11	0.1 %
6	20-39X:(6)	10	0.1 %
7	40+OCCAS:(7)	26	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1582	10.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,920 valid cases out of 14,502 total cases.

*Location:* 238-239 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2460: BY18 22270 #X CRACK/LAST12MO

Item Number: 22270

[Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

[Form 1 has different context and examples: see form 1 codebook.]

[Forms 2, 5:] On how many occasions (if any) have you used "crack" cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12826	88.4 %
2	1-2X:(2)	48	0.3 %
3	3-5X:(3)	15	0.1 %
4	6-9X:(4)	16	0.1 %
5	10-19X:(5)	7	0.0 %
6	20-39X:(6)	8	0.1 %
7	40+OCCAS:(7)	16	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1566	10.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 12,936 valid cases out of 14,502 total cases.

*Location:* 240-241 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2461: BY18 22280 #X CRACK/LAST30DAY

Item Number: 22280

[Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

[Form 1 has different context and examples: see form 1 codebook.]

[Forms 2, 5:] On how many occasions (if any) have you used "crack" cocaine . . .

C: . . . during the last 30 days

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12868	88.7 %
2	1-2X:(2)	25	0.2 %
3	3-5X:(3)	5	0.0 %
4	6-9X:(4)	13	0.1 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	2	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	16	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1571	10.8 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 12,931 valid cases out of 14,502 total cases.

*Location:* 242-243 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2042: BY18 22320 #XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	8620	59.4 %
2	1-2X:(2)	148	1.0 %
3	3-5X:(3)	39	0.3 %
4	6-9X:(4)	29	0.2 %
5	10-19X:(5)	27	0.2 %
6	20-39X:(6)	14	0.1 %
7	40+OCCAS:(7)	30	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	5595	38.6 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 8,907 valid cases out of 14,502 total cases.

*Location:* 244-245 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2043: BY18 22330 #XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	8736	60.2 %
2	1-2X:(2)	82	0.6 %
3	3-5X:(3)	38	0.3 %
4	6-9X:(4)	22	0.2 %
5	10-19X:(5)	14	0.1 %
6	20-39X:(6)	15	0.1 %
7	40+OCCAS:(7)	14	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	5581	38.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 8,921 valid cases out of 14,502 total cases.

*Location:* 246-247 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2044: BY18 22340 #XOTH COKE/30DAY

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	8822	60.8 %
2	1-2X:(2)	55	0.4 %
3	3-5X:(3)	17	0.1 %
4	6-9X:(4)	8	0.1 %
5	10-19X:(5)	5	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	8	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	5586	38.5 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 8,916 valid cases out of 14,502 total cases.

*Location:* 248-249 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2127: BY18 00980 #X AMPH/LIFETIME

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-aware pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12258	84.5 %
2	1-2X:(2)	486	3.4 %
3	3-5X:(3)	233	1.6 %
4	6-9X:(4)	150	1.0 %
5	10-19X:(5)	112	0.8 %
6	20-39X:(6)	73	0.5 %
7	40+OCCAS:(7)	146	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1044	7.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,458 valid cases out of 14,502 total cases.

*Location:* 250-251 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2128: BY18 00990 #X AMPH/LAST12MO

Item Number: 00990

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-aware pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12694	87.5 %
2	1-2X:(2)	361	2.5 %
3	3-5X:(3)	160	1.1 %
4	6-9X:(4)	85	0.6 %
5	10-19X:(5)	76	0.5 %
6	20-39X:(6)	32	0.2 %
7	40+OCCAS:(7)	59	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1035	7.1 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,467 valid cases out of 14,502 total cases.

*Location:* 252-253 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2129: BY18 01000 #X AMPH/LAST30DAY

Item Number: 01000

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-aware pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor

telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	13141	90.6 %
2	1-2X:(2)	182	1.3 %
3	3-5X:(3)	58	0.4 %
4	6-9X:(4)	18	0.1 %
5	10-19X:(5)	21	0.1 %
6	20-39X:(6)	28	0.2 %
7	40+OCCAS:(7)	20	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1034	7.1 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,468 valid cases out of 14,502 total cases.

*Location:* 254-255 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V2029: BY18 30800 #X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	4414	30.4 %
2	1-2X:(2)	19	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	7	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	10056	69.3 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,446 valid cases out of 14,502 total cases.

*Location:* 256-257 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2030: BY18 30810 #X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

B . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	4349	30.0 %
2	1-2X:(2)	8	0.1 %
3	3-5X:(3)	2	0.0 %
4	6-9X:(4)	5	0.0 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	2	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10132	69.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,370 valid cases out of 14,502 total cases.

*Location:* 258-259 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2031: BY18 30820 #X METHAMPH/30DAY

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	4351	30.0 %
2	1-2X:(2)	4	0.0 %
3	3-5X:(3)	2	0.0 %
4	6-9X:(4)	4	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10139	69.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,363 valid cases out of 14,502 total cases.

*Location:* 260-261 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2909: BY18 31180 #X RITALIN/12MO

Item Number: 31180

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	4017	27.7 %
2	1-2X:(2)	22	0.2 %
3	3-5X:(3)	11	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	6	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10442	72.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,060 valid cases out of 14,502 total cases.

*Location:* 262-263 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2307: BY18 32450 #X ADDERALL/12MO

Item Number: 32450

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3870	26.7 %
2	1-2X:(2)	102	0.7 %
3	3-5X:(3)	37	0.3 %
4	6-9X:(4)	25	0.2 %
5	10-19X:(5)	16	0.1 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	12	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10437	72.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,065 valid cases out of 14,502 total cases.

*Location:* 264-265 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2922: BY18 32730 #X BATH SALTS/12MO

Item Number: 32730

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken "bath salts" (synthetic stimulants) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	4031	27.8 %
2	1-2X:(2)	6	0.0 %
3	3-5X:(3)	6	0.0 %
4	6-9X:(4)	3	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10449	72.1 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,053 valid cases out of 14,502 total cases.

*Location:* 266-267 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2133: BY18 01042 #X SED/BARB/LIFETIME

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Worded slightly differently in questionnaire form 1, and replaced Nembutal with Ambien, Lunesta, and Sonata as examples; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12922	89.1 %
2	1-2X:(2)	261	1.8 %
3	3-5X:(3)	127	0.9 %
4	6-9X:(4)	52	0.4 %
5	10-19X:(5)	48	0.3 %
6	20-39X:(6)	30	0.2 %
7	40+OCCAS:(7)	36	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1026	7.1 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,476 valid cases out of 14,502 total cases.

*Location:* 268-269 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2134: BY18 01052 #X SED/BARB/LAST12MO

Item Number: 01052

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal.} On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Worded slightly differently in questionnaire form 1, and replaced Nembutal with Ambien, Lunesta, and Sonata as examples; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	13147	90.7 %
2	1-2X:(2)	185	1.3 %
3	3-5X:(3)	62	0.4 %
4	6-9X:(4)	42	0.3 %
5	10-19X:(5)	27	0.2 %
6	20-39X:(6)	13	0.1 %
7	40+OCCAS:(7)	11	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1015	7.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,487 valid cases out of 14,502 total cases.

*Location:* 270-271 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2135: BY18 01062 #X SED/BARB/LAST30DAY

Item Number: 01062

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal.} On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Worded slightly differently in questionnaire form 1, and replaced Nembutal with Ambien, Lunesta, and Sonata as examples; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	13330	91.9 %
2	1-2X:(2)	86	0.6 %
3	3-5X:(3)	28	0.2 %
4	6-9X:(4)	18	0.1 %
5	10-19X:(5)	7	0.0 %
6	20-39X:(6)	5	0.0 %
7	40+OCCAS:(7)	6	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1022	7.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,480 valid cases out of 14,502 total cases.

*Location:* 272-273 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2912: BY18 31060 #X KETAMINE/12MO

Item Number: 31060

[Forms 3, 6: "Lately there has been some attention paid to certain drugs."]

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3941	27.2 %
2	1-2X:(2)	10	0.1 %
3	3-5X:(3)	7	0.0 %
4	6-9X:(4)	4	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	5	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	10532	72.6 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 3,970 valid cases out of 14,502 total cases.

*Location:* 274-275 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2136: BY18 01070 #X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12510	86.3 %
2	1-2X:(2)	457	3.2 %
3	3-5X:(3)	187	1.3 %
4	6-9X:(4)	88	0.6 %
5	10-19X:(5)	60	0.4 %
6	20-39X:(6)	46	0.3 %
7	40+OCCAS:(7)	60	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1094	7.5 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,408 valid cases out of 14,502 total cases.

*Location:* 276-277 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2137: BY18 01080 #X TRQL/LAST12MO

Item Number: 01080

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.} On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12903	89.0 %
2	1-2X:(2)	284	2.0 %
3	3-5X:(3)	105	0.7 %
4	6-9X:(4)	55	0.4 %
5	10-19X:(5)	30	0.2 %
6	20-39X:(6)	26	0.2 %
7	40+OCCAS:(7)	25	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1074	7.4 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,428 valid cases out of 14,502 total cases.

*Location:* 278-279 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V2138: BY18 01090 #X TRQL/LAST30DAY

Item Number: 01090

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.} On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	13237	91.3 %
2	1-2X:(2)	104	0.7 %
3	3-5X:(3)	33	0.2 %
4	6-9X:(4)	19	0.1 %
5	10-19X:(5)	11	0.1 %
6	20-39X:(6)	10	0.1 %
7	40+OCCAS:(7)	8	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1080	7.4 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,422 valid cases out of 14,502 total cases.

*Location:* 280-281 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2139: BY18 01100 #X H/LIFETIME

Item Number: 01100

On how many occasions (if any) have you used heroin . . .

A: . . . in your lifetime?

[For questionnaire forms 2, 5, and 6, item is recoded from separate questions about heroin use with a needle (items 29630-29650) and without a needle (items 29660-29680).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	13351	92.1 %
2	1-2X:(2)	42	0.3 %
3	3-5X:(3)	12	0.1 %
4	6-9X:(4)	13	0.1 %
5	10-19X:(5)	7	0.0 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	16	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1058	7.3 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,444 valid cases out of 14,502 total cases.

*Location:* 282-283 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2140: BY18 01110 #X H/LAST 12MO

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

[For questionnaire forms 2, 5, and 6, item is recoded from separate questions about heroin use with a needle (items 29630-29650) and without a needle (items 29660-29680).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	13413	92.5 %
2	1-2X:(2)	19	0.1 %
3	3-5X:(3)	5	0.0 %
4	6-9X:(4)	8	0.1 %
5	10-19X:(5)	4	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	11	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1042	7.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,460 valid cases out of 14,502 total cases.

*Location:* 284-285 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2141: BY18 01120 #X H/LAST 30DAY

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

[For questionnaire forms 2, 5, and 6, item is recoded from separate questions about heroin use with a needle (items 29630-29650) and without a needle (items 29660-29680).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	13427	92.6 %
2	1-2X:(2)	4	0.0 %
3	3-5X:(3)	3	0.0 %
4	6-9X:(4)	9	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	10	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1048	7.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,454 valid cases out of 14,502 total cases.

*Location:* 286-287 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2510: BY18 29630 #X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6791	46.8 %
2	1-2X:(2)	11	0.1 %
3	3-5X:(3)	4	0.0 %
4	6-9X:(4)	5	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	7	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7680	53.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,822 valid cases out of 14,502 total cases.

*Location:* 288-289 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2511: BY18 29640 #X H 12MO USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6811	47.0 %
2	1-2X:(2)	8	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	4	0.0 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7671	52.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,831 valid cases out of 14,502 total cases.

*Location:* 290-291 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2512: BY18 29650 #X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6813	47.0 %
2	1-2X:(2)	3	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	5	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7675	52.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,827 valid cases out of 14,502 total cases.

*Location:* 292-293 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2513: BY18 29660 #X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6749	46.5 %
2	1-2X:(2)	18	0.1 %
3	3-5X:(3)	8	0.1 %
4	6-9X:(4)	5	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	2	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7718	53.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,784 valid cases out of 14,502 total cases.

*Location:* 294-295 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2514: BY18 29670 #X H 12MO W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6773	46.7 %
2	1-2X:(2)	9	0.1 %
3	3-5X:(3)	5	0.0 %
4	6-9X:(4)	4	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7710	53.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,792 valid cases out of 14,502 total cases.

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2515: BY18 29680 #X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6781	46.8 %
2	1-2X:(2)	5	0.0 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	3	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7711	53.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,791 valid cases out of 14,502 total cases.

*Location:* 298-299 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2142: BY18 01130 #X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Questionnaire form 1 worded somewhat differently and adds "Percodan, Ultram" (see form 1 Codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12518	86.3 %
2	1-2X:(2)	382	2.6 %
3	3-5X:(3)	160	1.1 %
4	6-9X:(4)	100	0.7 %
5	10-19X:(5)	55	0.4 %
6	20-39X:(6)	32	0.2 %
7	40+OCCAS:(7)	58	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1197	8.3 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,305 valid cases out of 14,502 total cases.

*Location:* 300-301 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V2143: BY18 01140 #X NARC/LAST12MO

Item Number: 01140

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.} On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Questionnaire form 1 worded somewhat differently and adds "Percodan, Ultram" (see form 1 Codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12876	88.8 %
2	1-2X:(2)	233	1.6 %
3	3-5X:(3)	96	0.7 %
4	6-9X:(4)	56	0.4 %
5	10-19X:(5)	27	0.2 %
6	20-39X:(6)	11	0.1 %
7	40+OCCAS:(7)	20	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1183	8.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,319 valid cases out of 14,502 total cases.

*Location:* 302-303 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2144: BY18 01150 #X NARC/LAST30DAY

Item Number: 01150

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.} On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Questionnaire form 1 worded somewhat differently and adds "Percodan, Ultram" (see form 1 Codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	13180	90.9 %
2	1-2X:(2)	76	0.5 %
3	3-5X:(3)	24	0.2 %
4	6-9X:(4)	16	0.1 %
5	10-19X:(5)	10	0.1 %
6	20-39X:(6)	5	0.0 %
7	40+OCCAS:(7)	5	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1186	8.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,316 valid cases out of 14,502 total cases.

*Location:* 304-305 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2907: BY18 31310 #X OXYCONTN/12MO

Item Number: 31310

[Forms 3 and 6: "Lately there has been some attention paid to certain drugs."]

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5896	40.7 %
2	1-2X:(2)	64	0.4 %
3	3-5X:(3)	33	0.2 %
4	6-9X:(4)	15	0.1 %
5	10-19X:(5)	6	0.0 %
6	20-39X:(6)	5	0.0 %
7	40+OCCAS:(7)	10	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	8473	58.4 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,029 valid cases out of 14,502 total cases.

*Location:* 306-307 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2908: BY18 31320 #X VICODIN/12MO

Item Number: 31320

[Forms 3 and 6: "Lately there has been some attention paid to certain drugs."]

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5921	40.8 %
2	1-2X:(2)	46	0.3 %
3	3-5X:(3)	25	0.2 %
4	6-9X:(4)	11	0.1 %
5	10-19X:(5)	7	0.0 %
6	20-39X:(6)	5	0.0 %
7	40+OCCAS:(7)	10	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	8477	58.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,025 valid cases out of 14,502 total cases.

*Location:* 308-309 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2920: BY18 31670 #X COUGHMED/12MO

Item Number: 31670

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3938	27.2 %
2	1-2X:(2)	53	0.4 %
3	3-5X:(3)	35	0.2 %
4	6-9X:(4)	15	0.1 %
5	10-19X:(5)	4	0.0 %
6	20-39X:(6)	4	0.0 %
7	40+OCCAS:(7)	7	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10446	72.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,056 valid cases out of 14,502 total cases.

*Location:* 310-311 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2145: BY18 01160 #X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6438	44.4 %
2	1-2X:(2)	172	1.2 %
3	3-5X:(3)	59	0.4 %
4	6-9X:(4)	22	0.2 %
5	10-19X:(5)	26	0.2 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	20	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7762	53.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,740 valid cases out of 14,502 total cases.

*Location:* 312-313 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V2146: BY18 01170 #X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6635	45.8 %
2	1-2X:(2)	64	0.4 %
3	3-5X:(3)	16	0.1 %
4	6-9X:(4)	14	0.1 %
5	10-19X:(5)	9	0.1 %
6	20-39X:(6)	4	0.0 %
7	40+OCCAS:(7)	6	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7754	53.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,748 valid cases out of 14,502 total cases.

*Location:* 314-315 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2147: BY18 01180 #X INHL/LAST30DAY

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6694	46.2 %
2	1-2X:(2)	27	0.2 %
3	3-5X:(3)	8	0.1 %
4	6-9X:(4)	8	0.1 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	7759	53.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,743 valid cases out of 14,502 total cases.

*Location:* 316-317 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2493: BY18 22690 #X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5875	40.5 %
2	1-2X:(2)	41	0.3 %
3	3-5X:(3)	16	0.1 %
4	6-9X:(4)	9	0.1 %
5	10-19X:(5)	11	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	14	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	8536	58.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 5,966 valid cases out of 14,502 total cases.

*Location:* 318-319 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2494: BY18 22700 #X STRD/LAST12MO

Item Number: 22700

{Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development.} On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5913	40.8 %
2	1-2X:(2)	27	0.2 %
3	3-5X:(3)	10	0.1 %
4	6-9X:(4)	9	0.1 %
5	10-19X:(5)	6	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	12	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	8524	58.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 5,978 valid cases out of 14,502 total cases.

*Location:* 320-321 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2495: BY18 22710 #X STRD/LAST30DAY

Item Number: 22710

{Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development.} On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5931	40.9 %
2	1-2X:(2)	16	0.1 %
3	3-5X:(3)	8	0.1 %
4	6-9X:(4)	8	0.1 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	12	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	8525	58.8 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 5,977 valid cases out of 14,502 total cases.

*Location:* 322-323 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2918: BY18 31160 #X ANDRO/12MO

Item Number: 31160

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2084	14.4 %
2	1-2X:(2)	5	0.0 %
3	3-5X:(3)	3	0.0 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	12405	85.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 2,097 valid cases out of 14,502 total cases.

*Location:* 324-325 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V2919: BY18 31170 #X CREATINE/12MO

Item Number: 31170

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken creatine (amino acid used to build muscle [form 3: "muscles"])?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3697	25.5 %
2	1-2X:(2)	90	0.6 %
3	3-5X:(3)	55	0.4 %
4	6-9X:(4)	37	0.3 %
5	10-19X:(5)	48	0.3 %
6	20-39X:(6)	50	0.3 %
7	40+OCCAS:(7)	91	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10434	71.9 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 4,068 valid cases out of 14,502 total cases.

*Location:* 326-327 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2101D: 186B01 :EVR SMK CIG,REGL (dicotomous recode)

Have you ever smoked cigarettes?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 5 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10439	72.0 %
1	YES: (1)	3241	22.3 %
<b>Missing Data</b>			
-9	MISSING: (-9)	822	5.7 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,680 valid cases out of 14,502 total cases.

*Location:* 328-329 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2102D: 186B02 :#CIGS SMKD/30DAY (dicotomous recode)

How frequently have you smoked cigarettes during the past 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12639	87.2 %
1	YES: (1)	1033	7.1 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	830	5.7 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,672 valid cases out of 14,502 total cases.

*Location:* 330-331 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2104D: 186B22A:#X ALC/LIF SIPS (dicotomous recode)

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	5284	36.4 %
1	YES: (1)	7935	54.7 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	1283	8.8 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,219 valid cases out of 14,502 total cases.

*Location:* 332-333 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2105D: 186B22B:#X ALC/ANN SIPS (dicotomous recode)

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	5945	41.0 %
1	YES: (1)	7246	50.0 %
<b>Missing Data</b>			
-9	MISSING: (-9)	1311	9.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,191 valid cases out of 14,502 total cases.

*Location:* 334-335 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2106D: 186B22C:#X ALC/30D SIPS (dicotomous recode)

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	8931	61.6 %
1	YES: (1)	4240	29.2 %
<b>Missing Data</b>			
-9	MISSING: (-9)	1331	9.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,171 valid cases out of 14,502 total cases.

*Location:* 336-337 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2115D: 186B25A:#XMJ+HS/LIFETIME (dicotomous recode)

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	7449	51.4 %
1	YES: (1)	5946	41.0 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	1107	7.6 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,395 valid cases out of 14,502 total cases.

*Location:* 338-339 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2116D: 186B25B:#XMJ+HS/LAST12MO (dicotomous recode)

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	8409	58.0 %
1	YES: (1)	4965	34.2 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	1128	7.8 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,374 valid cases out of 14,502 total cases.

*Location:* 340-341 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2117D: 186B25C:#XMJ+HS/LAST30DA (dicotomous recode)

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10259	70.7 %
1	YES: (1)	3096	21.3 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	1147	7.9 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,355 valid cases out of 14,502 total cases.

*Location:* 342-343 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V2118D: 186B26A:#X LSD/LIFETIME (dicotomous recode)

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10626	73.3 %
1	YES: (1)	584	4.0 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	3292	22.7 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 11,210 valid cases out of 14,502 total cases.

*Location:* 344-345 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V2119D: 186B26B:#X LSD/LAST 12MO (dicotomous recode)

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10827	74.7 %
1	YES: (1)	393	2.7 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	3282	22.6 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 11,220 valid cases out of 14,502 total cases.

*Location:* 346-347 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2120D: 186B26C:#X LSD/LAST 30DA (dicotomous recode)

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	11101	76.5 %
1	YES: (1)	120	0.8 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	3281	22.6 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 11,221 valid cases out of 14,502 total cases.

*Location:* 348-349 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2121D: 186B27A:#X PSYD/LIFETIME (dicotomous recode)

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10705	73.8 %

Value	Label	Unweighted Frequency	%
1	YES: (1)	497	3.4 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	3300	22.8 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 11,202 valid cases out of 14,502 total cases.

*Location:* 350-351 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2122D: 186B27B:#X PSYD/LAST12MO (dicotomous recode)

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10895	75.1 %
1	YES: (1)	307	2.1 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	3300	22.8 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 11,202 valid cases out of 14,502 total cases.

*Location:* 352-353 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2123D: 186B27C:#X PSYD/LAST30DA (dicotomous recode)

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	11089	76.5 %

Value	Label	Unweighted Frequency	%
1	YES: (1)	105	0.7 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	3308	22.8 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 11,194 valid cases out of 14,502 total cases.

*Location:* 354-355 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2127D: 186B28A:#X AMPH/LIFETIME (dicotomous recode)

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-aware pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12258	84.5 %
1	YES: (1)	1200	8.3 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	1044	7.2 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,458 valid cases out of 14,502 total cases.

*Location:* 356-357 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2128D: 186B28B:#X AMPH/LAST12MO (dicotomous recode)

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-aware pills.

{Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).}}

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12694	87.5 %
1	YES: (1)	773	5.3 %
<b>Missing Data</b>			
-9	MISSING: (-9)	1035	7.1 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,467 valid cases out of 14,502 total cases.

*Location:* 358-359 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2129D: 186B28C:#X AMPH/LAST30DA (dicotomous recode)

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-aware pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	13141	90.6 %
1	YES: (1)	327	2.3 %
<b>Missing Data</b>			
-9	MISSING: (-9)	1034	7.1 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,468 valid cases out of 14,502 total cases.

*Location:* 360-361 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V2133D: 182R:#X SED/BARB/LIFE (dicotomous recode)

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12922	89.1 %
1	YES: (1)	554	3.8 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	1026	7.1 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,476 valid cases out of 14,502 total cases.

*Location:* 362-363 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V2134D: 182R:#X SED/BARB/12MO (dicotomous recode)

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal.} On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	13147	90.7 %
1	YES: (1)	340	2.3 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	1015	7.0 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,487 valid cases out of 14,502 total cases.

*Location:* 364-365 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V2135D: 182R:#X SED/BARB/30DA (dicotomous recode)

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal.} On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	13330	91.9 %
1	YES: (1)	150	1.0 %
<b>Missing Data</b>			
-9	MISSING: (-9)	1022	7.0 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,480 valid cases out of 14,502 total cases.

*Location:* 366-367 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V2136D: 186B32A:#X TRQL/LIFETIME (dicotomous recode)

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12510	86.3 %
1	YES: (1)	898	6.2 %
<b>Missing Data</b>			
-9	MISSING: (-9)	1094	7.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,408 valid cases out of 14,502 total cases.

*Location:* 368-369 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

### V2137D: 186B32B:#X TRQL/LAST12MO (dicotomous recode)

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.} On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12903	89.0 %
1	YES: (1)	525	3.6 %
<b>Missing Data</b>			
-9	MISSING: (-9)	1074	7.4 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,428 valid cases out of 14,502 total cases.

*Location:* 370-371 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V2138D: 186B32C:#X TRQL/LAST30DA (dicotomous recode)

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.} On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	13237	91.3 %
1	YES: (1)	185	1.3 %
<b>Missing Data</b>			
-9	MISSING: (-9)	1080	7.4 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,422 valid cases out of 14,502 total cases.

*Location:* 372-373 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2145D: 182B18A:#X INHL/LIFETIME (dicotomous recode)

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	6438	44.4 %
1	YES: (1)	302	2.1 %
<b>Missing Data</b>			
-9	MISSING: (-9)	7762	53.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,740 valid cases out of 14,502 total cases.

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2146D: 182B18B:#X INHL/LAST12MO (dicotomous recode)

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	6635	45.8 %
1	YES: (1)	113	0.8 %
<b>Missing Data</b>			
-9	MISSING: (-9)	7754	53.5 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 6,748 valid cases out of 14,502 total cases.

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V2147D: 182B18C:#X INHL/LAST30DA (dicotomous recode)

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	6694	46.2 %
1	YES: (1)	49	0.3 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	7759	53.5 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 6,743 valid cases out of 14,502 total cases.

*Location:* 378-379 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2142D: 186B35A:#X NARC/LIFETIME (dicotomous recode)

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12518	86.3 %
1	YES: (1)	787	5.4 %
	<b>Missing Data</b>		
-9	MISSING: (-9)	1197	8.3 %
	<b>Total</b>	<b>14,502</b>	<b>100%</b>

Based upon 13,305 valid cases out of 14,502 total cases.

*Location:* 380-381 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2143D: 186B35B:#X NARC/LAST12MO (dicotomous recode)

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.} On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12876	88.8 %
1	YES: (1)	443	3.1 %
<b>Missing Data</b>			
-9	MISSING: (-9)	1183	8.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,319 valid cases out of 14,502 total cases.

*Location:* 382-383 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V2144D: 186B35C:#X NARC/LAST30DA (dicotomous recode)

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.} On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	13180	90.9 %
1	YES: (1)	136	0.9 %
<b>Missing Data</b>			
-9	MISSING: (-9)	1186	8.2 %
<b>Total</b>		<b>14,502</b>	<b>100%</b>

Based upon 13,316 valid cases out of 14,502 total cases.

*Location:* 384-385 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## ICPSR 37416

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2018

## Form 1 Data Variable Description and Frequencies

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Form 1 Data

---

## CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,437 valid cases out of 2,437 total cases.

*Location:* 1-4 (width: 4; decimal: 0)

*Variable Type:* numeric

---

## V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2018	-	2437	100.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,437 valid cases out of 2,437 total cases.

*Location:* 5-8 (width: 4; decimal: 0)

*Variable Type:* numeric

---

## V3: BY18 80003 FORM ID

Value	Label	Unweighted Frequency	%
1	-	2437	100.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,437 valid cases out of 2,437 total cases.

*Location:* 9-9 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## RESPONDENT\_ID: ARCHIVE ID

Based upon 2,437 valid cases out of 2,437 total cases.

*Location:* 10-14 (width: 5; decimal: 0)

*Variable Type:* numeric

---

## ARCHIVE\_WT: ARCHIVE WEIGHT

Based upon 2,437 valid cases out of 2,437 total cases.

*Location:* 15-29 (width: 15; decimal: 13)

*Variable Type:* numeric

---

## V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	474	19.5 %
2	NORTH CENTRAL:(2)	530	21.7 %
3	SOUTH:(3)	926	38.0 %
4	WEST:(4)	507	20.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,437 valid cases out of 2,437 total cases.

*Location:* 30-30 (width: 1; decimal: 0)

*Variable Type:* numeric

## V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1451	59.5 %
1	LARGE MSA:(1)	986	40.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,437 valid cases out of 2,437 total cases.

*Location:* 31-31 (width: 1; decimal: 0)

*Variable Type:* numeric

## V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	427	17.5 %
1	MSA:(1)	2010	82.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,437 valid cases out of 2,437 total cases.

*Location:* 32-32 (width: 1; decimal: 0)

*Variable Type:* numeric

## V1633: 181A001 :VRY HPY THS DAY

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	441	18.1 %
2	PRTY HPY:(2)	1529	62.7 %
3	VRY HPY:(3)	439	18.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	28	1.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,409 valid cases out of 2,437 total cases.

*Location:* 33-34 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1634: 181A002A:US NEEDS PLANNG

Item Number: 01200

How much do you agree or disagree with each of the following statements?

A: The nation needs much more long-range planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	35	1.4 %

Value	Label	Unweighted Frequency	%
2	MOST DIS:(2)	63	2.6 %
3	NEITHER:(3)	372	15.3 %
4	MOST AGR:(4)	1007	41.3 %
5	AGREE:(5)	906	37.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	54	2.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,383 valid cases out of 2,437 total cases.

*Location:* 35-36 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1635: 181A002B:ENJOY FAST PACE

Item Number: 01210

How much do you agree or disagree with each of the following statements?

B: I enjoy the fast pace and changes of today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	194	8.0 %
2	MOST DIS:(2)	388	15.9 %
3	NEITHER:(3)	818	33.6 %
4	MOST AGR:(4)	718	29.5 %
5	AGREE:(5)	270	11.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	49	2.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,388 valid cases out of 2,437 total cases.

*Location:* 37-38 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1636: 181A002C:THG CHG 2 QUICK

Item Number: 01220

How much do you agree or disagree with each of the following statements?

C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	173	7.1 %
2	MOST DIS:(2)	407	16.7 %
3	NEITHER:(3)	688	28.2 %
4	MOST AGR:(4)	655	26.9 %
5	AGREE:(5)	450	18.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	64	2.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,373 valid cases out of 2,437 total cases.

*Location:* 39-40 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1637: 181A002D:X AHEAD TOUGHER

Item Number: 01230

How much do you agree or disagree with each of the following statements?

D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	321	13.2 %
2	MOST DIS:(2)	430	17.6 %
3	NEITHER:(3)	608	24.9 %
4	MOST AGR:(4)	521	21.4 %
5	AGREE:(5)	479	19.7 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	78	3.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,359 valid cases out of 2,437 total cases.

*Location:* 41-42 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1638: 181A003:TM SPT ADLT MST

Item Number: 01240

Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

Value	Label	Unweighted Frequency	%
1	VRY LITL:(1)	596	24.5 %
2	SOME:(2)	878	36.0 %
3	ABT HALF:(3)	631	25.9 %
4	MOST:(4)	247	10.1 %
5	NRLY ALL:(5)	55	2.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	30	1.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,407 valid cases out of 2,437 total cases.

*Location:* 43-44 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1639: 181A004 :LK MR TM ADLT

Item Number: 01250

Would you like to spend more time, or less time, with people over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	178	7.3 %
2	SMWT LESS:(2)	311	12.8 %
3	SAME:(3)	1461	60.0 %
4	SMWT MORE:(4)	383	15.7 %
5	MCH MORE:(5)	72	3.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	32	1.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,405 valid cases out of 2,437 total cases.

*Location:* 45-46 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1640: 181A005 :LK MR TM YG CHD

Item Number: 01260

Would you like to spend more time, or less time, working with or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	279	11.4 %
2	SMWT LESS:(2)	230	9.4 %
3	SAME:(3)	762	31.3 %
4	SMWT MORE:(4)	735	30.2 %
5	MCH MORE:(5)	399	16.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	32	1.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,405 valid cases out of 2,437 total cases.

*Location:* 47-48 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1641: 181A006A:SAT PRESENT JOB

Item Number: 01270

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer. How satisfied are you with . . .

A: . . . Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	61	2.5 %
2	-	55	2.3 %
3	-	97	4.0 %
4	NEUTRAL:(4)	365	15.0 %
5	-	208	8.5 %
6	-	298	12.2 %
7	COMP SAT:(7)	276	11.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1077	44.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,360 valid cases out of 2,437 total cases.

*Location:* 49-50 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1642: 181A006B:SAT NEIGHBORHOD

Item Number: 01280

How satisfied are you with . . .

B: . . . The neighborhood where you live?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	73	3.0 %
2	-	76	3.1 %
3	-	127	5.2 %
4	NEUTRAL:(4)	579	23.8 %

Value	Label	Unweighted Frequency	%
5	-	323	13.3 %
6	-	483	19.8 %
7	COMP SAT:(7)	746	30.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	30	1.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,407 valid cases out of 2,437 total cases.

*Location:* 51-52 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1643: 181A006C:SAT PRSNL SAFTY

Item Number: 01290

How satisfied are you with . . .

C: . . . Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	85	3.5 %
2	-	77	3.2 %
3	-	198	8.1 %
4	NEUTRAL:(4)	503	20.6 %
5	-	315	12.9 %
6	-	536	22.0 %
7	COMP SAT:(7)	682	28.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	41	1.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,396 valid cases out of 2,437 total cases.

*Location:* 53-54 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1644: 181A006D:SAT OWN PROP SF

Item Number: 01300

How satisfied are you with . . .

D: . . . The safety of things you own from being stolen or destroyed in your neighborhood, on your job, and in your school?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	104	4.3 %
2	-	97	4.0 %
3	-	215	8.8 %
4	NEUTRAL:(4)	503	20.6 %
5	-	357	14.6 %
6	-	561	23.0 %
7	COMP SAT:(7)	550	22.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	50	2.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,387 valid cases out of 2,437 total cases.

*Location:* 55-56 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1645: 181A006E:SAT EDUC EXPRNC

Item Number: 01310

How satisfied are you with . . .

E: . . . Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	82	3.4 %
2	-	105	4.3 %
3	-	207	8.5 %
4	NEUTRAL:(4)	513	21.1 %

Value	Label	Unweighted Frequency	%
5	-	475	19.5 %
6	-	563	23.1 %
7	COMP SAT:(7)	445	18.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	47	1.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,390 valid cases out of 2,437 total cases.

*Location:* 57-58 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1646: 181A006F:SAT OWN FRIENDS

Item Number: 01320

How satisfied are you with . . .

F: . . . Your friends and other people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely

Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	31	1.3 %
2	-	40	1.6 %
3	-	81	3.3 %
4	NEUTRAL:(4)	276	11.3 %
5	-	310	12.7 %
6	-	672	27.6 %
7	COMP SAT:(7)	986	40.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	41	1.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,396 valid cases out of 2,437 total cases.

*Location:* 59-60 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1647: 181A006G:SAT GT ALNG PRN

Item Number: 01330

How satisfied are you with . . .

G: . . . The way you get along with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	86	3.5 %
2	-	89	3.7 %
3	-	164	6.7 %
4	NEUTRAL:(4)	386	15.8 %
5	-	312	12.8 %
6	-	554	22.7 %
7	COMP SAT:(7)	804	33.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	42	1.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,395 valid cases out of 2,437 total cases.

*Location:* 61-62 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1648: 181A006H:SAT YOURSELF

Item Number: 01340

How satisfied are you with . . .

H: . . . Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	130	5.3 %
2	-	114	4.7 %
3	-	196	8.0 %
4	NEUTRAL:(4)	478	19.6 %
5	-	356	14.6 %
6	-	469	19.2 %

Value	Label	Unweighted Frequency	%
7	COMP SAT:(7)	643	26.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	51	2.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,386 valid cases out of 2,437 total cases.

*Location:* 63-64 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1649: 181A006I:SAT STD OF LVG

Item Number: 01350

How satisfied are you with . . .

I: . . . Your standard of living--the things you have like housing, car, furniture, recreation, and the like?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	35	1.4 %
2	-	59	2.4 %
3	-	89	3.7 %
4	NEUTRAL:(4)	368	15.1 %
5	-	344	14.1 %
6	-	561	23.0 %
7	COMP SAT:(7)	936	38.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	45	1.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,392 valid cases out of 2,437 total cases.

*Location:* 65-66 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1650: 181A006J:SAT TIME FR THG

Item Number: 01360

How satisfied are you with . . .

J: . . . The amount of time you have for doing things you want to do?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	175	7.2 %
2	-	184	7.6 %
3	-	318	13.0 %
4	NEUTRAL:(4)	475	19.5 %
5	-	450	18.5 %
6	-	410	16.8 %
7	COMP SAT:(7)	383	15.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	42	1.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,395 valid cases out of 2,437 total cases.

*Location:* 67-68 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1651: 181A006K:SAT SPD LEISR

Item Number: 01370

How satisfied are you with . . .

K: . . . The way you spend your leisure time--recreation, relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	78	3.2 %
2	-	99	4.1 %
3	-	211	8.7 %
4	NEUTRAL:(4)	487	20.0 %
5	-	420	17.2 %
6	-	511	21.0 %

Value	Label	Unweighted Frequency	%
7	COMP SAT:(7)	585	24.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	46	1.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,391 valid cases out of 2,437 total cases.

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1652: 181A006L:SAT LIFE AS WHL

Item Number: 01380

How satisfied are you with . . .

L: . . . Your life as a whole these days?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	84	3.4 %
2	-	105	4.3 %
3	-	177	7.3 %
4	NEUTRAL:(4)	597	24.5 %
5	-	446	18.3 %
6	-	562	23.1 %
7	COMP SAT:(7)	411	16.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	55	2.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,382 valid cases out of 2,437 total cases.

*Location:* 71-72 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1653: 181A006M:SAT GOVT OPRTNG

Item Number: 01390

How satisfied are you with . . .

M: . . . The way our national government is operating?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	480	19.7 %
2	-	332	13.6 %
3	-	387	15.9 %
4	NEUTRAL:(4)	738	30.3 %
5	-	210	8.6 %
6	-	133	5.5 %
7	COMP SAT:(7)	112	4.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	45	1.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,392 valid cases out of 2,437 total cases.

*Location:* 73-74 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1654: 181A006N:SAT AMT OF FUN

Item Number: 01400

How satisfied are you with . . .

N: . . . The amount of fun you are having?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	105	4.3 %
2	-	116	4.8 %
3	-	222	9.1 %
4	NEUTRAL:(4)	522	21.4 %
5	-	515	21.1 %
6	-	490	20.1 %
7	COMP SAT:(7)	428	17.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	39	1.6 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,398 valid cases out of 2,437 total cases.

*Location:* 75-76 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1655: 181A007A:IMP B SUCCSS WK

Item Number: 01410

How important is each of the following to you in your life?

A: Being successful in my line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	39	1.6 %
2	SOM IMPT:(2)	151	6.2 %
3	QUITE IM:(3)	607	24.9 %
4	EXTR IMP:(4)	1563	64.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	77	3.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,360 valid cases out of 2,437 total cases.

*Location:* 77-78 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1656: 181A007B:IMP GD MRRG/FAM

Item Number: 01420

How important is each of the following to you in your life?

B: Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	99	4.1 %
2	SOM IMPT:(2)	186	7.6 %
3	QUITE IM:(3)	413	16.9 %
4	EXTR IMP:(4)	1658	68.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	81	3.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,356 valid cases out of 2,437 total cases.

*Location:* 79-80 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1657: 181A007C:IMP LOTS OF \$

Item Number: 01430

How important is each of the following to you in your life?

C: Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	118	4.8 %
2	SOM IMPT:(2)	620	25.4 %
3	QUITE IM:(3)	855	35.1 %
4	EXTR IMP:(4)	761	31.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	83	3.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,354 valid cases out of 2,437 total cases.

*Location:* 81-82 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1658: 181A007D:IMP TM RCRN/HBY

Item Number: 01440

How important is each of the following to you in your life?

D: Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	32	1.3 %
2	SOM IMPT:(2)	432	17.7 %
3	QUITE IM:(3)	1044	42.8 %
4	EXTR IMP:(4)	846	34.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	83	3.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,354 valid cases out of 2,437 total cases.

*Location:* 83-84 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1659: 181A007E:IMP STRG FRDSHP

Item Number: 01450

How important is each of the following to you in your life?

E: Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	66	2.7 %
2	SOM IMPT:(2)	226	9.3 %
3	QUITE IM:(3)	625	25.6 %
4	EXTR IMP:(4)	1443	59.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	77	3.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,360 valid cases out of 2,437 total cases.

*Location:* 85-86 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1660: 181A007F:IMP STEADY WORK

Item Number: 01460

How important is each of the following to you in your life?

F: Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	31	1.3 %
2	SOM IMPT:(2)	119	4.9 %
3	QUITE IM:(3)	563	23.1 %
4	EXTR IMP:(4)	1638	67.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	86	3.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,351 valid cases out of 2,437 total cases.

*Location:* 87-88 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1661: 181A007G:IMP CNTRBTN SOC

Item Number: 01470

How important is each of the following to you in your life?

G: Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	114	4.7 %
2	SOM IMPT:(2)	556	22.8 %
3	QUITE IM:(3)	905	37.1 %
4	EXTR IMP:(4)	778	31.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	84	3.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,353 valid cases out of 2,437 total cases.

*Location:* 89-90 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1662: 181A007H:IMP LDR COMUNTY

Item Number: 01480

How important is each of the following to you in your life?

H: Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	411	16.9 %
2	SOM IMPT:(2)	786	32.3 %
3	QUITE IM:(3)	672	27.6 %
4	EXTR IMP:(4)	480	19.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	88	3.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,349 valid cases out of 2,437 total cases.

*Location:* 91-92 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1663: 181A007I:IMP CHLD BTR OP

Item Number: 01490

How important is each of the following to you in your life?

I: Being able to give my children better opportunities than I've had

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	69	2.8 %
2	SOM IMPT:(2)	134	5.5 %

Value	Label	Unweighted Frequency	%
3	QUITE IM:(3)	439	18.0 %
4	EXTR IMP:(4)	1702	69.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	93	3.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,344 valid cases out of 2,437 total cases.

*Location:* 93-94 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1664: 181A007J:IMP LIV CLS PRN

Item Number: 01500

How important is each of the following to you in your life?

J: Living close to parents and relatives

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	339	13.9 %
2	SOM IMPT:(2)	819	33.6 %
3	QUITE IM:(3)	719	29.5 %
4	EXTR IMP:(4)	474	19.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	86	3.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,351 valid cases out of 2,437 total cases.

*Location:* 95-96 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1665: 181A007K:IMP GT AWY AREA

Item Number: 01510

How important is each of the following to you in your life?

K: Getting away from this area of the country

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	859	35.2 %
2	SOM IMPT:(2)	681	27.9 %
3	QUITE IM:(3)	399	16.4 %
4	EXTR IMP:(4)	413	16.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	85	3.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,352 valid cases out of 2,437 total cases.

*Location:* 97-98 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1666: 181A007L:IMP CRRCT INEQL

Item Number: 01520

How important is each of the following to you in your life?

L: Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	358	14.7 %
2	SOM IMPT:(2)	789	32.4 %
3	QUITE IM:(3)	695	28.5 %
4	EXTR IMP:(4)	504	20.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	91	3.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,346 valid cases out of 2,437 total cases.

*Location:* 99-100 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1667: 181A007M:IMP NEW XPRNCE

Item Number: 01530

How important is each of the following to you in your life?

M: Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	130	5.3 %
2	SOM IMPT:(2)	537	22.0 %
3	QUITE IM:(3)	882	36.2 %
4	EXTR IMP:(4)	802	32.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	86	3.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,351 valid cases out of 2,437 total cases.

*Location:* 101-102 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1668: 181A007N:IMP FND PRPS LF

Item Number: 01540

How important is each of the following to you in your life?

N: Finding purpose and meaning in my life

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	80	3.3 %
2	SOM IMPT:(2)	205	8.4 %
3	QUITE IM:(3)	540	22.2 %
4	EXTR IMP:(4)	1530	62.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	82	3.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,355 valid cases out of 2,437 total cases.

*Location:* 103-104 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1669: 181A008 :PPL CAN B TRSTD

Item Number: 01550

Generally speaking, would you say that most people can be trusted or that you can't be too careful in dealing with people?

3="Most people can be trusted" 2="Don't know, undecided"

1="Can't be too careful"

Value	Label	Unweighted Frequency	%
1	CANT BE TOO CAREFUL:(1)	1144	46.9 %
2	DONT KNOW:(2)	666	27.3 %
3	MOST CAN BE TRUSTD:(3)	381	15.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	246	10.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,191 valid cases out of 2,437 total cases.

*Location:* 105-106 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1670: 181A009 :PPL TRY B HLPFL

Item Number: 01560

Would you say that most of the time people try to be helpful or that they are mostly just looking out for themselves?

3="Try to be helpful" 2="Don't know, undecided" 1="Just looking out for themselves"

Value	Label	Unweighted Frequency	%
1	FOR THEMSELVES:(1)	903	37.1 %
2	DONT KNOW:(2)	834	34.2 %
3	TRY BE HELPFUL:(3)	604	24.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	96	3.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,341 valid cases out of 2,437 total cases.

*Location:* 107-108 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1671: 181A010 :PPL TRY BE FAIR

Item Number: 01570

Do you think most people would try to take advantage of you if they got a chance or would they try to be fair?

3="Would try to be fair" 2="Don't know, undecided" 1="Would try to take advantage of you"

Value	Label	Unweighted Frequency	%
1	TRY TK ADVNTG:(1)	1095	44.9 %
2	DONT KNOW:(2)	863	35.4 %
3	TRY BE FAIR:(3)	382	15.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	97	4.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,340 valid cases out of 2,437 total cases.

*Location:* 109-110 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1672: 181A011A:-OBY LW = -GD CTZ

Item Number: 01580

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: I feel that you can't be a good citizen unless you always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	451	18.5 %
2	MOST DIS:(2)	456	18.7 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	654	26.8 %
4	MOST AGR:(4)	588	24.1 %
5	AGREE:(5)	184	7.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	104	4.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,333 valid cases out of 2,437 total cases.

*Location:* 111-112 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1673: 181A011B:GD CTZN ALG GOV

Item Number: 01590

How much do you agree or disagree with each statement below?

B: I feel good citizens should go along with whatever the government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	919	37.7 %
2	MOST DIS:(2)	564	23.1 %
3	NEITHER:(3)	551	22.6 %
4	MOST AGR:(4)	221	9.1 %
5	AGREE:(5)	75	3.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	107	4.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,330 valid cases out of 2,437 total cases.

*Location:* 113-114 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1674: 181A011C:GD CTZN CHG GOV

Item Number: 01600

How much do you agree or disagree with each statement below?

C: I feel good citizens try to change the government policies they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	94	3.9 %
2	MOST DIS:(2)	162	6.6 %
3	NEITHER:(3)	706	29.0 %
4	MOST AGR:(4)	751	30.8 %
5	AGREE:(5)	600	24.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	124	5.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,313 valid cases out of 2,437 total cases.

*Location:* 115-116 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1675: 181A011D:VOTE->MAJ IMPCT

Item Number: 01610

How much do you agree or disagree with each statement below?

D: The way people vote has a major impact on how things are run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	152	6.2 %
2	MOST DIS:(2)	218	8.9 %
3	NEITHER:(3)	503	20.6 %
4	MOST AGR:(4)	737	30.2 %
5	AGREE:(5)	710	29.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	117	4.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,320 valid cases out of 2,437 total cases.

*Location:* 117-118 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1676: 181A011E:CTZN GRP HV EFC

Item Number: 01620

How much do you agree or disagree with each statement below?

E: People who get together in citizen action groups to influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	117	4.8 %
2	MOST DIS:(2)	213	8.7 %
3	NEITHER:(3)	845	34.7 %
4	MOST AGR:(4)	706	29.0 %
5	AGREE:(5)	430	17.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	126	5.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,311 valid cases out of 2,437 total cases.

*Location:* 119-120 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1677: 181A011F:OUR SYST ST BS

Item Number: 01630

How much do you agree or disagree with each statement below?

F: Despite its many faults, our system of doing things is still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	392	16.1 %
2	MOST DIS:(2)	403	16.5 %
3	NEITHER:(3)	857	35.2 %
4	MOST AGR:(4)	435	17.8 %
5	AGREE:(5)	222	9.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	128	5.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,309 valid cases out of 2,437 total cases.

*Location:* 121-122 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1678: 181A011G:US NEEDS GROWTH

Item Number: 01640

How much do you agree or disagree with each statement below?

G: America needs growth to survive, and that is going to require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	742	30.4 %
2	MOST DIS:(2)	470	19.3 %
3	NEITHER:(3)	705	28.9 %
4	MOST AGR:(4)	244	10.0 %
5	AGREE:(5)	151	6.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	125	5.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,312 valid cases out of 2,437 total cases.

*Location:* 123-124 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1679: 181A011H:LV THNGS TO GOD

Item Number: 01650

How much do you agree or disagree with each statement below?

H: If we just leave things to God, they will turn out for  
the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	652	26.8 %
2	MOST DIS:(2)	251	10.3 %
3	NEITHER:(3)	604	24.8 %
4	MOST AGR:(4)	366	15.0 %
5	AGREE:(5)	436	17.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	128	5.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,309 valid cases out of 2,437 total cases.

*Location:* 125-126 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1680: 181A011I:GO SCH ENJY XPR

Item Number: 01660

How much do you agree or disagree with each statement below?

I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	258	10.6 %
2	MOST DIS:(2)	293	12.0 %
3	NEITHER:(3)	616	25.3 %
4	MOST AGR:(4)	774	31.8 %
5	AGREE:(5)	376	15.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	120	4.9 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,317 valid cases out of 2,437 total cases.

*Location:* 127-128 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1681: 181A011J:DO WL SC IMP/JB

Item Number: 01670

How much do you agree or disagree with each statement below?

J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	100	4.1 %
2	MOST DIS:(2)	123	5.0 %
3	NEITHER:(3)	353	14.5 %
4	MOST AGR:(4)	693	28.4 %
5	AGREE:(5)	1053	43.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	115	4.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,322 valid cases out of 2,437 total cases.

*Location:* 129-130 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1766: 181A012A:RSK OF CIG1+PK/

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	153	6.3 %
2	SLIGHT:(2)	73	3.0 %
3	MOD RISK:(3)	267	11.0 %
4	GRT RISK:(4)	1705	70.0 %
5	CANT SAY:(5)	131	5.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	108	4.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,329 valid cases out of 2,437 total cases.

*Location:* 131-132 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1767: 181A012B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, grass) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1191	48.9 %
2	SLIGHT:(2)	552	22.7 %
3	MOD RISK:(3)	206	8.5 %
4	GRT RISK:(4)	230	9.4 %
5	CANT SAY:(5)	148	6.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	110	4.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,327 valid cases out of 2,437 total cases.

*Location:* 133-134 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1768: 181A012C:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	830	34.1 %
2	SLIGHT:(2)	639	26.2 %
3	MOD RISK:(3)	407	16.7 %
4	GRT RISK:(4)	298	12.2 %
5	CANT SAY:(5)	156	6.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	107	4.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,330 valid cases out of 2,437 total cases.

*Location:* 135-136 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1769: 181A012D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	457	18.8 %
2	SLIGHT:(2)	597	24.5 %
3	MOD RISK:(3)	503	20.6 %
4	GRT RISK:(4)	609	25.0 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	154	6.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	117	4.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,320 valid cases out of 2,437 total cases.

*Location:* 137-138 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1776: 181A012E:RSK OF 1-2 DRIN

Item Number: 12510

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Try one or two drinks of an alcoholic beverage  
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1070	43.9 %
2	SLIGHT:(2)	708	29.1 %
3	MOD RISK:(3)	228	9.4 %
4	GRT RISK:(4)	211	8.7 %
5	CANT SAY:(5)	109	4.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	111	4.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,326 valid cases out of 2,437 total cases.

*Location:* 139-140 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1777: 181A012F:RSK OF 1-2 DR/DAY

Item Number: 12520

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	269	11.0 %
2	SLIGHT:(2)	642	26.3 %
3	MOD RISK:(3)	786	32.3 %
4	GRT RISK:(4)	519	21.3 %
5	CANT SAY:(5)	109	4.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	112	4.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,325 valid cases out of 2,437 total cases.

*Location:* 141-142 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1778: 181A012G:RSK OF 4-5 DR/DAY

Item Number: 12530

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	174	7.1 %
2	SLIGHT:(2)	128	5.3 %
3	MOD RISK:(3)	498	20.4 %
4	GRT RISK:(4)	1403	57.6 %
5	CANT SAY:(5)	121	5.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	113	4.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,324 valid cases out of 2,437 total cases.

*Location:* 143-144 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1779: 181A012H:RSK OF 5+DR/WKN

Item Number: 12540

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each  
weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	235	9.6 %
2	SLIGHT:(2)	340	14.0 %
3	MOD RISK:(3)	643	26.4 %
4	GRT RISK:(4)	980	40.2 %
5	CANT SAY:(5)	125	5.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	114	4.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,323 valid cases out of 2,437 total cases.

*Location:* 145-146 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1808: 181A012I:RSK H -NDL 1-2X

Item Number: 29600

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

I: . . . Try heroin once or twice without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	149	6.1 %
2	SLIGHT:(2)	98	4.0 %
3	MOD RISK:(3)	264	10.8 %
4	GRT RISK:(4)	1515	62.2 %
5	CANT SAY:(5)	297	12.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	114	4.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,323 valid cases out of 2,437 total cases.

*Location:* 147-148 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1809: 181A012J:RSK H -NDL OCC

Item Number: 29610

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

J: . . . Take heroin occasionally without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	147	6.0 %
2	SLIGHT:(2)	35	1.4 %
3	MOD RISK:(3)	163	6.7 %
4	GRT RISK:(4)	1669	68.5 %
5	CANT SAY:(5)	302	12.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	121	5.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,316 valid cases out of 2,437 total cases.

*Location:* 149-150 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1950: 181A012K:RSK VAPE NIC OCC

Item Number: 34190

How much do you think people risk harming themselves (physically or in other ways), if they . . .

K: . . . Vape an e-liquid with nicotine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	547	22.4 %
2	SLIGHT:(2)	809	33.2 %
3	MOD RISK:(3)	397	16.3 %
4	GRT RISK:(4)	339	13.9 %
5	CANT SAY:(5)	228	9.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	117	4.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,320 valid cases out of 2,437 total cases.

*Location:* 151-152 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1951: 181A012L:RSK VAPE NIC REGLY

Item Number: 34200

How much do you think people risk harming themselves (physically or in other ways), if they . . .

L: . . . Vape an e-liquid with nicotine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	308	12.6 %
2	SLIGHT:(2)	496	20.4 %
3	MOD RISK:(3)	656	26.9 %
4	GRT RISK:(4)	625	25.6 %
5	CANT SAY:(5)	236	9.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	116	4.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,321 valid cases out of 2,437 total cases.

*Location:* 153-154 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1952: 181A013A:EASY GT CIG

Item number: 34460

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist or vapor into the lungs. How difficult do you think it would be to get the following, if you wanted them? (Mark one circle for each line.)

A. Cigarettes . . . . . 1="Probably Impossible" 2="Very Difficult"  
3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

B. Vaping device (like an e-pen or e-cigarette) . . . . . 1="Probably Impossible" 2="Very Difficult"  
3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

C. E-liquid with nicotine (for vaping) . . . . . 1="Probably Impossible" 2="Very Difficult"  
3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	156	6.4 %
2	VRY DIFF:(2)	125	5.1 %
3	FRLY DIF:(3)	280	11.5 %
4	FRLY EAS:(4)	594	24.4 %
5	VRY EASY:(5)	1156	47.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	126	5.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,311 valid cases out of 2,437 total cases.

*Location:* 155-156 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1953: 181A013B:EASY GT VAPE DEVICE

Item number: 34330

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist or vapor into the lungs. How difficult do you think it would be to get the following, if you wanted them? (Mark one circle for each line.)

A. Cigarettes . . . . . 1="Probably Impossible" 2="Very Difficult"  
3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

B. Vaping device (like an e-pen or e-cigarette) . . . . . 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

C. E-liquid with nicotine (for vaping) . . . . . 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	127	5.2 %
2	VRY DIFF:(2)	58	2.4 %
3	FRLY DIF:(3)	230	9.4 %
4	FRLY EAS:(4)	629	25.8 %
5	VRY EASY:(5)	1262	51.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	131	5.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,306 valid cases out of 2,437 total cases.

*Location:* 157-158 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1954: 181A013C:EASY GT NICOTIN VAPE

Item number: 34340

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist or vapor into the lungs. How difficult do you think it would be to get the following, if you wanted them? (Mark one circle for each line.)

a. Cigarettes . . . . . 1="Probably Impossible" 2="Very Difficult"

3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

b. Vaping device (like an e-pen or e-cigarette) . . . . . 1="Probably Impossible" 2="Very Difficult"

3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

c. E-liquid with nicotine (for vaping) . . . . . 1="Probably Impossible" 2="Very Difficult"

3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	134	5.5 %
2	VRY DIFF:(2)	88	3.6 %
3	FRLY DIF:(3)	271	11.1 %
4	FRLY EAS:(4)	620	25.4 %
5	VRY EASY:(5)	1189	48.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	135	5.5 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,302 valid cases out of 2,437 total cases.

*Location:* 159-160 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1208: 181B001 :EVR SMK CIG,REG

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 8" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1693	69.5 %
2	1-2X:(2)	331	13.6 %
3	OCCASONLY:(3)	140	5.7 %
4	REG PAST:(4)	49	2.0 %
5	REG NOW:(5)	53	2.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	171	7.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,437 total cases.

*Location:* 161-162 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1210: 181B002 :#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day"

5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	379	15.6 %
2	<1 CIG/D:(2)	111	4.6 %
3	1-5/DAY:(3)	45	1.8 %
4	1/2 PK:(4)	20	0.8 %
5	1 PK:(5)	9	0.4 %
6	1 1/2 PK:(6)	4	0.2 %
7	2+ PKS:(7)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1860	76.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 577 valid cases out of 2,437 total cases.

*Location:* 163-164 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1102: 181B002(R):#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all [includes respondents who reported nonuse above]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	2072	85.0 %
2	<1 CIG/D:(2)	111	4.6 %
3	1-5/DAY:(3)	45	1.8 %
4	1/2 PK:(4)	20	0.8 %
5	1 PK:(5)	9	0.4 %
6	1 1/2 PK:(6)	4	0.2 %
7	2+ PKS:(7)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	167	6.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,270 valid cases out of 2,437 total cases.

*Location:* 165-166 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1752: 181B003 :#CIG/DAY-30DAYS

Item Number: 00781

To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

01="None" 02="Less than one per day" 03="1 to 2" 04="3 to 7"  
05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28  
to 32" 10="33 to 37" 11="38 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	384	15.8 %
2	LT 1/DAY:(2)	74	3.0 %
3	1-2:(3)	41	1.7 %
4	3-7:(4)	35	1.4 %
5	8-12:(5)	16	0.7 %
6	13-17:(6)	10	0.4 %
7	18-22:(7)	2	0.1 %
8	23-27:(8)	0	0.0 %
9	28-32:(9)	1	0.0 %
10	33-37:(10)	0	0.0 %
11	38+:(11)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1864	76.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 573 valid cases out of 2,437 total cases.

*Location:* 167-168 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1211: 181B004 :\*TRY STP SMK/FL

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	52	2.1 %
2	NO:(2)	516	21.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1869	76.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 568 valid cases out of 2,437 total cases.

*Location:* 169-170 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1754: 181B005 :#X TRY STOP SMK

Item Number: 01691

How many times (if any) have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	392	16.1 %
2	ONCE:(2)	95	3.9 %
3	TWICE:(3)	47	1.9 %
4	3-5X:(4)	20	0.8 %
5	6-9X:(5)	2	0.1 %
6	10+ TIME:(6)	8	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1873	76.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 564 valid cases out of 2,437 total cases.

*Location:* 171-172 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1212: 181B006 :\*WNT STP SMK NW

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

Value	Label	Unweighted Frequency	%
1	YES:(1)	34	1.4 %
2	NO:(2)	121	5.0 %
8	DONT SMOKE NOW:(8)	412	16.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1870	76.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 567 valid cases out of 2,437 total cases.

*Location:* 173-174 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1810: 181B007 :USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites"  
 04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral"  
 09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit"  
 14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall"  
 19="Parliament" 20="Salem" 22="Virginia Slims"  
 23="Winston" 24="Other" 25="No Usual Brand" 26="American Spirit"

Value	Label	Unweighted Frequency	%
1	BASIC:(1)	1	0.0 %
2	BNSN HDGS:(2)	0	0.0 %
3	BLACK WHT:(3)	2	0.1 %
4	CAMBRDGE:(4)	1	0.0 %
5	CAMEL:(5)	41	1.7 %
6	CAPRI:(6)	1	0.0 %
7	CARLTION:(7)	0	0.0 %
8	DORAL:(8)	1	0.0 %
9	GPC:(9)	2	0.1 %
10	KENT:(10)	0	0.0 %
11	KOOL:(11)	2	0.1 %
12	MARLBORO:(12)	111	4.6 %

Value	Label	Unweighted Frequency	%
13	MERIT:(13)	0	0.0 %
14	MISTY:(14)	1	0.0 %
15	MONARCH: (15)	0	0.0 %
16	MORE:(16)	0	0.0 %
17	NEWPORT:(17)	32	1.3 %
18	PALLMALL:(18)	4	0.2 %
19	PARLMENT:(19)	1	0.0 %
20	SALEM:(20)	1	0.0 %
22	VA SLIMS:(22)	1	0.0 %
23	WINSTON:(23)	1	0.0 %
24	OTHER:(24)	41	1.7 %
25	NO USUAL:(25)	180	7.4 %
26	AMERICAN SPIRIT:(26)	35	1.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1978	81.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 459 valid cases out of 2,437 total cases.

*Location:* 175-176 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1213: 181B008 :NO SMK IN 5 YR

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	42	1.7 %
2	PRB WILL:(2)	85	3.5 %
3	PRB WONT:(3)	410	16.8 %
4	DEF WONT:(4)	1804	74.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	96	3.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,341 valid cases out of 2,437 total cases.

*Location:* 177-178 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1955: 181B009 :SMK REG CIG BEST FRND

Item Number: 34360

If one of your best friends were to offer you a cigarette, would you smoke it?

1="Definitely yes" 2="Probably yes" 3="Probably not" 4="Definitely not"

Value	Label	Unweighted Frequency	%
1	DEF YES:(1)	79	3.2 %
2	PROB YES:(2)	221	9.1 %
3	PROB NOT:(3)	464	19.0 %
4	DEF NOT:(4)	1594	65.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	79	3.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,358 valid cases out of 2,437 total cases.

*Location:* 179-180 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1214: 181B010A:#X ALC/LIF SIPS

Item Number: 00810

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	681	27.9 %
2	1-2X:(2)	301	12.4 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	313	12.8 %
4	6-9X:(4)	227	9.3 %
5	10-19X:(5)	272	11.2 %
6	20-39X:(6)	192	7.9 %
7	40+OCCAS:(7)	280	11.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	171	7.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,437 total cases.

*Location:* 181-182 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1215: 181B010B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	894	36.7 %
2	1-2X:(2)	445	18.3 %
3	3-5X:(3)	296	12.1 %
4	6-9X:(4)	214	8.8 %
5	10-19X:(5)	209	8.6 %
6	20-39X:(6)	107	4.4 %
7	40+OCCAS:(7)	93	3.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	179	7.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,258 valid cases out of 2,437 total cases.

*Location:* 183-184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1216: 181B010C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1493	61.3 %
2	1-2X:(2)	421	17.3 %
3	3-5X:(3)	173	7.1 %
4	6-9X:(4)	76	3.1 %
5	10-19X:(5)	52	2.1 %
6	20-39X:(6)	13	0.5 %
7	40+OCCAS:(7)	25	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	184	7.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,253 valid cases out of 2,437 total cases.

*Location:* 185-186 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1217: 181B011A:#X/YR ALC ALONE

Item Number: 01720

IF YOU HAVE NOT HAD ANY BEER, WINE, LIQUOR, OR OTHER ALCOHOLIC BEVERAGE IN THE LAST TWELVE MONTHS, GO TO QUESTION 21.

When you used alcohol during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1002	41.1 %
2	FEW TIMES:(2)	244	10.0 %
3	SOMETIMES:(3)	52	2.1 %
4	MOST TIMES:(4)	28	1.1 %
5	EVERY TIME:(5)	24	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1087	44.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,350 valid cases out of 2,437 total cases.

*Location:* 187-188 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1218: 181B011B:#X/YR ALC-2 PPL

Item Number: 01730

When you used alcohol during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	351	14.4 %
2	FEW TIMES:(2)	512	21.0 %
3	SOMETIMES:(3)	207	8.5 %
4	MOST TIMES:(4)	162	6.6 %
5	EVERY TIME:(5)	114	4.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1091	44.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,346 valid cases out of 2,437 total cases.

*Location:* 189-190 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1219: 181B011C:#X/YR ALC@PARTY

Item Number: 01740

When you used alcohol during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	330	13.5 %
2	FEW TIMES:(2)	262	10.8 %
3	SOMETIMES:(3)	159	6.5 %
4	MOST TIMES:(4)	352	14.4 %
5	EVERY TIME:(5)	242	9.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1092	44.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,345 valid cases out of 2,437 total cases.

*Location:* 191-192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1220: 181B011D:#X/YR ALC-DT/SP

Item Number: 01750

When you used alcohol during the last year, how often did you use it in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	839	34.4 %
2	FEW TIMES:(2)	237	9.7 %
3	SOMETIMES:(3)	119	4.9 %
4	MOST TIMES:(4)	98	4.0 %
5	EVERY TIME:(5)	50	2.1 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1094	44.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,343 valid cases out of 2,437 total cases.

*Location:* 193-194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1221: 181B011E:#X/YR ALC-ADLTS

Item Number: 01760

When you used alcohol during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	497	20.4 %
2	FEW TIMES:(2)	365	15.0 %
3	SOMETIMES:(3)	193	7.9 %
4	MOST TIMES:(4)	146	6.0 %
5	EVERY TIME:(5)	145	5.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1091	44.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,346 valid cases out of 2,437 total cases.

*Location:* 195-196 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1222: 181B011F:#X/YR ALC-DATIM

Item Number: 01770

When you used alcohol during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	933	38.3 %
2	FEW TIMES:(2)	271	11.1 %
3	SOMETIMES:(3)	93	3.8 %
4	MOST TIMES:(4)	27	1.1 %
5	EVERY TIME:(5)	24	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1089	44.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,348 valid cases out of 2,437 total cases.

*Location:* 197-198 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1223: 181B011G:#X/YR ALC@HOME

Item Number: 01780

When you used alcohol during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	504	20.7 %
2	FEW TIMES:(2)	358	14.7 %
3	SOMETIMES:(3)	188	7.7 %
4	MOST TIMES:(4)	123	5.0 %
5	EVERY TIME:(5)	176	7.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1088	44.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,349 valid cases out of 2,437 total cases.

*Location:* 199-200 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1224: 181B011H:#X/YR ALC@SCHL

Item Number: 01790

When you used alcohol during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1277	52.4 %
2	FEW TIMES:(2)	42	1.7 %
3	SOMETIMES:(3)	13	0.5 %
4	MOST TIMES:(4)	8	0.3 %
5	EVERY TIME:(5)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1089	44.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,348 valid cases out of 2,437 total cases.

*Location:* 201-202 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1225: 181B011I:#X/YR ALC-IN CAR

Item Number: 01810

When you used alcohol during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1115	45.8 %
2	FEW TIMES:(2)	155	6.4 %
3	SOMETIMES:(3)	51	2.1 %
4	MOST TIMES:(4)	17	0.7 %

Value	Label	Unweighted Frequency	%
5	EVERY TIME:(5)	10	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1089	44.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,348 valid cases out of 2,437 total cases.

*Location:* 203-204 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1811: 181B011J:#X/YR ALC@PARK/B

Item Number: 30910

When you used alcohol during the last year, how often did you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	987	40.5 %
2	FEW TIMES:(2)	204	8.4 %
3	SOMETIMES:(3)	100	4.1 %
4	MOST TIMES:(4)	35	1.4 %
5	EVERY TIME:(5)	22	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1089	44.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,348 valid cases out of 2,437 total cases.

*Location:* 205-206 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1812: 181B011K:#X/YR ALC@BAR/RT

Item Number: 30920

When you used alcohol during the last year, how often did you use it in each of the following situations?

K. At a bar or restaurant

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1045	42.9 %
2	FEW TIMES:(2)	180	7.4 %
3	SOMETIMES:(3)	71	2.9 %
4	MOST TIMES:(4)	28	1.1 %
5	EVERY TIME:(5)	24	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1089	44.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,348 valid cases out of 2,437 total cases.

*Location:* 207-208 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1226: 181B012A:ALC EXPERIMENT

Item Number: 01820

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	554	22.7 %
1	MARKED:(1)	762	31.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1121	46.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 209-210 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1227: 181B012B:ALC RELAX

Item Number: 01830

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	796	32.7 %
1	MARKED:(1)	520	21.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1121	46.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 211-212 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1228: 181B012C:ALC GET HIGH

Item Number: 01840

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	880	36.1 %
1	MARKED:(1)	436	17.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1121	46.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 213-214 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1229: 181B012D:ALC SEEK INSGHT

Item Number: 01850

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1226	50.3 %
1	MARKED:(1)	90	3.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1121	46.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 215-216 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1230: 181B012E:ALC GD TM FRNDS

Item Number: 01860

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	406	16.7 %
1	MARKED:(1)	910	37.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1121	46.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 217-218 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1231: 181B012F:ALC FIT IN GRP

Item Number: 01870

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1230	50.5 %
1	MARKED:(1)	86	3.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1121	46.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 219-220 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1232: 181B012G:ALC GET AWY PRB

Item Number: 01880

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1063	43.6 %
1	MARKED:(1)	253	10.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1121	46.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 221-222 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1233: 181B012H:ALC BOREDOM

Item Number: 01890

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1129	46.3 %
1	MARKED:(1)	187	7.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1121	46.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 223-224 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1234: 181B012I:ALC ANGR/FRSTRN

Item Number: 01900

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1211	49.7 %
1	MARKED:(1)	105	4.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1121	46.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 225-226 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1235: 181B012J:ALC GT THRU DAY

Item Number: 01910

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1266	51.9 %
1	MARKED:(1)	50	2.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1121	46.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 227-228 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1236: 181B012K:ALC INCRS EF DR

Item Number: 01920

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1270	52.1 %
1	MARKED:(1)	46	1.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1121	46.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 229-230 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1237: 181B012L:ALC DECRS EF DR

Item Number: 01930

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1306	53.6 %
1	MARKED:(1)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1121	46.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 231-232 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1238: 181B012M:ALC GET SLEEP

Item Number: 01940

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1226	50.3 %
1	MARKED:(1)	90	3.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1121	46.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 233-234 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1239: 181B012N:ALC TASTES GOOD

Item Number: 01950

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

N. Because it tastes good

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	942	38.7 %
1	MARKED:(1)	374	15.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1121	46.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 235-236 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1240: 181B012O:ALC I AM HOOKED

Item Number: 01960

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

O. Because I am "hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1304	53.5 %
1	MARKED:(1)	12	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1121	46.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,316 valid cases out of 2,437 total cases.

*Location:* 237-238 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1241: 181B013 :#ALCOHOL, VERY HIGH

Item Number: 01970

When you drink alcoholic beverages, how drunk or high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	370	15.2 %
2	A LITTLE:(2)	392	16.1 %
3	MODERATE:(3)	438	18.0 %
4	VERY:(4)	141	5.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1096	45.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,341 valid cases out of 2,437 total cases.

*Location:* 239-240 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1242: 181B014 :DRK AL,HI24+HR

Item Number: 01980

When you drink alcoholic beverages, how long do you usually stay drunk or high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	399	16.4 %
2	1-2 HRS:(2)	402	16.5 %
3	3-6 HRS:(3)	474	19.5 %
4	7-24 HRS:(4)	58	2.4 %
5	> 24 HRS:(5)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1095	44.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,342 valid cases out of 2,437 total cases.

*Location:* 241-242 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1824: 181B015 :4+DRK ROW/2WK

Item Number: 00845

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink, shot glass of liquor, or the equivalent.

Think back over the LAST TWO WEEKS. How many times (if any) have you had four or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	963	39.5 %
2	ONCE:(2)	166	6.8 %
3	TWICE:(3)	99	4.1 %
4	3-5X:(4)	76	3.1 %
5	6-9X:(5)	12	0.5 %
6	10+ TIME:(6)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1114	45.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,323 valid cases out of 2,437 total cases.

*Location:* 243-244 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1243: 181B016 :5+DRK ROW/LST 2

Item Number: 00850

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1060	43.5 %
2	ONCE:(2)	138	5.7 %
3	TWICE:(3)	84	3.4 %
4	3-5X:(4)	44	1.8 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1102	45.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,335 valid cases out of 2,437 total cases.

*Location:* 245-246 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1108: 181B017(R):5+DRK ROW/LST 2

Item Number: 00850

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" [includes respondents who reported nonuse above] 2="Once" 3="Twice"  
4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1954	80.2 %
2	ONCE:(2)	138	5.7 %
3	TWICE:(3)	84	3.4 %
4	3-5X:(4)	44	1.8 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	208	8.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,229 valid cases out of 2,437 total cases.

*Location:* 247-248 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V1825: 181B017 :10+DRK ROW/2WK

Item Number: 00853

During the last two weeks, how many times (if any) have you had 10 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1222	50.1 %
2	ONCE:(2)	58	2.4 %
3	TWICE:(3)	22	0.9 %
4	3-5X:(4)	20	0.8 %
5	6-9X:(5)	5	0.2 %
6	10+ TIME:(6)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1106	45.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,331 valid cases out of 2,437 total cases.

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V1826: 181B018 :15+DRK ROW/2WK

Item Number: 00855

During the last two weeks, how many times (if any) have you had 15 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1285	52.7 %
2	ONCE:(2)	19	0.8 %
3	TWICE:(3)	14	0.6 %
4	3-5X:(4)	12	0.5 %

Value	Label	Unweighted Frequency	%
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1099	45.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,338 valid cases out of 2,437 total cases.

*Location:* 251-252 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1974: 181B019 :2WKS NUM DRINKS ROW

Item Number: 34850

"During the LAST TWO WEEKS, what was the largest number of drinks that you had in a row?  
(Give your best estimate.)

0	6	12	18
1	7	13	19
2	8	14	20 or more
3	9	15	
4	10	16	
5	11	17	

Value	Label	Unweighted Frequency	%
0	-	730	30.0 %
1	-	102	4.2 %
2	-	112	4.6 %
3	-	73	3.0 %
4	-	70	2.9 %
5	-	56	2.3 %
6	-	40	1.6 %
7	-	33	1.4 %
8	-	39	1.6 %
9	-	17	0.7 %
10	-	16	0.7 %
11	-	14	0.6 %
12	-	15	0.6 %
13	-	17	0.7 %
14	-	7	0.3 %
15	-	5	0.2 %

Value	Label	Unweighted Frequency	%
16	-	2	0.1 %
17	-	6	0.2 %
18	-	5	0.2 %
20	-	23	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1055	43.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,382 valid cases out of 2,437 total cases.

*Location:* 253-254 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1247: 181B020 :\*TRY STP ALC/FL

Item Number: 02020

Have you ever tried to stop using alcoholic beverages and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	30	1.2 %
2	NO:(2)	1300	53.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1107	45.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,330 valid cases out of 2,437 total cases.

*Location:* 255-256 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1805: 181B021A:#XDRUNK/LIFETIM

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1159	47.6 %
2	1-2X:(2)	316	13.0 %
3	3-5X:(3)	188	7.7 %
4	6-9X:(4)	112	4.6 %
5	10-19X:(5)	128	5.3 %
6	20-39X:(6)	77	3.2 %
7	40+OCCAS:(7)	94	3.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	363	14.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,074 valid cases out of 2,437 total cases.

*Location:* 257-258 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1806: 181B021B:#XDRUNK/LAST12M

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1328	54.5 %
2	1-2X:(2)	308	12.6 %
3	3-5X:(3)	166	6.8 %
4	6-9X:(4)	102	4.2 %
5	10-19X:(5)	88	3.6 %
6	20-39X:(6)	29	1.2 %
7	40+OCCAS:(7)	38	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	378	15.5 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,059 valid cases out of 2,437 total cases.

*Location:* 259-260 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1807: 181B021C:#XDRUNK/LAST30D

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1709	70.1 %
2	1-2X:(2)	222	9.1 %
3	3-5X:(3)	75	3.1 %
4	6-9X:(4)	27	1.1 %
5	10-19X:(5)	14	0.6 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	378	15.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,059 valid cases out of 2,437 total cases.

*Location:* 261-262 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1249: 181B022A:#X HASH/LIFETIM

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have

you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2002	82.2 %
2	1-2X:(2)	87	3.6 %
3	3-5X:(3)	41	1.7 %
4	6-9X:(4)	27	1.1 %
5	10-19X:(5)	21	0.9 %
6	20-39X:(6)	15	0.6 %
7	40+OCCAS:(7)	64	2.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	180	7.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,257 valid cases out of 2,437 total cases.

*Location:* 263-264 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1250: 181B022B:#X HASH/LAST12M

Item Number: 02050

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2062	84.6 %
2	1-2X:(2)	71	2.9 %
3	3-5X:(3)	28	1.1 %
4	6-9X:(4)	25	1.0 %
5	10-19X:(5)	17	0.7 %
6	20-39X:(6)	13	0.5 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	41	1.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	180	7.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,257 valid cases out of 2,437 total cases.

*Location:* 265-266 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1251: 181B022C:#X HASH/LAST30D

Item Number: 02060

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2133	87.5 %
2	1-2X:(2)	52	2.1 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	26	1.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	183	7.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,254 valid cases out of 2,437 total cases.

*Location:* 267-268 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1252: 181B023A:#X MARJ/LIFETIM

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1275	52.3 %
2	1-2X:(2)	209	8.6 %
3	3-5X:(3)	138	5.7 %
4	6-9X:(4)	107	4.4 %
5	10-19X:(5)	122	5.0 %
6	20-39X:(6)	100	4.1 %
7	40+OCCAS:(7)	294	12.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	192	7.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,245 valid cases out of 2,437 total cases.

*Location:* 269-270 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1253: 181B023B:#X MARJ/LAST12M

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1450	59.5 %
2	1-2X:(2)	204	8.4 %
3	3-5X:(3)	135	5.5 %
4	6-9X:(4)	94	3.9 %
5	10-19X:(5)	86	3.5 %
6	20-39X:(6)	83	3.4 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	184	7.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	201	8.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,236 valid cases out of 2,437 total cases.

*Location:* 271-272 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1254: 181B023C:#X MARJ/LAST30D

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1743	71.5 %
2	1-2X:(2)	172	7.1 %
3	3-5X:(3)	81	3.3 %
4	6-9X:(4)	61	2.5 %
5	10-19X:(5)	59	2.4 %
6	20-39X:(6)	41	1.7 %
7	40+OCCAS:(7)	82	3.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	198	8.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,239 valid cases out of 2,437 total cases.

*Location:* 273-274 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1115: 181B023/24A:#XMJ+HS/LIFETIM

Item Number: 00860

Component questions are "On how many occasions (if any) have you used hashish in your lifetime?" (Item 02040) and "On how many occasions (if any) have you used marijuana in your lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1268	52.0 %
2	1-2X:(2)	180	7.4 %
3	3-5X:(3)	156	6.4 %
4	6-9X:(4)	101	4.1 %
5	10-19X:(5)	123	5.0 %
6	20-39X:(6)	96	3.9 %
7	40+OCCAS:(7)	306	12.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	207	8.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,230 valid cases out of 2,437 total cases.

*Location:* 275-276 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1116: 181B023/24B:#XMJ+HS/LAST12M

Item Number: 00870

Component questions are "On how many occasions (if any) have you used hashish during the last 12 months?" (Item 02050) and "On how many occasions (if any) have you used marijuana during the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1438	59.0 %
2	1-2X:(2)	184	7.6 %
3	3-5X:(3)	146	6.0 %
4	6-9X:(4)	89	3.7 %
5	10-19X:(5)	89	3.7 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	80	3.3 %
7	40+OCCAS:(7)	194	8.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	217	8.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,220 valid cases out of 2,437 total cases.

*Location:* 277-278 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1117: 181B023/24C:#XMJ+HS/LAST30D

Item Number: 00880

Component questions are "On how many occasions (if any) have you used hashish during the last 30 days?" (Item 02060) and "On how many occasions (if any) have you used marijuana during the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1725	70.8 %
2	1-2X:(2)	157	6.4 %
3	3-5X:(3)	88	3.6 %
4	6-9X:(4)	57	2.3 %
5	10-19X:(5)	59	2.4 %
6	20-39X:(6)	44	1.8 %
7	40+OCCAS:(7)	90	3.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	217	8.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,220 valid cases out of 2,437 total cases.

*Location:* 279-280 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1255: 181B024A:#X/YR MJ ALONE

Item Number: 02100

IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE MONTHS GO TO QUESTION 28.

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	425	17.4 %
2	FEW TIMES:(2)	170	7.0 %
3	SOMETIMES:(3)	112	4.6 %
4	MOST TIMES:(4)	48	2.0 %
5	EVERY TIME:(5)	38	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1644	67.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 793 valid cases out of 2,437 total cases.

*Location:* 281-282 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1256: 181B024B:#X/YR MJ-2 PPL

Item Number: 02110

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	60	2.5 %
2	FEW TIMES:(2)	213	8.7 %
3	SOMETIMES:(3)	162	6.6 %
4	MOST TIMES:(4)	231	9.5 %

Value	Label	Unweighted Frequency	%
5	EVERY TIME:(5)	128	5.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1643	67.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 794 valid cases out of 2,437 total cases.

*Location:* 283-284 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1257: 181B024C:#X/YR MJ@PARTY

Item Number: 02120

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	271	11.1 %
2	FEW TIMES:(2)	177	7.3 %
3	SOMETIMES:(3)	144	5.9 %
4	MOST TIMES:(4)	103	4.2 %
5	EVERY TIME:(5)	101	4.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1641	67.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 796 valid cases out of 2,437 total cases.

*Location:* 285-286 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1258: 181B024D:#X/YR MJ-DT/SP

Item Number: 02130

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	447	18.3 %
2	FEW TIMES:(2)	135	5.5 %
3	SOMETIMES:(3)	88	3.6 %
4	MOST TIMES:(4)	64	2.6 %
5	EVERY TIME:(5)	59	2.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1644	67.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 793 valid cases out of 2,437 total cases.

*Location:* 287-288 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1259: 181B024E:#X/YR MJ-ADLTS

Item Number: 02140

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	600	24.6 %
2	FEW TIMES:(2)	111	4.6 %
3	SOMETIMES:(3)	35	1.4 %
4	MOST TIMES:(4)	24	1.0 %
5	EVERY TIME:(5)	22	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1645	67.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 792 valid cases out of 2,437 total cases.

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V1260: 181B024F:#X/YR MJ-DATIME

Item Number: 02150

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	319	13.1 %
2	FEW TIMES:(2)	175	7.2 %
3	SOMETIMES:(3)	168	6.9 %
4	MOST TIMES:(4)	75	3.1 %
5	EVERY TIME:(5)	55	2.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1645	67.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 792 valid cases out of 2,437 total cases.

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V1261: 181B024G:#X/YR MJ@HOME

Item Number: 02160

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	348	14.3 %
2	FEW TIMES:(2)	159	6.5 %

Value	Label	Unweighted Frequency	%
3	SOMETIMES:(3)	101	4.1 %
4	MOST TIMES:(4)	110	4.5 %
5	EVERY TIME:(5)	74	3.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1645	67.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 792 valid cases out of 2,437 total cases.

*Location:* 293-294 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1956: 181B024H:#X/YR MJ BEFORE SCHOOL

Item Number: 34470

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

H: Before school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times"

5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	556	22.8 %
2	FEW TIME:(2)	122	5.0 %
3	SOM TIME:(3)	52	2.1 %
4	MST TIME:(4)	26	1.1 %
5	EVRYTIME:(5)	36	1.5 %
8	INAP:(8)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1645	67.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 792 valid cases out of 2,437 total cases.

*Location:* 295-296 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1262: 181B024I:#X/YR MJ@SCHL

Item Number: 02170

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

I: At school

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	668	27.4 %
2	FEW TIMES:(2)	68	2.8 %
3	SOMETIMES:(3)	26	1.1 %
4	MOST TIMES:(4)	8	0.3 %
5	EVERY TIME:(5)	20	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1647	67.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 790 valid cases out of 2,437 total cases.

*Location:* 297-298 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1263: 181B024J:#X/YR MJ-IN CAR

Item Number: 02190

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

J: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	275	11.3 %
2	FEW TIMES:(2)	182	7.5 %
3	SOMETIMES:(3)	153	6.3 %
4	MOST TIMES:(4)	124	5.1 %
5	EVERY TIME:(5)	59	2.4 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1644	67.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 793 valid cases out of 2,437 total cases.

*Location:* 299-300 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V1813: 181B024K:#X/YR MJ@PARK/BH

Item Number: 30930

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

K. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	420	17.2 %
2	FEW TIMES:(2)	155	6.4 %
3	SOMETIMES:(3)	117	4.8 %
4	MOST TIMES:(4)	61	2.5 %
5	EVERY TIME:(5)	36	1.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1648	67.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 789 valid cases out of 2,437 total cases.

*Location:* 301-302 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V1264: 181B025 :#X OVL MJ+ ALC

Item Number: 02200

How many of the times when you used marijuana or hashish during the last year did you use it along with alcohol--that is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	340	14.0 %
2	FEW TIMES:(2)	249	10.2 %
3	SOMETIMES:(3)	109	4.5 %
4	MOST TIMES:(4)	34	1.4 %
5	EVERY TIME:(5)	26	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1679	68.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 758 valid cases out of 2,437 total cases.

*Location:* 303-304 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1897: 181B026A:TOOK FROM FRIEND W/O ASKING

Item Number: 32910

Where did you get the marijuana or hashish you used during the last year?  
(Mark all that apply.)

Took from a friend without asking

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	754	30.9 %
1	MARKED:(1)	18	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1665	68.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 772 valid cases out of 2,437 total cases.

*Location:* 305-306 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1898: 181B026B:TOOK FROM RELATIVE W/O ASKING

Item Number: 32920

Where did you get the marijuana or hashish you used during the last year?  
(Mark all that apply.)

Took from a relative without asking

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	762	31.3 %
1	MARKED:(1)	10	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1665	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 772 valid cases out of 2,437 total cases.

*Location:* 307-308 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1899: 181B026C:GIVEN FOR FREE BY FRIEND

Item Number: 32930

Where did you get the marijuana or hashish you used during the last year?  
(Mark all that apply.)

Given for free by a friend

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	321	13.2 %
1	MARKED:(1)	451	18.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1665	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 772 valid cases out of 2,437 total cases.

*Location:* 309-310 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1900: 181B026D:GIVEN FOR FREE BY RELATIVE

Item Number: 32940

Where did you get the marijuana or hashish you used during the last year?  
(Mark all that apply.)

Given for free by a relative

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	668	27.4 %
1	MARKED:(1)	104	4.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1665	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 772 valid cases out of 2,437 total cases.

*Location:* 311-312 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1901: 181B026E:BOUGHT FROM FRIEND

Item Number: 32950

Where did you get the marijuana or hashish you used during the last year?  
(Mark all that apply.)

Bought from a friend

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	415	17.0 %
1	MARKED:(1)	357	14.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1665	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 772 valid cases out of 2,437 total cases.

*Location:* 313-314 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1902: 181B026F:BOUGHT FROM RELATIVE

Item Number: 32960

Where did you get the marijuana or hashish you used during the last year?  
(Mark all that apply.)

Bought from a relative

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	735	30.2 %
1	MARKED:(1)	37	1.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1665	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 772 valid cases out of 2,437 total cases.

*Location:* 315-316 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1903: 181B026G:FROM MY OWN MED MARIJ RX

Item Number: 32970

Where did you get the marijuana or hashish you used during the last year?  
(Mark all that apply.)

From my own "medical marijuana" prescription

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	748	30.7 %
1	MARKED:(1)	24	1.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1665	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 772 valid cases out of 2,437 total cases.

*Location:* 317-318 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1904: 181B026H:BOUGHT FROM DRUG DEALER/STRNGR

Item Number: 32980

Where did you get the marijuana or hashish you used during the last year?  
(Mark all that apply.)

Bought from a drug dealer / stranger

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	558	22.9 %
1	MARKED:(1)	214	8.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1665	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 772 valid cases out of 2,437 total cases.

*Location:* 319-320 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1905: 181B026I:OTHER METHOD

Item Number: 32990

Where did you get the marijuana or hashish you used during the last year?  
(Mark all that apply.)

Other method

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	673	27.6 %
1	MARKED:(1)	99	4.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1665	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 772 valid cases out of 2,437 total cases.

*Location:* 321-322 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1906: 181B027 :FROM ANOTHERS MED MARJ RX

Item Number: 33000

Did you get any of the marijuana or hashish you used during the last year from someone else's medical marijuana prescription?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	100	4.1 %
2	NO:(2)	689	28.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1648	67.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 789 valid cases out of 2,437 total cases.

*Location:* 323-324 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1265: 181B028A:MJ EXPERIMENT

Item Number: 02210

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	342	14.0 %
1	MARKED:(1)	432	17.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 325-326 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1266: 181B028B:MJ RELAX

Item Number: 02220

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	251	10.3 %
1	MARKED:(1)	523	21.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 327-328 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1267: 181B028C:MJ GET HIGH

Item Number: 02230

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	281	11.5 %
1	MARKED:(1)	493	20.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 329-330 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1268: 181B028D:MJ SEEK INSIGHT

Item Number: 02240

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	575	23.6 %
1	MARKED:(1)	199	8.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 331-332 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1269: 181B028E:MJ GD TM FRNDS

Item Number: 02250

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	269	11.0 %
1	MARKED:(1)	505	20.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 333-334 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1270: 181B028F:MJ FIT IN GRP

Item Number: 02260

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	714	29.3 %
1	MARKED:(1)	60	2.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 335-336 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1271: 181B028G:MJ GET AWY PRB

Item Number: 02270

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	538	22.1 %
1	MARKED:(1)	236	9.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 337-338 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1272: 181B028H:MJ BOREDOM

Item Number: 02280

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	597	24.5 %
1	MARKED:(1)	177	7.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 339-340 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1273: 181B028I:MJ ANGR/FRUSTRN

Item Number: 02290

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	645	26.5 %
1	MARKED:(1)	129	5.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 341-342 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1274: 181B028J:MJ GET THRU DAY

Item Number: 02300

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	657	27.0 %
1	MARKED:(1)	117	4.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 343-344 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1275: 181B028K:MJ INCRS EF DRG

Item Number: 02310

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	728	29.9 %
1	MARKED:(1)	46	1.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 345-346 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1276: 181B028L:MJ DECRS EF DRG

Item Number: 02320

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	753	30.9 %
1	MARKED:(1)	21	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 347-348 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1277: 181B028M:MJ I AM HOOKED

Item Number: 02330

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	757	31.1 %
1	MARKED:(1)	17	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1663	68.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 774 valid cases out of 2,437 total cases.

*Location:* 349-350 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1278: 181B029 :MJ/HSH,VRY HIGH

Item Number: 02340

When you use marijuana or hashish, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	47	1.9 %
2	A LITTLE:(2)	159	6.5 %
3	MODERATE:(3)	384	15.8 %
4	VERY:(4)	194	8.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1653	67.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 784 valid cases out of 2,437 total cases.

*Location:* 351-352 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1279: 181B030 :MJ/HSH,HI 24+HR

Item Number: 02350

When you use marijuana or hashish, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	58	2.4 %
2	1-2 HRS:(2)	356	14.6 %
3	3-6 HRS:(3)	305	12.5 %
4	7-24 HRS:(4)	50	2.1 %
5	> 24 HRS:(5)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1657	68.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 780 valid cases out of 2,437 total cases.

*Location:* 353-354 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1280: 181B031 :JOINT/DA LST MO

Item Number: 02360

During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on the average? (If you shared them with other people, count only the amount YOU smoked.)

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day"  
5="4-6 a day" 6="7-10 a day" 7="11 or more a day"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	321	13.2 %
2	< 1/DAY:(2)	184	7.6 %
3	1/DAY:(3)	69	2.8 %
4	2-3/DAY:(4)	70	2.9 %
5	4-6/DAY:(5)	19	0.8 %
6	7-10/DAY:(6)	12	0.5 %
7	11+/DAY:(7)	12	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1750	71.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 687 valid cases out of 2,437 total cases.

*Location:* 355-356 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1281: 181B032 :OZS.MJ LST MO/6

Item Number: 02370

Do you know how much marijuana you have used (in ounces) during the LAST MONTH?

1="None" 2="Less than 1/2 ounce" 3="About 1/2 ounce" 4="About 1 ounce" 5="About 2 ounces" 6="3 to 5 ounces" 7="6 or more ounces" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	229	9.4 %
2	< 1/2 OZ:(2)	92	3.8 %
3	1/2 OZ:(3)	54	2.2 %
4	1 OZ:(4)	52	2.1 %
5	2 OZ:(5)	44	1.8 %
6	3-5 OZ:(6)	29	1.2 %
7	6+ OZ:(7)	34	1.4 %
8	DK:(8)	154	6.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1749	71.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 688 valid cases out of 2,437 total cases.

*Location:* 357-358 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1907: 181B033A:MTHD MJ SMOKING

Item Number: 33010

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Smoking

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	89	3.7 %
1	MARKED:(1)	684	28.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1664	68.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 773 valid cases out of 2,437 total cases.

*Location:* 359-360 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1932: 181B033B:MTHD MJ VAPORIZER

Item Number = 33970

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Vaping

0="Unmarked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	486	19.9 %
1	MARKED:(1)	287	11.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1664	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 773 valid cases out of 2,437 total cases.

*Location:* 361-362 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1908: 181B033C:MTHD MJ IN FOOD

Item Number: 33020

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Eating in food

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	463	19.0 %
1	MARKED:(1)	310	12.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1664	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 773 valid cases out of 2,437 total cases.

*Location:* 363-364 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1909: 181B033D:MTHD MJ IN DRINK

Item Number: 33030

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Drink in a beverage

0="Unmarked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	734	30.1 %
1	MARKED:(1)	39	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1664	68.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 773 valid cases out of 2,437 total cases.

*Location:* 365-366 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1975: 181B033E:MTHD MJ DABBING

Item Number: 34860

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Dabbing a concentrate (such as "wax," "honey oil," "budder," or "shatter")

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	525	21.5 %
1	MARKED:(1)	248	10.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1664	68.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 773 valid cases out of 2,437 total cases.

*Location:* 367-368 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1910: 181B033E:MTHD MJ OTHER

Item Number: 33040

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Other

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	716	29.4 %
1	MARKED:(1)	57	2.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1664	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 773 valid cases out of 2,437 total cases.

*Location:* 369-370 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1282: 181B034 :\*TRY STP MJ FL

Item Number: 02380

Have you ever tried to stop using marijuana or hashish and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	39	1.6 %
2	NO:(2)	734	30.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1664	68.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 773 valid cases out of 2,437 total cases.

*Location:* 371-372 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1706: 181B035 :MJ/HSH EVR DLY

Item Number: 21180

Thinking back over your whole life, has there ever been a

period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="No--GO TO QUESTION 39" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1906	78.2 %
2	YES:(2)	257	10.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	274	11.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,163 valid cases out of 2,437 total cases.

*Location:* 373-374 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1707: 181B036 :GR 1ST DAILY MJ

Item Number: 21190

How old were you when you first smoked marijuana or hashish that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)"  
4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	37	1.5 %
2	GRADE 7-8:(2)	68	2.8 %
3	GRADE 9:(3)	62	2.5 %
4	GRADE 10:(4)	63	2.6 %
5	GRADE 11:(5)	56	2.3 %
6	GRADE 12:(6)	55	2.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2096	86.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 341 valid cases out of 2,437 total cases.

*Location:* 375-376 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1708: 181B037 :RECENT DAILY MJ

Item Number: 21200

How recently did you use marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more years ago"

Value	Label	Unweighted Frequency	%
1	PAST MON:(1)	130	5.3 %
2	2 MON:(2)	24	1.0 %
3	3-9 MON:(3)	64	2.6 %
4	1 YEAR:(4)	47	1.9 %
5	2 YEARS:(5)	34	1.4 %
6	3+ YEARS:(6)	31	1.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2107	86.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 330 valid cases out of 2,437 total cases.

*Location:* 377-378 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1709: 181B038 :#X DAILY MJ/LFT

Item Number: 21210

Over your whole lifetime, during how many months have you used marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year" 4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5 years" 7="6 to 9 years" 8="10 or more years"

Value	Label	Unweighted Frequency	%
1	< 3MO:(1)	130	5.3 %
2	3-9 MO:(2)	63	2.6 %
3	1 YEAR:(3)	31	1.3 %
4	1 1/2 YRS:(4)	19	0.8 %
5	2 YRS:(5)	28	1.1 %

Value	Label	Unweighted Frequency	%
6	3-5 YRS:(6)	42	1.7 %
7	6-9 YRS:(7)	9	0.4 %
8	10+ YRS:(8)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2106	86.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 331 valid cases out of 2,437 total cases.

*Location:* 379-380 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V1283: 181B039 :NO MJ/HSH IN5YR

Item Number: 02390

Do you think you will be using marijuana or hashish five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	185	7.6 %
2	PRB WILL:(2)	483	19.8 %
3	PRB WONT:(3)	561	23.0 %
4	DEF WONT:(4)	1018	41.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	190	7.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,437 total cases.

*Location:* 381-382 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V1957: 181B040 :SMK MJ CIG BEST FRND

Item Number: 34380

If one of your best friends were to offer you a marijuana cigarette, would you smoke it?

1="Definitely yes" 2="Probably yes" 3="Probably not" 4="Definitely not"

Value	Label	Unweighted Frequency	%
1	DEF YES:(1)	245	10.1 %
2	PROB YES:(2)	507	20.8 %
3	PROB NOT:(3)	503	20.6 %
4	DEF NOT:(4)	988	40.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	194	8.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,437 total cases.

*Location:* 383-384 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1284: 181B042A:#X LSD/LIFETIME

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2098	86.1 %
2	1-2X:(2)	74	3.0 %
3	3-5X:(3)	22	0.9 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	10	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	215	8.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,222 valid cases out of 2,437 total cases.

*Location:* 385-386 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V1285: 181B042B:#X LSD/LAST 12M

Item Number: 00900

On how many occasions (if any) have you used LSD) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2136	87.6 %
2	1-2X:(2)	56	2.3 %
3	3-5X:(3)	15	0.6 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	216	8.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,221 valid cases out of 2,437 total cases.

*Location:* 387-388 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1286: 181B042C:#X LSD/LAST 30D

Item Number: 00910

On how many occasions (if any) have you used LSD) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2188	89.8 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	218	8.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,219 valid cases out of 2,437 total cases.

*Location:* 389-390 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1958: 181B42A:MJ ADS STOREFRONT

Item Number: 34400

About how often have you seen advertisements for marijuana . . . on storefronts?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week"  
5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1561	64.1 %
2	<1X MONTH:(2)	317	13.0 %
3	1-3X MONTH:(3)	174	7.1 %
4	1-3X WEEK:(4)	87	3.6 %
5	ABOUT DAILY:(5)	38	1.6 %
6	>DAILY:(6)	46	1.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	214	8.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,223 valid cases out of 2,437 total cases.

*Location:* 391-392 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1959: 181B42B:MJ ADS BILLBOARDS

Item Number: 34410

About how often have you seen advertisements for marijuana . . . on billboards?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week"  
5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1608	66.0 %
2	<1X MONTH:(2)	321	13.2 %
3	1-3X MONTH:(3)	155	6.4 %
4	1-3X WEEK:(4)	70	2.9 %
5	ABOUT DAILY:(5)	28	1.1 %
6	>DAILY:(6)	36	1.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	219	9.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,218 valid cases out of 2,437 total cases.

*Location:* 393-394 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1960: 181B42C:MJ ADS SCREEN

Item Number: 34420

About how often have you seen advertisements for marijuana . . . on any screen  
(TV, smart phone, tablet, computer)?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week"  
5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1116	45.8 %
2	<1X MONTH:(2)	430	17.6 %
3	1-3X MONTH:(3)	323	13.3 %
4	1-3X WEEK:(4)	146	6.0 %
5	ABOUT DAILY:(5)	113	4.6 %
6	>DAILY:(6)	98	4.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	211	8.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,226 valid cases out of 2,437 total cases.

*Location:* 395-396 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1961: 181B42D:MJ ADS RADIO

Item Number: 34430

About how often have you seen advertisements for marijuana . . . on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week"

5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1783	73.2 %
2	<1X MONTH:(2)	234	9.6 %
3	1-3X MONTH:(3)	97	4.0 %
4	1-3X WEEK:(4)	51	2.1 %
5	ABOUT DAILY:(5)	18	0.7 %
6	>DAILY:(6)	34	1.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	220	9.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,217 valid cases out of 2,437 total cases.

*Location:* 397-398 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1316: 181B043A:#X PSYD/LIFETIM

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD.

This group would include the following drugs: Mescaline,

Peyote, "Shrooms" or psilocybin, PCP. On how many occasions

(if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2106	86.4 %
2	1-2X:(2)	52	2.1 %
3	3-5X:(3)	22	0.9 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	227	9.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,210 valid cases out of 2,437 total cases.

*Location:* 399-400 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1317: 181B043B:#X PSYD/LAST12M

Item Number: 00930

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2141	87.9 %
2	1-2X:(2)	38	1.6 %
3	3-5X:(3)	15	0.6 %
4	6-9X:(4)	6	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	229	9.4 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,208 valid cases out of 2,437 total cases.

*Location:* 401-402 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1318: 181B043C:#X PSYD/LAST30D

Item Number: 00940

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2177	89.3 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	232	9.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,205 valid cases out of 2,437 total cases.

*Location:* 403-404 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1319: 181B044:PSYD,GT VERY HI

Item Number: 02700

IF YOU HAVE NOT TAKEN ANY HALLUCINOGENS OTHER THAN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 46.

When you take hallucinogens other than LSD how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	10	0.4 %
2	A LITTLE:(2)	10	0.4 %
3	MODERATE:(3)	16	0.7 %
4	VERY:(4)	36	1.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2365	97.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 72 valid cases out of 2,437 total cases.

*Location:* 405-406 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1320: 181B045:PSYD,HI 24+ HRS

Item Number: 02710

When you take hallucinogens other than LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	11	0.5 %
2	1-2 HRS:(2)	4	0.2 %
3	3-6 HRS:(3)	25	1.0 %
4	7-24 HRS:(4)	23	0.9 %
5	> 24 HRS:(5)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2369	97.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 68 valid cases out of 2,437 total cases.

*Location:* 407-408 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1321: 181B046A:TKN YR,MESCALIN

Item Number: 02720

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

A. Mescaline

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	60	2.5 %
1	MARKED:(1)	7	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2370	97.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 67 valid cases out of 2,437 total cases.

*Location:* 409-410 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1322: 181B046B:TKN YR,PEYOTE

Item Number: 02730

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

B. Peyote

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	59	2.4 %
1	MARKED:(1)	8	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2370	97.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 67 valid cases out of 2,437 total cases.

*Location:* 411-412 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1323: 181B046C:TKN YR,PSILOCYB

Item Number: 02740

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

C. Psilocybin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	15	0.6 %
1	MARKED:(1)	52	2.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2370	97.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 67 valid cases out of 2,437 total cases.

*Location:* 413-414 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1324: 181B046D:TKN YR,PCP

Item Number: 02750

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

D. PCP

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.3 %
1	MARKED:(1)	11	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2370	97.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 67 valid cases out of 2,437 total cases.

*Location:* 415-416 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1325: 181B046E:TKN YR,CNCT THC

Item Number: 02760

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

E. Concentrated THC

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.7 %
1	MARKED:(1)	26	1.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2370	97.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 67 valid cases out of 2,437 total cases.

*Location:* 417-418 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1326: 181B046F:TKN YR,OTH PSYD

Item Number: 02770

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.1 %
1	MARKED:(1)	16	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2370	97.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 67 valid cases out of 2,437 total cases.

*Location:* 419-420 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1327: 181B046G:TKN YR,DK NAME

Item Number: 02780

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

G. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	58	2.4 %
1	MARKED:(1)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2370	97.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 67 valid cases out of 2,437 total cases.

*Location:* 421-422 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1710: 181B047A:#X DIETPILL/LFT

Item Number: 21220

The next questions are about some non-prescription drugs. Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim(R), Hydroxycut(R), and others. On how many occasions (if any) have you taken such non-prescription diet pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2085	85.6 %
2	1-2X:(2)	47	1.9 %
3	3-5X:(3)	33	1.4 %
4	6-9X:(4)	12	0.5 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	15	0.6 %
6	20-39X:(6)	13	0.5 %
7	40+OCCAS:(7)	14	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	218	8.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,219 valid cases out of 2,437 total cases.

*Location:* 423-424 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1711: 181B047B:#X DIETPILL/12M

Item Number: 21230

On how many occasions (if any) have you taken such non-prescription diet pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2137	87.7 %
2	1-2X:(2)	31	1.3 %
3	3-5X:(3)	22	0.9 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	219	9.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,218 valid cases out of 2,437 total cases.

*Location:* 425-426 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1712: 181B047C:#X DIETPILL/30D

Item Number: 21240

On how many occasions (if any) have you taken such non-prescription diet pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2176	89.3 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	219	9.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,218 valid cases out of 2,437 total cases.

*Location:* 427-428 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1713: 181B048A:#X STA-AWAK/LFT

Item Number: 21250

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2140	87.8 %
2	1-2X:(2)	29	1.2 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	224	9.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,213 valid cases out of 2,437 total cases.

*Location:* 429-430 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1714: 181B048B:#X STA-AWAK/12M

Item Number: 21260

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2160	88.6 %
2	1-2X:(2)	27	1.1 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	223	9.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,214 valid cases out of 2,437 total cases.

*Location:* 431-432 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1715: 181B048C:#X STA-AWAK/30D

Item Number: 21270

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2190	89.9 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	223	9.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,214 valid cases out of 2,437 total cases.

*Location:* 433-434 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1328: 181B049 :DR TOLD TK AMPH

Item Number: 02790

The next questions are about AMPHETAMINES and OTHER STIMULANT DRUGS, which are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines are sometimes called: Uppers, Ups, Speed, Dexies, Pep Pills, Diet Pills, Meth or Crystal Meth. They include the following drugs: Dexedrine, Ritalin, Adderall, Concerta, Vyvanse, Methamphetamine.

IN YOUR ANSWERS ABOUT AMPHETAMINES AND OTHER STIMULANT DRUGS, DO NOT INCLUDE ANY NON-PRESCRIPTION OR OVER-THE-COUNTER DRUGS.

Have you ever taken amphetamines or other stimulant drugs because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	2044	83.9 %
2	YES/BUT TRIED:(2)	39	1.6 %
3	YES/FIRST:(3)	136	5.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	218	8.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,219 valid cases out of 2,437 total cases.

*Location:* 435-436 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1329: 181B050A:#X AMPH/LIFETIM

Item Number: 00980

On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2040	83.7 %
2	1-2X:(2)	69	2.8 %
3	3-5X:(3)	23	0.9 %
4	6-9X:(4)	23	0.9 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	10	0.4 %
7	40+OCCAS:(7)	25	1.0 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	237	9.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,200 valid cases out of 2,437 total cases.

*Location:* 437-438 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1330: 181B050B:#X AMPH/LAST12M

Item Number: 00990

On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2098	86.1 %
2	1-2X:(2)	47	1.9 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	13	0.5 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	235	9.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,202 valid cases out of 2,437 total cases.

*Location:* 439-440 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1331: 181B050C:#X AMPH/LAST30D

Item Number: 01000

On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2162	88.7 %
2	1-2X:(2)	20	0.8 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	236	9.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,201 valid cases out of 2,437 total cases.

*Location:* 441-442 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1332: 181B051A:#X/YR AMPH ALNE

Item Number: 02800

IF YOU HAVE NOT TAKEN AMPHETAMINES IN THE LAST TWELVE MONTHS, GO TO QUESTION 59. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING AMPHETAMINES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 59.

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	45	1.8 %

Value	Label	Unweighted Frequency	%
2	FEW TIMES:(2)	29	1.2 %
3	SOMETIMES:(3)	7	0.3 %
4	MOST TIMES:(4)	6	0.2 %
5	EVERY TIME:(5)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2335	95.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 102 valid cases out of 2,437 total cases.

*Location:* 443-444 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1333: 181B051B:#X/YR AMPH-2PPL

Item Number: 02810

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	51	2.1 %
2	FEW TIMES:(2)	18	0.7 %
3	SOMETIMES:(3)	7	0.3 %
4	MOST TIMES:(4)	12	0.5 %
5	EVERY TIME:(5)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2338	95.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 99 valid cases out of 2,437 total cases.

*Location:* 445-446 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1334: 181B051C:#X/YR AMPH@PRTY

Item Number: 02820

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	71	2.9 %
2	FEW TIMES:(2)	12	0.5 %
3	SOMETIMES:(3)	6	0.2 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2338	95.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 99 valid cases out of 2,437 total cases.

*Location:* 447-448 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1335: 181B051D:#X/YR AMPH-DT/S

Item Number: 02830

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	79	3.2 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	6	0.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	2339	96.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 98 valid cases out of 2,437 total cases.

*Location:* 449-450 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1336: 181B051E:#X/YR AMPH-ADLT

Item Number: 02840

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	75	3.1 %
2	FEW TIMES:(2)	9	0.4 %
3	SOMETIMES:(3)	6	0.2 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2337	95.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 100 valid cases out of 2,437 total cases.

*Location:* 451-452 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1337: 181B051F:#X/YR AMPH-DATM

Item Number: 02850

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	43	1.8 %
2	FEW TIMES:(2)	14	0.6 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	7	0.3 %
5	EVERY TIME:(5)	25	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2338	95.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 99 valid cases out of 2,437 total cases.

*Location:* 453-454 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1338: 181B051G:#X/YR AMPH@HOME

Item Number: 02860

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	41	1.7 %
2	FEW TIMES:(2)	25	1.0 %
3	SOMETIMES:(3)	11	0.5 %
4	MOST TIMES:(4)	10	0.4 %
5	EVERY TIME:(5)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2339	96.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 98 valid cases out of 2,437 total cases.

*Location:* 455-456 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1339: 181B051H:#X/YR AMPH@SCHL

Item Number: 02880

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	48	2.0 %
2	FEW TIMES:(2)	23	0.9 %
3	SOMETIMES:(3)	11	0.5 %
4	MOST TIMES:(4)	7	0.3 %
5	EVERY TIME:(5)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2340	96.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 97 valid cases out of 2,437 total cases.

*Location:* 457-458 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1340: 181B051I:#X/YR AMPH@CAR

Item Number: 02890

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	68	2.8 %
2	FEW TIMES:(2)	19	0.8 %
3	SOMETIMES:(3)	6	0.2 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2340	96.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 97 valid cases out of 2,437 total cases.

*Location:* 459-460 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1838: 181B052A:AMPH SRC INTERNET

Item Number = 31690

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	85	3.5 %
1	MARKED:(1)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2347	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 90 valid cases out of 2,437 total cases.

*Location:* 461-462 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1873: 181B052B:AMPH SRC FRND-ASK

Item Number = 31701

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	89	3.7 %
1	MARKED:(1)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2347	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 90 valid cases out of 2,437 total cases.

*Location:* 463-464 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1874: 181B052C:AMPH SRC RLT-V-ASK

Item Number = 31702

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	82	3.4 %
1	MARKED:(1)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2347	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 90 valid cases out of 2,437 total cases.

*Location:* 465-466 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1875: 181B052D:AMPH SRC FRND FREE

Item Number = 31711

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during

the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.3 %
1	MARKED:(1)	34	1.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2347	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 90 valid cases out of 2,437 total cases.

*Location:* 467-468 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1876: 181B052E:AMPH SRC RLT FREE

Item Number = 31712

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	79	3.2 %
1	MARKED:(1)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2347	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 90 valid cases out of 2,437 total cases.

*Location:* 469-470 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1877: 181B052F:AMPH SRC FRND BGHT

Item Number = 31721

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	60	2.5 %
1	MARKED:(1)	30	1.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2347	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 90 valid cases out of 2,437 total cases.

*Location:* 471-472 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1878: 181B052G:AMPH SRC RLTB BGHT

Item Number = 31722

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	87	3.6 %
1	MARKED:(1)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2347	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 90 valid cases out of 2,437 total cases.

*Location:* 473-474 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1842: 181B052H:AMPH SRC PRESCRIP

Item Number = 31730

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	76	3.1 %
1	MARKED:(1)	14	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2347	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 90 valid cases out of 2,437 total cases.

*Location:* 475-476 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1843: 181B052I:AMPH SRC DEALER

Item Number = 31740

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	70	2.9 %
1	MARKED:(1)	20	0.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2347	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 90 valid cases out of 2,437 total cases.

*Location:* 477-478 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1844: 181B052J:AMPH SRC OTHER

Item Number = 31750

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	78	3.2 %
1	MARKED:(1)	12	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2347	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 90 valid cases out of 2,437 total cases.

*Location:* 479-480 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1345: 181B053A:AMPH EXPERIMENT

Item Number = 02940

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	60	2.5 %
1	MARKED:(1)	31	1.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2346	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 481-482 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1346: 181B053B:AMPH RELAX

Item Number = 02950

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	73	3.0 %
1	MARKED:(1)	18	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2346	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 483-484 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1347: 181B053C:AMPH GET HIGH

Item Number = 02960

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	74	3.0 %
1	MARKED:(1)	17	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2346	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 485-486 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1348: 181B053D:AMPH SK INSIGHT

Item Number = 02970

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	79	3.2 %
1	MARKED:(1)	12	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2346	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 487-488 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1349: 181B053E:AMPH GD TM FRND

Item Number = 02980

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	79	3.2 %
1	MARKED:(1)	12	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2346	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 489-490 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1350: 181B053F:AMPH FIT IN GRP

Item Number = 02990

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	89	3.7 %
1	MARKED:(1)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2346	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 491-492 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1351: 181B053G:AMPH GT AWY PRB

Item Number = 03000

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	76	3.1 %
1	MARKED:(1)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2346	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 493-494 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1352: 181B053H:AMPH BOREDOM

Item Number = 03010

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	86	3.5 %
1	MARKED:(1)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2346	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 495-496 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1353: 181B053I:AMPH ANGR/FRSTN

Item Number = 03020

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	86	3.5 %
1	MARKED:(1)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2346	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 497-498 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1354: 181B053J:AMPH GT THRU DA

Item Number = 03030

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	75	3.1 %
1	MARKED:(1)	16	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2346	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 499-500 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1355: 181B053K:AMPH INCR EF DR

Item Number = 03040

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	87	3.6 %
1	MARKED:(1)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2346	96.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 501-502 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1356: 181B053L:AMPH DCRS EF DR

Item Number = 03050

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	90	3.7 %
1	MARKED:(1)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2346	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 503-504 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1357: 181B053M:AMPH STAY AWAKE

Item Number = 03060

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	62	2.5 %
1	MARKED:(1)	29	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2346	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 505-506 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1358: 181B053N:AMPH GET>ENERGY

Item Number = 03070

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.3 %
1	MARKED:(1)	35	1.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2346	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 507-508 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1879: 181B053O:AMPH HELP STUDY

Item Number = 03075

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

O. To help me study

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.0 %
1	MARKED:(1)	42	1.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2346	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 509-510 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1948: 181B054P:AMPH HELP JOB

Item Number: 34060

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

P. To help me at my job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.3 %
1	MARKED:(1)	10	0.4 %
8	INAP:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2346	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 511-512 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1359: 181B053Q:AMPH LOSE WGHT

Item Number: 03080

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

Q. To help me lose weight

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.3 %
1	MARKED:(1)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2346	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

*Location:* 513-514 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V1360: 181B053R:AMPH I AM HOOKD

Item Number = 03090

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

R. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	89	3.7 %
1	MARKED:(1)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2346	96.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 91 valid cases out of 2,437 total cases.

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V1361: 181B054 :AMPH,GT VERY HI

Item Number = 03100

When you take amphetamines or other stimulant drugs, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high" 5="I don't take them to get high."

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	15	0.6 %
2	A LITTLE:(2)	24	1.0 %
3	MODERATE:(3)	20	0.8 %
4	VERY:(4)	11	0.5 %
5	N TK HIGH:(5)	25	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2342	96.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 95 valid cases out of 2,437 total cases.

*Location:* 517-518 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1362: 181B055 :AMPH,HI 24+ HRS

Item Number = 03110

When you take amphetamines or other stimulant drugs, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours"

5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	28	1.1 %
2	1-2 HRS:(2)	20	0.8 %
3	3-6 HRS:(3)	25	1.0 %
4	7-24 HRS:(4)	19	0.8 %
5	> 24 HRS:(5)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2339	96.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 98 valid cases out of 2,437 total cases.

*Location:* 519-520 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1364: 181B056A:TKN YR,DEXEDRIN

Item Number = 03130

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Dexedrine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	84	3.4 %
1	MARKED:(1)	4	0.2 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2349	96.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 88 valid cases out of 2,437 total cases.

*Location:* 521-522 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1366: 181B056B:TKN YR,RITALIN

Item Number = 03150

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Ritalin (Methylphenidate)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	70	2.9 %
1	MARKED:(1)	18	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2349	96.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 88 valid cases out of 2,437 total cases.

*Location:* 523-524 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1845: 181B056C:TKN YR,ADDERALL

Item Number = 31760

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Adderall

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	23	0.9 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	65	2.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2349	96.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 88 valid cases out of 2,437 total cases.

*Location:* 525-526 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1846: 181B056D:TKN YR,CONCERTA

Item Number = 31770

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Concerta

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	82	3.4 %
1	MARKED:(1)	6	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2349	96.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 88 valid cases out of 2,437 total cases.

*Location:* 527-528 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1911: 181B057E:AMPH TKN VYVANSE

Item Number = 33050

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Vyvanse

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	67	2.7 %
1	MARKED:(1)	21	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2349	96.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 88 valid cases out of 2,437 total cases.

*Location:* 529-530 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1369: 181B056F:TKN YR,METHAMPH

Item Number = 03180

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Methamphetamine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	80	3.3 %
1	MARKED:(1)	8	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2349	96.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 88 valid cases out of 2,437 total cases.

*Location:* 531-532 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1764: 181B056G:TKN YR,CRYSMETH

Item Number = 03185

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Crystal meth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	85	3.5 %
1	MARKED:(1)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2349	96.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 88 valid cases out of 2,437 total cases.

*Location:* 533-534 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1370: 181B056H:TKN YR,OTH AMPH

Item Number = 03190

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	73	3.0 %
1	MARKED:(1)	15	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2349	96.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 88 valid cases out of 2,437 total cases.

*Location:* 535-536 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1371: 181B056I:TKN YR,DNT KN N

Item Number = 03200

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Don't know the names of some amphetamines or other stimulant drugs I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.3 %
1	MARKED:(1)	7	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2349	96.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 88 valid cases out of 2,437 total cases.

*Location:* 537-538 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1372: 181B057A:MTHD AMPH-MOUTH

Item Number = 03210

What methods have you used for taking amphetamines or other stimulant drugs during the last year?

(Mark all that apply.)

A. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	9	0.4 %
1	MARKED:(1)	83	3.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2345	96.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 92 valid cases out of 2,437 total cases.

*Location:* 539-540 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1765: 181B057B:MTHD AMPH-SMOKG

Item Number = 03215

What methods have you used for taking amphetamines or other stimulant drugs during the last year?

(Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	84	3.4 %
1	MARKED:(1)	8	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2345	96.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 92 valid cases out of 2,437 total cases.

*Location:* 541-542 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1373: 181B057C:MTHD AMPH-INJCT

Item Number = 03220

What methods have you used for taking amphetamines or other stimulant drugs during the last year?  
(Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	90	3.7 %
1	MARKED:(1)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2345	96.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 92 valid cases out of 2,437 total cases.

*Location:* 543-544 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1374: 181B057D:MTHD AMPH-OTHER

Item Number = 03230

What methods have you used for taking amphetamines or other stimulant drugs during the last year?  
(Mark all that apply.)

D. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.3 %
1	MARKED:(1)	11	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2345	96.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 92 valid cases out of 2,437 total cases.

*Location:* 545-546 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1375: 181B058 :\*TRY STP AMP/FL

Item Number = 03240

Have you ever tried to stop using amphetamines or other stimulant drugs and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	11	0.5 %
2	NO:(2)	82	3.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2344	96.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 93 valid cases out of 2,437 total cases.

*Location:* 547-548 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1376: 181B059 :NO AMPH IN 5YR

Item Number = 03250

Do you think you will be using amphetamines or other stimulant drugs without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	33	1.4 %
2	PRB WILL:(2)	54	2.2 %
3	PRB WONT:(3)	355	14.6 %
4	DEF WONT:(4)	1736	71.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	259	10.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,178 valid cases out of 2,437 total cases.

*Location:* 549-550 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1827: 181B060 :DR TOLD TK SED

Item Number: 03282

The next questions are about SEDATIVES, including BARBITURATES, which doctors sometimes prescribe to help people relax or get to sleep. Drugstores are not supposed to sell them without a prescription.

Sedatives are sometimes called: Downs, Downers. They include the following drugs: Phenobarbital, Seconal, Dalmane, Restoril, Halcion, Ambien, Lunesta, Sonata, Intermezzo, Zolpimist.

Have you ever taken sedatives because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	2081	85.4 %
2	YES/BUT TRIED:(2)	26	1.1 %
3	YES/FIRST:(3)	111	4.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	219	9.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,218 valid cases out of 2,437 total cases.

*Location:* 551-552 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1383: 181B061A:#X SED/BARB/LIFE

Item Number: 01042

On how many occasions (if any) have you taken sedatives  
on your own--that is, without a doctor telling you to  
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2113	86.7 %
2	1-2X:(2)	35	1.4 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	254	10.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,183 valid cases out of 2,437 total cases.

*Location:* 553-554 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1384: 181B061B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives  
on your own--that is, without a doctor telling you to  
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2139	87.8 %
2	1-2X:(2)	23	0.9 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	255	10.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,182 valid cases out of 2,437 total cases.

*Location:* 555-556 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1385: 181B061C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives  
on your own--that is, without a doctor telling you to  
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2160	88.6 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	255	10.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,182 valid cases out of 2,437 total cases.

*Location:* 557-558 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1847: 181B062A:TKN YR,PHNOBRB

Item Number: 03611

THE FOLLOWING QUESTION REFERS ONLY TO TAKING SEDATIVES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 63.

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

A: Phenobarbital

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	32	1.3 %
1	MARKED:(1)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2402	98.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 559-560 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1848: 181B062B:TKN YR,SECONAL

Item Number: 03621

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

B: Seconal

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.4 %
1	MARKED:(1)	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	2402	98.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 561-562 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1850: 181B062C:TKN YR,AMBIEN

Item Number: 31780

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

C: Ambien

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	26	1.1 %
1	MARKED:(1)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2402	98.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 563-564 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1851: 181B062D:TKN YR,LUNESTA

Item Number: 31790

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

D: Lunesta

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.4 %
1	MARKED:(1)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2402	98.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 565-566 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1852: 181B062E:TKN YR,SONATA

Item Number: 31800

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

E: Sonata

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	33	1.4 %
1	MARKED:(1)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2402	98.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 567-568 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1912: 181B063F:SED TKN DALMANE

Item Number: 33110

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

F: Dalmane

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.4 %
1	MARKED:(1)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2402	98.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 569-570 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1913: 181B063G:SED TKN HALCION

Item Number: 33120

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

G: Halcion

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	33	1.4 %
1	MARKED:(1)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2402	98.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 571-572 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1914: 181B063H:SED TKN RESTORIL

Item Number: 33130

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

H: Restoril

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	34	1.4 %
1	MARKED:(1)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2402	98.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 573-574 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1915: 181B063I:SED TKN INTERMEZZO

Item Number: 33140

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

I: Intermezzo

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.4 %
1	MARKED:(1)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2402	98.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 575-576 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1916: 181B063J:SED TKN ZOLPIMIST

Item Number: 33150

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

J: Zolpimist

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	33	1.4 %
1	MARKED:(1)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2402	98.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 577-578 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1853: 181B062K:TKN YR,OTHR SED

Item Number: 03691

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

K: Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	22	0.9 %
1	MARKED:(1)	13	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2402	98.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 579-580 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1854: 181B062L:TKN YR,DNT KNW

Item Number: 03701

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

L: Don't know the names of some sedatives I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	19	0.8 %
1	MARKED:(1)	16	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2402	98.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 35 valid cases out of 2,437 total cases.

*Location:* 581-582 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1828: 181B063 :NO SED IN 5YR

Item Number: 03722

Do you think you will be using sedatives without a doctor's prescription five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	26	1.1 %
2	PRB WILL:(2)	29	1.2 %
3	PRB WONT:(3)	348	14.3 %
4	DEF WONT:(4)	1730	71.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	304	12.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,133 valid cases out of 2,437 total cases.

*Location:* 583-584 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1429: 181B064 :DR TOLD TK TRNQ

Item Number: 03730

The next questions are about TRANQUILIZERS, which doctors sometimes prescribe to calm people down, quiet their nerves, or relax their muscles. They include the following drugs:  
 Librium, Valium, Xanax, Soma, Serax, Ativan, Klonopin. Have you ever taken tranquilizers because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	2068	84.9 %
2	YES/BUT TRIED:(2)	24	1.0 %
3	YES/FIRST:(3)	78	3.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	267	11.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,170 valid cases out of 2,437 total cases.

*Location:* 585-586 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1430: 181B065A:#X TRQL/LIFETIM

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2021	82.9 %
2	1-2X:(2)	57	2.3 %
3	3-5X:(3)	25	1.0 %
4	6-9X:(4)	15	0.6 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	5	0.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	304	12.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,133 valid cases out of 2,437 total cases.

*Location:* 587-588 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1431: 181B065B:#X TRQL/LAST12M

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2081	85.4 %
2	1-2X:(2)	30	1.2 %
3	3-5X:(3)	15	0.6 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	297	12.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,140 valid cases out of 2,437 total cases.

*Location:* 589-590 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1432: 181B065C:#X TRQL/LAST30D

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2115	86.8 %
2	1-2X:(2)	15	0.6 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	298	12.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,139 valid cases out of 2,437 total cases.

*Location:* 591-592 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1433: 181B066A:#X/YR TRQL ALNE

Item Number: 03740

IF YOU HAVE NOT TAKEN TRANQUILIZERS IN THE LAST TWELVE MONTHS, GO TO QUESTION 73. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING TRANQUILIZERS WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 73.

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	41	1.7 %

Value	Label	Unweighted Frequency	%
2	FEW TIMES:(2)	15	0.6 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	6	0.2 %
5	EVERY TIME:(5)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2365	97.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 72 valid cases out of 2,437 total cases.

*Location:* 593-594 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1434: 181B066B:#X/YR TRQL-2PPL

Item Number: 03750

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	33	1.4 %
2	FEW TIMES:(2)	16	0.7 %
3	SOMETIMES:(3)	7	0.3 %
4	MOST TIMES:(4)	6	0.2 %
5	EVERY TIME:(5)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2368	97.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 69 valid cases out of 2,437 total cases.

*Location:* 595-596 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1435: 181B066C:#X/YR TRQL@PRTY

Item Number: 03760

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	48	2.0 %
2	FEW TIMES:(2)	9	0.4 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2372	97.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 65 valid cases out of 2,437 total cases.

*Location:* 597-598 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1436: 181B066D:#X/YR TRQL-DT/S

Item Number: 03770

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	56	2.3 %
2	FEW TIMES:(2)	1	0.0 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	2	0.1 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2372	97.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 65 valid cases out of 2,437 total cases.

*Location:* 599-600 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1437: 181B066E:#X/YR TRQL-ADLT

Item Number: 03780

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	53	2.2 %
2	FEW TIMES:(2)	2	0.1 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2372	97.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 65 valid cases out of 2,437 total cases.

*Location:* 601-602 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1438: 181B066F:#X/YR TRQL-DATM

Item Number: 03790

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	40	1.6 %
2	FEW TIMES:(2)	9	0.4 %
3	SOMETIMES:(3)	7	0.3 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2372	97.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 65 valid cases out of 2,437 total cases.

*Location:* 603-604 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1439: 181B066G:#X/YR TRQL@HOME

Item Number: 03800

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	39	1.6 %
2	FEW TIMES:(2)	10	0.4 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	7	0.3 %
5	EVERY TIME:(5)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2369	97.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 68 valid cases out of 2,437 total cases.

*Location:* 605-606 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1440: 181B066H:#X/YR TRQL@SCHL

Item Number: 03810

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	51	2.1 %
2	FEW TIMES:(2)	6	0.2 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2372	97.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 65 valid cases out of 2,437 total cases.

*Location:* 607-608 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1441: 181B066I:#X/YR TRQL@CAR

Item Number: 03830

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	53	2.2 %
2	FEW TIMES:(2)	5	0.2 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	EVERY TIME:(5)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2373	97.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 64 valid cases out of 2,437 total cases.

*Location:* 609-610 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1855: 181B067A:TRQ SRC INTERNET

Item Number: 31810

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.1 %
1	MARKED:(1)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 611-612 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1880: 181B067B:TRQ SRC FRND-ASK

Item Number: 31821

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.1 %
1	MARKED:(1)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 613-614 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1881: 181B067C:TRQ SRC RLTV-ASK

Item Number: 31822

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	47	1.9 %
1	MARKED:(1)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 615-616 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1882: 181B067D:TRQ SRC FRND FREE

Item Number: 31831

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	36	1.5 %
1	MARKED:(1)	15	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 617-618 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1883: 181B067E:TRQ SRC RLT FREE

Item Number: 31832

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	48	2.0 %
1	MARKED:(1)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 619-620 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1884: 181B067F:TRQ SRC FRND BGHT

Item Number: 31841

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	34	1.4 %
1	MARKED:(1)	17	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 621-622 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1885: 181B067G:TRQ SRC RLTB BGHT

Item Number: 31842

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.1 %
1	MARKED:(1)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 623-624 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1859: 181B067H:TRQ SRC PRESCRPT

Item Number: 31850

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.7 %
1	MARKED:(1)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 625-626 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1860: 181B067I:TRQ SRC DEALER

Item Number: 31860

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.4 %
1	MARKED:(1)	16	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 627-628 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1861: 181B067J:TRQ SRC OTHER

Item Number: 31870

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	44	1.8 %
1	MARKED:(1)	7	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 629-630 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1449: 181B068A:TRNQ EXPERIMENT

Item Number: 03910

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	34	1.4 %
1	MARKED:(1)	17	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 631-632 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1450: 181B068B:TRNQ RELAX

Item Number: 03920

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	18	0.7 %
1	MARKED:(1)	33	1.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 633-634 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1451: 181B068C:TRNQ GET HIGH

Item Number: 03930

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	31	1.3 %
1	MARKED:(1)	20	0.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 635-636 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1452: 181B068D:TRNQ SK INSIGHT

Item Number: 03940

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	47	1.9 %
1	MARKED:(1)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 637-638 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1453: 181B068E:TRNQ GD TM FRND

Item Number: 03950

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.7 %
1	MARKED:(1)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 639-640 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1454: 181B068F:TRNQ FIT IN GRP

Item Number: 03960

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	48	2.0 %
1	MARKED:(1)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 641-642 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1455: 181B068G:TRNQ GT AWY PRB

Item Number: 03970

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	36	1.5 %
1	MARKED:(1)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 643-644 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V1456: 181B068H:TRNQ BOREDOM

Item Number: 03980

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	47	1.9 %
1	MARKED:(1)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 645-646 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1457: 181B068I:TRNQ ANGR/FRSTN

Item Number: 03990

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.7 %
1	MARKED:(1)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 647-648 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1458: 181B068J:TRNQ GT THRU DA

Item Number: 04000

What have been the most important reasons for your taking tranquilizers without a doctor's orders?

(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	44	1.8 %
1	MARKED:(1)	7	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 649-650 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1459: 181B068K:TRNQ INCR EF DR

Item Number: 04010

What have been the most important reasons for your taking tranquilizers without a doctor's orders?

(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	48	2.0 %
1	MARKED:(1)	3	0.1 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 651-652 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1460: 181B068L:TRNQ DCRS EF DR

Item Number: 04020

What have been the most important reasons for your taking tranquilizers without a doctor's orders?

(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	47	1.9 %
1	MARKED:(1)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 653-654 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1461: 181B068M:TRNQ GET SLEEP

Item Number: 04030

What have been the most important reasons for your taking tranquilizers without a doctor's orders?

(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.4 %
1	MARKED:(1)	16	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 655-656 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1696: 181B068N:TRNQ RLV PHYS P

Item Number: 04035

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

N. To relieve physical pain

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	36	1.5 %
1	MARKED:(1)	15	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 657-658 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1462: 181B068O:TRNQ I AM HOOKD

Item Number: 04040

What have been the most important reasons for your taking tranquilizers without a doctor's orders?  
(Mark all that apply.)

O. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.1 %
1	MARKED:(1)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 659-660 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1463: 181B069 :TRNQ,GT VERY HI

Item Number: 04050

When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	9	0.4 %
2	A LITTLE:(2)	6	0.2 %
3	MODERATE:(3)	21	0.9 %
4	VERY:(4)	12	0.5 %
5	N TK HIGH:(5)	8	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2381	97.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 56 valid cases out of 2,437 total cases.

*Location:* 661-662 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1464: 181B070 :TRNQ,HI 24+ HRS

Item Number: 04060

When you take tranquilizers, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	15	0.6 %
2	1-2 HRS:(2)	9	0.4 %
3	3-6 HRS:(3)	23	0.9 %
4	7-24 HRS:(4)	8	0.3 %
5	> 24 HRS:(5)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2381	97.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 56 valid cases out of 2,437 total cases.

*Location:* 663-664 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1465: 181B071A:TKN YR,LIBRIUM

Item Number: 04070

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Librium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.1 %
1	MARKED:(1)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 665-666 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1466: 181B071B:TKN YR,VALIUM

Item Number: 04080

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Valium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	46	1.9 %
1	MARKED:(1)	6	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 667-668 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1814: 181B071C:TKN YR, XANAX

Item Number: 04095

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Xanax

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	9	0.4 %
1	MARKED:(1)	43	1.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 669-670 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1862: 181B071D:TKN YR,SOMA

Item Number: 31880

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Soma

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.0 %
1	MARKED:(1)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 671-672 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1470: 181B071E:TKN YR,SERAX

Item Number: 04120

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Serax

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.1 %
1	MARKED:(1)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 673-674 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1863: 181B071F:TKN YR,ATIVAN

Item Number: 31890

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Ativan

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.1 %
1	MARKED:(1)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 675-676 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1864: 181B071G:TKN YR,KLONOPIN

Item Number: 31900

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Klonopin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	45	1.8 %
1	MARKED:(1)	7	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 677-678 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1815: 181B071H:TKN YR,OTH TRNQ

Item Number: 04155

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	44	1.8 %
1	MARKED:(1)	8	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 679-680 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1474: 181B071I:TKN YR,DNT KNW

Item Number: 04160

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Don't know the names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	46	1.9 %
1	MARKED:(1)	6	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 681-682 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1475: 181B072 :\*TRY STP TRQ/FL

Item Number: 04170

Have you ever tried to stop using tranquilizers and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	5	0.2 %
2	NO:(2)	52	2.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2380	97.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 57 valid cases out of 2,437 total cases.

*Location:* 683-684 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1476: 181B073 :NO TRNQ IN 5YR

Item Number: 04180

Do you think you will be using tranquilizers without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	19	0.8 %
2	PRB WILL:(2)	35	1.4 %
3	PRB WONT:(3)	306	12.6 %
4	DEF WONT:(4)	1806	74.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	271	11.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,166 valid cases out of 2,437 total cases.

*Location:* 685-686 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1755: 181B074 :EVR TK CRACK/FB

Item Number: 22250

The next questions are about the use of different forms of cocaine, such as "crack", powder, freebase, or coca paste. Have you ever taken cocaine in "crack" form or in any other freebase form--that is, where you inhaled the fumes from smoking, heating, or burning it?

1="No--GO TO QUESTION 76" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	2136	87.6 %
2	YES:(2)	23	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	278	11.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,159 valid cases out of 2,437 total cases.

*Location:* 687-688 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1756: 181B075A:#X CRACK/LIFTIM

Item Number: 22260

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions [Includes respondents who reported nonuse on preceding question]" 2="1-2 Occasions" 3="3-5 Occasions"  
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2142	87.9 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	275	11.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,162 valid cases out of 2,437 total cases.

*Location:* 689-690 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1757: 181B075B:#X CRACK/LST12M

Item Number: 22270

On how many occasions (if any) have you taken "crack"  
(cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2150	88.2 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	276	11.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,161 valid cases out of 2,437 total cases.

*Location:* 691-692 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1758: 181B075C:#X CRACK/LST30D

Item Number: 22280

On how many occasions (if any) have you taken "crack"  
(cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2157	88.5 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	277	11.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,160 valid cases out of 2,437 total cases.

*Location:* 693-694 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1759: 181B076A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2066	84.8 %
2	1-2X:(2)	32	1.3 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	4	0.2 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	6	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	313	12.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,124 valid cases out of 2,437 total cases.

*Location:* 695-696 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1760: 181B076B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2090	85.8 %
2	1-2X:(2)	18	0.7 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	312	12.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,125 valid cases out of 2,437 total cases.

*Location:* 697-698 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1761: 181B076C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2111	86.6 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	313	12.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,124 valid cases out of 2,437 total cases.

*Location:* 699-700 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1124: 181B74/75A:#X COKE/LIFETIME

Item number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?" (item 22260) and "On how many occasions (if any) have you used cocaine in any other form . . . A. in your lifetime?" (item 22320).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2011	82.5 %
2	1-2X:(2)	30	1.2 %
3	3-5X:(3)	15	0.6 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	360	14.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,077 valid cases out of 2,437 total cases.

*Location:* 701-702 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1125: 181B74/75B:#X COKE/LAST12MO

Item number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . B. During the last 12 months?" (item 22270) and "On how many occasions (if any) have you used cocaine in any other form . . . B. During the last 12 months?" (item 22330).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2034	83.5 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	13	0.5 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	361	14.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,076 valid cases out of 2,437 total cases.

*Location:* 703-704 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1126: 181B74/75C:#X COKE/LAST30DA

Item number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C. During the last 30 days?" (item 22280) and "On how many occasions (if any) have you used cocaine in any other form . . . C. During the last 30 days?" (item 22340).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2061	84.6 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	361	14.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,076 valid cases out of 2,437 total cases.

*Location:* 705-706 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1480: 181B077A:#X/YR COKE ALNE

Item Number: 04190

IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE, ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 85.

When you used cocaine during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	53	2.2 %
2	FEW TIMES:(2)	3	0.1 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2377	97.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 60 valid cases out of 2,437 total cases.

*Location:* 707-708 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1481: 181B077B:#X/YR COKE-2PPL

Item Number: 04200

When you used cocaine during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	29	1.2 %
2	FEW TIMES:(2)	6	0.2 %
3	SOMETIMES:(3)	9	0.4 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2380	97.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 57 valid cases out of 2,437 total cases.

*Location:* 709-710 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1482: 181B077C:#X/YR COKE@PRTY

Item Number: 04210

When you used cocaine during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	28	1.1 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	6	0.2 %
5	EVERY TIME:(5)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2377	97.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 60 valid cases out of 2,437 total cases.

*Location:* 711-712 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1483: 181B077D:#X/YR COKE-DT/S

Item Number: 04220

When you used cocaine during the last year, how often did you use it in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	47	1.9 %
2	FEW TIMES:(2)	4	0.2 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	EVERY TIME:(5)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2378	97.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 59 valid cases out of 2,437 total cases.

*Location:* 713-714 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1484: 181B077E:#X/YR COKE-ADLT

Item Number: 04230

When you used cocaine during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	50	2.1 %
2	FEW TIMES:(2)	3	0.1 %
3	SOMETIMES:(3)	1	0.0 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2378	97.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 59 valid cases out of 2,437 total cases.

*Location:* 715-716 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1485: 181B077F:#X/YR COKE-DATM

Item Number: 04240

When you used cocaine during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	44	1.8 %
2	FEW TIMES:(2)	8	0.3 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2379	97.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 58 valid cases out of 2,437 total cases.

*Location:* 717-718 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1486: 181B077G:#X/YR COKE@HOME

Item Number: 04250

When you used cocaine during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	44	1.8 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2377	97.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 60 valid cases out of 2,437 total cases.

Location: 719-720 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V1487: 181B077H:#X/YR COKE@SCHL

Item Number: 04260

When you used cocaine during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	55	2.3 %
2	FEW TIMES:(2)	2	0.1 %
3	SOMETIMES:(3)	1	0.0 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2378	97.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 59 valid cases out of 2,437 total cases.

Location: 721-722 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V1488: 181B077I:#X/YR COKE@CAR

Item Number: 04280

When you used cocaine during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	43	1.8 %
2	FEW TIMES:(2)	6	0.2 %

Value	Label	Unweighted Frequency	%
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2378	97.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 59 valid cases out of 2,437 total cases.

*Location:* 723-724 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1489: 181B078A:#X OVL COKE+ALC

Item Number: 04290

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	24	1.0 %
2	FEW TIMES:(2)	13	0.5 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	10	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 725-726 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1490: 181B078B:#X OVL COKE+MJ

Item Number: 04300

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	22	0.9 %
2	FEW TIMES:(2)	12	0.5 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	12	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 727-728 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1491: 181B078C:#X OVL COKE+LSD

Item Number: 04310

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	50	2.1 %
2	FEW TIMES:(2)	1	0.0 %
3	SOMETIMES:(3)	1	0.0 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	2	0.1 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2383	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 54 valid cases out of 2,437 total cases.

*Location:* 729-730 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1492: 181B078D:#X OVL COKE+PSY

Item Number: 04320

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	49	2.0 %
2	FEW TIMES:(2)	1	0.0 %
3	SOMETIMES:(3)	0	0.0 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 731-732 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1493: 181B078E:#X OVL COKE+AMP

Item Number: 04330

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	49	2.0 %
2	FEW TIMES:(2)	1	0.0 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2383	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 54 valid cases out of 2,437 total cases.

*Location:* 733-734 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1495: 181B078F:#X OVL COKE+BRB

Item Number: 04350

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

F: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	55	2.3 %
2	FEW TIMES:(2)	0	0.0 %
3	SOMETIMES:(3)	0	0.0 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2381	97.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 56 valid cases out of 2,437 total cases.

*Location:* 735-736 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1496: 181B078G:#X OVL COKE+TRN

Item Number: 04360

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

G: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	49	2.0 %
2	FEW TIMES:(2)	2	0.1 %
3	SOMETIMES:(3)	0	0.0 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 737-738 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1512: 181B079 :COK,GET VERY HI

Item Number: 04520

When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high" 5="I don't take it to get high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	13	0.5 %
2	A LITTLE:(2)	9	0.4 %
3	MODERATE:(3)	19	0.8 %

Value	Label	Unweighted Frequency	%
4	VERY:(4)	8	0.3 %
5	N TK HIGH:(5)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2387	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 50 valid cases out of 2,437 total cases.

*Location:* 739-740 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1513: 181B080 :COK,HIGH 24+ HR

Item Number: 04530

When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	12	0.5 %
2	1-2 HRS:(2)	30	1.2 %
3	3-6 HRS:(3)	8	0.3 %
4	7-24 HRS:(4)	1	0.0 %
5	> 24 HRS:(5)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 741-742 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1514: 181B081 :\*TRY STP COK/FL

Item Number: 04540

Have you ever tried to stop using cocaine and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	7	0.3 %
2	NO:(2)	43	1.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2387	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 50 valid cases out of 2,437 total cases.

*Location:* 743-744 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1743: 181B082A:FRM COKE-POWDER

Item Number: 04531

What forms of cocaine have you used? (Mark all that apply.)

A. Cocaine powder

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	3	0.1 %
1	MARKED:(1)	40	1.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2394	98.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 43 valid cases out of 2,437 total cases.

*Location:* 745-746 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1746: 181B082B:FRM COKE-CRACK

Item Number: 04534

What forms of cocaine have you used? (Mark all that apply.)

B. "Crack" or "rock"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	38	1.6 %
1	MARKED:(1)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2394	98.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 43 valid cases out of 2,437 total cases.

*Location:* 747-748 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1744: 181B082C:FRM COKE-FRBASE

Item Number: 04532

What forms of cocaine have you used? (Mark all that apply.)

C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	40	1.6 %
1	MARKED:(1)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2394	98.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 43 valid cases out of 2,437 total cases.

*Location:* 749-750 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1745: 181B082D:FRM COKE-PASTE

Item Number: 04533

What forms of cocaine have you used? (Mark all that apply.)

D. Coca paste

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	43	1.8 %
1	MARKED:(1)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2394	98.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 43 valid cases out of 2,437 total cases.

*Location:* 751-752 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1515: 181B083A:MTHD COKE SNORT

Item Number: 04550

What methods have you used for taking cocaine?

(Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	3	0.1 %
1	MARKED:(1)	41	1.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2393	98.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 44 valid cases out of 2,437 total cases.

*Location:* 753-754 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1516: 181B083B:MTHD COKE-SMOKE

Item Number: 04560

What methods have you used for taking cocaine?

(Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	38	1.6 %
1	MARKED:(1)	6	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2393	98.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 44 valid cases out of 2,437 total cases.

*Location:* 755-756 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1517: 181B083C:MTHD COKE-INJCT

Item Number: 04570

What methods have you used for taking cocaine?

(Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.7 %
1	MARKED:(1)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2393	98.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 44 valid cases out of 2,437 total cases.

*Location:* 757-758 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1747: 181B083D:MTHD COKE-INHAL

Item Number: 04575

What methods have you used for taking cocaine?

(Mark all that apply.)

D. Inhaling fumes

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	43	1.8 %
1	MARKED:(1)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2393	98.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 44 valid cases out of 2,437 total cases.

*Location:* 759-760 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1518: 181B083E:MTHD COKE-MOUTH

Item Number: 04580

What methods have you used for taking cocaine?

(Mark all that apply.)

E. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	32	1.3 %
1	MARKED:(1)	12	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2393	98.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 44 valid cases out of 2,437 total cases.

*Location:* 761-762 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1519: 181B083F:MTHD COKE-OTHER

Item Number: 04590

What methods have you used for taking cocaine?

(Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.7 %
1	MARKED:(1)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2393	98.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 44 valid cases out of 2,437 total cases.

*Location:* 763-764 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1520: 181B084 :NO COKE IN 5YR

Item Number: 04600

Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	16	0.7 %
2	PRB WILL:(2)	27	1.1 %
3	PRB WONT:(3)	191	7.8 %
4	DEF WONT:(4)	1918	78.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	285	11.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,152 valid cases out of 2,437 total cases.

*Location:* 765-766 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1521: 181B085A:#X H/LIFETIME

Item Number: 01100

The next questions are about HEROIN. On how many occasions  
(if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2109	86.5 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	321	13.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,116 valid cases out of 2,437 total cases.

*Location:* 767-768 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1522: 181B085B:#X H/LAST 12M

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2120	87.0 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	315	12.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,122 valid cases out of 2,437 total cases.

*Location:* 769-770 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1523: 181B085C:#X H/LAST 30D

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2121	87.0 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	314	12.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,123 valid cases out of 2,437 total cases.

*Location:* 771-772 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1564: 181B086 :DR TOLD TK NARC

Item Number: 05020

The next questions are about NARCOTICS OTHER THAN HEROIN, which are sometimes prescribed by doctors. Drugstores are not supposed to sell them without a prescription.

These include: Methadone, Codeine, OxyContin, Percodan, Opium, Demerol, Percocet, Ultram, Morphine, Vicodin.

Have you ever taken any narcotics other than heroin because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."  
3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	1897	77.8 %
2	YES/BUT TRIED:(2)	26	1.1 %
3	YES/FIRST:(3)	228	9.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	286	11.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,151 valid cases out of 2,437 total cases.

*Location:* 773-774 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1565: 181B087A:#X NARC/LIFETIM

Item Number: 01130

On how many occasions (if any) have you taken narcotics other than heroin on your own—that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1989	81.6 %
2	1-2X:(2)	56	2.3 %
3	3-5X:(3)	28	1.1 %
4	6-9X:(4)	17	0.7 %
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	3	0.1 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	10	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	322	13.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,115 valid cases out of 2,437 total cases.

*Location:* 775-776 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1566: 181B087B:#X NARC/LAST12M

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2053	84.2 %
2	1-2X:(2)	34	1.4 %
3	3-5X:(3)	20	0.8 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	317	13.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,120 valid cases out of 2,437 total cases.

*Location:* 777-778 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1567: 181B087C:#X NARC/LAST30D

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2099	86.1 %
2	1-2X:(2)	17	0.7 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	318	13.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,119 valid cases out of 2,437 total cases.

*Location:* 779-780 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1568: 181B088A:#X/YR NARC ALNE

Item Number: 05030

IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST TWELVE MONTHS, GO TO QUESTION 98. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 98.

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	26	1.1 %
2	FEW TIMES:(2)	15	0.6 %
3	SOMETIMES:(3)	6	0.2 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2381	97.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 56 valid cases out of 2,437 total cases.

*Location:* 781-782 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1569: 181B088B:#X/YR NARC-2PPL

Item Number: 05040

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	17	0.7 %
2	FEW TIMES:(2)	13	0.5 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	12	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2380	97.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 57 valid cases out of 2,437 total cases.

*Location:* 783-784 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1570: 181B088C:#X/YR NARC@PRTY

Item Number: 05050

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	42	1.7 %
2	FEW TIMES:(2)	2	0.1 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2379	97.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 58 valid cases out of 2,437 total cases.

*Location:* 785-786 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1571: 181B088D:#X/YR NARC-DT/S

Item Number: 05060

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	50	2.1 %
2	FEW TIMES:(2)	1	0.0 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	1	0.0 %

Value	Label	Unweighted Frequency	%
5	EVERY TIME:(5)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2379	97.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 58 valid cases out of 2,437 total cases.

*Location:* 787-788 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1572: 181B088E:#X/YR NARC-ADLT

Item Number: 05070

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	39	1.6 %
2	FEW TIMES:(2)	2	0.1 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2383	97.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 54 valid cases out of 2,437 total cases.

*Location:* 789-790 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1573: 181B088F:#X/YR NARC-DATM

Item Number: 05080

When you used narcotics other than heroin during the last

year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	28	1.1 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	7	0.3 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2380	97.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 57 valid cases out of 2,437 total cases.

*Location:* 791-792 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1574: 181B088G:#X/YR NARC@HOME

Item Number: 05090

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	23	0.9 %
2	FEW TIMES:(2)	8	0.3 %
3	SOMETIMES:(3)	11	0.5 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2380	97.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 57 valid cases out of 2,437 total cases.

*Location:* 793-794 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1575: 181B088H:#X/YR NARC@SCHL

Item Number: 05100

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	43	1.8 %
2	FEW TIMES:(2)	8	0.3 %
3	SOMETIMES:(3)	1	0.0 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2383	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 54 valid cases out of 2,437 total cases.

*Location:* 795-796 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1576: 181B088I:#X/YR NARC @CAR

Item Number: 05120

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	42	1.7 %
2	FEW TIMES:(2)	5	0.2 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2383	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 54 valid cases out of 2,437 total cases.

*Location:* 797-798 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1865: 181B089A:NARC SRC INTERNET

Item Number: 31910

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.0 %
1	MARKED:(1)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 799-800 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1886: 181B089B:NARC SRC FRND-ASK

Item Number: 31921

Where did you get the prescription-type narcotics other than

heroin you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.1 %
1	MARKED:(1)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 801-802 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1887: 181B089C:NARC SRC RLT-V-ASK

Item Number: 31922

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	46	1.9 %
1	MARKED:(1)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 803-804 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1888: 181B089D:NARC SRC FRND FREE

Item Number: 31931

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED""

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	32	1.3 %
1	MARKED:(1)	19	0.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 805-806 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1889: 181B089E:NARC SRC RLTV FREE

Item Number: 31932

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED""

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	44	1.8 %
1	MARKED:(1)	7	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 807-808 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1890: 181B089F:NARC SRC FRND BGHT

Item Number: 31941

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	40	1.6 %
1	MARKED:(1)	11	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 809-810 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1891: 181B089G:NARC SRC RLTG BGHT

Item Number: 31942

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.1 %
1	MARKED:(1)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2386	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 811-812 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V1869: 181B089H:NARC SRC PRESCR

Item Number: 31950

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	38	1.6 %
1	MARKED:(1)	13	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 813-814 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1870: 181B089I:NARC SRC DEALER

Item Number: 31960

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.7 %
1	MARKED:(1)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 815-816 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1871: 181B089J:NARC SRC OTHER

Item Number: 31970

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	46	1.9 %
1	MARKED:(1)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2386	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 51 valid cases out of 2,437 total cases.

*Location:* 817-818 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1892: 181B090A:NARC SCRPT DENTST

Item Number: 32460

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

A. A dentist

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	38	1.6 %
1	MARKED:(1)	8	0.3 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2391	98.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 46 valid cases out of 2,437 total cases.

*Location:* 819-820 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1893: 181B090B:NARC SCRPT ER DOC

Item Number: 32470

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

B. An emergency room doctor

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	39	1.6 %
1	MARKED:(1)	7	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2391	98.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 46 valid cases out of 2,437 total cases.

*Location:* 821-822 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1894: 181B090C:NARC SCRPT OTH DOC

Item Number: 32480

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

C. Another doctor

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.4 %
1	MARKED:(1)	11	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2391	98.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 46 valid cases out of 2,437 total cases.

*Location:* 823-824 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1895: 181B090D:NARC SCRPT DIDNT

Item Number: 32490

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

D. I didn't use any narcotics from a prescription of mine without a doctor's orders

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	19	0.8 %
1	MARKED:(1)	27	1.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2391	98.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 46 valid cases out of 2,437 total cases.

*Location:* 825-826 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1587: 181B091A:NARC EXPERIMENT

Item Number: 05230

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	29	1.2 %
1	MARKED:(1)	23	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 827-828 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1588: 181B091B:NARC RELAX

Item Number: 05240

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	25	1.0 %
1	MARKED:(1)	27	1.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 829-830 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1589: 181B091C:NARC GET HIGH

Item Number: 05250

What have been the most important reasons for your using

narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	34	1.4 %
1	MARKED:(1)	18	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 831-832 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1590: 181B091D:NARC SK INSIGTS

Item Number: 05260

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	46	1.9 %
1	MARKED:(1)	6	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 833-834 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1591: 181B091E:NARC GD TM FRND

Item Number: 05270

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	40	1.6 %
1	MARKED:(1)	12	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 835-836 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1592: 181B091F:NARC FIT IN GRP

Item Number: 05280

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.1 %
1	MARKED:(1)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 837-838 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1593: 181B091G:NARC GT AWY PBM

Item Number: 05290

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	45	1.8 %
1	MARKED:(1)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 839-840 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1594: 181B091H:NARC BOREDOM

Item Number: 05300

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	47	1.9 %
1	MARKED:(1)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 841-842 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V1595: 181B091I:NARC ANGR/FRSTN

Item Number: 05310

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.0 %
1	MARKED:(1)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 843-844 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1596: 181B091J:NARC GT THRU DA

Item Number: 05320

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.1 %
1	MARKED:(1)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 845-846 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1597: 181B091K:NARC INC EF DG

Item Number: 05330

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.1 %
1	MARKED:(1)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 847-848 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1598: 181B091L:NARC DEC EF DG

Item Number: 05340

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.1 %
1	MARKED:(1)	0	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 849-850 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1599: 181B091M:NARC GET SLEEP

Item Number: 05350

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	43	1.8 %
1	MARKED:(1)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 851-852 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1600: 181B091N:NARC SBST HERIN

Item Number: 05360

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

N. As a substitute for heroin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.1 %
1	MARKED:(1)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 853-854 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1697: 181B091O:NARC RLV PHYS P

Item Number: 05363

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

O. To relieve physical pain

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	30	1.2 %
1	MARKED:(1)	22	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 855-856 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1698: 181B091P:NARC RLV COUGHN

Item Number: 05366

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?  
(Mark all that apply.)

P. To control coughing

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.0 %
1	MARKED:(1)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 857-858 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1601: 181B091Q:NARC I AM HOOKD

Item Number: 05370

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

Q. Because I am "hooked"--I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.1 %
1	MARKED:(1)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 859-860 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1602: 181B092 :NARC,GT VERY HI

Item Number: 05380

When you take narcotics other than heroin how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
 4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	5	0.2 %
2	A LITTLE:(2)	8	0.3 %
3	MODERATE:(3)	25	1.0 %
4	VERY:(4)	8	0.3 %
5	N TK HIGH:(5)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2383	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 54 valid cases out of 2,437 total cases.

*Location:* 861-862 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1603: 181B093 :NARC,HI 24+ HRS

Item Number: 05390

When you take narcotics other than heroin how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	14	0.6 %
2	1-2 HRS:(2)	12	0.5 %
3	3-6 HRS:(3)	25	1.0 %
4	7-24 HRS:(4)	3	0.1 %
5	> 24 HRS:(5)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2382	97.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 55 valid cases out of 2,437 total cases.

*Location:* 863-864 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1604: 181B094A:NARC TKN MTHDNE

Item Number: 05400

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Methadone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.1 %
1	MARKED:(1)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2384	97.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 865-866 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1605: 181B094B:NARC TKN OPIUM

Item Number: 05410

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Opium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.1 %
1	MARKED:(1)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2384	97.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 867-868 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1606: 181B094C:NARC TKN MRPHNE

Item Number: 05420

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Morphine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	48	2.0 %
1	MARKED:(1)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2384	97.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 869-870 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1607: 181B094D:NARC TKN CODEIN

Item Number: 05430

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Codeine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	19	0.8 %
1	MARKED:(1)	34	1.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2384	97.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 871-872 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1608: 181B094E:NARC TKN DEMROL

Item Number: 05440

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Demerol

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.2 %
1	MARKED:(1)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 873-874 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1816: 181B094F:NARC TKN VICODN

Item Number: 05445

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Vicodin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.7 %
1	MARKED:(1)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 875-876 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1817: 181B094G:NARC TKN OXYCON

Item Number: 05455

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. OxyContin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	39	1.6 %
1	MARKED:(1)	14	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2384	97.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 877-878 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1818: 181B094H:NARC TKN PERCET

Item Number: 05465

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Percocet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	40	1.6 %
1	MARKED:(1)	13	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2384	97.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 879-880 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1819: 181B094I:NARC TKN PERDAN

Item Number: 05475

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Percodan

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.2 %
1	MARKED:(1)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 881-882 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1872: 181B094J:NARC TKN ULTRAM

Item Number: 31980

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

J. Ultram

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.1 %
1	MARKED:(1)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 883-884 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1917: 181B095K:NARC TKN TRAMADOL

Item Number: 33180

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

K. Tramadol

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.1 %
1	MARKED:(1)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 885-886 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1918: 181B095L:NARC TKN MS CONTIN

Item Number: 33190

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

L. Contin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.1 %
1	MARKED:(1)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 887-888 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1919: 181B095M:NARC TKN SUBOXONE

Item Number: 33200

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

M. Suboxone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.1 %
1	MARKED:(1)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 889-890 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1920: 181B095N:NARC TKN OXYCODONE

Item Number: 33210

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

N. Oxycodone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	37	1.5 %
1	MARKED:(1)	16	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 891-892 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1921: 181B0950:NARC TKN TYLOX

Item Number: 33220

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

O. Tylox

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.1 %
1	MARKED:(1)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 893-894 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1922: 181B095P:NARC TKN HYDROCODONE

Item Number: 33230

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

P. Hydrocodone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	28	1.1 %
1	MARKED:(1)	25	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2384	97.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 895-896 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1612: 181B094Q:NARC TKN OTHER

Item Number: 05480

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

Q. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.0 %
1	MARKED:(1)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2384	97.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 897-898 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1613: 181B094R:NARC TKN DNT KN

Item Number: 05490

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

R. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.1 %
1	MARKED:(1)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2384	97.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 53 valid cases out of 2,437 total cases.

*Location:* 899-900 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1614: 181B095 :TRY STP NARC/FL

Item Number: 05500

Have you ever tried to stop using narcotics other than heroin and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	6	0.2 %
2	NO:(2)	51	2.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2380	97.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 57 valid cases out of 2,437 total cases.

*Location:* 901-902 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1615: 181B096A:METH NARC SNORT

Item Number: 05510

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.7 %
1	MARKED:(1)	10	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 903-904 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1616: 181B096B:METH NARC SMOKE

Item Number: 05520

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.0 %
1	MARKED:(1)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 905-906 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1617: 181B096C:METH NARC INJCT

Item Number: 05530

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.1 %
1	MARKED:(1)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	97.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 907-908 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1618: 181B096D:METH NARC MOUTH

Item Number: 05540

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

D. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	5	0.2 %
1	MARKED:(1)	47	1.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 909-910 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1619: 181B096E:METH NARC OTHER

Item Number: 05550

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

E. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	48	2.0 %
1	MARKED:(1)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2385	97.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 52 valid cases out of 2,437 total cases.

*Location:* 911-912 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1620: 181B097 :NO NARC IN 5YR

Item Number: 05560

Do you think you will be using any narcotics other than heroin without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	15	0.6 %
2	PRB WILL:(2)	13	0.5 %
3	PRB WONT:(3)	209	8.6 %
4	DEF WONT:(4)	1918	78.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	282	11.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,155 valid cases out of 2,437 total cases.

*Location:* 913-914 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1762: 181B098 :ATTND DRG TRTMN

Item Number: 22360

Have you ever attended a treatment program for alcohol or drug abuse where you stayed overnight?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2127	87.3 %
2	NOPASTYR:(2)	5	0.2 %
3	INPASTYR:(3)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	295	12.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,142 valid cases out of 2,437 total cases.

*Location:* 915-916 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V1763: 181B099 :RCV DRG COUNSEL

Item Number: 22370

Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2099	86.1 %
2	NOPASTYR:(2)	17	0.7 %
3	INPASTYR:(3)	21	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	300	12.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,137 valid cases out of 2,437 total cases.

*Location:* 917-918 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1962: 181B101 :EVER VAPE

Item Number: 34230

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist or vapor into the lungs.

Have you ever vaped?

0="Never-GO TO QUESTION 106" 1="Yes"

Value	Label	Unweighted Frequency	%
0	NO:(0)	1239	50.8 %
1	YES:(1)	894	36.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	304	12.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,133 valid cases out of 2,437 total cases.

*Location:* 919-920 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1945: 181B101 :LAST E-VAP MIST

Item Number: 33950

The LAST TIME you vaped, what was in the mist or vapor you inhaled? (Mark only one circle.)

1="Nicotine" 2="Marijuana or hash oil" 3="Just flavoring" 4="Other" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NICOTINE:(1)	405	16.6 %
2	MARJ OR HASH OIL:(2)	83	3.4 %
3	JUST FLAVORING:(3)	312	12.8 %
4	OTHER:(4)	3	0.1 %
8	DONT KNOW:(8)	42	1.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1592	65.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 845 valid cases out of 2,437 total cases.

*Location:* 921-922 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1963: 181B103A:#X VAPE NIC/LIFETIME

Item Number: 34240

On how many occasions (if any) have you vaped NICOTINE . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1401	57.5 %
2	1-2X:(2)	167	6.9 %
3	3-5X:(3)	86	3.5 %
4	6-9X:(4)	57	2.3 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	85	3.5 %
6	20-39X:(6)	50	2.1 %
7	40+OCCAS:(7)	281	11.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	310	12.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,127 valid cases out of 2,437 total cases.

*Location:* 923-924 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1964: 181B103B:#X VAPE NIC/LAST12MO

Item Number: 34250

On how many occasions (if any) have you vaped NICOTINE . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1469	60.3 %
2	1-2X:(2)	151	6.2 %
3	3-5X:(3)	76	3.1 %
4	6-9X:(4)	59	2.4 %
5	10-19X:(5)	74	3.0 %
6	20-39X:(6)	56	2.3 %
7	40+OCCAS:(7)	226	9.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	326	13.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,111 valid cases out of 2,437 total cases.

*Location:* 925-926 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1965: 181B103C:#X VAPE NIC/LAST30DAY

Item Number: 34260

On how many occasions (if any) have you vaped NICOTINE . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1650	67.7 %
2	1-2X:(2)	120	4.9 %
3	3-5X:(3)	65	2.7 %
4	6-9X:(4)	52	2.1 %
5	10-19X:(5)	39	1.6 %
6	20-39X:(6)	34	1.4 %
7	40+OCCAS:(7)	151	6.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	326	13.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,111 valid cases out of 2,437 total cases.

*Location:* 927-928 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1966: 181B104A:#X VAPE MJ/LIFETIME

Item Number: 34270

On how many occasions (if any) have you vaped MARIJUANA . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1764	72.4 %
2	1-2X:(2)	129	5.3 %
3	3-5X:(3)	54	2.2 %
4	6-9X:(4)	39	1.6 %
5	10-19X:(5)	40	1.6 %
6	20-39X:(6)	31	1.3 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	63	2.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	317	13.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,120 valid cases out of 2,437 total cases.

*Location:* 929-930 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1967: 181B104B:#X VAPE MJ/LAST12MO

Item Number: 34280

On how many occasions (if any) have you vaped MARIJUANA . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1804	74.0 %
2	1-2X:(2)	119	4.9 %
3	3-5X:(3)	46	1.9 %
4	6-9X:(4)	26	1.1 %
5	10-19X:(5)	42	1.7 %
6	20-39X:(6)	26	1.1 %
7	40+OCCAS:(7)	45	1.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	329	13.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,108 valid cases out of 2,437 total cases.

*Location:* 931-932 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1968: 181B104C:#X VAPE MJ/LAST30DAY

Item Number: 34290

On how many occasions (if any) have you vaped MARIJUANA . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1939	79.6 %
2	1-2X:(2)	72	3.0 %
3	3-5X:(3)	29	1.2 %
4	6-9X:(4)	18	0.7 %
5	10-19X:(5)	18	0.7 %
6	20-39X:(6)	8	0.3 %
7	40+OCCAS:(7)	20	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	333	13.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,104 valid cases out of 2,437 total cases.

*Location:* 933-934 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1969: 181B105A:#X VAPE FLAV/LIFETIME

Item Number: 34300

On how many occasions (if any) have you vaped just FLAVORING . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1395	57.2 %
2	1-2X:(2)	231	9.5 %
3	3-5X:(3)	128	5.3 %
4	6-9X:(4)	87	3.6 %
5	10-19X:(5)	82	3.4 %
6	20-39X:(6)	59	2.4 %
7	40+OCCAS:(7)	131	5.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	324	13.3 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,113 valid cases out of 2,437 total cases.

*Location:* 935-936 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1970: 181B105B:#X VAPE FLAV/LAST12MO

Item Number: 34310

On how many occasions (if any) have you vaped just FLAVORING . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1573	64.5 %
2	1-2X:(2)	177	7.3 %
3	3-5X:(3)	103	4.2 %
4	6-9X:(4)	64	2.6 %
5	10-19X:(5)	70	2.9 %
6	20-39X:(6)	41	1.7 %
7	40+OCCAS:(7)	79	3.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	330	13.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,107 valid cases out of 2,437 total cases.

*Location:* 937-938 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1971: 181B105C:#X VAPE FLAV/LAST30DAY

Item Number: 34320

On how many occasions (if any) have you vaped just FLAVORING . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1812	74.4 %
2	1-2X:(2)	117	4.8 %
3	3-5X:(3)	58	2.4 %
4	6-9X:(4)	33	1.4 %
5	10-19X:(5)	29	1.2 %
6	20-39X:(6)	14	0.6 %
7	40+OCCAS:(7)	43	1.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	331	13.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,106 valid cases out of 2,437 total cases.

*Location:* 939-940 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1935: 181B105A:E-VAP QUIT REG CIG

Item Number = 33850

What have been the most important reasons for you to vape? (Mark all that apply.)

A. To help me quit regular cigarettes

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	802	32.9 %
1	MARKED:(1)	55	2.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1580	64.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 857 valid cases out of 2,437 total cases.

*Location:* 941-942 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1936: 181B105B:E-VAP REG CIG NOT PERMIT

Item Number = 33860

What have been the most important reasons for you to vape? (Mark all that apply.)

B. Because regular cigarette use is not permitted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	827	33.9 %
1	MARKED:(1)	30	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1580	64.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 857 valid cases out of 2,437 total cases.

*Location:* 943-944 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1937: 181B105C:E-VAP EXPERIMENT

Item Number = 33870

What have been the most important reasons for you to vape? (Mark all that apply.)

C. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	374	15.3 %
1	MARKED:(1)	483	19.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1580	64.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 857 valid cases out of 2,437 total cases.

*Location:* 945-946 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1938: 181B105D:E-VAP RELAX

Item Number = 33880

What have been the most important reasons for you to vape? (Mark all that apply.)

D. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	610	25.0 %
1	MARKED:(1)	247	10.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1580	64.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 857 valid cases out of 2,437 total cases.

*Location:* 947-948 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1939: 181B105E:E-VAP GET HIGH

Item Number: 33890

What have been the most important reasons for you to vape? (Mark all that apply.)

E. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	636	26.1 %
1	MARKED:(1)	221	9.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1580	64.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 857 valid cases out of 2,437 total cases.

*Location:* 949-950 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1940: 181B105F:E-VAP LOOKS COOL

Item Number: 33900

What have been the most important reasons for you to vape? (Mark all that apply.)

F. Because it looks cool

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	714	29.3 %
1	MARKED:(1)	143	5.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1580	64.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 857 valid cases out of 2,437 total cases.

*Location:* 951-952 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1941: 181B105G:E-VAP GOOD TM FRNDS

Item Number: 33910

What have been the most important reasons for you to vape? (Mark all that apply.)

G. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	540	22.2 %
1	MARKED:(1)	317	13.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1580	64.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 857 valid cases out of 2,437 total cases.

*Location:* 953-954 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1942: 181B105H:E-VAP BOREDOM

Item Number: 33920

What have been the most important reasons for you to vape? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	646	26.5 %
1	MARKED:(1)	211	8.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1580	64.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 857 valid cases out of 2,437 total cases.

*Location:* 955-956 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1943: 181B105I:E-VAP TASTES GOOD

Item Number: 33930

What have been the most important reasons for you to vape? (Mark all that apply.)

I. Because it tastes good

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	506	20.8 %
1	MARKED:(1)	351	14.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1580	64.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 857 valid cases out of 2,437 total cases.

*Location:* 957-958 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1944: 181B105J:E-VAP I AM HOOKED

Item Number: 33940

What have been the most important reasons for you to vape? (Mark all that apply.)

J. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	823	33.8 %
1	MARKED:(1)	34	1.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1580	64.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 857 valid cases out of 2,437 total cases.

*Location:* 959-960 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1621: 181B106A:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	8	0.3 %
2	GRADE 7:(2)	9	0.4 %
3	GRADE 8:(3)	11	0.5 %
4	GRADE 9:(4)	24	1.0 %
5	GRADE 10:(5)	22	0.9 %
6	GRADE 11:(6)	19	0.8 %
7	GRADE 12:(7)	23	0.9 %
8	NEVER:(8)	1975	81.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	346	14.2 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,091 valid cases out of 2,437 total cases.

*Location:* 961-962 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1622: 181B106B:GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	69	2.8 %
2	GRADE 7:(2)	65	2.7 %
3	GRADE 8:(3)	131	5.4 %
4	GRADE 9:(4)	288	11.8 %
5	GRADE 10:(5)	283	11.6 %
6	GRADE 11:(6)	274	11.2 %
7	GRADE 12:(7)	177	7.3 %
8	NEVER:(8)	635	26.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	515	21.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,922 valid cases out of 2,437 total cases.

*Location:* 963-964 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1623: 181B106C:GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	28	1.1 %
2	GRADE 7:(2)	48	2.0 %
3	GRADE 8:(3)	76	3.1 %
4	GRADE 9:(4)	167	6.9 %
5	GRADE 10:(5)	209	8.6 %
6	GRADE 11:(6)	181	7.4 %
7	GRADE 12:(7)	140	5.7 %
8	NEVER:(8)	1207	49.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	381	15.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,056 valid cases out of 2,437 total cases.

*Location:* 965-966 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1624: 181B106D:GR 1ST TRY LSD

Item Number: 05600

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	4	0.2 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	10	0.4 %
5	GRADE 10:(5)	22	0.9 %

Value	Label	Unweighted Frequency	%
6	GRADE 11:(6)	25	1.0 %
7	GRADE 12:(7)	25	1.0 %
8	NEVER:(8)	2009	82.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	338	13.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,099 valid cases out of 2,437 total cases.

*Location:* 967-968 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1625: 181B106E:GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

E: Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	5	0.2 %
4	GRADE 9:(4)	11	0.5 %
5	GRADE 10:(5)	13	0.5 %
6	GRADE 11:(6)	20	0.8 %
7	GRADE 12:(7)	19	0.8 %
8	NEVER:(8)	2016	82.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	351	14.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,086 valid cases out of 2,437 total cases.

*Location:* 969-970 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1626: 181B106F:GR 1ST TRY AMP

Item Number: 05620

When (if ever) did you FIRST do each of the following things?  
Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	20	0.8 %
5	GRADE 10:(5)	13	0.5 %
6	GRADE 11:(6)	21	0.9 %
7	GRADE 12:(7)	11	0.5 %
8	NEVER:(8)	1955	80.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	410	16.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,027 valid cases out of 2,437 total cases.

*Location:* 971-972 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1949: 181B107G:GR 1ST TRY SED/B

Item Number: 05645

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

G: Try sedatives including barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)"  
5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %

Value	Label	Unweighted Frequency	%
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	3	0.1 %
5	GRADE 10:(5)	6	0.2 %
6	GRADE 11:(6)	4	0.2 %
7	GRADE 12:(7)	2	0.1 %
8	NEVER:(8)	2074	85.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	344	14.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,093 valid cases out of 2,437 total cases.

*Location:* 973-974 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1629: 181B106H:GR 1ST TRY TRN

Item Number: 05650

When (if ever) did you FIRST do each of the following things?  
Don't count anything you took because a doctor told you to.

H: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	13	0.5 %
5	GRADE 10:(5)	16	0.7 %
6	GRADE 11:(6)	14	0.6 %
7	GRADE 12:(7)	15	0.6 %
8	NEVER:(8)	2003	82.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	369	15.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,068 valid cases out of 2,437 total cases.

*Location:* 975-976 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1630: 181B106I:GR 1ST TRY COK

Item Number: 05660

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

I: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	12	0.5 %
5	GRADE 10:(5)	13	0.5 %
6	GRADE 11:(6)	17	0.7 %
7	GRADE 12:(7)	16	0.7 %
8	NEVER:(8)	2044	83.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	331	13.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,106 valid cases out of 2,437 total cases.

*Location:* 977-978 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1631: 181B106J:GR 1ST TRY HER

Item Number: 05670

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

J: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	0	0.0 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	0	0.0 %
6	GRADE 11:(6)	1	0.0 %
7	GRADE 12:(7)	1	0.0 %
8	NEVER:(8)	2099	86.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	332	13.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,105 valid cases out of 2,437 total cases.

*Location:* 979-980 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1632: 181B106K:GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

K: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	5	0.2 %
2	GRADE 7:(2)	3	0.1 %
3	GRADE 8:(3)	7	0.3 %
4	GRADE 9:(4)	11	0.5 %
5	GRADE 10:(5)	14	0.6 %
6	GRADE 11:(6)	15	0.6 %
7	GRADE 12:(7)	9	0.4 %
8	NEVER:(8)	1975	81.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	398	16.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,039 valid cases out of 2,437 total cases.

*Location:* 981-982 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1748: 181B106L:GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

L: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	47	1.9 %
2	GRADE 7:(2)	45	1.8 %
3	GRADE 8:(3)	36	1.5 %
4	GRADE 9:(4)	97	4.0 %
5	GRADE 10:(5)	57	2.3 %
6	GRADE 11:(6)	80	3.3 %
7	GRADE 12:(7)	54	2.2 %
8	NEVER:(8)	1601	65.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	420	17.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,017 valid cases out of 2,437 total cases.

*Location:* 983-984 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1946: 181B106M:GR 1ST TRY E-CIG

Item Number: 33960

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

M: Try an e-cigarette, e-pen, etc.

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)"  
 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	14	0.6 %
2	GRADE 7:(2)	38	1.6 %
3	GRADE 8:(3)	80	3.3 %
4	GRADE 9:(4)	144	5.9 %
5	GRADE 10:(5)	151	6.2 %
6	GRADE 11:(6)	199	8.2 %
7	GRADE 12:(7)	204	8.4 %
8	NEVER:(8)	1277	52.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	330	13.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,107 valid cases out of 2,437 total cases.

*Location:* 985-986 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1749: 181B106N:GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.

N: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	11	0.5 %
2	GRADE 7:(2)	23	0.9 %
3	GRADE 8:(3)	59	2.4 %
4	GRADE 9:(4)	162	6.6 %

Value	Label	Unweighted Frequency	%
5	GRADE 10:(5)	213	8.7 %
6	GRADE 11:(6)	219	9.0 %
7	GRADE 12:(7)	135	5.5 %
8	NEVER:(8)	1089	44.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	526	21.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,911 valid cases out of 2,437 total cases.

*Location:* 987-988 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1783: 181B106O:GR 1ST TRY CRAC

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

O: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	0	0.0 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	1	0.0 %
6	GRADE 11:(6)	4	0.2 %
7	GRADE 12:(7)	2	0.1 %
8	NEVER:(8)	2082	85.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	344	14.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,093 valid cases out of 2,437 total cases.

*Location:* 989-990 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1923: 181B107P:GR 1ST TRY MDMA

Item Number: 33300

When (if ever) did you FIRST do each of the following things?  
Don't count anything you took because a doctor told you to.

P: Try MDMA ("Molly", "ecstasy")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)"  
7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	8	0.3 %
5	GRADE 10:(5)	10	0.4 %
6	GRADE 11:(6)	14	0.6 %
7	GRADE 12:(7)	18	0.7 %
8	NEVER:(8)	2062	84.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	318	13.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,119 valid cases out of 2,437 total cases.

*Location:* 991-992 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1785: 181B107A:ALL FRD SMK CIG

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1087	44.6 %
2	A FEW:(2)	710	29.1 %

Value	Label	Unweighted Frequency	%
3	SOME:(3)	248	10.2 %
4	MOST:(4)	55	2.3 %
5	ALL:(5)	21	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	316	13.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,121 valid cases out of 2,437 total cases.

*Location:* 993-994 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1786: 181B107B:ALL FRD SMK MAR

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	475	19.5 %
2	A FEW:(2)	570	23.4 %
3	SOME:(3)	531	21.8 %
4	MOST:(4)	456	18.7 %
5	ALL:(5)	88	3.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	317	13.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,120 valid cases out of 2,437 total cases.

*Location:* 995-996 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1787: 181B107C:# FRNDS TK CRAC

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1851	76.0 %
2	A FEW:(2)	203	8.3 %
3	SOME:(3)	40	1.6 %
4	MOST:(4)	6	0.2 %
5	ALL:(5)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	326	13.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,111 valid cases out of 2,437 total cases.

*Location:* 997-998 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1788: 181B107D:# FRNDS TK C PW

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1792	73.5 %
2	A FEW:(2)	240	9.8 %
3	SOME:(3)	45	1.8 %
4	MOST:(4)	10	0.4 %
5	ALL:(5)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	336	13.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,101 valid cases out of 2,437 total cases.

*Location:* 999-1000 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1789: 181B107E:ALL FRD DRK ALC

Item Number: 07190

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	390	16.0 %
2	A FEW:(2)	342	14.0 %
3	SOME:(3)	452	18.5 %
4	MOST:(4)	642	26.3 %
5	ALL:(5)	284	11.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	327	13.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,110 valid cases out of 2,437 total cases.

*Location:* 1001-1002 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1790: 181B107F:ALL FRD GT DRUN

Item Number: 07200

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1043	42.8 %
2	A FEW:(2)	528	21.7 %
3	SOME:(3)	327	13.4 %
4	MOST:(4)	159	6.5 %
5	ALL:(5)	50	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	330	13.5 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,107 valid cases out of 2,437 total cases.

*Location:* 1003-1004 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1947: 181B107G:ALL FRD SMK E-VAP

Item Number: 34000

How many of your friends would you estimate . . .

G: . . . Use an e-cigarette, e-pen, etc.?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	670	27.5 %
2	A FEW:(2)	435	17.8 %
3	SOME:(3)	423	17.4 %
4	MOST:(4)	428	17.6 %
5	ALL:(5)	146	6.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	335	13.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,102 valid cases out of 2,437 total cases.

*Location:* 1005-1006 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## RESPONDENT\_AGE: 181C01(R):AGE <>18 DICHOTOMY

Item Number:

Item comprised of responses to question C01 "In what year were you born?" (item 00010), question C02 "In what month were you born" (item 00020), and date of questionnaire administration recorded by interviewer.

1="younger than 18" 2="18 years of age or over"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	963	39.5 %
2	18+ YRS:(2)	1181	48.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	293	12.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,144 valid cases out of 2,437 total cases.

*Location:* 1007-1008 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1150: 181C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	898	36.8 %
2	FEMALE:(2)	1127	46.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	412	16.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,025 valid cases out of 2,437 total cases.

*Location:* 1009-1010 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V1151: 181C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.)  
 Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All

other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"  
 3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	206	8.5 %
2	WHITE:(2)	1114	45.7 %
3	HISPANIC:(3)	442	18.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	675	27.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,762 valid cases out of 2,437 total cases.

*Location:* 1011-1012 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1152: 181C05 :R SPD >TIM R-UR

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and non response

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	537	22.0 %
1	A FARM:(1)	73	3.0 %
2	COUNTRY:(2)	188	7.7 %
3	SM CITY:(3)	572	23.5 %
4	MED CITY:(4)	299	12.3 %
5	SUB MED:(5)	271	11.1 %
6	LGE CITY:(6)	194	8.0 %
7	SUB LGE:(7)	136	5.6 %
8	V-LGE CITY:(8)	99	4.1 %
9	SUB V-LGE:(9)	68	2.8 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,437 valid cases out of 2,437 total cases.

*Location:* 1013-1014 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1153: 181C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	100	4.1 %
2	ENGAGED:(2)	50	2.1 %
3	SEP/DIV:(3)	55	2.3 %
4	SINGLE:(4)	1911	78.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	321	13.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,116 valid cases out of 2,437 total cases.

*Location:* 1015-1016 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V49: 181C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	164	6.7 %
1	ONE:(1)	615	25.2 %
2	TWO:(2)	559	22.9 %
3	THREE+:(3-4)	783	32.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	316	13.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,121 valid cases out of 2,437 total cases.

*Location:* 1017-1018 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1155: 181C07CA:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	606	24.9 %
1	MARKED:(1)	1494	61.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	337	13.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,100 valid cases out of 2,437 total cases.

*Location:* 1019-1020 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1156: 181C07CB:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	223	9.2 %
1	MARKED:(1)	1877	77.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	337	13.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,100 valid cases out of 2,437 total cases.

*Location:* 1021-1022 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1157: 181C07CC:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"

"My child(ren)," "Other relative(s)," "Non-relative(s),"

"I live alone" -- have been deleted for reasons of

confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	686	28.1 %
1	MARKED:(1)	1414	58.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	337	13.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,100 valid cases out of 2,437 total cases.

*Location:* 1023-1024 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1976: 181C07CD:Rs HSHLD OTHER

Item Number: 34810

Which of the following people live in the same household with you? (Mark all that apply.)

Other, specify \_\_\_\_\_

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1964	80.6 %
1	MARKED:(1)	136	5.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	337	13.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,100 valid cases out of 2,437 total cases.

*Location:* 1025-1026 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1163: 181C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"  
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	118	4.8 %
2	SOME HS:(2)	211	8.7 %
3	HS GRAD:(3)	501	20.6 %
4	SOME CLG:(4)	302	12.4 %
5	CLG GRAD:(5)	445	18.3 %
6	GRAD SCH:(6)	273	11.2 %
7	DK:(7)	239	9.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	348	14.3 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,089 valid cases out of 2,437 total cases.

*Location:* 1027-1028 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1164: 181C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"

3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"

7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	88	3.6 %
2	SOME HS:(2)	167	6.9 %
3	HS GRAD:(3)	404	16.6 %
4	SOME CLG:(4)	366	15.0 %
5	CLG GRAD:(5)	589	24.2 %
6	GRAD SCH:(6)	329	13.5 %
7	DK:(7)	140	5.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	354	14.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,083 valid cases out of 2,437 total cases.

*Location:* 1029-1030 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1165: 181C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes,

most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	340	14.0 %
2	YES/SOME:(2)	393	16.1 %
3	YES/MOST:(3)	386	15.8 %
4	YES/NRLY ALL:(4)	962	39.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	356	14.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,081 valid cases out of 2,437 total cases.

*Location:* 1031-1032 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1166: 181C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	214	8.8 %
2	MILD GOP:(2)	209	8.6 %
3	MILD DEM:(3)	225	9.2 %
4	STRG DEM:(4)	300	12.3 %
5	INDEPNNDT:(5)	227	9.3 %
6	NO PREF:(6)	284	11.7 %
7	OTHER:(7)	46	1.9 %
8	DK/HVNT DECID:(8)	486	19.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	446	18.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,991 valid cases out of 2,437 total cases.

*Location:* 1033-1034 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1167: 181C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"  
4="Liberal" 5="Very liberal" 6="Radical" 8="None of  
the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	111	4.6 %
2	CONSERV:(2)	228	9.4 %
3	MODERATE:(3)	422	17.3 %
4	LIBERAL:(4)	318	13.0 %
5	VRY LIB:(5)	147	6.0 %
6	RADICAL:(6)	16	0.7 %
8	NONE/DK:(8)	822	33.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	373	15.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,064 valid cases out of 2,437 total cases.

*Location:* 1035-1036 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1169: 181C13A:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	438	18.0 %
2	RARELY:(2)	544	22.3 %
3	1-2X/MO:(3)	229	9.4 %
4	1/WK OR+:(4)	389	16.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	837	34.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,600 valid cases out of 2,437 total cases.

*Location:* 1037-1038 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1170: 181C13B:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	463	19.0 %
2	LITL IMP:(2)	366	15.0 %
3	PRTY IMP:(3)	387	15.9 %
4	VERY IMP:(4)	383	15.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	838	34.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,599 valid cases out of 2,437 total cases.

*Location:* 1039-1040 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1171: 181C14 :WHEN R XPCT GRA

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2024	83.1 %
2	JUL-JAN:(2)	20	0.8 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	25	1.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	368	15.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,069 valid cases out of 2,437 total cases.

*Location:* 1041-1042 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1172: 181C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1089	44.7 %
2	GENERAL:(2)	673	27.6 %
3	VOC-TECH:(3)	64	2.6 %
4	OTH/DK:(4)	228	9.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	383	15.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 2,054 valid cases out of 2,437 total cases.

*Location:* 1043-1044 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1173: 181C16 :RT SF SCH AB>AV

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	59	2.4 %
2	BELOW AVG:(2)	43	1.8 %
3	SLIGHT BELOW:(3)	110	4.5 %
4	AVERAGE:(4)	672	27.6 %
5	SLIGHT ABOVE:(5)	481	19.7 %
6	ABOVE AVG:(6)	537	22.0 %
7	FAR ABOVE:(7)	132	5.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	403	16.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,034 valid cases out of 2,437 total cases.

*Location:* 1045-1046 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1174: 181C17 :RT SF INTELL>AV

Item Number: 00420

How intelligent do you think you are compared with others  
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	62	2.5 %
2	BELOW AVG:(2)	39	1.6 %
3	SLIGHT BELOW:(3)	118	4.8 %
4	AVERAGE:(4)	635	26.1 %
5	SLIGHT ABOVE:(5)	494	20.3 %
6	ABOVE AVG:(6)	532	21.8 %
7	FAR ABOVE:(7)	157	6.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	400	16.4 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,037 valid cases out of 2,437 total cases.

*Location:* 1047-1048 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1175: 181C18A:#DA/4W SC MS IL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1136	46.6 %
2	1 DAY:(2)	338	13.9 %
3	2 DAYS:(3)	211	8.7 %
4	3 DAYS:(4)	142	5.8 %
5	4-5 DAYS:(5)	109	4.5 %
6	6-10 DA:(6)	34	1.4 %
7	11+ DAYS:(7)	28	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	439	18.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,998 valid cases out of 2,437 total cases.

*Location:* 1049-1050 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1176: 181C18B:#DA/4W SC MS CU

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1390	57.0 %
2	1 DAY:(2)	274	11.2 %
3	2 DAYS:(3)	120	4.9 %
4	3 DAYS:(4)	82	3.4 %
5	4-5 DAYS:(5)	62	2.5 %
6	6-10 DA:(6)	20	0.8 %
7	11+ DAYS:(7)	26	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	463	19.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,974 valid cases out of 2,437 total cases.

*Location:* 1051-1052 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1177: 181C18C:#DA/4W SC MS OT

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1117	45.8 %
2	1 DAY:(2)	355	14.6 %
3	2 DAYS:(3)	213	8.7 %
4	3 DAYS:(4)	135	5.5 %
5	4-5 DAYS:(5)	103	4.2 %
6	6-10 DA:(6)	29	1.2 %
7	11+ DAYS:(7)	34	1.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	451	18.5 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,986 valid cases out of 2,437 total cases.

*Location:* 1053-1054 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1178: 181C19 :#DA/4W SKP CLAS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"

5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1590	65.2 %
2	1-2:(2)	284	11.7 %
3	3-5:(3)	103	4.2 %
4	6-10:(4)	40	1.6 %
5	11-20:(5)	10	0.4 %
6	21+:(6)	13	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	397	16.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,040 valid cases out of 2,437 total cases.

*Location:* 1055-1056 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1179: 181C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"

5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"

1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	25	1.0 %
2	C-:(2)	35	1.4 %
3	C:(3)	69	2.8 %
4	C+:(4)	134	5.5 %
5	B-:(5)	195	8.0 %
6	B:(6)	291	11.9 %
7	B+:(7)	398	16.3 %
8	A-:(8)	435	17.8 %
9	A:(9)	451	18.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	404	16.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 2,033 valid cases out of 2,437 total cases.

*Location:* 1057-1058 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1180: 181C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A. Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1167	47.9 %
2	PRB WONT:(2)	430	17.6 %
3	PRB WILL:(3)	226	9.3 %
4	DEF WILL:(4)	114	4.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	500	20.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,937 valid cases out of 2,437 total cases.

*Location:* 1059-1060 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1181: 181C21B:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B. Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1259	51.7 %
2	PRB WONT:(2)	400	16.4 %
3	PRB WILL:(3)	118	4.8 %
4	DEF WILL:(4)	88	3.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	572	23.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,865 valid cases out of 2,437 total cases.

*Location:* 1061-1062 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1182: 181C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C. Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	799	32.8 %
2	PRB WONT:(2)	345	14.2 %
3	PRB WILL:(3)	427	17.5 %
4	DEF WILL:(4)	358	14.7 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	508	20.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,929 valid cases out of 2,437 total cases.

*Location:* 1063-1064 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1183: 181C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D. Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	172	7.1 %
2	PRB WONT:(2)	153	6.3 %
3	PRB WILL:(3)	430	17.6 %
4	DEF WILL:(4)	1233	50.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	449	18.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,988 valid cases out of 2,437 total cases.

*Location:* 1065-1066 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1184: 181C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E. Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	374	15.3 %
2	PRB WONT:(2)	454	18.6 %
3	PRB WILL:(3)	606	24.9 %
4	DEF WILL:(4)	505	20.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	498	20.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,939 valid cases out of 2,437 total cases.

*Location:* 1067-1068 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1185: 181C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1723	70.7 %
1	MARKED:(1)	252	10.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	462	19.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,975 valid cases out of 2,437 total cases.

*Location:* 1069-1070 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1186: 181C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1719	70.5 %
1	MARKED:(1)	256	10.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	462	19.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,975 valid cases out of 2,437 total cases.

*Location:* 1071-1072 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1187: 181C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1526	62.6 %
1	MARKED:(1)	449	18.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	462	19.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,975 valid cases out of 2,437 total cases.

*Location:* 1073-1074 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1188: 181C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	483	19.8 %
1	MARKED:(1)	1492	61.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	462	19.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,975 valid cases out of 2,437 total cases.

*Location:* 1075-1076 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1189: 181C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	927	38.0 %
1	MARKED:(1)	1048	43.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	462	19.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,975 valid cases out of 2,437 total cases.

*Location:* 1077-1078 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1190: 181C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1793	73.6 %
1	MARKED:(1)	182	7.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	462	19.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,975 valid cases out of 2,437 total cases.

*Location:* 1079-1080 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1191: 181C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	870	35.7 %
2	5 OR <:(2)	196	8.0 %
3	6-10 HRS:(3)	173	7.1 %
4	11-15 HR:(4)	173	7.1 %
5	16-20 HR:(5)	191	7.8 %
6	21-25 HR:(6)	168	6.9 %
7	26-30 HR:(7)	113	4.6 %
8	30+ HRS:(8)	103	4.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	450	18.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,987 valid cases out of 2,437 total cases.

*Location:* 1081-1082 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1192: 181C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	889	36.5 %
2	\$1-5:(2)	14	0.6 %
3	\$6-10:(3)	44	1.8 %
4	\$11-20:(4)	67	2.7 %
5	\$21-35:(5)	61	2.5 %
6	\$36-50:(6)	58	2.4 %
7	\$51-75:(7)	99	4.1 %
8	\$76-125:(8)	219	9.0 %
9	\$126-175:(9)	199	8.2 %
10	\$176+:(10)	288	11.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	499	20.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,938 valid cases out of 2,437 total cases.

*Location:* 1083-1084 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1193: 181C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	995	40.8 %
2	\$1-5:(2)	78	3.2 %
3	\$6-10:(3)	124	5.1 %
4	\$11-20:(4)	249	10.2 %
5	\$21-35:(5)	144	5.9 %
6	\$36-50:(6)	104	4.3 %
7	\$51-75:(7)	53	2.2 %
8	\$76-125:(8)	49	2.0 %
9	\$126-175:(9)	11	0.5 %
10	\$176+:(10)	54	2.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	576	23.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,861 valid cases out of 2,437 total cases.

*Location:* 1085-1086 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1194: 181C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"  
6="Six or seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	404	16.6 %
2	ONE:(2)	410	16.8 %
3	TWO:(3)	558	22.9 %

Value	Label	Unweighted Frequency	%
4	THREE:(4)	368	15.1 %
5	4-5:(5)	169	6.9 %
6	6-7:(6)	58	2.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	470	19.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,967 valid cases out of 2,437 total cases.

*Location:* 1087-1088 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1195: 181C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"

4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1028	42.2 %
2	ONCE/MO:(2)	228	9.4 %
3	2-3X MO:(3)	199	8.2 %
4	ONCE WK:(4)	247	10.1 %
5	2-3X WK:(5)	190	7.8 %
6	3+ WEEK:(6)	75	3.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	470	19.3 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,967 valid cases out of 2,437 total cases.

*Location:* 1089-1090 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1196: 181C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	610	25.0 %
2	1-10 MI:(2)	171	7.0 %
3	11-50:(3)	423	17.4 %
4	51-100:(4)	362	14.9 %
5	101-200:(5)	249	10.2 %
6	> 200:(6)	153	6.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	469	19.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,968 valid cases out of 2,437 total cases.

*Location:* 1091-1092 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1197: 181C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1619	66.4 %
1	ONCE:(1)	158	6.5 %
2	TWICE:(2)	51	2.1 %
3	3 TIMES:(3)	15	0.6 %
4	4+ TIMES:(4)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	588	24.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,849 valid cases out of 2,437 total cases.

*Location:* 1093-1094 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1198: 181C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you  
were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	219	9.0 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2210	90.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 227 valid cases out of 2,437 total cases.

*Location:* 1095-1096 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1199: 181C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you  
were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	213	8.7 %
1	ONE:(1)	9	0.4 %
2	TWO:(2)	5	0.2 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2209	90.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 228 valid cases out of 2,437 total cases.

*Location:* 1097-1098 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1200: 181C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you  
were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	221	9.1 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2213	90.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 224 valid cases out of 2,437 total cases.

*Location:* 1099-1100 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1201: 181C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1614	66.2 %
1	ONCE:(1)	201	8.2 %
2	TWICE:(2)	33	1.4 %
3	3 TIMES:(3)	5	0.2 %
4	4+ TIMES:(4)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	580	23.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,857 valid cases out of 2,437 total cases.

*Location:* 1101-1102 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1202: 181C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	241	9.9 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2190	89.9 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 247 valid cases out of 2,437 total cases.

*Location:* 1103-1104 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1203: 181C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	244	10.0 %
1	ONE:(1)	0	0.0 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2191	89.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 246 valid cases out of 2,437 total cases.

*Location:* 1105-1106 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1204: 181C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	244	10.0 %
1	ONE:(1)	0	0.0 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2191	89.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 246 valid cases out of 2,437 total cases.

*Location:* 1107-1108 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1205: 181C32 :Rs BRANCH SERV

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

Value	Label	Unweighted Frequency	%
1	ARMY:(1)	50	2.1 %
2	NAVY:(2)	34	1.4 %
3	MARINES:(3)	36	1.5 %
4	AIR FORCE:(4)	27	1.1 %
5	COAST GUARD:(5)	3	0.1 %
6	UNCERTN:(6)	47	1.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2240	91.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 197 valid cases out of 2,437 total cases.

*Location:* 1109-1110 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1206: 181C33 :R XPCTS B OFFCR

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	49	2.0 %
2	UNCERTN:(2)	88	3.6 %
3	YES:(3)	68	2.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2232	91.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 205 valid cases out of 2,437 total cases.

*Location:* 1111-1112 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1207: 181C34 :R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	38	1.6 %
2	UNCERTN:(2)	83	3.4 %
3	YES:(3)	83	3.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2233	91.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 204 valid cases out of 2,437 total cases.

*Location:* 1113-1114 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1682: 181D01 :R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a bit"  
 3="I like school some" 2="I don't like school very much"  
 1="I don't like school at all"

Value	Label	Unweighted Frequency	%
1	DONT LIKE@A:(1)	169	6.9 %
2	DONT LIKE VM:(2)	329	13.5 %
3	LIKE SOME:(3)	892	36.6 %
4	LIKE QUITEBIT:(4)	368	15.1 %
5	LIKE VRYMCH:(5)	153	6.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	526	21.6 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,911 valid cases out of 2,437 total cases.

*Location:* 1115-1116 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V1683: 181D02 :\*SC WRK NVR MNG

Item Number: 05700

How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	206	8.5 %
2	SELDOM:(2)	450	18.5 %
3	SOMETIMES:(3)	728	29.9 %
4	OFTEN:(4)	362	14.9 %
5	ALM ALWYS:(5)	157	6.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	534	21.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,903 valid cases out of 2,437 total cases.

Location: 1117-1118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V1684: 181D03 :\*MST COUR V DUL

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"

3="Fairly interesting" 2="Slightly dull" 1="Very dull"

Value	Label	Unweighted Frequency	%
1	VERY DULL:(1)	193	7.9 %
2	SLIGHT DULL:(2)	436	17.9 %
3	FAIRLY INTR:(3)	783	32.1 %
4	QUITE INTRST:(4)	388	15.9 %
5	VRY EXCITG:(5)	85	3.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	552	22.7 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,885 valid cases out of 2,437 total cases.

Location: 1119-1120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V1685: 181D04 :\*LRN SCH NT IMP

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"

2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	212	8.7 %
2	SLIGHT:(2)	603	24.7 %
3	FAIR IMPT:(3)	520	21.3 %
4	QUITE IMPT:(4)	343	14.1 %
5	VRY IMPT:(5)	200	8.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	559	22.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,878 valid cases out of 2,437 total cases.

*Location:* 1121-1122 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1686: 181D05 :LOT CMPTN GRADE

Item Number: 05730

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great deal"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	303	12.4 %
2	A LITTLE:(2)	391	16.0 %
3	SOME:(3)	571	23.4 %
4	QUITEBIT:(4)	395	16.2 %
5	GRT DEAL:(5)	215	8.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	562	23.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,875 valid cases out of 2,437 total cases.

*Location:* 1123-1124 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1687: 181D06 :STDTS DSLK CHTG

Item Number: 05740

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it"  
3="They would not care" 4="They would dislike it" 5="They

would dislike it very much"

Value	Label	Unweighted Frequency	%
1	LIK VMCH:(1)	86	3.5 %
2	LIKE IT:(2)	47	1.9 %
3	NOT CARE:(3)	1414	58.0 %
4	DISLIKE:(4)	218	8.9 %
5	DLIK MCH:(5)	108	4.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	564	23.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,873 valid cases out of 2,437 total cases.

*Location:* 1125-1126 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1688: 181D07 :ST -LK PROV TCH

Item Number: 05750

How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it"

3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

Value	Label	Unweighted Frequency	%
1	LIK VMCH:(1)	79	3.2 %
2	LIKE IT:(2)	161	6.6 %
3	NOT CARE:(3)	729	29.9 %
4	DISLIKE:(4)	640	26.3 %
5	DLIK MCH:(5)	256	10.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	572	23.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,865 valid cases out of 2,437 total cases.

*Location:* 1127-1128 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1689: 181D08 :FRD NCG/TCH -LK

Item Number: 05760

How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	983	40.3 %
2	SELDOM:(2)	434	17.8 %
3	SOMETIMES:(3)	294	12.1 %
4	OFTEN:(4)	112	4.6 %
5	ALWAYS:(5)	32	1.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	582	23.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,855 valid cases out of 2,437 total cases.

*Location:* 1129-1130 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1690: 181D09 :R IN WK-STDY PG

Item Number: 05770

Have you ever been in a work-study program--that is, a program where you work on a job as part of your schooling?

1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for about a year" 4="Yes, for about two years" 5="Yes, for more than two years"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1642	67.4 %
2	1/2 YR OR <:(2)	85	3.5 %
3	1 YEAR:(3)	77	3.2 %
4	2 YEARS:(4)	25	1.0 %
5	> 2 YEARS:(5)	20	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	588	24.1 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,849 valid cases out of 2,437 total cases.

*Location:* 1131-1132 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1691: 181D10 :#X/YR COUNS IND

Item Number: 05780

How many times this school year have you seen a counselor individually?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

Value	Label	Unweighted Frequency	%
1	NO TIMES:(1)	590	24.2 %
2	1 TIME:(2)	190	7.8 %
3	2 TIMES:(3)	328	13.5 %
4	3-4:(4)	434	17.8 %
5	5-7:(5)	162	6.6 %
6	8-10:(6)	73	3.0 %
7	11+ TIMES:(7)	80	3.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	580	23.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,857 valid cases out of 2,437 total cases.

*Location:* 1133-1134 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1692: 181D11 :#X/YR COUNS GRP

Item Number: 05790

How many times this school year have you seen a counselor as a part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

Value	Label	Unweighted Frequency	%
1	NO TIMES:(1)	1275	52.3 %
2	1 TIME:(2)	166	6.8 %
3	2 TIMES:(3)	167	6.9 %
4	3-4:(4)	132	5.4 %
5	5-7:(5)	48	2.0 %
6	8-10:(6)	21	0.9 %
7	11+ TIMES:(7)	40	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	588	24.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,849 valid cases out of 2,437 total cases.

*Location:* 1135-1136 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1693: 181D12 :R LK C COUNS MR

Item Number: 05800

Would you have preferred to see a counselor more or less often than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often"

2="A little less often" 1="Much less often"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	255	10.5 %
2	LITTLE LESS:(2)	170	7.0 %
3	AS OFTEN:(3)	804	33.0 %
4	LITTLE MORE:(4)	404	16.6 %
5	MUCH MORE:(5)	185	7.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	619	25.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,818 valid cases out of 2,437 total cases.

*Location:* 1137-1138 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1694: 181D13 :CSLNG VRV HLPFL

Item Number: 05810

How helpful have your sessions with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"  
2="A little helpful" 1="Not at all helpful" 8="Did not see a  
counselor this year."

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	181	7.4 %
2	A LITTLE:(2)	245	10.1 %
3	SOMEWHAT:(3)	288	11.8 %
4	QUITE:(4)	391	16.0 %
5	EXTREMELY:(5)	331	13.6 %
8	-SEE COUNSLR:(8)	391	16.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	610	25.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,827 valid cases out of 2,437 total cases.

*Location:* 1139-1140 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1699: 181D14A:CNSL COURSES

Item Number: 05811

Would you have preferred more or less of each of the following types of counseling in the last year?

A: Choosing what courses to take

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	98	4.0 %
2	LITTLE LESS:(2)	38	1.6 %
3	ABT RIGHT:(3)	669	27.5 %
4	LITTLE MORE:(4)	451	18.5 %
5	MCH MORE:(5)	511	21.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	670	27.5 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,767 valid cases out of 2,437 total cases.

*Location:* 1141-1142 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1700: 181D14B:CNSL CL PROB

Item Number: 05812

Would you have preferred more or less of each of the following types of counseling in the last year?

B: Discussing problems with course work

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	153	6.3 %
2	LITTLE LESS:(2)	76	3.1 %
3	ABT RIGHT:(3)	780	32.0 %
4	LITTLE MORE:(4)	410	16.8 %
5	MCH MORE:(5)	335	13.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	683	28.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,754 valid cases out of 2,437 total cases.

*Location:* 1143-1144 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1701: 181D14C:CNSL TRBL R IN

Item Number: 05813

Would you have preferred more or less of each of the following types of counseling in the last year?

C: Discussing any trouble you've gotten into

5="Much more" 4="A little more" 3="About right" 2="A little

less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	297	12.2 %
2	LITTLE LESS:(2)	72	3.0 %
3	ABT RIGHT:(3)	965	39.6 %
4	LITTLE MORE:(4)	176	7.2 %
5	MCH MORE:(5)	224	9.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	703	28.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,734 valid cases out of 2,437 total cases.

*Location:* 1145-1146 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1702: 181D14D:CNSL MILTRY PLN

Item Number: 05814

Would you have preferred more or less of each of the following types of counseling in the last year?

D: Discussing military plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	602	24.7 %
2	LITTLE LESS:(2)	100	4.1 %
3	ABT RIGHT:(3)	800	32.8 %
4	LITTLE MORE:(4)	89	3.7 %
5	MCH MORE:(5)	140	5.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	706	29.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,731 valid cases out of 2,437 total cases.

*Location:* 1147-1148 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1703: 181D14E:CNSL EDUC PLANS

Item Number: 05815

Would you have preferred more or less of each of the following types of counseling in the last year?

E: Discussing education or training plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	188	7.7 %
2	LITTLE LESS:(2)	64	2.6 %
3	ABT RIGHT:(3)	693	28.4 %
4	LITTLE MORE:(4)	435	17.8 %
5	MCH MORE:(5)	369	15.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	688	28.2 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,749 valid cases out of 2,437 total cases.

*Location:* 1149-1150 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1704: 181D14F:CNSL CAREER PLN

Item Number: 05816

Would you have preferred more or less of each of the following types of counseling in the last year?

F: Discussing career plans or job choice

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	134	5.5 %
2	LITTLE LESS:(2)	54	2.2 %
3	ABT RIGHT:(3)	574	23.6 %
4	LITTLE MORE:(4)	460	18.9 %

Value	Label	Unweighted Frequency	%
5	MCH MORE:(5)	530	21.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	685	28.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,752 valid cases out of 2,437 total cases.

*Location:* 1151-1152 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1705: 181D14G:CNSL PRNL PROB

Item Number: 05817

Would you have preferred more or less of each of the following types of counseling in the last year?

G: Discussing personal problems

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	299	12.3 %
2	LITTLE LESS:(2)	103	4.2 %
3	ABT RIGHT:(3)	805	33.0 %
4	LITTLE MORE:(4)	231	9.5 %
5	MCH MORE:(5)	301	12.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	698	28.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,739 valid cases out of 2,437 total cases.

*Location:* 1153-1154 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1719: 181D15A:#DA HEADACHE

Item Number: 21310

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following

problems or symptoms?

A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	454	18.6 %
2	1 DAY:(2)	290	11.9 %
3	2 DAYS:(3)	331	13.6 %
4	3-5 DAYS:(4)	346	14.2 %
5	6-9 DAYS:(5)	182	7.5 %
6	10-19 DA:(6)	96	3.9 %
7	20+ DAYS:(7)	80	3.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	658	27.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,779 valid cases out of 2,437 total cases.

*Location:* 1155-1156 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1720: 181D15B:#DA SORE THROAT

Item Number: 21320

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

B: Sore throat or hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	829	34.0 %
2	1 DAY:(2)	287	11.8 %
3	2 DAYS:(3)	247	10.1 %
4	3-5 DAYS:(4)	258	10.6 %
5	6-9 DAYS:(5)	94	3.9 %
6	10-19 DA:(6)	38	1.6 %

Value	Label	Unweighted Frequency	%
7	20+ DAYS:(7)	15	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	669	27.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,437 total cases.

*Location:* 1157-1158 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1721: 181D15C:#DA SINUS CONG

Item Number: 21330

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

C: Trouble with sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	600	24.6 %
2	1 DAY:(2)	207	8.5 %
3	2 DAYS:(3)	225	9.2 %
4	3-5 DAYS:(4)	305	12.5 %
5	6-9 DAYS:(5)	211	8.7 %
6	10-19 DA:(6)	127	5.2 %
7	20+ DAYS:(7)	91	3.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	671	27.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,766 valid cases out of 2,437 total cases.

*Location:* 1159-1160 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1722: 181D15D:#DA COUGHING

Item Number: 21340

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1061	43.5 %
2	1 DAY:(2)	221	9.1 %
3	2 DAYS:(3)	163	6.7 %
4	3-5 DAYS:(4)	154	6.3 %
5	6-9 DAYS:(5)	92	3.8 %
6	10-19 DA:(6)	36	1.5 %
7	20+ DAYS:(7)	31	1.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	679	27.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,758 valid cases out of 2,437 total cases.

*Location:* 1161-1162 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1723: 181D15E:#DA CHEST COLD

Item Number: 21350

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1396	57.3 %
2	1 DAY:(2)	110	4.5 %
3	2 DAYS:(3)	99	4.1 %
4	3-5 DAYS:(4)	89	3.7 %

Value	Label	Unweighted Frequency	%
5	6-9 DAYS:(5)	34	1.4 %
6	10-19 DA:(6)	13	0.5 %
7	20+ DAYS:(7)	13	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	683	28.0 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,754 valid cases out of 2,437 total cases.

*Location:* 1163-1164 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1724: 181D15F:#DA COUGH PHLM

Item Number: 21360

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

F: Coughing up phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1464	60.1 %
2	1 DAY:(2)	79	3.2 %
3	2 DAYS:(3)	70	2.9 %
4	3-5 DAYS:(4)	61	2.5 %
5	6-9 DAYS:(5)	34	1.4 %
6	10-19 DA:(6)	36	1.5 %
7	20+ DAYS:(7)	14	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	679	27.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,758 valid cases out of 2,437 total cases.

*Location:* 1165-1166 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1725: 181D15G:#DA SHORT BRTH

Item Number: 21370

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

G: Shortness of breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1367	56.1 %
2	1 DAY:(2)	115	4.7 %
3	2 DAYS:(3)	89	3.7 %
4	3-5 DAYS:(4)	72	3.0 %
5	6-9 DAYS:(5)	53	2.2 %
6	10-19 DA:(6)	20	0.8 %
7	20+ DAYS:(7)	40	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	681	27.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,756 valid cases out of 2,437 total cases.

*Location:* 1167-1168 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1726: 181D15H:#DA WHEEZING

Item Number: 21380

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1522	62.5 %
2	1 DAY:(2)	81	3.3 %

Value	Label	Unweighted Frequency	%
3	2 DAYS:(3)	50	2.1 %
4	3-5 DAYS:(4)	37	1.5 %
5	6-9 DAYS:(5)	27	1.1 %
6	10-19 DA:(6)	9	0.4 %
7	20+ DAYS:(7)	21	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	690	28.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,747 valid cases out of 2,437 total cases.

*Location:* 1169-1170 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1727: 181D15I:#DA TRBL REMEM

Item Number: 21390

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

I: Trouble remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1113	45.7 %
2	1 DAY:(2)	151	6.2 %
3	2 DAYS:(3)	134	5.5 %
4	3-5 DAYS:(4)	129	5.3 %
5	6-9 DAYS:(5)	77	3.2 %
6	10-19 DA:(6)	50	2.1 %
7	20+ DAYS:(7)	98	4.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	685	28.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,752 valid cases out of 2,437 total cases.

*Location:* 1171-1172 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1728: 181D15J:#DA DFCT THINK

Item Number: 21400

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

J: Difficulty thinking or concentrating

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	901	37.0 %
2	1 DAY:(2)	204	8.4 %
3	2 DAYS:(3)	160	6.6 %
4	3-5 DAYS:(4)	182	7.5 %
5	6-9 DAYS:(5)	120	4.9 %
6	10-19 DA:(6)	90	3.7 %
7	20+ DAYS:(7)	96	3.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	684	28.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,753 valid cases out of 2,437 total cases.

*Location:* 1173-1174 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1729: 181D15K:#DA TRBL LEARN

Item Number: 21410

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

K: Trouble learning new things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1170	48.0 %

Value	Label	Unweighted Frequency	%
2	1 DAY:(2)	169	6.9 %
3	2 DAYS:(3)	145	5.9 %
4	3-5 DAYS:(4)	110	4.5 %
5	6-9 DAYS:(5)	72	3.0 %
6	10-19 DA:(6)	31	1.3 %
7	20+ DAYS:(7)	57	2.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	683	28.0 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,754 valid cases out of 2,437 total cases.

*Location:* 1175-1176 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1730: 181D15L:#DA TRBL SLEEP

Item Number: 21420

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

L: Trouble sleeping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	771	31.6 %
2	1 DAY:(2)	187	7.7 %
3	2 DAYS:(3)	188	7.7 %
4	3-5 DAYS:(4)	197	8.1 %
5	6-9 DAYS:(5)	122	5.0 %
6	10-19 DA:(6)	115	4.7 %
7	20+ DAYS:(7)	171	7.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	686	28.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,751 valid cases out of 2,437 total cases.

*Location:* 1177-1178 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V1731: 181D15M:#DA TRBL START

Item Number: 21430

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

M: Trouble getting started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	734	30.1 %
2	1 DAY:(2)	147	6.0 %
3	2 DAYS:(3)	145	5.9 %
4	3-5 DAYS:(4)	183	7.5 %
5	6-9 DAYS:(5)	144	5.9 %
6	10-19 DA:(6)	127	5.2 %
7	20+ DAYS:(7)	268	11.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	689	28.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,748 valid cases out of 2,437 total cases.

Location: 1179-1180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V1732: 181D15N:#DA STAY HOME

Item Number: 21440

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

N: Stayed home most or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1081	44.4 %
2	1 DAY:(2)	273	11.2 %
3	2 DAYS:(3)	181	7.4 %
4	3-5 DAYS:(4)	115	4.7 %
5	6-9 DAYS:(5)	45	1.8 %
6	10-19 DA:(6)	22	0.9 %
7	20+ DAYS:(7)	30	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	690	28.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,747 valid cases out of 2,437 total cases.

*Location:* 1181-1182 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1733: 181D16A:#X/12M DOC-CHEK

Item Number: 21450

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

A: For a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	650	26.7 %
2	ONCE:(2)	767	31.5 %
3	TWICE:(3)	314	12.9 %
4	3-5X:(4)	76	3.1 %
5	6-9X:(5)	16	0.7 %
6	10+ TIME:(6)	16	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	598	24.5 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,839 valid cases out of 2,437 total cases.

*Location:* 1183-1184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1734: 181D16B:#X/12M DOC-FGHT

Item Number: 21460

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

B: For an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1696	69.6 %
2	ONCE:(2)	75	3.1 %
3	TWICE:(3)	31	1.3 %
4	3-5X:(4)	11	0.5 %
5	6-9X:(5)	8	0.3 %
6	10+ TIME:(6)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	607	24.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,830 valid cases out of 2,437 total cases.

*Location:* 1185-1186 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1735: 181D16C:#X/12M DOC-INJ

Item Number: 21470

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

C: For any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1523	62.5 %
2	ONCE:(2)	147	6.0 %
3	TWICE:(3)	76	3.1 %

Value	Label	Unweighted Frequency	%
4	3-5X:(4)	42	1.7 %
5	6-9X:(5)	5	0.2 %
6	10+ TIME:(6)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	629	25.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,808 valid cases out of 2,437 total cases.

*Location:* 1187-1188 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1736: 181D16D:#X/12M DOC-ILL

Item Number: 21480

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

D: For some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1118	45.9 %
2	ONCE:(2)	317	13.0 %
3	TWICE:(3)	206	8.5 %
4	3-5X:(4)	120	4.9 %
5	6-9X:(5)	33	1.4 %
6	10+ TIME:(6)	26	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	617	25.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,820 valid cases out of 2,437 total cases.

*Location:* 1189-1190 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1737: 181D16E:#X/12M DOC-PSY

Item Number: 21490

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

E: For some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1579	64.8 %
2	ONCE:(2)	74	3.0 %
3	TWICE:(3)	52	2.1 %
4	3-5X:(4)	51	2.1 %
5	6-9X:(5)	23	0.9 %
6	10+ TIME:(6)	38	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	620	25.4 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,817 valid cases out of 2,437 total cases.

*Location:* 1191-1192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1738: 181D17A:#X/12M HSP-INJ

Item Number: 21500

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

A: . . . because of an injury?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1714	70.3 %
2	ONCE:(2)	64	2.6 %
3	TWICE:(3)	19	0.8 %
4	3-5X:(4)	9	0.4 %
5	6-9X:(5)	2	0.1 %

Value	Label	Unweighted Frequency	%
6	10+ TIME:(6)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	625	25.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,812 valid cases out of 2,437 total cases.

*Location:* 1193-1194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1739: 181D17B:#X/12M HSP-ILL

Item Number: 21510

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

B: . . . because of some physical illness?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1665	68.3 %
2	ONCE:(2)	69	2.8 %
3	TWICE:(3)	38	1.6 %
4	3-5X:(4)	11	0.5 %
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	7	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	643	26.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,794 valid cases out of 2,437 total cases.

*Location:* 1195-1196 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1740: 181D18 :RLTV PHY HEALTH

Item Number: 21520

Overall, relative to other people your age, do you think

your physical health over the past year has been . . . ?

1="Much poorer than average" 2="Somewhat poorer" 3="About average" 4="Somewhat better" 5="Much better than average"

Value	Label	Unweighted Frequency	%
1	MCH <AVG:(1)	141	5.8 %
2	SOM <AVG:(2)	246	10.1 %
3	ABT AVRG:(3)	845	34.7 %
4	SOM >AVG:(4)	367	15.1 %
5	MCH >AVG:(5)	222	9.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	616	25.3 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,821 valid cases out of 2,437 total cases.

*Location:* 1197-1198 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1791: 181D21A:DAP SMK 1PCK CI

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	368	15.1 %
2	DISAPPRV:(2)	640	26.3 %
3	STRG DIS:(3)	792	32.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	637	26.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,800 valid cases out of 2,437 total cases.

*Location:* 1199-1200 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1792: 181D21B:DAP TRY MRJ 1-2

Item Number: 08570

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1105	45.3 %
2	DISAPPRV:(2)	400	16.4 %
3	STRG DIS:(3)	287	11.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	645	26.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,792 valid cases out of 2,437 total cases.

*Location:* 1201-1202 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1793: 181D21C:DAP SMK MRJ OCC

Item Number: 08580

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	937	38.4 %
2	DISAPPRV:(2)	478	19.6 %
3	STRG DIS:(3)	376	15.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	646	26.5 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,791 valid cases out of 2,437 total cases.

*Location:* 1203-1204 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1794: 181D21D:DAP SMK MRJ REG

Item Number: 08590

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	644	26.4 %
2	DISAPPRV:(2)	610	25.0 %
3	STRG DIS:(3)	523	21.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	660	27.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,777 valid cases out of 2,437 total cases.

*Location:* 1205-1206 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1795: 181D21E:DAP COK PWD 1-2

Item Number: 23630

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	254	10.4 %
2	DISAPPRV:(2)	423	17.4 %

Value	Label	Unweighted Frequency	%
3	STRG DIS:(3)	1093	44.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	667	27.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,770 valid cases out of 2,437 total cases.

*Location:* 1207-1208 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1796: 181D21F:DAP COK PWDR OC

Item Number: 23640

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	210	8.6 %
2	DISAPPRV:(2)	370	15.2 %
3	STRG DIS:(3)	1193	49.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	664	27.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,773 valid cases out of 2,437 total cases.

*Location:* 1209-1210 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1797: 181D21G:DAP COK PWDR REG

Item Number: 23650

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	191	7.8 %
2	DISAPPRV:(2)	306	12.6 %
3	STRG DIS:(3)	1264	51.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	676	27.7 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,761 valid cases out of 2,437 total cases.

*Location:* 1211-1212 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1798: 181D21H:DAP TRY CRK 1-2

Item Number: 23660

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	220	9.0 %
2	DISAPPRV:(2)	355	14.6 %
3	STRG DIS:(3)	1189	48.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	673	27.6 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,764 valid cases out of 2,437 total cases.

*Location:* 1213-1214 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1799: 181D21I:DAP CRACK OCC

Item Number: 23670

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	189	7.8 %
2	DISAPPRV:(2)	315	12.9 %
3	STRG DIS:(3)	1253	51.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	680	27.9 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,757 valid cases out of 2,437 total cases.

*Location:* 1215-1216 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1800: 181D21J:DAP CRACK REG

Item Number: 23680

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	187	7.7 %
2	DISAPPRV:(2)	280	11.5 %
3	STRG DIS:(3)	1292	53.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	678	27.8 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,759 valid cases out of 2,437 total cases.

*Location:* 1217-1218 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1801: 181D21K:DAP TRY DRK ALC

Item Number: 08710

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage  
(beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1171	48.1 %
2	DISAPPRV:(2)	312	12.8 %
3	STRG DIS:(3)	277	11.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	677	27.8 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,760 valid cases out of 2,437 total cases.

*Location:* 1219-1220 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V1802: 181D21L:DAP 1-2 DRK/DAY

Item Number: 08720

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	521	21.4 %
2	DISAPPRV:(2)	698	28.6 %
3	STRG DIS:(3)	538	22.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	680	27.9 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,757 valid cases out of 2,437 total cases.

*Location:* 1221-1222 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1803: 181D21M:DAP 4-5 DRK/DAY

Item Number: 08730

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	262	10.8 %
2	DISAPPRV:(2)	477	19.6 %
3	STRG DIS:(3)	1012	41.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	686	28.1 %
<b>Total</b>		<b>2,437</b>	<b>100%</b>

Based upon 1,751 valid cases out of 2,437 total cases.

*Location:* 1223-1224 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1804: 181D21N:DAP 5+ DRK WKND

Item Number: 08740

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	469	19.2 %
2	DISAPPRV:(2)	500	20.5 %

Value	Label	Unweighted Frequency	%
3	STRG DIS:(3)	781	32.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	687	28.2 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,750 valid cases out of 2,437 total cases.

*Location:* 1225-1226 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1972: 181D21O:DISAP VAPE NIC OCCAS

Item number: 34210

Do YOU disapprove of people doing each of the following?

O: Vaping an e-liquid with nicotine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	816	33.5 %
2	DISAPPRV:(2)	521	21.4 %
3	STRG DIS:(3)	416	17.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	684	28.1 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,753 valid cases out of 2,437 total cases.

*Location:* 1227-1228 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1973: 181D21P:DISAP VAPE NIC REGLY

Item number: 34220

Do YOU disapprove of people doing each of the following?

P: Vaping an e-liquid with nicotine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	619	25.4 %
2	DISAPPRV:(2)	547	22.4 %
3	STRG DIS:(3)	580	23.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	691	28.4 %
	<b>Total</b>	<b>2,437</b>	<b>100%</b>

Based upon 1,746 valid cases out of 2,437 total cases.

*Location:* 1229-1230 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## ICPSR 37416

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2018

## Form 2 Data Variable Description and Frequencies

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## Form 2 Data

---

### CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,402 valid cases out of 2,402 total cases.

*Location:* 1-4 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2018	-	2402	100.0 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,402 valid cases out of 2,402 total cases.

*Location:* 5-8 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V3: BY18 80003 FORM ID

Value	Label	Unweighted Frequency	%
2	-	2402	100.0 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,402 valid cases out of 2,402 total cases.

*Location:* 9-9 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### RESPONDENT\_ID: ARCHIVE ID

Based upon 2,402 valid cases out of 2,402 total cases.

*Location:* 10-14 (width: 5; decimal: 0)

*Variable Type:* numeric

---

### ARCHIVE\_WT: ARCHIVE WEIGHT

Based upon 2,402 valid cases out of 2,402 total cases.

*Location:* 15-29 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	471	19.6 %
2	NORTH CENTRAL:(2)	514	21.4 %
3	SOUTH:(3)	907	37.8 %
4	WEST:(4)	510	21.2 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,402 valid cases out of 2,402 total cases.

*Location:* 30-30 (width: 1; decimal: 0)

*Variable Type:* numeric

## V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1428	59.5 %
1	LARGE MSA:(1)	974	40.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,402 valid cases out of 2,402 total cases.

*Location:* 31-31 (width: 1; decimal: 0)

*Variable Type:* numeric

## V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	418	17.4 %
1	MSA:(1)	1984	82.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,402 valid cases out of 2,402 total cases.

*Location:* 32-32 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## V2208: 182A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	413	17.2 %
2	PRTY HPY:(2)	1436	59.8 %
3	VRY HPY:(3)	425	17.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	128	5.3 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,274 valid cases out of 2,402 total cases.

*Location:* 33-34 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2209: 182A02A:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do.

How often do you do each of the following? (Mark one circle for each line.)

Watch TV

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	104	4.3 %

Value	Label	Unweighted Frequency	%
2	FEW /YR:(2)	134	5.6 %
3	1-2 /MO:(3)	187	7.8 %
4	1 /WK:(4)	656	27.3 %
5	NR DAILY:(5)	774	32.2 %
6	EVERY DAY:(6)	524	21.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	23	1.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,379 valid cases out of 2,402 total cases.

*Location:* 35-36 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2210: 182A02B:DALY GO TO MOVIE

Item Number: 05830

The next questions ask about the kinds of things you might do.

How often do you do each of the following? (Mark one circle for each line.)

Go to movies

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	105	4.4 %
2	FEW /YR:(2)	1288	53.6 %
3	1-2 /MO:(3)	860	35.8 %
4	1 /WK:(4)	102	4.2 %
5	NR DAILY:(5)	8	0.3 %
6	EVERY DAY:(6)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	30	1.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,372 valid cases out of 2,402 total cases.

*Location:* 37-38 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2432: 182A02C:DALY MUSIC CNCRT

Item Number: 05846

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Go to music concerts

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1156	48.1 %
2	FEW /YR:(2)	1078	44.9 %
3	1-2 /MO:(3)	92	3.8 %
4	1 /WK:(4)	17	0.7 %
5	NR DAILY:(5)	8	0.3 %
6	EVERY DAY:(6)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	47	2.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,355 valid cases out of 2,402 total cases.

*Location:* 39-40 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2212: 182A02D:DALY RIDE FORFUN

Item Number: 05850

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Ride around in a car (or motorcycle) just for fun

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	452	18.8 %
2	FEW /YR:(2)	249	10.4 %
3	1-2 /MO:(3)	387	16.1 %
4	1 /WK:(4)	513	21.4 %
5	NR DAILY:(5)	381	15.9 %

Value	Label	Unweighted Frequency	%
6	EVERY DAY:(6)	394	16.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	26	1.1 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,376 valid cases out of 2,402 total cases.

*Location:* 41-42 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2213: 182A02E:DALY CMNTY AFFRS

Item Number: 05860

The next questions ask about the kinds of things you might do.

How often do you do each of the following? (Mark one circle for each line.)

Participate in community affairs or volunteer work

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	588	24.5 %
2	FEW /YR:(2)	855	35.6 %
3	1-2 /MO:(3)	539	22.4 %
4	1 /WK:(4)	263	10.9 %
5	NR DAILY:(5)	97	4.0 %
6	EVERY DAY:(6)	26	1.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	34	1.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,368 valid cases out of 2,402 total cases.

*Location:* 43-44 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2214: 182A02F:DALY PLA MSC,SNG

Item Number: 05870

The next questions ask about the kinds of things you might do.

How often do you do each of the following? (Mark one circle for each line.)

Play a musical instrument or sing

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1117	46.5 %
2	FEW /YR:(2)	182	7.6 %
3	1-2 /MO:(3)	128	5.3 %
4	1 /WK:(4)	160	6.7 %
5	NR DAILY:(5)	294	12.2 %
6	EVERY DAY:(6)	490	20.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	31	1.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,371 valid cases out of 2,402 total cases.

*Location:* 45-46 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2215: 182A02G:DALY CREAT WRTNG

Item Number: 05880

The next questions ask about the kinds of things you might do.

How often do you do each of the following? (Mark one circle for each line.)

Do creative writing

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1208	50.3 %
2	FEW /YR:(2)	464	19.3 %
3	1-2 /MO:(3)	309	12.9 %
4	1 /WK:(4)	192	8.0 %
5	NR DAILY:(5)	118	4.9 %
6	EVERY DAY:(6)	76	3.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	35	1.5 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,367 valid cases out of 2,402 total cases.

*Location:* 47-48 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2216: 182A02H:DALY ACTV SPORTS

Item Number: 05890

The next questions ask about the kinds of things you might do.

How often do you do each of the following? (Mark one circle for each line.)

Actively participate in sports, athletics or exercising

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	295	12.3 %
2	FEW /YR:(2)	209	8.7 %
3	1-2 /MO:(3)	289	12.0 %
4	1 /WK:(4)	443	18.4 %
5	NR DAILY:(5)	513	21.4 %
6	EVERY DAY:(6)	625	26.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	28	1.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,374 valid cases out of 2,402 total cases.

*Location:* 49-50 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2217: 182A02I:DALY ART/CRAFTS

Item Number: 05900

The next questions ask about the kinds of things you might do.

How often do you do each of the following? (Mark one circle for each line.)

Do art or craft work

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	786	32.7 %
2	FEW /YR:(2)	528	22.0 %
3	1-2 /MO:(3)	379	15.8 %
4	1 /WK:(4)	263	10.9 %
5	NR DAILY:(5)	216	9.0 %
6	EVERY DAY:(6)	188	7.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	42	1.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,360 valid cases out of 2,402 total cases.

*Location:* 51-52 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2218: 182A02J:DALY WRK HSE,CAR

Item Number: 05910

The next questions ask about the kinds of things you might do.

How often do you do each of the following? (Mark one circle for each line.)

Work around the house, yard, garden, car, etc

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	230	9.6 %
2	FEW /YR:(2)	277	11.5 %
3	1-2 /MO:(3)	474	19.7 %
4	1 /WK:(4)	647	26.9 %
5	NR DAILY:(5)	436	18.2 %
6	EVERY DAY:(6)	305	12.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	33	1.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,369 valid cases out of 2,402 total cases.

*Location:* 53-54 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V2219: 182A02K:DALY VIST W/FRDS

Item Number: 05920

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Get together with friends, informally

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	79	3.3 %
2	FEW /YR:(2)	125	5.2 %
3	1-2 /MO:(3)	406	16.9 %
4	1 /WK:(4)	803	33.4 %
5	NR DAILY:(5)	577	24.0 %
6	EVERY DAY:(6)	374	15.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	38	1.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,364 valid cases out of 2,402 total cases.

*Location:* 55-56 (*width:* 2; *decimal:* 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V2521: 182A02L:DALY GO TO MALL

Item Number: 05935

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Go to a shopping mall

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	142	5.9 %

Value	Label	Unweighted Frequency	%
2	FEW /YR:(2)	633	26.4 %
3	1-2 /MO:(3)	1118	46.5 %
4	1 /WK:(4)	378	15.7 %
5	NR DAILY:(5)	67	2.8 %
6	EVERY DAY:(6)	27	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	37	1.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,365 valid cases out of 2,402 total cases.

*Location:* 57-58 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2221: 182A02M:DALY ALONE LEISR

Item Number: 05940

The next questions ask about the kinds of things you might do.

How often do you do each of the following? (Mark one circle for each line.)

Spend at least an hour of leisure time alone

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	114	4.7 %
2	FEW /YR:(2)	81	3.4 %
3	1-2 /MO:(3)	159	6.6 %
4	1 /WK:(4)	396	16.5 %
5	NR DAILY:(5)	551	22.9 %
6	EVERY DAY:(6)	1065	44.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	36	1.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,366 valid cases out of 2,402 total cases.

*Location:* 59-60 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2222: 182A02N:DALY READ BK,MAG

Item Number: 05950

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Read books, magazines, or newspapers

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	490	20.4 %
2	FEW /YR:(2)	459	19.1 %
3	1-2 /MO:(3)	514	21.4 %
4	1 /WK:(4)	441	18.4 %
5	NR DAILY:(5)	269	11.2 %
6	EVERY DAY:(6)	193	8.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	36	1.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,366 valid cases out of 2,402 total cases.

*Location:* 61-62 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2223: 182A02O:DALY GO TO BARS

Item Number: 05960

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Go to taverns, bars or nightclubs

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1768	73.6 %
2	FEW /YR:(2)	289	12.0 %
3	1-2 /MO:(3)	159	6.6 %
4	1 /WK:(4)	90	3.7 %
5	NR DAILY:(5)	24	1.0 %

Value	Label	Unweighted Frequency	%
6	EVERY DAY:(6)	36	1.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	36	1.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,366 valid cases out of 2,402 total cases.

*Location:* 63-64 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2224: 182A02P:DALY GO TO PARTY

Item Number: 05970

The next questions ask about the kinds of things you might do.

How often do you do each of the following? (Mark one circle for each line.)

Go to parties or other social affairs

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost everyday" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	393	16.4 %
2	FEW /YR:(2)	777	32.3 %
3	1-2 /MO:(3)	721	30.0 %
4	1 /WK:(4)	380	15.8 %
5	NR DAILY:(5)	55	2.3 %
6	EVERY DAY:(6)	47	2.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	29	1.2 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,373 valid cases out of 2,402 total cases.

*Location:* 65-66 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2225: 182A03A:US 2 MUCH PROFIT

Item Number: 05990

How much do you agree or disagree with each of the following

statements?

A: In the United States, we put too much emphasis on making profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	71	3.0 %
2	MOST DIS:(2)	168	7.0 %
3	NEITHER:(3)	473	19.7 %
4	MOST AGR:(4)	1017	42.3 %
5	AGREE:(5)	622	25.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	51	2.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,351 valid cases out of 2,402 total cases.

*Location:* 67-68 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2226: 182A03B:2MUCH CNCRN MTRL

Item Number: 06000

How much do you agree or disagree with each of the following statements?

B: People are too much concerned with material things these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	38	1.6 %
2	MOST DIS:(2)	91	3.8 %
3	NEITHER:(3)	315	13.1 %
4	MOST AGR:(4)	897	37.3 %
5	AGREE:(5)	1008	42.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	53	2.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,349 valid cases out of 2,402 total cases.

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2227: 182A03C:ENCOURG PPL BUY>

Item Number: 06010

How much do you agree or disagree with each of the following statements?

C: Since it helps the economy to grow, people should be encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	203	8.5 %
2	MOST DIS:(2)	407	16.9 %
3	NEITHER:(3)	1071	44.6 %
4	MOST AGR:(4)	488	20.3 %
5	AGREE:(5)	162	6.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	71	3.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,331 valid cases out of 2,402 total cases.

*Location:* 71-72 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2228: 182A03D:-WRNG ADVERTISNG

Item Number: 06020

How much do you agree or disagree with each of the following statements?

D: There is nothing wrong with advertising that gets people to buy things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	353	14.7 %
2	MOST DIS:(2)	503	20.9 %
3	NEITHER:(3)	667	27.8 %
4	MOST AGR:(4)	521	21.7 %
5	AGREE:(5)	296	12.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	62	2.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,340 valid cases out of 2,402 total cases.

*Location:* 73-74 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2229: 182A03E:MOR SHORTGS FUTR

Item Number: 06030

How much do you agree or disagree with each of the following statements?

E: There will probably be more shortages in the future, so Americans will have to learn how to be happy with fewer "things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	125	5.2 %
2	MOST DIS:(2)	236	9.8 %
3	NEITHER:(3)	682	28.4 %
4	MOST AGR:(4)	736	30.6 %
5	AGREE:(5)	563	23.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	60	2.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,342 valid cases out of 2,402 total cases.

*Location:* 75-76 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2468: 182A04A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	128	5.3 %
2	SLIGHT:(2)	57	2.4 %
3	MOD RISK:(3)	208	8.7 %
4	GRT RISK:(4)	1888	78.6 %
5	CANT SAY:(5)	61	2.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	60	2.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,342 valid cases out of 2,402 total cases.

*Location:* 77-78 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2469: 182A04B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1099	45.8 %
2	SLIGHT:(2)	645	26.9 %
3	MOD RISK:(3)	278	11.6 %

Value	Label	Unweighted Frequency	%
4	GRT RISK:(4)	242	10.1 %
5	CANT SAY:(5)	74	3.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	64	2.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,338 valid cases out of 2,402 total cases.

*Location:* 79-80 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2470: 182A04C:RSK OF MJ OCSNL

Item Number: 12380

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	730	30.4 %
2	SLIGHT:(2)	681	28.4 %
3	MOD RISK:(3)	499	20.8 %
4	GRT RISK:(4)	346	14.4 %
5	CANT SAY:(5)	85	3.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	61	2.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,341 valid cases out of 2,402 total cases.

*Location:* 81-82 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2471: 182A04D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	434	18.1 %
2	SLIGHT:(2)	539	22.4 %
3	MOD RISK:(3)	555	23.1 %
4	GRT RISK:(4)	719	29.9 %
5	CANT SAY:(5)	88	3.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	67	2.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,335 valid cases out of 2,402 total cases.

*Location:* 83-84 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2539: 182A04E:RSK SALVIA 1-2X

Item number: 32650

How much do you think people risk harming themselves

(physically or in other ways) if they . . .

E. . . . Try Salvia once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	187	7.8 %
2	SLIGHT:(2)	122	5.1 %
3	MOD RISK:(3)	147	6.1 %
4	GRT RISK:(4)	223	9.3 %
5	CANT SAY:(5)	1652	68.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	71	3.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,331 valid cases out of 2,402 total cases.

*Location:* 85-86 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2540: 182A04F:RSK SALVIA OCC

Item Number: 32760

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Try Salvia occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	149	6.2 %
2	SLIGHT:(2)	73	3.0 %
3	MOD RISK:(3)	173	7.2 %
4	GRT RISK:(4)	277	11.5 %
5	CANT SAY:(5)	1648	68.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	82	3.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,320 valid cases out of 2,402 total cases.

*Location:* 87-88 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2541: 182A04G:RSK SYNTHETIC MJ 1-2X

Item Number: 32770

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

G: . . . Try "synthetic marijuana" ("K2", "Spice") once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	222	9.2 %
2	SLIGHT:(2)	303	12.6 %
3	MOD RISK:(3)	403	16.8 %
4	GRT RISK:(4)	698	29.1 %
5	CANT SAY:(5)	712	29.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	64	2.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,338 valid cases out of 2,402 total cases.

*Location:* 89-90 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2542: 182A04H:RSK SYNTHETIC MJ OCC

Item Number: 32780

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

H: . . . Take "synthetic marijuana ("K2", "Spice") occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	177	7.4 %
2	SLIGHT:(2)	200	8.3 %
3	MOD RISK:(3)	413	17.2 %
4	GRT RISK:(4)	851	35.4 %
5	CANT SAY:(5)	693	28.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	68	2.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,334 valid cases out of 2,402 total cases.

*Location:* 91-92 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2543: 182A04I:RSK BATH SALTS 1-2X

Item Number: 32790

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

I. . . . Try "bath salts" (synthetic stimulants) once or twice to get high?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	149	6.2 %
2	SLIGHT:(2)	127	5.3 %
3	MOD RISK:(3)	361	15.0 %
4	GRT RISK:(4)	1191	49.6 %
5	CANT SAY:(5)	513	21.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	61	2.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,341 valid cases out of 2,402 total cases.

*Location:* 93-94 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2544: 182A04J:RSK BATH SALTS OCC

Item Number: 32800

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

J. . . . Try "bath salts" (synthetic stimulants) occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	131	5.5 %
2	SLIGHT:(2)	60	2.5 %
3	MOD RISK:(3)	211	8.8 %
4	GRT RISK:(4)	1430	59.5 %
5	CANT SAY:(5)	510	21.2 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	60	2.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,342 valid cases out of 2,402 total cases.

*Location:* 95-96 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2545: 182A04K:RSK E-CIG REG

Item Number: 33670

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

K: . . . Use electronic cigarettes (e-cigarettes) regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	344	14.3 %
2	SLIGHT:(2)	751	31.3 %
3	MOD RISK:(3)	657	27.4 %
4	GRT RISK:(4)	447	18.6 %
5	CANT SAY:(5)	150	6.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	53	2.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,349 valid cases out of 2,402 total cases.

*Location:* 97-98 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2238: 182A05 :DFNTLY PRFR MATE

Item Number: 06120

Do you think that you would prefer having a mate for most of  
your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to  
have a mate" 3="Not sure" 2="Probably prefer not to have a

mate" 1="Definitely prefer not to have a mate"

Value	Label	Unweighted Frequency	%
1	DEF NO:(1)	37	1.5 %
2	PROB NO:(2)	75	3.1 %
3	NOT SURE:(3)	289	12.0 %
4	PROB YES:(4)	647	26.9 %
5	DEF YES:(5)	1303	54.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	51	2.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,351 valid cases out of 2,402 total cases.

*Location:* 99-100 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2239: 182A06 :THINK WILL MARRY

Item Number: 06130

Which do you think you are most likely to choose in the long run?

3="Getting married" 2="I have no idea" 1="Not getting married"

8="Am already married"

Value	Label	Unweighted Frequency	%
1	NOT MAR:(1)	109	4.5 %
2	NO IDEA:(2)	436	18.2 %
3	MARRIED:(3)	1684	70.1 %
8	ALREADY MAR:(8)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	169	7.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,233 valid cases out of 2,402 total cases.

*Location:* 101-102 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2240: 182A07A:LIKLY STAY MARRD

Item Number: 06140

If you did get married (or are married) . . .

A: . . . How likely do you think it is that you would stay married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely"

Value	Label	Unweighted Frequency	%
1	VRY UNLKLY:(1)	34	1.4 %
2	FAIRLY UNL:(2)	43	1.8 %
3	UNCERTN:(3)	317	13.2 %
4	FAIRLY LK:(4)	610	25.4 %
5	VRY LIKELY:(5)	1279	53.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	119	5.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,402 total cases.

*Location:* 103-104 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2241: 182A07B:LIKLY HAVE KIDS

Item Number: 06150

If you did get married (or are married) . . .

B: . . . How likely is it that you would want to have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

Value	Label	Unweighted Frequency	%
1	VRY UNLKLY:(1)	121	5.0 %
2	FAIRLY UNLK:(2)	96	4.0 %
3	UNCERTN:(3)	320	13.3 %
4	FAIRLY LK:(4)	502	20.9 %
5	VRY LIKELY:(5)	1240	51.6 %
8	ALRDY HAVE:(8)	16	0.7 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	107	4.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,295 valid cases out of 2,402 total cases.

*Location:* 105-106 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2259: 182A08 :INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%
1	NO INTRST:(1)	295	12.3 %
2	VRY LITTLE:(2)	406	16.9 %
3	SOME:(3)	1034	43.0 %
4	A LOT:(4)	411	17.1 %
5	VRY GRT:(5)	195	8.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	61	2.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,341 valid cases out of 2,402 total cases.

*Location:* 107-108 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2260: 182A09 :GOVT PPL -DSHNST

Item Number: 06340

Do you think some of the people running the government are crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are" 3="Some are" 4="Hardly any are" 5="None at all are crooked or

dishonest"

Value	Label	Unweighted Frequency	%
1	MOST:(1)	733	30.5 %
2	QUITE:(2)	840	35.0 %
3	SOME:(3)	691	28.8 %
4	HARDLY:(4)	44	1.8 %
5	NONE:(5)	25	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	69	2.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,333 valid cases out of 2,402 total cases.

*Location:* 109-110 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2261: 182A10 :GOVT DSNT WASTE\$

Item Number: 06350

Do you think the government wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money is wasted" 5="No tax money is wasted"

Value	Label	Unweighted Frequency	%
1	NEARLY ALL:(1)	281	11.7 %
2	A LOT:(2)	1019	42.4 %
3	SOME:(3)	870	36.2 %
4	A LITTLE:(4)	129	5.4 %
5	NO WASTE:(5)	27	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	76	3.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,326 valid cases out of 2,402 total cases.

*Location:* 111-112 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2262: 182A11 :NEVER TRUST GOVT

Item Number: 06360

How much of the time do you think you can trust the government in Washington to do what is right?

1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

Value	Label	Unweighted Frequency	%
1	ALM ALWYS:(1)	72	3.0 %
2	OFTEN:(2)	506	21.1 %
3	SOMETIME:(3)	1019	42.4 %
4	SELDOM:(4)	524	21.8 %
5	NEVER:(5)	209	8.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	72	3.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,330 valid cases out of 2,402 total cases.

*Location:* 113-114 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2263: 182A12 :GVT PPL DK DOING

Item Number: 06370

Do you feel that the people running the government are smart people who usually know what they are doing?

1="They almost always know what they are doing" 2="They usually know what they are doing" 3="They sometimes know what they are doing" 4="They seldom know what they are doing" 5="They never know what they are doing"

Value	Label	Unweighted Frequency	%
1	ALM ALWYS:(1)	166	6.9 %
2	USUALLY:(2)	749	31.2 %
3	SOMETIME:(3)	910	37.9 %
4	SELDOM:(4)	360	15.0 %
5	NEVER:(5)	142	5.9 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	75	3.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,327 valid cases out of 2,402 total cases.

*Location:* 115-116 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2264: 182A13 :GOVT RUN FOR PPL

Item Number: 06380

Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run for a few big interests" 3="Run some for the big interests, some for the people" 4="Usually run for the benefit of all the people" 5="Nearly always run for the benefit of all the people"

Value	Label	Unweighted Frequency	%
1	NR ALWYS FEW:(1)	445	18.5 %
2	USUALLY FEW:(2)	685	28.5 %
3	SOME BOTH:(3)	944	39.3 %
4	USUALLY ALL:(4)	197	8.2 %
5	NR ALWYS ALL:(5)	50	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	81	3.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,321 valid cases out of 2,402 total cases.

*Location:* 117-118 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2265: 182A14A:DO OR PLN VOTE

Item Number: 06390

Have you ever done, or do you plan to do, the following things?

A: Vote in a public election

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	160	6.7 %
2	DK:(2)	287	11.9 %
3	PROB WILL:(3)	1780	74.1 %
4	ALRDY DONE:(4)	114	4.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	61	2.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,341 valid cases out of 2,402 total cases.

*Location:* 119-120 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2266: 182A14B:DO OR PLN WRITE

Item Number: 06400

Have you ever done, or do you plan to do, the following things?

B: Write to public officials

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	974	40.5 %
2	DK:(2)	846	35.2 %
3	PROB WILL:(3)	278	11.6 %
4	ALRDY DONE:(4)	238	9.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	66	2.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,336 valid cases out of 2,402 total cases.

*Location:* 121-122 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2267: 182A14C:DO OR PLN GIVE \$

Item Number: 06410

Have you ever done, or do you plan to do, the following things?

C: Give money to a political candidate or cause

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1184	49.3 %
2	DK:(2)	787	32.8 %
3	PROB WILL:(3)	306	12.7 %
4	ALRDY DONE:(4)	55	2.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	70	2.9 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,332 valid cases out of 2,402 total cases.

*Location:* 123-124 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2268: 182A14D:DO OR PLN WK CPG

Item Number: 06420

Have you ever done, or do you plan to do, the following things?

D: Work in a political campaign

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1477	61.5 %
2	DK:(2)	637	26.5 %
3	PROB WILL:(3)	151	6.3 %
4	ALRDY DONE:(4)	63	2.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	74	3.1 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,328 valid cases out of 2,402 total cases.

*Location:* 125-126 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2269: 182A14E:DO OR PLN DEMNST

Item Number: 06430

Have you ever done, or do you plan to do, the following things?

E: Participate in a lawful demonstration

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1034	43.0 %
2	DK:(2)	820	34.1 %
3	PROB WILL:(3)	315	13.1 %
4	ALRDY DONE:(4)	159	6.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	74	3.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,328 valid cases out of 2,402 total cases.

*Location:* 127-128 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2270: 182A14F:DO OR PLN BOYCOT

Item Number: 06440

Have you ever done, or do you plan to do, the following things?

F: Boycott certain products or stores

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	921	38.3 %
2	DK:(2)	806	33.6 %
3	PROB WILL:(3)	395	16.4 %
4	ALRDY DONE:(4)	207	8.6 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	73	3.0 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,329 valid cases out of 2,402 total cases.

*Location:* 129-130 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2271: 182A15A:US SHD DISARM

Item Number: 06450

How much do you agree or disagree with each of the following statements?

A: The U.S. should begin a gradual program of disarming whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	521	21.7 %
2	MOST DIS:(2)	263	10.9 %
3	NEITHER:(3)	969	40.3 %
4	MOST AGR:(4)	339	14.1 %
5	AGREE:(5)	208	8.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	102	4.2 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,300 valid cases out of 2,402 total cases.

*Location:* 131-132 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2272: 182A15B:US GO WAR FR OTH

Item Number: 05690

How much do you agree or disagree with each of the following statements?

B: There may be times when the U.S. should go to war to protect the rights of other countries

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	251	10.4 %
2	MOST DIS:(2)	387	16.1 %
3	NEITHER:(3)	693	28.9 %
4	MOST AGR:(4)	698	29.1 %
5	AGREE:(5)	288	12.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	85	3.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,317 valid cases out of 2,402 total cases.

*Location:* 133-134 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2273: 182A15C:US WAR PRTCT ECN

Item Number: 06460

How much do you agree or disagree with each of the following statements?

C: The U.S. should be willing to go to war to protect its own economic interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	238	9.9 %
2	MOST DIS:(2)	305	12.7 %
3	NEITHER:(3)	775	32.3 %
4	MOST AGR:(4)	633	26.4 %
5	AGREE:(5)	360	15.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	91	3.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,311 valid cases out of 2,402 total cases.

*Location:* 135-136 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2274: 182A15D:US ONLY WAR DFNS

Item Number: 06470

How much do you agree or disagree with each of the following statements?

D: The only good reason for the U.S. to go to war is to defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	158	6.6 %
2	MOST DIS:(2)	256	10.7 %
3	NEITHER:(3)	493	20.5 %
4	MOST AGR:(4)	720	30.0 %
5	AGREE:(5)	689	28.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	86	3.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,316 valid cases out of 2,402 total cases.

*Location:* 137-138 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2275: 182A15E:-US MIL PWR>USSR

Item Number: 06480

How much do you agree or disagree with each of the following statements?

E: The U.S. does not need to have greater military power than Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	559	23.3 %
2	MOST DIS:(2)	463	19.3 %
3	NEITHER:(3)	893	37.2 %
4	MOST AGR:(4)	235	9.8 %
5	AGREE:(5)	157	6.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	95	4.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,307 valid cases out of 2,402 total cases.

*Location:* 139-140 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2276: 182A15F:US NEED>PWR OTHS

Item Number: 06490

How much do you agree or disagree with each of the following statements?

F: The U.S. ought to have much more military power than any other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	224	9.3 %
2	MOST DIS:(2)	279	11.6 %
3	NEITHER:(3)	935	38.9 %
4	MOST AGR:(4)	428	17.8 %
5	AGREE:(5)	444	18.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	92	3.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,310 valid cases out of 2,402 total cases.

*Location:* 141-142 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2277: 182A15G:US FRN PLCY NRRW

Item Number: 06500

How much do you agree or disagree with each of the following statements?

G: Our present foreign policy is based on our own narrow economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	77	3.2 %
2	MOST DIS:(2)	143	6.0 %
3	NEITHER:(3)	1192	49.6 %
4	MOST AGR:(4)	560	23.3 %
5	AGREE:(5)	330	13.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	100	4.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,302 valid cases out of 2,402 total cases.

*Location:* 143-144 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2279: 182A16A:FRQ FIGHT PARNTS

Item Number: 06520

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

A: . . . Argued or had a fight with either of your parents?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

[Data from the Western Region intentionally obliterated.]

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	317	13.2 %

Value	Label	Unweighted Frequency	%
2	ONCE:(2)	259	10.8 %
3	TWICE:(3)	286	11.9 %
4	3-4TIMES:(4)	388	16.2 %
5	5+ TIMES:(5)	579	24.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	573	23.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,829 valid cases out of 2,402 total cases.

*Location:* 145-146 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2280: 182A16B:FRQ HIT SUPRVISR

Item Number: 06530

During the LAST 12 MONTHS, how often have you . . .

B: . . . Hit an instructor or supervisor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2274	94.7 %
2	ONCE:(2)	21	0.9 %
3	TWICE:(3)	15	0.6 %
4	3-4TIMES:(4)	8	0.3 %
5	5+ TIMES:(5)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	77	3.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,325 valid cases out of 2,402 total cases.

*Location:* 147-148 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2281: 182A16C:FRQ FGT WRK/SCHL

Item Number: 06540

During the LAST 12 MONTHS, how often have you . . .

C: . . . Gotten into a serious fight in school or at work?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2134	88.8 %
2	ONCE:(2)	109	4.5 %
3	TWICE:(3)	43	1.8 %
4	3-4TIMES:(4)	27	1.1 %
5	5+ TIMES:(5)	13	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	76	3.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,326 valid cases out of 2,402 total cases.

*Location:* 149-150 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2282: 182A16D:FRQ GANG FIGHT

Item Number: 06550

During the LAST 12 MONTHS, how often have you . . .

D: . . . Taken part in a fight where a group of your friends were against another group?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2044	85.1 %
2	ONCE:(2)	152	6.3 %
3	TWICE:(3)	63	2.6 %
4	3-4TIMES:(4)	40	1.7 %
5	5+ TIMES:(5)	21	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	82	3.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,320 valid cases out of 2,402 total cases.

*Location:* 151-152 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2283: 182A16E:FRQ HURT SM1 BAD

Item Number: 06560

During the LAST 12 MONTHS, how often have you . . .

E: . . . Hurt someone badly enough to need bandages or a doctor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2150	89.5 %
2	ONCE:(2)	99	4.1 %
3	TWICE:(3)	33	1.4 %
4	3-4TIMES:(4)	22	0.9 %
5	5+ TIMES:(5)	18	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	80	3.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,322 valid cases out of 2,402 total cases.

*Location:* 153-154 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2284: 182A16F:FRQ THREAT WEAPN

Item Number: 06570

During the LAST 12 MONTHS, how often have you . . .

F: . . . Used a knife or gun or some other thing (like a club) to get something from a person?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2285	95.1 %
2	ONCE:(2)	15	0.6 %
3	TWICE:(3)	9	0.4 %
4	3-4TIMES:(4)	5	0.2 %
5	5+ TIMES:(5)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	82	3.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,320 valid cases out of 2,402 total cases.

*Location:* 155-156 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2285: 182A16G:FRQ STEAL <\$50

Item Number: 06580

During the LAST 12 MONTHS, how often have you . . .

G: . . . Taken something not belonging to you worth under \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1801	75.0 %
2	ONCE:(2)	238	9.9 %
3	TWICE:(3)	125	5.2 %
4	3-4TIMES:(4)	87	3.6 %
5	5+ TIMES:(5)	65	2.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	86	3.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,316 valid cases out of 2,402 total cases.

*Location:* 157-158 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2286: 182A16H:FRQ STEAL >\$50

Item Number: 06590

During the LAST 12 MONTHS, how often have you . . .

H: . . . Taken something not belonging to you worth over \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2153	89.6 %
2	ONCE:(2)	90	3.7 %
3	TWICE:(3)	40	1.7 %
4	3-4TIMES:(4)	22	0.9 %
5	5+ TIMES:(5)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	82	3.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,320 valid cases out of 2,402 total cases.

*Location:* 159-160 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2287: 182A16I:FRQ SHOPLIFT

Item Number: 06600

During the LAST 12 MONTHS, how often have you . . .

I: . . . Taken something from a store without paying for it?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1832	76.3 %
2	ONCE:(2)	246	10.2 %
3	TWICE:(3)	95	4.0 %
4	3-4TIMES:(4)	67	2.8 %
5	5+ TIMES:(5)	81	3.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	81	3.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,321 valid cases out of 2,402 total cases.

*Location:* 161-162 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2288: 182A16J:FRQ CAR THEFT

Item Number: 06610

During the LAST 12 MONTHS, how often have you . . .

J: . . . Taken a car that didn't belong to someone in your family without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2238	93.2 %
2	ONCE:(2)	39	1.6 %
3	TWICE:(3)	17	0.7 %
4	3-4TIMES:(4)	12	0.5 %
5	5+ TIMES:(5)	11	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	85	3.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,317 valid cases out of 2,402 total cases.

*Location:* 163-164 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2289: 182A16K:FRQ STEAL CAR PT

Item Number: 06620

During the LAST 12 MONTHS, how often have you . . .

K: . . . Taken part of a car without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2265	94.3 %
2	ONCE:(2)	20	0.8 %
3	TWICE:(3)	15	0.6 %
4	3-4TIMES:(4)	12	0.5 %
5	5+ TIMES:(5)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	84	3.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,318 valid cases out of 2,402 total cases.

*Location:* 165-166 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2290: 182A16L:FRQ TRESPAS BLDG

Item Number: 06630

During the LAST 12 MONTHS, how often have you . . .

L: . . . Gone into some house or building when you weren't supposed to be there?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1871	77.9 %
2	ONCE:(2)	204	8.5 %
3	TWICE:(3)	117	4.9 %
4	3-4TIMES:(4)	72	3.0 %
5	5+ TIMES:(5)	52	2.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	86	3.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,316 valid cases out of 2,402 total cases.

*Location:* 167-168 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2291: 182A16M:FRQ ARSON

Item Number: 06640

During the LAST 12 MONTHS, how often have you . . .

M: . . . Set fire to someone's property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2274	94.7 %
2	ONCE:(2)	20	0.8 %
3	TWICE:(3)	10	0.4 %
4	3-4TIMES:(4)	6	0.2 %
5	5+ TIMES:(5)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	86	3.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,316 valid cases out of 2,402 total cases.

*Location:* 169-170 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2292: 182A16N:FRQ DMG SCH PPTY

Item Number: 06650

During the LAST 12 MONTHS, how often have you . . .

N: . . . Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2170	90.3 %
2	ONCE:(2)	79	3.3 %
3	TWICE:(3)	39	1.6 %
4	3-4TIMES:(4)	12	0.5 %
5	5+ TIMES:(5)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	91	3.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,311 valid cases out of 2,402 total cases.

*Location:* 171-172 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2293: 182A16O:FRQ DMG WK PRPTY

Item Number: 06660

During the LAST 12 MONTHS, how often have you . . .

O: . . . Damaged property at work on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2256	93.9 %
2	ONCE:(2)	25	1.0 %
3	TWICE:(3)	18	0.7 %
4	3-4TIMES:(4)	8	0.3 %
5	5+ TIMES:(5)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	91	3.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,311 valid cases out of 2,402 total cases.

*Location:* 173-174 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2508: 182A16P:ARRSTD/TKN 2 POL

Item number: 25880

During the LAST 12 MONTHS, how often have you . . .

P: . . . Been arrested and taken to a police station?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2224	92.6 %
2	ONCE:(2)	51	2.1 %

Value	Label	Unweighted Frequency	%
3	TWICE:(3)	15	0.6 %
4	3-4TIMES:(4)	11	0.5 %
5	5+ TIMES:(5)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	92	3.8 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,310 valid cases out of 2,402 total cases.

*Location:* 175-176 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2295: 182A17A:SM1 ROB YRS <\$50

Item Number: 06680

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

A. . . Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1493	62.2 %
2	ONCE:(2)	465	19.4 %
3	TWICE:(3)	205	8.5 %
4	3-4TIMES:(4)	86	3.6 %
5	5+ TIMES:(5)	51	2.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	102	4.2 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,300 valid cases out of 2,402 total cases.

*Location:* 177-178 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2296: 182A17B:SM1 ROB YRS >\$50

Item Number: 06690

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1792	74.6 %
2	ONCE:(2)	327	13.6 %
3	TWICE:(3)	112	4.7 %
4	3-4TIMES:(4)	45	1.9 %
5	5+ TIMES:(5)	26	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	100	4.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,302 valid cases out of 2,402 total cases.

*Location:* 179-180 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V2297: 182A17C:SM1 DMG YR PRPTY

Item Number: 06700

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1805	75.1 %
2	ONCE:(2)	308	12.8 %
3	TWICE:(3)	112	4.7 %
4	3-4TIMES:(4)	52	2.2 %
5	5+ TIMES:(5)	23	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	102	4.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,300 valid cases out of 2,402 total cases.

*Location:* 181-182 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2298: 182A17D:SM1 INJR U W/WPN

Item Number: 06710

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2215	92.2 %
2	ONCE:(2)	46	1.9 %
3	TWICE:(3)	18	0.7 %
4	3-4TIMES:(4)	9	0.4 %
5	5+ TIMES:(5)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	106	4.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,296 valid cases out of 2,402 total cases.

*Location:* 183-184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2299: 182A17E:SM1 THRTN U W/WP

Item Number: 06720

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2006	83.5 %
2	ONCE:(2)	141	5.9 %
3	TWICE:(3)	71	3.0 %
4	3-4TIMES:(4)	37	1.5 %
5	5+ TIMES:(5)	42	1.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	105	4.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,297 valid cases out of 2,402 total cases.

*Location:* 185-186 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2300: 182A17F:SM1 INJR YU -WPN

Item Number: 06730

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1985	82.6 %
2	ONCE:(2)	144	6.0 %
3	TWICE:(3)	69	2.9 %
4	3-4TIMES:(4)	51	2.1 %
5	5+ TIMES:(5)	47	2.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	106	4.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,296 valid cases out of 2,402 total cases.

*Location:* 187-188 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2301: 182A17G:SM1 THRT U W/INJ

Item Number: 06740

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1857	77.3 %
2	ONCE:(2)	168	7.0 %
3	TWICE:(3)	104	4.3 %
4	3-4TIMES:(4)	64	2.7 %
5	5+ TIMES:(5)	100	4.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	109	4.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,293 valid cases out of 2,402 total cases.

*Location:* 189-190 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2302: 182A18A:EASY GT MARIJUANA

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	215	9.0 %
2	VRY DIFF:(2)	86	3.6 %
3	FRLY DIF:(3)	154	6.4 %
4	FRLY EAS:(4)	579	24.1 %
5	VRY EASY:(5)	1248	52.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	120	5.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,282 valid cases out of 2,402 total cases.

*Location:* 191-192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2303: 182A18B:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	537	22.4 %
2	VRY DIFF:(2)	438	18.2 %
3	FRLY DIF:(3)	628	26.1 %
4	FRLY EAS:(4)	447	18.6 %
5	VRY EASY:(5)	207	8.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	145	6.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,257 valid cases out of 2,402 total cases.

*Location:* 193-194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2304: 182A18C:EASY GT PSYDELIC

Item Number: 06770

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Some other hallucinogen (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	581	24.2 %
2	VRY DIFF:(2)	441	18.4 %
3	FRLY DIF:(3)	577	24.0 %
4	FRLY EAS:(4)	441	18.4 %
5	VRY EASY:(5)	224	9.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	138	5.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,402 total cases.

*Location:* 195-196 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2305: 182A18D:EASY GT AMPHTMNS

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: Amphetamines (uppers, speed, Adderall, Ritalin, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	565	23.5 %
2	VRY DIFF:(2)	378	15.7 %
3	FRLY DIF:(3)	408	17.0 %
4	FRLY EAS:(4)	492	20.5 %
5	VRY EASY:(5)	417	17.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	142	5.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,260 valid cases out of 2,402 total cases.

*Location:* 197-198 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2522: 182A18E:EASY GT SED/BARB

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Sedatives/barbiturates (downers)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	709	29.5 %
2	VRY DIFF:(2)	498	20.7 %
3	FRLY DIF:(3)	514	21.4 %
4	FRLY EAS:(4)	330	13.7 %
5	VRY EASY:(5)	199	8.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,402 total cases.

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2307: 182A18F:EASY GT TRANQLIZ

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Tranquilizers

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	885	36.8 %
2	VRY DIFF:(2)	614	25.6 %
3	FRLY DIF:(3)	431	17.9 %

Value	Label	Unweighted Frequency	%
4	FRLY EAS:(4)	179	7.5 %
5	VRY EASY:(5)	134	5.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	159	6.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,402 total cases.

*Location:* 201-202 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2308: 182A18G:EASY GT COCAINE

Item Number: 06810

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	677	28.2 %
2	VRY DIFF:(2)	470	19.6 %
3	FRLY DIF:(3)	477	19.9 %
4	FRLY EAS:(4)	393	16.4 %
5	VRY EASY:(5)	246	10.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	139	5.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,402 total cases.

*Location:* 203-204 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2309: 182A18H:EASY GT HEROIN

Item Number: 06820

How difficult do you think it would be for you to get each of

the following types of drugs, if you wanted some?

H: Heroin

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	847	35.3 %
2	VRY DIFF:(2)	567	23.6 %
3	FRLY DIF:(3)	434	18.1 %
4	FRLY EAS:(4)	241	10.0 %
5	VRY EASY:(5)	170	7.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	143	6.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,259 valid cases out of 2,402 total cases.

*Location:* 205-206 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2310: 182A18I:EASY GT NARCOTIC

Item Number: 06830

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

I: Some other narcotic (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	616	25.6 %
2	VRY DIFF:(2)	402	16.7 %
3	FRLY DIF:(3)	485	20.2 %
4	FRLY EAS:(4)	391	16.3 %
5	VRY EASY:(5)	360	15.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	148	6.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,254 valid cases out of 2,402 total cases.

*Location:* 207-208 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2101: 182B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1750	72.9 %
2	1-2X:(2)	289	12.0 %
3	OCCASONLY:(3)	132	5.5 %
4	REG PAST:(4)	54	2.2 %
5	REG NOW:(5)	58	2.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	119	5.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,402 total cases.

*Location:* 209-210 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2102: 182B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	2115	88.1 %
2	<1 CIG/D:(2)	87	3.6 %
3	1-5/DAY:(3)	44	1.8 %
4	1/2 PK:(4)	19	0.8 %
5	1 PK:(5)	10	0.4 %
6	1 1/2 PK:(6)	1	0.0 %
7	2+ PKS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	121	5.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,281 valid cases out of 2,402 total cases.

*Location:* 211-212 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2103: 182B03 :EVER DRINK

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	905	37.7 %
2	YES:(2)	1332	55.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	165	6.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,237 valid cases out of 2,402 total cases.

*Location:* 213-214 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2104: 182B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	905	37.7 %
2	1-2X:(2)	183	7.6 %
3	3-5X:(3)	248	10.3 %
4	6-9X:(4)	205	8.5 %
5	10-19X:(5)	260	10.8 %
6	20-39X:(6)	168	7.0 %
7	40+OCCAS:(7)	244	10.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	189	7.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,213 valid cases out of 2,402 total cases.

*Location:* 215-216 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V2105: 182B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1010	42.0 %
2	1-2X:(2)	351	14.6 %
3	3-5X:(3)	288	12.0 %
4	6-9X:(4)	208	8.7 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	184	7.7 %
6	20-39X:(6)	93	3.9 %
7	40+OCCAS:(7)	70	2.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	198	8.2 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,204 valid cases out of 2,402 total cases.

*Location:* 217-218 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2106: 182B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1479	61.6 %
2	1-2X:(2)	418	17.4 %
3	3-5X:(3)	176	7.3 %
4	6-9X:(4)	70	2.9 %
5	10-19X:(5)	34	1.4 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	15	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	199	8.3 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,203 valid cases out of 2,402 total cases.

*Location:* 219-220 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2107: 182B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions"  
5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	397	16.5 %
2	FEW OCC:(2)	366	15.2 %
3	HALF OCC:(3)	182	7.6 %
4	MOST OCC:(4)	223	9.3 %
5	NRLY ALL:(5)	169	7.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1065	44.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,337 valid cases out of 2,402 total cases.

*Location:* 221-222 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2108: 182B06 :5+DRK ROW/LST 2WK

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]  
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1820	75.8 %
2	ONCE:(2)	174	7.2 %
3	TWICE:(3)	100	4.2 %
4	3-5X:(4)	65	2.7 %
5	6-9X:(5)	8	0.3 %
6	10+ TIME:(6)	8	0.3 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	227	9.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,175 valid cases out of 2,402 total cases.

*Location:* 223-224 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2115: 182B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1290	53.7 %
2	1-2X:(2)	193	8.0 %
3	3-5X:(3)	147	6.1 %
4	6-9X:(4)	107	4.5 %
5	10-19X:(5)	126	5.2 %
6	20-39X:(6)	94	3.9 %
7	40+OCCAS:(7)	287	11.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	158	6.6 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,244 valid cases out of 2,402 total cases.

*Location:* 225-226 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2116: 182B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1419	59.1 %
2	1-2X:(2)	236	9.8 %
3	3-5X:(3)	137	5.7 %
4	6-9X:(4)	105	4.4 %
5	10-19X:(5)	86	3.6 %
6	20-39X:(6)	67	2.8 %
7	40+OCCAS:(7)	190	7.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	162	6.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,240 valid cases out of 2,402 total cases.

*Location:* 227-228 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2117: 182B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1743	72.6 %
2	1-2X:(2)	180	7.5 %
3	3-5X:(3)	72	3.0 %
4	6-9X:(4)	59	2.5 %
5	10-19X:(5)	57	2.4 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	45	1.9 %
7	40+OCCAS:(7)	83	3.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	163	6.8 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,239 valid cases out of 2,402 total cases.

*Location:* 229-230 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2565: 182B08 :MED MJ EVER

Item number: 34180

Have you ever used "medical marijuana;" that is, marijuana you used because a doctor told you to use it?

1="No" 2="Yes, using med marj" 3="Used med marj, but not now"

Value	Label	Unweighted Frequency	%
1	NO:(1)	2217	92.3 %
2	YES, USING MED MARJ:(2)	15	0.6 %
3	USED MED MARJ, BUT NOT NOW:(3)	17	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	153	6.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,249 valid cases out of 2,402 total cases.

*Location:* 231-232 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2118: 182B09A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2152	89.6 %
2	1-2X:(2)	62	2.6 %
3	3-5X:(3)	20	0.8 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	8	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	145	6.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,257 valid cases out of 2,402 total cases.

*Location:* 233-234 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2119: 182B09B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD  
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2193	91.3 %
2	1-2X:(2)	50	2.1 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	144	6.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,258 valid cases out of 2,402 total cases.

*Location:* 235-236 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2120: 182B09C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD  
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2244	93.4 %
2	1-2X:(2)	15	0.6 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	141	5.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,261 valid cases out of 2,402 total cases.

*Location:* 237-238 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2121: 182B10A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens  
other than LSD (like mescaline, peyote, "shrooms" or  
psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2161	90.0 %
2	1-2X:(2)	58	2.4 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	153	6.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,249 valid cases out of 2,402 total cases.

*Location:* 239-240 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2122: 182B10B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2209	92.0 %
2	1-2X:(2)	29	1.2 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,402 total cases.

*Location:* 241-242 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2123: 182B10C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2238	93.2 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,248 valid cases out of 2,402 total cases.

*Location:* 243-244 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2124: 182B11A:#X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2168	90.3 %
2	1-2X:(2)	54	2.2 %
3	3-5X:(3)	13	0.5 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	150	6.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,402 total cases.

*Location:* 245-246 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2125: 182B11B:#X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2206	91.8 %
2	1-2X:(2)	30	1.2 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	152	6.3 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,402 total cases.

*Location:* 247-248 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2126: 182B11C:#X COKE/LAST30DA

Item Number: 00970

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2233	93.0 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	152	6.3 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,402 total cases.

*Location:* 249-250 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2127: 182B12A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-aware pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2060	85.8 %
2	1-2X:(2)	78	3.2 %
3	3-5X:(3)	37	1.5 %
4	6-9X:(4)	23	1.0 %
5	10-19X:(5)	16	0.7 %
6	20-39X:(6)	13	0.5 %
7	40+OCCAS:(7)	21	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,248 valid cases out of 2,402 total cases.

*Location:* 251-252 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2128: 182B12B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2126	88.5 %
2	1-2X:(2)	63	2.6 %
3	3-5X:(3)	22	0.9 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	8	0.3 %
6	20-39X:(6)	8	0.3 %
7	40+OCCAS:(7)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	155	6.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,402 total cases.

*Location:* 253-254 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2129: 182B12C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2197	91.5 %
2	1-2X:(2)	25	1.0 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,248 valid cases out of 2,402 total cases.

*Location:* 255-256 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2045: 182B13A:#X ICE/LIFETIME

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2225	92.6 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	155	6.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,402 total cases.

*Location:* 257-258 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2046: 182B13B:#X ICE/LAST12MO

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2238	93.2 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,402 total cases.

*Location:* 259-260 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2047: 182B13C:#X ICE/LAST30DA

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2241	93.3 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	155	6.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,402 total cases.

*Location:* 261-262 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2133: 182B14A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2164	90.1 %
2	1-2X:(2)	42	1.7 %
3	3-5X:(3)	22	0.9 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,248 valid cases out of 2,402 total cases.

*Location:* 263-264 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2134: 182B14B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2198	91.5 %
2	1-2X:(2)	32	1.3 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	155	6.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,402 total cases.

*Location:* 265-266 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2135: 182B14C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on  
your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2223	92.5 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	157	6.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,245 valid cases out of 2,402 total cases.

*Location:* 267-268 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2136: 182B15A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles.

Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2111	87.9 %
2	1-2X:(2)	61	2.5 %
3	3-5X:(3)	28	1.2 %
4	6-9X:(4)	13	0.5 %
5	10-19X:(5)	11	0.5 %
6	20-39X:(6)	12	0.5 %
7	40+OCCAS:(7)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	162	6.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,240 valid cases out of 2,402 total cases.

*Location:* 269-270 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2137: 182B15B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2161	90.0 %
2	1-2X:(2)	43	1.8 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	160	6.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,242 valid cases out of 2,402 total cases.

*Location:* 271-272 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2138: 182B15C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2210	92.0 %
2	1-2X:(2)	17	0.7 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	163	6.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,239 valid cases out of 2,402 total cases.

*Location:* 273-274 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2510: 182B16A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2275	94.7 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	121	5.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,281 valid cases out of 2,402 total cases.

*Location:* 275-276 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2511: 182B16B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2280	94.9 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	120	5.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,282 valid cases out of 2,402 total cases.

*Location:* 277-278 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2512: 182B16C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2279	94.9 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	121	5.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,281 valid cases out of 2,402 total cases.

*Location:* 279-280 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2513: 182B17A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2253	93.8 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	134	5.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,268 valid cases out of 2,402 total cases.

*Location:* 281-282 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2514: 182B17B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2263	94.2 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	132	5.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,270 valid cases out of 2,402 total cases.

*Location:* 283-284 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2515: 182B17C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2267	94.4 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	132	5.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,270 valid cases out of 2,402 total cases.

*Location:* 285-286 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2139: 182R\* :#X H/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2266	94.3 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	119	5.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,402 total cases.

*Location:* 287-288 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2140: 182R\* :#X H/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2276	94.8 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	118	4.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,284 valid cases out of 2,402 total cases.

*Location:* 289-290 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2141: 182R\* :#X H/LAST30DA

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2279	94.9 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	120	5.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,282 valid cases out of 2,402 total cases.

*Location:* 291-292 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2142: 182B18A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2139	89.1 %
2	1-2X:(2)	63	2.6 %
3	3-5X:(3)	24	1.0 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	11	0.5 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	141	5.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,261 valid cases out of 2,402 total cases.

*Location:* 293-294 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2143: 182B18B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2199	91.5 %
2	1-2X:(2)	36	1.5 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	140	5.8 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,262 valid cases out of 2,402 total cases.

*Location:* 295-296 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2144: 182B18C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2248	93.6 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	139	5.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,402 total cases.

*Location:* 297-298 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2145: 182B19A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled

any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2156	89.8 %
2	1-2X:(2)	56	2.3 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	13	0.5 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	143	6.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,259 valid cases out of 2,402 total cases.

*Location:* 299-300 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2146: 182B19B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2233	93.0 %
2	1-2X:(2)	15	0.6 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	4	0.2 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	138	5.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,402 total cases.

*Location:* 301-302 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2147: 182B19C:#X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2252	93.8 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	139	5.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,402 total cases.

*Location:* 303-304 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2566: 182B20 :EVER VAPE

Item Number: 34230

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist or vapor into the lungs.

Have you ever vaped?

0="No-GO TO PART C" 1="Yes"

Value	Label	Unweighted Frequency	%
0	NO:(0)	1166	48.5 %
1	YES:(1)	1024	42.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	212	8.8 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,190 valid cases out of 2,402 total cases.

*Location:* 305-306 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2563: 182B21 :LAST E-VAP MIST

Item Number: 33950

The LAST TIME you vaped, what was in the mist or vapor you inhaled?

1="Nicotine" 2="Marijuana or hash oil" 3="Just flavoring" 4="Other" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NICOTINE:(1)	491	20.4 %
2	MARJ OR HASH OIL:(2)	117	4.9 %
3	JUST FLAVORING:(3)	355	14.8 %
4	OTHER:(4)	6	0.2 %
8	DONT KNOW:(8)	32	1.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1401	58.3 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,001 valid cases out of 2,402 total cases.

*Location:* 307-308 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2567: 182B22A:#X VAPE NIC/LIFETIME

Item Number: 34240

On how many occasions (if any) have you vaped NICOTINE . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1381	57.5 %
2	1-2X:(2)	202	8.4 %
3	3-5X:(3)	97	4.0 %
4	6-9X:(4)	73	3.0 %
5	10-19X:(5)	59	2.5 %
6	20-39X:(6)	72	3.0 %
7	40+OCCAS:(7)	299	12.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	219	9.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,183 valid cases out of 2,402 total cases.

*Location:* 309-310 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2568: 182B22B:#X VAPE NIC/LAST12MO

Item Number: 34250

On how many occasions (if any) have you vaped NICOTINE . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1468	61.1 %
2	1-2X:(2)	175	7.3 %
3	3-5X:(3)	88	3.7 %
4	6-9X:(4)	56	2.3 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	60	2.5 %
6	20-39X:(6)	74	3.1 %
7	40+OCCAS:(7)	241	10.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	240	10.0 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,162 valid cases out of 2,402 total cases.

*Location:* 311-312 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2569: 182B22C:#X VAPE NIC/LAST30DAY

Item Number: 34260

On how many occasions (if any) have you vaped NICOTINE . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1663	69.2 %
2	1-2X:(2)	135	5.6 %
3	3-5X:(3)	65	2.7 %
4	6-9X:(4)	49	2.0 %
5	10-19X:(5)	52	2.2 %
6	20-39X:(6)	47	2.0 %
7	40+OCCAS:(7)	149	6.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	242	10.1 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,160 valid cases out of 2,402 total cases.

*Location:* 313-314 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2570: 182B23A:#X VAPE MJ/LIFETIME

Item Number: 34270

On how many occasions (if any) have you vaped MARIJUANA . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1771	73.7 %
2	1-2X:(2)	127	5.3 %
3	3-5X:(3)	68	2.8 %
4	6-9X:(4)	56	2.3 %
5	10-19X:(5)	45	1.9 %
6	20-39X:(6)	38	1.6 %
7	40+OCCAS:(7)	78	3.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	219	9.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,183 valid cases out of 2,402 total cases.

*Location:* 315-316 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2571: 182B23B:#X VAPE MJ/LAST12MO

Item Number: 34280

On how many occasions (if any) have you vaped MARIJUANA . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1799	74.9 %
2	1-2X:(2)	117	4.9 %
3	3-5X:(3)	47	2.0 %
4	6-9X:(4)	55	2.3 %
5	10-19X:(5)	41	1.7 %
6	20-39X:(6)	37	1.5 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	49	2.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	257	10.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,145 valid cases out of 2,402 total cases.

*Location:* 317-318 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2572: 182B23C:#X VAPE MJ/LAST30DAY

Item Number: 34290

On how many occasions (if any) have you vaped MARIJUANA . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1930	80.3 %
2	1-2X:(2)	78	3.2 %
3	3-5X:(3)	44	1.8 %
4	6-9X:(4)	34	1.4 %
5	10-19X:(5)	25	1.0 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	23	1.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	259	10.8 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,143 valid cases out of 2,402 total cases.

*Location:* 319-320 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2573: 182B24A:#X VAPE FLAV/LIFETIME

Item Number: 34300

On how many occasions (if any) have you vaped just FLAVORING . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1407	58.6 %
2	1-2X:(2)	221	9.2 %
3	3-5X:(3)	144	6.0 %
4	6-9X:(4)	101	4.2 %
5	10-19X:(5)	86	3.6 %
6	20-39X:(6)	60	2.5 %
7	40+OCCAS:(7)	156	6.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	227	9.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,175 valid cases out of 2,402 total cases.

*Location:* 321-322 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2574: 182B24B:#X VAPE FLAV/LAST12MO

Item Number: 34310

On how many occasions (if any) have you vaped just FLAVORING . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1570	65.4 %
2	1-2X:(2)	201	8.4 %
3	3-5X:(3)	113	4.7 %
4	6-9X:(4)	78	3.2 %
5	10-19X:(5)	51	2.1 %
6	20-39X:(6)	52	2.2 %
7	40+OCCAS:(7)	92	3.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	245	10.2 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,157 valid cases out of 2,402 total cases.

*Location:* 323-324 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2575: 182B24C:#X VAPE FLAV/LAST30DAY

Item Number: 34320

On how many occasions (if any) have you vaped just FLAVORING . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1847	76.9 %
2	1-2X:(2)	109	4.5 %
3	3-5X:(3)	60	2.5 %
4	6-9X:(4)	38	1.6 %
5	10-19X:(5)	28	1.2 %
6	20-39X:(6)	18	0.7 %
7	40+OCCAS:(7)	50	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	252	10.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,150 valid cases out of 2,402 total cases.

*Location:* 325-326 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## RESPONDENT\_AGE: 182C01(R):AGE <>18 DICHOTOMY

Item Number:

Component variables: 1) Q.C01 "In what year were you born?"

(item 00010), 2) Q. C02 "In what month were you born?"

(item 00020), and 3) date of questionnaire administration  
as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	975	40.6 %
2	18+ YRS:(2)	1312	54.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	115	4.8 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,287 valid cases out of 2,402 total cases.

*Location:* 327-328 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2150: 182C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	1010	42.0 %
2	FEMALE:(2)	1114	46.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	278	11.6 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,124 valid cases out of 2,402 total cases.

*Location:* 329-330 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2151: 182C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.)  
Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American"]

= 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").  
 All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"  
 3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	210	8.7 %
2	WHITE:(2)	1149	47.8 %
3	HISPANIC:(3)	519	21.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	524	21.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,878 valid cases out of 2,402 total cases.

*Location:* 331-332 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2152: 182C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	322	13.4 %
1	A FARM:(1)	57	2.4 %
2	COUNTRY:(2)	194	8.1 %
3	SM CITY:(3)	635	26.4 %
4	MED CITY:(4)	325	13.5 %
5	SUB MED:(5)	281	11.7 %
6	LGE CITY:(6)	220	9.2 %
7	SUB LGE:(7)	148	6.2 %
8	V-LGE CITY:(8)	134	5.6 %

Value	Label	Unweighted Frequency	%
9	SUB V-LGE:(9)	86	3.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,402 valid cases out of 2,402 total cases.

*Location:* 333-334 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2153: 182C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	121	5.0 %
2	ENGAGED:(2)	56	2.3 %
3	SEP/DIV:(3)	37	1.5 %
4	SINGLE:(4)	2048	85.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	140	5.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,262 valid cases out of 2,402 total cases.

*Location:* 335-336 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V49: 182C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning

"Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	160	6.7 %
1	ONE:(1)	622	25.9 %
2	TWO:(2)	628	26.1 %
3	THREE+:(3-4)	856	35.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	136	5.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,402 total cases.

*Location:* 337-338 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2155: 182C7CA:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	671	27.9 %
1	MARKED:(1)	1595	66.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	136	5.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,402 total cases.

*Location:* 339-340 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2156: 182C7CB:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with

you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	251	10.4 %
1	MARKED:(1)	2015	83.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	136	5.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,402 total cases.

*Location:* 341-342 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2157: 182C7CC:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"  
"My child(ren)," "Other relative(s)," "Non-relative(s),"  
"I live alone" -- have been deleted for reasons of  
confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	728	30.3 %
1	MARKED:(1)	1538	64.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	136	5.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,402 total cases.

*Location:* 343-344 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2577: 182C7CD:Rs HSHLD OTHER

Item Number: 34810

Which of the following people live in the same household with you? (Mark all that apply.)

Other, specify \_\_\_\_\_

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	2123	88.4 %
1	MARKED:(1)	143	6.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	136	5.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,402 total cases.

*Location:* 345-346 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2163: 182C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college"  
6="Graduate or professional school after college"  
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	147	6.1 %
2	SOME HS:(2)	273	11.4 %
3	HS GRAD:(3)	550	22.9 %
4	SOME CLG:(4)	341	14.2 %
5	CLG GRAD:(5)	441	18.4 %
6	GRAD SCH:(6)	292	12.2 %
7	DK:(7)	221	9.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	137	5.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,265 valid cases out of 2,402 total cases.

*Location:* 347-348 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2164: 182C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	143	6.0 %
2	SOME HS:(2)	196	8.2 %
3	HS GRAD:(3)	430	17.9 %
4	SOME CLG:(4)	409	17.0 %
5	CLG GRAD:(5)	635	26.4 %
6	GRAD SCH:(6)	347	14.4 %
7	DK:(7)	104	4.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	138	5.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,402 total cases.

*Location:* 349-350 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2165: 182C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	316	13.2 %
2	YES/SOME:(2)	445	18.5 %
3	YES/MOST:(3)	375	15.6 %
4	YES/NRLY ALL:(4)	1113	46.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	153	6.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,249 valid cases out of 2,402 total cases.

*Location:* 351-352 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2166: 182C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	238	9.9 %
2	MILD GOP:(2)	255	10.6 %
3	MILD DEM:(3)	288	12.0 %
4	STRG DEM:(4)	294	12.2 %
5	INDEPNNDT:(5)	212	8.8 %
6	NO PREF:(6)	322	13.4 %
7	OTHER:(7)	33	1.4 %
8	DK/HVNT DECID:(8)	530	22.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	230	9.6 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,172 valid cases out of 2,402 total cases.

*Location:* 353-354 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2167: 182C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"  
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the  
above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	137	5.7 %
2	CONSERV:(2)	247	10.3 %
3	MODERATE:(3)	491	20.4 %
4	LIBERAL:(4)	362	15.1 %
5	VRY LIB:(5)	146	6.1 %
6	RADICAL:(6)	18	0.7 %
8	NONE/DK:(8)	837	34.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	164	6.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,238 valid cases out of 2,402 total cases.

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2169: 182C13A:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a  
week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	440	18.3 %
2	RARELY:(2)	574	23.9 %
3	1-2X/MO:(3)	296	12.3 %

Value	Label	Unweighted Frequency	%
4	1/WK OR+:(4)	449	18.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	643	26.8 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,759 valid cases out of 2,402 total cases.

*Location:* 357-358 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2170: 182C13B:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	484	20.1 %
2	LITL IMP:(2)	418	17.4 %
3	PRTY IMP:(3)	438	18.2 %
4	VERY IMP:(4)	416	17.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	646	26.9 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,756 valid cases out of 2,402 total cases.

*Location:* 359-360 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2171: 182C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2202	91.7 %
2	JUL-JAN:(2)	21	0.9 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	168	7.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,234 valid cases out of 2,402 total cases.

*Location:* 361-362 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2172: 182C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1158	48.2 %
2	GENERAL:(2)	744	31.0 %
3	VOC-TECH:(3)	61	2.5 %
4	OTH/DK:(4)	249	10.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	190	7.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,212 valid cases out of 2,402 total cases.

*Location:* 363-364 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2173: 182C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	47	2.0 %
2	BELOW AVG:(2)	67	2.8 %
3	SLIGHT BELOW:(3)	115	4.8 %
4	AVERAGE:(4)	718	29.9 %
5	SLIGHT ABOVE:(5)	544	22.6 %
6	ABOVE AVG:(6)	573	23.9 %
7	FAR ABOVE:(7)	144	6.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	194	8.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,208 valid cases out of 2,402 total cases.

*Location:* 365-366 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2174: 182C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others  
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	43	1.8 %
2	BELOW AVG:(2)	42	1.7 %
3	SLIGHT BELOW:(3)	137	5.7 %
4	AVERAGE:(4)	703	29.3 %
5	SLIGHT ABOVE:(5)	551	22.9 %
6	ABOVE AVG:(6)	549	22.9 %
7	FAR ABOVE:(7)	185	7.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	192	8.0 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,210 valid cases out of 2,402 total cases.

*Location:* 367-368 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2175: 182C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1218	50.7 %
2	1 DAY:(2)	360	15.0 %
3	2 DAYS:(3)	261	10.9 %
4	3 DAYS:(4)	171	7.1 %
5	4-5 DAYS:(5)	91	3.8 %
6	6-10 DA:(6)	46	1.9 %
7	11+ DAYS:(7)	33	1.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	222	9.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,402 total cases.

*Location:* 369-370 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2176: 182C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1477	61.5 %
2	1 DAY:(2)	301	12.5 %
3	2 DAYS:(3)	144	6.0 %
4	3 DAYS:(4)	98	4.1 %
5	4-5 DAYS:(5)	46	1.9 %
6	6-10 DA:(6)	25	1.0 %
7	11+ DAYS:(7)	28	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	283	11.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,119 valid cases out of 2,402 total cases.

*Location:* 371-372 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2177: 182C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1199	49.9 %
2	1 DAY:(2)	415	17.3 %
3	2 DAYS:(3)	218	9.1 %
4	3 DAYS:(4)	149	6.2 %
5	4-5 DAYS:(5)	106	4.4 %
6	6-10 DA:(6)	28	1.2 %
7	11+ DAYS:(7)	35	1.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	252	10.5 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,150 valid cases out of 2,402 total cases.

*Location:* 373-374 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2178: 182C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1698	70.7 %
2	1-2:(2)	306	12.7 %
3	3-5:(3)	118	4.9 %
4	6-10:(4)	48	2.0 %
5	11-20:(5)	20	0.8 %
6	21+:(6)	22	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	190	7.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,212 valid cases out of 2,402 total cases.

*Location:* 375-376 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2179: 182C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	19	0.8 %
2	C-:(2)	36	1.5 %
3	C:(3)	71	3.0 %
4	C+:(4)	137	5.7 %
5	B-:(5)	222	9.2 %
6	B:(6)	372	15.5 %
7	B+:(7)	402	16.7 %
8	A-:(8)	467	19.4 %
9	A:(9)	467	19.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	209	8.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,193 valid cases out of 2,402 total cases.

*Location:* 377-378 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2180: 182C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1230	51.2 %
2	PRB WONT:(2)	473	19.7 %
3	PRB WILL:(3)	243	10.1 %
4	DEF WILL:(4)	147	6.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	309	12.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,093 valid cases out of 2,402 total cases.

*Location:* 379-380 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2181: 182C21B:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1420	59.1 %
2	PRB WONT:(2)	414	17.2 %
3	PRB WILL:(3)	146	6.1 %
4	DEF WILL:(4)	117	4.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	305	12.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,097 valid cases out of 2,402 total cases.

*Location:* 381-382 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2182: 182C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	785	32.7 %
2	PRB WONT:(2)	391	16.3 %
3	PRB WILL:(3)	445	18.5 %
4	DEF WILL:(4)	461	19.2 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	320	13.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,082 valid cases out of 2,402 total cases.

*Location:* 383-384 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2183: 182C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	202	8.4 %
2	PRB WONT:(2)	178	7.4 %
3	PRB WILL:(3)	480	20.0 %
4	DEF WILL:(4)	1265	52.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	277	11.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,125 valid cases out of 2,402 total cases.

*Location:* 385-386 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2184: 182C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	411	17.1 %
2	PRB WONT:(2)	539	22.4 %
3	PRB WILL:(3)	668	27.8 %
4	DEF WILL:(4)	474	19.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	310	12.9 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,092 valid cases out of 2,402 total cases.

*Location:* 387-388 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2185: 182C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1883	78.4 %
1	MARKED:(1)	281	11.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	238	9.9 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,164 valid cases out of 2,402 total cases.

*Location:* 389-390 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2186: 182C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

B. Serve in the military (armed forces)

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1842	76.7 %
1	MARKED:(1)	322	13.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	238	9.9 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,164 valid cases out of 2,402 total cases.

*Location:* 391-392 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2187: 182C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1563	65.1 %
1	MARKED:(1)	601	25.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	238	9.9 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,164 valid cases out of 2,402 total cases.

*Location:* 393-394 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2188: 182C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	501	20.9 %
1	MARKED:(1)	1663	69.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	238	9.9 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,164 valid cases out of 2,402 total cases.

*Location:* 395-396 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2189: 182C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1004	41.8 %
1	MARKED:(1)	1160	48.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	238	9.9 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,164 valid cases out of 2,402 total cases.

*Location:* 397-398 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2190: 182C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	2012	83.8 %
1	MARKED:(1)	152	6.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	238	9.9 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,164 valid cases out of 2,402 total cases.

*Location:* 399-400 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2191: 182C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	857	35.7 %
2	5 OR <:(2)	171	7.1 %
3	6-10 HRS:(3)	218	9.1 %
4	11-15 HR:(4)	220	9.2 %
5	16-20 HR:(5)	236	9.8 %
6	21-25 HR:(6)	177	7.4 %
7	26-30 HR:(7)	133	5.5 %
8	30+ HRS:(8)	160	6.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	230	9.6 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,172 valid cases out of 2,402 total cases.

*Location:* 401-402 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2192: 182C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	875	36.4 %
2	\$1-5:(2)	13	0.5 %
3	\$6-10:(3)	68	2.8 %
4	\$11-20:(4)	58	2.4 %
5	\$21-35:(5)	59	2.5 %
6	\$36-50:(6)	79	3.3 %
7	\$51-75:(7)	120	5.0 %
8	\$76-125:(8)	252	10.5 %
9	\$126-175:(9)	216	9.0 %
10	\$176+:(10)	383	15.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	279	11.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,123 valid cases out of 2,402 total cases.

*Location:* 403-404 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2193: 182C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
 7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1077	44.8 %
2	\$1-5:(2)	91	3.8 %
3	\$6-10:(3)	133	5.5 %
4	\$11-20:(4)	274	11.4 %
5	\$21-35:(5)	160	6.7 %
6	\$36-50:(6)	121	5.0 %
7	\$51-75:(7)	55	2.3 %
8	\$76-125:(8)	44	1.8 %
9	\$126-175:(9)	16	0.7 %
10	\$176+:(10)	76	3.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	355	14.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,047 valid cases out of 2,402 total cases.

*Location:* 405-406 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2194: 182C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out  
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"  
 6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	413	17.2 %
2	ONE:(2)	467	19.4 %
3	TWO:(3)	600	25.0 %
4	THREE:(4)	391	16.3 %
5	4-5:(5)	186	7.7 %
6	6-7:(6)	93	3.9 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	252	10.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,150 valid cases out of 2,402 total cases.

*Location:* 407-408 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2195: 182C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1096	45.6 %
2	ONCE/MO:(2)	253	10.5 %
3	2-3X MO:(3)	253	10.5 %
4	ONCE WK:(4)	275	11.4 %
5	2-3X WK:(5)	199	8.3 %
6	3+ WEEK:(6)	78	3.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	248	10.3 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,154 valid cases out of 2,402 total cases.

*Location:* 409-410 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2196: 182C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	616	25.6 %
2	1-10 MI:(2)	207	8.6 %
3	11-50:(3)	487	20.3 %
4	51-100:(4)	430	17.9 %
5	101-200:(5)	244	10.2 %
6	> 200:(6)	182	7.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	236	9.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,166 valid cases out of 2,402 total cases.

*Location:* 411-412 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2197: 182C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1804	75.1 %
1	ONCE:(1)	233	9.7 %
2	TWICE:(2)	61	2.5 %
3	3 TIMES:(3)	30	1.2 %
4	4+ TIMES:(4)	17	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	257	10.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,145 valid cases out of 2,402 total cases.

*Location:* 413-414 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2198: 182C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	333	13.9 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2061	85.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 341 valid cases out of 2,402 total cases.

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2199: 182C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	324	13.5 %
1	ONE:(1)	12	0.5 %
2	TWO:(2)	4	0.2 %

Value	Label	Unweighted Frequency	%
3	THREE+:(3-4)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2059	85.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 343 valid cases out of 2,402 total cases.

*Location:* 417-418 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2200: 182C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you  
were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	335	13.9 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2061	85.8 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 341 valid cases out of 2,402 total cases.

*Location:* 419-420 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2201: 182C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you  
were driving a car, truck, or motorcycle. ("Accidents" means  
a collision involving property damage or personal injury--not

bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="One" 2="Two" 3="Three" 4="Four or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1826	76.0 %
1	ONCE:(1)	242	10.1 %
2	TWICE:(2)	50	2.1 %
3	3 TIMES:(3)	8	0.3 %
4	4+ TIMES:(4)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	267	11.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,135 valid cases out of 2,402 total cases.

*Location:* 421-422 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2202: 182C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	301	12.5 %
1	ONE:(1)	6	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2094	87.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 308 valid cases out of 2,402 total cases.

*Location:* 423-424 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V2203: 182C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	299	12.4 %
1	ONE:(1)	6	0.2 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2093	87.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 309 valid cases out of 2,402 total cases.

*Location:* 425-426 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2204: 182C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	302	12.6 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	2	0.1 %

Value	Label	Unweighted Frequency	%
3	THREE+:(3-4)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2096	87.3 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 306 valid cases out of 2,402 total cases.

*Location:* 427-428 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2500: 182D01A:4WKS ALC@SCHOOL

Item Number: 25690

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

A: . . . Under the influence of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2078	86.5 %
2	1 DAY:(2)	32	1.3 %
3	2 DAYS:(3)	15	0.6 %
4	3-5 DAYS:(4)	12	0.5 %
5	6-9 DAYS:(5)	6	0.2 %
6	10+ DAYS:(6)	12	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	247	10.3 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,155 valid cases out of 2,402 total cases.

*Location:* 429-430 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2501: 182D01B:4WKS MJ/OTD@SCHL

Item Number: 25700

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

B: . . . Under the influence of marijuana or some other illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1955	81.4 %
2	1 DAY:(2)	49	2.0 %
3	2 DAYS:(3)	44	1.8 %
4	3-5 DAYS:(4)	41	1.7 %
5	6-9 DAYS:(5)	14	0.6 %
6	10+ DAYS:(6)	43	1.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	256	10.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,402 total cases.

*Location:* 431-432 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2502: 182D01C:4WKS TOBACCO@SCH

Item Number: 25710

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

C: . . . Smoking cigarettes or using chewing tobacco while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2063	85.9 %
2	1 DAY:(2)	24	1.0 %
3	2 DAYS:(3)	15	0.6 %
4	3-5 DAYS:(4)	12	0.5 %
5	6-9 DAYS:(5)	8	0.3 %
6	10+ DAYS:(6)	26	1.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	254	10.6 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,148 valid cases out of 2,402 total cases.

*Location:* 433-434 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2503: 182D01D:4WKS WEAPON@SCHL

Item Number: 25720

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

D: . . . Carrying a weapon such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2090	87.0 %
2	1 DAY:(2)	17	0.7 %
3	2 DAYS:(3)	6	0.2 %
4	3-5 DAYS:(4)	10	0.4 %
5	6-9 DAYS:(5)	0	0.0 %
6	10+ DAYS:(6)	21	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	258	10.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,144 valid cases out of 2,402 total cases.

*Location:* 435-436 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2504: 182D02A:#X TCHR INTRUPT

Item Number: 25730

During an average school week, about how many times . . .

A: . . . Do your teachers interrupt the class to deal with student misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"  
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	519	21.6 %
2	< 1/WK:(2)	578	24.1 %
3	1-2X/WK:(3)	515	21.4 %
4	3-5X/WK:(4)	314	13.1 %
5	6-9X/WK:(5)	110	4.6 %
6	10-19X/W:(6)	48	2.0 %
7	20+:(7)	58	2.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	260	10.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,142 valid cases out of 2,402 total cases.

*Location:* 437-438 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2505: 182D02B:#X MISBHVR INT U

Item Number: 25740

During an average school week, about how many times . . .

B: . . . Does misbehavior or goofing off by other students in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"  
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	893	37.2 %
2	< 1/WK:(2)	479	19.9 %
3	1-2X/WK:(3)	351	14.6 %
4	3-5X/WK:(4)	231	9.6 %
5	6-9X/WK:(5)	86	3.6 %
6	10-19X/W:(6)	40	1.7 %

Value	Label	Unweighted Frequency	%
7	20+:(7)	54	2.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	268	11.2 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,134 valid cases out of 2,402 total cases.

*Location:* 439-440 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2506: 182D02C:#X U UNEXCSD LAT

Item Number: 25750

During an average school week, about how many times . . .

C: . . . Do you come to class late (after class has begun)  
without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"  
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1283	53.4 %
2	< 1/WK:(2)	448	18.7 %
3	1-2X/WK:(3)	200	8.3 %
4	3-5X/WK:(4)	122	5.1 %
5	6-9X/WK:(5)	36	1.5 %
6	10-19X/W:(6)	10	0.4 %
7	20+:(7)	30	1.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	273	11.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,129 valid cases out of 2,402 total cases.

*Location:* 441-442 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2507: 182D03 :SCHL RULES FAIR

Item Number: 25760

Do you feel that the rules about student behavior in your school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No, mostly" 1="No"

Value	Label	Unweighted Frequency	%
1	NO:(1)	211	8.8 %
2	NO MSTLY:(2)	325	13.5 %
3	DK:(3)	265	11.0 %
4	YES MSTL:(4)	928	38.6 %
5	YES:(5)	419	17.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	254	10.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,148 valid cases out of 2,402 total cases.

*Location:* 443-444 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2311: 182D04 :CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	104	4.3 %
2	QUITE:(2)	167	7.0 %
3	SOME DIS:(3)	188	7.8 %
4	NEITHER:(4)	298	12.4 %
5	SOME DIS:(5)	481	20.0 %
6	QUITE:(6)	671	27.9 %
7	COMPLETE:(7)	227	9.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	266	11.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,136 valid cases out of 2,402 total cases.

*Location:* 445-446 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2312: 182D05A:HOW GD AS SPOUSE

Item Number: 06850

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

A: . . . As a husband or wife?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	51	2.1 %
2	NOT GOOD:(2)	45	1.9 %
3	FAIR GOOD:(3)	212	8.8 %
4	GOOD:(4)	640	26.6 %
5	VRY GOOD:(5)	1048	43.6 %
8	DK:(8)	137	5.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	269	11.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,133 valid cases out of 2,402 total cases.

*Location:* 447-448 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2313: 182D05B:HOW GD AS PARENT

Item Number: 06860

How good do you think you would be . . .

B: . . . As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	69	2.9 %
2	NOT GOOD:(2)	76	3.2 %
3	FAIR GOOD:(3)	256	10.7 %
4	GOOD:(4)	568	23.6 %
5	VRY GOOD:(5)	979	40.8 %
8	DK:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	454	18.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,948 valid cases out of 2,402 total cases.

*Location:* 449-450 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2314: 182D05C:HOW GD AS WORKER

Item Number: 06870

How good do you think you would be . . .

C: . . . As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	21	0.9 %
2	NOT GOOD:(2)	11	0.5 %
3	FAIR GOOD:(3)	131	5.5 %
4	GOOD:(4)	560	23.3 %
5	VRY GOOD:(5)	1325	55.2 %
8	DK:(8)	71	3.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	283	11.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,119 valid cases out of 2,402 total cases.

*Location:* 451-452 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2328: 182D06A:2MCH COMPTN SCTY

Item Number: 07010

How much do you agree or disagree with each of the following statements?

A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	220	9.2 %
2	MOST DIS:(2)	221	9.2 %
3	NEITHER:(3)	450	18.7 %
4	MOST AGR:(4)	671	27.9 %
5	AGREE:(5)	536	22.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	304	12.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,098 valid cases out of 2,402 total cases.

*Location:* 453-454 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2329: 182D06B:2MANY YNG SLOPPY

Item Number: 07020

How much do you agree or disagree with each of the following statements?

B: Too many young people are sloppy about their grooming and clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	253	10.5 %
2	MOST DIS:(2)	421	17.5 %
3	NEITHER:(3)	651	27.1 %
4	MOST AGR:(4)	512	21.3 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	262	10.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	303	12.6 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,099 valid cases out of 2,402 total cases.

*Location:* 455-456 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2331: 182D06C:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following statements?

C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	64	2.7 %
2	MOST DIS:(2)	57	2.4 %
3	NEITHER:(3)	234	9.7 %
4	MOST AGR:(4)	763	31.8 %
5	AGREE:(5)	968	40.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	316	13.2 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,086 valid cases out of 2,402 total cases.

*Location:* 457-458 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2332: 182D06D:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following

statements?

D: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	283	11.8 %
2	MOST DIS:(2)	304	12.7 %
3	NEITHER:(3)	633	26.4 %
4	MOST AGR:(4)	587	24.4 %
5	AGREE:(5)	273	11.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	322	13.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,080 valid cases out of 2,402 total cases.

*Location:* 459-460 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2333: 182D06E:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

E: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	288	12.0 %
2	MOST DIS:(2)	305	12.7 %
3	NEITHER:(3)	510	21.2 %
4	MOST AGR:(4)	675	28.1 %
5	AGREE:(5)	300	12.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	324	13.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,078 valid cases out of 2,402 total cases.

*Location:* 461-462 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2433: 182D06F:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements?

F: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	174	7.2 %
2	MOST DIS:(2)	217	9.0 %
3	NEITHER:(3)	388	16.2 %
4	MOST AGR:(4)	722	30.1 %
5	AGREE:(5)	578	24.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	323	13.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,079 valid cases out of 2,402 total cases.

*Location:* 463-464 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2434: 182D06G:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements?

G: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	129	5.4 %
2	MOST DIS:(2)	173	7.2 %
3	NEITHER:(3)	394	16.4 %
4	MOST AGR:(4)	675	28.1 %
5	AGREE:(5)	704	29.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	327	13.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,075 valid cases out of 2,402 total cases.

*Location:* 465-466 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2435: 182D06H:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following statements?

H: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	86	3.6 %
2	MOST DIS:(2)	116	4.8 %
3	NEITHER:(3)	358	14.9 %
4	MOST AGR:(4)	792	33.0 %
5	AGREE:(5)	728	30.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	322	13.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,080 valid cases out of 2,402 total cases.

*Location:* 467-468 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2436: 182D06I:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements?

I: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	170	7.1 %
2	MOST DIS:(2)	199	8.3 %
3	NEITHER:(3)	390	16.2 %
4	MOST AGR:(4)	669	27.9 %
5	AGREE:(5)	642	26.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	332	13.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,070 valid cases out of 2,402 total cases.

*Location:* 469-470 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2437: 182D06J:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements?

J: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	604	25.1 %
2	MOST DIS:(2)	594	24.7 %
3	NEITHER:(3)	399	16.6 %
4	MOST AGR:(4)	306	12.7 %
5	AGREE:(5)	162	6.7 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	337	14.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,065 valid cases out of 2,402 total cases.

*Location:* 471-472 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2438: 182D06K:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements?

K: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	603	25.1 %
2	MOST DIS:(2)	394	16.4 %
3	NEITHER:(3)	403	16.8 %
4	MOST AGR:(4)	389	16.2 %
5	AGREE:(5)	268	11.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	345	14.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,057 valid cases out of 2,402 total cases.

*Location:* 473-474 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2439: 182D06L:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following statements?

L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	724	30.1 %
2	MOST DIS:(2)	449	18.7 %
3	NEITHER:(3)	456	19.0 %
4	MOST AGR:(4)	272	11.3 %
5	AGREE:(5)	165	6.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	336	14.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,066 valid cases out of 2,402 total cases.

*Location:* 475-476 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2440: 182D06M:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements?

M: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	908	37.8 %
2	MOST DIS:(2)	370	15.4 %
3	NEITHER:(3)	409	17.0 %
4	MOST AGR:(4)	204	8.5 %
5	AGREE:(5)	165	6.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	346	14.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,056 valid cases out of 2,402 total cases.

*Location:* 477-478 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2334: 182D07A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	987	41.1 %
2	A FEW:(2)	688	28.6 %
3	SOME:(3)	284	11.8 %
4	MOST:(4)	94	3.9 %
5	ALL:(5)	24	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	325	13.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,077 valid cases out of 2,402 total cases.

*Location:* 479-480 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2335: 182D07B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	457	19.0 %
2	A FEW:(2)	552	23.0 %
3	SOME:(3)	505	21.0 %
4	MOST:(4)	463	19.3 %
5	ALL:(5)	98	4.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	327	13.6 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,075 valid cases out of 2,402 total cases.

*Location:* 481-482 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2336: 182D07C:ALL FRD TAKE LSD

Item Number: 07090

How many of your friends would you estimate . . .

C: . . . Take LSD?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1597	66.5 %
2	A FEW:(2)	314	13.1 %
3	SOME:(3)	117	4.9 %
4	MOST:(4)	25	1.0 %
5	ALL:(5)	12	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	337	14.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,065 valid cases out of 2,402 total cases.

*Location:* 483-484 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2337: 182D07D:ALL FRD TK PSYDL

Item Number: 07100

How many of your friends would you estimate . . .

D: . . . Take other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1612	67.1 %
2	A FEW:(2)	333	13.9 %
3	SOME:(3)	100	4.2 %
4	MOST:(4)	15	0.6 %
5	ALL:(5)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	328	13.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,074 valid cases out of 2,402 total cases.

*Location:* 485-486 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2338: 182D07E:ALL FRD TK AMPH

Item Number: 07110

How many of your friends would you estimate . . .

E: . . . Take amphetamines (uppers, speed, Adderall, Ritalin, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1591	66.2 %
2	A FEW:(2)	311	12.9 %
3	SOME:(3)	126	5.2 %
4	MOST:(4)	22	0.9 %
5	ALL:(5)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	337	14.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,065 valid cases out of 2,402 total cases.

*Location:* 487-488 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2523: 182D07F:ALL FRD TK SED/B

Item Number: 07135

How many of your friends would you estimate . . .

F: . . . Take sedatives/barbiturates (downers)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1809	75.3 %
2	A FEW:(2)	183	7.6 %
3	SOME:(3)	55	2.3 %
4	MOST:(4)	6	0.2 %
5	ALL:(5)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	340	14.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,062 valid cases out of 2,402 total cases.

*Location:* 489-490 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V2341: 182D07G:ALL FRD TK TRNQL

Item Number: 07140

How many of your friends would you estimate . . .

G: . . . Take tranquilizers?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1828	76.1 %
2	A FEW:(2)	160	6.7 %
3	SOME:(3)	47	2.0 %
4	MOST:(4)	5	0.2 %
5	ALL:(5)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	351	14.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,051 valid cases out of 2,402 total cases.

*Location:* 491-492 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2342: 182D07H:ALL FRD TK COKE

Item Number: 07150

How many of your friends would you estimate . . .

H: . . . Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1676	69.8 %
2	A FEW:(2)	289	12.0 %
3	SOME:(3)	63	2.6 %
4	MOST:(4)	12	0.5 %
5	ALL:(5)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	355	14.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,047 valid cases out of 2,402 total cases.

*Location:* 493-494 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2343: 182D07I:ALL FRD TK HERON

Item Number: 07160

How many of your friends would you estimate . . .

I: . . . Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1926	80.2 %
2	A FEW:(2)	86	3.6 %
3	SOME:(3)	23	1.0 %

Value	Label	Unweighted Frequency	%
4	MOST:(4)	1	0.0 %
5	ALL:(5)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	361	15.0 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,041 valid cases out of 2,402 total cases.

*Location:* 495-496 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V2344: 182D07J:ALL FRD TK NARC

Item Number: 07170

How many of your friends would you estimate . . .

J: . . . Take other narcotics (codeine, Vicodin, OxyContin, Percocet, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1742	72.5 %
2	A FEW:(2)	201	8.4 %
3	SOME:(3)	82	3.4 %
4	MOST:(4)	12	0.5 %
5	ALL:(5)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	356	14.8 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,046 valid cases out of 2,402 total cases.

*Location:* 497-498 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V2345: 182D07K:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate . . .

K: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1862	77.5 %
2	A FEW:(2)	125	5.2 %
3	SOME:(3)	32	1.3 %
4	MOST:(4)	13	0.5 %
5	ALL:(5)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	359	14.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,043 valid cases out of 2,402 total cases.

*Location:* 499-500 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2346: 182D07L:ALL FRD DRK ALCL

Item Number: 07190

How many of your friends would you estimate . . .

L: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	503	20.9 %
2	A FEW:(2)	306	12.7 %
3	SOME:(3)	397	16.5 %
4	MOST:(4)	577	24.0 %
5	ALL:(5)	254	10.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	365	15.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,037 valid cases out of 2,402 total cases.

*Location:* 501-502 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2347: 182D07M:ALL FRD GT DRUNK

Item Number: 07200

How many of your friends would you estimate . . .

M: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	867	36.1 %
2	A FEW:(2)	539	22.4 %
3	SOME:(3)	374	15.6 %
4	MOST:(4)	189	7.9 %
5	ALL:(5)	74	3.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	359	14.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,043 valid cases out of 2,402 total cases.

*Location:* 503-504 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2451: 182D07N:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate . . .

N: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1860	77.4 %
2	A FEW:(2)	127	5.3 %
3	SOME:(3)	30	1.2 %
4	MOST:(4)	9	0.4 %
5	ALL:(5)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	368	15.3 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,034 valid cases out of 2,402 total cases.

*Location:* 505-506 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2452: 182E01A:RSK COK PWDR 1-2

Item Number: 12501

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

A: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	194	8.1 %
2	SLIGHT:(2)	331	13.8 %
3	MOD RISK:(3)	489	20.4 %
4	GRT RISK:(4)	898	37.4 %
5	CANT SAY:(5)	103	4.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	387	16.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,015 valid cases out of 2,402 total cases.

*Location:* 507-508 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2453: 182E01B:RSK COK PWDR OCC

Item Number: 12502

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

B: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	139	5.8 %
2	SLIGHT:(2)	123	5.1 %
3	MOD RISK:(3)	424	17.7 %
4	GRT RISK:(4)	1212	50.5 %
5	CANT SAY:(5)	104	4.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	400	16.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,002 valid cases out of 2,402 total cases.

*Location:* 509-510 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2454: 182E01C:RSK COK PWDR REG

Item Number: 12503

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

C: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	134	5.6 %
2	SLIGHT:(2)	41	1.7 %
3	MOD RISK:(3)	155	6.5 %
4	GRT RISK:(4)	1565	65.2 %
5	CANT SAY:(5)	104	4.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	403	16.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,999 valid cases out of 2,402 total cases.

*Location:* 511-512 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2455: 182E01D:RSK CRACK 1-2X

Item Number: 12504

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

D: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	157	6.5 %
2	SLIGHT:(2)	290	12.1 %
3	MOD RISK:(3)	422	17.6 %
4	GRT RISK:(4)	1009	42.0 %
5	CANT SAY:(5)	113	4.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	411	17.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,991 valid cases out of 2,402 total cases.

*Location:* 513-514 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2456: 182E01E:RSK CRACK OCC

Item Number: 12505

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	133	5.5 %
2	SLIGHT:(2)	67	2.8 %
3	MOD RISK:(3)	388	16.2 %
4	GRT RISK:(4)	1281	53.3 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	114	4.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	419	17.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,983 valid cases out of 2,402 total cases.

*Location:* 515-516 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2457: 182E01F:RSK CRACK REG

Item Number: 12506

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	134	5.6 %
2	SLIGHT:(2)	33	1.4 %
3	MOD RISK:(3)	112	4.7 %
4	GRT RISK:(4)	1593	66.3 %
5	CANT SAY:(5)	112	4.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	418	17.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,984 valid cases out of 2,402 total cases.

*Location:* 517-518 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2534: 182E01G:RSK NARC 1-2X

Item number: 32600

How much do you think people risk harming themselves  
(physically or in other ways) if they . . .

G: . . . Try any narcotic other than heroin (codeine, Vicodin, OxyContin, Percocet, etc.) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	182	7.6 %
2	SLIGHT:(2)	305	12.7 %
3	MOD RISK:(3)	456	19.0 %
4	GRT RISK:(4)	869	36.2 %
5	CANT SAY:(5)	186	7.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	404	16.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,998 valid cases out of 2,402 total cases.

*Location:* 519-520 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2535: 182E01H:RSK NARC OCCAS

Item number: 32610

How much do you think people risk harming themselves (physically or in other ways) if they . . .

H: . . . Take any narcotic other than heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	136	5.7 %
2	SLIGHT:(2)	109	4.5 %
3	MOD RISK:(3)	444	18.5 %
4	GRT RISK:(4)	1119	46.6 %
5	CANT SAY:(5)	177	7.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	417	17.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,985 valid cases out of 2,402 total cases.

*Location:* 521-522 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2536: 182E01I:RSK NARC REGLY

Item number: 32620

How much do you think people risk harming themselves  
(physically or in other ways) if they . . .

I: . . . Take any narcotic other than heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	131	5.5 %
2	SLIGHT:(2)	65	2.7 %
3	MOD RISK:(3)	183	7.6 %
4	GRT RISK:(4)	1428	59.5 %
5	CANT SAY:(5)	182	7.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	413	17.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,989 valid cases out of 2,402 total cases.

*Location:* 523-524 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2537: 182E01J:RSK ADDERALL 1-2X

Item number: 32630

How much do you think people risk harming themselves  
(physically or in other ways) if they . . .

J: . . . Try Adderall once or twice without a doctor's orders?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	296	12.3 %
2	SLIGHT:(2)	502	20.9 %
3	MOD RISK:(3)	328	13.7 %
4	GRT RISK:(4)	654	27.2 %
5	CANT SAY:(5)	204	8.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	418	17.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,984 valid cases out of 2,402 total cases.

*Location:* 525-526 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2538: 182E01K:RSK ADDERALL OCC

Item number: 32640

How much do you think people risk harming themselves  
(physically or in other ways) if they . . .

K: . . . Take Adderall occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	187	7.8 %
2	SLIGHT:(2)	280	11.7 %
3	MOD RISK:(3)	533	22.2 %
4	GRT RISK:(4)	778	32.4 %
5	CANT SAY:(5)	206	8.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	418	17.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,984 valid cases out of 2,402 total cases.

*Location:* 527-528 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2458: 182E01L:RSK PCP 1-2X

Item Number: 12415

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

L: . . . Try PCP once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	143	6.0 %
2	SLIGHT:(2)	147	6.1 %
3	MOD RISK:(3)	292	12.2 %
4	GRT RISK:(4)	1019	42.4 %
5	CANT SAY:(5)	369	15.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	432	18.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,970 valid cases out of 2,402 total cases.

*Location:* 529-530 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2476: 182E01M:RSK ICE 1-2X

Item Number: 24420

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

M: . . . Try crystal meth ("ice")?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	141	5.9 %
2	SLIGHT:(2)	105	4.4 %
3	MOD RISK:(3)	221	9.2 %
4	GRT RISK:(4)	1328	55.3 %
5	CANT SAY:(5)	175	7.3 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	432	18.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,970 valid cases out of 2,402 total cases.

*Location:* 531-532 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2459: 182E02A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1971	82.1 %
2	1-2X:(2)	20	0.8 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	400	16.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,002 valid cases out of 2,402 total cases.

*Location:* 533-534 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2460: 182E02B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack"

cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1992	82.9 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	397	16.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,005 valid cases out of 2,402 total cases.

*Location:* 535-536 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2461: 182E02C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack"  
cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1995	83.1 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	398	16.6 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 2,004 valid cases out of 2,402 total cases.

*Location:* 537-538 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2493: 182E03A:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1964	81.8 %
2	1-2X:(2)	15	0.6 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	407	16.9 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,995 valid cases out of 2,402 total cases.

*Location:* 539-540 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2494: 182E03B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1975	82.2 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	405	16.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,997 valid cases out of 2,402 total cases.

*Location:* 541-542 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2495: 182E03C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1984	82.6 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	405	16.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,997 valid cases out of 2,402 total cases.

*Location:* 543-544 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2496: 182E04A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own?

(Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	24	1.0 %
1	MARKED:(1)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2374	98.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 28 valid cases out of 2,402 total cases.

*Location:* 545-546 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2497: 182E04B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own?

(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	15	0.6 %
1	MARKED:(1)	13	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2374	98.8 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 28 valid cases out of 2,402 total cases.

*Location:* 547-548 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2516: 182E04C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	16	0.7 %
1	MARKED:(1)	1976	82.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	410	17.1 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,992 valid cases out of 2,402 total cases.

*Location:* 549-550 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2547: 182E05A:#X LRG CIGAR/30DAY

Item Number: 33720

During the LAST 30 DAYS, on how many occasions (if any) have you smoked large cigars?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"  
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1885	78.5 %
2	1-2 DAYS:(2)	88	3.7 %
3	3-5 DAYS:(3)	9	0.4 %
4	6-9 DAYS:(4)	3	0.1 %
5	10-19 DAYS:(5)	4	0.2 %
6	20-30 DAYS:(6)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	406	16.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,996 valid cases out of 2,402 total cases.

*Location:* 551-552 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2548: 182E05B:#X FLVD SML CIGAR/30DAY

Item Number: 33730

During the LAST 30 DAYS, on how many occasions (if any) have you smoked flavored little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"  
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1831	76.2 %
2	1-2 DAYS:(2)	94	3.9 %
3	3-5 DAYS:(3)	27	1.1 %
4	6-9 DAYS:(4)	13	0.5 %
5	10-19 DAYS:(5)	5	0.2 %
6	20-30 DAYS:(6)	19	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	413	17.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,989 valid cases out of 2,402 total cases.

*Location:* 553-554 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2549: 182E05C:#X REG SML CIGAR/30DAY

Item Number: 33740

During the LAST 30 DAYS, on how many occasions (if any) have you smoked regular little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"

5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1888	78.6 %
2	1-2 DAYS:(2)	57	2.4 %
3	3-5 DAYS:(3)	12	0.5 %
4	6-9 DAYS:(4)	10	0.4 %
5	10-19 DAYS:(5)	4	0.2 %
6	20-30 DAYS:(6)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	421	17.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,981 valid cases out of 2,402 total cases.

*Location:* 555-556 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2564: 182E05D:#X TOB HOOKAH/30DAY

Item Number: 34050

During the LAST 30 DAYS, on how many occasions (if any) have you smoked tobacco using a hookah (water pipe)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1908	79.4 %
2	1-2 DAYS:(2)	52	2.2 %
3	3-5 DAYS:(3)	8	0.3 %
4	6-9 DAYS:(4)	8	0.3 %

Value	Label	Unweighted Frequency	%
5	10-19 DAYS:(5)	3	0.1 %
6	20-30 DAYS:(6)	8	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	415	17.3 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,987 valid cases out of 2,402 total cases.

*Location:* 557-558 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2576: 182E05E:# DAYS SMKLESS TOB/30DAY

Item Number: 34390

During the LAST 30 DAYS, on how many occasions (if any) have you used smokeless tobacco?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"

5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1910	79.5 %
2	1-2 DAYS:(2)	28	1.2 %
3	3-5 DAYS:(3)	13	0.5 %
4	6-9 DAYS:(4)	4	0.2 %
5	10-19 DAYS:(5)	7	0.3 %
6	20-30 DAYS:(6)	23	1.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	417	17.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,985 valid cases out of 2,402 total cases.

*Location:* 559-560 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2462: 182E06A:GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

A: Try "crack" cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	6	0.2 %
5	GRADE 10:(5)	2	0.1 %
6	GRADE 11:(6)	4	0.2 %
7	GRADE 12:(7)	4	0.2 %
8	NEVER:(8)	1919	79.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	460	19.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,942 valid cases out of 2,402 total cases.

*Location:* 561-562 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2463: 182E06B:GR 1ST TR OT COK

Item Number: 05662

When (if ever) did you FIRST do each of the following things?

B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	5	0.2 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	0	0.0 %
4	GRADE 9:(4)	8	0.3 %
5	GRADE 10:(5)	8	0.3 %
6	GRADE 11:(6)	16	0.7 %
7	GRADE 12:(7)	10	0.4 %

Value	Label	Unweighted Frequency	%
8	NEVER:(8)	1887	78.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	467	19.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,935 valid cases out of 2,402 total cases.

*Location:* 563-564 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2477: 182E06C:GR 1ST TRY ICE

Item Number: 24430

When (if ever) did you FIRST do each of the following things?

C: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	1	0.0 %
5	GRADE 10:(5)	0	0.0 %
6	GRADE 11:(6)	3	0.1 %
7	GRADE 12:(7)	2	0.1 %
8	NEVER:(8)	1922	80.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	469	19.5 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,933 valid cases out of 2,402 total cases.

*Location:* 565-566 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2498: 182E06D:GR 1ST TRY STRDS

Item Number: 23810

When (if ever) did you FIRST do each of the following things?

D: Try steroids (anabolic steroids)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	1	0.0 %
5	GRADE 10:(5)	1	0.0 %
6	GRADE 11:(6)	3	0.1 %
7	GRADE 12:(7)	4	0.2 %
8	NEVER:(8)	1896	78.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	492	20.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,910 valid cases out of 2,402 total cases.

*Location:* 567-568 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2464: 182E07A:EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following, if you wanted some?

A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	701	29.2 %
2	VRY DIFF:(2)	444	18.5 %
3	FRLY DIF:(3)	418	17.4 %

Value	Label	Unweighted Frequency	%
4	FRLY EAS:(4)	283	11.8 %
5	VRY EASY:(5)	98	4.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	458	19.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,944 valid cases out of 2,402 total cases.

*Location:* 569-570 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2465: 182E07B:EASY GT COK PWDR

Item Number: 06812

How difficult do you think it would be for you to get each of the following, if you wanted some?

B: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	667	27.8 %
2	VRY DIFF:(2)	415	17.3 %
3	FRLY DIF:(3)	431	17.9 %
4	FRLY EAS:(4)	310	12.9 %
5	VRY EASY:(5)	121	5.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	458	19.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,944 valid cases out of 2,402 total cases.

*Location:* 571-572 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2466: 182E07C:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each

of the following, if you wanted some?

C: PCP

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	807	33.6 %
2	VRY DIFF:(2)	500	20.8 %
3	FRLY DIF:(3)	410	17.1 %
4	FRLY EAS:(4)	145	6.0 %
5	VRY EASY:(5)	66	2.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	474	19.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,928 valid cases out of 2,402 total cases.

*Location:* 573-574 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2478: 182E07D:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following, if you wanted some?

D: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	821	34.2 %
2	VRY DIFF:(2)	518	21.6 %
3	FRLY DIF:(3)	347	14.4 %
4	FRLY EAS:(4)	161	6.7 %
5	VRY EASY:(5)	91	3.8 %
8	CANT SAY:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	464	19.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,938 valid cases out of 2,402 total cases.

*Location:* 575-576 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2499: 182E07E:EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following, if you wanted some?

E: Steroids (anabolic steroids)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	698	29.1 %
2	VRY DIFF:(2)	423	17.6 %
3	FRLY DIF:(3)	405	16.9 %
4	FRLY EAS:(4)	291	12.1 %
5	VRY EASY:(5)	112	4.7 %
8	CANT SAY:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	473	19.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,929 valid cases out of 2,402 total cases.

*Location:* 577-578 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2479: 182E08A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	298	12.4 %
2	DISAPPRV:(2)	778	32.4 %
3	STRG DIS:(3)	870	36.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	456	19.0 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,946 valid cases out of 2,402 total cases.

*Location:* 579-580 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2480: 182E08B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1201	50.0 %
2	DISAPPRV:(2)	445	18.5 %
3	STRG DIS:(3)	291	12.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	465	19.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,937 valid cases out of 2,402 total cases.

*Location:* 581-582 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2481: 182E08C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1045	43.5 %
2	DISAPPRV:(2)	492	20.5 %
3	STRG DIS:(3)	394	16.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	471	19.6 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,402 total cases.

*Location:* 583-584 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2482: 182E08D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	722	30.1 %
2	DISAPPRV:(2)	647	26.9 %
3	STRG DIS:(3)	559	23.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	474	19.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,928 valid cases out of 2,402 total cases.

*Location:* 585-586 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2483: 182E08E:DAP COK PWD 1-2T

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	262	10.9 %
2	DISAPPRV:(2)	622	25.9 %
3	STRG DIS:(3)	1034	43.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	484	20.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,918 valid cases out of 2,402 total cases.

*Location:* 587-588 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V2484: 182E08F:DAP COK PWDR OCC

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	166	6.9 %
2	DISAPPRV:(2)	505	21.0 %
3	STRG DIS:(3)	1243	51.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	488	20.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,914 valid cases out of 2,402 total cases.

*Location:* 589-590 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V2485: 182E08G:DAP COK PWDR REG

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	142	5.9 %
2	DISAPPRV:(2)	366	15.2 %
3	STRG DIS:(3)	1408	58.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	486	20.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,916 valid cases out of 2,402 total cases.

*Location:* 591-592 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2486: 182E08H:DAP TRY CRK 1-2T

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	185	7.7 %
2	DISAPPRV:(2)	514	21.4 %
3	STRG DIS:(3)	1215	50.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	488	20.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,914 valid cases out of 2,402 total cases.

*Location:* 593-594 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2487: 182E08I:DAP CRACK OCC

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	144	6.0 %
2	DISAPPRV:(2)	412	17.2 %
3	STRG DIS:(3)	1355	56.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	491	20.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,911 valid cases out of 2,402 total cases.

*Location:* 595-596 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2488: 182E08J:DAP CRACK REG

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	133	5.5 %
2	DISAPPRV:(2)	338	14.1 %
3	STRG DIS:(3)	1440	60.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	491	20.4 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,911 valid cases out of 2,402 total cases.

*Location:* 597-598 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2489: 182E08K:DAP TRY DRK ALCL

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1303	54.2 %
2	DISAPPRV:(2)	323	13.4 %
3	STRG DIS:(3)	293	12.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	483	20.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,919 valid cases out of 2,402 total cases.

*Location:* 599-600 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2490: 182E08L:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	496	20.6 %
2	DISAPPRV:(2)	852	35.5 %
3	STRG DIS:(3)	574	23.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	480	20.0 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,922 valid cases out of 2,402 total cases.

*Location:* 601-602 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2491: 182E08M:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	208	8.7 %
2	DISAPPRV:(2)	594	24.7 %
3	STRG DIS:(3)	1112	46.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	488	20.3 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,914 valid cases out of 2,402 total cases.

*Location:* 603-604 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2492: 182E08N:DAP 5+ DRK WKNDS

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	480	20.0 %
2	DISAPPRV:(2)	572	23.8 %
3	STRG DIS:(3)	861	35.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	489	20.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,913 valid cases out of 2,402 total cases.

*Location:* 605-606 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V2428: 182E09A:FAVOR MLTY DRAFT

Item Number: 21060

The next two questions are about military service. Do you favor or oppose a military draft at the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed"

2="Mostly oppose" 1="Strongly oppose"

Value	Label	Unweighted Frequency	%
1	STRG OPPOS:(1)	461	19.2 %
2	MST OPPOS:(2)	308	12.8 %
3	NO OP/MXD:(3)	884	36.8 %
4	MOST FAVR:(4)	165	6.9 %
5	STRG FAVR:(5)	117	4.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	467	19.4 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,935 valid cases out of 2,402 total cases.

*Location:* 607-608 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V2429: 182E09B:DRAFT INCL WOMEN

Item Number: 21070

Do you think any military draft in the U.S. should include women as well as men?

3="Yes" 2="Uncertain" 1="No"

Value	Label	Unweighted Frequency	%
1	NO:(1)	382	15.9 %
2	UNCERTN:(2)	626	26.1 %
3	YES:(3)	1002	41.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	392	16.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,010 valid cases out of 2,402 total cases.

*Location:* 609-610 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2371: 182E10 :R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences at school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot"

3="I like school some" 2="I don't like school very much"

1="I don't like school at all"

Value	Label	Unweighted Frequency	%
1	DONT LIKE@A:(1)	213	8.9 %
2	DONT LIKE VM:(2)	415	17.3 %
3	LIKE SOME:(3)	830	34.6 %
4	LIKE QUITEBIT:(4)	345	14.4 %
5	LIKE VRYMCH:(5)	209	8.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	390	16.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,012 valid cases out of 2,402 total cases.

*Location:* 611-612 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V2372: 182E11 :HRS/WK SPND HMWK

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	257	10.7 %
2	1-4 HRS:(2)	835	34.8 %
3	5-9 HRS:(3)	414	17.2 %
4	10-14HRS:(4)	229	9.5 %
5	15-19HRS:(5)	105	4.4 %
6	20-24HRS:(6)	75	3.1 %
7	25+ HRS:(7)	86	3.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	401	16.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 2,001 valid cases out of 2,402 total cases.

*Location:* 613-614 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2445: 182E12A:SCH ACTV-PBLCTNS

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1553	64.7 %
2	SLIGHT:(2)	192	8.0 %

Value	Label	Unweighted Frequency	%
3	MODERATE:(3)	75	3.1 %
4	CONSDRBL:(4)	30	1.2 %
5	GRT EXT:(5)	118	4.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	434	18.1 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,968 valid cases out of 2,402 total cases.

*Location:* 615-616 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2446: 182E12B:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"

5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1280	53.3 %
2	SLIGHT:(2)	148	6.2 %
3	MODERATE:(3)	122	5.1 %
4	CONSDRBL:(4)	97	4.0 %
5	GRT EXT:(5)	322	13.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	433	18.0 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,969 valid cases out of 2,402 total cases.

*Location:* 617-618 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2447: 182E12C:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	942	39.2 %
2	SLIGHT:(2)	119	5.0 %
3	MODERATE:(3)	166	6.9 %
4	CONSDRBL:(4)	155	6.5 %
5	GRT EXT:(5)	592	24.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	428	17.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,974 valid cases out of 2,402 total cases.

*Location:* 619-620 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2448: 182E12D:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	722	30.1 %
2	SLIGHT:(2)	262	10.9 %
3	MODERATE:(3)	297	12.4 %
4	CONSDRBL:(4)	262	10.9 %
5	GRT EXT:(5)	422	17.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	437	18.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,965 valid cases out of 2,402 total cases.

*Location:* 621-622 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2373: 182E13A:PRCL INFL SCL RN

Item Number: 07650

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	321	13.4 %
2	SOME:(2)	229	9.5 %
3	MODERATE:(3)	379	15.8 %
4	CONSDRBL:(4)	455	18.9 %
5	GREAT:(5)	576	24.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	442	18.4 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,960 valid cases out of 2,402 total cases.

*Location:* 623-624 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2374: 182E13B:TCHR INFL SCL RN

Item Number: 07660

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	236	9.8 %
2	SOME:(2)	357	14.9 %
3	MODERATE:(3)	602	25.1 %
4	CONSDRBL:(4)	439	18.3 %
5	GREAT:(5)	324	13.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	444	18.5 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,958 valid cases out of 2,402 total cases.

*Location:* 625-626 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2375: 182E13C:STDS INFL SCL RN

Item Number: 07670

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	573	23.9 %
2	SOME:(2)	407	16.9 %
3	MODERATE:(3)	358	14.9 %
4	CONSDRBL:(4)	305	12.7 %
5	GREAT:(5)	310	12.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	449	18.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,953 valid cases out of 2,402 total cases.

*Location:* 627-628 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2376: 182E13D:PRTS INFL SCL RN

Item Number: 07680

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	597	24.9 %
2	SOME:(2)	550	22.9 %
3	MODERATE:(3)	379	15.8 %
4	CONSDRBL:(4)	229	9.5 %
5	GREAT:(5)	187	7.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	460	19.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,942 valid cases out of 2,402 total cases.

*Location:* 629-630 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2377: 182E14 :HAD DRUG EDUCATN

Item Number: 07690

Have you had any drug education courses or lectures in school?

1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO QUESTION 20" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	602	25.1 %
2	WISH HAD:(2)	78	3.2 %
3	YES:(3)	1164	48.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	558	23.2 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,844 valid cases out of 2,402 total cases.

*Location:* 631-632 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2378: 182E15 :DG ED,>DG INTRST

Item Number: 07840

Would you say that the information about drugs that you received in school classes or programs has . . . ?

1="Made you less interested in trying drugs" 2="Not changed your interest in trying drugs" 3="Made you more interested in trying drugs"

Value	Label	Unweighted Frequency	%
1	LESS INTERST:(1)	561	23.4 %
2	NO CHNGE:(2)	557	23.2 %
3	MORE INTERST:(3)	33	1.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1251	52.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,151 valid cases out of 2,402 total cases.

*Location:* 633-634 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2379: 182E16A:DG ED,SPC COURSE

Item Number: 07850

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

A. A special course about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	748	31.1 %
1	MARKED:(1)	378	15.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1276	53.1 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,126 valid cases out of 2,402 total cases.

*Location:* 635-636 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2380: 182E16B:DG ED,IN REG CRS

Item Number: 07860

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	403	16.8 %
1	MARKED:(1)	723	30.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1276	53.1 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,126 valid cases out of 2,402 total cases.

*Location:* 637-638 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2381: 182E16C:DG ED,NT REG CRS

Item Number: 07870

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	788	32.8 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	338	14.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1276	53.1 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,126 valid cases out of 2,402 total cases.

*Location:* 639-640 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2382: 182E16D:DG ED,SPC DISCUS

Item Number: 07880

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	922	38.4 %
1	MARKED:(1)	204	8.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1276	53.1 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,126 valid cases out of 2,402 total cases.

*Location:* 641-642 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2383: 182E17 :DG ED,GRT VALUE

Item Number: 07890

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"

4="Great value"

Value	Label	Unweighted Frequency	%
1	NO VALUE:(1)	307	12.8 %
2	SOME:(2)	435	18.1 %
3	CNSIDRBL:(3)	239	10.0 %
4	GT VALUE:(4)	154	6.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1267	52.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,135 valid cases out of 2,402 total cases.

*Location:* 643-644 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2441: 182E18A:#X/2W DRIVE+ALCL

Item Number: 01811

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

A: . . . drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1846	76.9 %
2	ONCE:(2)	40	1.7 %
3	TWICE:(3)	19	0.8 %
4	3-5X:(4)	8	0.3 %
5	6-9X:(5)	6	0.2 %
6	10+ TIME:(6)	11	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	472	19.7 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,930 valid cases out of 2,402 total cases.

*Location:* 645-646 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2442: 182E18B:#X/2W DRIVE+5DRK

Item Number: 01812

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

B: . . . having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1870	77.9 %
2	ONCE:(2)	19	0.8 %
3	TWICE:(3)	13	0.5 %
4	3-5X:(4)	11	0.5 %
5	6-9X:(5)	5	0.2 %
6	10+ TIME:(6)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	475	19.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,927 valid cases out of 2,402 total cases.

*Location:* 647-648 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2517: 182E18C:#X/2W DRIVE+MJ

Item Number: 01813

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

C. . . . smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1721	71.6 %
2	ONCE:(2)	59	2.5 %
3	TWICE:(3)	48	2.0 %
4	3-5X:(4)	31	1.3 %
5	6-9X:(5)	16	0.7 %

Value	Label	Unweighted Frequency	%
6	10+ TIME:(6)	51	2.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	476	19.8 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,926 valid cases out of 2,402 total cases.

*Location:* 649-650 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2518: 182E18D:#X/2W DRIVE+OTDG

Item Number: 01814

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

D. . . . using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1887	78.6 %
2	ONCE:(2)	9	0.4 %
3	TWICE:(3)	5	0.2 %
4	3-5X:(4)	5	0.2 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	8	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.2 %
	<b>Total</b>	<b>2,402</b>	<b>100%</b>

Based upon 1,917 valid cases out of 2,402 total cases.

*Location:* 651-652 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2443: 182E19A:#X/2W RIDE+ALCL

Item Number: 01815

During the LAST TWO WEEKS, how many times (if any) have you

been a passenger in a car . . .

A: . . . when the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1750	72.9 %
2	ONCE:(2)	92	3.8 %
3	TWICE:(3)	41	1.7 %
4	3-5X:(4)	28	1.2 %
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	13	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	474	19.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,928 valid cases out of 2,402 total cases.

*Location:* 653-654 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2444: 182E19B:#X/2W RIDE+5DRK

Item Number: 01816

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

B: . . . when you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1845	76.8 %
2	ONCE:(2)	34	1.4 %
3	TWICE:(3)	18	0.7 %
4	3-5X:(4)	17	0.7 %
5	6-9X:(5)	2	0.1 %
6	10+ TIME:(6)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	476	19.8 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,926 valid cases out of 2,402 total cases.

*Location:* 655-656 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2519: 182E19C:#X/2W RIDE+MJ

Item Number: 01817

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

C. . . . when the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1646	68.5 %
2	ONCE:(2)	113	4.7 %
3	TWICE:(3)	61	2.5 %
4	3-5X:(4)	48	2.0 %
5	6-9X:(5)	20	0.8 %
6	10+ TIME:(6)	37	1.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	477	19.9 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,925 valid cases out of 2,402 total cases.

*Location:* 657-658 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2520: 182E19D:#X/2W RIDE+OTDG

Item Number: 01818

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

D. . . . when the driver had been using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1869	77.8 %
2	ONCE:(2)	14	0.6 %
3	TWICE:(3)	2	0.1 %
4	3-5X:(4)	11	0.5 %
5	6-9X:(5)	1	0.0 %
6	10+ TIME:(6)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	497	20.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,905 valid cases out of 2,402 total cases.

*Location:* 659-660 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2414: 182E20A:OFTN EAT BRKFST

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	211	8.8 %
2	SELDOM:(2)	385	16.0 %
3	SOMETIMES:(3)	441	18.4 %
4	MST DAYS:(4)	251	10.4 %
5	NR EV DA:(5)	200	8.3 %
6	EVERYDAY:(6)	451	18.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	463	19.3 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,939 valid cases out of 2,402 total cases.

*Location:* 661-662 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V2415: 182E20B:OFTN EAT GN VEG

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	133	5.5 %
2	SELDOM:(2)	201	8.4 %
3	SOMETIMES:(3)	426	17.7 %
4	MST DAYS:(4)	477	19.9 %
5	NR EV DA:(5)	332	13.8 %
6	EVERYDAY:(6)	357	14.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	476	19.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,926 valid cases out of 2,402 total cases.

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V2416: 182E20C:OFTN EAT FRUIT

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	88	3.7 %
2	SELDOM:(2)	94	3.9 %
3	SOMETIMES:(3)	384	16.0 %

Value	Label	Unweighted Frequency	%
4	MST DAYS:(4)	490	20.4 %
5	NR EV DA:(5)	379	15.8 %
6	EVERYDAY:(6)	494	20.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	473	19.7 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,929 valid cases out of 2,402 total cases.

*Location:* 665-666 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2417: 182E20D:OFTN EXERCISE

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	199	8.3 %
2	SELDOM:(2)	308	12.8 %
3	SOMETIMES:(3)	455	18.9 %
4	MST DAYS:(4)	331	13.8 %
5	NR EV DA:(5)	232	9.7 %
6	EVERYDAY:(6)	357	14.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	520	21.6 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,882 valid cases out of 2,402 total cases.

*Location:* 667-668 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V2418: 182E20E:OFTN 7HRS SLEEP

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	187	7.8 %
2	SELDOM:(2)	348	14.5 %
3	SOMETIMES:(3)	516	21.5 %
4	MST DAYS:(4)	423	17.6 %
5	NR EV DA:(5)	231	9.6 %
6	EVERYDAY:(6)	222	9.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	475	19.8 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,927 valid cases out of 2,402 total cases.

*Location:* 669-670 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V2419: 182E20F:OFTN SLEEP <SHLD

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	155	6.5 %
2	SELDOM:(2)	209	8.7 %
3	SOMETIMES:(3)	436	18.2 %
4	MST DAYS:(4)	341	14.2 %
5	NR EV DA:(5)	343	14.3 %
6	EVERYDAY:(6)	438	18.2 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	480	20.0 %
<b>Total</b>		<b>2,402</b>	<b>100%</b>

Based upon 1,922 valid cases out of 2,402 total cases.

*Location:* 671-672 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## ICPSR 37416

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2018

## Form 3 Data Variable Description and Frequencies

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## Form 3 Data

---

### CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 1-4 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2018	-	2416	100.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 5-8 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V3: BY18 80003 FORM ID

Value	Label	Unweighted Frequency	%
3	-	2416	100.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 9-9 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### RESPONDENT\_ID: ARCHIVE ID

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 10-14 (width: 5; decimal: 0)

*Variable Type:* numeric

---

### ARCHIVE\_WT: ARCHIVE WEIGHT

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 15-29 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	471	19.5 %
2	NORTH CENTRAL:(2)	526	21.8 %
3	SOUTH:(3)	911	37.7 %
4	WEST:(4)	508	21.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 30-30 (width: 1; decimal: 0)

*Variable Type:* numeric

## V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1438	59.5 %
1	LARGE MSA:(1)	978	40.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 31-31 (width: 1; decimal: 0)

*Variable Type:* numeric

## V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	431	17.8 %
1	MSA:(1)	1985	82.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 32-32 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## V3208: 183A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	478	19.8 %
2	PRTY HPY:(2)	1462	60.5 %
3	VRY HPY:(3)	448	18.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	28	1.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,388 valid cases out of 2,416 total cases.

*Location:* 33-34 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3209: 183A02 :THK ABT SOC ISSU

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	107	4.4 %

Value	Label	Unweighted Frequency	%
2	SELDOM:(2)	316	13.1 %
3	SOMETIMES:(3)	1084	44.9 %
4	QUITE OFTN:(4)	673	27.9 %
5	GREAT DEAL:(5)	207	8.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	29	1.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,387 valid cases out of 2,416 total cases.

*Location:* 35-36 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3210: 183A03A:MEN/WOMN/ = \$, = WRK

Item Number: 07930

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: Men and women should be paid the same money if they do the same work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	36	1.5 %
2	MOST DIS:(2)	31	1.3 %
3	NEITHER:(3)	77	3.2 %
4	MOST AGR:(4)	265	11.0 %
5	AGREE:(5)	1974	81.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	33	1.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,383 valid cases out of 2,416 total cases.

*Location:* 37-38 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3211: 183A03B:CNSDR WMN/HI JOB

Item Number: 07940

How much do you agree or disagree with each statement below?

B: Women should be considered as seriously as men for jobs  
as executives or politicians

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	37	1.5 %
2	MOST DIS:(2)	27	1.1 %
3	NEITHER:(3)	124	5.1 %
4	MOST AGR:(4)	340	14.1 %
5	AGREE:(5)	1855	76.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	33	1.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,383 valid cases out of 2,416 total cases.

*Location:* 39-40 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3212: 183A03C:WMN SHD = JOB OPP

Item Number: 07950

How much do you agree or disagree with each statement below?

C: A woman should have exactly the same job opportunities as  
a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	46	1.9 %
2	MOST DIS:(2)	58	2.4 %
3	NEITHER:(3)	111	4.6 %
4	MOST AGR:(4)	396	16.4 %
5	AGREE:(5)	1750	72.4 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	55	2.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,361 valid cases out of 2,416 total cases.

*Location:* 41-42 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3213: 183A03D:WMN SHD = ED OPP

Item Number: 07960

How much do you agree or disagree with each statement below?

D: A woman should have exactly the same educational opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	13	0.5 %
2	MOST DIS:(2)	12	0.5 %
3	NEITHER:(3)	54	2.2 %
4	MOST AGR:(4)	170	7.0 %
5	AGREE:(5)	2114	87.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	53	2.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,363 valid cases out of 2,416 total cases.

*Location:* 43-44 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3214: 183A03E:MN = ACHV/WMN = HOME

Item Number: 07970

How much do you agree or disagree with each statement below?

E: It is usually better for everyone involved if the man is the achiever outside the home and the woman takes care of the home and family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	895	37.0 %
2	MOST DIS:(2)	380	15.7 %
3	NEITHER:(3)	549	22.7 %
4	MOST AGR:(4)	286	11.8 %
5	AGREE:(5)	259	10.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	47	1.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,369 valid cases out of 2,416 total cases.

*Location:* 45-46 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3217: 183A04A:POLLUT INCREASED

Item Number: 08000

The next questions are about pollution and the environment.

How much do you agree or disagree with each statement below?

A: Pollution of most types has increased in the U.S. in the last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	45	1.9 %
2	MOST DIS:(2)	75	3.1 %
3	NEITHER:(3)	327	13.5 %
4	MOST AGR:(4)	726	30.0 %
5	AGREE:(5)	1199	49.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	44	1.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,372 valid cases out of 2,416 total cases.

*Location:* 47-48 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V3218: 183A04B:GOVT DEAL ENV PR

Item Number: 08010

How much do you agree or disagree with each statement below?

B: Government should take steps to deal with our environmental problems, even if it means that most of us pay higher prices or taxes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	141	5.8 %
2	MOST DIS:(2)	182	7.5 %
3	NEITHER:(3)	504	20.9 %
4	MOST AGR:(4)	821	34.0 %
5	AGREE:(5)	717	29.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	51	2.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,365 valid cases out of 2,416 total cases.

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V3219: 183A04C:MR\$ FR LASTG THG

Item Number: 08020

How much do you agree or disagree with each statement below?

C: I would prefer to pay more money for things that will last a long time, rather than have them cost less and break sooner

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	29	1.2 %
2	MOST DIS:(2)	41	1.7 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	220	9.1 %
4	MOST AGR:(4)	688	28.5 %
5	AGREE:(5)	1373	56.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	65	2.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,351 valid cases out of 2,416 total cases.

*Location:* 51-52 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3220: 183A04D:USE BYC/MAS TRAN

Item Number: 08030

How much do you agree or disagree with each statement below?

D: I would probably be willing to use a bicycle or mass transit (if available) rather than a car to get to work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	631	26.1 %
2	MOST DIS:(2)	484	20.0 %
3	NEITHER:(3)	442	18.3 %
4	MOST AGR:(4)	449	18.6 %
5	AGREE:(5)	353	14.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	57	2.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,359 valid cases out of 2,416 total cases.

*Location:* 53-54 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3221: 183A04E:EAT DIF->FD STRV

Item Number: 08040

How much do you agree or disagree with each statement below?

E: I would be willing to eat less meat and more grains and vegetables, if it would help provide food for starving people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	269	11.1 %
2	MOST DIS:(2)	238	9.9 %
3	NEITHER:(3)	443	18.3 %
4	MOST AGR:(4)	614	25.4 %
5	AGREE:(5)	787	32.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	65	2.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,351 valid cases out of 2,416 total cases.

*Location:* 55-56 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3222: 183A05A:LIK WRK CAN FRGT

Item Number: 08050

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

A: I like the kind of work you can forget about after the work day is over

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	244	10.1 %
2	MOST DIS:(2)	343	14.2 %
3	NEITHER:(3)	697	28.8 %
4	MOST AGR:(4)	589	24.4 %
5	AGREE:(5)	477	19.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	66	2.7 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,350 valid cases out of 2,416 total cases.

*Location:* 57-58 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3223: 183A05B:WRK = ONLY MK LVNG

Item Number: 08060

Please show whether you agree or disagree with each statement.

B: To me, work is nothing more than making a living

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	543	22.5 %
2	MOST DIS:(2)	603	25.0 %
3	NEITHER:(3)	417	17.3 %
4	MOST AGR:(4)	476	19.7 %
5	AGREE:(5)	320	13.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	57	2.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,359 valid cases out of 2,416 total cases.

*Location:* 59-60 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3224: 183A05C:WRK CNTRL PRT LF

Item Number: 08070

Please show whether you agree or disagree with each statement.

C: I expect my work to be a very central part of my life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	52	2.2 %
2	MOST DIS:(2)	170	7.0 %
3	NEITHER:(3)	475	19.7 %
4	MOST AGR:(4)	1073	44.4 %
5	AGREE:(5)	571	23.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	75	3.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,341 valid cases out of 2,416 total cases.

*Location:* 61-62 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3225: 183A05D:OVTM 2DO BST JOB

Item Number: 08080

Please show whether you agree or disagree with each statement.

D: I want to do my best in my job, even if this sometimes means working overtime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	20	0.8 %
2	MOST DIS:(2)	61	2.5 %
3	NEITHER:(3)	221	9.1 %
4	MOST AGR:(4)	858	35.5 %
5	AGREE:(5)	1194	49.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	62	2.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,354 valid cases out of 2,416 total cases.

*Location:* 63-64 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3226: 183A05E:SAME JOB MST LIF

Item Number: 08090

Please show whether you agree or disagree with each statement.

E: I would like to stay in the same job for most of my adult life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	201	8.3 %
2	MOST DIS:(2)	269	11.1 %
3	NEITHER:(3)	510	21.1 %
4	MOST AGR:(4)	688	28.5 %
5	AGREE:(5)	682	28.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	66	2.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,350 valid cases out of 2,416 total cases.

*Location:* 65-66 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3227: 183A06 :ENUF\$,NT WNT WRK

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

Value	Label	Unweighted Frequency	%
1	WORK:(1)	1649	68.3 %
2	NOT WORK:(2)	575	23.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	192	7.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,224 valid cases out of 2,416 total cases.

*Location:* 67-68 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3228: 183A07A:DES FRND OTH RC

Item Number: 08110

The next questions are about living or working with people of different races. Please rate each of the statements below using the following terms:

Not at all acceptable: I'd avoid this if I possibly could.

Somewhat acceptable: I could live with this, but not be happy about it.

Acceptable: This would be O.K., or I'd be neutral about this.

Desirable: I'd really like this.

How would you feel about . . .

A: . . . Having close personal friends of another race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	22	0.9 %
2	SOMEWHAT:(2)	42	1.7 %
3	ACCEPTBL:(3)	1041	43.1 %
4	DESIRBL:(4)	1240	51.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	71	2.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,345 valid cases out of 2,416 total cases.

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3229: 183A07B:DES SUPVR DIF RC

Item Number: 08120

How would you feel about . . .

B: . . . Having a job with a supervisor of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	23	1.0 %
2	SOMEWHAT:(2)	73	3.0 %
3	ACCEPTBL:(3)	1336	55.3 %
4	DESIRBL:(4)	904	37.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	80	3.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,336 valid cases out of 2,416 total cases.

*Location:* 71-72 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3230: 183A07C:DES FAM NX DF RC

Item Number: 08130

How would you feel about . . .

C: . . . Having a family of a different race (but same level of education and income) move next door to you?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	30	1.2 %
2	SOMEWHAT:(2)	51	2.1 %
3	ACCEPTBL:(3)	1203	49.8 %
4	DESIRBL:(4)	1048	43.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	84	3.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,332 valid cases out of 2,416 total cases.

*Location:* 73-74 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3231: 183A07D:DES CHL FD SM RC

Item Number: 08140

How would you feel about . . .

D: . . . Having your (future) children's friends be all of your race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	233	9.6 %
2	SOMEWHAT:(2)	420	17.4 %
3	ACCEPTBL:(3)	1291	53.4 %
4	DESIRBL:(4)	377	15.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	95	3.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,321 valid cases out of 2,416 total cases.

*Location:* 75-76 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3232: 183A07E:DES CHL FD OT RC

Item Number: 08150

How would you feel about . . .

E: . . . Having some of your (future) children's friends be of other races?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	33	1.4 %
2	SOMEWHAT:(2)	65	2.7 %
3	ACCEPTBL:(3)	1146	47.4 %
4	DESIRBL:(4)	1092	45.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	80	3.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,336 valid cases out of 2,416 total cases.

*Location:* 77-78 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3233: 183A08A:DES AL WKS SM RC

Item Number: 08160

How would you feel about having a job where . . .

A: . . . all the employees are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	261	10.8 %
2	SOMEWHAT:(2)	514	21.3 %
3	ACCEPTBL:(3)	1286	53.2 %
4	DESIRBL:(4)	269	11.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	86	3.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,330 valid cases out of 2,416 total cases.

*Location:* 79-80 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3234: 183A08B:DES SO WKS DF RC

Item Number: 08170

How would you feel about having a job where . . .

B: . . . some employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	19	0.8 %
2	SOMEWHAT:(2)	87	3.6 %
3	ACCEPTBL:(3)	1406	58.2 %

Value	Label	Unweighted Frequency	%
4	DESIRBL:(4)	815	33.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	89	3.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,327 valid cases out of 2,416 total cases.

*Location:* 81-82 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3235: 183A08C:DES MS WKS DF RC

Item Number: 08180

How would you feel about having a job where . . .

C: . . . most employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	65	2.7 %
2	SOMEWHAT:(2)	218	9.0 %
3	ACCEPTBL:(3)	1429	59.1 %
4	DESIRBL:(4)	614	25.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	90	3.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,326 valid cases out of 2,416 total cases.

*Location:* 83-84 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3236: 183A09A:DES AL NGB SM RC

Item Number: 08190

How would you feel about living in an area where . . .

A: . . . all the neighbors are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	219	9.1 %
2	SOMEWHAT:(2)	411	17.0 %
3	ACCEPTBL:(3)	1388	57.5 %
4	DESIRBL:(4)	309	12.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	89	3.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,327 valid cases out of 2,416 total cases.

*Location:* 85-86 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3237: 183A09B:DES SO NGB OT RC

Item Number: 08200

How would you feel about living in an area where . . .

B: . . . some of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	17	0.7 %
2	SOMEWHAT:(2)	119	4.9 %
3	ACCEPTBL:(3)	1498	62.0 %
4	DESIRBL:(4)	685	28.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	97	4.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,319 valid cases out of 2,416 total cases.

*Location:* 87-88 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3238: 183A09C:DES MS NGB OT RC

Item Number: 08210

How would you feel about living in an area where . . .

C: . . . most of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	89	3.7 %
2	SOMEWHAT:(2)	252	10.4 %
3	ACCEPTBL:(3)	1451	60.1 %
4	DESIRBL:(4)	516	21.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	108	4.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,308 valid cases out of 2,416 total cases.

*Location:* 89-90 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3239: 183A10A:DES AL CHL SM RC

Item Number: 08220

How would you feel about having your (future) children go to schools where . . .

A: . . . all the children are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	370	15.3 %
2	SOMEWHAT:(2)	425	17.6 %
3	ACCEPTBL:(3)	1225	50.7 %
4	DESIRBL:(4)	301	12.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	95	3.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,321 valid cases out of 2,416 total cases.

*Location:* 91-92 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3240: 183A10B:DES SM CHL OT RC

Item Number: 08230

How would you feel about having your (future) children go to schools where . . .

B: . . . some of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	26	1.1 %
2	SOMEWHAT:(2)	126	5.2 %
3	ACCEPTBL:(3)	1434	59.4 %
4	DESIRBL:(4)	738	30.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	92	3.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,324 valid cases out of 2,416 total cases.

*Location:* 93-94 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3241: 183A10C:DES MS CHL OT RC

Item Number: 08240

How would you feel about having your (future) children go to schools where . . .

C: . . . most of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	126	5.2 %

Value	Label	Unweighted Frequency	%
2	SOMEWHAT:(2)	296	12.3 %
3	ACCEPTBL:(3)	1313	54.3 %
4	DESIRBL:(4)	583	24.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	98	4.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,318 valid cases out of 2,416 total cases.

*Location:* 95-96 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3242: 183A11 :FRNDS AL OT RC

Item Number: 08250

What race are your close friends?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"  
 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%
1	ALL MY:(1)	243	10.1 %
2	ALM ALL MY:(2)	480	19.9 %
3	MOST MY:(3)	605	25.0 %
4	HALF MY:(4)	479	19.8 %
5	MOST OTH:(5)	308	12.7 %
6	ALM ALL OTH:(6)	207	8.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	94	3.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,322 valid cases out of 2,416 total cases.

*Location:* 97-98 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3243: 183A12 :NGBHD AL OT RC

Item Number: 08260

What race are the people in your neighborhood?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"  
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost  
All Other Race(s)"

Value	Label	Unweighted Frequency	%
1	ALL MY:(1)	325	13.5 %
2	ALM ALL MY:(2)	535	22.1 %
3	MOST MY:(3)	466	19.3 %
4	HALF MY:(4)	378	15.6 %
5	MOST OTH:(5)	348	14.4 %
6	ALM ALL OTH:(6)	255	10.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	109	4.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,307 valid cases out of 2,416 total cases.

*Location:* 99-100 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3244: 183A13 :ELEMSCH AL OT RC

Item Number: 08270

What race were the students in the elementary school where  
you spent the most time?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"  
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost  
All Other Race(s)"

Value	Label	Unweighted Frequency	%
1	ALL MY:(1)	254	10.5 %
2	ALM ALL MY:(2)	524	21.7 %
3	MOST MY:(3)	520	21.5 %
4	HALF MY:(4)	420	17.4 %
5	MOST OTH:(5)	316	13.1 %
6	ALM ALL OTH:(6)	273	11.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	109	4.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,307 valid cases out of 2,416 total cases.

*Location:* 101-102 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3245: 183A14 :HISCH AL OT RC

Item Number: 08280

What race are the students in your present school (if you are in school)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"

4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%
1	ALL MY:(1)	76	3.1 %
2	ALM ALL MY:(2)	419	17.3 %
3	MOST MY:(3)	597	24.7 %
4	HALF MY:(4)	537	22.2 %
5	MOST OTH:(5)	374	15.5 %
6	ALM ALL OTH:(6)	288	11.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	125	5.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,291 valid cases out of 2,416 total cases.

*Location:* 103-104 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3246: 183A15 :WRKRS AL OT RC

Item Number: 08290

What race are the people that you work with on your job (if you have a job)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"

4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%
1	ALL MY:(1)	271	11.2 %

Value	Label	Unweighted Frequency	%
2	ALM ALL MY:(2)	369	15.3 %
3	MOST MY:(3)	389	16.1 %
4	HALF MY:(4)	365	15.1 %
5	MOST OTH:(5)	322	13.3 %
6	ALM ALL OTH:(6)	234	9.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	466	19.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,950 valid cases out of 2,416 total cases.

*Location:* 105-106 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3247: 183A16 :DO LOT THG OT RC

Item Number: 08300

How often do you do things (like having a conversation, eating together, playing sports) with people of other races?

1="Not at all" 2="A little" 3="Some" 4="A lot"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	84	3.5 %
2	A LITTLE:(2)	304	12.6 %
3	SOME:(3)	771	31.9 %
4	A LOT:(4)	1159	48.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	98	4.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,318 valid cases out of 2,416 total cases.

*Location:* 107-108 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3248: 183A17 :VRY GD EXP OT RC

Item Number: 08310

Generally, how do you feel about the experiences you have had with people of other races?

5="Very good" 4="Mostly good" 3="Mixed" 2="Mostly bad" 1="Very bad"

Value	Label	Unweighted Frequency	%
1	VERY BAD:(1)	28	1.2 %
2	MSTLY BAD:(2)	35	1.4 %
3	MIXED:(3)	450	18.6 %
4	MSTLY GOOD:(4)	984	40.7 %
5	VRY GOOD:(5)	825	34.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	94	3.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,322 valid cases out of 2,416 total cases.

*Location:* 109-110 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3249: 183A18 :MARRD OR ENGAGED

Item Number: 08320

The next questions are about some of your own plans. Are you married or engaged?

1="Married--SKIP TO QUESTION 20" 2="Engaged" 3="Neither"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	6	0.2 %
2	ENGAGED:(2)	59	2.4 %
3	NEITHER:(3)	2049	84.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	302	12.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,114 valid cases out of 2,416 total cases.

*Location:* 111-112 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3250: 183A19 :WHN WANT GT MARR

Item Number: 08330

If it were just up to you, what would be the ideal time for you to get married?

1="Within the next year or so" 2="Two or three years from now"  
3="Four or five years from now" 4="Over five years from now"  
5="I don't want to marry"

Value	Label	Unweighted Frequency	%
1	NEXT YR:(1)	57	2.4 %
2	2-3 YRS:(2)	150	6.2 %
3	4-5 YRS:(3)	606	25.1 %
4	OVER 5 YRS:(4)	1197	49.5 %
5	WONT MARRY:(5)	160	6.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	246	10.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,170 valid cases out of 2,416 total cases.

*Location:* 113-114 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3251: 183A20 :THGT LOT HAV CHL

Item Number: 08340

Have you thought at all about whether you'd like to have children or how many you'd like to have?

3="I've thought about it a lot" 2="I've thought about it a little" 1="I haven't thought about it at all"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	220	9.1 %
2	A LITTLE:(2)	1237	51.2 %
3	A LOT:(3)	837	34.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	122	5.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,294 valid cases out of 2,416 total cases.

*Location:* 115-116 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

### V3252: 183A21 :# CHLDN WANT(6+)

Item Number: 08350

All things considered, if you could have exactly the number of children you want, what number would you choose to have?

1="None" 2="One" 3="Two" 4="Three" 5="Four" 6="Five" 7="Six or more" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	123	5.1 %
2	ONE:(2)	126	5.2 %
3	TWO:(3)	959	39.7 %
4	THREE:(4)	554	22.9 %
5	FOUR:(5)	209	8.7 %
6	FIVE:(6)	47	1.9 %
7	SIX+:(7)	54	2.2 %
8	DK:(8)	238	9.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	106	4.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,310 valid cases out of 2,416 total cases.

*Location:* 117-118 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3253: 183A22 :IF -POP, MR CHLD

Item Number: 08360

If the "population explosion" were NOT a problem, would you choose to have a larger number of children?

4="Yes, I'm sure I would want more" 3="I probably would want more" 2="I probably would not want more" 1="I'm sure I would not want more" 8="Don't know, no idea"

Value	Label	Unweighted Frequency	%
1	SURE NOT:(1)	773	32.0 %

Value	Label	Unweighted Frequency	%
2	PROBLY NOT:(2)	676	28.0 %
3	PROBABLY:(3)	165	6.8 %
4	YES:(4)	124	5.1 %
8	DK:(8)	595	24.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	83	3.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,333 valid cases out of 2,416 total cases.

*Location:* 119-120 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3254: 183A23 :WHN 1ST CHL(5+Y)

Item Number: 08370

If it were just up to you, how soon after getting married would you want to have your first child?

1="I don't want to have children (or get married)" 2="I wouldn't wait at all" 3="I would wait one year" 4="I would wait two years" 5="I would wait three years" 6="I would wait four or five years" 7="I would wait more than five years" 8="Don't know, or already have a child"

Value	Label	Unweighted Frequency	%
1	DONT WANT:(1)	133	5.5 %
2	NO WAIT:(2)	143	5.9 %
3	WAIT 1 YR:(3)	640	26.5 %
4	WAIT 2 YRS:(4)	566	23.4 %
5	WAIT 3 YRS:(5)	293	12.1 %
6	WAIT 4-5 YRS:(6)	150	6.2 %
7	WAIT >5 YRS:(7)	67	2.8 %
8	DK/HAV KID:(8)	314	13.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	110	4.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,306 valid cases out of 2,416 total cases.

*Location:* 121-122 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3255: 183A24A:GD JB LARG CORPS

Item Number: 08380

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

A: . . . Large corporations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	141	5.8 %
2	POOR:(2)	352	14.6 %
3	FAIR:(3)	648	26.8 %
4	GOOD:(4)	450	18.6 %
5	VRY GOOD:(5)	149	6.2 %
8	NO OPINION:(8)	554	22.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	122	5.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,294 valid cases out of 2,416 total cases.

*Location:* 123-124 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3256: 183A24B:GD JB LBR UNIONS

Item Number: 08390

How good or bad a job is being done for the country as a whole by . . .

B: . . . Major labor unions?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	58	2.4 %

Value	Label	Unweighted Frequency	%
2	POOR:(2)	224	9.3 %
3	FAIR:(3)	688	28.5 %
4	GOOD:(4)	466	19.3 %
5	VRY GOOD:(5)	130	5.4 %
8	NO OPINION:(8)	732	30.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	118	4.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,298 valid cases out of 2,416 total cases.

*Location:* 125-126 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3257: 183A24C:GD JB COLLG/UNIV

Item Number: 08400

How good or bad a job is being done for the country as a whole by . . .

C: . . . The nation's colleges and universities?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	99	4.1 %
2	POOR:(2)	245	10.1 %
3	FAIR:(3)	615	25.5 %
4	GOOD:(4)	713	29.5 %
5	VRY GOOD:(5)	320	13.2 %
8	NO OPINION:(8)	301	12.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	123	5.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,293 valid cases out of 2,416 total cases.

*Location:* 127-128 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3258: 183A24D:GD JB PBLC SCHOL

Item Number: 08410

How good or bad a job is being done for the country as a whole by . . .

D: . . . The nation's public schools?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	239	9.9 %
2	POOR:(2)	464	19.2 %
3	FAIR:(3)	726	30.0 %
4	GOOD:(4)	476	19.7 %
5	VRY GOOD:(5)	134	5.5 %
8	NO OPINION:(8)	258	10.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	119	4.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,297 valid cases out of 2,416 total cases.

*Location:* 129-130 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3259: 183A24E:GD JB CHURCHES

Item Number: 08420

How good or bad a job is being done for the country as a whole by . . .

E: . . . Churches and religious organizations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	119	4.9 %
2	POOR:(2)	194	8.0 %
3	FAIR:(3)	627	26.0 %
4	GOOD:(4)	551	22.8 %
5	VRY GOOD:(5)	272	11.3 %

Value	Label	Unweighted Frequency	%
8	NO OPINION:(8)	530	21.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	123	5.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,293 valid cases out of 2,416 total cases.

*Location:* 131-132 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3260: 183A24F:GD JB NEWS MEDIA

Item Number: 08430

How good or bad a job is being done for the country as a whole by . . .

F: . . . The national news media (TV, magazines, news services)?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	421	17.4 %
2	POOR:(2)	486	20.1 %
3	FAIR:(3)	553	22.9 %
4	GOOD:(4)	323	13.4 %
5	VRY GOOD:(5)	157	6.5 %
8	NO OPINION:(8)	351	14.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	125	5.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,291 valid cases out of 2,416 total cases.

*Location:* 133-134 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3261: 183A24G:GD JB PRES/ADMIN

Item Number: 08440

How good or bad a job is being done for the country as a whole by . . .

G: . . . The President and his administration?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	678	28.1 %
2	POOR:(2)	402	16.6 %
3	FAIR:(3)	402	16.6 %
4	GOOD:(4)	269	11.1 %
5	VRY GOOD:(5)	188	7.8 %
8	NO OPINION:(8)	353	14.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	124	5.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,292 valid cases out of 2,416 total cases.

*Location:* 135-136 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3262: 183A24H:GD JB CONGRESS

Item Number: 08450

How good or bad a job is being done for the country as a whole by . . .

H: . . . Congress--that is, the U.S. Senate and House of Representatives?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	343	14.2 %
2	POOR:(2)	433	17.9 %
3	FAIR:(3)	607	25.1 %
4	GOOD:(4)	250	10.3 %
5	VRY GOOD:(5)	93	3.8 %
8	NO OPINION:(8)	554	22.9 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	136	5.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,280 valid cases out of 2,416 total cases.

*Location:* 137-138 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3263: 183A24I:GD JB SUPRM CRT

Item Number: 08460

How good or bad a job is being done for the country as a whole by . . .

I: . . . The U.S. Supreme Court?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	193	8.0 %
2	POOR:(2)	236	9.8 %
3	FAIR:(3)	695	28.8 %
4	GOOD:(4)	387	16.0 %
5	VRY GOOD:(5)	125	5.2 %
8	NO OPINION:(8)	634	26.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	146	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,270 valid cases out of 2,416 total cases.

*Location:* 139-140 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3264: 183A24J:GD JB JUSTC SYST

Item Number: 08470

How good or bad a job is being done for the country as a whole by . . .

J: . . . All the courts and the justice system in general?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	231	9.6 %
2	POOR:(2)	379	15.7 %
3	FAIR:(3)	677	28.0 %
4	GOOD:(4)	344	14.2 %
5	VRY GOOD:(5)	80	3.3 %
8	NO OPINION:(8)	562	23.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	143	5.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,273 valid cases out of 2,416 total cases.

*Location:* 141-142 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3265: 183A24K:GD JB POLICE

Item Number: 08480

How good or bad a job is being done for the country as a whole by . . .

K: . . . The police and other law enforcement agencies?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	298	12.3 %
2	POOR:(2)	364	15.1 %
3	FAIR:(3)	636	26.3 %
4	GOOD:(4)	437	18.1 %
5	VRY GOOD:(5)	211	8.7 %
8	NO OPINION:(8)	334	13.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	136	5.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,280 valid cases out of 2,416 total cases.

*Location:* 143-144 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3266: 183A24L:GD JB MILITARY

Item Number: 08490

How good or bad a job is being done for the country as a whole by . . .

L: . . . The U.S. military?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	83	3.4 %
2	POOR:(2)	87	3.6 %
3	FAIR:(3)	432	17.9 %
4	GOOD:(4)	576	23.8 %
5	VRY GOOD:(5)	669	27.7 %
8	NO OPINION:(8)	427	17.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	142	5.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,274 valid cases out of 2,416 total cases.

*Location:* 145-146 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3267: 183A25 :MIL TOO MCH INFL

Item Number: 08500

All things considered, do you think the armed services presently have too much or too little influence on the way this country is run?

1="Far too little" 2="Too little" 3="About right" 4="Too much"  
5="Far too much"

Value	Label	Unweighted Frequency	%
1	FAR TOO LTL:(1)	97	4.0 %

Value	Label	Unweighted Frequency	%
2	TOO LITTL:(2)	373	15.4 %
3	ABT RIGHT:(3)	1251	51.8 %
4	TOO MUCH:(4)	430	17.8 %
5	FAR TOO MCH:(5)	111	4.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,262 valid cases out of 2,416 total cases.

*Location:* 147-148 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3268: 183A26 :US TOO MCH\$ MILT

Item Number: 08510

Do you think the U.S. spends too much or too little on the armed services?

1="Far too little" 2="Too little" 3="About right" 4="Too much"

5="Far too much"

Value	Label	Unweighted Frequency	%
1	FAR TOO LTL:(1)	119	4.9 %
2	TOO LITTL:(2)	394	16.3 %
3	ABT RIGHT:(3)	934	38.7 %
4	TOO MUCH:(4)	553	22.9 %
5	FAR TOO MCH:(5)	271	11.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	145	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,271 valid cases out of 2,416 total cases.

*Location:* 149-150 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3273: 183A27A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	248	10.3 %
2	DISAPPRV:(2)	676	28.0 %
3	STRG DIS:(3)	1371	56.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	121	5.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,295 valid cases out of 2,416 total cases.

*Location:* 151-152 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3274: 183A27B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1399	57.9 %
2	DISAPPRV:(2)	486	20.1 %
3	STRG DIS:(3)	410	17.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	121	5.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,295 valid cases out of 2,416 total cases.

*Location:* 153-154 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3275: 183A27C:DAP SMK MRJ OCCS

Item Number: 08580

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?  
(Mark one circle for each line.)

C. Using marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1212	50.2 %
2	DISAPPRV:(2)	547	22.6 %
3	STRG DIS:(3)	526	21.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	131	5.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,285 valid cases out of 2,416 total cases.

*Location:* 155-156 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3276: 183A27D:DAP SMK MRJ REGL

Item Number: 08590

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?  
(Mark one circle for each line.)

D. Using marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	783	32.4 %
2	DISAPPRV:(2)	702	29.1 %
3	STRG DIS:(3)	802	33.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	129	5.3 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,287 valid cases out of 2,416 total cases.

*Location:* 157-158 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3277: 183A27E:DAP TRY LSD 1-2T

Item Number: 08600

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying LSD once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	464	19.2 %
2	DISAPPRV:(2)	601	24.9 %
3	STRG DIS:(3)	1219	50.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	132	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,284 valid cases out of 2,416 total cases.

*Location:* 159-160 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3278: 183A27F:DAP TKG LSD REGL

Item Number: 08610

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking LSD regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	152	6.3 %

Value	Label	Unweighted Frequency	%
2	DISAPPRV:(2)	505	20.9 %
3	STRG DIS:(3)	1628	67.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	131	5.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,285 valid cases out of 2,416 total cases.

*Location:* 161-162 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3279: 183A27G:DAP TRY HRN 1-2T

Item Number: 08620

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Trying heroin once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	113	4.7 %
2	DISAPPRV:(2)	287	11.9 %
3	STRG DIS:(3)	1883	77.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	133	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,416 total cases.

*Location:* 163-164 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3280: 183A27H:DAP TKG HRN OCCS

Item Number: 08630

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Taking heroin occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	80	3.3 %
2	DISAPPRV:(2)	261	10.8 %
3	STRG DIS:(3)	1962	81.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	113	4.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,303 valid cases out of 2,416 total cases.

*Location:* 165-166 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3281: 183A27I:DAP TKG HRN REGI

Item Number: 08640

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking heroin regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	71	2.9 %
2	DISAPPRV:(2)	200	8.3 %
3	STRG DIS:(3)	2029	84.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	116	4.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,300 valid cases out of 2,416 total cases.

*Location:* 167-168 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3501: 183A27J:DAP TRY SED/B1-2

Item Number: 08655

Do YOU disapprove of people (who are 18 or older) doing

each of the following?

J: Taking a sedative/barbiturate (downer) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	304	12.6 %
2	DISAPPRV:(2)	595	24.6 %
3	STRG DIS:(3)	1380	57.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	137	5.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,279 valid cases out of 2,416 total cases.

*Location:* 169-170 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3502: 183A27K:DAP USE SED/BREG

Item Number: 08665

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking a sedative/barbiturate (downer) regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	115	4.8 %
2	DISAPPRV:(2)	482	20.0 %
3	STRG DIS:(3)	1675	69.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	144	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,272 valid cases out of 2,416 total cases.

*Location:* 171-172 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3284: 183A27L:DAP TRY AMP 1-2T

Item Number: 08670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Trying an amphetamine (uppers, speed, Adderall, Ritalin, etc.) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	447	18.5 %
2	DISAPPRV:(2)	559	23.1 %
3	STRG DIS:(3)	1276	52.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	134	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,282 valid cases out of 2,416 total cases.

*Location:* 173-174 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3285: 183A27M:DAP TKG AMP REGL

Item Number: 08680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking amphetamines regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	171	7.1 %
2	DISAPPRV:(2)	478	19.8 %
3	STRG DIS:(3)	1634	67.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	133	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,416 total cases.

*Location:* 175-176 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V3286: 183A27N:DAP TRY COC 1-2T

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	261	10.8 %
2	DISAPPRV:(2)	394	16.3 %
3	STRG DIS:(3)	1637	67.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	124	5.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,292 valid cases out of 2,416 total cases.

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V3287: 183A27O:DAP TKG COC REGL

Item Number: 08700

Do YOU disapprove of people (who are 18 or older) doing each of the following?

O: Taking cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	97	4.0 %
2	DISAPPRV:(2)	273	11.3 %
3	STRG DIS:(3)	1915	79.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	131	5.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,285 valid cases out of 2,416 total cases.

*Location:* 179-180 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3288: 183A27P:DAP TRY DRK ALCL

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

P: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1634	67.6 %
2	DISAPPRV:(2)	338	14.0 %
3	STRG DIS:(3)	322	13.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	122	5.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,294 valid cases out of 2,416 total cases.

*Location:* 181-182 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3289: 183A27Q:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Q: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	583	24.1 %
2	DISAPPRV:(2)	891	36.9 %
3	STRG DIS:(3)	815	33.7 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	127	5.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,289 valid cases out of 2,416 total cases.

*Location:* 183-184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3290: 183A27R:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

R: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	186	7.7 %
2	DISAPPRV:(2)	531	22.0 %
3	STRG DIS:(3)	1572	65.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	127	5.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,289 valid cases out of 2,416 total cases.

*Location:* 185-186 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3291: 183A27S:DAP 5+ DRK WKNDS

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

S: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	579	24.0 %
2	DISAPPRV:(2)	654	27.1 %
3	STRG DIS:(3)	1055	43.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	128	5.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,288 valid cases out of 2,416 total cases.

*Location:* 187-188 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3604: 183A27T:DISAP VAPE NIC OCCAS

Item number: 34210

Do YOU disapprove of people doing each of the following?

T: Vaping an e-liquid with nicotine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	923	38.2 %
2	DISAPPRV:(2)	635	26.3 %
3	STRG DIS:(3)	726	30.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	132	5.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,284 valid cases out of 2,416 total cases.

*Location:* 189-190 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3605: 183A27U:DISAP VAPE NIC REGLY

Item number: 34220

Do YOU disapprove of people doing each of the following?

U: Vaping an e-liquid with nicotine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	593	24.5 %
2	DISAPPRV:(2)	696	28.8 %
3	STRG DIS:(3)	995	41.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	132	5.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,284 valid cases out of 2,416 total cases.

*Location:* 191-192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3292: 183A28A:12MO NR OTH MARJ

Item Number: 20590

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

A: Marijuana (pot, weed) or hashish

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	640	26.5 %
2	1-2X:(2)	433	17.9 %
3	OCCASONLY:(3)	528	21.9 %
4	OFTEN:(4)	685	28.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	130	5.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,286 valid cases out of 2,416 total cases.

*Location:* 193-194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3293: 183A28B:12MO NR OTH LSD

Item Number: 20600

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

B: LSD

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1898	78.6 %
2	1-2X:(2)	240	9.9 %
3	OCCASONLY:(3)	84	3.5 %
4	OFTEN:(4)	50	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	144	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,272 valid cases out of 2,416 total cases.

*Location:* 195-196 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3294: 183A28C:12MO NR OTH PSYC

Item Number: 20610

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

C: Other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1900	78.6 %
2	1-2X:(2)	244	10.1 %
3	OCCASONLY:(3)	85	3.5 %
4	OFTEN:(4)	44	1.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	143	5.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,273 valid cases out of 2,416 total cases.

*Location:* 197-198 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V3295: 183A28D:12MO NR OTH AMPH

Item Number: 20620

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

D: Amphetamines (uppers, speed, Adderall, Ritalin, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1741	72.1 %
2	1-2X:(2)	279	11.5 %
3	OCCASONLY:(3)	171	7.1 %
4	OFTEN:(4)	82	3.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	143	5.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,273 valid cases out of 2,416 total cases.

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V3503: 183A28E:12MO NR SED/BARB

Item Number: 20635

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

E: Sedatives/barbiturates (downers)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1990	82.4 %
2	1-2X:(2)	148	6.1 %
3	OCCASONLY:(3)	79	3.3 %
4	OFTEN:(4)	45	1.9 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,262 valid cases out of 2,416 total cases.

*Location:* 201-202 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3297: 183A28F:12MO NR OTH TRQL

Item Number: 20640

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

F: Tranquilizers (Librium, Valium, Xanax)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1777	73.6 %
2	1-2X:(2)	277	11.5 %
3	OCCASONLY:(3)	145	6.0 %
4	OFTEN:(4)	71	2.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	146	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,270 valid cases out of 2,416 total cases.

*Location:* 203-204 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3298: 183A28G:12MO NR OTH COKE

Item Number: 20650

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

G: Cocaine ("coke")

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1877	77.7 %
2	1-2X:(2)	248	10.3 %
3	OCCASONLY:(3)	101	4.2 %
4	OFTEN:(4)	46	1.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	144	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,272 valid cases out of 2,416 total cases.

*Location:* 205-206 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3299: 183A28H:12MO NR OTH HRN

Item Number: 20660

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

H: Heroin

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2145	88.8 %
2	1-2X:(2)	84	3.5 %
3	OCCASONLY:(3)	20	0.8 %
4	OFTEN:(4)	17	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	150	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,416 total cases.

*Location:* 207-208 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3300: 183A28I:12MO NR OTH NARC

Item Number: 20670

During the LAST 12 MONTHS, how often have you been around

people who were taking each of the following to get high?

I: Other narcotics (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1855	76.8 %
2	1-2X:(2)	266	11.0 %
3	OCCASONLY:(3)	98	4.1 %
4	OFTEN:(4)	46	1.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	151	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,265 valid cases out of 2,416 total cases.

*Location:* 209-210 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3301: 183A28J:12MO NR OTH ALCL

Item Number: 20680

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

J: Alcoholic beverages (beer, wine, liquor)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	474	19.6 %
2	1-2X:(2)	358	14.8 %
3	OCCASONLY:(3)	624	25.8 %
4	OFTEN:(4)	808	33.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 211-212 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3460: 183A29A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	79	3.3 %
2	SLIGHT:(2)	92	3.8 %
3	MOD RISK:(3)	340	14.1 %
4	GRT RISK:(4)	1670	69.1 %
5	CANT SAY:(5)	86	3.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	149	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,267 valid cases out of 2,416 total cases.

*Location:* 213-214 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3461: 183A29B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1159	48.0 %
2	SLIGHT:(2)	572	23.7 %
3	MOD RISK:(3)	233	9.6 %

Value	Label	Unweighted Frequency	%
4	GRT RISK:(4)	202	8.4 %
5	CANT SAY:(5)	91	3.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	159	6.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,257 valid cases out of 2,416 total cases.

*Location:* 215-216 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3462: 183A29C:RSK OF MJ OCSNLY

Item Number: 12380

The next questions ask for your opinions on the effects of using certain drugs and other substances.

How much do you think people risk harming themselves

(physically or in other ways) if they . . .

C. . . . Use marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4=Great Risk"

5="Can't say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	758	31.4 %
2	SLIGHT:(2)	645	26.7 %
3	MOD RISK:(3)	436	18.0 %
4	GRT RISK:(4)	321	13.3 %
5	CANT SAY:(5)	93	3.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	163	6.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,253 valid cases out of 2,416 total cases.

*Location:* 217-218 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3463: 183A29D:RSK OF MJ REGLY

Item Number: 12390

The next questions ask for your opinions on the effects of using certain drugs and other substances.  
How much do you think people risk harming themselves (physically or in other ways) if they . . .

D. Use marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	460	19.0 %
2	SLIGHT:(2)	563	23.3 %
3	MOD RISK:(3)	508	21.0 %
4	GRT RISK:(4)	630	26.1 %
5	CANT SAY:(5)	94	3.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	161	6.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,416 total cases.

*Location:* 219-220 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3470: 183A29E:RSK OF 1-2 DRINK

Item Number: 12510

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Try one or two drinks of an alcoholic beverage  
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1080	44.7 %
2	SLIGHT:(2)	705	29.2 %
3	MOD RISK:(3)	221	9.1 %
4	GRT RISK:(4)	177	7.3 %
5	CANT SAY:(5)	73	3.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	160	6.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,256 valid cases out of 2,416 total cases.

*Location:* 221-222 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3471: 183A29F:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	237	9.8 %
2	SLIGHT:(2)	668	27.6 %
3	MOD RISK:(3)	776	32.1 %
4	GRT RISK:(4)	499	20.7 %
5	CANT SAY:(5)	73	3.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	163	6.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,253 valid cases out of 2,416 total cases.

*Location:* 223-224 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3472: 183A29G:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	96	4.0 %
2	SLIGHT:(2)	133	5.5 %
3	MOD RISK:(3)	502	20.8 %
4	GRT RISK:(4)	1448	59.9 %
5	CANT SAY:(5)	75	3.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	162	6.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,254 valid cases out of 2,416 total cases.

*Location:* 225-226 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3473: 183A29H:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	172	7.1 %
2	SLIGHT:(2)	320	13.2 %
3	MOD RISK:(3)	584	24.2 %
4	GRT RISK:(4)	1090	45.1 %
5	CANT SAY:(5)	83	3.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	167	6.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,249 valid cases out of 2,416 total cases.

*Location:* 227-228 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3606: 183A29I:RSK VAPE NIC OCC

Item Number: 34190

How much do you think people risk harming themselves (physically or in other ways), if they . . .

I: . . . Vape an e-liquid with nicotine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	501	20.7 %
2	SLIGHT:(2)	782	32.4 %
3	MOD RISK:(3)	401	16.6 %
4	GRT RISK:(4)	377	15.6 %
5	CANT SAY:(5)	191	7.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	164	6.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,416 total cases.

*Location:* 229-230 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3607: 183A29J:RSK VAPE NIC REGLY

Item Number: 34200

How much do you think people risk harming themselves (physically or in other ways), if they . . .

J: . . . Vape an e-liquid with nicotine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	288	11.9 %
2	SLIGHT:(2)	508	21.0 %
3	MOD RISK:(3)	601	24.9 %
4	GRT RISK:(4)	658	27.2 %
5	CANT SAY:(5)	192	7.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	169	7.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,416 total cases.

*Location:* 231-232 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3608: 183A30A:EASY GT CIG

Item number: 34460

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist or vapor into the lungs.

How difficult do you think it would be to get the following,  
if you wanted them? (Mark one circle for each line.)

### A. Cigarettes

1="Probably impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"  
5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	141	5.8 %
2	VRY DIFF:(2)	123	5.1 %
3	FRLY DIF:(3)	248	10.3 %
4	FRLY EAS:(4)	578	23.9 %
5	VRY EASY:(5)	1157	47.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	169	7.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,416 total cases.

*Location:* 233-234 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3609: 183A30B:EASY GT VAPE DEVICE

Item number: 34330

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist or vapor into the lungs.

How difficult do you think it would be to get the following,  
if you wanted them? (Mark one circle for each line.)

### B. Vaping device (like an e-pen or e-cigarette)

1="Probably impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"

5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	114	4.7 %
2	VRY DIFF:(2)	78	3.2 %
3	FRLY DIF:(3)	176	7.3 %
4	FRLY EAS:(4)	599	24.8 %
5	VRY EASY:(5)	1278	52.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	171	7.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,245 valid cases out of 2,416 total cases.

*Location:* 235-236 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3610: 183A30C:EASY GT NICOTIN VAPE

Item number: 34340

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist or vapor into the lungs.

How difficult do you think it would be to get the following, if you wanted them? (Mark one circle for each line.)

C. E-liquid with nicotine (for vaping)

1="Probably impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"

5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	126	5.2 %
2	VRY DIFF:(2)	95	3.9 %
3	FRLY DIF:(3)	215	8.9 %
4	FRLY EAS:(4)	583	24.1 %
5	VRY EASY:(5)	1217	50.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	180	7.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,236 valid cases out of 2,416 total cases.

*Location:* 237-238 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V3101: 183B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1729	71.6 %
2	1-2X:(2)	314	13.0 %
3	OCCASONLY:(3)	96	4.0 %
4	REG PAST:(4)	68	2.8 %
5	REG NOW:(5)	42	1.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	167	6.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,249 valid cases out of 2,416 total cases.

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V3102: 183B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	2097	86.8 %
2	<1 CIG/D:(2)	80	3.3 %
3	1-5/DAY:(3)	47	1.9 %
4	1/2 PK:(4)	11	0.5 %

Value	Label	Unweighted Frequency	%
5	1 PK:(5)	6	0.2 %
6	1 1/2 PK:(6)	3	0.1 %
7	2+ PKS:(7)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	168	7.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,248 valid cases out of 2,416 total cases.

*Location:* 241-242 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3103: 183B03 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF THE NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	923	38.2 %
2	YES:(2)	1263	52.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	230	9.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,186 valid cases out of 2,416 total cases.

*Location:* 243-244 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3104: 183B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said No to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	923	38.2 %
2	1-2X:(2)	188	7.8 %
3	3-5X:(3)	237	9.8 %
4	6-9X:(4)	202	8.4 %
5	10-19X:(5)	252	10.4 %
6	20-39X:(6)	143	5.9 %
7	40+OCCAS:(7)	222	9.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	249	10.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,167 valid cases out of 2,416 total cases.

*Location:* 245-246 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3105: 183B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1008	41.7 %
2	1-2X:(2)	346	14.3 %
3	3-5X:(3)	279	11.5 %
4	6-9X:(4)	198	8.2 %
5	10-19X:(5)	172	7.1 %
6	20-39X:(6)	77	3.2 %
7	40+OCCAS:(7)	81	3.4 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	255	10.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,161 valid cases out of 2,416 total cases.

*Location:* 247-248 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3106: 183B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1462	60.5 %
2	1-2X:(2)	397	16.4 %
3	3-5X:(3)	181	7.5 %
4	6-9X:(4)	52	2.2 %
5	10-19X:(5)	42	1.7 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	259	10.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,157 valid cases out of 2,416 total cases.

*Location:* 249-250 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3107: 183B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how

often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions"  
5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	336	13.9 %
2	FEW OCC:(2)	391	16.2 %
3	HALF OCC:(3)	170	7.0 %
4	MOST OCC:(4)	226	9.4 %
5	NRLY ALL:(5)	158	6.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1135	47.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,281 valid cases out of 2,416 total cases.

*Location:* 251-252 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3108: 183B06 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]  
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1775	73.5 %
2	ONCE:(2)	186	7.7 %
3	TWICE:(3)	83	3.4 %
4	3-5X:(4)	64	2.6 %
5	6-9X:(5)	13	0.5 %
6	10+ TIME:(6)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	284	11.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,132 valid cases out of 2,416 total cases.

*Location:* 253-254 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3115: 183B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1220	50.5 %
2	1-2X:(2)	232	9.6 %
3	3-5X:(3)	156	6.5 %
4	6-9X:(4)	104	4.3 %
5	10-19X:(5)	119	4.9 %
6	20-39X:(6)	97	4.0 %
7	40+OCCAS:(7)	294	12.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	194	8.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,222 valid cases out of 2,416 total cases.

*Location:* 255-256 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3116: 183B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1393	57.7 %
2	1-2X:(2)	251	10.4 %
3	3-5X:(3)	132	5.5 %
4	6-9X:(4)	88	3.6 %
5	10-19X:(5)	85	3.5 %
6	20-39X:(6)	82	3.4 %
7	40+OCCAS:(7)	191	7.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	194	8.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,222 valid cases out of 2,416 total cases.

*Location:* 257-258 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3117: 183B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1693	70.1 %
2	1-2X:(2)	185	7.7 %
3	3-5X:(3)	83	3.4 %
4	6-9X:(4)	53	2.2 %
5	10-19X:(5)	72	3.0 %
6	20-39X:(6)	45	1.9 %
7	40+OCCAS:(7)	82	3.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	203	8.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,213 valid cases out of 2,416 total cases.

*Location:* 259-260 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3118: 183B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD  
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2117	87.6 %
2	1-2X:(2)	70	2.9 %
3	3-5X:(3)	24	1.0 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	176	7.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,240 valid cases out of 2,416 total cases.

*Location:* 261-262 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3119: 183B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD  
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2162	89.5 %
2	1-2X:(2)	56	2.3 %
3	3-5X:(3)	13	0.5 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	172	7.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,244 valid cases out of 2,416 total cases.

*Location:* 263-264 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3120: 183B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD  
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2225	92.1 %
2	1-2X:(2)	13	0.5 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	171	7.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,245 valid cases out of 2,416 total cases.

*Location:* 265-266 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3121: 183B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2146	88.8 %
2	1-2X:(2)	62	2.6 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	173	7.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,416 total cases.

*Location:* 267-268 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3122: 183B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2185	90.4 %
2	1-2X:(2)	46	1.9 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	169	7.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,416 total cases.

*Location:* 269-270 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3123: 183B09C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2227	92.2 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	169	7.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,416 total cases.

*Location:* 271-272 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3127: 183B10A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-aware pills. On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own - that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2012	83.3 %
2	1-2X:(2)	91	3.8 %
3	3-5X:(3)	44	1.8 %
4	6-9X:(4)	28	1.2 %
5	10-19X:(5)	16	0.7 %
6	20-39X:(6)	13	0.5 %
7	40+OCCAS:(7)	29	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	183	7.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,233 valid cases out of 2,416 total cases.

*Location:* 273-274 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3128: 183B10B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2090	86.5 %
2	1-2X:(2)	67	2.8 %
3	3-5X:(3)	38	1.6 %
4	6-9X:(4)	15	0.6 %
5	10-19X:(5)	11	0.5 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	180	7.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,236 valid cases out of 2,416 total cases.

*Location:* 275-276 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3129: 183B10C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2170	89.8 %
2	1-2X:(2)	45	1.9 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	179	7.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,237 valid cases out of 2,416 total cases.

*Location:* 277-278 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3039: 183B11A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack"  
(cocaine in chunk or rock form) . . .

A. . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2238	92.6 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	148	6.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,268 valid cases out of 2,416 total cases.

*Location:* 279-280 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3040: 183B11B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack"  
(cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2254	93.3 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	146	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,270 valid cases out of 2,416 total cases.

*Location:* 281-282 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3041: 183B11C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack"  
(cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2262	93.6 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	145	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,271 valid cases out of 2,416 total cases.

*Location:* 283-284 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3042: 183B12A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2189	90.6 %
2	1-2X:(2)	32	1.3 %
3	3-5X:(3)	13	0.5 %
4	6-9X:(4)	6	0.2 %
5	10-19X:(5)	8	0.3 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	153	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,416 total cases.

*Location:* 285-286 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3043: 183B12B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2215	91.7 %
2	1-2X:(2)	20	0.8 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	151	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,265 valid cases out of 2,416 total cases.

*Location:* 287-288 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3044: 183B12C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2236	92.5 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	153	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,416 total cases.

*Location:* 289-290 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3124: 183R :#X COKE/LIFETIME

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2173	89.9 %
2	1-2X:(2)	34	1.4 %
3	3-5X:(3)	18	0.7 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	12	0.5 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	158	6.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,258 valid cases out of 2,416 total cases.

*Location:* 291-292 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3125: 183R :#X COKE/LAST12MO

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2205	91.3 %
2	1-2X:(2)	24	1.0 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,262 valid cases out of 2,416 total cases.

*Location:* 293-294 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3126: 183R :#X COKE/LAST30DA

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2230	92.3 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	8	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	156	6.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,260 valid cases out of 2,416 total cases.

*Location:* 295-296 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3133: 183B13A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2152	89.1 %
2	1-2X:(2)	54	2.2 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	12	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	157	6.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,259 valid cases out of 2,416 total cases.

*Location:* 297-298 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3134: 183B13B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives  
on your own--that is, without a doctor telling you to  
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2199	91.0 %
2	1-2X:(2)	32	1.3 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	153	6.3 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,416 total cases.

*Location:* 299-300 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3135: 183B13C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2239	92.7 %
2	1-2X:(2)	13	0.5 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 301-302 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3136: 183B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles.

Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2086	86.3 %
2	1-2X:(2)	88	3.6 %
3	3-5X:(3)	36	1.5 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	13	0.5 %
7	40+OCCAS:(7)	12	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	160	6.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,256 valid cases out of 2,416 total cases.

*Location:* 303-304 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3137: 183B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2164	89.6 %
2	1-2X:(2)	58	2.4 %
3	3-5X:(3)	12	0.5 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,262 valid cases out of 2,416 total cases.

*Location:* 305-306 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3138: 183B14C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2223	92.0 %
2	1-2X:(2)	15	0.6 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	160	6.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,256 valid cases out of 2,416 total cases.

*Location:* 307-308 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3139: 183B15A:#X H/LIFETIME

Item Number: 01100

On how many occasions (if any) have you used heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2231	92.3 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	169	7.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,416 total cases.

*Location:* 309-310 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3140: 183B15B:#X H/LAST 12MO

Item Number: 01110

On how many occasions (if any) have you used heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2242	92.8 %
2	1-2X:(2)	3	0.1 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	166	6.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,416 total cases.

*Location:* 311-312 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3141: 183B15C:#X H/LAST 30DA

Item Number: 01120

On how many occasions (if any) have you used heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2244	92.9 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	166	6.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,416 total cases.

*Location:* 313-314 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3142: 183B16A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2100	86.9 %
2	1-2X:(2)	72	3.0 %
3	3-5X:(3)	23	1.0 %
4	6-9X:(4)	19	0.8 %
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	177	7.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,239 valid cases out of 2,416 total cases.

*Location:* 315-316 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3143: 183B16B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2161	89.4 %
2	1-2X:(2)	49	2.0 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	172	7.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,244 valid cases out of 2,416 total cases.

*Location:* 317-318 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3144: 183B16C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2222	92.0 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	173	7.2 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,416 total cases.

*Location:* 319-320 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3145: 183B17A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2134	88.3 %
2	1-2X:(2)	65	2.7 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	175	7.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,241 valid cases out of 2,416 total cases.

*Location:* 321-322 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3146: 183B17B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled

any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2202	91.1 %
2	1-2X:(2)	26	1.1 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	174	7.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,242 valid cases out of 2,416 total cases.

*Location:* 323-324 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3147: 183B17C:#X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2222	92.0 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	175	7.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,241 valid cases out of 2,416 total cases.

*Location:* 325-326 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3487: 183B18A:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA  
("Molly","ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2152	89.1 %
2	1-2X:(2)	45	1.9 %
3	3-5X:(3)	19	0.8 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	183	7.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,233 valid cases out of 2,416 total cases.

*Location:* 327-328 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3488: 183B18B:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA  
("Molly","ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2191	90.7 %
2	1-2X:(2)	31	1.3 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	180	7.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,236 valid cases out of 2,416 total cases.

*Location:* 329-330 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3489: 183B18C:#X MDMA/LAST30DA

Item Number: 22680

On how many occasions (if any) have you used MDMA  
("Molly","ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2222	92.0 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	2	0.1 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	182	7.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,234 valid cases out of 2,416 total cases.

*Location:* 331-332 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## RESPONDENT\_AGE: 183C01(R):AGE <>18 DICHOTOMY

Item Number:

Component variables: 1) Q.C01 "In what year were you born?"

[item 00010], 2) Q.C02 "In what month were you born?"

[item 00020], and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	1012	41.9 %
2	18+ YRS:(2)	1244	51.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	160	6.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,256 valid cases out of 2,416 total cases.

*Location:* 333-334 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3150: 183C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	1013	41.9 %
2	FEMALE:(2)	1125	46.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	278	11.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,138 valid cases out of 2,416 total cases.

*Location:* 335-336 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3151: 183C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.)

Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"

3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	232	9.6 %
2	WHITE:(2)	1154	47.8 %
3	HISPANIC:(3)	503	20.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	527	21.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,889 valid cases out of 2,416 total cases.

*Location:* 337-338 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3152: 183C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	346	14.3 %
1	A FARM:(1)	85	3.5 %
2	COUNTRY:(2)	225	9.3 %
3	SM CITY:(3)	584	24.2 %
4	MED CITY:(4)	324	13.4 %
5	SUB MED:(5)	286	11.8 %
6	LGE CITY:(6)	189	7.8 %
7	SUB LGE:(7)	169	7.0 %
8	V-LGE CITY:(8)	119	4.9 %
9	SUB V-LGE:(9)	89	3.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 339-340 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3153: 183C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	17	0.7 %
2	ENGAGED:(2)	47	1.9 %
3	SEP/DIV:(3)	46	1.9 %

Value	Label	Unweighted Frequency	%
4	SINGLE:(4)	2026	83.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	280	11.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,136 valid cases out of 2,416 total cases.

*Location:* 341-342 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V49: 183C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	163	6.7 %
1	ONE:(1)	654	27.1 %
2	TWO:(2)	562	23.3 %
3	THREE+:(3-4)	857	35.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	180	7.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,236 valid cases out of 2,416 total cases.

*Location:* 343-344 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3155: 183C7CA:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	662	27.4 %
1	MARKED:(1)	1581	65.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	173	7.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,416 total cases.

*Location:* 345-346 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3156: 183C7CB:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	260	10.8 %
1	MARKED:(1)	1983	82.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	173	7.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,416 total cases.

*Location:* 347-348 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3157: 183C7CC:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	737	30.5 %
1	MARKED:(1)	1506	62.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	173	7.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,416 total cases.

*Location:* 349-350 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3630: 183C7CD:Rs HSHLD OTHER

Item Number: 34810

Which of the following people live in the same household with you? (Mark all that apply.)

Other, specify \_\_\_\_\_

Value	Label	Unweighted Frequency	%
0	-	2093	86.6 %
1	-	150	6.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	173	7.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,416 total cases.

*Location:* 351-352 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3163: 183C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	125	5.2 %
2	SOME HS:(2)	282	11.7 %
3	HS GRAD:(3)	522	21.6 %
4	SOME CLG:(4)	348	14.4 %
5	CLG GRAD:(5)	445	18.4 %
6	GRAD SCH:(6)	291	12.0 %
7	DK:(7)	235	9.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	168	7.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,248 valid cases out of 2,416 total cases.

*Location:* 353-354 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3164: 183C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	134	5.5 %
2	SOME HS:(2)	195	8.1 %

Value	Label	Unweighted Frequency	%
3	HS GRAD:(3)	451	18.7 %
4	SOME CLG:(4)	397	16.4 %
5	CLG GRAD:(5)	603	25.0 %
6	GRAD SCH:(6)	355	14.7 %
7	DK:(7)	109	4.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	172	7.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,244 valid cases out of 2,416 total cases.

*Location:* 355-356 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3165: 183C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	329	13.6 %
2	YES/SOME:(2)	393	16.3 %
3	YES/MOST:(3)	399	16.5 %
4	YES/NRLY ALL:(4)	1101	45.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	194	8.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,222 valid cases out of 2,416 total cases.

*Location:* 357-358 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3166: 183C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	203	8.4 %
2	MILD GOP:(2)	258	10.7 %
3	MILD DEM:(3)	267	11.1 %
4	STRG DEM:(4)	301	12.5 %
5	INDEPNNDT:(5)	240	9.9 %
6	NO PREF:(6)	296	12.3 %
7	OTHER:(7)	43	1.8 %
8	DK/HVNT DECID:(8)	534	22.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	274	11.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,142 valid cases out of 2,416 total cases.

*Location:* 359-360 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3167: 183C12 :Rs POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	114	4.7 %
2	CONSERV:(2)	274	11.3 %
3	MODERATE:(3)	475	19.7 %
4	LIBERAL:(4)	370	15.3 %
5	VRY LIB:(5)	137	5.7 %
6	RADICAL:(6)	29	1.2 %
8	NONE/DK:(8)	817	33.8 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	200	8.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,216 valid cases out of 2,416 total cases.

*Location:* 361-362 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3169: 183C13A:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

[Responses from the western region intentionally obliterated.]

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	466	19.3 %
2	RARELY:(2)	585	24.2 %
3	1-2X/MO:(3)	266	11.0 %
4	1/WK OR+:(4)	419	17.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	680	28.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,736 valid cases out of 2,416 total cases.

*Location:* 363-364 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3170: 183C13B:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

[Responses from the western region intentionally obliterated.]

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	463	19.2 %
2	LITL IMP:(2)	446	18.5 %
3	PRTY IMP:(3)	414	17.1 %
4	VERY IMP:(4)	414	17.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	679	28.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,737 valid cases out of 2,416 total cases.

*Location:* 365-366 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3171: 183C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2163	89.5 %
2	JUL-JAN:(2)	19	0.8 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	26	1.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	208	8.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,208 valid cases out of 2,416 total cases.

*Location:* 367-368 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3172: 183C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1160	48.0 %
2	GENERAL:(2)	714	29.6 %
3	VOC-TECH:(3)	76	3.1 %
4	OTH/DK:(4)	239	9.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	227	9.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,189 valid cases out of 2,416 total cases.

*Location:* 369-370 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3173: 183C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	54	2.2 %
2	BELOW AVG:(2)	47	1.9 %
3	SLIGHT BELOW:(3)	114	4.7 %
4	AVERAGE:(4)	725	30.0 %
5	SLIGHT ABOVE:(5)	543	22.5 %
6	ABOVE AVG:(6)	544	22.5 %
7	FAR ABOVE:(7)	148	6.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	241	10.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,175 valid cases out of 2,416 total cases.

*Location:* 371-372 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3174: 183C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others  
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below  
Average" 4="Average" 5="Slightly Above Average" 6="Above  
Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	43	1.8 %
2	BELOW AVG:(2)	46	1.9 %
3	SLIGHT BELOW:(3)	110	4.6 %
4	AVERAGE:(4)	683	28.3 %
5	SLIGHT ABOVE:(5)	562	23.3 %
6	ABOVE AVG:(6)	553	22.9 %
7	FAR ABOVE:(7)	190	7.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	229	9.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,187 valid cases out of 2,416 total cases.

*Location:* 373-374 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3175: 183C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school  
have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10  
Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1203	49.8 %
2	1 DAY:(2)	375	15.5 %
3	2 DAYS:(3)	242	10.0 %

Value	Label	Unweighted Frequency	%
4	3 DAYS:(4)	157	6.5 %
5	4-5 DAYS:(5)	100	4.1 %
6	6-10 DA:(6)	50	2.1 %
7	11+ DAYS:(7)	23	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	266	11.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,150 valid cases out of 2,416 total cases.

*Location:* 375-376 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3176: 183C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1513	62.6 %
2	1 DAY:(2)	278	11.5 %
3	2 DAYS:(3)	128	5.3 %
4	3 DAYS:(4)	86	3.6 %
5	4-5 DAYS:(5)	48	2.0 %
6	6-10 DA:(6)	26	1.1 %
7	11+ DAYS:(7)	26	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	311	12.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,105 valid cases out of 2,416 total cases.

*Location:* 377-378 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3177: 183C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1207	50.0 %
2	1 DAY:(2)	387	16.0 %
3	2 DAYS:(3)	226	9.4 %
4	3 DAYS:(4)	126	5.2 %
5	4-5 DAYS:(5)	94	3.9 %
6	6-10 DA:(6)	41	1.7 %
7	11+ DAYS:(7)	37	1.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	298	12.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,118 valid cases out of 2,416 total cases.

*Location:* 379-380 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3178: 183C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1691	70.0 %
2	1-2:(2)	296	12.3 %
3	3-5:(3)	123	5.1 %
4	6-10:(4)	41	1.7 %
5	11-20:(5)	11	0.5 %

Value	Label	Unweighted Frequency	%
6	21+:(6)	30	1.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	224	9.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,192 valid cases out of 2,416 total cases.

*Location:* 381-382 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3179: 183C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	27	1.1 %
2	C-:(2)	39	1.6 %
3	C:(3)	65	2.7 %
4	C+:(4)	153	6.3 %
5	B-:(5)	215	8.9 %
6	B:(6)	346	14.3 %
7	B+:(7)	398	16.5 %
8	A-:(8)	469	19.4 %
9	A:(9)	461	19.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	243	10.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,173 valid cases out of 2,416 total cases.

*Location:* 383-384 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3180: 183C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1237	51.2 %
2	PRB WONT:(2)	485	20.1 %
3	PRB WILL:(3)	251	10.4 %
4	DEF WILL:(4)	120	5.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	323	13.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,093 valid cases out of 2,416 total cases.

*Location:* 385-386 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3181: 183C21B:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1392	57.6 %
2	PRB WONT:(2)	462	19.1 %
3	PRB WILL:(3)	153	6.3 %
4	DEF WILL:(4)	99	4.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	310	12.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,106 valid cases out of 2,416 total cases.

*Location:* 387-388 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3182: 183C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	791	32.7 %
2	PRB WONT:(2)	423	17.5 %
3	PRB WILL:(3)	464	19.2 %
4	DEF WILL:(4)	405	16.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	333	13.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,083 valid cases out of 2,416 total cases.

*Location:* 389-390 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3183: 183C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	173	7.2 %

Value	Label	Unweighted Frequency	%
2	PRB WONT:(2)	181	7.5 %
3	PRB WILL:(3)	543	22.5 %
4	DEF WILL:(4)	1236	51.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	283	11.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,133 valid cases out of 2,416 total cases.

*Location:* 391-392 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3184: 183C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	373	15.4 %
2	PRB WONT:(2)	543	22.5 %
3	PRB WILL:(3)	654	27.1 %
4	DEF WILL:(4)	528	21.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	318	13.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,098 valid cases out of 2,416 total cases.

*Location:* 393-394 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3185: 183C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood

in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1902	78.7 %
1	MARKED:(1)	244	10.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 395-396 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3186: 183C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

B. Serve in the military (armed forces)

0="Unmarked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1832	75.8 %
1	MARKED:(1)	314	13.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 397-398 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3187: 183C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1611	66.7 %
1	MARKED:(1)	535	22.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 399-400 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3188: 183C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	479	19.8 %
1	MARKED:(1)	1667	69.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 401-402 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3189: 183C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	986	40.8 %
1	MARKED:(1)	1160	48.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 403-404 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3190: 183C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1997	82.7 %
1	MARKED:(1)	149	6.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 405-406 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V3191: 183C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	837	34.6 %
2	5 OR <:(2)	199	8.2 %
3	6-10 HRS:(3)	235	9.7 %
4	11-15 HRS:(4)	218	9.0 %
5	16-20 HRS:(5)	198	8.2 %
6	21-25 HRS:(6)	181	7.5 %
7	26-30 HRS:(7)	144	6.0 %
8	30+ HRS:(8)	134	5.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	270	11.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V3192: 183C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	866	35.8 %

Value	Label	Unweighted Frequency	%
2	\$1-5:(2)	14	0.6 %
3	\$6-10:(3)	67	2.8 %
4	\$11-20:(4)	75	3.1 %
5	\$21-35:(5)	56	2.3 %
6	\$36-50:(6)	85	3.5 %
7	\$51-75:(7)	129	5.3 %
8	\$76-125:(8)	259	10.7 %
9	\$126-175:(9)	211	8.7 %
10	\$176+:(10)	337	13.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	317	13.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,099 valid cases out of 2,416 total cases.

*Location:* 409-410 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3193: 183C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1082	44.8 %
2	\$1-5:(2)	87	3.6 %
3	\$6-10:(3)	105	4.3 %
4	\$11-20:(4)	275	11.4 %
5	\$21-35:(5)	142	5.9 %
6	\$36-50:(6)	113	4.7 %
7	\$51-75:(7)	56	2.3 %
8	\$76-125:(8)	61	2.5 %
9	\$126-175:(9)	22	0.9 %
10	\$176+:(10)	71	2.9 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	402	16.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,014 valid cases out of 2,416 total cases.

*Location:* 411-412 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3194: 183C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"  
6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	435	18.0 %
2	ONE:(2)	413	17.1 %
3	TWO:(3)	549	22.7 %
4	THREE:(4)	441	18.3 %
5	4-5:(5)	203	8.4 %
6	6-7:(6)	93	3.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	282	11.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,134 valid cases out of 2,416 total cases.

*Location:* 413-414 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3195: 183C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a

week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1053	43.6 %
2	ONCE/MO:(2)	275	11.4 %
3	2-3X MO:(3)	248	10.3 %
4	ONCE WK:(4)	259	10.7 %
5	2-3X WK:(5)	210	8.7 %
6	3+ WEEK:(6)	93	3.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	278	11.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,138 valid cases out of 2,416 total cases.

*Location:* 415-416 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3196: 183C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	591	24.5 %
2	1-10 MI:(2)	223	9.2 %
3	11-50:(3)	471	19.5 %
4	51-100:(4)	415	17.2 %
5	101-200:(5)	289	12.0 %
6	> 200:(6)	158	6.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	269	11.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,147 valid cases out of 2,416 total cases.

*Location:* 417-418 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3197: 183C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1793	74.2 %
1	ONCE:(1)	214	8.9 %
2	TWICE:(2)	68	2.8 %
3	3 TIMES:(3)	23	1.0 %
4	4+ TIMES:(4)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	309	12.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,107 valid cases out of 2,416 total cases.

*Location:* 419-420 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3198: 183C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	300	12.4 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	2108	87.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 308 valid cases out of 2,416 total cases.

*Location:* 421-422 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3199: 183C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	289	12.0 %
1	ONE:(1)	12	0.5 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2111	87.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 305 valid cases out of 2,416 total cases.

*Location:* 423-424 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3200: 183C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	299	12.4 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2113	87.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 303 valid cases out of 2,416 total cases.

*Location:* 425-426 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3201: 183C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO TOP OF NEXT COLUMN " 1="Once" 2="Twice"  
3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1790	74.1 %
1	ONCE:(1)	240	9.9 %
2	TWICE:(2)	47	1.9 %
3	3 TIMES:(3)	17	0.7 %
4	4+ TIMES:(4)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	320	13.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,096 valid cases out of 2,416 total cases.

*Location:* 427-428 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V3202: 183C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	299	12.4 %
1	ONE:(1)	7	0.3 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2108	87.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 308 valid cases out of 2,416 total cases.

*Location:* 429-430 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3203: 183C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	299	12.4 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	0	0.0 %

Value	Label	Unweighted Frequency	%
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2111	87.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 305 valid cases out of 2,416 total cases.

*Location:* 431-432 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3204: 183C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	302	12.5 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2110	87.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 306 valid cases out of 2,416 total cases.

*Location:* 433-434 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3484: 183D01A:FEEL UNSAFE@SCHL

Item Number: 25770

The next questions are about feeling unsafe—that is, feeling that someone might try to harm or injure you. How often do you feel unsafe when you are at school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	950	39.3 %
2	RARELY:(2)	702	29.1 %
3	SOMEDAYS:(3)	327	13.5 %
4	MOSTDAYS:(4)	74	3.1 %
5	EVERYDAY:(5)	80	3.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	283	11.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,133 valid cases out of 2,416 total cases.

*Location:* 435-436 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3485: 183D01B:UNSAF TO/FRM SCH

Item Number: 25780

How often do you feel unsafe going to or from school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1183	49.0 %
2	RARELY:(2)	614	25.4 %
3	SOMEDAYS:(3)	249	10.3 %
4	MOSTDAYS:(4)	40	1.7 %
5	EVERYDAY:(5)	42	1.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	288	11.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,128 valid cases out of 2,416 total cases.

*Location:* 437-438 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3616: 183D01C:FEEL BULLIED@SCHL

Item Number: 34790

How often do you . . .

C. ...feel bullied at school?

1="Never" 2="Rarely" 3="Some Days" 4="Most Days" 5="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1531	63.4 %
2	RARELY:(2)	353	14.6 %
3	SOMEDAYS:(3)	148	6.1 %
4	MOSTDAYS:(4)	50	2.1 %
5	EVERYDAY:(5)	34	1.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	300	12.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,116 valid cases out of 2,416 total cases.

*Location:* 439-440 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3617: 183D01D:FEEL BULLIED ONLINE

Item Number: 34800

How often do you . . .

D. ...feel bullied online?

1="Never" 2="Rarely" 3="Some Days" 4="Most Days" 5="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1721	71.2 %
2	RARELY:(2)	269	11.1 %
3	SOMEDAYS:(3)	83	3.4 %
4	MOSTDAYS:(4)	21	0.9 %
5	EVERYDAY:(5)	20	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	302	12.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,114 valid cases out of 2,416 total cases.

*Location:* 441-442 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3486: 183D02 :4WK/UNSAF AVDSCH

Item Number: 25790

During the LAST FOUR WEEKS, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

1="0 days" 2="1 day" 3="2 or 3 days" 4="4 or more days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1922	79.6 %
2	1 DAY:(2)	126	5.2 %
3	2 OR 3:(3)	57	2.4 %
4	4+ DAYS:(4)	11	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	300	12.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,116 valid cases out of 2,416 total cases.

*Location:* 443-444 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3497: 183D03A:#X ANDRO/12MO

Item Number: 31160

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

A. . . . taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2084	86.3 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	319	13.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,097 valid cases out of 2,416 total cases.

*Location:* 445-446 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3498: 183D03B:#X CREATINE/12MO

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

B. . . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1897	78.5 %
2	1-2X:(2)	38	1.6 %
3	3-5X:(3)	25	1.0 %
4	6-9X:(4)	23	1.0 %
5	10-19X:(5)	30	1.2 %
6	20-39X:(6)	29	1.2 %
7	40+OCCAS:(7)	50	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	324	13.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,092 valid cases out of 2,416 total cases.

*Location:* 447-448 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V3499: 183D03C:#X RITALIN/12MO

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

C. . . . taken Ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2073	85.8 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	327	13.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,089 valid cases out of 2,416 total cases.

*Location:* 449-450 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V3520: 183D03D:#X ADDERALL/12MO

Item Number: 32450

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

D. . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1989	82.3 %
2	1-2X:(2)	57	2.4 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	329	13.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,087 valid cases out of 2,416 total cases.

*Location:* 451-452 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3515: 183D03E:#X COUGHMED/12MO

Item Number: 31670

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

E. . . . taken nonprescription cough or cold medicine  
("robo", "DXM", etc.) to get high?

1="0" 2="1-2" 3="3-5" 4="6-9" 5="10-19" 6="20-39" 7="40+"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2027	83.9 %
2	1-2X:(2)	24	1.0 %
3	3-5X:(3)	23	1.0 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	329	13.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,087 valid cases out of 2,416 total cases.

*Location:* 453-454 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V3516: 183D03F:#X OXYCONTN/12MO

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

F. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2035	84.2 %
2	1-2X:(2)	23	1.0 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	335	13.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,081 valid cases out of 2,416 total cases.

*Location:* 455-456 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3517: 183D03G:#X VICODIN/12MO

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

G. . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2061	85.3 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	335	13.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,081 valid cases out of 2,416 total cases.

*Location:* 457-458 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3521: 183D03H:#X HOOKAH/12MO

Item number: 32660

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H. . . . smoked tobacco using a hookah (water pipe)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1914	79.2 %
2	1-2X:(2)	87	3.6 %
3	3-5X:(3)	28	1.2 %
4	6-9X:(4)	23	1.0 %
5	10-19X:(5)	15	0.6 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	13	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	332	13.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,084 valid cases out of 2,416 total cases.

*Location:* 459-460 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3522: 183D03I:#X SMALL CIGARS/12MO

Item number: 32670

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I. . . . smoked small cigars?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1879	77.8 %
2	1-2X:(2)	94	3.9 %
3	3-5X:(3)	43	1.8 %
4	6-9X:(4)	22	0.9 %
5	10-19X:(5)	17	0.7 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	13	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	341	14.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,075 valid cases out of 2,416 total cases.

*Location:* 461-462 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3525: 183D03J:#X SYNTHETIC MJ/12MO

Item number: 32700

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J. . . . taken "synthetic marijuana" ("K2", "Spice") to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1998	82.7 %
2	1-2X:(2)	47	1.9 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	331	13.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,085 valid cases out of 2,416 total cases.

*Location:* 463-464 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3526: 183D03K:#X BATH SALTS/12MO

Item number: 32730

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

K. . . . taken "bath salts" (synthetic stimulants) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2070	85.7 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	336	13.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,080 valid cases out of 2,416 total cases.

*Location:* 465-466 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3309: 183D04A:12MO REDUCE ALCL

Item Number: 08910

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

A: . . . Alcohol?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	702	29.1 %
1	YES:(1)	265	11.0 %
8	HVNT USD:(8)	759	31.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	690	28.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,726 valid cases out of 2,416 total cases.

*Location:* 467-468 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3310: 183D04B:12MO REDUCE CIG

Item Number: 08920

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

B: . . . Cigarettes?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	370	15.3 %
1	YES:(1)	140	5.8 %
8	HVNT USD:(8)	1523	63.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	383	15.9 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,033 valid cases out of 2,416 total cases.

*Location:* 469-470 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3311: 183D04C:12MO REDUCE MARJ

Item Number: 08930

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

C: . . . Marijuana?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	444	18.4 %
1	YES:(1)	270	11.2 %
8	HVNT USD:(8)	1053	43.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	649	26.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,767 valid cases out of 2,416 total cases.

*Location:* 471-472 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3312: 183D04D:12MO REDUCE PSYC

Item Number: 08940

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

D: . . . Hallucinogens (LSD, etc.)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	53	2.2 %

Value	Label	Unweighted Frequency	%
1	YES:(1)	28	1.2 %
8	HVNT USD:(8)	1629	67.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	706	29.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,710 valid cases out of 2,416 total cases.

*Location:* 473-474 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

### V3313: 183D04E:12MO REDUCE AMPH

Item Number: 08950

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

E: . . . Amphetamines (uppers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	60	2.5 %
1	YES:(1)	16	0.7 %
8	HVNT USD:(8)	1608	66.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	732	30.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,684 valid cases out of 2,416 total cases.

*Location:* 475-476 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

### V3443: 183D04F:12MO REDUCE TRQL

Item Number: 09005

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

F: . . . Tranquillizers?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	31	1.3 %
1	YES:(1)	13	0.5 %
8	HVNT USD:(8)	1640	67.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	732	30.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,684 valid cases out of 2,416 total cases.

*Location:* 477-478 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3504: 183D04G:12MO REDUCE SD/B

Item Number: 08975

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

G: . . . Sedatives/barbiturates (downers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	294	12.2 %
1	YES:(1)	39	1.6 %
8	HVNT USD:(8)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2083	86.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 333 valid cases out of 2,416 total cases.

*Location:* 479-480 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3316: 183D04H:12MO REDUCE COKE

Item Number: 08980

At any time during the LAST 12 MONTHS, have you felt in your

own mind that you should REDUCE or STOP your use of . . .

H: . . . Cocaine?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	28	1.2 %
1	YES:(1)	16	0.7 %
8	HVNT USD:(8)	1671	69.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	701	29.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,715 valid cases out of 2,416 total cases.

*Location:* 481-482 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3317: 183D04I:12MO REDUCE HRN

Item Number: 08990

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

I: . . . Heroin?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	7	0.3 %
1	YES:(1)	3	0.1 %
8	HVNT USD:(8)	1716	71.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	690	28.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,726 valid cases out of 2,416 total cases.

*Location:* 483-484 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3318: 183D04J:12MO REDUCE NARC

Item Number: 09000

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

J: . . . Other narcotics?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	29	1.2 %
1	YES:(1)	9	0.4 %
8	HVNT USD:(8)	1640	67.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	738	30.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,678 valid cases out of 2,416 total cases.

*Location:* 485-486 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3319: 183D05 :NXT 12MOS USE MJ

Item Number: 09010

How likely is it that you will use marijuana in the next 12 months?

1="Definitely will--GO TO QUESTION 8" 2="Probably will--GO TO QUESTION 8" 3="Probably will not" 4="Definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	324	13.4 %
2	PRB WILL:(2)	271	11.2 %
3	PRB NOT:(3)	407	16.8 %
4	DEF NOT:(4)	944	39.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	470	19.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,946 valid cases out of 2,416 total cases.

*Location:* 487-488 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3320: 183D06A:CNCRN PSYCH DAMG

Item Number: 09020

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

A. Concerned about possible psychological damage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	656	27.2 %
1	MARKED:(1)	619	25.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 489-490 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3321: 183D06B:CNCRN PHYSCL DMG

Item Number: 09030

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

B. Concerned about possible physical damage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	764	31.6 %
1	MARKED:(1)	511	21.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 491-492 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V3322: 183D06C:CNCRN GT ARRESTD

Item Number: 09040

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

C. Concerned about getting arrested

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	713	29.5 %
1	MARKED:(1)	562	23.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1141	47.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 493-494 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3323: 183D06D:CNCRN BECOM ADCT

Item Number: 09050

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

D. Concerned about becoming addicted to marijuana

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	778	32.2 %
1	MARKED:(1)	497	20.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1141	47.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 495-496 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3324: 183D06E:AGST MY BELIEFS

Item Number: 09060

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

E. It's against my beliefs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	904	37.4 %
1	MARKED:(1)	371	15.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1141	47.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 497-498 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3325: 183D06F:CNCRN LEGY/AMBTN

Item Number: 09070

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

F. Concerned about loss of energy or ambition

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	896	37.1 %
1	MARKED:(1)	379	15.7 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1141	47.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 499-500 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3326: 183D06G:CNCRN LOSS CNTRL

Item Number: 09080

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

G. Concerned about possible loss of control of myself

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	776	32.1 %
1	MARKED:(1)	499	20.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 501-502 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V3327: 183D06H:MJ ->STRNDR DRGS

Item Number: 09090

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

H. It might lead to stronger drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	800	33.1 %
1	MARKED:(1)	475	19.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 503-504 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3328: 183D06I:MJ NOT ENJOYABLE

Item Number: 09100

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

I. Not enjoyable, I didn't like it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1020	42.2 %
1	MARKED:(1)	255	10.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 505-506 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3329: 183D06J:PRNTS DISAPPROVE

Item Number: 09110

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

J. My parents would disapprove

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	606	25.1 %
1	MARKED:(1)	669	27.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 507-508 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3330: 183D06K:HS/WF DISAPPROVE

Item Number: 09120

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

K. My husband/wife (or boyfriend/girlfriend) would disapprove

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1054	43.6 %
1	MARKED:(1)	221	9.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 509-510 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3331: 183D06L:DONT LIKE USERS

Item Number: 09130

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true

for you. (Mark ALL that apply.)

L. I don't like being with the people who use it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	884	36.6 %
1	MARKED:(1)	391	16.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 511-512 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3332: 183D06M:FRNDS DNT USE IT

Item Number: 09140

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

M. My friends don't use it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1000	41.4 %
1	MARKED:(1)	275	11.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 513-514 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3333: 183D06N:PSSBLY BAD TRIP

Item Number: 09150

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

N. I might have a bad trip

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1041	43.1 %
1	MARKED:(1)	234	9.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1141	47.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 515-516 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3334: 183D06O:TOO EXPENSIVE

Item Number: 09160

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

O. Too expensive

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1050	43.5 %
1	MARKED:(1)	225	9.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1141	47.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 517-518 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3335: 183D06P:NOT AVAILABLE

Item Number: 09170

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

P. Not available

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1147	47.5 %
1	MARKED:(1)	128	5.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 519-520 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3336: 183D06Q:NOT WNT GET HIGH

Item Number: 09180

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

Q. Don't feel like getting high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	499	20.7 %
1	MARKED:(1)	776	32.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1141	47.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,275 valid cases out of 2,416 total cases.

*Location:* 521-522 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3529: 183D08AA:A-BEHV REGRT-1YR

Item Number: 09193

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

A. . . . caused you to behave in ways that you later regretted?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2084	86.3 %
1	MARKED:(1)	332	13.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 523-524 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3530: 183D08AB:A-HURT REL SPS-1YR

Item Number: 09213

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

B. . . . hurt your relationship with your spouse/partner or girlfriend/boyfriend?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2286	94.6 %
1	MARKED:(1)	130	5.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 525-526 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3531: 183D08AC:A-HURT REL CHILD-1YR

Item Number: 31198

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

C. . . . hurt your relationship with your child(ren)?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2370	98.1 %
1	MARKED:(1)	46	1.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 527-528 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

### V3532: 183D08AD:A-HURT REL PRN-1YR

Item Number: 09203

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

D. . . . hurt your relationship with your parents?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2316	95.9 %
1	MARKED:(1)	100	4.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 529-530 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

### V3533: 183D08AE:A-HURT REL FRN-1YR

Item Number: 09223

Think back over the last 12 months. Did your use of alcohol cause

you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

E. . . . hurt your relationship with your friends?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2328	96.4 %
1	MARKED:(1)	88	3.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 531-532 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3534: 183D08AF:A-INV P BD INF-1YR

Item Number: 09243

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

F. . . . involved you with people who were a bad influence on you?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2298	95.1 %
1	MARKED:(1)	118	4.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 533-534 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3535: 183D08AG:A-HURT PRF JOB-1YR

Item Number: 09253

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

G. . . . hurt your performance in school and/or on the job?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2357	97.6 %
1	MARKED:(1)	59	2.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 535-536 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3536: 183D08AH:A-CS \$ DIFFCLT-1YR

Item Number: 26468

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

H. . . . caused you financial difficulties?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2365	97.9 %
1	MARKED:(1)	51	2.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 537-538 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3537: 183D08AI:A-CS<STBL EMTN-1YR

Item Number: 09273

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

I. . . . caused you to be less stable emotionally?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2295	95.0 %
1	MARKED:(1)	121	5.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 539-540 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3538: 183D08AJ:A-CS HV<ENERGY-1YR

Item Number: 09283

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

J. . . . caused you to have less energy?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2308	95.5 %
1	MARKED:(1)	108	4.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 541-542 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3539: 183D08AK:A-CS FEEL BAD-1YR

Item Number: 09303

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

K. . . . made you feel bad (e.g., depressed, anxious, ashamed) for more than just a few days?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2321	96.1 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	95	3.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 543-544 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3540: 183D08AL:A-CS HLTH BAD-1YR

Item Number: 09313

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

L. . . . caused your physical health to be bad?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2349	97.2 %
1	MARKED:(1)	67	2.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 545-546 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3541: 183D08AM:A-CS DRV UNSAF-1YR

Item Number: 09323

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

M. . . . caused you to drive unsafely?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2342	96.9 %
1	MARKED:(1)	74	3.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 547-548 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3542: 183D08AN:A-CS ARGUMENT-1YR

Item Number: 26478

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

N. . . . caused you to get into an angry argument?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2288	94.7 %
1	MARKED:(1)	128	5.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 549-550 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3543: 183D08AO:A-CS<INTRST-1YR

Item Number: 09263

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

O. . . . caused you to be less interested in other activities?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2352	97.4 %
1	MARKED:(1)	64	2.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 551-552 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3544: 183D08AP:A-GT TRBL POL-1YR

Item Number: 09333

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

P. . . . gotten you into trouble with the police?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2352	97.4 %
1	MARKED:(1)	64	2.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 553-554 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3545: 183D08MA:M-BEHV REGRT-1YR

Item Number: 09363

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

A. . . . caused you to behave in ways that you later regretted?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2304	95.4 %
1	MARKED:(1)	112	4.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 555-556 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3546: 183D08MB:M-HURT REL SPS-1YR

Item Number: 09383

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

B. . . . hurt your relationship with your spouse/partner or girlfriend/boyfriend?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2339	96.8 %
1	MARKED:(1)	77	3.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 557-558 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3547: 183D08MC:M-HURT REL CHILD-1YR

Item Number: 31208

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

C. . . . hurt your relationship with your child(ren)?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2389	98.9 %
1	MARKED:(1)	27	1.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 559-560 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3548: 183D08MD:M-HURT REL PRN-1YR

Item Number: 09373

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

D. . . . hurt your relationship with your parents?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2326	96.3 %
1	MARKED:(1)	90	3.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 561-562 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3549: 183D08ME:M-HURT REL FRN-1YR

Item Number: 09393

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

E. . . . hurt your relationship with your friends?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2348	97.2 %
1	MARKED:(1)	68	2.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 563-564 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3550: 183D08MF:M-INV P BD INF-1YR

Item Number: 09413

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

F. . . . involved you with people who were a bad influence on you?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2288	94.7 %
1	MARKED:(1)	128	5.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 565-566 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3551: 183D08MG:M-HURT PRF JOB-1YR

Item Number: 09423

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

G. . . . hurt your performance in school and/or on the job?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2333	96.6 %
1	MARKED:(1)	83	3.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 567-568 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3552: 183D08MH:M-CS \$ DIFFCLT-1YR

Item Number: 26498

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

H. . . . caused you financial difficulties?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2348	97.2 %
1	MARKED:(1)	68	2.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 569-570 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3553: 183D08MI:M-CS<STBL EMTN-1YR

Item Number: 09443

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

I. . . . caused you to be less stable emotionally?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2353	97.4 %
1	MARKED:(1)	63	2.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 571-572 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3554: 183D08MJ:M-CS HV<ENERGY-1YR

Item Number: 09453

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

J. . . . caused you to have less energy?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2233	92.4 %
1	MARKED:(1)	183	7.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 573-574 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3555: 183D08MK:M-CS FEEL BAD-1YR

Item Number: 09473

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

K. . . made you feel bad (e.g., depressed, anxious, ashamed) for more than just a few days?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2338	96.8 %
1	MARKED:(1)	78	3.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 575-576 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3556: 183D08ML:M-CS HLTH BAD-1YR

Item Number: 09483

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

L. . . caused your physical health to be bad?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2372	98.2 %
1	MARKED:(1)	44	1.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 577-578 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3557: 183D08MM:M-CS DRV UNSAF-1YR

Item Number: 09493

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

M. . . . caused you to drive unsafely?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2346	97.1 %
1	MARKED:(1)	70	2.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 579-580 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3558: 183D08MN:M-CS ARGUMENT-1YR

Item Number: 26518

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

N. . . . caused you to get into an angry argument?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2366	97.9 %
1	MARKED:(1)	50	2.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 581-582 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3559: 183D08MO:M-CS<INTRST-1YR

Item Number: 09433

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

O. . . . caused you to be less interested in other activities?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2330	96.4 %
1	MARKED:(1)	86	3.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 583-584 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3560: 183D08MP:M-GT TRBL POL-1YR

Item Number: 09503

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

P. . . . gotten you into trouble with the police?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2365	97.9 %
1	MARKED:(1)	51	2.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 585-586 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3561: 183D08OA:O-BEHV REGRT-1YR

Item Number: 09533

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

A. . . . caused you to behave in ways that you later regretted?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2348	97.2 %
1	MARKED:(1)	68	2.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 587-588 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3562: 183D08OB:O-HURT REL SPS-1YR

Item Number: 09553

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

B. . . . hurt your relationship with your spouse/partner or girlfriend/boyfriend?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2355	97.5 %
1	MARKED:(1)	61	2.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 589-590 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3563: 183D08OC:O-HURT REL CHILD-1YR

Item Number: 31218

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

C. . . . hurt your relationship with your child(ren)?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2353	97.4 %
1	MARKED:(1)	63	2.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 591-592 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

#### V3564: 183D08OD:O-HURT REL PRN-1YR

Item Number: 09543

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

D. . . . hurt your relationship with your parents?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2358	97.6 %
1	MARKED:(1)	58	2.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 593-594 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

#### V3565: 183D08OE:O-HURT REL FRN-1YR

Item Number: 09563

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

E. . . . hurt your relationship with your friends?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2360	97.7 %
1	MARKED:(1)	56	2.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 595-596 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3566: 183D08OF:O-INV P BD INF-1YR

Item Number: 09583

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

F. . . . involved you with people who were a bad influence on you?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2348	97.2 %
1	MARKED:(1)	68	2.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 597-598 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3567: 183D08OG:O-HURT PRF JOB-1YR

Item Number: 09593

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

G. . . . hurt your performance in school and/or on the job?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2359	97.6 %
1	MARKED:(1)	57	2.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 599-600 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3568: 183D08OH:O-CS \$ DIFFCLT-1YR

Item Number: 26538

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

H. . . . caused you financial difficulties?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2356	97.5 %
1	MARKED:(1)	60	2.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 601-602 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3569: 183D08OI:O-CS<STBL EMTN-1YR

Item Number: 09613

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

I. . . . caused you to be less stable emotionally?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2359	97.6 %
1	MARKED:(1)	57	2.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 603-604 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3570: 183D08OJ:O-CS HV<ENERGY-1YR

Item Number: 09623

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

J. . . . caused you to have less energy?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2359	97.6 %
1	MARKED:(1)	57	2.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 605-606 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3571: 183D08OK:O-CS FEEL BAD-1YR

Item Number: 09643

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

K. . . . made you feel bad (e.g., depressed, anxious, ashamed) for more than just a few days?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2353	97.4 %
1	MARKED:(1)	63	2.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 607-608 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3572: 183D08OL:O-CS HLTH BAD-1YR

Item Number: 09653

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

L. . . . caused your physical health to be bad?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2355	97.5 %
1	MARKED:(1)	61	2.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 609-610 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3573: 183D08OM:O-CS DRV UNSAF-1YR

Item Number: 09663

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

M. . . . caused you to drive unsafely?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2357	97.6 %
1	MARKED:(1)	59	2.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 611-612 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3574: 183D08ON:O-CS ARGUMENT-1YR

Item Number: 26558

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

N. . . . caused you to get into an angry argument?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2361	97.7 %
1	MARKED:(1)	55	2.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 613-614 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3575: 183D08OO:O-CS<INTRST-1YR

Item Number: 09603

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

O. . . . caused you to be less interested in other activities?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2359	97.6 %
1	MARKED:(1)	57	2.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 615-616 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3576: 183D08OP:O-GT TRBL POL-1YR

Item Number: 09673

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

P. . . gotten you into trouble with the police?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2358	97.6 %
1	MARKED:(1)	58	2.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 617-618 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3577: 183D09AA:ANEED>SM EFCT-1YR

Item Number: 26578

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

A. You found that over time you needed more alcohol to get the same effect.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2304	95.4 %
1	MARKED:(1)	112	4.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 619-620 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3578: 183D09AB:ASTPNG MD SICK-1YR

Item Number: 26588

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

B. Stopping or reducing your use of alcohol made you physically ill or sick.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2374	98.3 %
1	MARKED:(1)	42	1.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 621-622 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3579: 183D09AC:AUSE AVD HNGOV-1YR

Item Number: 26598

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

C. You used alcohol to avoid "hangovers" or aftereffects of the drug.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2359	97.6 %
1	MARKED:(1)	57	2.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 623-624 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3580: 183D09AD:ATRY STP&FAILD-1YR

Item Number: 26608

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

D. You wanted to try to stop or cut down, but you found that you could not.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2375	98.3 %
1	MARKED:(1)	41	1.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 625-626 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3581: 183D09AE:AUSE KNWNG HRM-1YR

Item Number: 26618

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

E. You continued to use alcohol even though you knew it was harmful to do so.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2317	95.9 %
1	MARKED:(1)	99	4.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 627-628 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3582: 183D09AF:ACLDN'T RESIST-1YR

Item Number: 26628

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

F. You felt such a strong desire to use alcohol that you could not resist it or think of anything else.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2379	98.5 %
1	MARKED:(1)	37	1.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 629-630 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3583: 183D09AG:ASPND>TIME DRUG-1YR

Item Number: 32018

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

G. You found yourself spending more time obtaining or getting over the aftereffects of alcohol.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2373	98.2 %
1	MARKED:(1)	43	1.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 631-632 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3584: 183D09AH:AUSE > MEANT-1YR

Item Number: 32028

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

H. You found yourself using more alcohol than you meant to.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2339	96.8 %
1	MARKED:(1)	77	3.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 633-634 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3585: 183D09AI:ARCVF COUNSEL-1YR

Item Number: 30958

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

I. You got some type of counseling or therapy to assist you in quitting

or reducing your use of alcohol.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2386	98.8 %
1	MARKED:(1)	30	1.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 635-636 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3586: 183D09MA:MNEED>SM EFCT-1YR

Item Number: 26638

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

A. You found that over time you needed more marijuana to get the same effect.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2261	93.6 %
1	MARKED:(1)	155	6.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 637-638 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3587: 183D09MB:MSTPNG MD SICK-1YR

Item Number: 26648

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

B. Stopping or reducing your use of marijuana made you physically ill or sick.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2376	98.3 %
1	MARKED:(1)	40	1.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 639-640 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3588: 183D09MC:MUSE AVD HNGOV-1YR

Item Number: 26658

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

C. You used marijuana to avoid "hangovers" or aftereffects of the drug.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2359	97.6 %
1	MARKED:(1)	57	2.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 641-642 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3589: 183D09MD:MTRY STP&FAILD-1YR

Item Number: 26668

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

D. You wanted to try to stop or cut down, but you found that you could not.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2365	97.9 %
1	MARKED:(1)	51	2.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 643-644 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3590: 183D09ME:MUSE KNWNG HRM-1YR

Item Number: 26678

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

E. You continued to use marijuana even though you knew it was harmful to do so.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2321	96.1 %
1	MARKED:(1)	95	3.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 645-646 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3591: 183D09MF:MCLDN'T RESIST-1YR

Item Number: 26688

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

F. You felt such a strong desire to use marijuana that you could not resist it or think of anything else.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2363	97.8 %
1	MARKED:(1)	53	2.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 647-648 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3592: 183D09MG:MSPND>TIME DRUG-1YR

Item Number: 32038

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

G. You found yourself spending more time obtaining or getting over the

aftereffects of marijuana.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2377	98.4 %
1	MARKED:(1)	39	1.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 649-650 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3593: 183D09MH:MUSE > MEANT-1YR

Item Number: 32048

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

H. You found yourself using more marijuana than you meant to.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2337	96.7 %
1	MARKED:(1)	79	3.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 651-652 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3594: 183D09MI:MRCVD COUNSEL-1YR

Item Number: 30968

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

I. You got some type of counseling or therapy to assist you in quitting or reducing your use of marijuana.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2388	98.8 %
1	MARKED:(1)	28	1.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 653-654 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3595: 183D09OA:ONEED>SM EFCT-1YR

Item Number: 26698

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

A. You found that over time you needed more of the drug to get the same effect.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2359	97.6 %
1	MARKED:(1)	57	2.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 655-656 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3596: 183D09OB:OSTPNG MD SICK-1YR

Item Number: 26708

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

B. Stopping or reducing your use of the drug made you physically ill or sick.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2361	97.7 %
1	MARKED:(1)	55	2.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 657-658 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3597: 183D09OC:OUSE AVD HNGOV-1YR

Item Number: 26718

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

C. You used the drug to avoid "hangovers" or aftereffects of the drug.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2355	97.5 %
1	MARKED:(1)	61	2.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 659-660 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3598: 183D09OD:OTRY STP&FAILD-1YR

Item Number: 26728

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

D. You wanted to try to stop or cut down, but you found that you could not.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2363	97.8 %
1	MARKED:(1)	53	2.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 661-662 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3599: 183D09OE:OUSE KNWNG HRM-1YR

Item Number: 26738

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

E. You continued to use the drug even though you knew it was harmful to do so.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2353	97.4 %
1	MARKED:(1)	63	2.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 663-664 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3600: 183D09OF:OCLDN'T RESIST-1YR

Item Number: 26748

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

F. You felt such a strong desire to use the drug that you could not resist it or think of anything else.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2360	97.7 %
1	MARKED:(1)	56	2.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 665-666 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3601: 183D09OG:OSPND>TIME DRUG-1YR

Item Number: 32058

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

G. You found yourself spending more time obtaining or getting over the aftereffects of the drug.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2360	97.7 %
1	MARKED:(1)	56	2.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 667-668 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3602: 183D09OH:OUSE > MEANT-1YR

Item Number: 32068

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

H. You found yourself using more of the drug than you meant to.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2357	97.6 %
1	MARKED:(1)	59	2.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 669-670 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3603: 183D09OI:ORCVD COUNSEL-1YR

Item Number: 30978

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

I. You got some type of counseling or therapy to assist you in quitting or reducing your use of the drug.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2361	97.7 %
1	MARKED:(1)	55	2.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 671-672 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3477: 183E01A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	985	40.8 %
2	A FEW:(2)	681	28.2 %
3	SOME:(3)	237	9.8 %
4	MOST:(4)	64	2.6 %
5	ALL:(5)	22	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	427	17.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,989 valid cases out of 2,416 total cases.

*Location:* 673-674 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3478: 183E01B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . .

B. Use marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	393	16.3 %
2	A FEW:(2)	579	24.0 %
3	SOME:(3)	506	20.9 %

Value	Label	Unweighted Frequency	%
4	MOST:(4)	409	16.9 %
5	ALL:(5)	103	4.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	426	17.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,990 valid cases out of 2,416 total cases.

*Location:* 675-676 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3479: 183E01C:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1758	72.8 %
2	A FEW:(2)	162	6.7 %
3	SOME:(3)	31	1.3 %
4	MOST:(4)	6	0.2 %
5	ALL:(5)	13	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	446	18.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,970 valid cases out of 2,416 total cases.

*Location:* 677-678 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3480: 183E01D:# FRNDS TK C PWD

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1672	69.2 %
2	A FEW:(2)	236	9.8 %
3	SOME:(3)	37	1.5 %
4	MOST:(4)	6	0.2 %
5	ALL:(5)	16	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	449	18.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,967 valid cases out of 2,416 total cases.

*Location:* 679-680 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3481: 183E01E:ALL FRD DRK ALCL

Item Number: 07190

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	367	15.2 %
2	A FEW:(2)	357	14.8 %
3	SOME:(3)	413	17.1 %
4	MOST:(4)	583	24.1 %
5	ALL:(5)	241	10.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	455	18.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,961 valid cases out of 2,416 total cases.

*Location:* 681-682 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3482: 183E01F:ALL FRD GT DRUNK

Item Number: 07200

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	824	34.1 %
2	A FEW:(2)	532	22.0 %
3	SOME:(3)	355	14.7 %
4	MOST:(4)	191	7.9 %
5	ALL:(5)	69	2.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	445	18.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,971 valid cases out of 2,416 total cases.

*Location:* 683-684 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3445: 183E02A:STS SCH RT FAMLY

Item Number: 13580

How important is each of the following for being looked up to or having high status in your school?

A: Coming from the right family

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	551	22.8 %
2	LITL IMP:(2)	426	17.6 %
3	MOD IMPT:(3)	434	18.0 %
4	GRT IMPT:(4)	249	10.3 %
5	VGRT IMP:(5)	284	11.8 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	472	19.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,944 valid cases out of 2,416 total cases.

*Location:* 685-686 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3446: 183E02B:STS SCH LDS STU

Item Number: 13590

How important is each of the following for being looked up to or having high status in your school?

B: Being a leader in student activities

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	307	12.7 %
2	LITL IMP:(2)	288	11.9 %
3	MOD IMPT:(3)	593	24.5 %
4	GRT IMPT:(4)	440	18.2 %
5	VGRT IMP:(5)	304	12.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	484	20.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,932 valid cases out of 2,416 total cases.

*Location:* 687-688 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3447: 183E02C:STS SCH NIC CAR

Item Number: 13600

How important is each of the following for being looked up to or having high status in your school?

C: Having a nice car

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	552	22.8 %
2	LITL IMP:(2)	551	22.8 %
3	MOD IMPT:(3)	427	17.7 %
4	GRT IMPT:(4)	220	9.1 %
5	VGRT IMP:(5)	182	7.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	484	20.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,932 valid cases out of 2,416 total cases.

*Location:* 689-690 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3448: 183E02D:STS SCH HI GRDE

Item Number: 13610

How important is each of the following for being looked up to or having high status in your school?

D: Getting good grades

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	206	8.5 %
2	LITL IMP:(2)	264	10.9 %
3	MOD IMPT:(3)	498	20.6 %
4	GRT IMPT:(4)	468	19.4 %
5	VGRT IMP:(5)	491	20.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	489	20.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,927 valid cases out of 2,416 total cases.

*Location:* 691-692 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3449: 183E02E:STS SCH GD ATHLT

Item Number: 13620

How important is each of the following for being looked up to or having high status in your school?

E: Being a good athlete

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	271	11.2 %
2	LITL IMP:(2)	208	8.6 %
3	MOD IMPT:(3)	455	18.8 %
4	GRT IMPT:(4)	503	20.8 %
5	VGRT IMP:(5)	483	20.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	496	20.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,920 valid cases out of 2,416 total cases.

*Location:* 693-694 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3450: 183E02F:STS SCH INTLCTL

Item Number: 13630

How important is each of the following for being looked up to or having high status in your school?

F: Knowing a lot about intellectual matters

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	304	12.6 %
2	LITL IMP:(2)	380	15.7 %
3	MOD IMPT:(3)	606	25.1 %
4	GRT IMPT:(4)	358	14.8 %

Value	Label	Unweighted Frequency	%
5	VGRT IMP:(5)	271	11.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	497	20.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,919 valid cases out of 2,416 total cases.

*Location:* 695-696 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3451: 183E02G:STS SCH PLN CLG

Item Number: 13640

How important is each of the following for being looked up to or having high status in your school?

G: Planning to go to college

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	295	12.2 %
2	LITL IMP:(2)	246	10.2 %
3	MOD IMPT:(3)	450	18.6 %
4	GRT IMPT:(4)	446	18.5 %
5	VGRT IMP:(5)	488	20.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	491	20.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,925 valid cases out of 2,416 total cases.

*Location:* 697-698 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3452: 183E03 :DRG USE+,MAJ STD

Item Number: 13650

How about using drugs (other than marijuana or alcohol)-- does that cause a student to be looked up to or looked down

on?

Among the majority of students in my school, such drug use is . . .

1="Looked down on a lot" 2="Looked down on some" 3="Neither, mixed" 4="Looked up to some" 5="Looked up to a lot"

Value	Label	Unweighted Frequency	%
1	DOWN LOT:(1)	270	11.2 %
2	DOWN SOME:(2)	268	11.1 %
3	NEITHR/MIXD:(3)	1113	46.1 %
4	UP SOME:(4)	199	8.2 %
5	UP A LOT:(5)	60	2.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	506	20.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,910 valid cases out of 2,416 total cases.

*Location:* 699-700 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3618: 183E04A:OWN COMPUTER

Item Number: 34670

Do you have . . .

A. . . your own computer (tablet, laptop, desktop computer)?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	1569	64.9 %
2	NO:(2)	358	14.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	489	20.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,927 valid cases out of 2,416 total cases.

*Location:* 701-702 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3619: 183E04B:ACCESS COMPUTER

Item Number: 34670

Do you have . . .

B. . . . access at home to a computer (tablet, laptop, desktop computer)?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	1788	74.0 %
2	NO:(2)	138	5.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	490	20.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,926 valid cases out of 2,416 total cases.

*Location:* 703-704 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3620: 183E04C:OWN CELL PHONE

Item Number: 34690

Do you have . . .

C. . . . your own cell phone?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	1878	77.7 %
2	NO:(2)	42	1.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	496	20.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,920 valid cases out of 2,416 total cases.

*Location:* 705-706 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3621: 183E05A:HRS/DAY GAMING/DEVICE

Item Number: 34700

About how many hours on an average DAY do you spend . . .

A. . . . playing games on a computer, tv, phone, or other electronic device?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"  
6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	433	17.9 %
2	<1 HOUR:(2)	349	14.4 %
3	1-2 HRS:(3)	425	17.6 %
4	3-4 HRS:(4)	326	13.5 %
5	5-6 HRS:(5)	214	8.9 %
6	7-8 HRS:(6)	68	2.8 %
7	9+ HRS:(7)	98	4.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	503	20.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,913 valid cases out of 2,416 total cases.

*Location:* 707-708 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3622: 183E05B:HRS/DAY TEXTING

Item Number: 34710

About how many hours on an average DAY do you spend . . .

B. . . . texting?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"  
6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	108	4.5 %
2	<1 HOUR:(2)	502	20.8 %
3	1-2 HRS:(3)	477	19.7 %
4	3-4 HRS:(4)	329	13.6 %

Value	Label	Unweighted Frequency	%
5	5-6 HRS:(5)	210	8.7 %
6	7-8 HRS:(6)	95	3.9 %
7	9+ HRS:(7)	190	7.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	505	20.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,911 valid cases out of 2,416 total cases.

*Location:* 709-710 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3623: 183E05C:HRS/DAY TALK PHONE

Item Number: 34720

About how many hours on an average DAY do you spend . . .

C. . . talking on the phone?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"

6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	375	15.5 %
2	<1 HOUR:(2)	843	34.9 %
3	1-2 HRS:(3)	344	14.2 %
4	3-4 HRS:(4)	138	5.7 %
5	5-6 HRS:(5)	80	3.3 %
6	7-8 HRS:(6)	28	1.2 %
7	9+ HRS:(7)	82	3.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	526	21.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,890 valid cases out of 2,416 total cases.

*Location:* 711-712 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3624: 183E05D:HRS/DAY SOCIAL/NETW

Item Number: 34730

About how many hours on an average DAY do you spend . . .

D. . . . on social networking sites like Facebook, Twitter, Instagram, etc.?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"  
6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	194	8.0 %
2	<1 HOUR:(2)	348	14.4 %
3	1-2 HRS:(3)	491	20.3 %
4	3-4 HRS:(4)	399	16.5 %
5	5-6 HRS:(5)	205	8.5 %
6	7-8 HRS:(6)	107	4.4 %
7	9+ HRS:(7)	137	5.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	535	22.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,881 valid cases out of 2,416 total cases.

*Location:* 713-714 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3625: 183E05E:HRS/DAY VIDEO CHAT

Item Number: 34740

About how many hours on an average DAY do you spend . . .

E. . . . video chatting (Skype, etc.)?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"  
6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1048	43.4 %
2	<1 HOUR:(2)	415	17.2 %
3	1-2 HRS:(3)	205	8.5 %
4	3-4 HRS:(4)	103	4.3 %
5	5-6 HRS:(5)	54	2.2 %
6	7-8 HRS:(6)	19	0.8 %

Value	Label	Unweighted Frequency	%
7	9+ HRS:(7)	53	2.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	519	21.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,897 valid cases out of 2,416 total cases.

*Location:* 715-716 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3626: 183E05F:HRS/DAY SHOP ONLINE

Item Number: 34750

About how many hours on an average DAY do you spend . . .

F. . . . shopping online?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"

6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	970	40.1 %
2	<1 HOUR:(2)	600	24.8 %
3	1-2 HRS:(3)	170	7.0 %
4	3-4 HRS:(4)	82	3.4 %
5	5-6 HRS:(5)	34	1.4 %
6	7-8 HRS:(6)	11	0.5 %
7	9+ HRS:(7)	30	1.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	519	21.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,897 valid cases out of 2,416 total cases.

*Location:* 717-718 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3627: 183E05G:HRS/DAY EMAILING

Item Number: 34760

About how many hours on an average DAY do you spend . . .

G. . . . emailing?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"  
6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	934	38.7 %
2	<1 HOUR:(2)	742	30.7 %
3	1-2 HRS:(3)	122	5.0 %
4	3-4 HRS:(4)	49	2.0 %
5	5-6 HRS:(5)	15	0.6 %
6	7-8 HRS:(6)	5	0.2 %
7	9+ HRS:(7)	25	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	524	21.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,892 valid cases out of 2,416 total cases.

*Location:* 719-720 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3628: 183E06A:WKDAY HRS WATCH/VIDEO

Item Number: 34770

How many hours do you estimate you watch video, TV, or movies on an electronic device  
(such as a TV, computer, tablet or smartphone)?

A. On an average WEEKDAY?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"  
6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	211	8.7 %
2	<1 HOUR:(2)	324	13.4 %
3	1-2 HRS:(3)	635	26.3 %
4	3-4 HRS:(4)	452	18.7 %
5	5-6 HRS:(5)	162	6.7 %
6	7-8 HRS:(6)	50	2.1 %
7	9+ HRS:(7)	58	2.4 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	524	21.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,892 valid cases out of 2,416 total cases.

*Location:* 721-722 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3629: 183E06B:WKEND HRS WATCH/VIDEO

Item Number: 34780

How many hours do you estimate you watch video, TV, or movies on an electronic device (such as a TV, computer, tablet or smartphone)?

B. On an average WEEKEND DAY?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"  
6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	158	6.5 %
2	<1 HOUR:(2)	216	8.9 %
3	1-2 HRS:(3)	402	16.6 %
4	3-4 HRS:(4)	538	22.3 %
5	5-6 HRS:(5)	309	12.8 %
6	7-8 HRS:(6)	130	5.4 %
7	9+ HRS:(7)	128	5.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	535	22.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,881 valid cases out of 2,416 total cases.

*Location:* 723-724 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3407: 183E07A:SM1 SCL ROB <\$50

Item Number: 09871

The next questions are about some things which may have happened TO YOU while you were at school (inside

or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

A: . . . Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1541	63.8 %
2	ONCE:(2)	290	12.0 %
3	TWICE:(3)	81	3.4 %
4	3-4TIMES:(4)	29	1.2 %
5	5+ TIMES:(5)	18	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	457	18.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,959 valid cases out of 2,416 total cases.

*Location:* 725-726 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3408: 183E07B:SM1 SCL ROB >\$50

Item Number: 09872

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1682	69.6 %
2	ONCE:(2)	193	8.0 %
3	TWICE:(3)	52	2.2 %
4	3-4TIMES:(4)	14	0.6 %
5	5+ TIMES:(5)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	464	19.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,952 valid cases out of 2,416 total cases.

*Location:* 727-728 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3409: 183E07C:SM1 SCL DMG PRTY

Item Number: 09873

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property  
(your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or  
More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1697	70.2 %
2	ONCE:(2)	168	7.0 %
3	TWICE:(3)	54	2.2 %
4	3-4TIMES:(4)	11	0.5 %
5	5+ TIMES:(5)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	472	19.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,944 valid cases out of 2,416 total cases.

*Location:* 729-730 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3410: 183E07D:SM1 SCL IN U W/W

Item Number: 09874

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a  
knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or  
More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1879	77.8 %
2	ONCE:(2)	35	1.4 %
3	TWICE:(3)	13	0.5 %
4	3-4TIMES:(4)	7	0.3 %
5	5+ TIMES:(5)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	473	19.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,943 valid cases out of 2,416 total cases.

*Location:* 731-732 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3411: 183E07E:SM1 SCL TH U W/W

Item Number: 09875

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1730	71.6 %
2	ONCE:(2)	115	4.8 %
3	TWICE:(3)	58	2.4 %
4	3-4TIMES:(4)	18	0.7 %
5	5+ TIMES:(5)	20	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	475	19.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,941 valid cases out of 2,416 total cases.

*Location:* 733-734 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### V3412: 183E07F:SM1 SCL IN U -WP

Item Number: 09876

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1753	72.6 %
2	ONCE:(2)	109	4.5 %
3	TWICE:(3)	43	1.8 %
4	3-4TIMES:(4)	21	0.9 %
5	5+ TIMES:(5)	19	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	471	19.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,945 valid cases out of 2,416 total cases.

*Location:* 735-736 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3413: 183E07G:SM1 SCL TH U W/I

Item Number: 09877

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1655	68.5 %
2	ONCE:(2)	124	5.1 %
3	TWICE:(3)	61	2.5 %
4	3-4TIMES:(4)	39	1.6 %
5	5+ TIMES:(5)	53	2.2 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	484	20.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,932 valid cases out of 2,416 total cases.

*Location:* 737-738 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3434: 183E08A:IMP HAV NW CR OF

Item Number: 13860

Looking toward the future, how important would it be for you to have each of the following things?

A: A new car every two or three years

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	1211	50.1 %
2	SOM IMPT:(2)	512	21.2 %
3	QUITE IM:(3)	128	5.3 %
4	EXTR IMP:(4)	94	3.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	471	19.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,945 valid cases out of 2,416 total cases.

*Location:* 739-740 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3435: 183E08B:IMP HAV NW CLTHS

Item Number: 13870

Looking toward the future, how important would it be for you to have each of the following things?

B: Clothes in the latest style

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	662	27.4 %
2	SOM IMPT:(2)	799	33.1 %
3	QUITE IM:(3)	339	14.0 %
4	EXTR IMP:(4)	138	5.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	478	19.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,938 valid cases out of 2,416 total cases.

*Location:* 741-742 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3436: 183E08C:IMP HAV OWN HSE

Item Number: 13880

Looking toward the future, how important would it be for you to have each of the following things?

C: A house of my own (instead of an apartment or condominium)

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	271	11.2 %
2	SOM IMPT:(2)	365	15.1 %
3	QUITE IM:(3)	611	25.3 %
4	EXTR IMP:(4)	681	28.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	488	20.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,928 valid cases out of 2,416 total cases.

*Location:* 743-744 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3437: 183E08D:IMP HAV BIG YARD

Item Number: 13890

Looking toward the future, how important would it be for you to have each of the following things?

D: Lots of space around my house, a big yard

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	353	14.6 %
2	SOM IMPT:(2)	547	22.6 %
3	QUITE IM:(3)	579	24.0 %
4	EXTR IMP:(4)	448	18.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	489	20.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,927 valid cases out of 2,416 total cases.

*Location:* 745-746 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3441: 183E08E:IMP HAV VAC HSE

Item Number: 13930

Looking toward the future, how important would it be for you to have each of the following things?

E: A vacation house

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	1092	45.2 %
2	SOM IMPT:(2)	497	20.6 %
3	QUITE IM:(3)	174	7.2 %
4	EXTR IMP:(4)	160	6.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	493	20.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,923 valid cases out of 2,416 total cases.

*Location:* 747-748 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3442: 183E08F:IMP HAV REC VEH

Item Number: 13940

Looking toward the future, how important would it be for you to have each of the following things?

F: A motor-powered, recreational vehicle (powerboat, snowmobile, etc.)

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	1231	51.0 %
2	SOM IMPT:(2)	369	15.3 %
3	QUITE IM:(3)	159	6.6 %
4	EXTR IMP:(4)	159	6.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	498	20.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,918 valid cases out of 2,416 total cases.

*Location:* 749-750 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3418: 183E09A:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	11	0.5 %
2	GRADE 7:(2)	5	0.2 %
3	GRADE 8:(3)	11	0.5 %
4	GRADE 9:(4)	18	0.7 %
5	GRADE 10:(5)	17	0.7 %
6	GRADE 11:(6)	19	0.8 %
7	GRADE 12:(7)	23	1.0 %
8	NEVER:(8)	1730	71.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	582	24.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,834 valid cases out of 2,416 total cases.

*Location:* 751-752 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3419: 183E09B:GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things?  
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	60	2.5 %
2	GRADE 7:(2)	56	2.3 %
3	GRADE 8:(3)	121	5.0 %
4	GRADE 9:(4)	215	8.9 %
5	GRADE 10:(5)	213	8.8 %
6	GRADE 11:(6)	194	8.0 %
7	GRADE 12:(7)	131	5.4 %
8	NEVER:(8)	740	30.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	686	28.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,730 valid cases out of 2,416 total cases.

*Location:* 753-754 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3420: 183E09C:GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	35	1.4 %
2	GRADE 7:(2)	41	1.7 %
3	GRADE 8:(3)	67	2.8 %
4	GRADE 9:(4)	175	7.2 %
5	GRADE 10:(5)	143	5.9 %
6	GRADE 11:(6)	166	6.9 %
7	GRADE 12:(7)	124	5.1 %
8	NEVER:(8)	1038	43.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	627	26.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,789 valid cases out of 2,416 total cases.

*Location:* 755-756 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3421: 183E09D:GR 1ST TRY LSD

Item Number: 05600

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	4	0.2 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	12	0.5 %
5	GRADE 10:(5)	19	0.8 %
6	GRADE 11:(6)	28	1.2 %
7	GRADE 12:(7)	21	0.9 %
8	NEVER:(8)	1790	74.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	537	22.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,879 valid cases out of 2,416 total cases.

*Location:* 757-758 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3422: 183E09E:GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

E: Try any hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	3	0.1 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	10	0.4 %
5	GRADE 10:(5)	9	0.4 %
6	GRADE 11:(6)	10	0.4 %
7	GRADE 12:(7)	10	0.4 %
8	NEVER:(8)	1801	74.5 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	571	23.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,845 valid cases out of 2,416 total cases.

*Location:* 759-760 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3423: 183E09F:GR 1ST TRY AMP

Item Number: 05620

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	6	0.2 %
4	GRADE 9:(4)	17	0.7 %
5	GRADE 10:(5)	17	0.7 %
6	GRADE 11:(6)	14	0.6 %
7	GRADE 12:(7)	13	0.5 %
8	NEVER:(8)	1693	70.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	650	26.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,766 valid cases out of 2,416 total cases.

*Location:* 761-762 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3505: 183E09G:GR 1ST TRY SED/B

Item Number: 05645

When (if ever) did you FIRST do each of the following things?  
Don't count anything you took because a doctor told you to.

G: Try sedatives/barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	6	0.2 %
2	GRADE 7:(2)	4	0.2 %
3	GRADE 8:(3)	5	0.2 %
4	GRADE 9:(4)	5	0.2 %
5	GRADE 10:(5)	10	0.4 %
6	GRADE 11:(6)	6	0.2 %
7	GRADE 12:(7)	11	0.5 %
8	NEVER:(8)	1781	73.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	588	24.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,828 valid cases out of 2,416 total cases.

*Location:* 763-764 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V3426: 183E09H:GR 1ST TRY TRN

Item Number: 05650

When (if ever) did you FIRST do each of the following things?  
Don't count anything you took because a doctor told you to.

H: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	4	0.2 %

Value	Label	Unweighted Frequency	%
4	GRADE 9:(4)	9	0.4 %
5	GRADE 10:(5)	6	0.2 %
6	GRADE 11:(6)	9	0.4 %
7	GRADE 12:(7)	13	0.5 %
8	NEVER:(8)	1735	71.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	636	26.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,780 valid cases out of 2,416 total cases.

*Location:* 765-766 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3427: 183E09I:GR 1ST TRY COK

Item Number: 05660

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

I: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	7	0.3 %
5	GRADE 10:(5)	6	0.2 %
6	GRADE 11:(6)	15	0.6 %
7	GRADE 12:(7)	18	0.7 %
8	NEVER:(8)	1801	74.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	565	23.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,851 valid cases out of 2,416 total cases.

*Location:* 767-768 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V3428: 183E09J:GR 1ST TRY HER

Item Number: 05670

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

J: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11"

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	0	0.0 %
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	1	0.0 %
6	GRADE 11:(6)	1	0.0 %
7	GRADE 12:(7)	2	0.1 %
8	NEVER:(8)	1858	76.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	549	22.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,867 valid cases out of 2,416 total cases.

Location: 769-770 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V3429: 183E09K:GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

K: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11"

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	3	0.1 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	6	0.2 %
5	GRADE 10:(5)	4	0.2 %
6	GRADE 11:(6)	4	0.2 %
7	GRADE 12:(7)	5	0.2 %
8	NEVER:(8)	1763	73.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	627	26.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,789 valid cases out of 2,416 total cases.

*Location:* 771-772 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3430: 183E09L:GR 1ST TRY INHAL

Item Number: 05685

When (if ever) did you FIRST do each of the following things?  
Don't count anything you took because a doctor told you to.

L: Try inhalants

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	6	0.2 %
2	GRADE 7:(2)	3	0.1 %
3	GRADE 8:(3)	4	0.2 %
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	5	0.2 %
6	GRADE 11:(6)	3	0.1 %
7	GRADE 12:(7)	5	0.2 %
8	NEVER:(8)	1775	73.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	613	25.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,803 valid cases out of 2,416 total cases.

*Location:* 773-774 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3457: 183E09M:GR 1ST SMOKE EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?  
Don't count anything you took because a doctor told you to.

M: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	39	1.6 %
2	GRADE 7:(2)	30	1.2 %
3	GRADE 8:(3)	32	1.3 %
4	GRADE 9:(4)	70	2.9 %
5	GRADE 10:(5)	48	2.0 %
6	GRADE 11:(6)	50	2.1 %
7	GRADE 12:(7)	27	1.1 %
8	NEVER:(8)	1444	59.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	676	28.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,740 valid cases out of 2,416 total cases.

*Location:* 775-776 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3458: 183E09N:GR 1ST SMOKELESS

Item Number: 05576

When (if ever) did you FIRST do each of the following things?  
Don't count anything you took because a doctor told you to.

N: Try smokeless tobacco (snuff, plug, chewing tobacco, snus,  
dissolvable tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	20	0.8 %
2	GRADE 7:(2)	20	0.8 %
3	GRADE 8:(3)	24	1.0 %
4	GRADE 9:(4)	37	1.5 %
5	GRADE 10:(5)	31	1.3 %
6	GRADE 11:(6)	29	1.2 %
7	GRADE 12:(7)	16	0.7 %
8	NEVER:(8)	1685	69.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	554	22.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,862 valid cases out of 2,416 total cases.

*Location:* 777-778 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3459: 183E09O:GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.

O: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	20	0.8 %
2	GRADE 7:(2)	22	0.9 %
3	GRADE 8:(3)	62	2.6 %
4	GRADE 9:(4)	151	6.2 %
5	GRADE 10:(5)	154	6.4 %
6	GRADE 11:(6)	156	6.5 %
7	GRADE 12:(7)	117	4.8 %
8	NEVER:(8)	1165	48.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	569	23.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,847 valid cases out of 2,416 total cases.

*Location:* 779-780 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3483: 183E09P:GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

P: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	1	0.0 %
5	GRADE 10:(5)	2	0.1 %
6	GRADE 11:(6)	2	0.1 %
7	GRADE 12:(7)	3	0.1 %
8	NEVER:(8)	1831	75.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	574	23.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,842 valid cases out of 2,416 total cases.

*Location:* 781-782 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3611: 183E10A:PRNT DAP CIGS

Item Number: 11380

How do you think your parents feel about YOU doing each of the following things?

A: Smoking one or more packs of cigarettes per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	117	4.8 %
2	DISAPPRV:(2)	231	9.6 %
3	STRG DIS:(3)	1512	62.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	556	23.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,860 valid cases out of 2,416 total cases.

*Location:* 783-784 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3612: 183E10B:PRNT DAP TRY MARJ

Item Number: 11390

How do you think your parents feel about YOU doing each of the following things?

B: Trying marijuana once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	385	15.9 %
2	DISAPPRV:(2)	480	19.9 %
3	STRG DIS:(3)	983	40.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	568	23.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,848 valid cases out of 2,416 total cases.

*Location:* 785-786 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3613: 183E10C:PRNT DAP MARJ OCC

Item Number: 11400

How do you think your parents feel about YOU doing each of the following things?

C: Smoking marijuana occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	273	11.3 %
2	DISAPPRV:(2)	350	14.5 %
3	STRG DIS:(3)	1220	50.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	573	23.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,843 valid cases out of 2,416 total cases.

*Location:* 787-788 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V3614: 183E10D:PRNT DAP MARJ REG

Item Number: 11410

How do you think your parents feel about YOU doing each of the following things?

D: Smoking marijuana regularly

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	194	8.0 %
2	DISAPPRV:(2)	300	12.4 %
3	STRG DIS:(3)	1349	55.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	573	23.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,843 valid cases out of 2,416 total cases.

*Location:* 789-790 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V3615: 183E10E:PRNT DAP 5+DR/WE

Item Number: 11460

How do you think your parents feel about YOU doing each of the following things?

E: Having five or more drinks once or twice each weekend

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	209	8.7 %
2	DISAPPRV:(2)	448	18.5 %
3	STRG DIS:(3)	1192	49.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	567	23.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,849 valid cases out of 2,416 total cases.

*Location:* 791-792 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## ICPSR 37416

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2018

## Form 4 Data Variable Description and Frequencies

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## Form 4 Data

---

### CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,407 valid cases out of 2,407 total cases.

*Location:* 1-4 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2018	-	2407	100.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,407 valid cases out of 2,407 total cases.

*Location:* 5-8 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V3: BY18 80003 FORM ID

Value	Label	Unweighted Frequency	%
4	-	2407	100.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,407 valid cases out of 2,407 total cases.

*Location:* 9-9 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### RESPONDENT\_ID: ARCHIVE ID

Based upon 2,407 valid cases out of 2,407 total cases.

*Location:* 10-14 (width: 5; decimal: 0)

*Variable Type:* numeric

---

### ARCHIVE\_WT: ARCHIVE WEIGHT

Based upon 2,407 valid cases out of 2,407 total cases.

*Location:* 15-29 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	470	19.5 %
2	NORTH CENTRAL:(2)	516	21.4 %
3	SOUTH:(3)	917	38.1 %
4	WEST:(4)	504	20.9 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,407 valid cases out of 2,407 total cases.

*Location:* 30-30 (width: 1; decimal: 0)

*Variable Type:* numeric

## V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1429	59.4 %
1	LARGE MSA:(1)	978	40.6 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,407 valid cases out of 2,407 total cases.

*Location:* 31-31 (width: 1; decimal: 0)

*Variable Type:* numeric

## V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	428	17.8 %
1	MSA:(1)	1979	82.2 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,407 valid cases out of 2,407 total cases.

*Location:* 32-32 (width: 1; decimal: 0)

*Variable Type:* numeric

## V4208: 184A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	435	18.1 %
2	PRTY HPY:(2)	1516	63.0 %
3	VRY HPY:(3)	439	18.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	17	0.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,390 valid cases out of 2,407 total cases.

*Location:* 33-34 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4209: 184A02 :FUTR CNTRY WORSE

Item Number: 09940

Looking ahead to the next five years, do you think that things in this country will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the same" 4="Get somewhat worse" 5="Get much worse"

Value	Label	Unweighted Frequency	%
1	MCH BETR:(1)	106	4.4 %
2	SMWT BTR:(2)	546	22.7 %
3	SAME:(3)	605	25.1 %

Value	Label	Unweighted Frequency	%
4	SMWT WSE:(4)	880	36.6 %
5	MCH WRSE:(5)	256	10.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	14	0.6 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,393 valid cases out of 2,407 total cases.

*Location:* 35-36 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4210: 184A03 :FUTR WORLD WORSE

Item Number: 09950

Looking ahead to the next five years, do you think that things in the rest of the world will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the same" 4="Get somewhat worse" 5="Get much worse"

Value	Label	Unweighted Frequency	%
1	MCH BETR:(1)	78	3.2 %
2	SMWT BTR:(2)	503	20.9 %
3	SAME:(3)	748	31.1 %
4	SMWT WSE:(4)	828	34.4 %
5	MCH WRSE:(5)	231	9.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	19	0.8 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,388 valid cases out of 2,407 total cases.

*Location:* 37-38 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4211: 184A04 :FUTR R LIFE WRSE

Item Number: 09960

How do you think your own life will go in the next five years--do you think it will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the same" 4="Get somewhat worse" 5="Get much worse"

Value	Label	Unweighted Frequency	%
1	MCH BETR:(1)	1079	44.8 %
2	SMWT BTR:(2)	986	41.0 %
3	SAME:(3)	242	10.1 %
4	SMWT WSE:(4)	54	2.2 %
5	MCH WRSE:(5)	27	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	19	0.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,388 valid cases out of 2,407 total cases.

*Location:* 39-40 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4212: 184A05 :THK ABT SOC ISSU

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	134	5.6 %
2	SELDOM:(2)	398	16.5 %
3	SOMETIMES:(3)	1058	44.0 %
4	QUITE OFTN:(4)	613	25.5 %
5	GREAT DEAL:(5)	189	7.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	15	0.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,392 valid cases out of 2,407 total cases.

*Location:* 41-42 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4213: 184A06A:PLLTN INCR IN US

Item Number: 09970

These questions are about pollution and the environment.  
Please mark the circle that shows how much you agree or disagree with each statement below.

A: In general, pollution has increased in the U.S. in the last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	45	1.9 %
2	MOST DIS:(2)	109	4.5 %
3	NEITHER:(3)	290	12.0 %
4	MOST AGR:(4)	815	33.9 %
5	AGREE:(5)	1111	46.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	37	1.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,370 valid cases out of 2,407 total cases.

*Location:* 43-44 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4214: 184A06B:PLLTN NT SO DANG

Item Number: 09980

Please mark the circle that shows how much you agree or disagree with each statement below.

B: The dangers of pollution are not really as great as government, the media, and environmental groups would like us to believe

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	743	30.9 %
2	MOST DIS:(2)	514	21.4 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	464	19.3 %
4	MOST AGR:(4)	368	15.3 %
5	AGREE:(5)	271	11.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	47	2.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,360 valid cases out of 2,407 total cases.

*Location:* 45-46 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4215: 184A06C:PLLTN NEC 4 GRTH

Item Number: 09990

Please mark the circle that shows how much you agree or disagree with each statement below.

C: America needs growth to survive, and that is going to require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	704	29.2 %
2	MOST DIS:(2)	597	24.8 %
3	NEITHER:(3)	484	20.1 %
4	MOST AGR:(4)	380	15.8 %
5	AGREE:(5)	185	7.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	57	2.4 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,350 valid cases out of 2,407 total cases.

*Location:* 47-48 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4216: 184A06D:INDVL RESP 4 ENV

Item Number: 10000

Please mark the circle that shows how much you agree or disagree with each statement below.

D: People will have to change their buying habits and way of life to correct our environmental problems

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	127	5.3 %
2	MOST DIS:(2)	210	8.7 %
3	NEITHER:(3)	439	18.2 %
4	MOST AGR:(4)	868	36.1 %
5	AGREE:(5)	715	29.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	48	2.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,359 valid cases out of 2,407 total cases.

*Location:* 49-50 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4217: 184A06E:GOVT RESP 4 ENV

Item Number: 10010

Please mark the circle that shows how much you agree or disagree with each statement below.

E: Government should take action to solve our environmental problems even if it means that some of the products we now use would have to be changed or banned

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	145	6.0 %
2	MOST DIS:(2)	207	8.6 %
3	NEITHER:(3)	465	19.3 %
4	MOST AGR:(4)	787	32.7 %
5	AGREE:(5)	754	31.3 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	49	2.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,358 valid cases out of 2,407 total cases.

*Location:* 51-52 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4218: 184A06F:GOVT TAX PLLTRS

Item Number: 10020

Please mark the circle that shows how much you agree or disagree with each statement below.

F: Government should place higher taxes on products which cause pollution in their manufacture or disposal, so that companies will be encouraged to find better ways to produce them

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	318	13.2 %
2	MOST DIS:(2)	307	12.8 %
3	NEITHER:(3)	520	21.6 %
4	MOST AGR:(4)	593	24.6 %
5	AGREE:(5)	609	25.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	60	2.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,347 valid cases out of 2,407 total cases.

*Location:* 53-54 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4219: 184A06G:GOVT BAN DSPSBLE

Item Number: 10030

Please mark the circle that shows how much you agree or disagree with each statement below.

G: I wish that government would ban throwaway bottles and beverage cans

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	419	17.4 %
2	MOST DIS:(2)	322	13.4 %
3	NEITHER:(3)	846	35.1 %
4	MOST AGR:(4)	431	17.9 %
5	AGREE:(5)	326	13.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	63	2.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,344 valid cases out of 2,407 total cases.

*Location:* 55-56 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4220: 184A06H:TV COMM CRT NDS

Item Number: 10040

Please mark the circle that shows how much you agree or disagree with each statement below.

H: T.V. commercials stimulate people to buy a lot of things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	72	3.0 %
2	MOST DIS:(2)	107	4.4 %
3	NEITHER:(3)	303	12.6 %
4	MOST AGR:(4)	741	30.8 %
5	AGREE:(5)	1120	46.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	64	2.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,343 valid cases out of 2,407 total cases.

*Location:* 57-58 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4221: 184A06I:TV COMMRCCLS GOOD

Item Number: 10050

Please mark the circle that shows how much you agree or disagree with each statement below.

I: T.V. commercials do a lot of good by showing new products that we might not know about otherwise

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	155	6.4 %
2	MOST DIS:(2)	352	14.6 %
3	NEITHER:(3)	738	30.7 %
4	MOST AGR:(4)	774	32.2 %
5	AGREE:(5)	322	13.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	66	2.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,341 valid cases out of 2,407 total cases.

*Location:* 59-60 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4222: 184A06J:FAM BUYS THG -ND

Item Number: 10060

Please mark the circle that shows how much you agree or disagree with each statement below.

J: My family and I often buy things we really don't need;  
we could get along with much less

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	250	10.4 %
2	MOST DIS:(2)	361	15.0 %
3	NEITHER:(3)	573	23.8 %
4	MOST AGR:(4)	715	29.7 %
5	AGREE:(5)	447	18.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	61	2.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,346 valid cases out of 2,407 total cases.

*Location:* 61-62 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4223: 184A06K:POL SLVD NXT 25YR

Item Number: 10070

Please mark the circle that shows how much you agree or disagree with each statement below.

K: Within the next 25 years, engineers and scientists will probably have invented devices that will solve our pollution problems

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	91	3.8 %
2	MOST DIS:(2)	297	12.3 %
3	NEITHER:(3)	625	26.0 %
4	MOST AGR:(4)	951	39.5 %
5	AGREE:(5)	389	16.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	54	2.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,353 valid cases out of 2,407 total cases.

*Location:* 63-64 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4224: 184A07 :R EFRT 2 HLP ENV

Item Number: 10080

In your own actions--the things you buy and the things you do--how much of an effort do you make to conserve energy and protect the environment?

1="None" 2="A little" 3="Some" 4="Quite a bit"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	273	11.3 %
2	A LITTLE:(2)	683	28.4 %
3	SOME:(3)	1048	43.5 %
4	QUITE A BIT:(4)	241	10.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	162	6.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,245 valid cases out of 2,407 total cases.

*Location:* 65-66 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4225: 184A08A:JOB IMPC SE RSLT

Item Number: 10090

The next questions are about work. Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A: A job where you can see the results of what you do

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	52	2.2 %
2	LITL IMP:(2)	259	10.8 %
3	PRTY IMP:(3)	1003	41.7 %
4	VERY IMP:(4)	1047	43.5 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	46	1.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,361 valid cases out of 2,407 total cases.

*Location:* 67-68 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4226: 184A08B:JOB IMPC STATUS

Item Number: 10100

Indicate how important this thing is for you.

B: A job that has high status and prestige

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	275	11.4 %
2	LITL IMP:(2)	719	29.9 %
3	PRTY IMP:(3)	839	34.9 %
4	VERY IMP:(4)	517	21.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	57	2.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,350 valid cases out of 2,407 total cases.

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4227: 184A08C:JOB INTRSTG

Item Number: 10110

Indicate how important this thing is for you.

C: A job which is interesting to do

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	28	1.2 %
2	LITL IMP:(2)	93	3.9 %
3	PRTY IMP:(3)	515	21.4 %
4	VERY IMP:(4)	1705	70.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	66	2.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,341 valid cases out of 2,407 total cases.

*Location:* 71-72 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4228: 184A08D:JOB IMPC ADVNCMT

Item Number: 10120

Indicate how important this thing is for you.

D: A job where the chances for advancement and promotion are good

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	57	2.4 %
2	LITL IMP:(2)	236	9.8 %
3	PRTY IMP:(3)	838	34.8 %
4	VERY IMP:(4)	1222	50.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	54	2.2 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,353 valid cases out of 2,407 total cases.

*Location:* 73-74 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4229: 184A08E:JOB IMPC HLP OTH

Item Number: 10130

Indicate how important this thing is for you.

E: A job that gives you an opportunity to be directly helpful to others

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	93	3.9 %
2	LITL IMP:(2)	329	13.7 %
3	PRTY IMP:(3)	774	32.2 %
4	VERY IMP:(4)	1152	47.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	59	2.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,348 valid cases out of 2,407 total cases.

*Location:* 75-76 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4230: 184A08F:JOB IMPC EARN \$

Item Number: 10140

Indicate how important this thing is for you.

F: A job which provides you with a chance to earn a good deal of money

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	59	2.5 %
2	LITL IMP:(2)	202	8.4 %
3	PRTY IMP:(3)	757	31.4 %
4	VERY IMP:(4)	1327	55.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	62	2.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,345 valid cases out of 2,407 total cases.

*Location:* 77-78 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V4231: 184A08G:JOB IMPC CREATVY

Item Number: 10150

Indicate how important this thing is for you.

G: A job where you have the chance to be creative

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	138	5.7 %
2	LITL IMP:(2)	506	21.0 %
3	PRTY IMP:(3)	774	32.2 %
4	VERY IMP:(4)	930	38.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	59	2.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,348 valid cases out of 2,407 total cases.

*Location:* 79-80 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4232: 184A08H:JOB IMPC UTILITY

Item Number: 10160

Indicate how important this thing is for you.

H: A job where the skills you learn will not go out of date

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	100	4.2 %
2	LITL IMP:(2)	323	13.4 %
3	PRTY IMP:(3)	775	32.2 %
4	VERY IMP:(4)	1153	47.9 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	56	2.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,351 valid cases out of 2,407 total cases.

*Location:* 81-82 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V4233: 184A08I:JOB IMPC MK FRND

Item Number: 10170

Indicate how important this thing is for you.

I: A job that gives you a chance to make friends

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	158	6.6 %
2	LITL IMP:(2)	521	21.6 %
3	PRTY IMP:(3)	820	34.1 %
4	VERY IMP:(4)	844	35.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	64	2.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,343 valid cases out of 2,407 total cases.

*Location:* 83-84 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V4234: 184A08J:JOB IMPC USE SKL

Item Number: 10180

Indicate how important this thing is for you.

J: A job which uses your skills and abilities--lets you do the things you can do best

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	32	1.3 %
2	LITL IMP:(2)	140	5.8 %
3	PRTY IMP:(3)	690	28.7 %
4	VERY IMP:(4)	1483	61.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	62	2.6 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,345 valid cases out of 2,407 total cases.

*Location:* 85-86 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4235: 184A08K:JOB IMPC WRTHWLE

Item Number: 10190

Indicate how important this thing is for you.

K: A job that is worthwhile to society

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	101	4.2 %
2	LITL IMP:(2)	385	16.0 %
3	PRTY IMP:(3)	841	34.9 %
4	VERY IMP:(4)	1004	41.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	76	3.2 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,331 valid cases out of 2,407 total cases.

*Location:* 87-88 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4236: 184A08L:JOB IMPC VACATN

Item Number: 10200

Indicate how important this thing is for you.

L: A job where you have more than two weeks vacation

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	251	10.4 %
2	LITL IMP:(2)	655	27.2 %
3	PRTY IMP:(3)	709	29.5 %
4	VERY IMP:(4)	727	30.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	65	2.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,342 valid cases out of 2,407 total cases.

*Location:* 89-90 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4237: 184A08M:JOB IMPC MK DCSN

Item Number: 10210

Indicate how important this thing is for you.

M: A job where you get a chance to participate in decision making

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	106	4.4 %
2	LITL IMP:(2)	468	19.4 %
3	PRTY IMP:(3)	965	40.1 %
4	VERY IMP:(4)	799	33.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	69	2.9 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,338 valid cases out of 2,407 total cases.

*Location:* 91-92 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4238: 184A08N:JOB IMPC FRE TIM

Item Number: 10220

Indicate how important this thing is for you.

N: A job which leaves a lot of time for other things in your life

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	66	2.7 %
2	LITL IMP:(2)	390	16.2 %
3	PRTY IMP:(3)	962	40.0 %
4	VERY IMP:(4)	922	38.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	67	2.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,340 valid cases out of 2,407 total cases.

*Location:* 93-94 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4239: 184A08O:JOB IMPC NO MVNG

Item Number: 10230

Indicate how important this thing is for you.

O: A job which allows you to establish roots in a community and not have to move from place to place

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	240	10.0 %
2	LITL IMP:(2)	524	21.8 %
3	PRTY IMP:(3)	835	34.7 %
4	VERY IMP:(4)	747	31.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	61	2.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,346 valid cases out of 2,407 total cases.

*Location:* 95-96 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V4240: 184A08P:JOB IMPC NO SPRV

Item Number: 10240

Indicate how important this thing is for you.

P: A job which leaves you mostly free of supervision by others

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	230	9.6 %
2	LITL IMP:(2)	728	30.2 %
3	PRTY IMP:(3)	858	35.6 %
4	VERY IMP:(4)	524	21.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	67	2.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,340 valid cases out of 2,407 total cases.

*Location:* 97-98 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V4241: 184A08Q:JOB IMPC SECURITY

Item Number: 10250

Indicate how important this thing is for you.

Q: A job that offers a reasonably predictable, secure future

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	56	2.3 %
2	LITL IMP:(2)	227	9.4 %
3	PRTY IMP:(3)	802	33.3 %
4	VERY IMP:(4)	1237	51.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	85	3.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,322 valid cases out of 2,407 total cases.

*Location:* 99-100 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4242: 184A08R:JOB IMPC LRNING

Item Number: 10260

Indicate how important this thing is for you.

R: A job where you can learn new things, learn new skills

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	61	2.5 %
2	LITL IMP:(2)	310	12.9 %
3	PRTY IMP:(3)	864	35.9 %
4	VERY IMP:(4)	1084	45.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	88	3.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,319 valid cases out of 2,407 total cases.

*Location:* 101-102 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4243: 184A08S:JOB IMPC BE SELF

Item Number: 10270

Indicate how important this thing is for you.

S: A job where you do not have to pretend to be a type  
of person that you are not

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	147	6.1 %
2	LITL IMP:(2)	202	8.4 %
3	PRTY IMP:(3)	551	22.9 %
4	VERY IMP:(4)	1411	58.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	96	4.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,311 valid cases out of 2,407 total cases.

*Location:* 103-104 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4244: 184A08T:JOB IMPC RESPECT

Item Number: 10280

Indicate how important this thing is for you.

T: A job that most people look up to and respect

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	162	6.7 %
2	LITL IMP:(2)	416	17.3 %
3	PRTY IMP:(3)	778	32.3 %
4	VERY IMP:(4)	954	39.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	97	4.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,310 valid cases out of 2,407 total cases.

*Location:* 105-106 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4245: 184A08U:JOB IMPC CNTC PL

Item Number: 10290

Indicate how important this thing is for you.

U: A job that permits contact with a lot of people

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	296	12.3 %
2	LITL IMP:(2)	695	28.9 %
3	PRTY IMP:(3)	756	31.4 %
4	VERY IMP:(4)	562	23.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	98	4.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,309 valid cases out of 2,407 total cases.

*Location:* 107-108 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4246: 184A08V:JOB IMPC EZ PACE

Item Number: 10300

Indicate how important this thing is for you.

V: A job with an easy pace that lets you work slowly

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	476	19.8 %
2	LITL IMP:(2)	856	35.6 %
3	PRTY IMP:(3)	593	24.6 %
4	VERY IMP:(4)	391	16.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	91	3.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,316 valid cases out of 2,407 total cases.

*Location:* 109-110 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4247: 184A08W:JOB IMPC HRD PRB

Item Number: 10310

Indicate how important this thing is for you.

W: A job where most problems are quite difficult and challenging

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	416	17.3 %
2	LITL IMP:(2)	872	36.2 %
3	PRTY IMP:(3)	710	29.5 %
4	VERY IMP:(4)	314	13.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	95	3.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,312 valid cases out of 2,407 total cases.

*Location:* 111-112 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4248: 184A09 :KIND OF WORK @30

Item Number: 10320

What kind of work do you think you will be doing when you are 30 years old? Mark the one that comes closest to what you expect to be doing.

01="Laborer (custodian, material mover, maid, landscape worker, farm worker)"

02="Service worker (food preparer or food service worker including fast food, waiter/waitress, call center worker, stock clerk, order filler, nursing aide/orderly, teacher assistant, childcare worker)"

03="Operative or semi-skilled worker (bus or truck driver, maintenance or repair worker, assembly line worker)"

04="Sales clerk in a retail store or by phone (cashier, supervisor of retail workers)"

05="Clerical or office worker (secretary, receptionist, bookkeeper, supervisor of office workers, bank teller, postal clerk or carrier)"

- 06="Protective service (police, firefighter, paramedic)"
- 07="Military service"
- 08="Craftsman or skilled worker (carpenter, mechanic, machinist, welder)"
- 09="Farm owner, farm manager"
- 10="Owner of a small business"
- 11="Sales representative (insurance agent, real estate)"
- 12="Manager or administrator (office manager, government official, sales manager)"
- 13="Professional without doctoral degree (registered nurse, school teacher, accountant, architect, artist, information technology worker)"
- 14="Professional with doctoral degree or equivalent (lawyer, physician, dentist, scientist, college professor)"
- 15="Full-time homemaker"
- 16="Don't know--GO TO QUESTION 13"

Value	Label	Unweighted Frequency	%
1	LABORER:(1)	28	1.2 %
2	SERV WKR:(2)	82	3.4 %
3	SEMISKL:(3)	16	0.7 %
4	RETAIL:(4)	14	0.6 %
5	CLERICAL:(5)	44	1.8 %
6	PROTECT:(6)	114	4.7 %
7	MILITARY:(7)	81	3.4 %
8	SKLD WKR:(8)	147	6.1 %
9	FARM:(9)	13	0.5 %
10	OWN SHOP:(10)	155	6.4 %
11	SALESREP:(11)	39	1.6 %
12	MANAGER:(12)	94	3.9 %
13	NOPHDPRO:(13)	626	26.0 %
14	PHD PRO:(14)	518	21.5 %
15	HOMEMKR:(15)	7	0.3 %
16	DK:(16)	165	6.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	264	11.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,143 valid cases out of 2,407 total cases.

*Location:* 113-114 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4249: 184A10 :R SURE GT THS WK

Item Number: 10330

How likely do you think it is that you will actually get

to do this kind of work?

1="Not very likely" 2="Somewhat likely" 3="Fairly likely"  
4="Very likely" 5="Certain" 6="I already do this kind of  
work"

Value	Label	Unweighted Frequency	%
1	NOT LKLY:(1)	33	1.4 %
2	SMWT LIK:(2)	208	8.6 %
3	FRLY LIK:(3)	578	24.0 %
4	VY LIKELY:(4)	784	32.6 %
5	CERTAIN:(5)	393	16.3 %
6	ALRDY DO:(6)	116	4.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	295	12.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,112 valid cases out of 2,407 total cases.

*Location:* 115-116 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4250: 184A11 :R SURE WK GD CHC

Item Number: 10340

How certain are you that this kind of work is a good choice  
for you?

1="Not at all certain" 2="Somewhat certain" 3="Fairly certain"  
4="Very certain" 5="Completely certain"

Value	Label	Unweighted Frequency	%
1	NT CERTN:(1)	59	2.5 %
2	SMWT CTN:(2)	204	8.5 %
3	FRLY CTN:(3)	566	23.5 %
4	VY CERTN:(4)	756	31.4 %
5	COMP CTN:(5)	528	21.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	294	12.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,113 valid cases out of 2,407 total cases.

*Location:* 117-118 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V4251: 184A12 :R THNK WK BE SAT

Item Number: 10350

How satisfying do you think this kind of work will be for you?

1="Not very satisfying" 2="Somewhat satisfying" 3="Quite satisfying" 4="Very satisfying" 5="Extremely satisfying"

Value	Label	Unweighted Frequency	%
1	NT SATIS:(1)	41	1.7 %
2	SMWT SAT:(2)	160	6.6 %
3	QUITE ST:(3)	459	19.1 %
4	VY SATIS:(4)	807	33.5 %
5	EXTR SAT:(5)	645	26.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	295	12.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,112 valid cases out of 2,407 total cases.

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4252: 184A13A:JOB OBSTC RELGN

Item Number: 10360

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

A: Your religion

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1900	78.9 %
2	SOMEWHAT:(2)	200	8.3 %
3	A LOT:(3)	50	2.1 %
8	DK:(8)	147	6.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	110	4.6 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,297 valid cases out of 2,407 total cases.

*Location:* 121-122 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4253: 184A13B:JOB OBSTC SEX

Item Number: 10370

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

B: Your sex

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1539	63.9 %
2	SOMEWHAT:(2)	503	20.9 %
3	A LOT:(3)	145	6.0 %
8	DK:(8)	107	4.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	113	4.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,294 valid cases out of 2,407 total cases.

*Location:* 123-124 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4254: 184A13C:JOB OBSTC RACE

Item Number: 10380

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

C: Your race

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1568	65.1 %
2	SOMEWHAT:(2)	433	18.0 %
3	A LOT:(3)	169	7.0 %
8	DK:(8)	116	4.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	121	5.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,286 valid cases out of 2,407 total cases.

*Location:* 125-126 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4255: 184A13D:JOB OBSTC BKGRND

Item Number: 10390

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

D: Your family background

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1705	70.8 %
2	SOMEWHAT:(2)	361	15.0 %
3	A LOT:(3)	97	4.0 %
8	DK:(8)	131	5.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	113	4.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,294 valid cases out of 2,407 total cases.

*Location:* 127-128 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4256: 184A13E:JOB OBSTC POL VW

Item Number: 10400

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

E: Your political views

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1638	68.1 %
2	SOMEWHAT:(2)	379	15.7 %
3	A LOT:(3)	82	3.4 %
8	DK:(8)	186	7.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	122	5.1 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,285 valid cases out of 2,407 total cases.

*Location:* 129-130 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4257: 184A13F:JOB OBSTC EDUCTN

Item Number: 10410

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

F: Your education

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	958	39.8 %
2	SOMEWHAT:(2)	533	22.1 %
3	A LOT:(3)	696	28.9 %
8	DK:(8)	102	4.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	118	4.9 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,289 valid cases out of 2,407 total cases.

*Location:* 131-132 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4258: 184A13G:JOB OBSTC -VOC T

Item Number: 10420

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

G: Lack of vocational training

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1008	41.9 %
2	SOMEWHAT:(2)	591	24.6 %
3	A LOT:(3)	310	12.9 %
8	DK:(8)	374	15.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	124	5.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,407 total cases.

*Location:* 133-134 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4259: 184A13H:JOB OBSTC -ABLTY

Item Number: 10430

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

H: Lack of ability

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1038	43.1 %

Value	Label	Unweighted Frequency	%
2	SOMEWHAT:(2)	500	20.8 %
3	A LOT:(3)	590	24.5 %
8	DK:(8)	154	6.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	125	5.2 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,282 valid cases out of 2,407 total cases.

*Location:* 135-136 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4260: 184A13I:JOB OBSTC - PULL

Item Number: 10440

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

I: Not knowing the right people

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	801	33.3 %
2	SOMEWHAT:(2)	896	37.2 %
3	A LOT:(3)	390	16.2 %
8	DK:(8)	192	8.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	128	5.3 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,279 valid cases out of 2,407 total cases.

*Location:* 137-138 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4261: 184A13J:JOB OBSTC -WK HD

Item Number: 10450

To what extent do you think the things listed below will

prevent you from getting the kind of work you would like to have?

J: Not wanting to work hard

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1076	44.7 %
2	SOMEWHAT:(2)	298	12.4 %
3	A LOT:(3)	807	33.5 %
8	DK:(8)	102	4.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	124	5.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,407 total cases.

*Location:* 139-140 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4262: 184A13K:JOB OBSTC -CONFM

Item Number: 10460

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

K: Not wanting to conform

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	997	41.4 %
2	SOMEWHAT:(2)	539	22.4 %
3	A LOT:(3)	447	18.6 %
8	DK:(8)	294	12.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	130	5.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,277 valid cases out of 2,407 total cases.

*Location:* 141-142 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V4263: 184A14 :ENUF\$,NT WNT WRK

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

Value	Label	Unweighted Frequency	%
1	WORK:(1)	1784	74.1 %
2	NOT WORK:(2)	532	22.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	91	3.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,316 valid cases out of 2,407 total cases.

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4264: 184A15A:FEW GD MAR, ? IT

Item Number: 10470

How much do you agree or disagree with each statement below?

A: One sees so few good or happy marriages that one questions it as a way of life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	305	12.7 %
2	MOST DIS:(2)	246	10.2 %
3	NEITHER:(3)	654	27.2 %
4	MOST AGR:(4)	400	16.6 %
5	AGREE:(5)	205	8.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	597	24.8 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,810 valid cases out of 2,407 total cases.

*Location:* 145-146 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4265: 184A15B:GD LIV TG BF MRG

Item Number: 10480

How much do you agree or disagree with each statement below?

B: It is usually a good idea for a couple to live together before getting married in order to find out whether they really get along

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	118	4.9 %
2	MOST DIS:(2)	136	5.7 %
3	NEITHER:(3)	267	11.1 %
4	MOST AGR:(4)	574	23.8 %
5	AGREE:(5)	727	30.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	585	24.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,822 valid cases out of 2,407 total cases.

*Location:* 147-148 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4266: 184A15C:1 PRTNR = RSTRCTVE

Item Number: 10490

How much do you agree or disagree with each statement below?

C: Having a close intimate relationship with only one partner is too restrictive for the average person

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	759	31.5 %
2	MOST DIS:(2)	365	15.2 %
3	NEITHER:(3)	447	18.6 %
4	MOST AGR:(4)	162	6.7 %
5	AGREE:(5)	81	3.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	593	24.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,814 valid cases out of 2,407 total cases.

*Location:* 149-150 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4269: 184A15D:BNG FATH V FULFL

Item Number: 10520

How much do you agree or disagree with each statement below?

D: Being a father and raising children is one of the most fulfilling experiences a man can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	99	4.1 %
2	MOST DIS:(2)	96	4.0 %
3	NEITHER:(3)	547	22.7 %
4	MOST AGR:(4)	682	28.3 %
5	AGREE:(5)	874	36.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	109	4.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,298 valid cases out of 2,407 total cases.

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4442: 184A15E:BNG MOTH V FULFL

Item Number: 12170

How much do you agree or disagree with each statement below?

E: Being a mother and raising children is one of the most fulfilling experiences a woman can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	109	4.5 %
2	MOST DIS:(2)	85	3.5 %
3	NEITHER:(3)	518	21.5 %
4	MOST AGR:(4)	614	25.5 %
5	AGREE:(5)	963	40.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	118	4.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,289 valid cases out of 2,407 total cases.

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4270: 184A15F:MO SH B W CHL>TM

Item Number: 10530

How much do you agree or disagree with each statement below?

F: Most mothers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	90	3.7 %
2	MOST DIS:(2)	160	6.6 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	784	32.6 %
4	MOST AGR:(4)	701	29.1 %
5	AGREE:(5)	560	23.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	112	4.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,295 valid cases out of 2,407 total cases.

*Location:* 155-156 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4443: 184A15G:FTHR>TIME W CHLD

Item Number: 12180

How much do you agree or disagree with each statement below?

G: Most fathers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	61	2.5 %
2	MOST DIS:(2)	89	3.7 %
3	NEITHER:(3)	630	26.2 %
4	MOST AGR:(4)	788	32.7 %
5	AGREE:(5)	725	30.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	114	4.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,293 valid cases out of 2,407 total cases.

*Location:* 157-158 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4466: 184A16A:WKDAY HRS WATCH/VIDEO

Item Number: 34770

How many hours do you estimate you watch video, TV, or movies on an electronic device (such as a TV, computer, tablet or smartphone)?

A. On an average WEEKDAY?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"  
6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	85	3.5 %
2	<1 HOUR:(2)	270	11.2 %
3	1-2 HRS:(3)	662	27.5 %
4	3-4 HRS:(4)	688	28.6 %
5	5-6 HRS:(5)	321	13.3 %
6	7-8 HRS:(6)	107	4.4 %
7	9+ HRS:(7)	162	6.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	112	4.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,295 valid cases out of 2,407 total cases.

*Location:* 159-160 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4467: 184A16B:WKEND HRS WATCH/VIDEO

Item Number: 34780

How many hours do you estimate you watch video, TV, or movies on an electronic device (such as a TV, computer, tablet or smartphone)?

B. On an average WEEKEND DAY?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours" 5="5-6 hours"  
6="7-8 hours" 7="9 hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	79	3.3 %
2	<1 HOUR:(2)	134	5.6 %
3	1-2 HRS:(3)	360	15.0 %
4	3-4 HRS:(4)	649	27.0 %
5	5-6 HRS:(5)	482	20.0 %
6	7-8 HRS:(6)	255	10.6 %

Value	Label	Unweighted Frequency	%
7	9+ HRS:(7)	312	13.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	136	5.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,271 valid cases out of 2,407 total cases.

*Location:* 161-162 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4465: 184A17:HOW OFTEN HV DINNER W/PARENTS

Item Number: 32740

During a typical week, how often do you have dinner with one or both of your parents?

1="Less than one day per week" 2="One day" 3="Two days" 4="Three days"

5="Four or five days" 6="Six or seven days per week"

Value	Label	Unweighted Frequency	%
1	< 1 DAY/WEEK:(1)	522	21.7 %
2	1 DAY:(2)	204	8.5 %
3	2 DAYS:(3)	294	12.2 %
4	3 DAYS:(4)	337	14.0 %
5	4-5 DAYS:(5)	498	20.7 %
6	6-7 DAYS:(6)	453	18.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	99	4.1 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,308 valid cases out of 2,407 total cases.

*Location:* 163-164 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4273: 184A18 :#BKS LAST YR/10+

Item Number: 10560

In the past year, how many books have you read just because you wanted to--that is, without their being assigned?

1="None" 2="One" 3="Two to five" 4="Six to nine" 5="Ten or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	858	35.6 %
2	1:(2)	401	16.7 %
3	2-5:(3)	687	28.5 %
4	6-9:(4)	174	7.2 %
5	10+:(5)	179	7.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	108	4.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,299 valid cases out of 2,407 total cases.

*Location:* 165-166 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4274: 184A19 :INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%
1	NO INTRST:(1)	284	11.8 %
2	VRY LITTLE:(2)	430	17.9 %
3	SOME:(3)	948	39.4 %
4	A LOT:(4)	396	16.5 %
5	VRY GRT:(5)	230	9.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	119	4.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,288 valid cases out of 2,407 total cases.

*Location:* 167-168 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4275: 184A20A:>INFLC LARG CORP

Item Number: 10570

Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

A: Large corporations

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"  
8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	249	10.3 %
2	LESS:(2)	623	25.9 %
3	SAME:(3)	648	26.9 %
4	MORE:(4)	225	9.3 %
5	MCH MORE:(5)	83	3.4 %
8	NO OPIN:(8)	437	18.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	142	5.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,265 valid cases out of 2,407 total cases.

*Location:* 169-170 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4276: 184A20B:>INFLC LBR UNION

Item Number: 10580

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

B: Major labor unions

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"  
8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	65	2.7 %

Value	Label	Unweighted Frequency	%
2	LESS:(2)	254	10.6 %
3	SAME:(3)	726	30.2 %
4	MORE:(4)	495	20.6 %
5	MCH MORE:(5)	142	5.9 %
8	NO OPIN:(8)	571	23.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,253 valid cases out of 2,407 total cases.

*Location:* 171-172 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4277: 184A20C:>INFLC CHURCHES

Item Number: 10590

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

C: Churches and religious organizations

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"  
8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	282	11.7 %
2	LESS:(2)	297	12.3 %
3	SAME:(3)	695	28.9 %
4	MORE:(4)	391	16.2 %
5	MCH MORE:(5)	206	8.6 %
8	NO OPIN:(8)	391	16.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	145	6.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,262 valid cases out of 2,407 total cases.

*Location:* 173-174 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4278: 184A20D:>INFLC NEWS MDIA

Item Number: 10600

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

D: The national news media (TV, magazines, news services)

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"  
8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	375	15.6 %
2	LESS:(2)	665	27.6 %
3	SAME:(3)	599	24.9 %
4	MORE:(4)	183	7.6 %
5	MCH MORE:(5)	123	5.1 %
8	NO OPIN:(8)	319	13.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	143	5.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,407 total cases.

*Location:* 175-176 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4279: 184A20E:>INFLC PRES/ADMN

Item Number: 10610

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

E: The Presidency and the administration

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"  
8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	152	6.3 %
2	LESS:(2)	350	14.5 %

Value	Label	Unweighted Frequency	%
3	SAME:(3)	863	35.9 %
4	MORE:(4)	277	11.5 %
5	MCH MORE:(5)	191	7.9 %
8	NO OPIN:(8)	427	17.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	147	6.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,260 valid cases out of 2,407 total cases.

*Location:* 177-178 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4280: 184A20F:>INFLC CONGRESS

Item Number: 10620

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

F: The Congress--that is, the U.S. Senate and House of Representatives

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"  
8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	91	3.8 %
2	LESS:(2)	234	9.7 %
3	SAME:(3)	903	37.5 %
4	MORE:(4)	391	16.2 %
5	MCH MORE:(5)	178	7.4 %
8	NO OPIN:(8)	468	19.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	142	5.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,265 valid cases out of 2,407 total cases.

*Location:* 179-180 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4281: 184A20G:>INFLC SUPRM CRT

Item Number: 10630

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

G: The U.S. Supreme Court

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"  
8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	56	2.3 %
2	LESS:(2)	124	5.2 %
3	SAME:(3)	953	39.6 %
4	MORE:(4)	451	18.7 %
5	MCH MORE:(5)	190	7.9 %
8	NO OPIN:(8)	484	20.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	149	6.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,258 valid cases out of 2,407 total cases.

*Location:* 181-182 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4282: 184A20H:>INFLC JUSTC SYS

Item Number: 10640

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

H: All the courts and the justice system in general

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"  
8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	57	2.4 %
2	LESS:(2)	151	6.3 %

Value	Label	Unweighted Frequency	%
3	SAME:(3)	944	39.2 %
4	MORE:(4)	433	18.0 %
5	MCH MORE:(5)	174	7.2 %
8	NO OPIN:(8)	492	20.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	156	6.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,251 valid cases out of 2,407 total cases.

*Location:* 183-184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4283: 184A20I:>INFLC POLICE

Item Number: 10650

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

I: The police and other law enforcement agencies

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"

8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	113	4.7 %
2	LESS:(2)	294	12.2 %
3	SAME:(3)	746	31.0 %
4	MORE:(4)	462	19.2 %
5	MCH MORE:(5)	233	9.7 %
8	NO OPIN:(8)	411	17.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	148	6.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,259 valid cases out of 2,407 total cases.

*Location:* 185-186 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4284: 184A20J:>INFLC MILITARY

Item Number: 10660

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

J: The U.S. military

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"  
8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	102	4.2 %
2	LESS:(2)	164	6.8 %
3	SAME:(3)	760	31.6 %
4	MORE:(4)	473	19.7 %
5	MCH MORE:(5)	346	14.4 %
8	NO OPIN:(8)	408	17.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,253 valid cases out of 2,407 total cases.

*Location:* 187-188 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V4285: 184A21A:ILGL AD MRJ PRIV

Item Number: 10780

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A: Smoking marijuana (pot, weed) in private

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1464	60.8 %
2	NOT SURE:(2)	328	13.6 %
3	YES:(3)	477	19.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	138	5.7 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,269 valid cases out of 2,407 total cases.

*Location:* 189-190 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4286: 184A21B:ILGL AD MRJ PUBL

Item Number: 10790

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

B: Smoking marijuana in public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	669	27.8 %
2	NOT SURE:(2)	503	20.9 %
3	YES:(3)	1091	45.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	144	6.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,407 total cases.

*Location:* 191-192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4287: 184A21C:ILGL AD LSD PRIV

Item Number: 10800

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

C: Taking LSD in private

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	723	30.0 %

Value	Label	Unweighted Frequency	%
2	NOT SURE:(2)	510	21.2 %
3	YES:(3)	1023	42.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	151	6.3 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,256 valid cases out of 2,407 total cases.

*Location:* 193-194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4288: 184A21D:ILGL AD LSD PUBL

Item Number: 10810

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

D: Taking LSD in public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	369	15.3 %
2	NOT SURE:(2)	377	15.7 %
3	YES:(3)	1504	62.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	157	6.5 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,407 total cases.

*Location:* 195-196 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4447: 184A21E:ILGL AD AM/SD PV

Item Number: 10825

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

E: Taking amphetamines (uppers) or sedatives (downers) in private

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	678	28.2 %
2	NOT SURE:(2)	608	25.3 %
3	YES:(3)	961	39.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	160	6.6 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,407 total cases.

*Location:* 197-198 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4448: 184A21F:ILGL AD AM/SD PB

Item Number: 10835

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

F: Taking amphetamines or sedatives in public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	382	15.9 %
2	NOT SURE:(2)	479	19.9 %
3	YES:(3)	1389	57.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	157	6.5 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,407 total cases.

*Location:* 199-200 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4291: 184A21G:ILGL AD HRN PRIV

Item Number: 10840

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

G: Taking heroin in private

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	488	20.3 %
2	NOT SURE:(2)	248	10.3 %
3	YES:(3)	1515	62.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	156	6.5 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,251 valid cases out of 2,407 total cases.

*Location:* 201-202 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4292: 184A21H:ILGL AD HRN PUBL

Item Number: 10850

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

H: Taking heroin in public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	364	15.1 %
2	NOT SURE:(2)	174	7.2 %
3	YES:(3)	1711	71.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	158	6.6 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,249 valid cases out of 2,407 total cases.

*Location:* 203-204 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4293: 184A21I:ILGL AD DRNK PRV

Item Number: 10860

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

I: Getting drunk in private

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1538	63.9 %
2	NOT SURE:(2)	314	13.0 %
3	YES:(3)	402	16.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	153	6.4 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,254 valid cases out of 2,407 total cases.

*Location:* 205-206 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V4294: 184A21J:ILGL AD DRNK PBL

Item Number: 10870

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

J: Getting drunk in public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	770	32.0 %
2	NOT SURE:(2)	568	23.6 %
3	YES:(3)	906	37.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	163	6.8 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,244 valid cases out of 2,407 total cases.

*Location:* 207-208 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V4295: 184A21K:LAW 4 SMK TOBPUB

Item Number: 10760

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

K: Smoking tobacco in certain specified public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	967	40.2 %
2	NOT SURE:(2)	454	18.9 %
3	YES:(3)	829	34.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	157	6.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,407 total cases.

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4296: 184A22 :CRIME 2 USE MARJ

Item Number: 10880

In particular, there has been a great deal of public debate about whether marijuana use should be legal. Not counting "medical marijuana" (with a doctor's prescription) which of the following policies would you favor?

1="Using marijuana should be entirely legal" 2="It should be a minor violation--like a parking ticket--but not a crime"

3="It should be a crime" 4="Don't know"

Value	Label	Unweighted Frequency	%
1	LEGAL:(1)	1094	45.5 %
2	MINOR:(2)	603	25.1 %
3	CRIME:(3)	237	9.8 %
4	DK:(4)	319	13.3 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,253 valid cases out of 2,407 total cases.

*Location:* 211-212 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4297: 184A23 :LEGAL 2 SELL MRJ

Item Number: 10890

Aside from "medical marijuana," if it were legal for people to USE marijuana, should it also be legal to SELL marijuana?

1="No" 2="Yes, but only to adults" 3="Yes, to anyone" 4="Don't know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	446	18.5 %
2	ADULTS ONLY:(2)	1261	52.4 %
3	YES ALL:(3)	232	9.6 %
4	DK:(4)	324	13.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	144	6.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,407 total cases.

*Location:* 213-214 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4298: 184A24 :USE<MJ IF LEGAL

Item Number: 10900

Aside from "medical marijuana," if marijuana were legal to use and legally available, which of the following would you be most likely to do?

1="Not use it, even if it were legal and available" 2="Try it" 3="Use it about as often as I do now" 4="Use it more often than I do now" 5="Use it less than I do now" 6="Don't know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1015	42.2 %
2	TRY:(2)	363	15.1 %
3	USE AS OFTN:(3)	364	15.1 %
4	MORE OFTN:(4)	209	8.7 %
5	LESS OFTN:(5)	22	0.9 %
6	DK:(6)	276	11.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	158	6.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,249 valid cases out of 2,407 total cases.

*Location:* 215-216 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4101: 184B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1745	72.5 %
2	1-2X:(2)	283	11.8 %
3	OCCASONLY:(3)	133	5.5 %
4	REG PAST:(4)	63	2.6 %
5	REG NOW:(5)	51	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	132	5.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,275 valid cases out of 2,407 total cases.

*Location:* 217-218 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4102: 184B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	2111	87.7 %
2	<1 CIG/D:(2)	87	3.6 %
3	1-5/DAY:(3)	46	1.9 %
4	1/2 PK:(4)	15	0.6 %
5	1 PK:(5)	9	0.4 %
6	1 1/2 PK:(6)	1	0.0 %
7	2+ PKS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	133	5.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,274 valid cases out of 2,407 total cases.

*Location:* 219-220 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4103: 184B03 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	916	38.1 %
2	YES:(2)	1289	53.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	202	8.4 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,205 valid cases out of 2,407 total cases.

*Location:* 221-222 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V4104: 184B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said no to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	917	38.1 %
2	1-2X:(2)	199	8.3 %
3	3-5X:(3)	246	10.2 %
4	6-9X:(4)	208	8.6 %
5	10-19X:(5)	222	9.2 %
6	20-39X:(6)	151	6.3 %
7	40+OCCAS:(7)	232	9.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	232	9.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,175 valid cases out of 2,407 total cases.

*Location:* 223-224 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V4105: 184B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1023	42.5 %
2	1-2X:(2)	379	15.7 %
3	3-5X:(3)	258	10.7 %
4	6-9X:(4)	203	8.4 %
5	10-19X:(5)	162	6.7 %
6	20-39X:(6)	87	3.6 %
7	40+OCCAS:(7)	63	2.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	232	9.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,175 valid cases out of 2,407 total cases.

*Location:* 225-226 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V4106: 184B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1497	62.2 %
2	1-2X:(2)	403	16.7 %
3	3-5X:(3)	147	6.1 %
4	6-9X:(4)	66	2.7 %
5	10-19X:(5)	36	1.5 %
6	20-39X:(6)	9	0.4 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	11	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	238	9.9 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,169 valid cases out of 2,407 total cases.

*Location:* 227-228 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4107: 184B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions"  
5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	386	16.0 %
2	FEW OCC:(2)	383	15.9 %
3	HALF OCC:(3)	174	7.2 %
4	MOST OCC:(4)	213	8.8 %
5	NRLY ALL:(5)	152	6.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1099	45.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,308 valid cases out of 2,407 total cases.

*Location:* 229-230 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4108: 184B06 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor,

a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]  
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1818	75.5 %
2	ONCE:(2)	157	6.5 %
3	TWICE:(3)	89	3.7 %
4	3-5X:(4)	59	2.5 %
5	6-9X:(5)	17	0.7 %
6	10+ TIME:(6)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	260	10.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,147 valid cases out of 2,407 total cases.

*Location:* 231-232 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4115: 184B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1242	51.6 %
2	1-2X:(2)	239	9.9 %
3	3-5X:(3)	143	5.9 %
4	6-9X:(4)	110	4.6 %
5	10-19X:(5)	107	4.4 %
6	20-39X:(6)	88	3.7 %
7	40+OCCAS:(7)	283	11.8 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	195	8.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,212 valid cases out of 2,407 total cases.

*Location:* 233-234 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4116: 184B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1419	59.0 %
2	1-2X:(2)	229	9.5 %
3	3-5X:(3)	159	6.6 %
4	6-9X:(4)	80	3.3 %
5	10-19X:(5)	90	3.7 %
6	20-39X:(6)	62	2.6 %
7	40+OCCAS:(7)	172	7.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	196	8.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,211 valid cases out of 2,407 total cases.

*Location:* 235-236 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4117: 184B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana

(weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1722	71.5 %
2	1-2X:(2)	191	7.9 %
3	3-5X:(3)	74	3.1 %
4	6-9X:(4)	55	2.3 %
5	10-19X:(5)	49	2.0 %
6	20-39X:(6)	50	2.1 %
7	40+OCCAS:(7)	68	2.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	198	8.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,209 valid cases out of 2,407 total cases.

*Location:* 237-238 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4118: 184B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD  
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2114	87.8 %
2	1-2X:(2)	71	2.9 %
3	3-5X:(3)	20	0.8 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	6	0.2 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	178	7.4 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,229 valid cases out of 2,407 total cases.

*Location:* 239-240 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4119: 184B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD  
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2154	89.5 %
2	1-2X:(2)	56	2.3 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	175	7.3 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,232 valid cases out of 2,407 total cases.

*Location:* 241-242 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4120: 184B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD  
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2204	91.6 %
2	1-2X:(2)	18	0.7 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	178	7.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,229 valid cases out of 2,407 total cases.

*Location:* 243-244 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4121: 184B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens  
other than LSD (like mescaline, peyote, "shrooms" or  
psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2143	89.0 %
2	1-2X:(2)	57	2.4 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	9	0.4 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	171	7.1 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,236 valid cases out of 2,407 total cases.

*Location:* 245-246 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4122: 184B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2174	90.3 %
2	1-2X:(2)	37	1.5 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	175	7.3 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,232 valid cases out of 2,407 total cases.

*Location:* 247-248 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4123: 184B09C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2211	91.9 %
2	1-2X:(2)	15	0.6 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	176	7.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,231 valid cases out of 2,407 total cases.

*Location:* 249-250 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4127: 184B10A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2026	84.2 %
2	1-2X:(2)	72	3.0 %
3	3-5X:(3)	37	1.5 %
4	6-9X:(4)	25	1.0 %
5	10-19X:(5)	29	1.2 %
6	20-39X:(6)	10	0.4 %
7	40+OCCAS:(7)	18	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	190	7.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,217 valid cases out of 2,407 total cases.

*Location:* 251-252 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4128: 184B10B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2086	86.7 %
2	1-2X:(2)	63	2.6 %
3	3-5X:(3)	30	1.2 %
4	6-9X:(4)	15	0.6 %
5	10-19X:(5)	14	0.6 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	6	0.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	189	7.9 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,218 valid cases out of 2,407 total cases.

*Location:* 253-254 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4129: 184B10C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2167	90.0 %
2	1-2X:(2)	25	1.0 %
3	3-5X:(3)	15	0.6 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	187	7.8 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,220 valid cases out of 2,407 total cases.

*Location:* 255-256 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4039: 184B11A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2219	92.2 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,253 valid cases out of 2,407 total cases.

*Location:* 257-258 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4040: 184B11B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2233	92.8 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	150	6.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,257 valid cases out of 2,407 total cases.

*Location:* 259-260 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4041: 184B11C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2244	93.2 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,253 valid cases out of 2,407 total cases.

*Location:* 261-262 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4042: 184B12A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2165	89.9 %
2	1-2X:(2)	42	1.7 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	164	6.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,407 total cases.

*Location:* 263-264 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V4043: 184B12B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2198	91.3 %
2	1-2X:(2)	23	1.0 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	8	0.3 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	159	6.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,248 valid cases out of 2,407 total cases.

*Location:* 265-266 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

#### V4044: 184B12C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2219	92.2 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	162	6.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,245 valid cases out of 2,407 total cases.

*Location:* 267-268 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4124: 184R :#X COKE/LIFETIME

Item Number: 00950

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

. . . in your lifetime? [item 22260]

and On how many occasions (if any) have you used cocaine in any other form . . .

. . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2147	89.2 %
2	1-2X:(2)	43	1.8 %
3	3-5X:(3)	18	0.7 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	8	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	13	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	168	7.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,239 valid cases out of 2,407 total cases.

*Location:* 269-270 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4125: 184R :#X COKE/LAST12MO

Item Number: 00960

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

. . . During the last 12 months? [item 22270]

and On how many occasions (if any) have you used cocaine in any other form . . .

. . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2183	90.7 %
2	1-2X:(2)	28	1.2 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	163	6.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,244 valid cases out of 2,407 total cases.

*Location:* 271-272 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4126: 184R :#X COKE/LAST30DA

Item Number: 00970

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

. . . During the last 30 days? [item 22280]

and On how many occasions (if any) have you used cocaine in any other form . . .

. . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2212	91.9 %
2	1-2X:(2)	15	0.6 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	1	0.0 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	167	6.9 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,240 valid cases out of 2,407 total cases.

*Location:* 273-274 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4133: 184B13A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2144	89.1 %
2	1-2X:(2)	45	1.9 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	13	0.5 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	6	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	169	7.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,238 valid cases out of 2,407 total cases.

*Location:* 275-276 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V4134: 184B13B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives  
on your own--that is, without a doctor telling you to  
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2182	90.7 %
2	1-2X:(2)	27	1.1 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	167	6.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,240 valid cases out of 2,407 total cases.

*Location:* 277-278 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V4135: 184B13C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives  
on your own--that is, without a doctor telling you to  
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2210	91.8 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	169	7.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,238 valid cases out of 2,407 total cases.

*Location:* 279-280 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4136: 184B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2079	86.4 %
2	1-2X:(2)	77	3.2 %
3	3-5X:(3)	26	1.1 %
4	6-9X:(4)	20	0.8 %
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	16	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	172	7.1 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,235 valid cases out of 2,407 total cases.

*Location:* 281-282 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4137: 184B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2143	89.0 %
2	1-2X:(2)	52	2.2 %
3	3-5X:(3)	18	0.7 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	172	7.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,235 valid cases out of 2,407 total cases.

*Location:* 283-284 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4138: 184B14C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take

them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2208	91.7 %
2	1-2X:(2)	15	0.6 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	169	7.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,238 valid cases out of 2,407 total cases.

*Location:* 285-286 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V4139: 184B15A:#X H/LIFETIME

Item Number: 01100

On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2214	92.0 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	177	7.4 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,230 valid cases out of 2,407 total cases.

*Location:* 287-288 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4140: 184B15B:#X H/LAST 12MO

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2228	92.6 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	172	7.1 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,235 valid cases out of 2,407 total cases.

*Location:* 289-290 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4141: 184B15C:#X H/LAST 30DA

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2229	92.6 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	175	7.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,232 valid cases out of 2,407 total cases.

*Location:* 291-292 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4142: 184B16A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2087	86.7 %
2	1-2X:(2)	59	2.5 %
3	3-5X:(3)	28	1.2 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	18	0.7 %
5	10-19X:(5)	8	0.3 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	12	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	190	7.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,217 valid cases out of 2,407 total cases.

*Location:* 293-294 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4143: 184B16B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2146	89.2 %
2	1-2X:(2)	36	1.5 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	188	7.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,219 valid cases out of 2,407 total cases.

*Location:* 295-296 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4144: 184B16C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2191	91.0 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	6	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	191	7.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,216 valid cases out of 2,407 total cases.

*Location:* 297-298 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4462: 184B17A:#X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2197	91.3 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	193	8.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,214 valid cases out of 2,407 total cases.

*Location:* 299-300 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4463: 184B17B:#X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2205	91.6 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	190	7.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,217 valid cases out of 2,407 total cases.

*Location:* 301-302 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4464: 184B17C:#X METHAMPH/30DA

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2206	91.6 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	194	8.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,213 valid cases out of 2,407 total cases.

*Location:* 303-304 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4444: 184B18A:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2120	88.1 %
2	1-2X:(2)	46	1.9 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	23	1.0 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	199	8.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,208 valid cases out of 2,407 total cases.

*Location:* 305-306 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4445: 184B18B:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA  
("Molly","ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2153	89.4 %
2	1-2X:(2)	30	1.2 %
3	3-5X:(3)	17	0.7 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	199	8.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,208 valid cases out of 2,407 total cases.

*Location:* 307-308 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4446: 184B18C:#X MDMA/LAST30DA

Item Number: 22680

On how many occasions (if any) have you used MDMA  
("Molly","ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2196	91.2 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	195	8.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,212 valid cases out of 2,407 total cases.

*Location:* 309-310 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## RESPONDENT\_AGE: 184C01(R):AGE <>18 DICHOTOMY

Item Number:

Component questions: 1) "In what year were you born?" (item  
and 3) date of questionnaire administration as recorded by  
interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	-	960	39.9 %
2	-	1285	53.4 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	162	6.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,245 valid cases out of 2,407 total cases.

*Location:* 311-312 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4150: 184C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	1016	42.2 %
2	FEMALE:(2)	1071	44.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	320	13.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,087 valid cases out of 2,407 total cases.

*Location:* 313-314 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4151: 184C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.)

Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"

3="Hispanic" [see above].

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	225	9.3 %
2	WHITE:(2)	1107	46.0 %
3	HISPANIC:(3)	510	21.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	565	23.5 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,842 valid cases out of 2,407 total cases.

*Location:* 315-316 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4152: 184C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	369	15.3 %
1	A FARM:(1)	81	3.4 %
2	COUNTRY:(2)	208	8.6 %
3	SM CITY:(3)	622	25.8 %
4	MED CITY:(4)	286	11.9 %
5	SUB MED:(5)	271	11.3 %
6	LGE CITY:(6)	221	9.2 %
7	SUB LGE:(7)	143	5.9 %
8	V-LGE CITY:(8)	129	5.4 %
9	SUB V-LGE:(9)	77	3.2 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,407 valid cases out of 2,407 total cases.

*Location:* 317-318 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V4153: 184C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	138	5.7 %
2	ENGAGED:(2)	39	1.6 %
3	SEP/DIV:(3)	46	1.9 %
4	SINGLE:(4)	2020	83.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	164	6.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,407 total cases.

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V49: 184C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	173	7.2 %
1	ONE:(1)	627	26.0 %
2	TWO:(2)	592	24.6 %

Value	Label	Unweighted Frequency	%
3	THREE+:(3-4)	835	34.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	180	7.5 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,227 valid cases out of 2,407 total cases.

*Location:* 321-322 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4155: 184C7CA:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	650	27.0 %
1	MARKED:(1)	1586	65.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	171	7.1 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,236 valid cases out of 2,407 total cases.

*Location:* 323-324 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4156: 184C7CB:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	252	10.5 %
1	MARKED:(1)	1984	82.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	171	7.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,236 valid cases out of 2,407 total cases.

*Location:* 325-326 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4157: 184C7CC:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	727	30.2 %
1	MARKED:(1)	1509	62.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	171	7.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,236 valid cases out of 2,407 total cases.

*Location:* 327-328 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4469: 184C7CD:Rs HSHLD OTHER

Item Number: 34810

Which of the following people live in the same household with you? (Mark all that apply.)

Other, specify \_\_\_\_\_

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	2102	87.3 %
1	MARKED:(1)	134	5.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	171	7.1 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,236 valid cases out of 2,407 total cases.

*Location:* 329-330 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4163: 184C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	115	4.8 %
2	SOME HS:(2)	266	11.1 %
3	HS GRAD:(3)	523	21.7 %
4	SOME CLG:(4)	342	14.2 %
5	CLG GRAD:(5)	481	20.0 %
6	GRAD SCH:(6)	294	12.2 %
7	DK:(7)	217	9.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	169	7.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,238 valid cases out of 2,407 total cases.

*Location:* 331-332 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V4164: 184C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college"  
6="Graduate or professional school after college"  
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	102	4.2 %
2	SOME HS:(2)	174	7.2 %
3	HS GRAD:(3)	411	17.1 %
4	SOME CLG:(4)	396	16.5 %
5	CLG GRAD:(5)	690	28.7 %
6	GRAD SCH:(6)	339	14.1 %
7	DK:(7)	125	5.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	170	7.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,237 valid cases out of 2,407 total cases.

*Location:* 333-334 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4165: 184C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	327	13.6 %
2	YES/SOME:(2)	435	18.1 %

Value	Label	Unweighted Frequency	%
3	YES/MOST:(3)	399	16.6 %
4	YES/NRLY ALL:(4)	1052	43.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	194	8.1 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,213 valid cases out of 2,407 total cases.

*Location:* 335-336 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4166: 184C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	214	8.9 %
2	MILD GOP:(2)	265	11.0 %
3	MILD DEM:(3)	299	12.4 %
4	STRG DEM:(4)	252	10.5 %
5	INDEPNNDT:(5)	240	10.0 %
6	NO PREF:(6)	340	14.1 %
7	OTHER:(7)	39	1.6 %
8	DK/HVNT DECID:(8)	501	20.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	257	10.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,150 valid cases out of 2,407 total cases.

*Location:* 337-338 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4167: 184C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"  
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of  
the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	130	5.4 %
2	CONSERV:(2)	257	10.7 %
3	MODERATE:(3)	484	20.1 %
4	LIBERAL:(4)	354	14.7 %
5	VRY LIB:(5)	135	5.6 %
6	RADICAL:(6)	23	1.0 %
8	NONE/DK:(8)	825	34.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	199	8.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,208 valid cases out of 2,407 total cases.

*Location:* 339-340 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V4169: 184C13A:R ATTND REL SVC

Item Number: 00370

The next three questions are about religion.

B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	460	19.1 %
2	RARELY:(2)	641	26.6 %
3	1-2X/MO:(3)	251	10.4 %
4	1/WK OR+:(4)	375	15.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	680	28.3 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,727 valid cases out of 2,407 total cases.

*Location:* 341-342 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4170: 184C13B:RLGN IMP Rs LF

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	507	21.1 %
2	LITL IMP:(2)	440	18.3 %
3	PRTY IMP:(3)	388	16.1 %
4	VERY IMP:(4)	388	16.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	684	28.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,723 valid cases out of 2,407 total cases.

*Location:* 343-344 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4171: 184C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2173	90.3 %

Value	Label	Unweighted Frequency	%
2	JUL-JAN:(2)	23	1.0 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	12	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	199	8.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,208 valid cases out of 2,407 total cases.

*Location:* 345-346 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4172: 184C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1134	47.1 %
2	GENERAL:(2)	763	31.7 %
3	VOC-TECH:(3)	71	2.9 %
4	OTH/DK:(4)	222	9.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	217	9.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,190 valid cases out of 2,407 total cases.

*Location:* 347-348 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4173: 184C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	32	1.3 %
2	BELOW AVG:(2)	55	2.3 %
3	SLIGHT BELOW:(3)	137	5.7 %
4	AVERAGE:(4)	734	30.5 %
5	SLIGHT ABOVE:(5)	542	22.5 %
6	ABOVE AVG:(6)	538	22.4 %
7	FAR ABOVE:(7)	135	5.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	234	9.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,173 valid cases out of 2,407 total cases.

*Location:* 349-350 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4174: 184C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others  
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	35	1.5 %
2	BELOW AVG:(2)	42	1.7 %
3	SLIGHT BELOW:(3)	130	5.4 %
4	AVERAGE:(4)	694	28.8 %
5	SLIGHT ABOVE:(5)	552	22.9 %
6	ABOVE AVG:(6)	566	23.5 %
7	FAR ABOVE:(7)	148	6.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	240	10.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,167 valid cases out of 2,407 total cases.

*Location:* 351-352 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4175: 184C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1245	51.7 %
2	1 DAY:(2)	345	14.3 %
3	2 DAYS:(3)	222	9.2 %
4	3 DAYS:(4)	142	5.9 %
5	4-5 DAYS:(5)	112	4.7 %
6	6-10 DA:(6)	39	1.6 %
7	11+ DAYS:(7)	24	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	278	11.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,129 valid cases out of 2,407 total cases.

*Location:* 353-354 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4176: 184C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1512	62.8 %
2	1 DAY:(2)	268	11.1 %
3	2 DAYS:(3)	116	4.8 %
4	3 DAYS:(4)	79	3.3 %
5	4-5 DAYS:(5)	40	1.7 %
6	6-10 DA:(6)	32	1.3 %
7	11+ DAYS:(7)	23	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	337	14.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,070 valid cases out of 2,407 total cases.

*Location:* 355-356 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4177: 184C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1188	49.4 %
2	1 DAY:(2)	387	16.1 %
3	2 DAYS:(3)	232	9.6 %
4	3 DAYS:(4)	131	5.4 %
5	4-5 DAYS:(5)	90	3.7 %
6	6-10 DA:(6)	36	1.5 %
7	11+ DAYS:(7)	35	1.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	308	12.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,099 valid cases out of 2,407 total cases.

*Location:* 357-358 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V4178: 184C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1689	70.2 %
2	1-2:(2)	285	11.8 %
3	3-5:(3)	128	5.3 %
4	6-10:(4)	46	1.9 %
5	11-20:(5)	12	0.5 %
6	21+:(6)	22	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	225	9.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,182 valid cases out of 2,407 total cases.

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4179: 184C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	26	1.1 %
2	C-:(2)	27	1.1 %
3	C:(3)	81	3.4 %

Value	Label	Unweighted Frequency	%
4	C+:(4)	161	6.7 %
5	B-:(5)	218	9.1 %
6	B:(6)	315	13.1 %
7	B+:(7)	426	17.7 %
8	A-:(8)	473	19.7 %
9	A:(9)	438	18.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	242	10.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,165 valid cases out of 2,407 total cases.

*Location:* 361-362 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4180: 184C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things  
after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1158	48.1 %
2	PRB WONT:(2)	499	20.7 %
3	PRB WILL:(3)	246	10.2 %
4	DEF WILL:(4)	121	5.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	383	15.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,024 valid cases out of 2,407 total cases.

*Location:* 363-364 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4181: 184C21B:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things  
after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1384	57.5 %
2	PRB WONT:(2)	412	17.1 %
3	PRB WILL:(3)	149	6.2 %
4	DEF WILL:(4)	91	3.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	371	15.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,036 valid cases out of 2,407 total cases.

*Location:* 365-366 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4182: 184C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things  
after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	757	31.4 %
2	PRB WONT:(2)	359	14.9 %
3	PRB WILL:(3)	459	19.1 %
4	DEF WILL:(4)	455	18.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	377	15.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,030 valid cases out of 2,407 total cases.

*Location:* 367-368 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4183: 184C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things  
after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	199	8.3 %
2	PRB WONT:(2)	190	7.9 %
3	PRB WILL:(3)	516	21.4 %
4	DEF WILL:(4)	1193	49.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	309	12.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,098 valid cases out of 2,407 total cases.

*Location:* 369-370 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4184: 184C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things  
after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	400	16.6 %

Value	Label	Unweighted Frequency	%
2	PRB WONT:(2)	491	20.4 %
3	PRB WILL:(3)	682	28.3 %
4	DEF WILL:(4)	454	18.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	380	15.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,027 valid cases out of 2,407 total cases.

*Location:* 371-372 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4185: 184C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1849	76.8 %
1	MARKED:(1)	270	11.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	288	12.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,119 valid cases out of 2,407 total cases.

*Location:* 373-374 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4186: 184C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

B. Serve in the military (armed forces)

0="Unmarked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1819	75.6 %
1	MARKED:(1)	300	12.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	288	12.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,119 valid cases out of 2,407 total cases.

*Location:* 375-376 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4187: 184C22C:R WNTDO 2YR CLG

Item Number: 00550

How many of the following things would you WANT to do?

(Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1569	65.2 %
1	MARKED:(1)	550	22.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	288	12.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,119 valid cases out of 2,407 total cases.

*Location:* 377-378 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4188: 184C22D:R WNTDO 4YR CLG

Item Number: 00560

How many of the following things would you WANT to do?

(Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	538	22.4 %
1	MARKED:(1)	1581	65.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	288	12.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,119 valid cases out of 2,407 total cases.

*Location:* 379-380 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V4189: 184C22E:R WNTDO GRD/PRF

Item Number: 00570

How many of the following things would you WANT to do?

(Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	950	39.5 %
1	MARKED:(1)	1169	48.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	288	12.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,119 valid cases out of 2,407 total cases.

*Location:* 381-382 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V4190: 184C22F:R WNTDO NONE

Item Number: 00580

How many of the following things would you WANT to do?

(Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1975	82.1 %
1	MARKED:(1)	144	6.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	288	12.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,119 valid cases out of 2,407 total cases.

*Location:* 383-384 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4191: 184C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	844	35.1 %
2	5 OR <:(2)	207	8.6 %
3	6-10 HRS:(3)	209	8.7 %
4	11-15 HRS:(4)	201	8.4 %
5	16-20 HRS:(5)	247	10.3 %
6	21-25 HRS:(6)	186	7.7 %
7	26-30 HRS:(7)	112	4.7 %
8	30+ HRS:(8)	121	5.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	280	11.6 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,127 valid cases out of 2,407 total cases.

*Location:* 385-386 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V4192: 184C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	898	37.3 %
2	\$1-5:(2)	17	0.7 %
3	\$6-10:(3)	67	2.8 %
4	\$11-20:(4)	59	2.5 %
5	\$21-35:(5)	45	1.9 %
6	\$36-50:(6)	87	3.6 %
7	\$51-75:(7)	107	4.4 %
8	\$76-125:(8)	289	12.0 %
9	\$126-175:(9)	209	8.7 %
10	\$176+:(10)	321	13.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	308	12.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,099 valid cases out of 2,407 total cases.

*Location:* 387-388 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4193: 184C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money do you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1093	45.4 %
2	\$1-5:(2)	74	3.1 %
3	\$6-10:(3)	142	5.9 %
4	\$11-20:(4)	251	10.4 %
5	\$21-35:(5)	130	5.4 %
6	\$36-50:(6)	129	5.4 %
7	\$51-75:(7)	66	2.7 %
8	\$76-125:(8)	51	2.1 %
9	\$126-175:(9)	32	1.3 %
10	\$176+:(10)	63	2.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	376	15.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,031 valid cases out of 2,407 total cases.

*Location:* 389-390 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4194: 184C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"  
6="Six or seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	421	17.5 %
2	ONE:(2)	394	16.4 %
3	TWO:(3)	585	24.3 %
4	THREE:(4)	413	17.2 %
5	4-5:(5)	213	8.8 %
6	6-7:(6)	92	3.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	289	12.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,118 valid cases out of 2,407 total cases.

*Location:* 391-392 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V4195: 184C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1013	42.1 %
2	ONCE/MO:(2)	274	11.4 %
3	2-3X MO:(3)	230	9.6 %
4	ONCE WK:(4)	244	10.1 %
5	2-3X WK:(5)	271	11.3 %
6	3+ WEEK:(6)	94	3.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	281	11.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,126 valid cases out of 2,407 total cases.

*Location:* 393-394 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4196: 184C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	637	26.5 %
2	1-10 MI:(2)	180	7.5 %
3	11-50:(3)	460	19.1 %

Value	Label	Unweighted Frequency	%
4	51-100:(4)	436	18.1 %
5	101-200:(5)	246	10.2 %
6	> 200:(6)	169	7.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	279	11.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,128 valid cases out of 2,407 total cases.

*Location:* 395-396 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4197: 184C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1798	74.7 %
1	ONCE:(1)	211	8.8 %
2	TWICE:(2)	63	2.6 %
3	3 TIMES:(3)	18	0.7 %
4	4+ TIMES:(4)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	303	12.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,104 valid cases out of 2,407 total cases.

*Location:* 397-398 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4198: 184C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	298	12.4 %
1	ONE:(1)	6	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2101	87.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 306 valid cases out of 2,407 total cases.

*Location:* 399-400 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4199: 184C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B. . . . Using marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	292	12.1 %
1	ONE:(1)	9	0.4 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2100	87.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 307 valid cases out of 2,407 total cases.

*Location:* 401-402 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V4200: 184C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	302	12.5 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2101	87.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 306 valid cases out of 2,407 total cases.

*Location:* 403-404 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V4201: 184C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1804	74.9 %
1	ONCE:(1)	245	10.2 %

Value	Label	Unweighted Frequency	%
2	TWICE:(2)	36	1.5 %
3	3 TIMES:(3)	8	0.3 %
4	4+ TIMES:(4)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	311	12.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,096 valid cases out of 2,407 total cases.

*Location:* 405-406 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4202: 184C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	283	11.8 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2118	88.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 289 valid cases out of 2,407 total cases.

*Location:* 407-408 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4203: 184C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B. . . . Using marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	278	11.5 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2124	88.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 283 valid cases out of 2,407 total cases.

*Location:* 409-410 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4204: 184C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	282	11.7 %
1	ONE:(1)	0	0.0 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2123	88.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 284 valid cases out of 2,407 total cases.

*Location:* 411-412 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4434: 184D01A:# HRS PREF WORK

Item Number: 25800

Think about the kinds of paid jobs that people your age usually have. If you could work just the number of hours that you wanted, how many hours per week would you PREFER to work during the school year?

1="None" 2="5 or less hours" 3="6 - 10" 4="11 - 15" 5="16 - 20" 6="21 - 25" 7="26 - 30" 8="31 or more hours" 9="Don't know, can't say"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	204	8.5 %
2	5 OR <:(2)	173	7.2 %
3	6-10:(3)	296	12.3 %
4	11-15:(4)	306	12.7 %
5	16-20:(5)	381	15.8 %
6	21-25:(6)	229	9.5 %
7	26-30:(7)	192	8.0 %
8	31+:(8)	186	7.7 %
9	DK:(9)	146	6.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	294	12.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,113 valid cases out of 2,407 total cases.

*Location:* 413-414 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4435: 184D01B:PRT #HR PREF WRK

Item Number: 25810

How many hours per week do you think your PARENTS would prefer that you work in a paid job during the school year?

1="None" 2="5 or less hours" 3="6 - 10" 4="11 - 15" 5="16 - 20" 6="21 - 25" 7="26 - 30" 8="31 or more hours" 9="Don't know, can't say"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	313	13.0 %
2	5 OR <:(2)	187	7.8 %
3	6-10:(3)	241	10.0 %
4	11-15:(4)	302	12.5 %
5	16-20:(5)	318	13.2 %
6	21-25:(6)	184	7.6 %
7	26-30:(7)	134	5.6 %
8	31+:(8)	134	5.6 %
9	DK:(9)	296	12.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	298	12.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,109 valid cases out of 2,407 total cases.

*Location:* 415-416 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4385: 184D02A:RCNT EMPLYMT EXP

Item Number: 21530

Which best describes your recent employment experience?

1="I have a paid job now." 2="No paid job now, but I had one during the past 3 months" 3="No paid job in the past three months--GO TO QUESTION 8" 4="Never had a paid job--GO TO QUESTION 8"

Value	Label	Unweighted Frequency	%
1	JOB NOW:(1)	1029	42.8 %
2	JOB PAST3MO:(2)	199	8.3 %
3	NO JOB 3MO:(3)	330	13.7 %
4	NEVER:(4)	541	22.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	308	12.8 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,099 valid cases out of 2,407 total cases.

*Location:* 417-418 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4432: 184D02B:KIND OF PAID JOB

Item Number: 25160

Which of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

01="Have not worked for pay" 02="Lawn or yard work" 03="Fast food worker" 04="Waiter or waitress" 05="Other restaurant worker" 06="Newspaper route" 07="Babysitting or childcare" 08="Farm or agricultural work" 09="Store clerk or salesperson" 10="Office or clerical" 11="Odd jobs" 12="Other"

Value	Label	Unweighted Frequency	%
1	NO WORK:(1)	52	2.2 %
2	LAWN WK:(2)	32	1.3 %
3	FASTFOOD:(3)	205	8.5 %
4	WAITER:(4)	72	3.0 %
5	OTH REST:(5)	154	6.4 %
6	PAPER RT:(6)	1	0.0 %
7	BABYSIT:(7)	92	3.8 %
8	FARM WK:(8)	31	1.3 %
9	SALES WK:(9)	194	8.1 %
10	OFFICE:(10)	34	1.4 %
11	ODD JOBS:(11)	26	1.1 %
12	OTHER:(12)	314	13.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1200	49.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,207 valid cases out of 2,407 total cases.

*Location:* 419-420 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4300: 184D02C:cmp satfd w/job

Item Number: 10910

All things considered, how satisfied are (were) you with that job?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat

dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	69	2.9 %
2	QUITE:(2)	79	3.3 %
3	SOME DIS:(3)	95	3.9 %
4	NEITHER:(4)	173	7.2 %
5	SOME SAT:(5)	249	10.3 %
6	QUITE:(6)	304	12.6 %
7	COMPLETE:(7)	155	6.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1283	53.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,124 valid cases out of 2,407 total cases.

*Location:* 421-422 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4386: 184D03 :JOB #HRS/WEEK

Item Number: 21540

The next questions are about your present or most recent paid job. (If you presently hold more than one paid job, answer for the more important one.) On the average, how many hours per week do (did) you work on this particular job?

1="5 or less hours" 2="6 to 10 hours" 3="11 to 15 hours" 4="16 to 20 hours" 5="21 to 25 hours" 6="26 to 30 hours" 7="31 to 35 hours" 8="36 or more hours"

Value	Label	Unweighted Frequency	%
1	5 OR <:(1)	188	7.8 %
2	6-10 HRS:(2)	222	9.2 %
3	11-15:(3)	218	9.1 %
4	16-20:(4)	226	9.4 %
5	21-25:(5)	189	7.9 %
6	26-30:(6)	130	5.4 %
7	31-35:(7)	72	3.0 %
8	36+ HRS:(8)	67	2.8 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1095	45.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,312 valid cases out of 2,407 total cases.

*Location:* 423-424 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4387: 184D04 :JOB-SUPERVSR AGE

Item Number: 21550

About how old is (was) your supervisor?

1="Age 20 or younger" 2="21 to 25" 3="26 to 30" 4="31 or older"

Value	Label	Unweighted Frequency	%
1	20 OR <:(1)	70	2.9 %
2	21-25:(2)	149	6.2 %
3	26-30:(3)	287	11.9 %
4	31+:(4)	794	33.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1107	46.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,300 valid cases out of 2,407 total cases.

*Location:* 425-426 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4388: 184D05 :JOB-#WKRS OWN AG

Item Number: 21560

How many of the other workers are within 2 or 3 years of your own age?

1="None" 2="A few" 3="About half" 4="Most" 5="Nearly all"  
6="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	247	10.3 %

Value	Label	Unweighted Frequency	%
2	FEW:(2)	398	16.5 %
3	HALF:(3)	249	10.3 %
4	MOST:(4)	214	8.9 %
5	NRLY ALL:(5)	138	5.7 %
6	ALL:(6)	54	2.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1107	46.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,300 valid cases out of 2,407 total cases.

*Location:* 427-428 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4403: 184D06 :JOB-TCHR HELP GT

Item Number: 21710

To what extent did any high school teacher or counselor help you get this job?

1="Not At All" 2="A Little" 3="Some Extent" 4="Considerable Extent" 5="A Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1127	46.8 %
2	A LITTLE:(2)	65	2.7 %
3	SOME:(3)	51	2.1 %
4	CNSDRBL:(4)	14	0.6 %
5	GREAT:(5)	28	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1122	46.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,285 valid cases out of 2,407 total cases.

*Location:* 429-430 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4404: 184D07 :JOB-WORK STUDY

Item Number: 21720

Is (was) this job part of a work-study program?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	68	2.8 %
2	NO:(2)	1217	50.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1122	46.6 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,285 valid cases out of 2,407 total cases.

*Location:* 431-432 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4449: 184D08 :EVER AD STIM DR

Item Number: 31460

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Vyvanse, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Straterra, Wellbutrin, Provigil, Tenex, Intuniv, or Catapres.)

1="No--GO TO QUESTION 11" 2="Yes, in the past, but not now"

3="Yes, I take them now"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1889	78.5 %
2	YES PAST:(2)	102	4.2 %
3	YES NOW:(3)	67	2.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	349	14.5 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,058 valid cases out of 2,407 total cases.

*Location:* 433-434 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V4450: 184D09 :AGE 1ST AD STIM

Item Number: 31470

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

Value	Label	Unweighted Frequency	%
1	1-4 YRS OLD:(1)	9	0.4 %
2	5-9:(2)	55	2.3 %
3	10-14:(3)	56	2.3 %
4	15+ YRS OLD:(4)	52	2.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2235	92.9 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 172 valid cases out of 2,407 total cases.

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4451: 184D10 :# YRS TK AD STIM

Item Number: 31480

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

Value	Label	Unweighted Frequency	%
1	<1 YR:(1)	39	1.6 %
2	1 YR:(2)	18	0.7 %
3	2 YRS:(3)	20	0.8 %
4	3-5 YRS:(4)	34	1.4 %
5	6-9 YRS:(5)	28	1.2 %
6	10+ YRS:(6)	29	1.2 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2239	93.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 168 valid cases out of 2,407 total cases.

*Location:* 437-438 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4452: 184D11 :EVER AD NONSTIM

Item Number: 31490

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Straterra, Wellbutrin, Provigil, Tenex, Intuniv, or Catapres)?

1="No" 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1770	73.5 %
2	YES IN PAST:(2)	75	3.1 %
3	YES NOW:(3)	47	2.0 %
8	DK:(8)	152	6.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	363	15.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,044 valid cases out of 2,407 total cases.

*Location:* 439-440 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4301: 184D12A:I CNT CHNG WORLD

Item Number: 10920

People have different opinions about world problems. How much do you agree or disagree with each of the following statements?

A: I feel that I can do very little to change the way the world is today

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	294	12.2 %
2	MOST DIS:(2)	412	17.1 %
3	NEITHER:(3)	538	22.4 %
4	MOST AGR:(4)	558	23.2 %
5	AGREE:(5)	233	9.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	372	15.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,035 valid cases out of 2,407 total cases.

*Location:* 441-442 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4302: 184D12B:SOCTY WONT LAST

Item Number: 10930

How much do you agree or disagree with each of the following statements?

B: It does little good to clean up air and water pollution because this society will not last long enough for it to matter

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	659	27.4 %
2	MOST DIS:(2)	471	19.6 %
3	NEITHER:(3)	480	19.9 %
4	MOST AGR:(4)	240	10.0 %
5	AGREE:(5)	170	7.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	387	16.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,020 valid cases out of 2,407 total cases.

*Location:* 443-444 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V4303: 184D12C:THG TUF,TCHN SLV

Item Number: 10940

How much do you agree or disagree with each of the following statements?

C: When things get tough enough, we'll put our minds to it  
and find a technological solution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	122	5.1 %
2	MOST DIS:(2)	170	7.1 %
3	NEITHER:(3)	574	23.8 %
4	MOST AGR:(4)	801	33.3 %
5	AGREE:(5)	347	14.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	393	16.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,014 valid cases out of 2,407 total cases.

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4304: 184D12D:NO HOPE 4 WORLD

Item Number: 10950

How much do you agree or disagree with each of the following statements?

D: When I think about all the terrible things that have been  
happening, it is hard for me to hold out much hope for the  
world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	222	9.2 %

Value	Label	Unweighted Frequency	%
2	MOST DIS:(2)	372	15.5 %
3	NEITHER:(3)	612	25.4 %
4	MOST AGR:(4)	523	21.7 %
5	AGREE:(5)	294	12.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	384	16.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,023 valid cases out of 2,407 total cases.

*Location:* 447-448 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4305: 184D12E:WNDR PURPS 2 LIF

Item Number: 10960

How much do you agree or disagree with each of the following statements?

E: I often wonder if there is any real purpose to my life in light of the world situation

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	484	20.1 %
2	MOST DIS:(2)	295	12.3 %
3	NEITHER:(3)	633	26.3 %
4	MOST AGR:(4)	349	14.5 %
5	AGREE:(5)	247	10.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	399	16.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,008 valid cases out of 2,407 total cases.

*Location:* 449-450 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4306: 184D12F:WRLD UPHVL 10 YR

Item Number: 10970

How much do you agree or disagree with each of the following statements?

F: My guess is that this country will be caught up in a major world upheaval in the next 10 years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	153	6.4 %
2	MOST DIS:(2)	206	8.6 %
3	NEITHER:(3)	837	34.8 %
4	MOST AGR:(4)	538	22.4 %
5	AGREE:(5)	272	11.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	401	16.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 2,006 valid cases out of 2,407 total cases.

*Location:* 451-452 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4307: 184D12G:ANNIHLTN IN LFTM

Item Number: 10980

How much do you agree or disagree with each of the following statements?

G: Nuclear or biological annihilation will probably be the fate of all mankind, within my lifetime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	339	14.1 %
2	MOST DIS:(2)	349	14.5 %
3	NEITHER:(3)	812	33.7 %
4	MOST AGR:(4)	308	12.8 %
5	AGREE:(5)	191	7.9 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	408	17.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,999 valid cases out of 2,407 total cases.

*Location:* 453-454 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4308: 184D12H:HMN RCE RSILIENT

Item Number: 10990

How much do you agree or disagree with each of the following statements?

H: The human race has come through tough times before, and will do so again

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	108	4.5 %
2	MOST DIS:(2)	108	4.5 %
3	NEITHER:(3)	594	24.7 %
4	MOST AGR:(4)	725	30.1 %
5	AGREE:(5)	462	19.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	410	17.0 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,997 valid cases out of 2,407 total cases.

*Location:* 455-456 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4309: 184D13A:#X BEER/LIFETIME

Item Number: 11000

The next questions are about alcohol use -- this time asking separately about beer, wine, wine coolers, and hard liquor. On how many occasions (if any) have you had beer to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	820	34.1 %
2	1-2X:(2)	251	10.4 %
3	3-5X:(3)	181	7.5 %
4	6-9X:(4)	160	6.6 %
5	10-19X:(5)	136	5.7 %
6	20-39X:(6)	92	3.8 %
7	40+OCCAS:(7)	157	6.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	610	25.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,797 valid cases out of 2,407 total cases.

*Location:* 457-458 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

#### V4310: 184D13B:#X BEER/LAST12MO

Item Number: 11010

On how many occasions (if any) have you had beer to drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1009	41.9 %
2	1-2X:(2)	268	11.1 %
3	3-5X:(3)	181	7.5 %
4	6-9X:(4)	126	5.2 %
5	10-19X:(5)	91	3.8 %
6	20-39X:(6)	59	2.5 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	52	2.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	621	25.8 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,786 valid cases out of 2,407 total cases.

*Location:* 459-460 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V4311: 184D13C:#X BEER/LAST30DA

Item Number: 11020

On how many occasions (if any) have you had beer to drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1352	56.2 %
2	1-2X:(2)	245	10.2 %
3	3-5X:(3)	93	3.9 %
4	6-9X:(4)	40	1.7 %
5	10-19X:(5)	33	1.4 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	9	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	629	26.1 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,778 valid cases out of 2,407 total cases.

*Location:* 461-462 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V4312: 184D14 :5+BR/LST2WK,10+X

Item Number: 11030

Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce cans of beer (or the equivalent) in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1548	64.3 %
2	ONCE:(2)	84	3.5 %
3	TWICE:(3)	70	2.9 %
4	3-5X:(4)	35	1.5 %
5	6-9X:(5)	17	0.7 %
6	10+ TIME:(6)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	647	26.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,760 valid cases out of 2,407 total cases.

*Location:* 463-464 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4428: 184D15A:#X WIN COOL/LIFE

Item Number: 22620

On how many occasions (if any) have you had wine cooler(s) to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1227	51.0 %
2	1-2X:(2)	211	8.8 %
3	3-5X:(3)	111	4.6 %
4	6-9X:(4)	100	4.2 %
5	10-19X:(5)	57	2.4 %
6	20-39X:(6)	55	2.3 %
7	40+OCCAS:(7)	43	1.8 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	603	25.1 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,804 valid cases out of 2,407 total cases.

*Location:* 465-466 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4429: 184D15B:#X WIN COOL/12MO

Item Number: 22630

On how many occasions (if any) have you had wine cooler(s) to drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1361	56.5 %
2	1-2X:(2)	216	9.0 %
3	3-5X:(3)	85	3.5 %
4	6-9X:(4)	60	2.5 %
5	10-19X:(5)	43	1.8 %
6	20-39X:(6)	19	0.8 %
7	40+OCCAS:(7)	10	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	613	25.5 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,794 valid cases out of 2,407 total cases.

*Location:* 467-468 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4430: 184D15C:#X WIN COOL/30DA

Item Number: 22640

On how many occasions (if any) have you had wine cooler(s) to drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1615	67.1 %
2	1-2X:(2)	112	4.7 %
3	3-5X:(3)	36	1.5 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	8	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	617	25.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,790 valid cases out of 2,407 total cases.

*Location:* 469-470 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4431: 184D16 :5+WINCOOL/LST2WK

Item Number: 22650

Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce bottles of wine cooler (or the equivalent) in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1659	68.9 %
2	ONCE:(2)	41	1.7 %
3	TWICE:(3)	24	1.0 %
4	3-5X:(4)	14	0.6 %
5	6-9X:(5)	8	0.3 %
6	10+ TIME:(6)	2	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	659	27.4 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,748 valid cases out of 2,407 total cases.

*Location:* 471-472 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4313: 184D17A:#X WINE/LIFETIME

Item Number: 11040

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1152	47.9 %
2	1-2X:(2)	261	10.8 %
3	3-5X:(3)	163	6.8 %
4	6-9X:(4)	95	3.9 %
5	10-19X:(5)	58	2.4 %
6	20-39X:(6)	34	1.4 %
7	40+OCCAS:(7)	38	1.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	606	25.2 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,801 valid cases out of 2,407 total cases.

*Location:* 473-474 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4314: 184D17B:#X WINE/LAST12MO

Item Number: 11050

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1325	55.0 %
2	1-2X:(2)	264	11.0 %
3	3-5X:(3)	103	4.3 %
4	6-9X:(4)	48	2.0 %
5	10-19X:(5)	31	1.3 %
6	20-39X:(6)	12	0.5 %
7	40+OCCAS:(7)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	613	25.5 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,794 valid cases out of 2,407 total cases.

*Location:* 475-476 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4315: 184D17C:#X WINE/LAST30DA

Item Number: 11060

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1604	66.6 %
2	1-2X:(2)	140	5.8 %
3	3-5X:(3)	22	0.9 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	7	0.3 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	618	25.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,789 valid cases out of 2,407 total cases.

*Location:* 477-478 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4316: 184D18 :#X 20OZ+ WN/2 WK

Item Number: 11070

Think back over the LAST TWO WEEKS. How many times have you had five or more 4-ounce glasses of wine in a row (or the equivalent, which is about three-fourths of a bottle)?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1698	70.5 %
2	ONCE:(2)	37	1.5 %
3	TWICE:(3)	15	0.6 %
4	3-5X:(4)	6	0.2 %
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	645	26.8 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,762 valid cases out of 2,407 total cases.

*Location:* 479-480 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V4317: 184D19A:#X LIQR/LIFETIME

Item Number: 11080

The next questions are about hard liquor. (Hard liquor

includes whiskey, Scotch, bourbon, gin, vodka, rum, etc., or mixed drinks made with liquor.) On how many occasions (if any) have you had liquor to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	817	33.9 %
2	1-2X:(2)	224	9.3 %
3	3-5X:(3)	192	8.0 %
4	6-9X:(4)	160	6.6 %
5	10-19X:(5)	159	6.6 %
6	20-39X:(6)	111	4.6 %
7	40+OCCAS:(7)	125	5.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	619	25.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,788 valid cases out of 2,407 total cases.

*Location:* 481-482 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4318: 184D19B:#X LIQR/LAST12MO

Item Number: 11090

On how many occasions (if any) have you had liquor to drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	968	40.2 %
2	1-2X:(2)	276	11.5 %
3	3-5X:(3)	198	8.2 %
4	6-9X:(4)	143	5.9 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	105	4.4 %
6	20-39X:(6)	51	2.1 %
7	40+OCCAS:(7)	36	1.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	630	26.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,777 valid cases out of 2,407 total cases.

*Location:* 483-484 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4319: 184D19C:#X LIQR/LAST30DA

Item Number: 11100

On how many occasions (if any) have you had liquor to drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1352	56.2 %
2	1-2X:(2)	267	11.1 %
3	3-5X:(3)	80	3.3 %
4	6-9X:(4)	44	1.8 %
5	10-19X:(5)	23	1.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	633	26.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,774 valid cases out of 2,407 total cases.

*Location:* 485-486 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4320: 184D20 :#X 5+LIQ/LST 2WK

Item Number: 11110

Think back over the LAST TWO WEEKS. How many times have you had five or more mixed drinks or shot glasses of hard liquor in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1475	61.3 %
2	ONCE:(2)	102	4.2 %
3	TWICE:(3)	71	2.9 %
4	3-5X:(4)	42	1.7 %
5	6-9X:(5)	20	0.8 %
6	10+ TIME:(6)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	688	28.6 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,719 valid cases out of 2,407 total cases.

*Location:* 487-488 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4468: 184D21 :\$ SPENT DRUGS LAST30DA

Item Number: 34870

The next questions are on another topic. During the LAST 30 DAYS, how much money (if any) did you spend on drugs for your own use? (Don't count drugs taken under a doctor's orders, or legally available without a prescription.)

00="Nothing 1="Less than \$5" 2="\$5-\$9" 3="\$10-\$14" 4="\$15-\$19" 5="\$20-\$29" 6="\$30-\$39"  
7="\$40-\$49" 8="\$50-\$74" 9="\$75-\$99" 10="\$100-\$149" 11="\$150-\$199" 12="\$200 or more"

Value	Label	Unweighted Frequency	%
0	Nothing:(0)	1719	71.4 %
1	<\$5:(1)	20	0.8 %
2	\$5-9:(2)	18	0.7 %
3	\$10-14:(3)	22	0.9 %
4	\$15-19:(4)	20	0.8 %
5	\$20-29:(5)	40	1.7 %

Value	Label	Unweighted Frequency	%
6	\$30-39:(6)	20	0.8 %
7	\$40-49:(7)	29	1.2 %
8	\$50-74:(8)	31	1.3 %
9	\$75-99:(9)	19	0.8 %
10	\$100-149:(10)	18	0.7 %
11	\$150-199:(11)	10	0.4 %
12	\$200+:(12)	24	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	417	17.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,990 valid cases out of 2,407 total cases.

*Location:* 489-490 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4439: 184D22 :COST MJ/OZ.\$500+

Item Number: 20506

The next questions are on another topic. Do you know about how much an ounce of marijuana would cost in your area?

88="Don't Know" 1="Less than \$50" 2="\$50 - \$99" 3="\$100 - \$149" 4="\$150 - \$199" 5="\$200 - \$249" 6="\$250 - \$299" 7="\$300 - \$399" 8="\$400 - \$499" 9="\$500 or more"

Value	Label	Unweighted Frequency	%
1	Less than \$50:(1)	266	11.1 %
2	\$50-\$99:(2)	108	4.5 %
3	\$100-\$149:(3)	92	3.8 %
4	\$150-\$199:(4)	74	3.1 %
5	\$200-\$249:(5)	58	2.4 %
6	\$250-\$299:(6)	19	0.8 %
7	\$300-\$399:(7)	6	0.2 %
8	\$400-\$499:(8)	1	0.0 %
9	\$500 or more:(9)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1775	73.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 632 valid cases out of 2,407 total cases.

*Location:* 491-492 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4440: 184D23 :DRG SL NBHD/12MO

Item Number: 30880

During the past 12 months, how often have you seen people selling illegal drugs in your neighborhood?

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1385	57.5 %
2	1-2X:(2)	305	12.7 %
3	3-5X:(3)	103	4.3 %
4	6-9X:(4)	113	4.7 %
5	10-19X:(5)	92	3.8 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	409	17.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,998 valid cases out of 2,407 total cases.

*Location:* 493-494 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4356: 184E01A:FRD DAP CIGS

Item Number: 11470

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

A: Smoking one or more packs of cigarettes per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	250	10.4 %
2	DISAPRV:(2)	616	25.6 %

Value	Label	Unweighted Frequency	%
3	ST DISAP:(3)	1141	47.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	400	16.6 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,007 valid cases out of 2,407 total cases.

*Location:* 495-496 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4357: 184E01B:FRD DAP TRY MARJ

Item Number: 11480

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

B: Trying marijuana (pot, weed) once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	1131	47.0 %
2	DISAPRV:(2)	477	19.8 %
3	ST DISAP:(3)	396	16.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	403	16.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 2,004 valid cases out of 2,407 total cases.

*Location:* 497-498 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4358: 184E01C:FRD DAP MJ OCC

Item Number: 11490

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

C: Smoking marijuana occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	981	40.8 %
2	DISAPRV:(2)	506	21.0 %
3	ST DISAP:(3)	504	20.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	416	17.3 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,991 valid cases out of 2,407 total cases.

*Location:* 499-500 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4359: 184E01D:FRD DAP MJ REG

Item Number: 11500

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

D: Smoking marijuana regularly

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	647	26.9 %
2	DISAPRV:(2)	628	26.1 %
3	ST DISAP:(3)	712	29.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	420	17.4 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,987 valid cases out of 2,407 total cases.

*Location:* 501-502 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4360: 184E01E:FRD DAP TRY LSD

Item Number: 11510

How do you think your CLOSE FRIENDS feel (or would feel) about

YOU doing each of the following things?

E: Trying LSD once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	349	14.5 %
2	DISAPRV:(2)	553	23.0 %
3	ST DISAP:(3)	1078	44.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	427	17.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,980 valid cases out of 2,407 total cases.

*Location:* 503-504 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4361: 184E01F:FRD DAP TRY AMP

Item Number: 11520

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

F: Trying an amphetamine (upper, speed, Adderall, Ritalin, etc.) once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	298	12.4 %
2	DISAPRV:(2)	547	22.7 %
3	ST DISAP:(3)	1135	47.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	427	17.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,980 valid cases out of 2,407 total cases.

*Location:* 505-506 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4414: 184E01G:FRD DAP TRY COKE

Item Number: 11525

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

G: Trying cocaine once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	211	8.8 %
2	DISAPRV:(2)	431	17.9 %
3	ST DISAP:(3)	1341	55.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	424	17.6 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,983 valid cases out of 2,407 total cases.

*Location:* 507-508 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4415: 184E01H:FRD DAP COKE OCC

Item Number: 11526

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

H: Taking cocaine occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	128	5.3 %
2	DISAPRV:(2)	388	16.1 %
3	ST DISAP:(3)	1466	60.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	425	17.7 %
	<b>Total</b>	<b>2,407</b>	<b>100%</b>

Based upon 1,982 valid cases out of 2,407 total cases.

*Location:* 509-510 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V4362: 184E01I:FRD DAP 1-2DR/DA

Item Number: 11530

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

I: Taking one or two drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	433	18.0 %
2	DISAPRV:(2)	662	27.5 %
3	ST DISAP:(3)	882	36.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	430	17.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,977 valid cases out of 2,407 total cases.

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4363: 184E01J:FRD DAP 4-5DR/DA

Item Number: 11540

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

J: Taking four or five drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	246	10.2 %
2	DISAPRV:(2)	504	20.9 %
3	ST DISAP:(3)	1227	51.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	430	17.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,977 valid cases out of 2,407 total cases.

*Location:* 513-514 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4364: 184E01K:FRD DAP 5+DR/WKD

Item Number: 11550

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

K: Having five or more drinks once or twice each weekend

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	567	23.6 %
2	DISAPRV:(2)	554	23.0 %
3	ST DISAP:(3)	859	35.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	427	17.7 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,980 valid cases out of 2,407 total cases.

*Location:* 515-516 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4412: 184E01L:FRD DAP DRIV+2DR

Item Number: 11551

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

L: Driving a car after having 1-2 drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	198	8.2 %
2	DISAPRV:(2)	470	19.5 %
3	ST DISAP:(3)	1304	54.2 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	435	18.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,972 valid cases out of 2,407 total cases.

*Location:* 517-518 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4413: 184E01M:FRD DAP DRIV+5DR

Item Number: 11552

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

M: Driving a car after having 5 or more drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	110	4.6 %
2	DISAPRV:(2)	260	10.8 %
3	ST DISAP:(3)	1600	66.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	437	18.2 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,970 valid cases out of 2,407 total cases.

*Location:* 519-520 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4416: 184E02A:USE DRUGS-ATHLTS

Item Number: 22380

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	337	14.0 %
2	11%-30%:(2)	384	16.0 %
3	31%-50%:(3)	364	15.1 %
4	51%-70%:(4)	302	12.5 %
5	71%-90%:(5)	149	6.2 %
6	91%-100%:(6)	61	2.5 %
8	NO IDEA:(8)	380	15.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	430	17.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,977 valid cases out of 2,407 total cases.

*Location:* 521-522 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4417: 184E02B:USE DRUGS-ROCKRS

Item Number: 22390

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	116	4.8 %
2	11%-30%:(2)	94	3.9 %
3	31%-50%:(3)	234	9.7 %
4	51%-70%:(4)	370	15.4 %
5	71%-90%:(5)	511	21.2 %
6	91%-100%:(6)	326	13.5 %
8	NO IDEA:(8)	320	13.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	436	18.1 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,971 valid cases out of 2,407 total cases.

*Location:* 523-524 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4418: 184E02C:USE DRUGS-ACTORS

Item Number: 22400

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	158	6.6 %
2	11%-30%:(2)	175	7.3 %
3	31%-50%:(3)	308	12.8 %
4	51%-70%:(4)	393	16.3 %
5	71%-90%:(5)	389	16.2 %
6	91%-100%:(6)	203	8.4 %
8	NO IDEA:(8)	341	14.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	440	18.3 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,967 valid cases out of 2,407 total cases.

*Location:* 525-526 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4419: 184E03A:DISAP USE-ATHLTS

Item Number: 22420

How many people in the following groups would you guess strongly disapprove of such illicit drug use?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	266	11.1 %
2	11%-30%:(2)	360	15.0 %
3	31%-50%:(3)	296	12.3 %
4	51%-70%:(4)	223	9.3 %
5	71%-90%:(5)	231	9.6 %
6	91%-100%:(6)	143	5.9 %
8	NO IDEA:(8)	445	18.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	443	18.4 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,964 valid cases out of 2,407 total cases.

*Location:* 527-528 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4420: 184E03B:DISAP USE-ROCKRS

Item Number: 22430

How many people in the following groups would you guess strongly disapprove of such illicit drug use?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	511	21.2 %
2	11%-30%:(2)	481	20.0 %
3	31%-50%:(3)	242	10.1 %
4	51%-70%:(4)	142	5.9 %
5	71%-90%:(5)	69	2.9 %
6	91%-100%:(6)	50	2.1 %
8	NO IDEA:(8)	457	19.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	455	18.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,952 valid cases out of 2,407 total cases.

*Location:* 529-530 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V4421: 184E03C:DISAP USE-ACTORS

Item Number: 22440

How many people in the following groups would you guess strongly disapprove of such illicit drug use?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	344	14.3 %
2	11%-30%:(2)	424	17.6 %
3	31%-50%:(3)	319	13.3 %
4	51%-70%:(4)	221	9.2 %
5	71%-90%:(5)	132	5.5 %
6	91%-100%:(6)	54	2.2 %
8	NO IDEA:(8)	456	18.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	457	19.0 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,950 valid cases out of 2,407 total cases.

*Location:* 531-532 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4422: 184E03D:DISAP USE-PEOPLE

Item Number: 22450

How many people in the following groups would you guess strongly disapprove of such illicit drug use?

D: People your age (in general)

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	336	14.0 %
2	11%-30%:(2)	369	15.3 %
3	31%-50%:(3)	399	16.6 %
4	51%-70%:(4)	268	11.1 %
5	71%-90%:(5)	127	5.3 %
6	91%-100%:(6)	60	2.5 %
8	NO IDEA:(8)	392	16.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	456	18.9 %
<b>Total</b>		<b>2,407</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,407 total cases.

*Location:* 533-534 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## ICPSR 37416

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2018

## Form 5 Data Variable Description and Frequencies

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## Form 5 Data

---

### CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 1-4 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2018	-	2416	100.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 5-8 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V3: BY18 80003 FORM ID

Value	Label	Unweighted Frequency	%
5	-	2416	100.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 9-9 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### RESPONDENT\_ID: R'S ID-SERIAL #

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 10-14 (width: 5; decimal: 0)

*Variable Type:* numeric

---

### ARCHIVE\_WT: ARCHIVE WEIGHT

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 15-29 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	470	19.5 %
2	NORTH CENTRAL:(2)	524	21.7 %
3	SOUTH:(3)	913	37.8 %
4	WEST:(4)	509	21.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 30-30 (width: 1; decimal: 0)

*Variable Type:* numeric

## V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1434	59.4 %
1	LARGE MSA:(1)	982	40.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 31-31 (width: 1; decimal: 0)

*Variable Type:* numeric

## V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	433	17.9 %
1	MSA:(1)	1983	82.1 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 32-32 (width: 1; decimal: 0)

*Variable Type:* numeric

## V5208: 185A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	450	18.6 %
2	PRTY HPY:(2)	1506	62.3 %
3	VRY HPY:(3)	442	18.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	18	0.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,398 valid cases out of 2,416 total cases.

*Location:* 33-34 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5209: 185A02 :THK ABT SOC ISSU

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	101	4.2 %

Value	Label	Unweighted Frequency	%
2	SELDOM:(2)	318	13.2 %
3	SOMETIMES:(3)	1112	46.0 %
4	QUITE OFTN:(4)	671	27.8 %
5	GREAT DEAL:(5)	190	7.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	24	1.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,392 valid cases out of 2,416 total cases.

*Location:* 35-36 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5210: 185A03A:WR/NT NUCLEAR WAR

Item Number: 11660

Of all the problems facing the nation today, how often do you worry about each of the following?

A: Chance of nuclear war

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	515	21.3 %
2	SELDOM:(2)	831	34.4 %
3	SOMETIMES:(3)	735	30.4 %
4	OFTEN:(4)	308	12.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	27	1.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,389 valid cases out of 2,416 total cases.

*Location:* 37-38 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5211: 185A03B:WR/NT POP GROWTH

Item Number: 11670

Of all the problems facing the nation today, how often do you

worry about each of the following?

B: Population growth

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	856	35.4 %
2	SELDOM:(2)	709	29.3 %
3	SOMETIMES:(3)	543	22.5 %
4	OFTEN:(4)	279	11.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	29	1.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,387 valid cases out of 2,416 total cases.

*Location:* 39-40 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5212: 185A03C:WR/NT CRIME/VLNC

Item Number: 11680

Of all the problems facing the nation today, how often do you worry about each of the following?

C: Crime and violence

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	123	5.1 %
2	SELDOM:(2)	407	16.8 %
3	SOMETIMES:(3)	921	38.1 %
4	OFTEN:(4)	939	38.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	26	1.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,390 valid cases out of 2,416 total cases.

*Location:* 41-42 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5213: 185A03D:WR/NT POLLUTION

Item Number: 11690

Of all the problems facing the nation today, how often do you worry about each of the following?

D: Pollution

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	418	17.3 %
2	SELDOM:(2)	706	29.2 %
3	SOMETIMES:(3)	673	27.9 %
4	OFTEN:(4)	584	24.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	35	1.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,381 valid cases out of 2,416 total cases.

*Location:* 43-44 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5214: 185A03E:WR/NT ENRGY SHRT

Item Number: 11700

Of all the problems facing the nation today, how often do you worry about each of the following?

E: Energy shortages

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	956	39.6 %
2	SELDOM:(2)	829	34.3 %
3	SOMETIMES:(3)	427	17.7 %
4	OFTEN:(4)	168	7.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	36	1.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,380 valid cases out of 2,416 total cases.

*Location:* 45-46 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5215: 185A03F:WR/NT RACE RELTN

Item Number: 11710

Of all the problems facing the nation today, how often do you worry about each of the following?

F: Race relations

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	429	17.8 %
2	SELDOM:(2)	528	21.9 %
3	SOMETIMES:(3)	700	29.0 %
4	OFTEN:(4)	724	30.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	35	1.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,381 valid cases out of 2,416 total cases.

*Location:* 47-48 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5216: 185A03G:WR/NT HNGR/PVRTY

Item Number: 11720

Of all the problems facing the nation today, how often do you worry about each of the following?

G: Hunger and poverty

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	292	12.1 %
2	SELDOM:(2)	623	25.8 %
3	SOMETIMES:(3)	863	35.7 %

Value	Label	Unweighted Frequency	%
4	OFTEN:(4)	602	24.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	36	1.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,380 valid cases out of 2,416 total cases.

*Location:* 49-50 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5217: 185A03H:WR/NT USE OPN LD

Item Number: 11730

Of all the problems facing the nation today, how often do you worry about each of the following?

H: Using open land for housing or industry

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1057	43.8 %
2	SELDOM:(2)	710	29.4 %
3	SOMETIMES:(3)	385	15.9 %
4	OFTEN:(4)	231	9.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	33	1.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,383 valid cases out of 2,416 total cases.

*Location:* 51-52 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5218: 185A03I:WR/NT URBN DECAY

Item Number: 11740

Of all the problems facing the nation today, how often do you worry about each of the following?

I: Urban decay

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1269	52.5 %
2	SELDOM:(2)	714	29.6 %
3	SOMETIMES:(3)	290	12.0 %
4	OFTEN:(4)	106	4.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	37	1.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,379 valid cases out of 2,416 total cases.

*Location:* 53-54 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5219: 185A03J:WR/NT ECON PRBLM

Item Number: 11750

Of all the problems facing the nation today, how often do you worry about each of the following?

J: Economic problems

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	413	17.1 %
2	SELDOM:(2)	648	26.8 %
3	SOMETIMES:(3)	816	33.8 %
4	OFTEN:(4)	502	20.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	37	1.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,379 valid cases out of 2,416 total cases.

*Location:* 55-56 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5220: 185A03K:WR/NT DRUG ABUSE

Item Number: 11760

Of all the problems facing the nation today, how often do you worry about each of the following?

K: Drug abuse

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	387	16.0 %
2	SELDOM:(2)	672	27.8 %
3	SOMETIMES:(3)	765	31.7 %
4	OFTEN:(4)	560	23.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	32	1.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,384 valid cases out of 2,416 total cases.

*Location:* 57-58 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5221: 185A04A:XPRC MK R GD SPS

Item Number: 11770

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

A: . . . husband or wife?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

Value	Label	Unweighted Frequency	%
1	POORLY:(1)	162	6.7 %
2	NOT WELL:(2)	219	9.1 %
3	FAIR WELL:(3)	533	22.1 %
4	WELL:(4)	770	31.9 %
5	VERY WELL:(5)	658	27.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	74	3.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,342 valid cases out of 2,416 total cases.

*Location:* 59-60 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5222: 185A04B:XPRC MK R GD PRT

Item Number: 11780

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

B: . . . parent?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

Value	Label	Unweighted Frequency	%
1	POORLY:(1)	139	5.8 %
2	NOT WELL:(2)	226	9.4 %
3	FAIR WELL:(3)	496	20.5 %
4	WELL:(4)	703	29.1 %
5	VERY WELL:(5)	805	33.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	47	1.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,369 valid cases out of 2,416 total cases.

*Location:* 61-62 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5223: 185A04C:XPRC MK R GD WKR

Item Number: 11790

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

C: . . . worker on a job?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

Value	Label	Unweighted Frequency	%
1	POORLY:(1)	82	3.4 %
2	NOT WELL:(2)	133	5.5 %
3	FAIR WELL:(3)	381	15.8 %
4	WELL:(4)	800	33.1 %
5	VERY WELL:(5)	976	40.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	44	1.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,372 valid cases out of 2,416 total cases.

*Location:* 63-64 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5224: 185A05A:PLC WRK LG CORPN

Item Number: 11800

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A: Working in a large corporation

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	177	7.3 %
2	SOMEWHAT:(2)	675	27.9 %
3	ACCEPTBL:(3)	1208	50.0 %
4	DESIRBL:(4)	314	13.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	42	1.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,374 valid cases out of 2,416 total cases.

*Location:* 65-66 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5225: 185A05B:PLC WRK SM BSNSS

Item Number: 11810

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

B: Working in a small business

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	115	4.8 %
2	SOMEWHAT:(2)	563	23.3 %
3	ACCEPTBL:(3)	1359	56.2 %
4	DESIRBL:(4)	337	13.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	42	1.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,374 valid cases out of 2,416 total cases.

*Location:* 67-68 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5226: 185A05C:PLC WRK GVT AGCY

Item Number: 11820

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

C: Working in a government agency

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	411	17.0 %
2	SOMEWHAT:(2)	692	28.6 %
3	ACCEPTBL:(3)	889	36.8 %
4	DESIRBL:(4)	373	15.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	51	2.1 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,365 valid cases out of 2,416 total cases.

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5227: 185A05D:PLC WRK MLTY SVC

Item Number: 11830

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

D: Working in the military service

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	814	33.7 %
2	SOMEWHAT:(2)	604	25.0 %
3	ACCEPTBL:(3)	679	28.1 %
4	DESIRBL:(4)	274	11.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	45	1.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,371 valid cases out of 2,416 total cases.

*Location:* 71-72 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5228: 185A05E:PLC WRK SCH/UNIV

Item Number: 11840

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

E: Working in a school or university

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	545	22.6 %
2	SOMEWHAT:(2)	701	29.0 %
3	ACCEPTBL:(3)	803	33.2 %
4	DESIRBL:(4)	317	13.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	50	2.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,366 valid cases out of 2,416 total cases.

*Location:* 73-74 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5229: 185A05F:PLC WRK PLC DEPT

Item Number: 11850

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

F: Working in a police department or police agency

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	640	26.5 %
2	SOMEWHAT:(2)	642	26.6 %
3	ACCEPTBL:(3)	810	33.5 %
4	DESIRBL:(4)	276	11.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	48	2.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,368 valid cases out of 2,416 total cases.

*Location:* 75-76 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5230: 185A05G:PLC WRK SOC SVCS

Item Number: 11860

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

G: Working in a social service organization

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	489	20.2 %
2	SOMEWHAT:(2)	781	32.3 %
3	ACCEPTBL:(3)	823	34.1 %
4	DESIRBL:(4)	267	11.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	56	2.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,360 valid cases out of 2,416 total cases.

*Location:* 77-78 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5231: 185A05H:PLC WRK SML GRP

Item Number: 11870

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

H: Working with a small group of partners

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	205	8.5 %
2	SOMEWHAT:(2)	689	28.5 %
3	ACCEPTBL:(3)	1084	44.9 %
4	DESIRBL:(4)	385	15.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	53	2.2 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,363 valid cases out of 2,416 total cases.

*Location:* 79-80 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5232: 185A05I:PLC WRK SLF EMPL

Item Number: 11880

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

I: Working on your own (self-employed)

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	246	10.2 %
2	SOMEWHAT:(2)	502	20.8 %
3	ACCEPTBL:(3)	828	34.3 %
4	DESIRBL:(4)	787	32.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	53	2.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,363 valid cases out of 2,416 total cases.

*Location:* 81-82 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5233: 185A06 :ENUF\$,NT WNT WRK

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

Value	Label	Unweighted Frequency	%
1	WORK:(1)	1803	74.6 %
2	NOT WORK:(2)	531	22.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	82	3.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,334 valid cases out of 2,416 total cases.

*Location:* 83-84 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5234: 185A07A:RCL CNTCT SCHOOL

Item Number: 11890

The next questions are about race relations. How much have you gotten to know people of other races . . .

A: . . . In school?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	91	3.8 %
2	LITTLE:(2)	392	16.2 %
3	SOME:(3)	634	26.2 %
4	A LOT:(4)	1203	49.8 %
8	NOT APPL:(8)	32	1.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	64	2.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,352 valid cases out of 2,416 total cases.

*Location:* 85-86 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5235: 185A07B:RCL CNTCT NGHBHD

Item Number: 11900

The next questions are about race relations. How much have

you gotten to know people of other races . . .

B: . . . In your neighborhood?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	682	28.2 %
2	LITTLE:(2)	617	25.5 %
3	SOME:(3)	531	22.0 %
4	A LOT:(4)	415	17.2 %
8	NOT APPL:(8)	102	4.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	69	2.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,347 valid cases out of 2,416 total cases.

*Location:* 87-88 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5236: 185A07C:RCL CNTCT CHURCH

Item Number: 11910

The next questions are about race relations. How much have you gotten to know people of other races . . .

C: . . . In church?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	557	23.1 %
2	LITTLE:(2)	462	19.1 %
3	SOME:(3)	354	14.7 %
4	A LOT:(4)	302	12.5 %
8	NOT APPL:(8)	661	27.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	80	3.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,336 valid cases out of 2,416 total cases.

*Location:* 89-90 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5237: 185A07D:RCL CNTCT SPORTS

Item Number: 11920

The next questions are about race relations. How much have you gotten to know people of other races . . .

D: . . . On sports teams?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	274	11.3 %
2	LITTLE:(2)	312	12.9 %
3	SOME:(3)	510	21.1 %
4	A LOT:(4)	757	31.3 %
8	NOT APPL:(8)	487	20.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	76	3.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,340 valid cases out of 2,416 total cases.

*Location:* 91-92 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5238: 185A07E:RCL CNTCT CLUBS

Item Number: 11930

The next questions are about race relations. How much have you gotten to know people of other races . . .

E: . . . In clubs?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	447	18.5 %
2	LITTLE:(2)	385	15.9 %
3	SOME:(3)	461	19.1 %
4	A LOT:(4)	532	22.0 %
8	NOT APPL:(8)	512	21.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	79	3.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,337 valid cases out of 2,416 total cases.

*Location:* 93-94 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5239: 185A07F:RCL CNTCT JOB

Item Number: 11940

The next questions are about race relations. How much have you gotten to know people of other races . . .

F: . . . On a job?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	276	11.4 %
2	LITTLE:(2)	317	13.1 %
3	SOME:(3)	522	21.6 %
4	A LOT:(4)	817	33.8 %
8	NOT APPL:(8)	404	16.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	80	3.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,336 valid cases out of 2,416 total cases.

*Location:* 95-96 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5240: 185A08 :B/W RLTNS WRSE

Item Number: 11950

Thinking about the country as a whole, would you say relations between white people and black people have been getting better, getting worse, or staying pretty much the same?

1="Better" 2="A little better" 3="Same" 4="A little worse"  
5="Worse"

Value	Label	Unweighted Frequency	%
1	BETTER:(1)	292	12.1 %
2	LTL BTR:(2)	764	31.6 %
3	SAME:(3)	584	24.2 %
4	LTL WRS:(4)	415	17.2 %
5	WORSE:(5)	288	11.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	73	3.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,343 valid cases out of 2,416 total cases.

*Location:* 97-98 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5241: 185A09 :DNT HV DRVR LCNS

Item Number: 11960

The next questions are about driving. Do you have a driver's license?

1="Yes" 2="No, but I soon will--GO TO TOP OF NEXT COLUMN"  
3="No--GO TO TOP OF NEXT COLUMN"

Value	Label	Unweighted Frequency	%
1	YES:(1)	1446	59.9 %
2	SOON:(2)	513	21.2 %
3	NO:(3)	154	6.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	303	12.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,113 valid cases out of 2,416 total cases.

*Location:* 99-100 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V5242: 185A10 :DONT OWN CAR

Item Number: 11970

Do you own a car?

1="Yes" 2="No, but I expect to own one in another year or two"  
3="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	1109	45.9 %
2	EXPECT:(2)	230	9.5 %
3	NO:(3)	110	4.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	967	40.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,449 valid cases out of 2,416 total cases.

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5243: 185A11 :NEVR USE OTHS CR

Item Number: 11980

Are you able to use someone else's car when you want to?

1="Yes, whenever I wish" 2="Yes, most of the time"  
3="Sometimes" 4="Rarely" 5="Never"

Value	Label	Unweighted Frequency	%
1	YES WHNVR:(1)	390	16.1 %
2	MOST TIME:(2)	598	24.8 %
3	SOME TIME:(3)	311	12.9 %
4	RARELY:(4)	94	3.9 %
5	NEVER:(5)	53	2.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	970	40.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,446 valid cases out of 2,416 total cases.

*Location:* 103-104 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5244: 185A12 :R CUT DRIVING

Item Number: 11990

Do you make an effort to cut down on driving, in order to save gasoline?

1="Not at all" 2="Not very much" 3="Yes, to some extent"

4="Yes, quite a bit" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	290	12.0 %
2	NOT VMCH:(2)	443	18.3 %
3	YES SOME:(3)	541	22.4 %
4	YES QUITE:(4)	135	5.6 %
8	DK:(8)	38	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	969	40.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,447 valid cases out of 2,416 total cases.

*Location:* 105-106 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5245: 185A13 :R CUT ELECTRICITY

Item Number: 12000

Do you make an effort to cut down on the amount of electricity you use, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent"

4="Yes, quite a bit" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	302	12.5 %
2	NOT VMCH:(2)	688	28.5 %
3	YES SOME:(3)	915	37.9 %

Value	Label	Unweighted Frequency	%
4	YES QUITE:(4)	317	13.1 %
8	DK:(8)	122	5.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	72	3.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,344 valid cases out of 2,416 total cases.

*Location:* 107-108 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5246: 185A14 :RDCE HEAT Rs HM

Item Number: 12010

In the house or apartment where you live, is an effort made to reduce heat during the winter, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent"

4="Yes, quite a bit" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	367	15.2 %
2	NOT VMCH:(2)	656	27.2 %
3	YES SOME:(3)	760	31.5 %
4	YES QUITE:(4)	356	14.7 %
8	DK:(8)	205	8.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	72	3.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,344 valid cases out of 2,416 total cases.

*Location:* 109-110 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5247: 185A15A:ENJOY SHOPPING

Item Number: 12020

How do you feel about each of the following?

A: How much do you enjoy shopping for things like clothes,

music, videos, sporting goods, and books?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	81	3.4 %
2	NOT VMCH:(2)	361	14.9 %
3	PRTY MCH:(3)	839	34.7 %
4	VERY MCH:(4)	1058	43.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	77	3.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,339 valid cases out of 2,416 total cases.

*Location:* 111-112 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5248: 185A15B:CARE LATST FASHN

Item Number: 12030

How do you feel about each of the following?

B: How much do you care about having the latest fashion in your clothes, music, videos, leisure activities, and so on?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	413	17.1 %
2	NOT VMCH:(2)	939	38.9 %
3	PRTY MCH:(3)	654	27.1 %
4	VERY MCH:(4)	334	13.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	76	3.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,340 valid cases out of 2,416 total cases.

*Location:* 113-114 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5249: 185A15C:CR FAM HV NBR HV

Item Number: 12040

How do you feel about each of the following?

C: How much do you care about whether your family has most of the things your friends and neighbors have?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	923	38.2 %
2	NOT VMCH:(2)	997	41.3 %
3	PRTY MCH:(3)	300	12.4 %
4	VERY MCH:(4)	111	4.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	85	3.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,331 valid cases out of 2,416 total cases.

*Location:* 115-116 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5250: 185A16 :XPCT 2 OWN>PRNTS

Item Number: 12050

When you are older, do you expect to own more possessions than your parents do now, or about the same, or less?

I expect to own . . . ?

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	91	3.8 %
2	SMWT LESS:(2)	214	8.9 %
3	ABT AS MCH:(3)	730	30.2 %
4	SMWT MORE:(4)	799	33.1 %
5	MCH MORE:(5)	502	20.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	80	3.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,336 valid cases out of 2,416 total cases.

*Location:* 117-118 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5251: 185A17 :LST CNT OWN>PRNT

Item Number: 12060

Compared with your parents, what is the smallest amount that you could be content or satisfied to own? The least I could be content to own is . . . ?

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	252	10.4 %
2	SMWT LESS:(2)	610	25.2 %
3	ABT AS MCH:(3)	906	37.5 %
4	SMWT MORE:(4)	397	16.4 %
5	MCH MORE:(5)	156	6.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	95	3.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,321 valid cases out of 2,416 total cases.

*Location:* 119-120 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5252: 185A18A:WRRY ABT OW CTRY

Item Number: 12070

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: We ought to worry about our own country and let the rest of the world take care of itself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	441	18.3 %
2	MOST DIS:(2)	561	23.2 %
3	NEITHER:(3)	572	23.7 %
4	MOST AGR:(4)	501	20.7 %
5	AGREE:(5)	247	10.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	94	3.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,322 valid cases out of 2,416 total cases.

*Location:* 121-122 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5253: 185A18B:BTTR IF CTZ WRLD

Item Number: 12080

How much do you agree or disagree with each statement below?

B: It would be better if we all felt more like citizens of  
the world than of any particular country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	223	9.2 %
2	MOST DIS:(2)	233	9.6 %
3	NEITHER:(3)	600	24.8 %
4	MOST AGR:(4)	706	29.2 %
5	AGREE:(5)	557	23.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	97	4.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,319 valid cases out of 2,416 total cases.

*Location:* 123-124 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5254: 185A18C:-SYMP TWD STARVG

Item Number: 12090

How much do you agree or disagree with each statement below?

C: I find it hard to be sympathetic toward starving people  
in foreign lands, when there is so much trouble in our own  
country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	962	39.8 %
2	MOST DIS:(2)	500	20.7 %
3	NEITHER:(3)	447	18.5 %
4	MOST AGR:(4)	271	11.2 %
5	AGREE:(5)	133	5.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	103	4.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,313 valid cases out of 2,416 total cases.

*Location:* 125-126 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5255: 185A18D:MNRTY NT MY BSNS

Item Number: 12100

How much do you agree or disagree with each statement below?

D: Maybe some minority groups do get unfair treatment, but  
that's no business of mine

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1003	41.5 %
2	MOST DIS:(2)	533	22.1 %
3	NEITHER:(3)	478	19.8 %
4	MOST AGR:(4)	181	7.5 %
5	AGREE:(5)	110	4.6 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	111	4.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,305 valid cases out of 2,416 total cases.

*Location:* 127-128 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5256: 185A18E:UPST PL TR -FAIR

Item Number: 12110

How much do you agree or disagree with each statement below?

E: I get very upset when I see other people treated unfairly

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	77	3.2 %
2	MOST DIS:(2)	100	4.1 %
3	NEITHER:(3)	224	9.3 %
4	MOST AGR:(4)	706	29.2 %
5	AGREE:(5)	1203	49.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	106	4.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,310 valid cases out of 2,416 total cases.

*Location:* 129-130 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5257: 185A18F:HELP POOR W MY \$

Item Number: 12120

How much do you agree or disagree with each statement below?

F: I would agree to a good plan to make a better life for the poor, even if it cost me money

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	119	4.9 %
2	MOST DIS:(2)	196	8.1 %
3	NEITHER:(3)	494	20.4 %
4	MOST AGR:(4)	850	35.2 %
5	AGREE:(5)	650	26.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	107	4.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,309 valid cases out of 2,416 total cases.

*Location:* 131-132 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5258: 185A18G:-MY PRB OT ND HP

Item Number: 12130

How much do you agree or disagree with each statement below?

G: It's not really my problem if others are in trouble and need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	914	37.8 %
2	MOST DIS:(2)	733	30.3 %
3	NEITHER:(3)	424	17.5 %
4	MOST AGR:(4)	168	7.0 %
5	AGREE:(5)	70	2.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	107	4.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,309 valid cases out of 2,416 total cases.

*Location:* 133-134 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5259: 185A18H:RB CHNG ETG HABT

Item Number: 12140

How much do you agree or disagree with each statement below?

H: Americans could change their eating habits to provide more food for the hungry people in other parts of the world, and at the same time be healthier themselves

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	137	5.7 %
2	MOST DIS:(2)	179	7.4 %
3	NEITHER:(3)	510	21.1 %
4	MOST AGR:(4)	768	31.8 %
5	AGREE:(5)	713	29.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	109	4.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,307 valid cases out of 2,416 total cases.

*Location:* 135-136 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5260: 185A18I:FAM BUYS THG -ND

Item Number: 10060

How much do you agree or disagree with each statement below?

I: My family and I often buy things we really don't need; we could get along with much less

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	200	8.3 %
2	MOST DIS:(2)	301	12.5 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	456	18.9 %
4	MOST AGR:(4)	552	22.8 %
5	AGREE:(5)	298	12.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	609	25.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,807 valid cases out of 2,416 total cases.

*Location:* 137-138 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5261: 185A18J:FULLR LVS IF MRY

Item Number: 12150

How much do you agree or disagree with each statement below?

J: Most people will have fuller and happier lives if they choose legal marriage rather than staying single, or just living with someone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	429	17.8 %
2	MOST DIS:(2)	249	10.3 %
3	NEITHER:(3)	680	28.1 %
4	MOST AGR:(4)	279	11.5 %
5	AGREE:(5)	169	7.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	610	25.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,806 valid cases out of 2,416 total cases.

*Location:* 139-140 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5262: 185A18K:ENCRG = INDP DT/SN

Item Number: 12160

How much do you agree or disagree with each statement below?

K: Parents should encourage just as much independence in their daughters as in their sons

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	75	3.1 %
2	MOST DIS:(2)	73	3.0 %
3	NEITHER:(3)	308	12.7 %
4	MOST AGR:(4)	500	20.7 %
5	AGREE:(5)	1345	55.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	115	4.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,301 valid cases out of 2,416 total cases.

*Location:* 141-142 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5263: 185A18L:BNG MOTH V FULFL

Item Number: 12170

How much do you agree or disagree with each statement below?

L: Being a mother and raising children is one of the most fulfilling experiences a woman can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	197	8.2 %
2	MOST DIS:(2)	173	7.2 %
3	NEITHER:(3)	701	29.0 %
4	MOST AGR:(4)	644	26.7 %
5	AGREE:(5)	577	23.9 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	124	5.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,292 valid cases out of 2,416 total cases.

*Location:* 143-144 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5264: 185A18M:FTHR>TIME W CHLD

Item Number: 12180

How much do you agree or disagree with each statement below?

M: Most fathers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	48	2.0 %
2	MOST DIS:(2)	70	2.9 %
3	NEITHER:(3)	598	24.8 %
4	MOST AGR:(4)	774	32.0 %
5	AGREE:(5)	800	33.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	126	5.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,290 valid cases out of 2,416 total cases.

*Location:* 145-146 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5265: 185A18N:HSB MAK IMP DCSN

Item Number: 12190

How much do you agree or disagree with each statement below?

N: The husband should make all the important decisions in the family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	853	35.3 %
2	MOST DIS:(2)	333	13.8 %
3	NEITHER:(3)	373	15.4 %
4	MOST AGR:(4)	149	6.2 %
5	AGREE:(5)	98	4.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	610	25.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,806 valid cases out of 2,416 total cases.

*Location:* 147-148 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5266: 185A19 :INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%
1	NO INTRST:(1)	205	8.5 %
2	VRY LITTLE:(2)	444	18.4 %
3	SOME:(3)	971	40.2 %
4	A LOT:(4)	445	18.4 %
5	VRY GRT:(5)	232	9.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	119	4.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,297 valid cases out of 2,416 total cases.

*Location:* 149-150 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V5267: 185A20A:CTB TO UNTD FUND

Item Number: 12200

If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only. Are you likely to contribute to . . .

A: . . . The United Fund or other community charities?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	214	8.9 %
2	PROB NOT:(2)	290	12.0 %
3	DK:(3)	1055	43.7 %
4	PROB WILL:(4)	543	22.5 %
5	DEF WILL:(5)	135	5.6 %
6	ALRDY HAV:(6)	42	1.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	137	5.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,279 valid cases out of 2,416 total cases.

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5268: 185A20B:CTB TO INTL RELF

Item Number: 12210

Are you likely to contribute to . . .

B: . . . International relief organizations (CARE, UNICEF, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	197	8.2 %

Value	Label	Unweighted Frequency	%
2	PROB NOT:(2)	293	12.1 %
3	DK:(3)	867	35.9 %
4	PROB WILL:(4)	649	26.9 %
5	DEF WILL:(5)	181	7.5 %
6	ALRDY HAV:(6)	95	3.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	134	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,282 valid cases out of 2,416 total cases.

*Location:* 153-154 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5269: 185A20C:CTB TO MNRTY GRP

Item Number: 12220

Are you likely to contribute to . . .

C: . . . Minority group organizations (NAACP, SCLC, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	266	11.0 %
2	PROB NOT:(2)	363	15.0 %
3	DK:(3)	904	37.4 %
4	PROB WILL:(4)	491	20.3 %
5	DEF WILL:(5)	213	8.8 %
6	ALRDY HAV:(6)	26	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	153	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,416 total cases.

*Location:* 155-156 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5270: 185A20D:CTB TO RELGS ORG

Item Number: 12230

Are you likely to contribute to . . .

D: . . . Church or religious organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	418	17.3 %
2	PROB NOT:(2)	357	14.8 %
3	DK:(3)	528	21.9 %
4	PROB WILL:(4)	446	18.5 %
5	DEF WILL:(5)	238	9.9 %
6	ALRDY HAV:(6)	291	12.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	138	5.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,278 valid cases out of 2,416 total cases.

*Location:* 157-158 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5271: 185A20E:CTB TO PLTCL PTY

Item Number: 12240

Are you likely to contribute to . . .

E: . . . Political parties or organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	572	23.7 %
2	PROB NOT:(2)	603	25.0 %
3	DK:(3)	777	32.2 %
4	PROB WILL:(4)	222	9.2 %
5	DEF WILL:(5)	63	2.6 %
6	ALRDY HAV:(6)	26	1.1 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	153	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,416 total cases.

*Location:* 159-160 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5272: 185A20F:CTB TO CTZN LBBY

Item Number: 12250

Are you likely to contribute to . . .

F: . . . Citizen lobbies (Common Cause, Public Citizen, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	350	14.5 %
2	PROB NOT:(2)	468	19.4 %
3	DK:(3)	1122	46.4 %
4	PROB WILL:(4)	264	10.9 %
5	DEF WILL:(5)	52	2.2 %
6	ALRDY HAV:(6)	19	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	141	5.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,275 valid cases out of 2,416 total cases.

*Location:* 161-162 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5273: 185A20G:CTB TO VS DISEAS

Item Number: 12260

Are you likely to contribute to . . .

G: . . . Charities to help fight diseases (cancer, heart disease, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	115	4.8 %
2	PROB NOT:(2)	103	4.3 %
3	DK:(3)	425	17.6 %
4	PROB WILL:(4)	767	31.7 %
5	DEF WILL:(5)	630	26.1 %
6	ALRDY HAV:(6)	237	9.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	139	5.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,277 valid cases out of 2,416 total cases.

*Location:* 163-164 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5274: 185A20H:CTB TO POP PRBMS

Item Number: 12270

Are you likely to contribute to . . .

H: . . . Organizations concerned with population problems  
(Planned Parenthood, ZPG, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	376	15.6 %
2	PROB NOT:(2)	323	13.4 %
3	DK:(3)	833	34.5 %
4	PROB WILL:(4)	425	17.6 %
5	DEF WILL:(5)	261	10.8 %
6	ALRDY HAV:(6)	58	2.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	140	5.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,276 valid cases out of 2,416 total cases.

*Location:* 165-166 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V5275: 185A20I:CTB TO ENVIR PBM

Item Number: 12280

Are you likely to contribute to . . .

I: . . . Organizations concerned with environmental problems  
(Sierra Club, Friends of the Earth, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will"  
5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	234	9.7 %
2	PROB NOT:(2)	307	12.7 %
3	DK:(3)	809	33.5 %
4	PROB WILL:(4)	540	22.4 %
5	DEF WILL:(5)	298	12.3 %
6	ALRDY HAV:(6)	87	3.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	141	5.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,275 valid cases out of 2,416 total cases.

*Location:* 167-168 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5503: 185A23A:OFTN EAT BRKFST

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	181	7.5 %
2	SELDOM:(2)	516	21.4 %

Value	Label	Unweighted Frequency	%
3	SOMETIME:(3)	593	24.5 %
4	MST DAYS:(4)	302	12.5 %
5	NR EV DA:(5)	261	10.8 %
6	EVERYDAY:(6)	458	19.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	105	4.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,311 valid cases out of 2,416 total cases.

*Location:* 169-170 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5504: 185A23B:OFTN EAT GN VEG

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	98	4.1 %
2	SELDOM:(2)	224	9.3 %
3	SOMETIME:(3)	580	24.0 %
4	MST DAYS:(4)	543	22.5 %
5	NR EV DA:(5)	453	18.8 %
6	EVERYDAY:(6)	406	16.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	112	4.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,304 valid cases out of 2,416 total cases.

*Location:* 171-172 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5505: 185A23C:OFTN EAT FRUIT

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	28	1.2 %
2	SELDOM:(2)	102	4.2 %
3	SOMETIMES:(3)	501	20.7 %
4	MST DAYS:(4)	625	25.9 %
5	NR EV DA:(5)	481	19.9 %
6	EVERYDAY:(6)	546	22.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	133	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,416 total cases.

*Location:* 173-174 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5506: 185A23D:OFTN EXERCISE

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	160	6.6 %
2	SELDOM:(2)	378	15.6 %
3	SOMETIMES:(3)	552	22.8 %
4	MST DAYS:(4)	421	17.4 %
5	NR EV DA:(5)	388	16.1 %
6	EVERYDAY:(6)	403	16.7 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	114	4.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,302 valid cases out of 2,416 total cases.

*Location:* 175-176 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5507: 185A23E:OFTN 7HRS SLEEP

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	164	6.8 %
2	SELDOM:(2)	477	19.7 %
3	SOMETIMES:(3)	645	26.7 %
4	MST DAYS:(4)	472	19.5 %
5	NR EV DA:(5)	313	13.0 %
6	EVERYDAY:(6)	234	9.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	111	4.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,305 valid cases out of 2,416 total cases.

*Location:* 177-178 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5508: 185A23F:OFTN SLEEP<SHLD

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	125	5.2 %
2	SELDOM:(2)	225	9.3 %
3	SOMETIMES:(3)	550	22.8 %
4	MST DAYS:(4)	495	20.5 %
5	NR EV DA:(5)	420	17.4 %
6	EVERYDAY:(6)	488	20.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	113	4.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,303 valid cases out of 2,416 total cases.

*Location:* 179-180 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5277: 185A24A:DSCM WN COLLG ED

Item Number: 12290

These questions are about whether you think women are discriminated against in each of the following areas.

To what extent are women discriminated against . . .

A: . . . In getting a college education?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	614	25.4 %
2	VRY LITL:(2)	513	21.2 %
3	SOME:(3)	508	21.0 %
4	GOOD DEAL:(4)	202	8.4 %
5	GREAT DL:(5)	107	4.4 %
8	DK:(8)	336	13.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	136	5.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,280 valid cases out of 2,416 total cases.

*Location:* 181-182 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5278: 185A24B:DSCM WN LDRSHP

Item Number: 12300

To what extent are women discriminated against . . .

B: . . . In gaining positions of leadership over men and women?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	229	9.5 %
2	VRY LITL:(2)	237	9.8 %
3	SOME:(3)	550	22.8 %
4	GOOD DEAL:(4)	544	22.5 %
5	GREAT DL:(5)	496	20.5 %
8	DK:(8)	226	9.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	134	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,282 valid cases out of 2,416 total cases.

*Location:* 183-184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5279: 185A24C:DSCM WN EXEC/BSN

Item Number: 12310

To what extent are women discriminated against . . .

C: . . . In obtaining executive positions in business?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	257	10.6 %
2	VRY LITL:(2)	236	9.8 %
3	SOME:(3)	524	21.7 %
4	GOOD DEAL:(4)	522	21.6 %
5	GREAT DL:(5)	456	18.9 %
8	DK:(8)	278	11.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	143	5.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,273 valid cases out of 2,416 total cases.

*Location:* 185-186 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5280: 185A24D:DSCM WN TOP/PRFN

Item Number: 12320

To what extent are women discriminated against . . .

D: . . . In obtaining top jobs in the professions?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	270	11.2 %
2	VRY LITL:(2)	275	11.4 %
3	SOME:(3)	524	21.7 %
4	GOOD DEAL:(4)	506	20.9 %
5	GREAT DL:(5)	440	18.2 %
8	DK:(8)	263	10.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	138	5.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,278 valid cases out of 2,416 total cases.

*Location:* 187-188 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5281: 185A24E:DSCM WN SKL LABR

Item Number: 12330

To what extent are women discriminated against . . .

E: . . . In getting skilled labor jobs?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	265	11.0 %
2	VRY LITL:(2)	279	11.5 %
3	SOME:(3)	568	23.5 %
4	GOOD DEAL:(4)	444	18.4 %
5	GREAT DL:(5)	368	15.2 %
8	DK:(8)	347	14.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	145	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,271 valid cases out of 2,416 total cases.

*Location:* 189-190 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5282: 185A24F:DSCM WN PLTCL OF

Item Number: 12340

To what extent are women discriminated against . . .

F: . . . In getting elected to political office?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	269	11.1 %
2	VRY LITL:(2)	221	9.1 %
3	SOME:(3)	450	18.6 %
4	GOOD DEAL:(4)	464	19.2 %
5	GREAT DL:(5)	630	26.1 %

Value	Label	Unweighted Frequency	%
8	DK:(8)	245	10.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	137	5.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,279 valid cases out of 2,416 total cases.

*Location:* 191-192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5283: 185A24G:DSCM WN = PAY = WK

Item Number: 12350

To what extent are women discriminated against . . .

G: . . . In getting equal pay for equal work?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	365	15.1 %
2	VRY LITL:(2)	217	9.0 %
3	SOME:(3)	415	17.2 %
4	GOOD DEAL:(4)	409	16.9 %
5	GREAT DL:(5)	642	26.6 %
8	DK:(8)	228	9.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	140	5.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,276 valid cases out of 2,416 total cases.

*Location:* 193-194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5284: 185A25A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you

think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	154	6.4 %
2	SLIGHT:(2)	78	3.2 %
3	MOD RISK:(3)	254	10.5 %
4	GRT RISK:(4)	1721	71.2 %
5	CANT SAY:(5)	69	2.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	140	5.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,276 valid cases out of 2,416 total cases.

*Location:* 195-196 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5285: 185A25B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1164	48.2 %
2	SLIGHT:(2)	532	22.0 %
3	MOD RISK:(3)	229	9.5 %
4	GRT RISK:(4)	259	10.7 %
5	CANT SAY:(5)	91	3.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	141	5.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,275 valid cases out of 2,416 total cases.

*Location:* 197-198 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5286: 185A25C:RSK OF MJ OCSNL

Item Number: 12380

The next questions ask for your opinions on the effects of using certain drugs and other substances.

How much do you think people risk harming themselves (physically or in other ways) if they . . .

C. Use marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	798	33.0 %
2	SLIGHT:(2)	645	26.7 %
3	MOD RISK:(3)	415	17.2 %
4	GRT RISK:(4)	314	13.0 %
5	CANT SAY:(5)	100	4.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	144	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,272 valid cases out of 2,416 total cases.

*Location:* 199-200 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5287: 185A25D:RSK OF MJ REGLY

Item Number: 12390

The next questions ask for your opinions on the effects of using certain drugs and other substances.

How much do you think people risk harming themselves (physically or in other ways) if they . . .

D. Use marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	482	20.0 %
2	SLIGHT:(2)	588	24.3 %
3	MOD RISK:(3)	501	20.7 %
4	GRT RISK:(4)	596	24.7 %
5	CANT SAY:(5)	99	4.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	150	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,416 total cases.

*Location:* 201-202 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5288: 185A25E:RSK OF LSD 1-2 X

Item Number: 12400

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Try LSD once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	267	11.1 %
2	SLIGHT:(2)	446	18.5 %
3	MOD RISK:(3)	556	23.0 %
4	GRT RISK:(4)	662	27.4 %
5	CANT SAY:(5)	343	14.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	142	5.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,274 valid cases out of 2,416 total cases.

*Location:* 203-204 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5289: 185A25F:RSK OF LSD REGLY

Item Number: 12410

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Take LSD regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	143	5.9 %
2	SLIGHT:(2)	116	4.8 %
3	MOD RISK:(3)	363	15.0 %
4	GRT RISK:(4)	1301	53.8 %
5	CANT SAY:(5)	341	14.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 205-206 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5290: 185A25G:RSK OF H 1-2 X

Item Number: 12420

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

G: . . . Try heroin once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	147	6.1 %
2	SLIGHT:(2)	141	5.8 %
3	MOD RISK:(3)	378	15.6 %
4	GRT RISK:(4)	1444	59.8 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	158	6.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	148	6.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,268 valid cases out of 2,416 total cases.

*Location:* 207-208 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5291: 185A25H:RSK OF H OCSNL

Item Number: 12430

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

H: . . . Take heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	134	5.5 %
2	SLIGHT:(2)	43	1.8 %
3	MOD RISK:(3)	184	7.6 %
4	GRT RISK:(4)	1742	72.1 %
5	CANT SAY:(5)	158	6.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	155	6.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,261 valid cases out of 2,416 total cases.

*Location:* 209-210 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5292: 185A25I:RSK OF H REGLY

Item Number: 12440

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

I: . . . Take heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	135	5.6 %
2	SLIGHT:(2)	25	1.0 %
3	MOD RISK:(3)	55	2.3 %
4	GRT RISK:(4)	1891	78.3 %
5	CANT SAY:(5)	159	6.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	151	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,265 valid cases out of 2,416 total cases.

*Location:* 211-212 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5509: 185A25J:RSK SED/BRB 1-2X

Item Number: 12455

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

J: . . . Try sedatives/barbiturates (downers) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	202	8.4 %
2	SLIGHT:(2)	382	15.8 %
3	MOD RISK:(3)	503	20.8 %
4	GRT RISK:(4)	598	24.8 %
5	CANT SAY:(5)	575	23.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	156	6.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,260 valid cases out of 2,416 total cases.

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5510: 185A25K:RSK SED/BRB REGY

Item Number: 12465

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

K: . . . Take sedatives/barbiturates regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	127	5.3 %
2	SLIGHT:(2)	101	4.2 %
3	MOD RISK:(3)	399	16.5 %
4	GRT RISK:(4)	1045	43.3 %
5	CANT SAY:(5)	567	23.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	177	7.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,239 valid cases out of 2,416 total cases.

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5295: 185A25L:RSK OF AMPH 1-2X

Item Number: 12470

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

L: . . . Try amphetamines (uppers, speed, Adderall,  
Ritalin, etc.) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	274	11.3 %

Value	Label	Unweighted Frequency	%
2	SLIGHT:(2)	445	18.4 %
3	MOD RISK:(3)	521	21.6 %
4	GRT RISK:(4)	666	27.6 %
5	CANT SAY:(5)	352	14.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	158	6.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,258 valid cases out of 2,416 total cases.

*Location:* 217-218 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5296: 185A25M:RSK OF AMPH REG

Item Number: 12480

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

M: . . . Take amphetamines regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	150	6.2 %
2	SLIGHT:(2)	154	6.4 %
3	MOD RISK:(3)	411	17.0 %
4	GRT RISK:(4)	1149	47.6 %
5	CANT SAY:(5)	390	16.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	162	6.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,254 valid cases out of 2,416 total cases.

*Location:* 219-220 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5297: 185A25N:RSK OF COKE 1-2X

Item Number: 12490

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

N: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	200	8.3 %
2	SLIGHT:(2)	316	13.1 %
3	MOD RISK:(3)	502	20.8 %
4	GRT RISK:(4)	1098	45.4 %
5	CANT SAY:(5)	142	5.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	158	6.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,258 valid cases out of 2,416 total cases.

*Location:* 221-222 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5298: 185A25O:RSK OF COKE REG

Item Number: 12500

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

O: . . . Take cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	142	5.9 %
2	SLIGHT:(2)	52	2.2 %
3	MOD RISK:(3)	198	8.2 %
4	GRT RISK:(4)	1722	71.3 %
5	CANT SAY:(5)	140	5.8 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	162	6.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,254 valid cases out of 2,416 total cases.

*Location:* 223-224 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5299: 185A25P:RSK OF 1-2 DRINK

Item Number: 12510

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

P: . . . Try one or two drinks of an alcoholic beverage  
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1115	46.2 %
2	SLIGHT:(2)	658	27.2 %
3	MOD RISK:(3)	184	7.6 %
4	GRT RISK:(4)	224	9.3 %
5	CANT SAY:(5)	83	3.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 225-226 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5300: 185A25Q:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

Q: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	299	12.4 %
2	SLIGHT:(2)	637	26.4 %
3	MOD RISK:(3)	739	30.6 %
4	GRT RISK:(4)	503	20.8 %
5	CANT SAY:(5)	86	3.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 227-228 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5301: 185A25R:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

R: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	165	6.8 %
2	SLIGHT:(2)	148	6.1 %
3	MOD RISK:(3)	499	20.7 %
4	GRT RISK:(4)	1355	56.1 %
5	CANT SAY:(5)	90	3.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	159	6.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,257 valid cases out of 2,416 total cases.

*Location:* 229-230 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V5302: 185A25S:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

S: . . . Have five or more drinks once or twice each  
weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	218	9.0 %
2	SLIGHT:(2)	325	13.5 %
3	MOD RISK:(3)	607	25.1 %
4	GRT RISK:(4)	1018	42.1 %
5	CANT SAY:(5)	92	3.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	156	6.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,260 valid cases out of 2,416 total cases.

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5483: 185A25T:RSK OF COKE OCSN

Item Number: 12495

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

T: . . . Take cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	155	6.4 %
2	SLIGHT:(2)	129	5.3 %

Value	Label	Unweighted Frequency	%
3	MOD RISK:(3)	389	16.1 %
4	GRT RISK:(4)	1433	59.3 %
5	CANT SAY:(5)	142	5.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	168	7.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,248 valid cases out of 2,416 total cases.

*Location:* 233-234 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5484: 185A25U:RSK OF SMKLSS RG

Item Number: 12365

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

U: . . . Use smokeless tobacco regularly (chewing tobacco,  
plug, dipping tobacco, snuff)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	197	8.2 %
2	SLIGHT:(2)	371	15.4 %
3	MOD RISK:(3)	633	26.2 %
4	GRT RISK:(4)	916	37.9 %
5	CANT SAY:(5)	145	6.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	154	6.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,262 valid cases out of 2,416 total cases.

*Location:* 235-236 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5569: 185A25V:RSK SML CIGAR REG

Item Number: 33690

How much do you think people risk harming themselves (physically or in other ways), if they . . .

V: . . . Smoke little cigars or cigarillos regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	202	8.4 %
2	SLIGHT:(2)	344	14.2 %
3	MOD RISK:(3)	627	26.0 %
4	GRT RISK:(4)	961	39.8 %
5	CANT SAY:(5)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	282	11.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,134 valid cases out of 2,416 total cases.

*Location:* 237-238 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V5101: 185B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1706	70.6 %
2	1-2X:(2)	332	13.7 %
3	OCCASNLY:(3)	139	5.8 %
4	REG PAST:(4)	50	2.1 %
5	REG NOW:(5)	56	2.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	133	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,416 total cases.

*Location:* 239-240 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5102: 185B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	2098	86.8 %
2	<1 CIG/D:(2)	111	4.6 %
3	1-5/DAY:(3)	45	1.9 %
4	1/2 PK:(4)	16	0.7 %
5	1 PK:(5)	5	0.2 %
6	1 1/2 PK:(6)	1	0.0 %
7	2+ PKS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	134	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,282 valid cases out of 2,416 total cases.

*Location:* 241-242 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5103: 185B03 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, or any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	856	35.4 %
2	YES:(2)	1351	55.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	209	8.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,207 valid cases out of 2,416 total cases.

*Location:* 243-244 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5104: 185B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	856	35.4 %
2	1-2X:(2)	200	8.3 %
3	3-5X:(3)	253	10.5 %
4	6-9X:(4)	229	9.5 %
5	10-19X:(5)	234	9.7 %
6	20-39X:(6)	170	7.0 %
7	40+OCCAS:(7)	231	9.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	243	10.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,173 valid cases out of 2,416 total cases.

*Location:* 245-246 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5105: 185B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	943	39.0 %
2	1-2X:(2)	417	17.3 %
3	3-5X:(3)	263	10.9 %
4	6-9X:(4)	211	8.7 %
5	10-19X:(5)	166	6.9 %
6	20-39X:(6)	96	4.0 %
7	40+OCCAS:(7)	78	3.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	242	10.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,174 valid cases out of 2,416 total cases.

*Location:* 247-248 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5106: 185B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1478	61.2 %
2	1-2X:(2)	408	16.9 %
3	3-5X:(3)	170	7.0 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	61	2.5 %
5	10-19X:(5)	22	0.9 %
6	20-39X:(6)	13	0.5 %
7	40+OCCAS:(7)	19	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	245	10.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,171 valid cases out of 2,416 total cases.

*Location:* 249-250 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5107: 185B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions"  
5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	392	16.2 %
2	FEW OCC:(2)	371	15.4 %
3	HALF OCC:(3)	182	7.5 %
4	MOST OCC:(4)	241	10.0 %
5	NRLY ALL:(5)	168	7.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1062	44.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,354 valid cases out of 2,416 total cases.

*Location:* 251-252 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5108: 185B06 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]  
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1805	74.7 %
2	ONCE:(2)	166	6.9 %
3	TWICE:(3)	87	3.6 %
4	3-5X:(4)	72	3.0 %
5	6-9X:(5)	12	0.5 %
6	10+ TIME:(6)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	260	10.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,156 valid cases out of 2,416 total cases.

*Location:* 253-254 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5115: 185B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1169	48.4 %
2	1-2X:(2)	246	10.2 %
3	3-5X:(3)	179	7.4 %
4	6-9X:(4)	89	3.7 %
5	10-19X:(5)	110	4.6 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	105	4.3 %
7	40+OCCAS:(7)	331	13.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	187	7.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,229 valid cases out of 2,416 total cases.

*Location:* 255-256 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5116: 185B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1323	54.8 %
2	1-2X:(2)	279	11.5 %
3	3-5X:(3)	151	6.2 %
4	6-9X:(4)	85	3.5 %
5	10-19X:(5)	95	3.9 %
6	20-39X:(6)	85	3.5 %
7	40+OCCAS:(7)	206	8.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	192	7.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,224 valid cases out of 2,416 total cases.

*Location:* 257-258 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5117: 185B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1644	68.0 %
2	1-2X:(2)	220	9.1 %
3	3-5X:(3)	85	3.5 %
4	6-9X:(4)	58	2.4 %
5	10-19X:(5)	76	3.1 %
6	20-39X:(6)	50	2.1 %
7	40+OCCAS:(7)	89	3.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	194	8.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,222 valid cases out of 2,416 total cases.

*Location:* 259-260 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5118: 185B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2145	88.8 %
2	1-2X:(2)	55	2.3 %
3	3-5X:(3)	28	1.2 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	18	0.7 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,262 valid cases out of 2,416 total cases.

*Location:* 261-262 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5119: 185B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2182	90.3 %
2	1-2X:(2)	46	1.9 %
3	3-5X:(3)	19	0.8 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	151	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,265 valid cases out of 2,416 total cases.

*Location:* 263-264 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5120: 185B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD  
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2240	92.7 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	149	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,267 valid cases out of 2,416 total cases.

*Location:* 265-266 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5121: 185B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens  
other than LSD (like mescaline, peyote, "shrooms" or  
psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2149	88.9 %
2	1-2X:(2)	68	2.8 %
3	3-5X:(3)	19	0.8 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	11	0.5 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 267-268 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5122: 185B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2186	90.5 %
2	1-2X:(2)	52	2.2 %
3	3-5X:(3)	13	0.5 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	151	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,265 valid cases out of 2,416 total cases.

*Location:* 269-270 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5123: 185B09C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2236	92.5 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	153	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,416 total cases.

*Location:* 271-272 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5124: 185B10A:#X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2175	90.0 %
2	1-2X:(2)	50	2.1 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	6	0.2 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	6.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,262 valid cases out of 2,416 total cases.

*Location:* 273-274 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5125: 185B10B:#X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2206	91.3 %
2	1-2X:(2)	27	1.1 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 275-276 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5126: 185B10C:#X COKE/LAST30DA

Item Number: 00970

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2234	92.5 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 277-278 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5127: 185B11A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors  
for people who have trouble paying attention, are hyperactive, have ADHD,  
or have trouble staying awake. They are sometimes called uppers, ups, pep

pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. They do NOT include any nonprescription drugs such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own--that is, without a doctor telling you to take them...

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2036	84.3 %
2	1-2X:(2)	99	4.1 %
3	3-5X:(3)	47	1.9 %
4	6-9X:(4)	32	1.3 %
5	10-19X:(5)	25	1.0 %
6	20-39X:(6)	16	0.7 %
7	40+OCCAS:(7)	26	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	135	5.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,281 valid cases out of 2,416 total cases.

*Location:* 279-280 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5128: 185B11B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2126	88.0 %
2	1-2X:(2)	69	2.9 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	30	1.2 %
4	6-9X:(4)	27	1.1 %
5	10-19X:(5)	19	0.8 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	129	5.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,287 valid cases out of 2,416 total cases.

*Location:* 281-282 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5129: 185B11C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2218	91.8 %
2	1-2X:(2)	37	1.5 %
3	3-5X:(3)	15	0.6 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	130	5.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,286 valid cases out of 2,416 total cases.

*Location:* 283-284 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V5045: 185B12A:#X ICE/LIFETIME

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2260	93.5 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	133	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,416 total cases.

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5046: 185B12B:#X ICE/LAST12MO

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2270	94.0 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	132	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,284 valid cases out of 2,416 total cases.

*Location:* 287-288 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5047: 185B12C:#X ICE/LAST30DA

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2273	94.1 %
2	1-2X:(2)	6	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	132	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,284 valid cases out of 2,416 total cases.

*Location:* 289-290 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5133: 185B13A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2171	89.9 %
2	1-2X:(2)	47	1.9 %
3	3-5X:(3)	27	1.1 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	141	5.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,275 valid cases out of 2,416 total cases.

*Location:* 291-292 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5134: 185B13B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2211	91.5 %
2	1-2X:(2)	35	1.4 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	139	5.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,277 valid cases out of 2,416 total cases.

*Location:* 293-294 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5135: 185B13C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives  
 on your own--that is, without a doctor telling you to  
 take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2250	93.1 %
2	1-2X:(2)	18	0.7 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	141	5.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,275 valid cases out of 2,416 total cases.

*Location:* 295-296 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5136: 185B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2100	86.9 %
2	1-2X:(2)	85	3.5 %
3	3-5X:(3)	36	1.5 %
4	6-9X:(4)	15	0.6 %
5	10-19X:(5)	18	0.7 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	13	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	145	6.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,271 valid cases out of 2,416 total cases.

*Location:* 297-298 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5137: 185B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2158	89.3 %
2	1-2X:(2)	56	2.3 %
3	3-5X:(3)	24	1.0 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	145	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,271 valid cases out of 2,416 total cases.

*Location:* 299-300 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5138: 185B14C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2229	92.3 %
2	1-2X:(2)	26	1.1 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	144	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,272 valid cases out of 2,416 total cases.

*Location:* 301-302 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5489: 185B15A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2250	93.1 %
2	1-2X:(2)	6	0.2 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	149	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,267 valid cases out of 2,416 total cases.

*Location:* 303-304 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5490: 185B15B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2259	93.5 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	146	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,270 valid cases out of 2,416 total cases.

*Location:* 305-306 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5491: 185B15C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2263	93.7 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	146	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,270 valid cases out of 2,416 total cases.

*Location:* 307-308 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5492: 185B16A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2236	92.5 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	169	7.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,247 valid cases out of 2,416 total cases.

*Location:* 309-310 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V5493: 185B16B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2241	92.8 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	166	6.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,416 total cases.

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5494: 185B16C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2245	92.9 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	166	6.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,250 valid cases out of 2,416 total cases.

*Location:* 313-314 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5139: 185R\* :#X H/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using  
a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin  
WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2261	93.6 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	133	5.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,416 total cases.

*Location:* 315-316 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5140: 185R\* :#X H/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2269	93.9 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	133	5.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,416 total cases.

*Location:* 317-318 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5141: 185R\* :#X H/LAST30DAY

Item Number: 01120

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2275	94.2 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	133	5.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,416 total cases.

*Location:* 319-320 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5142: 185B17A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2107	87.2 %
2	1-2X:(2)	67	2.8 %
3	3-5X:(3)	29	1.2 %
4	6-9X:(4)	18	0.7 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	172	7.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,244 valid cases out of 2,416 total cases.

*Location:* 321-322 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5143: 185B17B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2157	89.3 %
2	1-2X:(2)	42	1.7 %
3	3-5X:(3)	20	0.8 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	174	7.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,242 valid cases out of 2,416 total cases.

*Location:* 323-324 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5144: 185B17C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2206	91.3 %
2	1-2X:(2)	20	0.8 %
3	3-5X:(3)	8	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	175	7.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,241 valid cases out of 2,416 total cases.

*Location:* 325-326 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5145: 185B18A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2148	88.9 %
2	1-2X:(2)	51	2.1 %
3	3-5X:(3)	22	0.9 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	176	7.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,240 valid cases out of 2,416 total cases.

*Location:* 327-328 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5146: 185B18B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2200	91.1 %
2	1-2X:(2)	23	1.0 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	174	7.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,242 valid cases out of 2,416 total cases.

*Location:* 329-330 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5147: 185B18C:#X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2220	91.9 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	177	7.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,239 valid cases out of 2,416 total cases.

*Location:* 331-332 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## RESPONDENT\_AGE: 185C01(R):AGE <>18 DICHOTOMY

Item Number:

Component questions: 1) "In what year were you born?" (item and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	965	39.9 %
2	18+ YRS:(2)	1302	53.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	149	6.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,267 valid cases out of 2,416 total cases.

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5150: 185C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	1099	45.5 %
2	FEMALE:(2)	1106	45.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	211	8.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,205 valid cases out of 2,416 total cases.

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V5151: 185C04(R):Rs RACE B/W/H

Item Number: 00041-00049

How do you describe yourself? (Select one or more responses.)  
Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"  
3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	211	8.7 %
2	WHITE:(2)	1161	48.1 %
3	HISPANIC:(3)	509	21.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	535	22.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,881 valid cases out of 2,416 total cases.

*Location:* 337-338 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5152: 185C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	369	15.3 %
1	A FARM:(1)	74	3.1 %
2	COUNTRY:(2)	227	9.4 %
3	SM CITY:(3)	628	26.0 %
4	MED CITY:(4)	286	11.8 %
5	SUB MED:(5)	271	11.2 %
6	LGE CITY:(6)	226	9.4 %
7	SUB LGE:(7)	140	5.8 %
8	V-LGE CITY:(8)	120	5.0 %
9	SUB V-LGE:(9)	75	3.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,416 valid cases out of 2,416 total cases.

*Location:* 339-340 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5153: 185C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	151	6.2 %
2	ENGAGED:(2)	45	1.9 %
3	SEP/DIV:(3)	51	2.1 %
4	SINGLE:(4)	2021	83.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	148	6.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,268 valid cases out of 2,416 total cases.

*Location:* 341-342 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V49: 185C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	147	6.1 %
1	ONE:(1)	616	25.5 %
2	TWO:(2)	605	25.0 %
3	THREE+:(3-4)	904	37.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	144	6.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,272 valid cases out of 2,416 total cases.

*Location:* 343-344 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5155: 185C7CA:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	701	29.0 %
1	MARKED:(1)	1563	64.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 345-346 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5156: 185C7CB:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	270	11.2 %
1	MARKED:(1)	1994	82.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	152	6.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 347-348 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5157: 185C7CC:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	731	30.3 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	1533	63.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	152	6.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 349-350 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5592: 185C7CD:Rs HSHLD OTHER

Item Number: 34810

Which of the following people live in the same household with you? (Mark all that apply.)

Other, specify \_\_\_\_\_

0="Unmarked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	2113	87.5 %
1	MARKED:(1)	151	6.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	152	6.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,264 valid cases out of 2,416 total cases.

*Location:* 351-352 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5163: 185C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"

3="Completed high school" 4="Some college" 5="Completed"

college" 6="Graduate or professional school after college"

7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	130	5.4 %
2	SOME HS:(2)	265	11.0 %
3	HS GRAD:(3)	568	23.5 %
4	SOME CLG:(4)	353	14.6 %
5	CLG GRAD:(5)	449	18.6 %
6	GRAD SCH:(6)	267	11.1 %
7	DK:(7)	234	9.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	150	6.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,416 total cases.

*Location:* 353-354 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5164: 185C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"

3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"

7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	117	4.8 %
2	SOME HS:(2)	199	8.2 %
3	HS GRAD:(3)	452	18.7 %
4	SOME CLG:(4)	401	16.6 %
5	CLG GRAD:(5)	645	26.7 %
6	GRAD SCH:(6)	330	13.7 %
7	DK:(7)	119	4.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	153	6.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,263 valid cases out of 2,416 total cases.

*Location:* 355-356 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5165: 185C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	325	13.5 %
2	YES/SOME:(2)	446	18.5 %
3	YES/MOST:(3)	377	15.6 %
4	YES/NRLY ALL:(4)	1103	45.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	165	6.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,251 valid cases out of 2,416 total cases.

*Location:* 357-358 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5166: 185C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	197	8.2 %
2	MILD GOP:(2)	246	10.2 %
3	MILD DEM:(3)	301	12.5 %
4	STRG DEM:(4)	270	11.2 %

Value	Label	Unweighted Frequency	%
5	INDEPNDT:(5)	236	9.8 %
6	NO PREF:(6)	332	13.7 %
7	OTHER:(7)	44	1.8 %
8	DK/HVNT DECID:(8)	537	22.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	253	10.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,163 valid cases out of 2,416 total cases.

*Location:* 359-360 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5167: 185C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"

4="Liberal" 5="Very Liberal" 6="Radical" 8="None of  
the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	115	4.8 %
2	CONSERV:(2)	258	10.7 %
3	MODERATE:(3)	519	21.5 %
4	LIBERAL:(4)	360	14.9 %
5	VRY LIB:(5)	140	5.8 %
6	RADICAL:(6)	18	0.7 %
8	NONE/DK:(8)	838	34.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	168	7.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,248 valid cases out of 2,416 total cases.

*Location:* 361-362 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5169: 185C13A:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	501	20.7 %
2	RARELY:(2)	611	25.3 %
3	1-2X/MO:(3)	269	11.1 %
4	1/WK OR+:(4)	370	15.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	665	27.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,751 valid cases out of 2,416 total cases.

*Location:* 363-364 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5170: 185C13B:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	502	20.8 %
2	LITL IMP:(2)	447	18.5 %
3	PRTY IMP:(3)	425	17.6 %
4	VERY IMP:(4)	376	15.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	666	27.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,750 valid cases out of 2,416 total cases.

*Location:* 365-366 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5171: 185C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2171	89.9 %
2	JUL-JAN:(2)	34	1.4 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	18	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	193	8.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,223 valid cases out of 2,416 total cases.

*Location:* 367-368 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5172: 185C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1079	44.7 %
2	GENERAL:(2)	786	32.5 %
3	VOC-TECH:(3)	61	2.5 %
4	OTH/DK:(4)	266	11.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	224	9.3 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,192 valid cases out of 2,416 total cases.

*Location:* 369-370 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5173: 185C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	43	1.8 %
2	BELOW AVG:(2)	66	2.7 %
3	SLIGHT BELOW:(3)	121	5.0 %
4	AVERAGE:(4)	767	31.7 %
5	SLIGHT ABOVE:(5)	530	21.9 %
6	ABOVE AVG:(6)	509	21.1 %
7	FAR ABOVE:(7)	152	6.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	228	9.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,188 valid cases out of 2,416 total cases.

*Location:* 371-372 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5174: 185C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above

Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	40	1.7 %
2	BELOW AVG:(2)	53	2.2 %
3	SLIGHT BELOW:(3)	140	5.8 %
4	AVERAGE:(4)	691	28.6 %
5	SLIGHT ABOVE:(5)	562	23.3 %
6	ABOVE AVG:(6)	541	22.4 %
7	FAR ABOVE:(7)	163	6.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	226	9.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,190 valid cases out of 2,416 total cases.

*Location:* 373-374 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5175: 185C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1238	51.2 %
2	1 DAY:(2)	346	14.3 %
3	2 DAYS:(3)	235	9.7 %
4	3 DAYS:(4)	146	6.0 %
5	4-5 DAYS:(5)	104	4.3 %
6	6-10 DA:(6)	44	1.8 %
7	11+ DAYS:(7)	18	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	285	11.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,131 valid cases out of 2,416 total cases.

*Location:* 375-376 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5176: 185C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1492	61.8 %
2	1 DAY:(2)	282	11.7 %
3	2 DAYS:(3)	154	6.4 %
4	3 DAYS:(4)	65	2.7 %
5	4-5 DAYS:(5)	67	2.8 %
6	6-10 DA:(6)	15	0.6 %
7	11+ DAYS:(7)	32	1.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	309	12.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,107 valid cases out of 2,416 total cases.

*Location:* 377-378 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5177: 185C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1179	48.8 %
2	1 DAY:(2)	412	17.1 %
3	2 DAYS:(3)	243	10.1 %
4	3 DAYS:(4)	133	5.5 %
5	4-5 DAYS:(5)	94	3.9 %
6	6-10 DA:(6)	38	1.6 %
7	11+ DAYS:(7)	30	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	287	11.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,129 valid cases out of 2,416 total cases.

*Location:* 379-380 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5178: 185C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school,  
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"

5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1652	68.4 %
2	1-2:(2)	327	13.5 %
3	3-5:(3)	126	5.2 %
4	6-10:(4)	52	2.2 %
5	11-20:(5)	17	0.7 %
6	21+:(6)	22	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	220	9.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,196 valid cases out of 2,416 total cases.

*Location:* 381-382 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5179: 185C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	16	0.7 %
2	C-:(2)	44	1.8 %
3	C:(3)	92	3.8 %
4	C+:(4)	163	6.7 %
5	B-:(5)	241	10.0 %
6	B:(6)	310	12.8 %
7	B+:(7)	403	16.7 %
8	A-:(8)	449	18.6 %
9	A:(9)	464	19.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	234	9.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,182 valid cases out of 2,416 total cases.

*Location:* 383-384 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5180: 185C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1210	50.1 %

Value	Label	Unweighted Frequency	%
2	PRB WONT:(2)	528	21.9 %
3	PRB WILL:(3)	237	9.8 %
4	DEF WILL:(4)	133	5.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	308	12.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,108 valid cases out of 2,416 total cases.

*Location:* 385-386 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5181: 185C21B:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1312	54.3 %
2	PRB WONT:(2)	446	18.5 %
3	PRB WILL:(3)	160	6.6 %
4	DEF WILL:(4)	95	3.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	403	16.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,013 valid cases out of 2,416 total cases.

*Location:* 387-388 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5182: 185C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following

things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	758	31.4 %
2	PRB WONT:(2)	433	17.9 %
3	PRB WILL:(3)	504	20.9 %
4	DEF WILL:(4)	408	16.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	313	13.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,103 valid cases out of 2,416 total cases.

*Location:* 389-390 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5183: 185C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	206	8.5 %
2	PRB WONT:(2)	196	8.1 %
3	PRB WILL:(3)	522	21.6 %
4	DEF WILL:(4)	1213	50.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	279	11.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,137 valid cases out of 2,416 total cases.

*Location:* 391-392 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V5184: 185C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	398	16.5 %
2	PRB WONT:(2)	560	23.2 %
3	PRB WILL:(3)	680	28.1 %
4	DEF WILL:(4)	475	19.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	303	12.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,113 valid cases out of 2,416 total cases.

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5185: 185C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1861	77.0 %
1	MARKED:(1)	285	11.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	270	11.2 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 395-396 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5186: 185C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

B. Serve in the military (armed forces)

0="Unmarked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1856	76.8 %
1	MARKED:(1)	290	12.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 397-398 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5187: 185C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1584	65.6 %
1	MARKED:(1)	562	23.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 399-400 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5188: 185C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	505	20.9 %
1	MARKED:(1)	1641	67.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 401-402 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5189: 185C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1014	42.0 %
1	MARKED:(1)	1132	46.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 403-404 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5190: 185C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1971	81.6 %
1	MARKED:(1)	175	7.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	270	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,146 valid cases out of 2,416 total cases.

*Location:* 405-406 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5191: 185C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	826	34.2 %
2	5 OR <:(2)	197	8.2 %
3	6-10 HRS:(3)	230	9.5 %
4	11-15 HR:(4)	203	8.4 %
5	16-20 HR:(5)	248	10.3 %
6	21-25 HR:(6)	176	7.3 %
7	26-30 HR:(7)	138	5.7 %
8	30+ HRS:(8)	140	5.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	258	10.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,158 valid cases out of 2,416 total cases.

*Location:* 407-408 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5192: 185C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	885	36.6 %
2	\$1-5:(2)	12	0.5 %
3	\$6-10:(3)	60	2.5 %
4	\$11-20:(4)	63	2.6 %
5	\$21-35:(5)	64	2.6 %
6	\$36-50:(6)	82	3.4 %
7	\$51-75:(7)	105	4.3 %
8	\$76-125:(8)	287	11.9 %

Value	Label	Unweighted Frequency	%
9	\$126-175:(9)	223	9.2 %
10	\$176+:(10)	335	13.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	300	12.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,116 valid cases out of 2,416 total cases.

*Location:* 409-410 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5193: 185C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1136	47.0 %
2	\$1-5:(2)	81	3.4 %
3	\$6-10:(3)	122	5.0 %
4	\$11-20:(4)	249	10.3 %
5	\$21-35:(5)	142	5.9 %
6	\$36-50:(6)	125	5.2 %
7	\$51-75:(7)	50	2.1 %
8	\$76-125:(8)	56	2.3 %
9	\$126-175:(9)	20	0.8 %
10	\$176+:(10)	61	2.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	374	15.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,042 valid cases out of 2,416 total cases.

*Location:* 411-412 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5194: 185C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"  
6="Six or seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	420	17.4 %
2	ONE:(2)	388	16.1 %
3	TWO:(3)	561	23.2 %
4	THREE:(4)	472	19.5 %
5	4-5:(5)	196	8.1 %
6	6-7:(6)	104	4.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	275	11.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,141 valid cases out of 2,416 total cases.

*Location:* 413-414 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5195: 185C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1050	43.5 %
2	ONCE/MO:(2)	239	9.9 %
3	2-3X MO:(3)	253	10.5 %
4	ONCE WK:(4)	277	11.5 %
5	2-3X WK:(5)	233	9.6 %

Value	Label	Unweighted Frequency	%
6	3+ WEEK:(6)	93	3.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	271	11.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,145 valid cases out of 2,416 total cases.

*Location:* 415-416 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5196: 185C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	647	26.8 %
2	1-10 MI:(2)	202	8.4 %
3	11-50:(3)	481	19.9 %
4	51-100:(4)	412	17.1 %
5	101-200:(5)	265	11.0 %
6	> 200:(6)	148	6.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	261	10.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,155 valid cases out of 2,416 total cases.

*Location:* 417-418 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5197: 185C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or

improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1791	74.1 %
1	ONCE:(1)	212	8.8 %
2	TWICE:(2)	72	3.0 %
3	3 TIMES:(3)	19	0.8 %
4	4+ TIMES:(4)	21	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	301	12.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,115 valid cases out of 2,416 total cases.

*Location:* 419-420 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V5198: 185C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you  
were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	313	13.0 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2093	86.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 323 valid cases out of 2,416 total cases.

*Location:* 421-422 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V5199: 185C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	305	12.6 %
1	ONE:(1)	11	0.5 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2097	86.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 319 valid cases out of 2,416 total cases.

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5200: 185C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	316	13.1 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	0	0.0 %

Value	Label	Unweighted Frequency	%
3	THREE+:(3-4)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2096	86.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 320 valid cases out of 2,416 total cases.

*Location:* 425-426 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5201: 185C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"

4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1795	74.3 %
1	ONCE:(1)	231	9.6 %
2	TWICE:(2)	38	1.6 %
3	3 TIMES:(3)	10	0.4 %
4	4+ TIMES:(4)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	337	13.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,079 valid cases out of 2,416 total cases.

*Location:* 427-428 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5202: 185C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	276	11.4 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2132	88.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 284 valid cases out of 2,416 total cases.

*Location:* 429-430 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5203: 185C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B. Using marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	269	11.1 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2138	88.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 278 valid cases out of 2,416 total cases.

*Location:* 431-432 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5204: 185C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	275	11.4 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2135	88.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 281 valid cases out of 2,416 total cases.

*Location:* 433-434 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5205: 185C32 :Rs BRANCH SERV

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

Value	Label	Unweighted Frequency	%
1	ARMY:(1)	57	2.4 %
2	NAVY:(2)	49	2.0 %
3	MARINES:(3)	48	2.0 %
4	AIR FORCE:(4)	58	2.4 %
5	COAST GUARD:(5)	11	0.5 %

Value	Label	Unweighted Frequency	%
6	UNCERTN:(6)	48	2.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2145	88.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 271 valid cases out of 2,416 total cases.

*Location:* 435-436 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5206: 185C33 :R XPCTS B OFFCR

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	64	2.6 %
2	UNCERTN:(2)	128	5.3 %
3	YES:(3)	82	3.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2142	88.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 274 valid cases out of 2,416 total cases.

*Location:* 437-438 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5207: 185C34 :R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	40	1.7 %
2	UNCERTN:(2)	144	6.0 %

Value	Label	Unweighted Frequency	%
3	YES:(3)	92	3.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2140	88.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 276 valid cases out of 2,416 total cases.

*Location:* 439-440 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5303: 185D01A:POS ATT TWD SELF

Item Number: 12550

This section asks for your views and feelings about a number of different things. How much do you agree or disagree with each of the following?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	136	5.6 %
2	MOST DIS:(2)	236	9.8 %
3	NEITHER:(3)	276	11.4 %
4	MOST AGR:(4)	909	37.6 %
5	AGREE:(5)	561	23.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	298	12.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,118 valid cases out of 2,416 total cases.

*Location:* 441-442 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5304: 185D01B:LUCK>IMP HRD WRK

Item Number: 12560

How much do you agree or disagree with each of the following?

B: Good luck is more important than hard work for success

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	742	30.7 %
2	MOST DIS:(2)	694	28.7 %
3	NEITHER:(3)	412	17.1 %
4	MOST AGR:(4)	168	7.0 %
5	AGREE:(5)	95	3.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	305	12.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,111 valid cases out of 2,416 total cases.

*Location:* 443-444 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5305: 185D01C:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following?

C: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	112	4.6 %
2	MOST DIS:(2)	154	6.4 %
3	NEITHER:(3)	351	14.5 %
4	MOST AGR:(4)	827	34.2 %
5	AGREE:(5)	666	27.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	306	12.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,110 valid cases out of 2,416 total cases.

*Location:* 445-446 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5306: 185D01D:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following?

D: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	64	2.6 %
2	MOST DIS:(2)	114	4.7 %
3	NEITHER:(3)	265	11.0 %
4	MOST AGR:(4)	947	39.2 %
5	AGREE:(5)	713	29.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	313	13.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,103 valid cases out of 2,416 total cases.

*Location:* 447-448 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5307: 185D01E:TRY GT AHD,STOPD

Item Number: 12590

How much do you agree or disagree with each of the following?

E: Every time I try to get ahead, something or somebody stops me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	300	12.4 %
2	MOST DIS:(2)	603	25.0 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	648	26.8 %
4	MOST AGR:(4)	397	16.4 %
5	AGREE:(5)	155	6.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	313	13.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,103 valid cases out of 2,416 total cases.

*Location:* 449-450 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5308: 185D01F:PLNNG MKS UNHPPY

Item Number: 12600

How much do you agree or disagree with each of the following?

F: Planning only makes a person unhappy since plans hardly ever work out anyway

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	523	21.6 %
2	MOST DIS:(2)	677	28.0 %
3	NEITHER:(3)	517	21.4 %
4	MOST AGR:(4)	250	10.3 %
5	AGREE:(5)	127	5.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	322	13.3 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,094 valid cases out of 2,416 total cases.

*Location:* 451-452 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5309: 185D01G:ACPT LIFE->HAPPR

Item Number: 12610

How much do you agree or disagree with each of the following?

G: People who accept their condition in life are happier than those who try to change things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	299	12.4 %
2	MOST DIS:(2)	428	17.7 %
3	NEITHER:(3)	606	25.1 %
4	MOST AGR:(4)	458	19.0 %
5	AGREE:(5)	293	12.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	332	13.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,084 valid cases out of 2,416 total cases.

*Location:* 453-454 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5310: 185D01H:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following?

H: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	166	6.9 %
2	MOST DIS:(2)	229	9.5 %
3	NEITHER:(3)	327	13.5 %
4	MOST AGR:(4)	737	30.5 %
5	AGREE:(5)	620	25.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	337	13.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,079 valid cases out of 2,416 total cases.

*Location:* 455-456 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5311: 185D01I:PPL LK ME -CHANC

Item Number: 12630

How much do you agree or disagree with each of the following?

I: People like me don't have much of a chance to be successful  
in life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	926	38.3 %
2	MOST DIS:(2)	505	20.9 %
3	NEITHER:(3)	405	16.8 %
4	MOST AGR:(4)	160	6.6 %
5	AGREE:(5)	87	3.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	333	13.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,083 valid cases out of 2,416 total cases.

*Location:* 457-458 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5312: 185D01J:MY PLANS DO WORK

Item Number: 12640

How much do you agree or disagree with each of the following?

J: When I make plans, I am almost certain that I can make  
them work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	77	3.2 %
2	MOST DIS:(2)	162	6.7 %
3	NEITHER:(3)	482	20.0 %
4	MOST AGR:(4)	925	38.3 %
5	AGREE:(5)	431	17.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	339	14.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,077 valid cases out of 2,416 total cases.

*Location:* 459-460 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5313: 185D01K:OFTN FEEL LONELY

Item Number: 12650

How much do you agree or disagree with each of the following?

K: A lot of times I feel lonely

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	391	16.2 %
2	MOST DIS:(2)	405	16.8 %
3	NEITHER:(3)	457	18.9 %
4	MOST AGR:(4)	423	17.5 %
5	AGREE:(5)	402	16.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	338	14.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,078 valid cases out of 2,416 total cases.

*Location:* 461-462 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5314: 185D01L:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following?

L: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	718	29.7 %
2	MOST DIS:(2)	454	18.8 %
3	NEITHER:(3)	384	15.9 %
4	MOST AGR:(4)	312	12.9 %
5	AGREE:(5)	208	8.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	340	14.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,076 valid cases out of 2,416 total cases.

*Location:* 463-464 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5315: 185D01M:ALWYS SM1 HELP R

Item Number: 12670

How much do you agree or disagree with each of the following?

M: There is always someone I can turn to if I need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	101	4.2 %
2	MOST DIS:(2)	109	4.5 %
3	NEITHER:(3)	177	7.3 %
4	MOST AGR:(4)	734	30.4 %
5	AGREE:(5)	964	39.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	331	13.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,085 valid cases out of 2,416 total cases.

*Location:* 465-466 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5316: 185D01N:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following?

N: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	584	24.2 %
2	MOST DIS:(2)	411	17.0 %
3	NEITHER:(3)	408	16.9 %
4	MOST AGR:(4)	375	15.5 %
5	AGREE:(5)	300	12.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	338	14.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,078 valid cases out of 2,416 total cases.

*Location:* 467-468 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5317: 185D01O:OFTN FL LEFT OUT

Item Number: 12690

How much do you agree or disagree with each of the following?

O: I often feel left out of things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	386	16.0 %
2	MOST DIS:(2)	427	17.7 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	457	18.9 %
4	MOST AGR:(4)	487	20.2 %
5	AGREE:(5)	310	12.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	349	14.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,067 valid cases out of 2,416 total cases.

*Location:* 469-470 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5318: 185D01P:PPL MASTER FATE

Item Number: 12700

How much do you agree or disagree with each of the following?

P: I believe a person is master of his/her own fate

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	100	4.1 %
2	MOST DIS:(2)	113	4.7 %
3	NEITHER:(3)	441	18.3 %
4	MOST AGR:(4)	748	31.0 %
5	AGREE:(5)	662	27.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	352	14.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,064 valid cases out of 2,416 total cases.

*Location:* 471-472 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5319: 185D01Q:USLY SM1 TALK TO

Item Number: 12710

How much do you agree or disagree with each of the following?

Q: There is usually someone I can talk to if I need to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	80	3.3 %
2	MOST DIS:(2)	99	4.1 %
3	NEITHER:(3)	212	8.8 %
4	MOST AGR:(4)	713	29.5 %
5	AGREE:(5)	965	39.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	347	14.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,069 valid cases out of 2,416 total cases.

*Location:* 473-474 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5320: 185D01R:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following?

R: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	640	26.5 %
2	MOST DIS:(2)	541	22.4 %
3	NEITHER:(3)	448	18.5 %
4	MOST AGR:(4)	283	11.7 %
5	AGREE:(5)	152	6.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	352	14.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,064 valid cases out of 2,416 total cases.

*Location:* 475-476 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V5321: 185D01S:OFT WSH MOR FRND

Item Number: 12730

How much do you agree or disagree with each of the following?

S: I often wish I had more good friends

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	417	17.3 %
2	MOST DIS:(2)	314	13.0 %
3	NEITHER:(3)	403	16.7 %
4	MOST AGR:(4)	491	20.3 %
5	AGREE:(5)	435	18.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	356	14.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,060 valid cases out of 2,416 total cases.

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5322: 185D01T:PLANS->BTR RSLTS

Item Number: 12740

How much do you agree or disagree with each of the following?

T: Planning ahead makes things turn out better

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	75	3.1 %
2	MOST DIS:(2)	107	4.4 %
3	NEITHER:(3)	486	20.1 %
4	MOST AGR:(4)	861	35.6 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	537	22.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	350	14.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,066 valid cases out of 2,416 total cases.

*Location:* 479-480 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5323: 185D01U:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following?

U: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	838	34.7 %
2	MOST DIS:(2)	406	16.8 %
3	NEITHER:(3)	443	18.3 %
4	MOST AGR:(4)	213	8.8 %
5	AGREE:(5)	151	6.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	365	15.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,051 valid cases out of 2,416 total cases.

*Location:* 481-482 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5324: 185D01V:USLY FRDS BE WTH

Item Number: 12760

How much do you agree or disagree with each of the following?

V: I usually have a few friends around that I can get

together with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	126	5.2 %
2	MOST DIS:(2)	174	7.2 %
3	NEITHER:(3)	294	12.2 %
4	MOST AGR:(4)	782	32.4 %
5	AGREE:(5)	682	28.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	358	14.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,058 valid cases out of 2,416 total cases.

*Location:* 483-484 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5570: 185D01W:OFTEN BORED

Item Number: 33820

Do you agree or disagree with each of the following?

W. I am often bored

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	234	9.7 %
2	MOST DIS:(2)	371	15.4 %
3	NEITHER:(3)	481	19.9 %
4	MOST AGR:(4)	534	22.1 %
5	AGREE:(5)	433	17.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	363	15.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,053 valid cases out of 2,416 total cases.

*Location:* 485-486 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V5414: 185D01AA:EAGR TO LEAV HOM

Item Number: 13950

How much do you agree or disagree with each of the following?

AA: I am eager to leave home and live on my own--independent from my parents

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	189	7.8 %
2	MOST DIS:(2)	278	11.5 %
3	NEITHER:(3)	530	21.9 %
4	MOST AGR:(4)	553	22.9 %
5	AGREE:(5)	499	20.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	367	15.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,049 valid cases out of 2,416 total cases.

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5415: 185D01BB:HEST PRT ADLT WL

Item Number: 13960

How much do you agree or disagree with each of the following?

BB: I feel hesitant about taking a full-time job and becoming part of the "adult" world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	462	19.1 %
2	MOST DIS:(2)	369	15.3 %
3	NEITHER:(3)	412	17.1 %

Value	Label	Unweighted Frequency	%
4	MOST AGR:(4)	479	19.8 %
5	AGREE:(5)	314	13.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	380	15.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,036 valid cases out of 2,416 total cases.

*Location:* 489-490 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V5416: 185D02A:%\$SAVE FUTR EDUC

Item Number: 20830

Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into . . .

A: . . . Savings for your future education?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	916	37.9 %
2	LITL (20%):(2)	448	18.5 %
3	SOME(40%):(3)	245	10.1 %
4	HALF(60%):(4)	178	7.4 %
5	MOST(80%):(5)	115	4.8 %
6	ALMST(99%):(6)	64	2.6 %
7	ALL:(7)	50	2.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	400	16.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 2,016 valid cases out of 2,416 total cases.

*Location:* 491-492 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V5417: 185D02B:%\$SAVE/SPEND CAR

Item Number: 20840

About how much of your past year's earnings have gone into . . .

B: . . . Savings or payments for a car or car expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1047	43.3 %
2	LITL (20%):(2)	308	12.7 %
3	SOME(40%):(3)	237	9.8 %
4	HALF(60%):(4)	176	7.3 %
5	MOST(80%):(5)	120	5.0 %
6	ALMST(99%):(6)	70	2.9 %
7	ALL:(7)	52	2.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	406	16.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,010 valid cases out of 2,416 total cases.

*Location:* 493-494 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5418: 185D02C:%\$SAVE OTHER

Item Number: 20850

About how much of your past year's earnings have gone into . . .

C: . . . Other savings for long-range purposes?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	949	39.3 %
2	LITL (20%):(2)	374	15.5 %
3	SOME(40%):(3)	275	11.4 %
4	HALF(60%):(4)	166	6.9 %

Value	Label	Unweighted Frequency	%
5	MOST(80%):(5)	116	4.8 %
6	ALMST(99%):(6)	68	2.8 %
7	ALL:(7)	59	2.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	409	16.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,007 valid cases out of 2,416 total cases.

*Location:* 495-496 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5419: 185D02D: %\$SPEND ON SELF

Item Number: 20860

About how much of your past year's earnings have gone into . . .

D: . . . Spending on your own needs and activities--things such as clothing, electronic equipment, videos, other possessions, movies, eating out, other recreation, hobbies, gifts for others, and other personal expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	281	11.6 %
2	LITL (20%):(2)	338	14.0 %
3	SOME(40%):(3)	328	13.6 %
4	HALF(60%):(4)	289	12.0 %
5	MOST(80%):(5)	365	15.1 %
6	ALMST(99%):(6)	209	8.7 %
7	ALL:(7)	129	5.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	477	19.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,939 valid cases out of 2,416 total cases.

*Location:* 497-498 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5420: 185D02E:%\$SPEND HELP FAM

Item Number: 20870

About how much of your past year's earnings have gone into . . .

E: . . . Helping to pay family living expenses (groceries, housing, etc.)?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1048	43.4 %
2	LITL (20%):(2)	405	16.8 %
3	SOME(40%):(3)	207	8.6 %
4	HALF(60%):(4)	122	5.0 %
5	MOST(80%):(5)	72	3.0 %
6	ALMST(99%):(6)	50	2.1 %
7	ALL:(7)	41	1.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	471	19.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,945 valid cases out of 2,416 total cases.

*Location:* 499-500 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5523: 185D03 :EVER AD STIM DR

Item Number: 31460

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Vyvanse, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Straterra, Wellbutrin, Provigil, Tenex, Intuniv, or Catapres.)

1="No--GO TO QUESTION 6" 2="Yes, in the past, but not now"

3="Yes, I take them now"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1759	72.8 %
2	YES PAST:(2)	110	4.6 %
3	YES NOW:(3)	85	3.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	462	19.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,954 valid cases out of 2,416 total cases.

*Location:* 501-502 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5524: 185D04 :AGE 1ST AD STIM

Item Number: 31470

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

Value	Label	Unweighted Frequency	%
1	1-4 YRS:(1)	15	0.6 %
2	5-9:(2)	59	2.4 %
3	10-14:(3)	62	2.6 %
4	15+ YRS:(4)	60	2.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2220	91.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 196 valid cases out of 2,416 total cases.

*Location:* 503-504 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5525: 185D05 :# YRS TK AD STIM

Item Number: 31480

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

Value	Label	Unweighted Frequency	%
1	<1 YEAR:(1)	48	2.0 %
2	1 YEAR:(2)	12	0.5 %
3	2 YRS:(3)	30	1.2 %
4	3-5 YRS:(4)	40	1.7 %
5	6-9 YRS:(5)	36	1.5 %
6	10+ YRS:(6)	30	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2220	91.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 196 valid cases out of 2,416 total cases.

*Location:* 505-506 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5526: 185D06 :EVER AD NONSTIM

Item Number: 31490

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Straterra, Wellbutrin, Provigil, Tenex, Intuniv, or Catapres)?

1="No" 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1691	70.0 %
2	YES PAST:(2)	54	2.2 %
3	YES NOW:(3)	51	2.1 %
8	DONT KNOW:(8)	134	5.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	486	20.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,930 valid cases out of 2,416 total cases.

*Location:* 507-508 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V5552: 185E01 :# ENERGY DRINKS/DAY

Item number: 32540

"Energy drinks" are non-alcoholic beverages that usually contain high amounts of caffeine, including such drinks as Red Bull, Full Throttle, Monster, and Rockstar. They are usually sold in 8- or 16-ounce cans or bottles. About how many (if any) energy drinks do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four"  
6="Five or six" 7="7 or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1480	61.3 %
1	< 1:(1)	331	13.7 %
2	1:(2)	105	4.3 %
3	2:(3)	56	2.3 %
4	3:(4)	22	0.9 %
5	4:(5)	3	0.1 %
6	5-6:(6)	4	0.2 %
7	7 OR +:(7)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	405	16.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,011 valid cases out of 2,416 total cases.

*Location:* 509-510 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5553: 185E02 :# ENERGY SHOTS/DAY

Item number: 32550

Energy drinks are also sold as small "shots", that usually contain just 2 or 3 ounces. How many (if any) energy drink shots do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four"  
6="Five or six" 7="7 or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1854	76.7 %
1	< 1:(1)	83	3.4 %
2	1:(2)	20	0.8 %
3	2:(3)	22	0.9 %
4	3:(4)	14	0.6 %
5	4:(5)	3	0.1 %
6	5-6:(6)	4	0.2 %
7	7 OR +:(7)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	406	16.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,010 valid cases out of 2,416 total cases.

*Location:* 511-512 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5554: 185E03 :# REG SOFT DRINKS/DAY

Item number: 32560

Regular (non-diet) soft drinks include Coke, Pepsi, Mountain Dew, Dr. Pepper, etc. How many (if any) 12-ounce cans or bottles (or the equivalent) of regular (non-diet) soft drinks do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four"  
6="Five or six" 7="7 or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	779	32.2 %
1	< 1:(1)	533	22.1 %
2	1:(2)	339	14.0 %
3	2:(3)	197	8.2 %
4	3:(4)	85	3.5 %
5	4:(5)	37	1.5 %
6	5-6:(6)	13	0.5 %
7	7 OR +:(7)	23	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	410	17.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 2,006 valid cases out of 2,416 total cases.

*Location:* 513-514 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5555: 185E04 :# DIET SOFT DRINKS/DAY

Item number: 32570

How many (if any) 12-ounce cans or bottles (or the equivalent) of diet soft drinks (like Diet Coke, Diet Pepsi, etc.) do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four"  
6="Five or six" 7="7 or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1450	60.0 %
1	< 1:(1)	262	10.8 %
2	1:(2)	133	5.5 %
3	2:(3)	69	2.9 %
4	3:(4)	41	1.7 %
5	4:(5)	21	0.9 %
6	5-6:(6)	14	0.6 %
7	7 OR +:(7)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	417	17.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,999 valid cases out of 2,416 total cases.

*Location:* 515-516 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5334: 185E05A:I/MJ USR,>CREATV

Item Number: 13060

Do YOU think that people who use marijuana several times a week tend to be . . .

A. . . . more creative than average?

1="No" 2="Yes" 3="Not sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	687	28.4 %
2	YES:(2)	766	31.7 %
3	NT SUR/NO OP:(3)	528	21.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	435	18.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,981 valid cases out of 2,416 total cases.

*Location:* 517-518 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5335: 185E05B:I/MJ USR,<SENSBL

Item Number: 13070

Do YOU think that people who use marijuana several times a week tend to be . . .

B. . . less sensible than average?

1="No" 2="Yes" 3="Not sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	735	30.4 %
2	YES:(2)	691	28.6 %
3	NT SUR/NO OP:(3)	551	22.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	439	18.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,977 valid cases out of 2,416 total cases.

*Location:* 519-520 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5336: 185E05C:I/MJ USR,>INTRST

Item Number: 13080

Do YOU think that people who use marijuana several times a week tend to be . . .

C. . . more interesting people than average?

1="No" 2="Yes" 3="Not sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	761	31.5 %
2	YES:(2)	697	28.8 %
3	NT SUR/NO OP:(3)	518	21.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	440	18.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,976 valid cases out of 2,416 total cases.

*Location:* 521-522 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5337: 185E05D:I/MJ USR,<HRDWKG

Item Number: 13090

Do YOU think that people who use marijuana several times a week tend to be . . .

D. . . . less hard-working than average?

1="No" 2="Yes" 3="Not sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	788	32.6 %
2	YES:(2)	667	27.6 %
3	NT SUR/NO OP:(3)	516	21.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	445	18.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,971 valid cases out of 2,416 total cases.

*Location:* 523-524 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5338: 185E05E:I/MJ USR,>INDPND

Item Number: 13100

Do YOU think that people who use marijuana several times a week tend to be . . .

E. . . more independent than average?

1="No" 2="Yes" 3="Not sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	808	33.4 %
2	YES:(2)	550	22.8 %
3	NT SUR/NO OP:(3)	605	25.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	453	18.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,963 valid cases out of 2,416 total cases.

*Location:* 525-526 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V5339: 185E05F:I/MJ USR,>UNSTBL

Item Number: 13110

Do YOU think that people who use marijuana several times a week tend to be . . .

F. . . . more emotionally unstable than average?

1="No" 2="Yes" 3="Not sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	792	32.8 %
2	YES:(2)	616	25.5 %
3	NT SUR/NO OP:(3)	553	22.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	455	18.8 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,961 valid cases out of 2,416 total cases.

*Location:* 527-528 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V5340: 185E05G:I/MJ USR,>CNCRND

Item Number: 13120

Do YOU think that people who use marijuana several times a week tend to be . . .

G. . . . more concerned about other people than average?

1="No" 2="Yes" 3="Not sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	899	37.2 %
2	YES:(2)	428	17.7 %
3	NT SUR/NO OP:(3)	616	25.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	473	19.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,943 valid cases out of 2,416 total cases.

*Location:* 529-530 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5341: 185E05H:I/MJ USR,>WKWLD

Item Number: 13130

Do YOU think that people who use marijuana several times a week tend to be . . .

H. . . . more weak-willed than average?

1="No" 2="Yes" 3="Not sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	863	35.7 %
2	YES:(2)	503	20.8 %
3	NT SUR/NO OP:(3)	570	23.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	480	19.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,936 valid cases out of 2,416 total cases.

*Location:* 531-532 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5342: 185E05I:I/MJ USR,>CRMNL

Item Number: 13140

Do YOU think that people who use marijuana several times a week tend to be . . .

I. . . . more criminal than average?

1="No" 2="Yes" 3="Not sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	929	38.5 %
2	YES:(2)	486	20.1 %
3	NT SUR/NO OP:(3)	517	21.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	484	20.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,932 valid cases out of 2,416 total cases.

*Location:* 533-534 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5433: 185E06A:SMKRS ENJOY LIFE

Item Number: 21000

Do you agree or disagree?

A: Smokers know how to enjoy life more than non-smokers

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1081	44.7 %
2	MOST DIS:(2)	218	9.0 %
3	NEITHER:(3)	516	21.4 %
4	MOST AGR:(4)	94	3.9 %
5	AGREE:(5)	71	2.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	436	18.0 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,980 valid cases out of 2,416 total cases.

*Location:* 535-536 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V5434: 185E06B:PRFR DATE N-SMKR

Item Number: 21010

Do you agree or disagree?

B: I would prefer to date people who don't smoke

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	160	6.6 %
2	MOST DIS:(2)	81	3.4 %
3	NEITHER:(3)	402	16.6 %
4	MOST AGR:(4)	288	11.9 %
5	AGREE:(5)	1044	43.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	441	18.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,975 valid cases out of 2,416 total cases.

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5435: 185E06C:HARMFUL CIG EXAG

Item Number: 21020

Do you agree or disagree?

C: The harmful effects of cigarettes have been exaggerated

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1009	41.8 %
2	MOST DIS:(2)	362	15.0 %
3	NEITHER:(3)	351	14.5 %
4	MOST AGR:(4)	135	5.6 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	102	4.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	457	18.9 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,959 valid cases out of 2,416 total cases.

*Location:* 539-540 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5436: 185E06D:SMKR POOR JDGMNT

Item Number: 21030

Do you agree or disagree?

D: I think that becoming a smoker reflects poor judgment

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	240	9.9 %
2	MOST DIS:(2)	229	9.5 %
3	NEITHER:(3)	597	24.7 %
4	MOST AGR:(4)	407	16.8 %
5	AGREE:(5)	482	20.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	461	19.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,955 valid cases out of 2,416 total cases.

*Location:* 541-542 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5437: 185E06E:DONT MIND SMOKNG

Item Number: 21040

Do you agree or disagree?

E: I personally don't mind being around people who are

smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	666	27.6 %
2	MOST DIS:(2)	362	15.0 %
3	NEITHER:(3)	423	17.5 %
4	MOST AGR:(4)	328	13.6 %
5	AGREE:(5)	178	7.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	459	19.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,957 valid cases out of 2,416 total cases.

*Location:* 543-544 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5438: 185E06F:SMKG DIRTY HABIT

Item Number: 21050

Do you agree or disagree?

F: Smoking is a dirty habit

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	151	6.2 %
2	MOST DIS:(2)	109	4.5 %
3	NEITHER:(3)	413	17.1 %
4	MOST AGR:(4)	392	16.2 %
5	AGREE:(5)	895	37.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	456	18.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,960 valid cases out of 2,416 total cases.

*Location:* 545-546 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V5485: 185E06G:DTEST NEAR SMKRS

Item Number: 21055

Do you agree or disagree?

G: I strongly dislike being near people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	271	11.2 %
2	MOST DIS:(2)	194	8.0 %
3	NEITHER:(3)	526	21.8 %
4	MOST AGR:(4)	297	12.3 %
5	AGREE:(5)	665	27.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	463	19.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,953 valid cases out of 2,416 total cases.

Location: 547-548 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5511: 185E07A:#X FLVRDALC/LIFE

Item Number: 31360

On how many occasions (if any) have you had flavored  
alcoholic beverages like Mike's Hard Lemonade, Smirnoff  
Ice, Baccardi Silver, wine coolers, etc. to drink--more  
than just a few sips . . .

A: . . . in your lifetime?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	910	37.7 %
2	1-2X:(2)	307	12.7 %
3	3-5X:(3)	196	8.1 %
4	6-9X:(4)	156	6.5 %
5	10-19X:(5)	151	6.2 %
6	20-39X:(6)	107	4.4 %
7	40+OCCAS:(7)	107	4.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	482	20.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,934 valid cases out of 2,416 total cases.

*Location:* 549-550 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5512: 185E07B:#X FLVRDALC/12MO

Item Number: 31370

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Smirnoff Ice, Bacardi Silver, wine coolers, etc. to drink--more than just a few sips . . .

B: . . . During the last 12 months?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1135	47.0 %
2	1-2X:(2)	317	13.1 %
3	3-5X:(3)	164	6.8 %
4	6-9X:(4)	135	5.6 %
5	10-19X:(5)	96	4.0 %
6	20-39X:(6)	54	2.2 %
7	40+OCCAS:(7)	32	1.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	483	20.0 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,933 valid cases out of 2,416 total cases.

*Location:* 551-552 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5513: 185E07C:#X FLVRDALC/30DA

Item Number: 31380

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Smirnoff Ice, Bacardi Silver, wine coolers, etc. to drink--more than just a few sips . . .

C: . . . During the last 30 days?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1551	64.2 %
2	1-2X:(2)	220	9.1 %
3	3-5X:(3)	99	4.1 %
4	6-9X:(4)	33	1.4 %
5	10-19X:(5)	14	0.6 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	485	20.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 553-554 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5486: 185E08A:#X CRACK/LIFETIM

Item Number: 22260

Lately, there has been some attention paid to certain drugs, including "crack" (cocaine in chunks or rocks). On how many occasions have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1903	78.8 %
2	1-2X:(2)	20	0.8 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	471	19.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,945 valid cases out of 2,416 total cases.

*Location:* 555-556 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5487: 185E08B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions have you used "crack" cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1920	79.5 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	4	0.2 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	465	19.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,416 total cases.

*Location:* 557-558 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5488: 185E08C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions have you used "crack" cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1929	79.8 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	465	19.2 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,416 total cases.

*Location:* 559-560 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5527: 185E09A:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1916	79.3 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	472	19.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,944 valid cases out of 2,416 total cases.

*Location:* 561-562 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5528: 185E09B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1925	79.7 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	469	19.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,947 valid cases out of 2,416 total cases.

*Location:* 563-564 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5529: 185E09C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own—that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1932	80.0 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	468	19.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,948 valid cases out of 2,416 total cases.

*Location:* 565-566 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V5530: 185E10A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own?

(Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	23	1.0 %
1	MARKED:(1)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	98.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 31 valid cases out of 2,416 total cases.

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5531: 185E10B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own?

(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	17	0.7 %
1	MARKED:(1)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2385	98.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 31 valid cases out of 2,416 total cases.

Location: 569-570 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V5532: 185E10C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?  
(Mark all that apply.)

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	21	0.9 %
1	MARKED:(1)	1926	79.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	469	19.4 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,947 valid cases out of 2,416 total cases.

*Location:* 571-572 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5496: 185E11A:#X KETAMINE/12M

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

A. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1970	81.5 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	428	17.7 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,988 valid cases out of 2,416 total cases.

*Location:* 573-574 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5571: 185E11B:#X PCP/LAST12M

Item Number: 01187

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . used PCP?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1960	81.1 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	437	18.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,979 valid cases out of 2,416 total cases.

*Location:* 575-576 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5499: 185E11C:#X OXYCONTN/12MO

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1930	79.9 %
2	1-2X:(2)	21	0.9 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	439	18.2 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,977 valid cases out of 2,416 total cases.

*Location:* 577-578 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5500: 185E11D:#X VICODIN/12MO

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1921	79.5 %
2	1-2X:(2)	17	0.7 %
3	3-5X:(3)	13	0.5 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	449	18.6 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,967 valid cases out of 2,416 total cases.

*Location:* 579-580 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5564: 185E11E:#X COUGHMED/12MO

Item Number: 31675

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken nonprescription cough or cold medicine ("robo," "DXM," etc.) to get high.

Do NOT include prescription cough medicines with codeine?

1="0" 2="1-2" 3="3-5" 4="6-9" 5="10-19" 6="20-39" 7="40+"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1900	78.6 %
2	1-2X:(2)	41	1.7 %
3	3-5X:(3)	18	0.7 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	438	18.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,978 valid cases out of 2,416 total cases.

*Location:* 581-582 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5565: 185E11F:#X DISSOVBLC TOBAC/12MO

Item Number: 32710

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F. . . . used dissolvable tobacco products (Ariva, Stonewall, Orbs)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1946	80.5 %
2	1-2X:(2)	6	0.2 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	447	18.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,969 valid cases out of 2,416 total cases.

*Location:* 583-584 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5566: 185E11G:#X SNUS/12MO

Item Number: 32720

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G. . . . used snus (a small packet of tobacco that is put in the mouth)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1875	77.6 %
2	1-2X:(2)	32	1.3 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	15	0.6 %
5	10-19X:(5)	13	0.5 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	13	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	448	18.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,968 valid cases out of 2,416 total cases.

*Location:* 585-586 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5567: 185E11H:#X ALC BVRG W-CAFF/12MO

Item Number: 32690

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H. . . . had an alcoholic beverage mixed with an energy drink (like Red Bull)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1678	69.5 %
2	1-2X:(2)	136	5.6 %
3	3-5X:(3)	75	3.1 %
4	6-9X:(4)	34	1.4 %
5	10-19X:(5)	24	1.0 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	445	18.4 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,971 valid cases out of 2,416 total cases.

*Location:* 587-588 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5578: 185E11I:#X PWD ALCOHOL/12MO

Item number: 34040

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I. . . . had powdered alcohol?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1923	79.6 %
2	1-2X:(2)	13	0.5 %
3	3-5X:(3)	8	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	458	19.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,958 valid cases out of 2,416 total cases.

*Location:* 589-590 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5577: 185E11J:#X HASH/OIL LAST 12M

Item Number: 33980

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J. . . . used hash oil ("dabs," "honey oil," "budder," "shatter")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1692	70.0 %
2	1-2X:(2)	77	3.2 %
3	3-5X:(3)	60	2.5 %
4	6-9X:(4)	37	1.5 %
5	10-19X:(5)	25	1.0 %
6	20-39X:(6)	23	1.0 %
7	40+OCCAS:(7)	49	2.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	453	18.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,963 valid cases out of 2,416 total cases.

*Location:* 591-592 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5573: 185E12A:#X LRG CIGAR/30DAY

Item Number: 33720

During the LAST 30 DAYS, on how many occasions (if any) have you . . .

A: . . . smoked large cigars?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"

5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1877	77.7 %
2	1-2 DAYS:(2)	53	2.2 %
3	3-5 DAYS:(3)	21	0.9 %
4	6-9 DAYS:(4)	14	0.6 %
5	10-19 DAYS:(5)	4	0.2 %
6	20-30 DAYS:(6)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	436	18.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,980 valid cases out of 2,416 total cases.

*Location:* 593-594 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5574: 185E12B:#X FLVD SML CIGAR/30DAY

Item Number: 33730

During the LAST 30 DAYS, on how many occasions (if any) have you . . .

B: . . . smoked flavored little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"  
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1794	74.3 %
2	1-2 DAYS:(2)	95	3.9 %
3	3-5 DAYS:(3)	33	1.4 %
4	6-9 DAYS:(4)	23	1.0 %
5	10-19 DAYS:(5)	15	0.6 %
6	20-30 DAYS:(6)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	441	18.3 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,975 valid cases out of 2,416 total cases.

*Location:* 595-596 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5575: 185E12C:#X REG SML CIGAR/30DAY

Item Number: 33740

During the LAST 30 DAYS, on how many occasions (if any) have you . . .

C: . . . smoked regular little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"  
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1844	76.3 %
2	1-2 DAYS:(2)	55	2.3 %
3	3-5 DAYS:(3)	26	1.1 %

Value	Label	Unweighted Frequency	%
4	6-9 DAYS:(4)	13	0.5 %
5	10-19 DAYS:(5)	11	0.5 %
6	20-30 DAYS:(6)	15	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	452	18.7 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,964 valid cases out of 2,416 total cases.

*Location:* 597-598 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5579: 185E12D:#X TOB HOOKAH/30DA

Item Number: 34050

During the LAST 30 DAYS, on how many occasions (if any) have you

D. . . . smoked tobacco using a hookah (water pipe)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1859	76.9 %
2	1-2 DAYS:(2)	53	2.2 %
3	3-5 DAYS:(3)	16	0.7 %
4	6-9 DAYS:(4)	17	0.7 %
5	10-19 DAYS:(5)	10	0.4 %
6	20-30 DAYS:(6)	11	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	450	18.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,966 valid cases out of 2,416 total cases.

*Location:* 599-600 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5590: 185E12E:# DAYS SMKLESS TOB/30DAY

Item Number: 34390

During the LAST 30 DAYS, on how many days (if any) have you . . .

E. . . . used smokeless tobacco?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1846	76.4 %
2	1-2 DAYS:(2)	39	1.6 %
3	3-5 DAYS:(3)	23	1.0 %
4	6-9 DAYS:(4)	12	0.5 %
5	10-19 DAYS:(5)	7	0.3 %
6	20-30 DAYS:(6)	32	1.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	457	18.9 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,959 valid cases out of 2,416 total cases.

*Location:* 601-602 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5580: 185E13A:LIFE MEANINGLESS

Item Number: 23700

How much do you agree or disagree with each of the following statements?

A: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	902	37.3 %
2	MOST DIS:(2)	347	14.4 %
3	NEITHER:(3)	364	15.1 %
4	MOST AGR:(4)	211	8.7 %
5	AGREE:(5)	138	5.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	454	18.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,962 valid cases out of 2,416 total cases.

*Location:* 603-604 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V5581: 185E13B:I ENJOY LIFE

Item Number: 23710

How much do you agree or disagree with each of the following statements?

B: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	148	6.1 %
2	MOST DIS:(2)	168	7.0 %
3	NEITHER:(3)	409	16.9 %
4	MOST AGR:(4)	661	27.4 %
5	AGREE:(5)	570	23.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	460	19.0 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,956 valid cases out of 2,416 total cases.

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V5582: 185E13C:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements?

C: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	313	13.0 %
2	MOST DIS:(2)	292	12.1 %
3	NEITHER:(3)	518	21.4 %
4	MOST AGR:(4)	537	22.2 %
5	AGREE:(5)	285	11.8 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	471	19.5 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,945 valid cases out of 2,416 total cases.

*Location:* 607-608 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5583: 185E13D:FUTURE HOPELESS

Item Number: 23720

How much do you agree or disagree with each of the following statements?

D: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	784	32.5 %
2	MOST DIS:(2)	428	17.7 %
3	NEITHER:(3)	414	17.1 %
4	MOST AGR:(4)	191	7.9 %
5	AGREE:(5)	125	5.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	474	19.6 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,942 valid cases out of 2,416 total cases.

*Location:* 609-610 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5584: 185E13E:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

E: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	349	14.4 %
2	MOST DIS:(2)	278	11.5 %
3	NEITHER:(3)	466	19.3 %
4	MOST AGR:(4)	563	23.3 %
5	AGREE:(5)	290	12.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	470	19.5 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,946 valid cases out of 2,416 total cases.

*Location:* 611-612 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5585: 185E13F:GOOD TO BE ALIVE

Item Number: 23730

How much do you agree or disagree with each of the following statements?

F: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	124	5.1 %
2	MOST DIS:(2)	100	4.1 %
3	NEITHER:(3)	291	12.0 %
4	MOST AGR:(4)	464	19.2 %
5	AGREE:(5)	959	39.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	478	19.8 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,938 valid cases out of 2,416 total cases.

*Location:* 613-614 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5533: 185E14A:SPORT/12M NONE

Item Number: 31500

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

A: None

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1213	50.2 %
1	MARKED:(1)	718	29.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 615-616 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

#### V5534: 185E14B:SPORT/12M BASEBL

Item Number: 31510

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

B: Baseball/Softball

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1721	71.2 %
1	MARKED:(1)	210	8.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 617-618 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

#### V5535: 185E14C:SPORT/12M BSKTBL

Item Number: 31520

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

C: Basketball

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1603	66.3 %
1	MARKED:(1)	328	13.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 619-620 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5556: 185E14D:SPORT/12M CHEERLDG

Item Number: 31525

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

D. Cheerleading / Spirit Squad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1842	76.2 %
1	MARKED:(1)	89	3.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 621-622 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5557: 185E14E:SPORT/12M CREW

Item Number: 31528

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

E. Crew

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1910	79.1 %
1	MARKED:(1)	21	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 623-624 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5536: 185E14F:SPORT/12M XCNTRY

Item Number: 31530

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

F: Cross country

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1840	76.2 %
1	MARKED:(1)	91	3.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 625-626 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V5558: 185E14G:SPORT/12M EQUESTRN

Item Number: 31535

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

G. Equestrian

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1913	79.2 %
1	MARKED:(1)	18	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	485	20.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 627-628 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5537: 185E14H:SPORT/12M FLDHKY

Item Number: 31540

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

H: Field hockey

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1902	78.7 %
1	MARKED:(1)	29	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	485	20.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 629-630 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5538: 185E14I:SPORT/12M FOOTBL

Item Number: 31550

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

I: Football

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1721	71.2 %
1	MARKED:(1)	210	8.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 631-632 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5559: 185E14J:SPORT/12M GOLF

Item Number: 31555

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

J. Golf

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1846	76.4 %
1	MARKED:(1)	85	3.5 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	485	20.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 633-634 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5539: 185E14K:SPORT/12M GYMNST

Item Number: 31560

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

K: Gymnastics

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1903	78.8 %
1	MARKED:(1)	28	1.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
<b>Total</b>		<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 635-636 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V5540: 185E14L:SPORT/12M ICEHKY

Item Number: 31570

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

L: Ice hockey

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1902	78.7 %
1	MARKED:(1)	29	1.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 637-638 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5541: 185E14M:SPORT/12M LCRSSE

Item Number: 31580

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

M: Lacrosse

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1872	77.5 %
1	MARKED:(1)	59	2.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 639-640 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5543: 185E14N:SPORT/12M SOCCER

Item Number: 31600

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

N: Soccer

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1704	70.5 %
1	MARKED:(1)	227	9.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 641-642 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5542: 185E14O:SPORT/12M SWIM

Item Number: 31590

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

O: Swimming/Diving

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1831	75.8 %
1	MARKED:(1)	100	4.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 643-644 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5544: 185E14P:SPORT/12M TENNIS

Item Number: 31610

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and

other organized sports. (Mark all that apply.)

P: Tennis

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1852	76.7 %
1	MARKED:(1)	79	3.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 645-646 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5545: 185E14Q:SPORT/12M TRACK

Item Number: 31620

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

Q: Track & Field

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1732	71.7 %
1	MARKED:(1)	199	8.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 647-648 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5546: 185E14R:SPORT/12M VLLYBL

Item Number: 31630

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

R: Volleyball

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1794	74.3 %
1	MARKED:(1)	137	5.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 649-650 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5560: 185E14S:SPORT/12M WATER POLO

Item Number: 31635

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

S. Water polo

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1920	79.5 %
1	MARKED:(1)	11	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 651-652 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5547: 185E14T:SPORT/12M WTLIFT

Item Number: 31640

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

T: Weight lifting

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1780	73.7 %
1	MARKED:(1)	151	6.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 653-654 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V5548: 185E14U:SPORT/12M WRESTL

Item Number: 31650

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

U: Wrestling

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1871	77.4 %
1	MARKED:(1)	60	2.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 655-656 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5549: 185E14V:SPORT/12M OTHER

Item Number: 31660

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

V: Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1662	68.8 %
1	MARKED:(1)	269	11.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	485	20.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,416 total cases.

*Location:* 657-658 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V5561: 185E15 :#DA/WK ACTV 60 MIN

Item number: 32520

During the LAST 7 DAYS, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you get out of breath some of the time.)

0="0 days" 1="1 day" 2="2 days" 3="3 days" 4="4 days"  
5="5 days" 6="6 days" 7="7 days"

Value	Label	Unweighted Frequency	%
0	0 DAYS:(0)	383	15.9 %
1	1 DAY:(1)	152	6.3 %
2	2 DAYS:(2)	258	10.7 %
3	3 DAYS:(3)	228	9.4 %
4	4 DAYS:(4)	221	9.1 %
5	5 DAYS:(5)	275	11.4 %
6	6 DAYS:(6)	126	5.2 %

Value	Label	Unweighted Frequency	%
7	7 DAYS:(7)	312	12.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	461	19.1 %
	<b>Total</b>	<b>2,416</b>	<b>100%</b>

Based upon 1,955 valid cases out of 2,416 total cases.

*Location:* 659-660 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## ICPSR 37416

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2018

## Form 6 Data Variable Description and Frequencies

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## Form 6 Data

---

### CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,424 valid cases out of 2,424 total cases.

*Location:* 1-4 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2018	-	2424	100.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,424 valid cases out of 2,424 total cases.

*Location:* 5-8 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V3: BY18 80003 FORM ID

Value	Label	Unweighted Frequency	%
6	-	2424	100.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,424 valid cases out of 2,424 total cases.

*Location:* 9-9 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### RESPONDENT\_ID: R'S ID-SERIAL #

Based upon 2,424 valid cases out of 2,424 total cases.

*Location:* 10-14 (width: 5; decimal: 0)

*Variable Type:* numeric

---

### ARCHIVE\_WT: ARCHIVE WEIGHT

Based upon 2,424 valid cases out of 2,424 total cases.

*Location:* 15-29 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	461	19.0 %
2	NORTH CENTRAL:(2)	536	22.1 %
3	SOUTH:(3)	924	38.1 %
4	WEST:(4)	503	20.8 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,424 valid cases out of 2,424 total cases.

*Location:* 30-30 (width: 1; decimal: 0)

*Variable Type:* numeric

## V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1446	59.7 %
1	LARGE MSA:(1)	978	40.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,424 valid cases out of 2,424 total cases.

*Location:* 31-31 (width: 1; decimal: 0)

*Variable Type:* numeric

## V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	437	18.0 %
1	MSA:(1)	1987	82.0 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,424 valid cases out of 2,424 total cases.

*Location:* 32-32 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## V6207: 186A01 :CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	72	3.0 %
2	QUITE:(2)	147	6.1 %
3	SOME DIS:(3)	167	6.9 %
4	NEITHER:(4)	341	14.1 %
5	SOME DIS:(5)	502	20.7 %
6	QUITE:(6)	799	33.0 %
7	COMPLETE:(7)	296	12.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	100	4.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,324 valid cases out of 2,424 total cases.

*Location:* 33-34 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6208: 186A02A:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Watch TV

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"

5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	107	4.4 %
2	FEW/YR:(2)	150	6.2 %
3	1X-2X/MO:(3)	271	11.2 %
4	ONCE+/WK:(4)	704	29.0 %
5	ALM EVERYDAY:(5)	732	30.2 %
6	EVERY DAY:(6)	428	17.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	32	1.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,392 valid cases out of 2,424 total cases.

*Location:* 35-36 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6209: 186A02B:DALY GO TO MOVIE

Item Number: 05830

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Go to movies

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"  
5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	115	4.7 %
2	FEW/YR:(2)	1221	50.4 %
3	1X-2X/MO:(3)	936	38.6 %
4	ONCE+/WK:(4)	101	4.2 %
5	ALM EVERYDAY:(5)	18	0.7 %
6	EVERY DAY:(6)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	29	1.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,395 valid cases out of 2,424 total cases.

*Location:* 37-38 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6210: 186A02C:DALY MUSIC CNCRT

Item Number: 05846

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Go to music concerts

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"  
5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1162	47.9 %
2	FEW/YR:(2)	1099	45.3 %
3	1X-2X/MO:(3)	92	3.8 %
4	ONCE+/WK:(4)	14	0.6 %
5	ALM EVERYDAY:(5)	12	0.5 %
6	EVERY DAY:(6)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	42	1.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,382 valid cases out of 2,424 total cases.

*Location:* 39-40 (width: 2; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6211: 186A02D:DALY RIDE FORFUN

Item Number: 05850

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Ride around in a car (or motorcycle) just for fun

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"  
5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	453	18.7 %

Value	Label	Unweighted Frequency	%
2	FEW/YR:(2)	247	10.2 %
3	1X-2X/MO:(3)	422	17.4 %
4	ONCE+/WK:(4)	478	19.7 %
5	ALM EVERYDAY:(5)	410	16.9 %
6	EVERY DAY:(6)	381	15.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	33	1.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,391 valid cases out of 2,424 total cases.

*Location:* 41-42 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6212: 186A02E:DALY CMNTY AFFRS

Item Number: 05860

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Participate in community affairs or volunteer work

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"  
5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	551	22.7 %
2	FEW/YR:(2)	981	40.5 %
3	1X-2X/MO:(3)	513	21.2 %
4	ONCE+/WK:(4)	245	10.1 %
5	ALM EVERYDAY:(5)	61	2.5 %
6	EVERY DAY:(6)	36	1.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	37	1.5 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,387 valid cases out of 2,424 total cases.

*Location:* 43-44 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6213: 186A02F:DALY ACTV SPORTS

Item Number: 05890

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for  
each line.)

Actively participate in sports, athletics or exercising

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"  
5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	310	12.8 %
2	FEW/YR:(2)	264	10.9 %
3	1X-2X/MO:(3)	271	11.2 %
4	ONCE+/WK:(4)	430	17.7 %
5	ALM EVERYDAY:(5)	534	22.0 %
6	EVERY DAY:(6)	577	23.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	38	1.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,386 valid cases out of 2,424 total cases.

*Location:* 45-46 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6214: 186A02G:DALY VIST W/FRDS

Item Number: 05920

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for  
each line.)

Get together with friends, informally

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"  
5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	61	2.5 %
2	FEW/YR:(2)	188	7.8 %

Value	Label	Unweighted Frequency	%
3	1X-2X/MO:(3)	443	18.3 %
4	ONCE+/WK:(4)	769	31.7 %
5	ALM EVERYDAY:(5)	601	24.8 %
6	EVERY DAY:(6)	311	12.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	51	2.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,373 valid cases out of 2,424 total cases.

*Location:* 47-48 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6597: 186A02H:DALY GO TO MALL

Item Number: 05935

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Go to a shopping mall

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"

5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	145	6.0 %
2	FEW/YR:(2)	734	30.3 %
3	1X-2X/MO:(3)	1141	47.1 %
4	ONCE+/WK:(4)	288	11.9 %
5	ALM EVERYDAY:(5)	55	2.3 %
6	EVERY DAY:(6)	27	1.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	34	1.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,390 valid cases out of 2,424 total cases.

*Location:* 49-50 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6216: 186A02I:DALY ALONE LEISR

Item Number: 05940

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for  
each line.)

Spend at least an hour of leisure time alone

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"  
5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	87	3.6 %
2	FEW/YR:(2)	101	4.2 %
3	1X-2X/MO:(3)	164	6.8 %
4	ONCE+/WK:(4)	430	17.7 %
5	ALM EVERYDAY:(5)	631	26.0 %
6	EVERY DAY:(6)	968	39.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	43	1.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,381 valid cases out of 2,424 total cases.

*Location:* 51-52 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6217: 186A02J:DALY READ MAGZNS

Item Number: 23070

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for  
each line.)

Read magazines

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"  
5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1406	58.0 %
2	FEW/YR:(2)	555	22.9 %
3	1X-2X/MO:(3)	272	11.2 %

Value	Label	Unweighted Frequency	%
4	ONCE+/WK:(4)	102	4.2 %
5	ALM EVERYDAY:(5)	36	1.5 %
6	EVERY DAY:(6)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	44	1.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,380 valid cases out of 2,424 total cases.

*Location:* 53-54 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6218: 186A02K:DALY READ NWSPPR

Item Number: 23080

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Read newspapers

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"

5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1500	61.9 %
2	FEW/YR:(2)	493	20.3 %
3	1X-2X/MO:(3)	211	8.7 %
4	ONCE+/WK:(4)	114	4.7 %
5	ALM EVERYDAY:(5)	52	2.1 %
6	EVERY DAY:(6)	20	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	34	1.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,390 valid cases out of 2,424 total cases.

*Location:* 55-56 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6219: 186A02L:DALY GO TO BARS

Item Number: 05960

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Go to taverns, bars or nightclubs

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"  
5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1828	75.4 %
2	FEW/YR:(2)	291	12.0 %
3	1X-2X/MO:(3)	164	6.8 %
4	ONCE+/WK:(4)	62	2.6 %
5	ALM EVERYDAY:(5)	12	0.5 %
6	EVERY DAY:(6)	28	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	39	1.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,385 valid cases out of 2,424 total cases.

*Location:* 57-58 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6220: 186A02M:DALY GO TO PARTY

Item Number: 05970

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Go to parties or other social affairs

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"  
5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	376	15.5 %
2	FEW/YR:(2)	816	33.7 %
3	1X-2X/MO:(3)	736	30.4 %
4	ONCE+/WK:(4)	380	15.7 %

Value	Label	Unweighted Frequency	%
5	ALM EVERYDAY:(5)	44	1.8 %
6	EVERY DAY:(6)	38	1.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	34	1.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,390 valid cases out of 2,424 total cases.

*Location:* 59-60 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6598: 186A02N:DALY GO TO RAVES

Item Number: 29760

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? (Mark one circle for each line.)

Go to raves or other dance music events

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days"

5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1567	64.6 %
2	FEW/YR:(2)	559	23.1 %
3	1X-2X/MO:(3)	169	7.0 %
4	ONCE+/WK:(4)	55	2.3 %
5	ALM EVERYDAY:(5)	14	0.6 %
6	EVERY DAY:(6)	17	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	43	1.8 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,381 valid cases out of 2,424 total cases.

*Location:* 61-62 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6221: 186A03 :\*SC WRK NVR MNG

Item Number: 05700

The next questions are about your experiences in school.  
How often do you feel that the school work you are assigned  
is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	178	7.3 %
2	SELDOM:(2)	494	20.4 %
3	SOMETIMES:(3)	1043	43.0 %
4	OFTEN:(4)	434	17.9 %
5	ALM ALWYS:(5)	184	7.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	91	3.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,333 valid cases out of 2,424 total cases.

*Location:* 63-64 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6222: 186A04 :\*MST COUR V DUL

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"

3="Fairly interesting" 2="Slightly dull" 1="Very dull"

Value	Label	Unweighted Frequency	%
1	VERY DULL:(1)	230	9.5 %
2	SLIGHT DULL:(2)	613	25.3 %
3	FAIRLY INTR:(3)	1038	42.8 %
4	QUITE INTRST:(4)	423	17.5 %
5	VRY EXCITG:(5)	78	3.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	42	1.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,382 valid cases out of 2,424 total cases.

*Location:* 65-66 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6223: 186A05 :\*LRN SCH NT IMP

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"  
2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	181	7.5 %
2	SLIGHT:(2)	810	33.4 %
3	FAIR IMPT:(3)	771	31.8 %
4	QUITE IMPT:(4)	393	16.2 %
5	VRY IMPT:(5)	215	8.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	54	2.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,370 valid cases out of 2,424 total cases.

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6224: 186A06A:LSTYR/ENJOY SCHL

Item Number: 23090

Now thinking back over the past year in school, how often did you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	203	8.4 %
2	SELDOM:(2)	458	18.9 %
3	SOMETIMES:(3)	973	40.1 %
4	OFTEN:(4)	579	23.9 %
5	ALWAYS:(5)	177	7.3 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	34	1.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,390 valid cases out of 2,424 total cases.

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6225: 186A06B:LSTYR/HATE SCHL

Item Number: 23100

Now thinking back over the past year in school, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	159	6.6 %
2	SELDOM:(2)	524	21.6 %
3	SOMETIMES:(3)	834	34.4 %
4	OFTEN:(4)	556	22.9 %
5	ALWAYS:(5)	322	13.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	29	1.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,395 valid cases out of 2,424 total cases.

*Location:* 71-72 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6226: 186A06C:LSTYR/DO BEST WK

Item Number: 23110

Now thinking back over the past year in school, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	29	1.2 %
2	SELDOM:(2)	128	5.3 %
3	SOMETIMES:(3)	515	21.2 %
4	OFTEN:(4)	851	35.1 %
5	ALWAYS:(5)	867	35.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	34	1.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,390 valid cases out of 2,424 total cases.

*Location:* 73-74 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6227: 186A06D:LSTYR/SCH 2 HARD

Item Number: 23120

Now thinking back over the past year in school, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	302	12.5 %
2	SELDOM:(2)	885	36.5 %
3	SOMETIMES:(3)	871	35.9 %
4	OFTEN:(4)	253	10.4 %
5	ALWAYS:(5)	80	3.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	33	1.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,391 valid cases out of 2,424 total cases.

*Location:* 75-76 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6228: 186A06E:LSTYR/FOOL ROUND

Item Number: 23130

Now thinking back over the past year in school, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	401	16.5 %
2	SELDOM:(2)	688	28.4 %
3	SOMETIMES:(3)	805	33.2 %
4	OFTEN:(4)	339	14.0 %
5	ALWAYS:(5)	153	6.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	38	1.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,386 valid cases out of 2,424 total cases.

*Location:* 77-78 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6229: 186A06F:LSTYR/WK NT DONE

Item Number: 23140

Now thinking back over the past year in school, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	605	25.0 %
2	SELDOM:(2)	798	32.9 %
3	SOMETIMES:(3)	687	28.3 %
4	OFTEN:(4)	239	9.9 %
5	ALWAYS:(5)	63	2.6 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	32	1.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,392 valid cases out of 2,424 total cases.

*Location:* 79-80 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6230: 186A06G:LSTYR/GT GD GRDS

Item Number: 23150

Now thinking back over the past year in school, how often did you . . .

G: . . . Get good grades (like A's or B's)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	44	1.8 %
2	SELDOM:(2)	146	6.0 %
3	SOMETIMES:(3)	518	21.4 %
4	OFTEN:(4)	644	26.6 %
5	ALWAYS:(5)	1043	43.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	29	1.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,395 valid cases out of 2,424 total cases.

*Location:* 81-82 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6231: 186A06H:LSTYR/U MISBEHAV

Item Number: 23160

Now thinking back over the past year in school, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1974	81.4 %
2	SELDOM:(2)	272	11.2 %
3	SOMETIMES:(3)	96	4.0 %
4	OFTEN:(4)	33	1.4 %
5	ALWAYS:(5)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	35	1.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,389 valid cases out of 2,424 total cases.

*Location:* 83-84 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6232: 186A06I:LSTYR/SKIP SCHL

Item Number: 23170

Now thinking back over the past year in school, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1395	57.5 %
2	SELDOM:(2)	445	18.4 %
3	SOMETIMES:(3)	362	14.9 %
4	OFTEN:(4)	132	5.4 %
5	ALWAYS:(5)	52	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	38	1.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,386 valid cases out of 2,424 total cases.

*Location:* 85-86 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6242: 186A07A:5-6GR/ENJOY SCHL

Item Number: 23270

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	267	11.0 %
2	SELDOM:(2)	312	12.9 %
3	SOMETIMES:(3)	559	23.1 %
4	OFTEN:(4)	671	27.7 %
5	ALWAYS:(5)	588	24.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	27	1.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,397 valid cases out of 2,424 total cases.

*Location:* 87-88 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6243: 186A07B:5-6GR/HATE SCHL

Item Number: 23280

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	482	19.9 %
2	SELDOM:(2)	671	27.7 %
3	SOMETIMES:(3)	656	27.1 %
4	OFTEN:(4)	317	13.1 %
5	ALWAYS:(5)	266	11.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	32	1.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,392 valid cases out of 2,424 total cases.

*Location:* 89-90 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6244: 186A07C:5-6GR/DO BEST WK

Item Number: 23290

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	76	3.1 %
2	SELDOM:(2)	167	6.9 %
3	SOMETIMES:(3)	445	18.4 %
4	OFTEN:(4)	656	27.1 %
5	ALWAYS:(5)	1038	42.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	42	1.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,382 valid cases out of 2,424 total cases.

*Location:* 91-92 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6245: 186A07D:5-6GR/SCH 2 HARD

Item Number: 23300

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	598	24.7 %
2	SELDOM:(2)	670	27.6 %
3	SOMETIMES:(3)	686	28.3 %
4	OFTEN:(4)	298	12.3 %
5	ALWAYS:(5)	133	5.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	39	1.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,385 valid cases out of 2,424 total cases.

*Location:* 93-94 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6246: 186A07E:5-6GR/FOOL ROUND

Item Number: 23310

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	539	22.2 %
2	SELDOM:(2)	508	21.0 %
3	SOMETIMES:(3)	624	25.7 %
4	OFTEN:(4)	447	18.4 %
5	ALWAYS:(5)	267	11.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	39	1.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,385 valid cases out of 2,424 total cases.

*Location:* 95-96 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6247: 186A07F:5-6GR/WK NT DONE

Item Number: 23320

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1022	42.2 %
2	SELDOM:(2)	634	26.2 %
3	SOMETIMES:(3)	443	18.3 %
4	OFTEN:(4)	219	9.0 %
5	ALWAYS:(5)	62	2.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	44	1.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,380 valid cases out of 2,424 total cases.

*Location:* 97-98 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6248: 186A07G:5-6GR/GT GD GRDS

Item Number: 23330

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

G: . . . Get good grades (like A's or B's)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	69	2.8 %
2	SELDOM:(2)	185	7.6 %
3	SOMETIMES:(3)	423	17.5 %
4	OFTEN:(4)	536	22.1 %
5	ALWAYS:(5)	1164	48.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	47	1.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,377 valid cases out of 2,424 total cases.

*Location:* 99-100 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6249: 186A07H:5-6GR/U MISBEHAV

Item Number: 23340

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1562	64.4 %
2	SELDOM:(2)	406	16.7 %
3	SOMETIMES:(3)	262	10.8 %
4	OFTEN:(4)	101	4.2 %
5	ALWAYS:(5)	55	2.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	38	1.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,386 valid cases out of 2,424 total cases.

*Location:* 101-102 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6250: 186A07I:5-6GR/SKIP SCHL

Item Number: 23350

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2035	84.0 %
2	SELDOM:(2)	159	6.6 %
3	SOMETIMES:(3)	119	4.9 %
4	OFTEN:(4)	45	1.9 %
5	ALWAYS:(5)	28	1.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	38	1.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,386 valid cases out of 2,424 total cases.

*Location:* 103-104 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6491: 186A08A:#X PRNT CHK HMWK

Item Number: 25180

How often do your parents (or stepparents or guardians) do the following?

A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	645	26.6 %
2	RARELY:(2)	436	18.0 %
3	SOMETIMES:(3)	431	17.8 %
4	OFTEN:(4)	363	15.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	549	22.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,875 valid cases out of 2,424 total cases.

*Location:* 105-106 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6492: 186A08B:#X PRNT HLP HMWK

Item Number: 25190

How often do your parents (or stepparents or guardians) do the following?

B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	562	23.2 %
2	RARELY:(2)	427	17.6 %
3	SOMETIMES:(3)	454	18.7 %
4	OFTEN:(4)	426	17.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	555	22.9 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,869 valid cases out of 2,424 total cases.

*Location:* 107-108 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6493: 186A08C:#X PRNT GV CHORE

Item Number: 25200

How often do your parents (or stepparents or guardians) do the following?

C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	111	4.6 %
2	RARELY:(2)	211	8.7 %
3	SOMETIMES:(3)	548	22.6 %
4	OFTEN:(4)	1000	41.3 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	554	22.9 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,870 valid cases out of 2,424 total cases.

*Location:* 109-110 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6494: 186A08D:#X PRNT LIMIT TV

Item Number: 25210

How often do your parents (or stepparents or guardians) do the following?

D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1184	48.8 %
2	RARELY:(2)	340	14.0 %
3	SOMETIMES:(3)	226	9.3 %
4	OFTEN:(4)	120	5.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	554	22.9 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,870 valid cases out of 2,424 total cases.

*Location:* 111-112 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6495: 186A08E:#X PRNT LMT OUT

Item Number: 25220

How often do your parents (or stepparents or guardians) do the following?

E: Limit the amount of time you can go out with friends

on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	530	21.9 %
2	RARELY:(2)	411	17.0 %
3	SOMETIMES:(3)	473	19.5 %
4	OFTEN:(4)	452	18.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	558	23.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,866 valid cases out of 2,424 total cases.

*Location:* 113-114 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6251: 186A09A:SCH ACTV-PBLCTNS

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1859	76.7 %
2	SLIGHT:(2)	218	9.0 %
3	MODERATE:(3)	115	4.7 %
4	CONSDRBL:(4)	75	3.1 %
5	GRT EXT:(5)	100	4.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	57	2.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,367 valid cases out of 2,424 total cases.

*Location:* 115-116 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6252: 186A09B:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1390	57.3 %
2	SLIGHT:(2)	251	10.4 %
3	MODERATE:(3)	174	7.2 %
4	CONSDRBL:(4)	175	7.2 %
5	GRT EXT:(5)	372	15.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	62	2.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,362 valid cases out of 2,424 total cases.

*Location:* 117-118 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6253: 186A09C:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1057	43.6 %
2	SLIGHT:(2)	179	7.4 %
3	MODERATE:(3)	205	8.5 %

Value	Label	Unweighted Frequency	%
4	CONSDRBL:(4)	218	9.0 %
5	GRT EXT:(5)	704	29.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	61	2.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,363 valid cases out of 2,424 total cases.

*Location:* 119-120 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6254: 186A09D:SCH ATV-ACDMC CL

Item Number: 23360

To what extent have you participated in the following school activities during this school year?

D: Academic clubs (e.g., science, math, language)

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"

5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1572	64.9 %
2	SLIGHT:(2)	234	9.7 %
3	MODERATE:(3)	219	9.0 %
4	CONSDRBL:(4)	158	6.5 %
5	GRT EXT:(5)	180	7.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	61	2.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,363 valid cases out of 2,424 total cases.

*Location:* 121-122 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6255: 186A09E:SCH ATV-STDN GVT

Item Number: 23370

To what extent have you participated in the following school

activities during this school year?

E: Student council or government

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1925	79.4 %
2	SLIGHT:(2)	133	5.5 %
3	MODERATE:(3)	93	3.8 %
4	CONSDRBL:(4)	60	2.5 %
5	GRT EXT:(5)	149	6.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	64	2.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,360 valid cases out of 2,424 total cases.

*Location:* 123-124 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6256: 186A09F:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

F: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	972	40.1 %
2	SLIGHT:(2)	300	12.4 %
3	MODERATE:(3)	370	15.3 %
4	CONSDRBL:(4)	309	12.7 %
5	GRT EXT:(5)	409	16.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	64	2.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,360 valid cases out of 2,424 total cases.

*Location:* 125-126 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6272: 186A10(R):EVER HELD BACK

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

Value	Label	Unweighted Frequency	%
1	NO:(1)	2136	88.1 %
2	YES:(2-3)	242	10.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	46	1.9 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,378 valid cases out of 2,424 total cases.

*Location:* 127-128 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6273: 186A11(R):NEED SUMMER SCHL

Item Number: 23540

Did you ever attend summer school to make up for poor grades  
or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three  
or more summers"

Codes 2, 3, and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
1	NO:(1)	1769	73.0 %
2	YES:(2-4)	607	25.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	48	2.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,376 valid cases out of 2,424 total cases.

*Location:* 129-130 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6496: 186A12(R):EVER SUSPENDED

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1868	77.1 %
2	YES:(2-3)	505	20.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	51	2.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,373 valid cases out of 2,424 total cases.

*Location:* 131-132 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6507: 186A13 :#DA GUN SCHL/4WK

Item Number: 29590

During the LAST FOUR WEEKS, on how many days (if any) did you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"

6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2339	96.5 %
2	1 DAY:(2)	7	0.3 %
3	2 DAYS:(3)	3	0.1 %
4	3-5 DAYS:(4)	6	0.2 %
5	6-9 DAYS:(5)	2	0.1 %
6	10+ DAYS:(6)	15	0.6 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	52	2.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,372 valid cases out of 2,424 total cases.

*Location:* 133-134 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6504: 186A14 :ILL DRG SOLD@SCH

Item Number: 25820

During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="No" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1886	77.8 %
2	YES:(2)	461	19.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	77	3.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,347 valid cases out of 2,424 total cases.

*Location:* 135-136 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6274: 186A15A:TCHR PRVNT SMKNG

Item Number: 23550

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

A: . . . Smoking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"  
5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	359	14.8 %
2	SLIGHT:(2)	313	12.9 %
3	SOMEWHAT:(3)	399	16.5 %
4	FRLY VIGOR:(4)	398	16.4 %
5	VRY VIGOR:(5)	401	16.5 %
8	DK:(8)	482	19.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	72	3.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,352 valid cases out of 2,424 total cases.

*Location:* 137-138 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6275: 186A15B:TCHR PRVNT DRNKG

Item Number: 23560

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

B: . . . Drinking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"

5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	378	15.6 %
2	SLIGHT:(2)	309	12.7 %
3	SOMEWHAT:(3)	387	16.0 %
4	FRLY VIGOR:(4)	367	15.1 %
5	VRY VIGOR:(5)	387	16.0 %
8	DK:(8)	517	21.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	79	3.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,345 valid cases out of 2,424 total cases.

*Location:* 139-140 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6276: 186A15C:TCHR PRVNT DRUGS

Item Number: 23570

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

C: . . . Drug use?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"  
5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	325	13.4 %
2	SLIGHT:(2)	265	10.9 %
3	SOMEWHAT:(3)	357	14.7 %
4	FRLY VIGOR:(4)	394	16.3 %
5	VRV VIGOR:(5)	543	22.4 %
8	DK:(8)	464	19.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	76	3.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,348 valid cases out of 2,424 total cases.

*Location:* 141-142 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6277: 186A16A:CNSEQNC 4 SMOKNG

Item Number: 23580

How severe do you think the consequences would be for a student in your school who gets caught . . .

A: . . . Smoking?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"  
8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	90	3.7 %
2	MILD:(2)	432	17.8 %
3	MODERATE:(3)	725	29.9 %

Value	Label	Unweighted Frequency	%
4	SEVERE:(4)	854	35.2 %
8	DK:(8)	238	9.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	85	3.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,339 valid cases out of 2,424 total cases.

*Location:* 143-144 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6278: 186A16B:CNSEQNC 4 ALCOHL

Item Number: 23590

How severe do you think the consequences would be for a student in your school who gets caught . . .

B: . . . Using (or possessing) alcohol?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"

8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	70	2.9 %
2	MILD:(2)	244	10.1 %
3	MODERATE:(3)	622	25.7 %
4	SEVERE:(4)	1150	47.4 %
8	DK:(8)	251	10.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	87	3.6 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,337 valid cases out of 2,424 total cases.

*Location:* 145-146 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6279: 186A16C:CNSEQNC 4 DRUGS

Item Number: 23600

How severe do you think the consequences would be for a

student in your school who gets caught . . .

C: . . . Using (or possessing) an illegal drug?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"  
8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	67	2.8 %
2	MILD:(2)	123	5.1 %
3	MODERATE:(3)	378	15.6 %
4	SEVERE:(4)	1545	63.7 %
8	DK:(8)	230	9.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	81	3.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,343 valid cases out of 2,424 total cases.

*Location:* 147-148 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6297: 186A17A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	108	4.5 %
2	SLIGHT:(2)	81	3.3 %
3	MOD RISK:(3)	331	13.7 %
4	GRT RISK:(4)	1720	71.0 %
5	CANT SAY:(5)	91	3.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	93	3.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,331 valid cases out of 2,424 total cases.

*Location:* 149-150 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6298: 186A17B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1122	46.3 %
2	SLIGHT:(2)	650	26.8 %
3	MOD RISK:(3)	242	10.0 %
4	GRT RISK:(4)	212	8.7 %
5	CANT SAY:(5)	106	4.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	92	3.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,332 valid cases out of 2,424 total cases.

*Location:* 151-152 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6299: 186A17C:RSK OF MJ OCSNL

Item Number: 12380

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways) if they . . .

C: . . . Use marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	767	31.6 %
2	SLIGHT:(2)	664	27.4 %
3	MOD RISK:(3)	461	19.0 %
4	GRT RISK:(4)	329	13.6 %
5	CANT SAY:(5)	114	4.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	89	3.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,335 valid cases out of 2,424 total cases.

*Location:* 153-154 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6300: 186A17D:RSK OF MJ REGLY

Item Number: 12390

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways) if they . . .

D: . . . Use marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	459	18.9 %
2	SLIGHT:(2)	573	23.6 %
3	MOD RISK:(3)	519	21.4 %
4	GRT RISK:(4)	664	27.4 %
5	CANT SAY:(5)	116	4.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	93	3.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,331 valid cases out of 2,424 total cases.

*Location:* 155-156 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6517: 186A17E:RSK OF COKE 1-2X

Item Number: 12490

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	149	6.1 %
2	SLIGHT:(2)	305	12.6 %
3	MOD RISK:(3)	513	21.2 %
4	GRT RISK:(4)	1205	49.7 %
5	CANT SAY:(5)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	252	10.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,172 valid cases out of 2,424 total cases.

*Location:* 157-158 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6316: 186A17F:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	222	9.2 %
2	SLIGHT:(2)	489	20.2 %
3	MOD RISK:(3)	741	30.6 %
4	GRT RISK:(4)	773	31.9 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	99	4.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	100	4.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,324 valid cases out of 2,424 total cases.

*Location:* 159-160 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6317: 186A17G:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	118	4.9 %
2	SLIGHT:(2)	120	5.0 %
3	MOD RISK:(3)	448	18.5 %
4	GRT RISK:(4)	1541	63.6 %
5	CANT SAY:(5)	98	4.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	99	4.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,325 valid cases out of 2,424 total cases.

*Location:* 161-162 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6318: 186A17H:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	172	7.1 %
2	SLIGHT:(2)	279	11.5 %
3	MOD RISK:(3)	649	26.8 %
4	GRT RISK:(4)	1118	46.1 %
5	CANT SAY:(5)	105	4.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	101	4.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,323 valid cases out of 2,424 total cases.

*Location:* 163-164 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6478: 186A17I:RSK STEROID ATHL

Item Number: 24510

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

I: . . . Take steroids for body-building or improved athletic  
performance?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	120	5.0 %
2	SLIGHT:(2)	248	10.2 %
3	MOD RISK:(3)	619	25.5 %
4	GRT RISK:(4)	1154	47.6 %
5	CANT SAY:(5)	184	7.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	99	4.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,325 valid cases out of 2,424 total cases.

*Location:* 165-166 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6518: 186A17J:RSK MDMA 1-2X

Item Number: 23040

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

J: . . . Try MDMA (Molly, ecstasy) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	146	6.0 %
2	SLIGHT:(2)	304	12.5 %
3	MOD RISK:(3)	458	18.9 %
4	GRT RISK:(4)	1114	46.0 %
5	CANT SAY:(5)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	402	16.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,022 valid cases out of 2,424 total cases.

*Location:* 167-168 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6320: 186A18A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	405	16.7 %
2	DISAPPRV:(2)	858	35.4 %
3	STRG DIS:(3)	1078	44.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	83	3.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,341 valid cases out of 2,424 total cases.

*Location:* 169-170 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6321: 186A18B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1494	61.6 %
2	DISAPPRV:(2)	509	21.0 %
3	STRG DIS:(3)	339	14.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	82	3.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,342 valid cases out of 2,424 total cases.

*Location:* 171-172 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6322: 186A18C:DAP SMK MRJ OCCS

Item Number: 08580

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? (Mark one circle for

each line.)

C: Using marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1314	54.2 %
2	DISAPPRV:(2)	568	23.4 %
3	STRG DIS:(3)	456	18.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	86	3.5 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,338 valid cases out of 2,424 total cases.

*Location:* 173-174 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6323: 186A18D:DAP SMK MRJ REGL

Item Number: 08590

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? (Mark one circle for each line.)

D: Using marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	918	37.9 %
2	DISAPPRV:(2)	741	30.6 %
3	STRG DIS:(3)	677	27.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	88	3.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,336 valid cases out of 2,424 total cases.

*Location:* 175-176 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6519: 186A18E:DAP TRY COC 1-2T

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	325	13.4 %
2	DISAPPRV:(2)	648	26.7 %
3	STRG DIS:(3)	1355	55.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	96	4.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,328 valid cases out of 2,424 total cases.

*Location:* 177-178 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6339: 186A18F:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	660	27.2 %
2	DISAPPRV:(2)	966	39.9 %
3	STRG DIS:(3)	710	29.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	88	3.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,336 valid cases out of 2,424 total cases.

*Location:* 179-180 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6340: 186A18G:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	267	11.0 %
2	DISAPPRV:(2)	720	29.7 %
3	STRG DIS:(3)	1350	55.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	87	3.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,337 valid cases out of 2,424 total cases.

*Location:* 181-182 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6341: 186A18H:DAP 5+ DRK WKNDS

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	603	24.9 %
2	DISAPPRV:(2)	769	31.7 %
3	STRG DIS:(3)	960	39.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	92	3.8 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,332 valid cases out of 2,424 total cases.

*Location:* 183-184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6479: 186A18I:DAP STEROID ATHL

Item Number: 24520

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking steroids for body-building or improved athletic performance

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	285	11.8 %
2	DISAPPRV:(2)	812	33.5 %
3	STRG DIS:(3)	1236	51.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	91	3.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,333 valid cases out of 2,424 total cases.

*Location:* 185-186 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6509: 186A18J:DAP H -NDL 1-2X

Item Number: 29690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	155	6.4 %
2	DISAPPRV:(2)	368	15.2 %
3	STRG DIS:(3)	1816	74.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	85	3.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,339 valid cases out of 2,424 total cases.

*Location:* 187-188 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6510: 186A18K:DAP H -NDL OCC

Item Number: 29700

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking heroin occasionally without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	142	5.9 %
2	DISAPPRV:(2)	291	12.0 %
3	STRG DIS:(3)	1902	78.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	89	3.7 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,335 valid cases out of 2,424 total cases.

*Location:* 189-190 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6520: 186A18L:DAP MDMA 1-2X

Item Number: 29960

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking MDMA (Molly, ecstasy) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	338	13.9 %
2	DISAPPRV:(2)	615	25.4 %
3	STRG DIS:(3)	1374	56.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	97	4.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,327 valid cases out of 2,424 total cases.

*Location:* 191-192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6342: 186A19A:EASY GT MARIJUAN

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	138	5.7 %
2	VRY DIFF:(2)	74	3.1 %
3	FRLY DIF:(3)	156	6.4 %
4	FRLY EAS:(4)	583	24.1 %
5	VRY EASY:(5)	1375	56.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	98	4.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,326 valid cases out of 2,424 total cases.

*Location:* 193-194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6343: 186A19B:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	439	18.1 %
2	VRY DIFF:(2)	513	21.2 %
3	FRLY DIF:(3)	730	30.1 %
4	FRLY EAS:(4)	407	16.8 %
5	VRY EASY:(5)	221	9.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	114	4.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,310 valid cases out of 2,424 total cases.

*Location:* 195-196 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6344: 186A19C:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: PCP (angel dust)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	689	28.4 %
2	VRY DIFF:(2)	729	30.1 %
3	FRLY DIF:(3)	571	23.6 %
4	FRLY EAS:(4)	185	7.6 %

Value	Label	Unweighted Frequency	%
5	VRY EASY:(5)	132	5.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	118	4.9 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,306 valid cases out of 2,424 total cases.

*Location:* 197-198 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6345: 186A19D:EASY GT MDMA

Item Number: 23050

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: MDMA (Molly, ecstasy)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	481	19.8 %
2	VRY DIFF:(2)	571	23.6 %
3	FRLY DIF:(3)	619	25.5 %
4	FRLY EAS:(4)	404	16.7 %
5	VRY EASY:(5)	233	9.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	116	4.8 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,308 valid cases out of 2,424 total cases.

*Location:* 199-200 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6480: 186A19E:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	771	31.8 %
2	VRY DIFF:(2)	709	29.2 %
3	FRLY DIF:(3)	450	18.6 %
4	FRLY EAS:(4)	213	8.8 %
5	VRY EASY:(5)	161	6.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	120	5.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,304 valid cases out of 2,424 total cases.

*Location:* 201-202 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6481: 186A19F:EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Steroids

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	490	20.2 %
2	VRY DIFF:(2)	487	20.1 %
3	FRLY DIF:(3)	587	24.2 %
4	FRLY EAS:(4)	458	18.9 %
5	VRY EASY:(5)	289	11.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	113	4.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,311 valid cases out of 2,424 total cases.

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6574: 186A19G:EASY GT ALCOHOL

Item Number: 30950

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G. Alcohol

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	125	5.2 %
2	VRY DIFF:(2)	55	2.3 %
3	FRLY DIF:(3)	130	5.4 %
4	FRLY EAS:(4)	423	17.5 %
5	VRY EASY:(5)	1590	65.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	101	4.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,323 valid cases out of 2,424 total cases.

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6101: 186B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1816	74.9 %
2	1-2X:(2)	270	11.1 %
3	OCCASNLY:(3)	138	5.7 %

Value	Label	Unweighted Frequency	%
4	REG PAST:(4)	61	2.5 %
5	REG NOW:(5)	39	1.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	100	4.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,324 valid cases out of 2,424 total cases.

*Location:* 207-208 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6102: 186B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6" [Includes respondents who marked "1" on question B01]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	2146	88.5 %
2	<1 CIG/D:(2)	112	4.6 %
3	1-5/DAY:(3)	36	1.5 %
4	1/2 PK:(4)	16	0.7 %
5	1 PK:(5)	5	0.2 %
6	1 1/2 PK:(6)	1	0.0 %
7	2+ PKS:(7)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	107	4.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,317 valid cases out of 2,424 total cases.

*Location:* 209-210 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6521: 186B03A:CIG HOW BUY-FRND

Item Number: 29970

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

A: . . . by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	110	4.5 %
2	1 TIME:(2)	27	1.1 %
3	2 TIMES:(3)	15	0.6 %
4	3-5 TMS:(4)	8	0.3 %
5	6-9 TMS:(5)	3	0.1 %
6	10+ TMS:(6)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2255	93.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 169 valid cases out of 2,424 total cases.

*Location:* 211-212 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6522: 186B03B:CIG HOW BUY-VEND

Item Number: 29980

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

B: . . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	161	6.6 %
2	1 TIME:(2)	2	0.1 %
3	2 TIMES:(3)	1	0.0 %
4	3-5 TMS:(4)	3	0.1 %
5	6-9 TMS:(5)	0	0.0 %

Value	Label	Unweighted Frequency	%
6	10+ TMS:(6)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2255	93.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 169 valid cases out of 2,424 total cases.

*Location:* 213-214 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6523: 186B03C:CIG HOW BUY-MAIL

Item Number: 29990

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

C: . . . through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	161	6.6 %
2	1 TIME:(2)	3	0.1 %
3	2 TIMES:(3)	1	0.0 %
4	3-5 TMS:(4)	2	0.1 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2256	93.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 168 valid cases out of 2,424 total cases.

*Location:* 215-216 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6524: 186B03D:CIG HOW BUY-PKUP

Item Number: 30000

During the last 30 days, about how many times (if any) have

you bought cigarettes . . .

D: . . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	127	5.2 %
2	1 TIME:(2)	13	0.5 %
3	2 TIMES:(3)	9	0.4 %
4	3-5 TMS:(4)	7	0.3 %
5	6-9 TMS:(5)	2	0.1 %
6	10+ TMS:(6)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2256	93.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 168 valid cases out of 2,424 total cases.

*Location:* 217-218 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6525: 186B03E:CIG HOW BUY-CLRK

Item Number: 30010

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

E: . . . in a store where the clerk has to hand you the pack or carton?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	81	3.3 %
2	1 TIME:(2)	37	1.5 %
3	2 TIMES:(3)	18	0.7 %
4	3-5 TMS:(4)	13	0.5 %
5	6-9 TMS:(5)	2	0.1 %
6	10+ TMS:(6)	20	0.8 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2253	92.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 171 valid cases out of 2,424 total cases.

*Location:* 219-220 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6592: 186B03F:CIG HOW BUY-OTHR

Item Number: 31330

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

F: . . . bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	141	5.8 %
2	1 TIME:(2)	9	0.4 %
3	2 TIMES:(3)	8	0.3 %
4	3-5 TMS:(4)	3	0.1 %
5	6-9 TMS:(5)	1	0.0 %
6	10+ TMS:(6)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2257	93.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 167 valid cases out of 2,424 total cases.

*Location:* 221-222 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6526: 186B04A:CIG WHERE-SUPMKT

Item Number: 30020

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	152	6.3 %
2	1 TIME:(2)	8	0.3 %
3	2 TIMES:(3)	3	0.1 %
4	3-5 TMS:(4)	4	0.2 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2254	93.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 170 valid cases out of 2,424 total cases.

*Location:* 223-224 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6527: 186B04B:CIG WHERE-SMLGRC

Item Number: 30030

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

B: . . . at a small grocery store?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	140	5.8 %
2	1 TIME:(2)	12	0.5 %
3	2 TIMES:(3)	9	0.4 %
4	3-5 TMS:(4)	4	0.2 %
5	6-9 TMS:(5)	1	0.0 %
6	10+ TMS:(6)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2255	93.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 169 valid cases out of 2,424 total cases.

*Location:* 225-226 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6528: 186B04C:CIG WHERE-DRGSTR

Item Number: 30040

During the last 30 days, about how many times (if any) did  
YOU buy cigarettes for your own use . . .

C: . . . at a drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9  
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	141	5.8 %
2	1 TIME:(2)	12	0.5 %
3	2 TIMES:(3)	3	0.1 %
4	3-5 TMS:(4)	6	0.2 %
5	6-9 TMS:(5)	2	0.1 %
6	10+ TMS:(6)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2257	93.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 167 valid cases out of 2,424 total cases.

*Location:* 227-228 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6529: 186B04D:CIG WHERE-CNVGAS

Item Number: 30050

During the last 30 days, about how many times (if any) did  
YOU buy cigarettes for your own use . . .

D: . . . at a convenience store (like a Hop-In or 7-11) or  
a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9  
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	80	3.3 %
2	1 TIME:(2)	40	1.7 %
3	2 TIMES:(3)	23	0.9 %
4	3-5 TMS:(4)	7	0.3 %
5	6-9 TMS:(5)	3	0.1 %
6	10+ TMS:(6)	18	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2253	92.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 171 valid cases out of 2,424 total cases.

*Location:* 229-230 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6593: 186B04E:CIG WHERE-WEB

Item Number: 31340

During the last 30 days, about how many times (if any) did  
YOU buy cigarettes for your own use . . .

E: . . . from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9  
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	164	6.8 %
2	1 TIME:(2)	1	0.0 %
3	2 TIMES:(3)	2	0.1 %
4	3-5 TMS:(4)	1	0.0 %
5	6-9 TMS:(5)	1	0.0 %
6	10+ TMS:(6)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2255	93.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 169 valid cases out of 2,424 total cases.

*Location:* 231-232 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6530: 186B05A:USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"  
 5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"  
 11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"  
 16="More" 17="Newport" 18="Pall Mall" 19="Parliament"  
 20="Salem" 22="Virginia Slims" 23="Winston"  
 24="Other" 25="No usual brand" 26 "American Spirit"

Value	Label	Unweighted Frequency	%
1	BASIC:(1)	0	0.0 %
2	BNSN HDGS:(2)	0	0.0 %
3	BLACK WHT:(3)	0	0.0 %
4	CAMBRDGE:(4)	1	0.0 %
5	CAMEL:(5)	14	0.6 %
6	CAPRI:(6)	1	0.0 %
7	CARLTON:(7)	0	0.0 %
8	DORAL:(8)	0	0.0 %
9	GPC:(9)	1	0.0 %
10	KENT:(10)	0	0.0 %
11	KOOL:(11)	1	0.0 %
12	MARLBORO:(12)	68	2.8 %
13	MERIT:(13)	0	0.0 %
14	MISTY:(14)	1	0.0 %
15	MONARCH: (15)	1	0.0 %
16	MORE:(16)	0	0.0 %
17	NEWPORT:(17)	13	0.5 %
18	PALLMALL:(18)	2	0.1 %
19	PARLMENT:(19)	2	0.1 %
20	SALEM:(20)	0	0.0 %
22	VA SLIMS:(22)	1	0.0 %
23	WINSTON:(23)	0	0.0 %
24	OTHER:(24)	11	0.5 %
25	NO USUAL:(25)	26	1.1 %
26	AMERICAN SPIRIT:(26)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2272	93.7 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 152 valid cases out of 2,424 total cases.

*Location:* 233-234 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6619: 186B05B:CIGS USUALLY MENTHOL

Item Number: 32890

Are the cigarettes you usually smoke menthol?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES(1)	91	3.8 %
2	NO:(2)	165	6.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2168	89.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 256 valid cases out of 2,424 total cases.

*Location:* 235-236 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6531: 186B06A:CIG PROOF OF AGE

Item Number: 30070

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas station." 2="No, they didn't ask me and they sold me the cigarettes." 3="No, they didn't ask but they didn't sell me the cigarettes." 4="Yes, I was asked for proof of age."  
[arrow to Q.B06A]

Value	Label	Unweighted Frequency	%
1	NEVER TRIED TO BUY:(1)	279	11.5 %
2	DID NOT ASK BUT SOLD:(2)	59	2.4 %

Value	Label	Unweighted Frequency	%
3	DID NOT ASK/DID NOT SELL:(3)	9	0.4 %
4	YES I WAS ASKED:(4)	151	6.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1926	79.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 498 valid cases out of 2,424 total cases.

*Location:* 237-238 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6532: 186B06B:CIG SHOW ID/SELL

Item Number: 30080

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

A: If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some ID but they refused to sell me the cigarettes" 3="I didn't show ID and they sold them to me anyway" 4="I didn't show ID and they didn't sell me any cigarettes"

Value	Label	Unweighted Frequency	%
1	ID & GOT:(1)	138	5.7 %
2	ID & NOSALE:(2)	4	0.2 %
3	NO ID & SOLD:(3)	5	0.2 %
4	NO ID & NOSALE:(4)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2272	93.7 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 152 valid cases out of 2,424 total cases.

*Location:* 239-240 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6533: 186B07 :CIG STORE BUY<20

Item Number: 30090

Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

Value	Label	Unweighted Frequency	%
1	NO:(1)	455	18.8 %
2	PAST 12MO:(2)	40	1.7 %
3	NOT PAST12MO:(3)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1918	79.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 506 valid cases out of 2,424 total cases.

*Location:* 241-242 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6534: 186B08 :\*TRY STP SMK/FL

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	53	2.2 %
2	NO:(2)	444	18.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1927	79.5 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 497 valid cases out of 2,424 total cases.

*Location:* 243-244 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6535: 186B09 :#X TRY STOP SMK

Item Number: 01691

How many times, if any, have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	331	13.7 %
2	1 TIME:(2)	86	3.5 %
3	2 TIMES:(3)	34	1.4 %
4	3-5 TMS:(4)	30	1.2 %
5	6-9 TMS:(5)	7	0.3 %
6	10+ TMS:(6)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1931	79.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 493 valid cases out of 2,424 total cases.

*Location:* 245-246 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6536: 186B10 :\*WNT STP SMK NW

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	41	1.7 %
2	NO:(2)	79	3.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2304	95.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 120 valid cases out of 2,424 total cases.

*Location:* 247-248 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6537: 186B11 :QUIT SMK WRY FAT

Item Number: 30100

Do you (or did you) worry that quitting smoking would make you gain weight?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

Value	Label	Unweighted Frequency	%
1	NO, NOT AT ALL:(1)	450	18.6 %
2	YES, A LITTLE:(2)	24	1.0 %
3	YES, SOME:(3)	9	0.4 %
4	YES, A LOT:(4)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1933	79.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 491 valid cases out of 2,424 total cases.

*Location:* 249-250 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6538: 186B12 :START SMK LOSEWT

Item Number: 30110

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

Value	Label	Unweighted Frequency	%
1	NO:(1)	450	18.6 %
2	A LITTLE:(2)	13	0.5 %
3	SOME:(3)	11	0.5 %
4	A LOT:(4)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1947	80.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 477 valid cases out of 2,424 total cases.

*Location:* 251-252 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V6539: 186B13 :START SMK THISYR

Item Number: 30120

If you have never smoked, do you think you will try smoking cigarettes sometime this year?

1="I already have tried cigarettes" 2="I definitely will" 3="I probably will" 4="I probably will not" 5="I definitely will not"

Value	Label	Unweighted Frequency	%
1	ALREADY TRIED:(1)	319	13.2 %
2	DEF WILL:(2)	15	0.6 %
3	PROB WILL:(3)	60	2.5 %
4	PROB WONT:(4)	328	13.5 %
5	DEF WONT:(5)	1549	63.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	153	6.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,271 valid cases out of 2,424 total cases.

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6540: 186B14 :NO SMK IN 5 YR

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	30	1.2 %
2	PRB WILL:(2)	95	3.9 %
3	PRB WONT:(3)	492	20.3 %
4	DEF WONT:(4)	1670	68.9 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	137	5.7 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,287 valid cases out of 2,424 total cases.

*Location:* 255-256 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6541: 186B15A:NEVER CIG ADDICT

Item Number: 30130

How much do you agree or disagree with the following statements?

A: I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	265	10.9 %
2	MOST DIS:(2)	117	4.8 %
3	NEITHER:(3)	158	6.5 %
4	MOST AGR:(4)	211	8.7 %
5	AGREE:(5)	1517	62.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	156	6.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,268 valid cases out of 2,424 total cases.

*Location:* 257-258 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6542: 186B15B:QUIT CIG WN WANT

Item Number: 30140

How much do you agree or disagree with the following statements?

B: I could smoke a pack a day for a year or more and still

be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1254	51.7 %
2	MOST DIS:(2)	279	11.5 %
3	NEITHER:(3)	300	12.4 %
4	MOST AGR:(4)	124	5.1 %
5	AGREE:(5)	297	12.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	170	7.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,254 valid cases out of 2,424 total cases.

*Location:* 259-260 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6543: 186B15C:SMK -DANGER QUIT

Item Number: 30150

How much do you agree or disagree with the following statements?

C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1734	71.5 %
2	MOST DIS:(2)	231	9.5 %
3	NEITHER:(3)	162	6.7 %
4	MOST AGR:(4)	46	1.9 %
5	AGREE:(5)	83	3.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	168	6.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,256 valid cases out of 2,424 total cases.

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6625: 186B16 :#X E-CIG/30DAY

Item Number: 33710

During the LAST 30 DAYS, on how many days (if any) have you used electronic cigarettes (e-cigarettes)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1786	73.7 %
2	1-2X:(2)	140	5.8 %
3	3-5X:(3)	68	2.8 %
4	6-9X:(4)	45	1.9 %
5	10-19X:(5)	64	2.6 %
6	20-39X:(6)	181	7.5 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	140	5.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,284 valid cases out of 2,424 total cases.

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6505: 186B17 :EVR USE SMOKLESS

Item Number: 22230

Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing tobacco, snus, dissolvable tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2029	83.7 %
2	1-2X:(2)	118	4.9 %
3	OCCASONLY:(3)	43	1.8 %

Value	Label	Unweighted Frequency	%
4	REG PAST:(4)	37	1.5 %
5	REG NOW:(5)	40	1.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	157	6.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,267 valid cases out of 2,424 total cases.

*Location:* 265-266 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6506: 186B18 :#X SMKLESS/30 DA

Item Number: 22240

How frequently have you taken smokeless tobacco during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. 19]

2="Once or twice" 3="Once or twice per week" 4="Three to five times per week" 5="About once a day" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	2174	89.7 %
2	1-2 X:(2)	40	1.7 %
3	1-2/WK:(3)	14	0.6 %
4	3-5/WK:(4)	8	0.3 %
5	1/DAY:(5)	10	0.4 %
6	>1/DAY:(6)	25	1.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	153	6.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,271 valid cases out of 2,424 total cases.

*Location:* 267-268 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6103: 186B19 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages,

including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1001	41.3 %
2	YES:(2)	1256	51.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	167	6.9 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,257 valid cases out of 2,424 total cases.

*Location:* 269-270 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6104: 186B20A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who indicated nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1002	41.3 %
2	1-2X:(2)	161	6.6 %
3	3-5X:(3)	200	8.3 %
4	6-9X:(4)	189	7.8 %
5	10-19X:(5)	239	9.9 %
6	20-39X:(6)	174	7.2 %
7	40+OCCAS:(7)	260	10.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	199	8.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,225 valid cases out of 2,424 total cases.

*Location:* 271-272 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6105: 186B20B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1067	44.0 %
2	1-2X:(2)	324	13.4 %
3	3-5X:(3)	250	10.3 %
4	6-9X:(4)	201	8.3 %
5	10-19X:(5)	185	7.6 %
6	20-39X:(6)	96	4.0 %
7	40+OCCAS:(7)	96	4.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	205	8.5 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,219 valid cases out of 2,424 total cases.

*Location:* 273-274 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6106: 186B20C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1522	62.8 %
2	1-2X:(2)	383	15.8 %
3	3-5X:(3)	154	6.4 %
4	6-9X:(4)	88	3.6 %
5	10-19X:(5)	45	1.9 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	19	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	206	8.5 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,218 valid cases out of 2,424 total cases.

*Location:* 275-276 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6107: 186B21 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions"  
5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	349	14.4 %
2	FEW OCC:(2)	348	14.4 %
3	HALF OCC:(3)	187	7.7 %
4	MOST OCC:(4)	223	9.2 %
5	NRLY ALL:(5)	148	6.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1169	48.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,255 valid cases out of 2,424 total cases.

*Location:* 277-278 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6108: 186B22 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times"  
5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1902	78.5 %
2	ONCE:(2)	144	5.9 %
3	TWICE:(3)	98	4.0 %
4	3-5X:(4)	58	2.4 %
5	6-9X:(5)	13	0.5 %
6	10+ TIME:(6)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	203	8.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,221 valid cases out of 2,424 total cases.

*Location:* 279-280 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6626: 186B23 :10+DRK ROW/2WK

Item Number: 00853

During the last two weeks, how many times have you had ten or more drinks in a row?

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice"  
4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1258	51.9 %
2	1 TIME:(2)	95	3.9 %
3	2 TIMES:(3)	38	1.6 %
4	3-5 TMS:(4)	21	0.9 %
5	6-9 TMS:(5)	7	0.3 %
6	10+ TMS:(6)	4	0.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	1001	41.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,423 valid cases out of 2,424 total cases.

*Location:* 281-282 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6638: 186B24 :2WKS NUM DRINKS ROW

Item Number: 34850

During the LAST TWO WEEKS, what was the largest number of drinks that you had in a row? (Give your best estimate.)

0	6	12	18
1	7	13	19
2	8	14	20 or more
3	9	15	
4	10	16	
5	11	17	

Value	Label	Unweighted Frequency	%
0	-	660	27.2 %
1	-	93	3.8 %
2	-	107	4.4 %
3	-	74	3.1 %
4	-	60	2.5 %
5	-	55	2.3 %
6	-	42	1.7 %
7	-	37	1.5 %
8	-	27	1.1 %
9	-	11	0.5 %
10	-	28	1.2 %
11	-	8	0.3 %
12	-	28	1.2 %
13	-	10	0.4 %
14	-	13	0.5 %
15	-	19	0.8 %
16	-	7	0.3 %
17	-	2	0.1 %

Value	Label	Unweighted Frequency	%
18	-	2	0.1 %
19	-	1	0.0 %
20	-	16	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1124	46.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,300 valid cases out of 2,424 total cases.

*Location:* 283-284 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6115: 186B25A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1260	52.0 %
2	1-2X:(2)	214	8.8 %
3	3-5X:(3)	157	6.5 %
4	6-9X:(4)	109	4.5 %
5	10-19X:(5)	114	4.7 %
6	20-39X:(6)	98	4.0 %
7	40+OCCAS:(7)	306	12.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	166	6.8 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,258 valid cases out of 2,424 total cases.

*Location:* 285-286 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6116: 186B25B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana  
(weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1417	58.5 %
2	1-2X:(2)	234	9.7 %
3	3-5X:(3)	155	6.4 %
4	6-9X:(4)	93	3.8 %
5	10-19X:(5)	107	4.4 %
6	20-39X:(6)	67	2.8 %
7	40+OCCAS:(7)	184	7.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	167	6.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,257 valid cases out of 2,424 total cases.

*Location:* 287-288 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6117: 186B25C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana  
(weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1732	71.5 %
2	1-2X:(2)	192	7.9 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	93	3.8 %
4	6-9X:(4)	60	2.5 %
5	10-19X:(5)	53	2.2 %
6	20-39X:(6)	51	2.1 %
7	40+OCCAS:(7)	71	2.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	172	7.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,424 total cases.

*Location:* 289-290 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6633: 186B26 :MED MJ EVER

Item number: 34180

Have you ever used "medical marijuana;" that is, marijuana you used because a doctor told you to use it?

1="No" 2="Yes, using med marj" 3="Used med marj, but not now"

Value	Label	Unweighted Frequency	%
1	NO:(1)	2261	93.3 %
2	YES, USING MED MARJ:(2)	17	0.7 %
3	USED MED MARJ, BUT NOT NOW:(3)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	131	5.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,293 valid cases out of 2,424 total cases.

*Location:* 291-292 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6627: 186B27A:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2209	91.1 %
2	1-2X:(2)	55	2.3 %
3	3-5X:(3)	17	0.7 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	129	5.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,295 valid cases out of 2,424 total cases.

*Location:* 293-294 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6628: 186B27B:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2250	92.8 %
2	1-2X:(2)	34	1.4 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	128	5.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,296 valid cases out of 2,424 total cases.

*Location:* 295-296 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6629: 186B27C:#X MDMA/LAST30DA

Item Number: 22680

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2284	94.2 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	129	5.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,295 valid cases out of 2,424 total cases.

*Location:* 297-298 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6127: 186B28A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own, that is, without a doctor

telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2084	86.0 %
2	1-2X:(2)	77	3.2 %
3	3-5X:(3)	45	1.9 %
4	6-9X:(4)	19	0.8 %
5	10-19X:(5)	16	0.7 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	27	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	145	6.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,279 valid cases out of 2,424 total cases.

*Location:* 299-300 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6128: 186B28B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2168	89.4 %
2	1-2X:(2)	52	2.1 %
3	3-5X:(3)	19	0.8 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	11	0.5 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	13	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	147	6.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,277 valid cases out of 2,424 total cases.

*Location:* 301-302 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6129: 186B28C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2227	91.9 %
2	1-2X:(2)	30	1.2 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	148	6.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,276 valid cases out of 2,424 total cases.

*Location:* 303-304 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6039: 186B29A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2266	93.5 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	134	5.5 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,290 valid cases out of 2,424 total cases.

*Location:* 305-306 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6040: 186B29B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2277	93.9 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	0	0.0 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	132	5.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,292 valid cases out of 2,424 total cases.

*Location:* 307-308 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6041: 186B29C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2281	94.1 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	132	5.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,292 valid cases out of 2,424 total cases.

*Location:* 309-310 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6042: 186B30A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2200	90.8 %
2	1-2X:(2)	42	1.7 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	8	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	147	6.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,277 valid cases out of 2,424 total cases.

*Location:* 311-312 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6043: 186B30B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2233	92.1 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	21	0.9 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	141	5.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,283 valid cases out of 2,424 total cases.

*Location:* 313-314 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6044: 186B30C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2256	93.1 %
2	1-2X:(2)	17	0.7 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	140	5.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,284 valid cases out of 2,424 total cases.

*Location:* 315-316 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6124: 186R :#X COKE/LIFETIME

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2187	90.2 %
2	1-2X:(2)	42	1.7 %
3	3-5X:(3)	13	0.5 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	12	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	151	6.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,273 valid cases out of 2,424 total cases.

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6125: 186R :#X COKE/LAST12MO

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in

any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2225	91.8 %
2	1-2X:(2)	18	0.7 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	146	6.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,278 valid cases out of 2,424 total cases.

*Location:* 319-320 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6126: 186R :#X COKE/LAST30DA

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2249	92.8 %
2	1-2X:(2)	13	0.5 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	146	6.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,278 valid cases out of 2,424 total cases.

*Location:* 321-322 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6133: 186B31A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2178	89.9 %
2	1-2X:(2)	38	1.6 %
3	3-5X:(3)	29	1.2 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	6	0.2 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	151	6.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,273 valid cases out of 2,424 total cases.

*Location:* 323-324 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6134: 186B31B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2218	91.5 %
2	1-2X:(2)	36	1.5 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	146	6.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,278 valid cases out of 2,424 total cases.

*Location:* 325-326 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6135: 186B31C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2248	92.7 %
2	1-2X:(2)	17	0.7 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	148	6.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,276 valid cases out of 2,424 total cases.

*Location:* 327-328 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6136: 186B32A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles.

Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2113	87.2 %
2	1-2X:(2)	89	3.7 %
3	3-5X:(3)	36	1.5 %
4	6-9X:(4)	13	0.5 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	5	0.2 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	10	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	151	6.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,273 valid cases out of 2,424 total cases.

*Location:* 329-330 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6137: 186B32B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2196	90.6 %
2	1-2X:(2)	45	1.9 %
3	3-5X:(3)	15	0.6 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	4	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	146	6.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,278 valid cases out of 2,424 total cases.

*Location:* 331-332 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6138: 186B32C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2252	92.9 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	146	6.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,278 valid cases out of 2,424 total cases.

*Location:* 333-334 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6511: 186B33A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a  
needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2266	93.5 %
2	1-2X:(2)	1	0.0 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	150	6.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,274 valid cases out of 2,424 total cases.

*Location:* 335-336 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6512: 186B33B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2272	93.7 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	145	6.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,279 valid cases out of 2,424 total cases.

*Location:* 337-338 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6513: 186B33C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2271	93.7 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	148	6.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,276 valid cases out of 2,424 total cases.

*Location:* 339-340 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6514: 186B34A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2260	93.2 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	155	6.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,269 valid cases out of 2,424 total cases.

*Location:* 341-342 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6515: 186B34B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2269	93.6 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	152	6.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,272 valid cases out of 2,424 total cases.

*Location:* 343-344 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6516: 186B34C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2269	93.6 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	153	6.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,271 valid cases out of 2,424 total cases.

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6139: 186R\* :#X H/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2270	93.6 %
2	1-2X:(2)	6	0.2 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	139	5.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,285 valid cases out of 2,424 total cases.

*Location:* 347-348 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6140: 186R\* :#X H/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2278	94.0 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	3	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	138	5.7 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,286 valid cases out of 2,424 total cases.

*Location:* 349-350 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6141: 186R\* :#X H/LAST30DAY

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2279	94.0 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	140	5.8 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,284 valid cases out of 2,424 total cases.

*Location:* 351-352 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6142: 186B35A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2096	86.5 %
2	1-2X:(2)	65	2.7 %
3	3-5X:(3)	28	1.2 %
4	6-9X:(4)	16	0.7 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	11	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	195	8.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,229 valid cases out of 2,424 total cases.

*Location:* 353-354 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6143: 186B35B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2160	89.1 %
2	1-2X:(2)	36	1.5 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	192	7.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,232 valid cases out of 2,424 total cases.

*Location:* 355-356 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6144: 186B35C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2214	91.3 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	6	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	190	7.8 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,234 valid cases out of 2,424 total cases.

*Location:* 357-358 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6614: 186B36A:#X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A. . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2217	91.5 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	192	7.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,232 valid cases out of 2,424 total cases.

*Location:* 359-360 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6615: 186B36B:#X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

B. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2144	88.4 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	271	11.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,424 total cases.

*Location:* 361-362 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6616: 186B36C:#X METHAMPH/30DA

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2145	88.5 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	274	11.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,150 valid cases out of 2,424 total cases.

*Location:* 363-364 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## RESPONDENT\_AGE: 186C01(R):AGE <>18 DICHOTOMY

Item Number:

Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	987	40.7 %
2	18+ YRS:(2)	1271	52.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	166	6.8 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,258 valid cases out of 2,424 total cases.

*Location:* 365-366 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6150: 186C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	1044	43.1 %
2	FEMALE:(2)	1109	45.8 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	271	11.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,424 total cases.

*Location:* 367-368 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6151: 186C04(R):Rs RACE B/W/H

Item Number: 00041-00049

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2, "Hispanic" = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").]

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"

3="Hispanic" [see above].

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	208	8.6 %
2	WHITE:(2)	1150	47.4 %
3	HISPANIC:(3)	516	21.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	550	22.7 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,874 valid cases out of 2,424 total cases.

*Location:* 369-370 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6152: 186C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	366	15.1 %
1	A FARM:(1)	93	3.8 %
2	COUNTRY:(2)	209	8.6 %
3	SM CITY:(3)	579	23.9 %
4	MED CITY:(4)	310	12.8 %
5	SUB MED:(5)	292	12.0 %
6	LGE CITY:(6)	194	8.0 %
7	SUB LGE:(7)	160	6.6 %
8	V-LGE CITY:(8)	136	5.6 %
9	SUB V-LGE:(9)	85	3.5 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,424 valid cases out of 2,424 total cases.

*Location:* 371-372 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6153: 186C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	121	5.0 %
2	ENGAGED:(2)	45	1.9 %
3	SEP/DIV:(3)	47	1.9 %
4	SINGLE:(4)	2060	85.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	151	6.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,273 valid cases out of 2,424 total cases.

*Location:* 373-374 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V49: 186C07R:# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five"  
6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	150	6.2 %
1	ONE:(1)	596	24.6 %
2	TWO:(2)	570	23.5 %
3	THREE+:(3-4)	945	39.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	163	6.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,261 valid cases out of 2,424 total cases.

*Location:* 375-376 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6155: 186C7CA:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	632	26.1 %
1	MARKED:(1)	1634	67.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	158	6.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,424 total cases.

*Location:* 377-378 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6156: 186C7CB:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	246	10.1 %
1	MARKED:(1)	2020	83.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	158	6.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,424 total cases.

*Location:* 379-380 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6157: 186C7CC:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"  
"My child(ren)," "Other relative(s)," "Non-relative(s),"  
"I live alone" -- have been deleted for reasons of  
confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	692	28.5 %
1	MARKED:(1)	1574	64.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	158	6.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,424 total cases.

*Location:* 381-382 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6639: 186C7CD:Rs HSHLD OTHER

Item Number: 34810

Which of the following people live in the same household with you? (Mark all that apply.)

Other, specify \_\_\_\_\_

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	2133	88.0 %
1	MARKED:(1)	133	5.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	158	6.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,266 valid cases out of 2,424 total cases.

*Location:* 383-384 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6163: 186C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	125	5.2 %
2	SOME HS:(2)	264	10.9 %
3	HS GRAD:(3)	535	22.1 %
4	SOME CLG:(4)	357	14.7 %
5	CLG GRAD:(5)	474	19.6 %
6	GRAD SCH:(6)	274	11.3 %
7	DK:(7)	236	9.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	159	6.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,265 valid cases out of 2,424 total cases.

*Location:* 385-386 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6164: 186C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	115	4.7 %
2	SOME HS:(2)	198	8.2 %
3	HS GRAD:(3)	443	18.3 %
4	SOME CLG:(4)	413	17.0 %

Value	Label	Unweighted Frequency	%
5	CLG GRAD:(5)	615	25.4 %
6	GRAD SCH:(6)	365	15.1 %
7	DK:(7)	119	4.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	156	6.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,268 valid cases out of 2,424 total cases.

*Location:* 387-388 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6165: 186C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	357	14.7 %
2	YES/SOME:(2)	404	16.7 %
3	YES/MOST:(3)	385	15.9 %
4	YES/NRLY ALL:(4)	1103	45.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	175	7.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,249 valid cases out of 2,424 total cases.

*Location:* 389-390 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6166: 186C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly

Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	217	9.0 %
2	MILD GOP:(2)	248	10.2 %
3	MILD DEM:(3)	262	10.8 %
4	STRG DEM:(4)	248	10.2 %
5	INDEPNNDT:(5)	234	9.7 %
6	NO PREF:(6)	342	14.1 %
7	OTHER:(7)	47	1.9 %
8	DK/HVNT DECID:(8)	573	23.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	253	10.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,171 valid cases out of 2,424 total cases.

*Location:* 391-392 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6167: 186C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"  
 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of  
 the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	132	5.4 %
2	CONSERV:(2)	241	9.9 %
3	MODERATE:(3)	475	19.6 %
4	LIBERAL:(4)	364	15.0 %
5	VRY LIB:(5)	125	5.2 %
6	RADICAL:(6)	21	0.9 %
8	NONE/DK:(8)	867	35.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	199	8.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,225 valid cases out of 2,424 total cases.

*Location:* 393-394 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6169: 186C13A:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	475	19.6 %
2	RARELY:(2)	569	23.5 %
3	1-2X/MO:(3)	288	11.9 %
4	1/WK OR+:(4)	436	18.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	656	27.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,424 total cases.

*Location:* 395-396 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6170: 186C13B:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	501	20.7 %
2	LITL IMP:(2)	410	16.9 %
3	PRTY IMP:(3)	429	17.7 %

Value	Label	Unweighted Frequency	%
4	VERY IMP:(4)	423	17.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	661	27.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,763 valid cases out of 2,424 total cases.

*Location:* 397-398 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6171: 186C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2203	90.9 %
2	JUL-JAN:(2)	20	0.8 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	20	0.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	181	7.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,243 valid cases out of 2,424 total cases.

*Location:* 399-400 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6172: 186C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1107	45.7 %
2	GENERAL:(2)	736	30.4 %
3	VOC-TECH:(3)	82	3.4 %
4	OTH/DK:(4)	294	12.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	205	8.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,219 valid cases out of 2,424 total cases.

*Location:* 401-402 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6173: 186C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	50	2.1 %
2	BELOW AVG:(2)	70	2.9 %
3	SLIGHT BELOW:(3)	117	4.8 %
4	AVERAGE:(4)	747	30.8 %
5	SLIGHT ABOVE:(5)	513	21.2 %
6	ABOVE AVG:(6)	561	23.1 %
7	FAR ABOVE:(7)	143	5.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	223	9.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,201 valid cases out of 2,424 total cases.

*Location:* 403-404 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6174: 186C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others  
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below  
Average" 4="Average" 5="Slightly Above Average" 6="Above  
Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	51	2.1 %
2	BELOW AVG:(2)	49	2.0 %
3	SLIGHT BELOW:(3)	144	5.9 %
4	AVERAGE:(4)	665	27.4 %
5	SLIGHT ABOVE:(5)	551	22.7 %
6	ABOVE AVG:(6)	574	23.7 %
7	FAR ABOVE:(7)	178	7.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	212	8.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,212 valid cases out of 2,424 total cases.

*Location:* 405-406 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6175: 186C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school  
have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10  
Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1258	51.9 %
2	1 DAY:(2)	364	15.0 %
3	2 DAYS:(3)	240	9.9 %
4	3 DAYS:(4)	148	6.1 %
5	4-5 DAYS:(5)	111	4.6 %

Value	Label	Unweighted Frequency	%
6	6-10 DA:(6)	51	2.1 %
7	11+ DAYS:(7)	14	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	238	9.8 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,186 valid cases out of 2,424 total cases.

*Location:* 407-408 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6176: 186C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1518	62.6 %
2	1 DAY:(2)	294	12.1 %
3	2 DAYS:(3)	119	4.9 %
4	3 DAYS:(4)	93	3.8 %
5	4-5 DAYS:(5)	67	2.8 %
6	6-10 DA:(6)	30	1.2 %
7	11+ DAYS:(7)	16	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	287	11.8 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,137 valid cases out of 2,424 total cases.

*Location:* 409-410 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6177: 186C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1215	50.1 %
2	1 DAY:(2)	403	16.6 %
3	2 DAYS:(3)	246	10.1 %
4	3 DAYS:(4)	145	6.0 %
5	4-5 DAYS:(5)	87	3.6 %
6	6-10 DA:(6)	33	1.4 %
7	11+ DAYS:(7)	25	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	270	11.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,154 valid cases out of 2,424 total cases.

*Location:* 411-412 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6178: 186C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1704	70.3 %
2	1-2:(2)	325	13.4 %
3	3-5:(3)	118	4.9 %
4	6-10:(4)	47	1.9 %
5	11-20:(5)	11	0.5 %
6	21+:(6)	17	0.7 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	202	8.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,222 valid cases out of 2,424 total cases.

*Location:* 413-414 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6179: 186C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	24	1.0 %
2	C-:(2)	34	1.4 %
3	C:(3)	70	2.9 %
4	C+:(4)	183	7.5 %
5	B-:(5)	254	10.5 %
6	B:(6)	351	14.5 %
7	B+:(7)	408	16.8 %
8	A-:(8)	470	19.4 %
9	A:(9)	403	16.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	227	9.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,197 valid cases out of 2,424 total cases.

*Location:* 415-416 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6180: 186C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1239	51.1 %
2	PRB WONT:(2)	493	20.3 %
3	PRB WILL:(3)	247	10.2 %
4	DEF WILL:(4)	128	5.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	317	13.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,107 valid cases out of 2,424 total cases.

*Location:* 417-418 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6181: 186C21B:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1381	57.0 %
2	PRB WONT:(2)	496	20.5 %
3	PRB WILL:(3)	129	5.3 %
4	DEF WILL:(4)	109	4.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	309	12.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,115 valid cases out of 2,424 total cases.

*Location:* 419-420 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6182: 186C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	762	31.4 %
2	PRB WONT:(2)	414	17.1 %
3	PRB WILL:(3)	484	20.0 %
4	DEF WILL:(4)	440	18.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	324	13.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,100 valid cases out of 2,424 total cases.

*Location:* 421-422 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6183: 186C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	202	8.3 %
2	PRB WONT:(2)	186	7.7 %
3	PRB WILL:(3)	522	21.5 %

Value	Label	Unweighted Frequency	%
4	DEF WILL:(4)	1248	51.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	266	11.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,158 valid cases out of 2,424 total cases.

*Location:* 423-424 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6184: 186C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	406	16.7 %
2	PRB WONT:(2)	541	22.3 %
3	PRB WILL:(3)	668	27.6 %
4	DEF WILL:(4)	493	20.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	316	13.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,108 valid cases out of 2,424 total cases.

*Location:* 425-426 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6185: 186C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1855	76.5 %
1	MARKED:(1)	298	12.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	271	11.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,424 total cases.

*Location:* 427-428 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6186: 186C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1819	75.0 %
1	MARKED:(1)	334	13.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	271	11.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,424 total cases.

*Location:* 429-430 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6187: 186C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood

in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1594	65.8 %
1	MARKED:(1)	559	23.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	271	11.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,424 total cases.

*Location:* 431-432 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6188: 186C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	494	20.4 %
1	MARKED:(1)	1659	68.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	271	11.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,424 total cases.

*Location:* 433-434 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6189: 186C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1012	41.7 %
1	MARKED:(1)	1141	47.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	271	11.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,424 total cases.

*Location:* 435-436 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6190: 186C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1998	82.4 %
1	MARKED:(1)	155	6.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	271	11.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,424 total cases.

*Location:* 437-438 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6191: 186C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	892	36.8 %
2	5 OR <:(2)	204	8.4 %
3	6-10 HRS:(3)	209	8.6 %
4	11-15 HRS:(4)	193	8.0 %
5	16-20 HRS:(5)	238	9.8 %
6	21-25 HRS:(6)	208	8.6 %
7	26-30 HRS:(7)	107	4.4 %
8	30+ HRS:(8)	133	5.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	240	9.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,184 valid cases out of 2,424 total cases.

*Location:* 439-440 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6192: 186C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	937	38.7 %
2	\$1-5:(2)	13	0.5 %
3	\$6-10:(3)	66	2.7 %

Value	Label	Unweighted Frequency	%
4	\$11-20:(4)	68	2.8 %
5	\$21-35:(5)	58	2.4 %
6	\$36-50:(6)	64	2.6 %
7	\$51-75:(7)	132	5.4 %
8	\$76-125:(8)	288	11.9 %
9	\$126-175:(9)	221	9.1 %
10	\$176+:(10)	295	12.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	282	11.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,142 valid cases out of 2,424 total cases.

*Location:* 441-442 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6193: 186C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1118	46.1 %
2	\$1-5:(2)	106	4.4 %
3	\$6-10:(3)	152	6.3 %
4	\$11-20:(4)	256	10.6 %
5	\$21-35:(5)	158	6.5 %
6	\$36-50:(6)	96	4.0 %
7	\$51-75:(7)	56	2.3 %
8	\$76-125:(8)	48	2.0 %
9	\$126-175:(9)	23	0.9 %
10	\$176+:(10)	56	2.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	355	14.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,069 valid cases out of 2,424 total cases.

*Location:* 443-444 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6194: 186C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"

6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	434	17.9 %
2	ONE:(2)	448	18.5 %
3	TWO:(3)	580	23.9 %
4	THREE:(4)	424	17.5 %
5	4-5:(5)	212	8.7 %
6	6-7:(6)	79	3.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	247	10.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,177 valid cases out of 2,424 total cases.

*Location:* 445-446 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6195: 186C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"

4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1107	45.7 %
2	ONCE/MO:(2)	274	11.3 %

Value	Label	Unweighted Frequency	%
3	2-3X MO:(3)	234	9.7 %
4	ONCE WK:(4)	259	10.7 %
5	2-3X WK:(5)	218	9.0 %
6	3+ WEEK:(6)	100	4.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	232	9.6 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,192 valid cases out of 2,424 total cases.

*Location:* 447-448 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6196: 186C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	607	25.0 %
2	1-10 MI:(2)	226	9.3 %
3	11-50:(3)	491	20.3 %
4	51-100:(4)	431	17.8 %
5	101-200:(5)	247	10.2 %
6	> 200:(6)	182	7.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	240	9.9 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,184 valid cases out of 2,424 total cases.

*Location:* 449-450 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6197: 186C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1891	78.0 %
1	ONCE:(1)	168	6.9 %
2	TWICE:(2)	68	2.8 %
3	3 TIMES:(3)	17	0.7 %
4	4+ TIMES:(4)	17	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	263	10.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,161 valid cases out of 2,424 total cases.

*Location:* 451-452 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6198: 186C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	261	10.8 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2160	89.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 264 valid cases out of 2,424 total cases.

*Location:* 453-454 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6199: 186C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Using marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four+"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	252	10.4 %
1	ONE:(1)	8	0.3 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2160	89.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 264 valid cases out of 2,424 total cases.

*Location:* 455-456 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6200: 186C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you  
were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	261	10.8 %
1	ONE:(1)	2	0.1 %

Value	Label	Unweighted Frequency	%
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2161	89.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 263 valid cases out of 2,424 total cases.

*Location:* 457-458 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6201: 186C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"

4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1841	75.9 %
1	ONCE:(1)	244	10.1 %
2	TWICE:(2)	51	2.1 %
3	3 TIMES:(3)	14	0.6 %
4	4+ TIMES:(4)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	268	11.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,156 valid cases out of 2,424 total cases.

*Location:* 459-460 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6202: 186C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	304	12.5 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2116	87.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 308 valid cases out of 2,424 total cases.

*Location:* 461-462 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6203: 186C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Using marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four+"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	303	12.5 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2114	87.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 310 valid cases out of 2,424 total cases.

*Location:* 463-464 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6204: 186C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	306	12.6 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2116	87.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 308 valid cases out of 2,424 total cases.

*Location:* 465-466 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6205: 186C32 :USE SEATBLT-DRV

Item Number: 22210

When you drive a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"

8="Does Not Apply"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	85	3.5 %
2	SELDOM:(2)	47	1.9 %
3	SOMETIMES:(3)	82	3.4 %
4	OFTEN:(4)	134	5.5 %
5	ALWAYS:(5)	1647	67.9 %
8	INAP:(8)	154	6.4 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	275	11.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,149 valid cases out of 2,424 total cases.

*Location:* 467-468 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6206: 186C33 :USE SEATBLT-RIDR

Item Number: 22220

When you are riding in the front passenger seat of a car,  
how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"  
8="Does Not Apply"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	77	3.2 %
2	SELDOM:(2)	62	2.6 %
3	SOMETIMES:(3)	110	4.5 %
4	OFTEN:(4)	236	9.7 %
5	ALWAYS:(5)	1628	67.2 %
8	INAP:(8)	15	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	296	12.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,128 valid cases out of 2,424 total cases.

*Location:* 469-470 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6554: 186D01 :#X ANTISMK TV/RD

Item Number: 30260

The next questions are about anti-smoking commercials or  
"spots" that are intended to discourage cigarette smoking.

In recent months, about how often have you seen such anti-smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per

month" 4="1-3 times per week" 5="Daily or almost daily"  
 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	414	17.1 %
2	1-2 X:(2)	370	15.3 %
3	1-2/WK:(3)	558	23.0 %
4	3-5/WK:(4)	470	19.4 %
5	1/DAY:(5)	270	11.1 %
6	>1/DAY:(6)	90	3.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	252	10.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,172 valid cases out of 2,424 total cases.

*Location:* 471-472 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6555: 186D02 :#X ANTISMK PRINT

Item Number: 30270

In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily"  
 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	655	27.0 %
2	1-2 X:(2)	586	24.2 %
3	1-2/WK:(3)	529	21.8 %
4	3-5/WK:(4)	253	10.4 %
5	1/DAY:(5)	121	5.0 %
6	>1/DAY:(6)	27	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	253	10.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,171 valid cases out of 2,424 total cases.

*Location:* 473-474 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6556: 186D03A:ANTISMK ADS<FVRB

Item Number: 30280

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

A: . . . made you less favorable toward smoking cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	676	27.9 %
2	LTTL EXT:(2)	355	14.6 %
3	SOME EXT:(3)	489	20.2 %
4	GRT EXT:(4)	270	11.1 %
5	VRGR EXT:(5)	346	14.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	288	11.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,136 valid cases out of 2,424 total cases.

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6557: 186D03B:ANTISMK ADS<LKLY

Item Number: 30290

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

B: . . . made you less likely to smoke cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	664	27.4 %
2	LTTL EXT:(2)	324	13.4 %
3	SOME EXT:(3)	444	18.3 %

Value	Label	Unweighted Frequency	%
4	GRT EXT:(4)	284	11.7 %
5	VRGR EXT:(5)	411	17.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	297	12.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,127 valid cases out of 2,424 total cases.

*Location:* 477-478 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6558: 186D03C:ANTISMK ADS EXAG

Item Number: 30300

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

C: . . . overstated the dangers or risks of cigarette smoking?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	782	32.3 %
2	LTTL EXT:(2)	346	14.3 %
3	SOME EXT:(3)	423	17.5 %
4	GRT EXT:(4)	242	10.0 %
5	VRGR EXT:(5)	322	13.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	309	12.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,115 valid cases out of 2,424 total cases.

*Location:* 479-480 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6559: 186D04A:CIG SMKRS-ATHLTS

Item Number: 30310

These days, how many people in the following groups would

you guess are regular cigarette smokers?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	1033	42.6 %
2	11%-30%:(2)	461	19.0 %
3	31%-50%:(3)	180	7.4 %
4	51%-70%:(4)	93	3.8 %
5	71%-90%:(5)	50	2.1 %
6	91%-100%:(6)	26	1.1 %
8	NO IDEA:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	581	24.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,843 valid cases out of 2,424 total cases.

*Location:* 481-482 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6622: 186D04B:CIG SMKRS-MUSIC

Item Number: 33270

These days, how many people in the following groups would you guess are regular cigarette smokers?

B: Popular music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	253	10.4 %
2	11%-30%:(2)	455	18.8 %
3	31%-50%:(3)	453	18.7 %
4	51%-70%:(4)	342	14.1 %
5	71%-90%:(5)	246	10.1 %
6	91%-100%:(6)	126	5.2 %
8	NO IDEA:(8)	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	549	22.6 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,875 valid cases out of 2,424 total cases.

*Location:* 483-484 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6561: 186D04C:CIG SMKRS-ACTORS

Item Number: 30330

These days, how many people in the following groups would you guess are regular cigarette smokers?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	187	7.7 %
2	11%-30%:(2)	425	17.5 %
3	31%-50%:(3)	510	21.0 %
4	51%-70%:(4)	413	17.0 %
5	71%-90%:(5)	225	9.3 %
6	91%-100%:(6)	101	4.2 %
8	NO IDEA:(8)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	563	23.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,861 valid cases out of 2,424 total cases.

*Location:* 485-486 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6562: 186D04D:CIG SMKRS-PEERS

Item Number: 30340

These days, how many people in the following groups would

you guess are regular cigarette smokers?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	509	21.0 %
2	11%-30%:(2)	507	20.9 %
3	31%-50%:(3)	378	15.6 %
4	51%-70%:(4)	272	11.2 %
5	71%-90%:(5)	151	6.2 %
6	91%-100%:(6)	80	3.3 %
8	NO IDEA:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	527	21.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,897 valid cases out of 2,424 total cases.

*Location:* 487-488 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6563: 186D05A:USE DRUGS-ATHLTS

Item Number: 22380

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	542	22.4 %
2	11%-30%:(2)	458	18.9 %
3	31%-50%:(3)	363	15.0 %
4	51%-70%:(4)	229	9.4 %
5	71%-90%:(5)	160	6.6 %
6	91%-100%:(6)	87	3.6 %

Value	Label	Unweighted Frequency	%
8	NO IDEA:(8)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	585	24.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,839 valid cases out of 2,424 total cases.

*Location:* 489-490 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6623: 186D05B:USE DRUGS-MUSIC

Item Number: 33280

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

B: Popular music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	145	6.0 %
2	11%-30%:(2)	215	8.9 %
3	31%-50%:(3)	337	13.9 %
4	51%-70%:(4)	460	19.0 %
5	71%-90%:(5)	411	17.0 %
6	91%-100%:(6)	295	12.2 %
8	NO IDEA:(8)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	561	23.1 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,863 valid cases out of 2,424 total cases.

*Location:* 491-492 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6565: 186D05C:USE DRUGS-ACTORS

Item Number: 22400

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	157	6.5 %
2	11%-30%:(2)	267	11.0 %
3	31%-50%:(3)	411	17.0 %
4	51%-70%:(4)	439	18.1 %
5	71%-90%:(5)	361	14.9 %
6	91%-100%:(6)	207	8.5 %
8	NO IDEA:(8)	276	11.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	306	12.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,118 valid cases out of 2,424 total cases.

*Location:* 493-494 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6566: 186D05D:USE DRUGS-PEERS

Item Number: 22405

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	207	8.5 %
2	11%-30%:(2)	329	13.6 %
3	31%-50%:(3)	432	17.8 %
4	51%-70%:(4)	425	17.5 %

Value	Label	Unweighted Frequency	%
5	71%-90%:(5)	327	13.5 %
6	91%-100%:(6)	164	6.8 %
8	NO IDEA:(8)	227	9.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	313	12.9 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,111 valid cases out of 2,424 total cases.

*Location:* 495-496 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6624: 186D06 :SMKRS IN MOVIE

Item Number: 33290

Think about the movie that you watched most recently. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

Value	Label	Unweighted Frequency	%
1	NO:(1)	807	33.3 %
2	SOME:(2)	807	33.3 %
3	A LOT:(3)	172	7.1 %
4	DONT REMEMBER:(4)	339	14.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	299	12.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,125 valid cases out of 2,424 total cases.

*Location:* 497-498 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6353: 186D07A:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	139	5.7 %
2	MOST DIS:(2)	186	7.7 %
3	NEITHER:(3)	285	11.8 %
4	MOST AGR:(4)	833	34.4 %
5	AGREE:(5)	653	26.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	328	13.5 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,096 valid cases out of 2,424 total cases.

*Location:* 499-500 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6354: 186D07B:LIFE MEANINGLESS

Item Number: 23700

How much do you agree or disagree with each of the following statements?

B: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	668	27.6 %
2	MOST DIS:(2)	505	20.8 %
3	NEITHER:(3)	440	18.2 %
4	MOST AGR:(4)	323	13.3 %
5	AGREE:(5)	159	6.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	329	13.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,095 valid cases out of 2,424 total cases.

*Location:* 501-502 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6355: 186D07C:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following statements?

C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	63	2.6 %
2	MOST DIS:(2)	50	2.1 %
3	NEITHER:(3)	192	7.9 %
4	MOST AGR:(4)	696	28.7 %
5	AGREE:(5)	1089	44.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	334	13.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,090 valid cases out of 2,424 total cases.

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6356: 186D07D:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements?

D: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	704	29.0 %
2	MOST DIS:(2)	538	22.2 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	369	15.2 %
4	MOST AGR:(4)	300	12.4 %
5	AGREE:(5)	167	6.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	346	14.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,078 valid cases out of 2,424 total cases.

*Location:* 505-506 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6357: 186D07E:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements?

E: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	104	4.3 %
2	MOST DIS:(2)	175	7.2 %
3	NEITHER:(3)	362	14.9 %
4	MOST AGR:(4)	614	25.3 %
5	AGREE:(5)	814	33.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	355	14.6 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,069 valid cases out of 2,424 total cases.

*Location:* 507-508 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6358: 186D07F:I ENJOY LIFE

Item Number: 23710

How much do you agree or disagree with each of the following statements?

F: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	116	4.8 %
2	MOST DIS:(2)	216	8.9 %
3	NEITHER:(3)	371	15.3 %
4	MOST AGR:(4)	671	27.7 %
5	AGREE:(5)	693	28.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	357	14.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,067 valid cases out of 2,424 total cases.

*Location:* 509-510 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6359: 186D07G:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements?

G: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	282	11.6 %
2	MOST DIS:(2)	326	13.4 %
3	NEITHER:(3)	547	22.6 %
4	MOST AGR:(4)	563	23.2 %
5	AGREE:(5)	350	14.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	356	14.7 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,068 valid cases out of 2,424 total cases.

*Location:* 511-512 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6360: 186D07H:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements?

H: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	603	24.9 %
2	MOST DIS:(2)	450	18.6 %
3	NEITHER:(3)	401	16.5 %
4	MOST AGR:(4)	387	16.0 %
5	AGREE:(5)	224	9.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	359	14.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,065 valid cases out of 2,424 total cases.

*Location:* 513-514 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6361: 186D07I:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	78	3.2 %
2	MOST DIS:(2)	137	5.7 %
3	NEITHER:(3)	368	15.2 %
4	MOST AGR:(4)	823	34.0 %
5	AGREE:(5)	659	27.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	359	14.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,065 valid cases out of 2,424 total cases.

*Location:* 515-516 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6362: 186D07J:FUTURE HOPELESS

Item Number: 23720

How much do you agree or disagree with each of the following statements?

J: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	790	32.6 %
2	MOST DIS:(2)	504	20.8 %
3	NEITHER:(3)	382	15.8 %
4	MOST AGR:(4)	230	9.5 %
5	AGREE:(5)	156	6.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	362	14.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,062 valid cases out of 2,424 total cases.

*Location:* 517-518 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6363: 186D07K:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

K: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	305	12.6 %
2	MOST DIS:(2)	376	15.5 %
3	NEITHER:(3)	494	20.4 %
4	MOST AGR:(4)	574	23.7 %
5	AGREE:(5)	305	12.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	370	15.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,054 valid cases out of 2,424 total cases.

*Location:* 519-520 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6364: 186D07L:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following statements?

L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	722	29.8 %
2	MOST DIS:(2)	504	20.8 %
3	NEITHER:(3)	412	17.0 %
4	MOST AGR:(4)	265	10.9 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	144	5.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	377	15.6 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,047 valid cases out of 2,424 total cases.

*Location:* 521-522 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6365: 186D07M:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements?

M: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	134	5.5 %
2	MOST DIS:(2)	197	8.1 %
3	NEITHER:(3)	397	16.4 %
4	MOST AGR:(4)	652	26.9 %
5	AGREE:(5)	675	27.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	369	15.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,055 valid cases out of 2,424 total cases.

*Location:* 523-524 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6366: 186D07N:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	833	34.4 %
2	MOST DIS:(2)	465	19.2 %
3	NEITHER:(3)	408	16.8 %
4	MOST AGR:(4)	221	9.1 %
5	AGREE:(5)	128	5.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	369	15.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,055 valid cases out of 2,424 total cases.

*Location:* 525-526 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6367: 186D07O:GOOD TO BE ALIVE

Item Number: 23730

How much do you agree or disagree with each of the following statements?

O: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	77	3.2 %
2	MOST DIS:(2)	117	4.8 %
3	NEITHER:(3)	330	13.6 %
4	MOST AGR:(4)	552	22.8 %
5	AGREE:(5)	981	40.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	367	15.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,057 valid cases out of 2,424 total cases.

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6581: 186D07P:LIK XPLOR STRANG

Item Number: 31080

How much do you agree or disagree with each of the following statements?

P: I would like to explore strange places

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	105	4.3 %
2	MOST DIS:(2)	105	4.3 %
3	NEITHER:(3)	292	12.0 %
4	MOST AGR:(4)	571	23.6 %
5	AGREE:(5)	977	40.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	374	15.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,050 valid cases out of 2,424 total cases.

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6582: 186D07Q:LIK DO FRIGHT TG

Item Number: 31090

How much do you agree or disagree with each of the following statements?

Q: I like to do frightening things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	363	15.0 %
2	MOST DIS:(2)	378	15.6 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	539	22.2 %
4	MOST AGR:(4)	407	16.8 %
5	AGREE:(5)	358	14.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	379	15.6 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,045 valid cases out of 2,424 total cases.

*Location:* 531-532 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6583: 186D07R:LIK EVN BRK RULE

Item Number: 31100

How much do you agree or disagree with each of the following statements?

R: I like new and exciting experiences, even if I have to break the rules

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	232	9.6 %
2	MOST DIS:(2)	279	11.5 %
3	NEITHER:(3)	473	19.5 %
4	MOST AGR:(4)	599	24.7 %
5	AGREE:(5)	461	19.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	380	15.7 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,044 valid cases out of 2,424 total cases.

*Location:* 533-534 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6584: 186D07S:PRF FRND EXCITNG

Item Number: 31110

How much do you agree or disagree with each of the following statements?

S: I prefer friends who are exciting and unpredictable

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	144	5.9 %
2	MOST DIS:(2)	225	9.3 %
3	NEITHER:(3)	599	24.7 %
4	MOST AGR:(4)	574	23.7 %
5	AGREE:(5)	491	20.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	391	16.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,033 valid cases out of 2,424 total cases.

*Location:* 535-536 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6610: 186D07T:I AM OFTEN BORED

Item Number: 32000

How much do you agree or disagree with each of the following statements?

T: I am often bored

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	223	9.2 %
2	MOST DIS:(2)	347	14.3 %
3	NEITHER:(3)	513	21.2 %
4	MOST AGR:(4)	550	22.7 %
5	AGREE:(5)	403	16.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	388	16.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,036 valid cases out of 2,424 total cases.

*Location:* 537-538 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6497: 186D08A:#XDRUNK/LIFETIME

Item Number: 25020

The different questionnaire forms used in this study emphasize different topics. In the rest of this questionnaire, we ask more about your experiences and attitudes relating to alcohol and other drugs.

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1131	46.7 %
2	1-2X:(2)	264	10.9 %
3	3-5X:(3)	157	6.5 %
4	6-9X:(4)	107	4.4 %
5	10-19X:(5)	137	5.7 %
6	20-39X:(6)	97	4.0 %
7	40+OCCAS:(7)	145	6.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	386	15.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,038 valid cases out of 2,424 total cases.

*Location:* 539-540 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6498: 186D08B:#XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1284	53.0 %
2	1-2X:(2)	281	11.6 %
3	3-5X:(3)	152	6.3 %
4	6-9X:(4)	98	4.0 %
5	10-19X:(5)	106	4.4 %
6	20-39X:(6)	57	2.4 %
7	40+OCCAS:(7)	54	2.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	392	16.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,032 valid cases out of 2,424 total cases.

*Location:* 541-542 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6499: 186D08C:#XDRUNK/LAST30DA

Item Number: 25040

On how many occasions (if any) have you been drunk or very  
high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1595	65.8 %
2	1-2X:(2)	240	9.9 %
3	3-5X:(3)	92	3.8 %
4	6-9X:(4)	52	2.1 %
5	10-19X:(5)	28	1.2 %
6	20-39X:(6)	7	0.3 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	13	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	397	16.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,027 valid cases out of 2,424 total cases.

*Location:* 543-544 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6368: 186D09A:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1995	82.3 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	6	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	397	16.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,027 valid cases out of 2,424 total cases.

*Location:* 545-546 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6369: 186D09B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2013	83.0 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	390	16.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,034 valid cases out of 2,424 total cases.

*Location:* 547-548 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6370: 186D09C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2015	83.1 %
2	1-2X:(2)	7	0.3 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	392	16.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,032 valid cases out of 2,424 total cases.

*Location:* 549-550 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6376: 186D10A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own?

(Mark ALL that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	37	1.5 %
1	MARKED:(1)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	2382	98.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 42 valid cases out of 2,424 total cases.

*Location:* 551-552 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6377: 186D10B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own?

(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	25	1.0 %
1	MARKED:(1)	17	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2382	98.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 42 valid cases out of 2,424 total cases.

*Location:* 553-554 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6580: 186D10C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?

C: Haven't used steroids.

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	20	0.8 %
1	MARKED:(1)	2017	83.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	387	16.0 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,037 valid cases out of 2,424 total cases.

*Location:* 555-556 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6500: 186D11A:#X INJECT/LIFE

Item Number: 25050

On how many occasions (if any) have you taken any drugs by

injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

A: . . . in your lifetime?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2017	83.2 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	390	16.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,034 valid cases out of 2,424 total cases.

*Location:* 557-558 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6501: 186D11B:#X INJECT/LST12M

Item Number: 25060

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

B: . . . during the last 12 months?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2023	83.5 %
2	1-2X:(2)	4	0.2 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	389	16.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,035 valid cases out of 2,424 total cases.

*Location:* 559-560 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6502: 186D11C:#X INJECT/LST30D

Item Number: 25070

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

C: . . . during the last 30 days?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2026	83.6 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	389	16.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,035 valid cases out of 2,424 total cases.

*Location:* 561-562 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6503: 186D12 :GR 1ST INJECT

Item Number: 25680

When (if ever) did you FIRST inject any drug with a needle  
(without doctor's orders)?

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	0	0.0 %
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	1	0.0 %
6	GRADE 11:(6)	1	0.0 %
7	GRADE 12:(7)	2	0.1 %
8	NEVER:(8)	1998	82.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	416	17.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,008 valid cases out of 2,424 total cases.

*Location:* 563-564 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6378: 186D13A:GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?

A: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	59	2.4 %
2	GRADE 7:(2)	36	1.5 %
3	GRADE 8:(3)	50	2.1 %
4	GRADE 9:(4)	69	2.8 %
5	GRADE 10:(5)	76	3.1 %
6	GRADE 11:(6)	64	2.6 %
7	GRADE 12:(7)	45	1.9 %
8	NEVER:(8)	1544	63.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	481	19.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,943 valid cases out of 2,424 total cases.

*Location:* 565-566 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6379: 186D13B:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?

B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	7	0.3 %
2	GRADE 7:(2)	10	0.4 %
3	GRADE 8:(3)	7	0.3 %
4	GRADE 9:(4)	18	0.7 %
5	GRADE 10:(5)	27	1.1 %
6	GRADE 11:(6)	24	1.0 %
7	GRADE 12:(7)	22	0.9 %
8	NEVER:(8)	1861	76.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	448	18.5 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,976 valid cases out of 2,424 total cases.

*Location:* 567-568 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6380: 186D13C:GR 1ST SMOKELESS

Item Number: 05576

When (if ever) did you FIRST do each of the following things?

C: Try smokeless tobacco (snuff, plug, chewing tobacco, snus, dissolvable tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	38	1.6 %
2	GRADE 7:(2)	18	0.7 %
3	GRADE 8:(3)	20	0.8 %
4	GRADE 9:(4)	47	1.9 %
5	GRADE 10:(5)	43	1.8 %
6	GRADE 11:(6)	35	1.4 %
7	GRADE 12:(7)	29	1.2 %
8	NEVER:(8)	1780	73.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	414	17.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,010 valid cases out of 2,424 total cases.

*Location:* 569-570 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6482: 186D14A:FUTR SMOKE CIGS

Item Number: 24440

In the future, do you think that you will . . .

A: . . . Smoke cigarettes?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	116	4.8 %
2	PROB WILL:(2)	83	3.4 %
3	DK:(3)	98	4.0 %
4	PRB WONT:(4)	231	9.5 %
5	DEF WONT:(5)	1494	61.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	402	16.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,022 valid cases out of 2,424 total cases.

*Location:* 571-572 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6483: 186D14B:FUTR DRINK ALCOL

Item Number: 24450

In the future, do you think that you will . . .

B: . . . Drink alcoholic beverages?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	595	24.5 %
2	PROB WILL:(2)	673	27.8 %
3	DK:(3)	263	10.8 %
4	PRB WONT:(4)	127	5.2 %
5	DEF WONT:(5)	360	14.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	406	16.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,018 valid cases out of 2,424 total cases.

*Location:* 573-574 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6484: 186D14C:FUTR TRY/USE MJ

Item Number: 24460

In the future, do you think that you will . . .

C: . . . Try or use marijuana?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	405	16.7 %
2	PROB WILL:(2)	390	16.1 %
3	DK:(3)	306	12.6 %
4	PRB WONT:(4)	205	8.5 %
5	DEF WONT:(5)	710	29.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	408	16.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,016 valid cases out of 2,424 total cases.

*Location:* 575-576 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6485: 186D14D:FUTR TRY/USE CRK

Item Number: 24470

In the future, do you think that you will . . .

D: . . . Try or use "crack" cocaine?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	106	4.4 %
2	PROB WILL:(2)	19	0.8 %
3	DK:(3)	52	2.1 %
4	PRB WONT:(4)	98	4.0 %
5	DEF WONT:(5)	1742	71.9 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	407	16.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,017 valid cases out of 2,424 total cases.

*Location:* 577-578 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6486: 186D14E:FUTR TRY/US COKP

Item Number: 24480

In the future, do you think that you will . . .

E: . . . Try or use cocaine in powder form?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	114	4.7 %
2	PROB WILL:(2)	45	1.9 %
3	DK:(3)	74	3.1 %
4	PRB WONT:(4)	111	4.6 %
5	DEF WONT:(5)	1675	69.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	405	16.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,019 valid cases out of 2,424 total cases.

*Location:* 579-580 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6487: 186D14F:FUTR TR/U OTH DG

Item Number: 24490

In the future, do you think that you will . . .

F: . . . Try or use any other illegal drugs?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	132	5.4 %
2	PROB WILL:(2)	81	3.3 %
3	DK:(3)	133	5.5 %
4	PRB WONT:(4)	142	5.9 %
5	DEF WONT:(5)	1528	63.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	408	16.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,016 valid cases out of 2,424 total cases.

*Location:* 581-582 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6569: 186D15A:FRND DAP CIG OCC

Item Number: 30380

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

A: Smoking cigarettes occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	376	15.5 %
2	DISAPPRV:(2)	698	28.8 %
3	STRG DIS:(3)	930	38.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	420	17.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,004 valid cases out of 2,424 total cases.

*Location:* 583-584 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6570: 186D15B:FRND DAP CIG DLY

Item Number: 30390

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

B: Smoking cigarettes every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	217	9.0 %
2	DISAPPRV:(2)	530	21.9 %
3	STRG DIS:(3)	1250	51.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	427	17.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,997 valid cases out of 2,424 total cases.

*Location:* 585-586 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6408: 186D15C:FRD DAP CIGS

Item Number: 11470

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

C: Smoking one or more packs of cigarettes per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	162	6.7 %
2	DISAPPRV:(2)	434	17.9 %
3	STRG DIS:(3)	1390	57.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	438	18.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,986 valid cases out of 2,424 total cases.

*Location:* 587-588 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6571: 186D15D:FRND DAP SMKL OC

Item Number: 30400

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

D: Using smokeless tobacco occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	332	13.7 %
2	DISAPPRV:(2)	632	26.1 %
3	STRG DIS:(3)	1023	42.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	437	18.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,987 valid cases out of 2,424 total cases.

*Location:* 589-590 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6572: 186D15E:FRND DAP SMKL DL

Item Number: 30410

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

E: Using smokeless tobacco every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	257	10.6 %
2	DISAPPRV:(2)	539	22.2 %
3	STRG DIS:(3)	1187	49.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	441	18.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,983 valid cases out of 2,424 total cases.

*Location:* 591-592 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6573: 186D15F:FRND DAP SMKL D+

Item Number: 30420

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

F: Using smokeless tobacco several times per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	239	9.9 %
2	DISAPPRV:(2)	471	19.4 %
3	STRG DIS:(3)	1274	52.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	440	18.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,984 valid cases out of 2,424 total cases.

*Location:* 593-594 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6409: 186D15G:FRD DAP TRY MARJ

Item Number: 11480

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

G: Trying marijuana once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	1084	44.7 %
2	DISAPPRV:(2)	436	18.0 %
3	STRG DIS:(3)	471	19.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	433	17.9 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,991 valid cases out of 2,424 total cases.

*Location:* 595-596 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6410: 186D15H:FRD DAP MJ OCC

Item Number: 11490

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? (Mark one circle for each line.)

H. Using marijuana occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	925	38.2 %
2	DISAPPRV:(2)	479	19.8 %
3	STRG DIS:(3)	577	23.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	443	18.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,981 valid cases out of 2,424 total cases.

*Location:* 597-598 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6411: 186D15I:FRD DAP MJ REG

Item Number: 11500

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? (Mark one circle for each line.)

I. Using marijuana regularly

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	617	25.5 %
2	DISAPPRV:(2)	578	23.8 %
3	STRG DIS:(3)	783	32.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	446	18.4 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,978 valid cases out of 2,424 total cases.

*Location:* 599-600 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6414: 186D15J:FRD DAP TRY CRCK

Item Number: 23940

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

J: Trying "crack" cocaine once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	146	6.0 %
2	DISAPPRV:(2)	320	13.2 %
3	STRG DIS:(3)	1563	64.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	395	16.3 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,029 valid cases out of 2,424 total cases.

*Location:* 601-602 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6415: 186D15K:FRD DAP CRCK OCC

Item Number: 23950

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

K: Taking "crack" cocaine occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	101	4.2 %
2	DISAPPRV:(2)	288	11.9 %
3	STRG DIS:(3)	1637	67.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	398	16.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,026 valid cases out of 2,424 total cases.

*Location:* 603-604 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6416: 186D15L:FRD DAP TRY PWDR

Item Number: 23960

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

L: Trying cocaine powder once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	173	7.1 %
2	DISAPPRV:(2)	298	12.3 %
3	STRG DIS:(3)	1548	63.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	405	16.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,019 valid cases out of 2,424 total cases.

*Location:* 605-606 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6417: 186D15M:FRD DAP PWDR OCC

Item Number: 23970

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

M: Taking cocaine powder occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	125	5.2 %
2	DISAPPRV:(2)	295	12.2 %
3	STRG DIS:(3)	1597	65.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	407	16.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,017 valid cases out of 2,424 total cases.

*Location:* 607-608 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6418: 186D15N:FRD DAP 1-2DR/DA

Item Number: 11530

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

N: Taking one or two drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	455	18.8 %
2	DISAPPRV:(2)	617	25.5 %
3	STRG DIS:(3)	933	38.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	419	17.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,005 valid cases out of 2,424 total cases.

*Location:* 609-610 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6419: 186D15O:FRD DAP 4-5DR/DA

Item Number: 11540

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

O: Taking four or five drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	232	9.6 %
2	DISAPPRV:(2)	509	21.0 %
3	STRG DIS:(3)	1277	52.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	406	16.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,018 valid cases out of 2,424 total cases.

*Location:* 611-612 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6420: 186D15P:FRD DAP 5+DR/WKD

Item Number: 11550

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

P: Having five or more drinks once or twice each weekend

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	557	23.0 %
2	DISAPPRV:(2)	475	19.6 %
3	STRG DIS:(3)	989	40.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	403	16.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,021 valid cases out of 2,424 total cases.

*Location:* 613-614 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6421: 186D15Q:FRD DAP DRIV+2DR

Item Number: 11551

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Q: Driving a car after having 1-2 drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	206	8.5 %
2	DISAPPRV:(2)	452	18.6 %
3	STRG DIS:(3)	1352	55.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	414	17.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,010 valid cases out of 2,424 total cases.

*Location:* 615-616 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6422: 186D15R:FRD DAP DRIV+5DR

Item Number: 11552

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

R: Driving a car after having 5 or more drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	102	4.2 %
2	DISAPPRV:(2)	213	8.8 %
3	STRG DIS:(3)	1698	70.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	411	17.0 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,013 valid cases out of 2,424 total cases.

*Location:* 617-618 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6423: 186D16A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1088	44.9 %
2	A FEW:(2)	639	26.4 %
3	SOME:(3)	223	9.2 %
4	MOST:(4)	60	2.5 %
5	ALL:(5)	22	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	392	16.2 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,032 valid cases out of 2,424 total cases.

*Location:* 619-620 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6424: 186D16B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Use marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	516	21.3 %
2	A FEW:(2)	554	22.9 %
3	SOME:(3)	493	20.3 %
4	MOST:(4)	385	15.9 %
5	ALL:(5)	81	3.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	395	16.3 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,029 valid cases out of 2,424 total cases.

*Location:* 621-622 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6432: 186D16C:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1757	72.5 %
2	A FEW:(2)	197	8.1 %
3	SOME:(3)	39	1.6 %
4	MOST:(4)	13	0.5 %
5	ALL:(5)	21	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	397	16.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,027 valid cases out of 2,424 total cases.

*Location:* 623-624 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6433: 186D16D:# FRNDS TK C PWD

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1686	69.6 %
2	A FEW:(2)	248	10.2 %
3	SOME:(3)	52	2.1 %
4	MOST:(4)	20	0.8 %
5	ALL:(5)	19	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	399	16.5 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,025 valid cases out of 2,424 total cases.

*Location:* 625-626 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6436: 186D16E:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate . . .

E: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1797	74.1 %
2	A FEW:(2)	138	5.7 %
3	SOME:(3)	43	1.8 %
4	MOST:(4)	14	0.6 %
5	ALL:(5)	24	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	408	16.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,016 valid cases out of 2,424 total cases.

*Location:* 627-628 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6488: 186D16F:ALL FRD TK MDMA

Item Number: 23020

How many of your friends would you estimate . . .

F: . . . Take MDMA ("Molly," "ecstasy")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1593	65.7 %
2	A FEW:(2)	307	12.7 %
3	SOME:(3)	73	3.0 %
4	MOST:(4)	22	0.9 %
5	ALL:(5)	17	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	412	17.0 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 2,012 valid cases out of 2,424 total cases.

*Location:* 629-630 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6489: 186D16G:ALL FRD TK ICE

Item Number: 24500

How many of your friends would you estimate . . .

G: . . . Take crystal meth ("ice")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1886	77.8 %
2	A FEW:(2)	73	3.0 %
3	SOME:(3)	27	1.1 %
4	MOST:(4)	10	0.4 %

Value	Label	Unweighted Frequency	%
5	ALL:(5)	20	0.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	408	16.8 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,016 valid cases out of 2,424 total cases.

*Location:* 631-632 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6490: 186D16H:ALL FRD TK STERS

Item Number: 23030

How many of your friends would you estimate . . .

H: . . . Take steroids?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1729	71.3 %
2	A FEW:(2)	207	8.5 %
3	SOME:(3)	42	1.7 %
4	MOST:(4)	15	0.6 %
5	ALL:(5)	15	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	416	17.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 2,008 valid cases out of 2,424 total cases.

*Location:* 633-634 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6585: 186D17A:#X GHB/LAST12MO

Item Number: 31050

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

A. . . . taken GHB ("liquid G," "grievous bodily harm")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1982	81.8 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	434	17.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,990 valid cases out of 2,424 total cases.

*Location:* 635-636 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6586: 186D17B:#X KETAMINE/12M

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

B. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1971	81.3 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	442	18.2 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,982 valid cases out of 2,424 total cases.

*Location:* 637-638 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6590: 186D17C:#X CREATINE/12MO

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1800	74.3 %
2	1-2X:(2)	52	2.1 %
3	3-5X:(3)	30	1.2 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	18	0.7 %
6	20-39X:(6)	21	0.9 %
7	40+OCCAS:(7)	41	1.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	448	18.5 %
	<b>Total</b>	<b>2,424</b>	<b>100%</b>

Based upon 1,976 valid cases out of 2,424 total cases.

*Location:* 639-640 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6591: 186D17D:#X RITALIN/12MO

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . taken ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1944	80.2 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	453	18.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,971 valid cases out of 2,424 total cases.

*Location:* 641-642 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6611: 186D17E:#X ADDERALL/12MO

Item Number: 32540

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1881	77.6 %
2	1-2X:(2)	45	1.9 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	9	0.4 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	446	18.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,978 valid cases out of 2,424 total cases.

*Location:* 643-644 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6594: 186D17F:#X OXYCONTN/12MO

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F: . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1931	79.7 %
2	1-2X:(2)	20	0.8 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	453	18.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,971 valid cases out of 2,424 total cases.

*Location:* 645-646 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6595: 186D17G:#X VICODIN/12MO

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G: . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1939	80.0 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	447	18.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,977 valid cases out of 2,424 total cases.

*Location:* 647-648 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6596: 186D17H:#X ROHYPNL/12MO

Item Number: 29785

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H: . . . taken Rohypnol ("rophies," "roofies")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1947	80.3 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	3	0.1 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	464	19.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,960 valid cases out of 2,424 total cases.

*Location:* 649-650 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6609: 186D17I:#X COUGHMED/12MO

Item Number: 31670

During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

I: . . . taken nonprescription cough or cold medicine  
("robo," "DXM," etc.) to get high?

1="0" 2="1-2" 3="3-5" 4="6-9" 5="10-19" 6="20-39" 7="40+"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1911	78.8 %
2	1-2X:(2)	29	1.2 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	455	18.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,969 valid cases out of 2,424 total cases.

*Location:* 651-652 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6612: 186D17J:#X SALVIA/12MO

Item Number: 32500

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J. . . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1952	80.5 %
2	1-2X:(2)	6	0.2 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	455	18.8 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,969 valid cases out of 2,424 total cases.

*Location:* 653-654 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6617: 186D17K:#X SYNTHETIC MJ/12MO

Item Number: 32700

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

K. . . . taken "synthetic marijuana" ("K2", "Spice") to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1927	79.5 %
2	1-2X:(2)	26	1.1 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	8	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	10	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	445	18.4 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,979 valid cases out of 2,424 total cases.

*Location:* 655-656 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6631: 186D17L:#X FLAKKA/12MO

Item Number: 34070

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

L: . . . taken Flakka ("gravel")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1949	80.4 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	463	19.1 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,961 valid cases out of 2,424 total cases.

*Location:* 657-658 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6621: 186D17M:#X BATH SALTS/12MO

Item Number: 32730

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

M. . . . taken any other "bath salts" (synthetic stimulants) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1961	80.9 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	451	18.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,973 valid cases out of 2,424 total cases.

*Location:* 659-660 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6637: 186D17N:#X HASH/OIL LAST 12M

Item number: 33980

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

N. . . . used hash oil ("dabs," "honey oil," "budder," "shatter")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions"  
6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1755	72.4 %
2	1-2X:(2)	78	3.2 %
3	3-5X:(3)	44	1.8 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	20	0.8 %
5	10-19X:(5)	25	1.0 %
6	20-39X:(6)	10	0.4 %
7	40+OCCAS:(7)	39	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	453	18.7 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,971 valid cases out of 2,424 total cases.

*Location:* 661-662 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6618: 186D17O:#X ALC BVRG W-CAFF/12MO

Item Number: 32690

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

O. . . . had an alcoholic beverage mixed with an energy drink (like Red Bull)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1616	66.7 %
2	1-2X:(2)	166	6.8 %
3	3-5X:(3)	84	3.5 %
4	6-9X:(4)	39	1.6 %
5	10-19X:(5)	32	1.3 %
6	20-39X:(6)	13	0.5 %
7	40+OCCAS:(7)	23	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	451	18.6 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,973 valid cases out of 2,424 total cases.

*Location:* 663-664 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6632: 186D17P:#X PWD ALCOHOL/12MO

Item Number: 34040

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

P: . . . had powdered alcohol?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1949	80.4 %
2	1-2X:(2)	6	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	458	18.9 %
<b>Total</b>		<b>2,424</b>	<b>100%</b>

Based upon 1,966 valid cases out of 2,424 total cases.

*Location:* 665-666 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## APPENDIX

## **Appendix A: Publications**

In previous years, Monitoring the Future publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

## Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83
2012	107	20	127	14,343	83
2013	106	20	126	13,180	82
2014	105	17	122	13,015	82
2015	101	20	121	13,730	83
2016	100	20	120	12,600	80
2017	105	18	123	13,522	79
2018	106	22	128	14,502	81

\* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.