

ICPSR 34861

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2012

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social
Research. Survey Research Center*

Codebook for Form 2 Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34861/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2012 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

-
-
- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable ARCHIVE_WT (previously V5) as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2012 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	134	278	14,343
2	Form 1	646	1,303	2,379
3	Form 2	331	671	2,390
4	Form 3	361	732	2,385
5	Form 4	271	553	2,396
6	Form 5	309	627	2,401
7	Form 6	339	688	2,392

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (ARCHIVE_WT) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE < 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 34861

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2012

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

Form 2 Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,390 valid cases out of 2,390 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2012	-	2390	100.0 %
	Total	2,390	100%

Based upon 2,390 valid cases out of 2,390 total cases.

Location: 5-8 (width: 4; decimal: 0)

Variable Type: numeric

V3: 126:FORM ID

Value	Label	Unweighted Frequency	%
2	-	2390	100.0 %
	Total	2,390	100%

Based upon 2,390 valid cases out of 2,390 total cases.

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

RESPONDENT_ID: ARCHIVE ID

Based upon 2,390 valid cases out of 2,390 total cases.

Location: 10-14 (width: 5; decimal: 0)

Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 2,390 valid cases out of 2,390 total cases.

Location: 15-20 (width: 6; decimal: 4)

Variable Type: numeric

V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	439	18.4 %
2	NORTH CENTRL:(2)	558	23.3 %
3	SOUTH:(3)	758	31.7 %
4	WEST:(4)	635	26.6 %
	Total	2,390	100%

Based upon 2,390 valid cases out of 2,390 total cases.

Location: 21-21 (width: 1; decimal: 0)

Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	NOT:(0)	1465	61.3 %
1	LARGE MSA:(1)	925	38.7 %
	Total	2,390	100%

Based upon 2,390 valid cases out of 2,390 total cases.

Location: 22-22 (width: 1; decimal: 0)

Variable Type: numeric

V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT:(0)	477	20.0 %
1	MSA:(1)	1913	80.0 %
	Total	2,390	100%

Based upon 2,390 valid cases out of 2,390 total cases.

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

V2208: 122A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	259	10.8 %
2	PRTY HPY:(2)	1460	61.1 %
3	VRY HPY:(3)	564	23.6 %
	Missing Data		
-9	MISSING:(-9)	107	4.5 %
	Total	2,390	100%

Based upon 2,283 valid cases out of 2,390 total cases.

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2209: 122A02A:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do.
How often do you do each of the following?

A: Watch TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	24	1.0 %
2	FEW /YR:(2)	48	2.0 %
3	1-2 /MO:(3)	137	5.7 %
4	1 /WK:(4)	676	28.3 %
5	NR DAILY:(5)	1488	62.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	17	0.7 %
	Total	2,390	100%

Based upon 2,373 valid cases out of 2,390 total cases.

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2210: 122A02B:DALY GO TO MOVIE

Item Number: 05830

How often do you do each of the following?

B: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	63	2.6 %
2	FEW /YR:(2)	1026	42.9 %
3	1-2 /MO:(3)	1160	48.5 %
4	1 /WK:(4)	116	4.9 %
5	NR DAILY:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	15	0.6 %
	Total	2,390	100%

Based upon 2,375 valid cases out of 2,390 total cases.

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2432: 122A02C:DALY MUSIC CNCRT

Item Number: 05846

How often do you do each of the following?

C: Go to music concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	971	40.6 %
2	FEW /YR:(2)	1210	50.6 %
3	1-2 /MO:(3)	153	6.4 %
4	1 /WK:(4)	20	0.8 %
5	NR DAILY:(5)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	30	1.3 %
	Total	2,390	100%

Based upon 2,360 valid cases out of 2,390 total cases.

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2212: 122A02D:DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	419	17.5 %
2	FEW /YR:(2)	282	11.8 %
3	1-2 /MO:(3)	408	17.1 %
4	1 /WK:(4)	656	27.4 %
5	NR DAILY:(5)	608	25.4 %
	Missing Data		
-9	MISSING:(-9)	17	0.7 %
	Total	2,390	100%

Based upon 2,373 valid cases out of 2,390 total cases.

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2213: 122A02E:DALY CMNTY AFFRS

Item Number: 05860

How often do you do each of the following?

E: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	526	22.0 %
2	FEW /YR:(2)	1003	42.0 %
3	1-2 /MO:(3)	531	22.2 %
4	1 /WK:(4)	260	10.9 %
5	NR DAILY:(5)	52	2.2 %
	Missing Data		
-9	MISSING:(-9)	18	0.8 %
	Total	2,390	100%

Based upon 2,372 valid cases out of 2,390 total cases.

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2214: 122A02F:DALY PLA MSC,SNG

Item Number: 05870

How often do you do each of the following?

F: Play a musical instrument or sing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	959	40.1 %
2	FEW /YR:(2)	223	9.3 %
3	1-2 /MO:(3)	132	5.5 %
4	1 /WK:(4)	270	11.3 %
5	NR DAILY:(5)	784	32.8 %
	Missing Data		
-9	MISSING:(-9)	22	0.9 %
	Total	2,390	100%

Based upon 2,368 valid cases out of 2,390 total cases.

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2215: 122A02G:DALY CREAT WRTNG

Item Number: 05880

How often do you do each of the following?

G: Do creative writing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1057	44.2 %
2	FEW /YR:(2)	551	23.1 %
3	1-2 /MO:(3)	380	15.9 %
4	1 /WK:(4)	240	10.0 %
5	NR DAILY:(5)	138	5.8 %
	Missing Data		
-9	MISSING:(-9)	24	1.0 %
	Total	2,390	100%

Based upon 2,366 valid cases out of 2,390 total cases.

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2216: 122A02H:DALY ACTV SPORTS

Item Number: 05890

How often do you do each of the following?

H: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	161	6.7 %
2	FEW /YR:(2)	191	8.0 %
3	1-2 /MO:(3)	273	11.4 %
4	1 /WK:(4)	592	24.8 %
5	NR DAILY:(5)	1155	48.3 %
	Missing Data		
-9	MISSING:(-9)	18	0.8 %
	Total	2,390	100%

Based upon 2,372 valid cases out of 2,390 total cases.

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2217: 122A02I:DALY ART/CRAFTS

Item Number: 05900

How often do you do each of the following?

I: Do art or craft work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	719	30.1 %
2	FEW /YR:(2)	567	23.7 %
3	1-2 /MO:(3)	479	20.0 %
4	1 /WK:(4)	305	12.8 %
5	NR DAILY:(5)	292	12.2 %
	Missing Data		
-9	MISSING:(-9)	28	1.2 %
	Total	2,390	100%

Based upon 2,362 valid cases out of 2,390 total cases.

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2218: 122A02J:DALY WRK HSE,CAR

Item Number: 05910

How often do you do each of the following?

J: Work around the house, yard, garden, car, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	157	6.6 %
2	FEW /YR:(2)	256	10.7 %
3	1-2 /MO:(3)	556	23.3 %
4	1 /WK:(4)	799	33.4 %

Value	Label	Unweighted Frequency	%
5	NR DAILY:(5)	606	25.4 %
	Missing Data		
-9	MISSING:(-9)	16	0.7 %
	Total	2,390	100%

Based upon 2,374 valid cases out of 2,390 total cases.

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2219: 122A02K:DALY VIST W/FRDS

Item Number: 05920

How often do you do each of the following?

K: Get together with friends informally

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	33	1.4 %
2	FEW /YR:(2)	72	3.0 %
3	1-2 /MO:(3)	297	12.4 %
4	1 /WK:(4)	1022	42.8 %
5	NR DAILY:(5)	946	39.6 %
	Missing Data		
-9	MISSING:(-9)	20	0.8 %
	Total	2,390	100%

Based upon 2,370 valid cases out of 2,390 total cases.

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2521: 122A02L:DALY GO TO MALL

Item Number: 05935

How often do you do each of the following?

L: Go to a shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	100	4.2 %
2	FEW /YR:(2)	619	25.9 %
3	1-2 /MO:(3)	1196	50.0 %
4	1 /WK:(4)	398	16.7 %
5	NR DAILY:(5)	59	2.5 %
	Missing Data		
-9	MISSING:(-9)	18	0.8 %
	Total	2,390	100%

Based upon 2,372 valid cases out of 2,390 total cases.

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2221: 122A02M:DALY ALONE LEISR

Item Number: 05940

How often do you do each of the following?

M: Spend at least an hour of leisure time alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	93	3.9 %
2	FEW /YR:(2)	130	5.4 %
3	1-2 /MO:(3)	239	10.0 %
4	1 /WK:(4)	680	28.5 %
5	NR DAILY:(5)	1229	51.4 %
	Missing Data		
-9	MISSING:(-9)	19	0.8 %
	Total	2,390	100%

Based upon 2,371 valid cases out of 2,390 total cases.

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2222: 122A02N:DALY READ BK,MAG

Item Number: 05950

How often do you do each of the following?

N: Read books, magazines, or newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	230	9.6 %
2	FEW /YR:(2)	328	13.7 %
3	1-2 /MO:(3)	566	23.7 %
4	1 /WK:(4)	682	28.5 %
5	NR DAILY:(5)	566	23.7 %
	Missing Data		
-9	MISSING:(-9)	18	0.8 %
	Total	2,390	100%

Based upon 2,372 valid cases out of 2,390 total cases.

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2223: 122A02O:DALY GO TO BARS

Item Number: 05960

How often do you do each of the following?

O: Go to taverns, bars or nightclubs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1490	62.3 %
2	FEW /YR:(2)	416	17.4 %
3	1-2 /MO:(3)	289	12.1 %
4	1 /WK:(4)	119	5.0 %
5	NR DAILY:(5)	54	2.3 %
	Missing Data		
-9	MISSING:(-9)	22	0.9 %
	Total	2,390	100%

Based upon 2,368 valid cases out of 2,390 total cases.

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2224: 122A02P:DALY GO TO PARTY

Item Number: 05970

How often do you do each of the following?

P: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	226	9.5 %
2	FEW /YR:(2)	626	26.2 %
3	1-2 /MO:(3)	801	33.5 %
4	1 /WK:(4)	620	25.9 %
5	NR DAILY:(5)	92	3.8 %
	Missing Data		
-9	MISSING:(-9)	25	1.0 %
	Total	2,390	100%

Based upon 2,365 valid cases out of 2,390 total cases.

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2533: 122A02Q:DALY WEB FACEBK

Item Number: 29620

How often do you do each of the following?

Q: Visit social networking Web sites like (like Facebook)

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	128	5.4 %
2	FEW /YR:(2)	46	1.9 %
3	1-2 /MO:(3)	116	4.9 %
4	1 /WK:(4)	365	15.3 %
5	NR DAILY:(5)	1723	72.1 %
	Missing Data		
-9	MISSING:(-9)	12	0.5 %
	Total	2,390	100%

Based upon 2,378 valid cases out of 2,390 total cases.

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2225: 122A03A:US 2 MUCH PROFIT

Item Number: 05990

How much do you agree or disagree with each of the following statements?

A: In the United States, we put too much emphasis on making profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	98	4.1 %
2	MOST DIS:(2)	174	7.3 %
3	NEITHER:(3)	507	21.2 %
4	MOST AGR:(4)	1023	42.8 %
5	AGREE:(5)	554	23.2 %
	Missing Data		
-9	MISSING:(-9)	34	1.4 %
	Total	2,390	100%

Based upon 2,356 valid cases out of 2,390 total cases.

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2226: 122A03B:2MUCH CNCRN MTRL

Item Number: 06000

How much do you agree or disagree with each of the following statements?

B: People are too much concerned with material things these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	37	1.5 %

Value	Label	Unweighted Frequency	%
2	MOST DIS:(2)	74	3.1 %
3	NEITHER:(3)	223	9.3 %
4	MOST AGR:(4)	930	38.9 %
5	AGREE:(5)	1095	45.8 %
	Missing Data		
-9	MISSING:(-9)	31	1.3 %
	Total	2,390	100%

Based upon 2,359 valid cases out of 2,390 total cases.

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2227: 122A03C:ENCOURG PPL BUY>

Item Number: 06010

How much do you agree or disagree with each of the following statements?

C: Since it helps the economy to grow, people should be encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	191	8.0 %
2	MOST DIS:(2)	399	16.7 %
3	NEITHER:(3)	927	38.8 %
4	MOST AGR:(4)	603	25.2 %
5	AGREE:(5)	227	9.5 %
	Missing Data		
-9	MISSING:(-9)	43	1.8 %
	Total	2,390	100%

Based upon 2,347 valid cases out of 2,390 total cases.

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2228: 122A03D:-WRNG ADVERTISNG

Item Number: 06020

How much do you agree or disagree with each of the following

statements?

D: There is nothing wrong with advertising that gets people to buy things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	454	19.0 %
2	MOST DIS:(2)	513	21.5 %
3	NEITHER:(3)	647	27.1 %
4	MOST AGR:(4)	472	19.7 %
5	AGREE:(5)	274	11.5 %
	Missing Data		
-9	MISSING:(-9)	30	1.3 %
	Total	2,390	100%

Based upon 2,360 valid cases out of 2,390 total cases.

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2229: 122A03E:MOR SHORTGS FUTR

Item Number: 06030

How much do you agree or disagree with each of the following statements?

E: There will probably be more shortages in the future, so Americans will have to learn how to be happy with fewer "things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	146	6.1 %
2	MOST DIS:(2)	208	8.7 %
3	NEITHER:(3)	528	22.1 %
4	MOST AGR:(4)	767	32.1 %
5	AGREE:(5)	706	29.5 %
	Missing Data		
-9	MISSING:(-9)	35	1.5 %
	Total	2,390	100%

Based upon 2,355 valid cases out of 2,390 total cases.

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2468: 122A04A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	74	3.1 %
2	SLIGHT:(2)	67	2.8 %
3	MOD RISK:(3)	270	11.3 %
4	GRT RISK:(4)	1902	79.6 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	77	3.2 %
	Total	2,390	100%

Based upon 2,313 valid cases out of 2,390 total cases.

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2469: 122A04B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1023	42.8 %

Value	Label	Unweighted Frequency	%
2	SLIGHT:(2)	688	28.8 %
3	MOD RISK:(3)	294	12.3 %
4	GRT RISK:(4)	276	11.5 %
5	CANT SAY:(5)	75	3.1 %
	Missing Data		
-9	MISSING:(-9)	34	1.4 %
	Total	2,390	100%

Based upon 2,356 valid cases out of 2,390 total cases.

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2470: 122A04C:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	584	24.4 %
2	SLIGHT:(2)	643	26.9 %
3	MOD RISK:(3)	631	26.4 %
4	GRT RISK:(4)	426	17.8 %
5	CANT SAY:(5)	68	2.8 %
	Missing Data		
-9	MISSING:(-9)	38	1.6 %
	Total	2,390	100%

Based upon 2,352 valid cases out of 2,390 total cases.

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2471: 122A04D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	297	12.4 %
2	SLIGHT:(2)	454	19.0 %
3	MOD RISK:(3)	526	22.0 %
4	GRT RISK:(4)	1009	42.2 %
5	CANT SAY:(5)	68	2.8 %
	Missing Data		
-9	MISSING:(-9)	36	1.5 %
	Total	2,390	100%

Based upon 2,354 valid cases out of 2,390 total cases.

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2539: 122A04E:RSK SALVIA 1-2X

Item number: 32650

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

E. . . . Try Salvia once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	301	12.6 %
2	SLIGHT:(2)	366	15.3 %
3	MOD RISK:(3)	288	12.1 %
4	GRT RISK:(4)	310	13.0 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1125	47.1 %
	Total	2,390	100%

Based upon 1,265 valid cases out of 2,390 total cases.

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2540: 122A04F:RSK SALVIA OCC

Item Number: 32760

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Try Salvia occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	141	5.9 %
2	SLIGHT:(2)	229	9.6 %
3	MOD RISK:(3)	376	15.7 %
4	GRT RISK:(4)	516	21.6 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1128	47.2 %
	Total	2,390	100%

Based upon 1,262 valid cases out of 2,390 total cases.

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2541: 122A04G:RSK SYNTHETIC MJ 1-2X

Item Number: 32770

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Try "synthetic marijuana" ("K2", "Spice") once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	298	12.5 %
2	SLIGHT:(2)	446	18.7 %
3	MOD RISK:(3)	403	16.9 %
4	GRT RISK:(4)	539	22.6 %
5	CANT SAY:(5)	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	704	29.5 %
	Total	2,390	100%

Based upon 1,686 valid cases out of 2,390 total cases.

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2542: 122A04H:RSK SYNTHETIC MJ OCC

Item Number: 32780

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Take "synthetic marijuana ("K2", "Spice") occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	176	7.4 %
2	SLIGHT:(2)	252	10.5 %
3	MOD RISK:(3)	514	21.5 %
4	GRT RISK:(4)	753	31.5 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	695	29.1 %
	Total	2,390	100%

Based upon 1,695 valid cases out of 2,390 total cases.

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2543: 122A04I:RSK BATH SALTS 1-2X

Item Number: 32790

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I. . . Try "bath salts" (synthetic stimulants) once or twice to get high?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	110	4.6 %
2	SLIGHT:(2)	240	10.0 %
3	MOD RISK:(3)	414	17.3 %
4	GRT RISK:(4)	754	31.5 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	872	36.5 %
	Total	2,390	100%

Based upon 1,518 valid cases out of 2,390 total cases.

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2544: 122A04J:RSK BATH SALTS OCC

Item Number: 32800

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J. . . . Try "bath salts" (synthetic stimulants) occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	90	3.8 %
2	SLIGHT:(2)	76	3.2 %
3	MOD RISK:(3)	309	12.9 %
4	GRT RISK:(4)	1043	43.6 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	872	36.5 %
	Total	2,390	100%

Based upon 1,518 valid cases out of 2,390 total cases.

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2238: 122A05 :DFNTLY PRFR MATE

Item Number: 06120

Do you think that you would prefer having a mate for most of your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to have a mate" 3="Not sure" 2="Probably prefer not to have a mate" 1="Definitely prefer not to have a mate"

Value	Label	Unweighted Frequency	%
1	DEF NO:(1)	23	1.0 %
2	PROB NO:(2)	52	2.2 %
3	NOT SURE:(3)	226	9.5 %
4	PROB YES:(4)	540	22.6 %
5	DEF YES:(5)	1515	63.4 %
	Missing Data		
-9	MISSING:(-9)	34	1.4 %
	Total	2,390	100%

Based upon 2,356 valid cases out of 2,390 total cases.

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2239: 122A06 :THINK WILL MARRY

Item Number: 06130

Which do you think you are most likely to choose in the long run?

3="Getting married" 2="I have no idea" 1="Not getting married"
8="Am already married"

Value	Label	Unweighted Frequency	%
1	NOT MAR:(1)	91	3.8 %
2	NO IDEA:(2)	322	13.5 %
3	MARRIED:(3)	1854	77.6 %
8	ALREADY MAR:(8)	13	0.5 %
	Missing Data		
-9	MISSING:(-9)	110	4.6 %
	Total	2,390	100%

Based upon 2,280 valid cases out of 2,390 total cases.

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2240: 122A07A:LIKLY STAY MARRD

Item Number: 06140

If you did get married (or are married) . . .

A: . . . How likely do you think it is that you would stay married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely"

Value	Label	Unweighted Frequency	%
1	VRY UNLKLY:(1)	27	1.1 %
2	FAIRLY UNL:(2)	28	1.2 %
3	UNCERTN:(3)	251	10.5 %
4	FAIRLY LK:(4)	551	23.1 %
5	VRY LIKELY:(5)	1381	57.8 %
	Missing Data		
-9	MISSING:(-9)	152	6.4 %
	Total	2,390	100%

Based upon 2,238 valid cases out of 2,390 total cases.

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2241: 122A07B:LIKLY HAVE KIDS

Item Number: 06150

If you did get married (or are married) . . .

B: . . . How likely is it that you would want to have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

Value	Label	Unweighted Frequency	%
1	VRY UNLKLY:(1)	64	2.7 %
2	FAIRLY UNLK:(2)	63	2.6 %
3	UNCERTN:(3)	246	10.3 %
4	FAIRLY LK:(4)	407	17.0 %
5	VRY LIKELY:(5)	1440	60.3 %

Value	Label	Unweighted Frequency	%
8	ALRDY HAVE:(8)	38	1.6 %
	Missing Data		
-9	MISSING:(-9)	132	5.5 %
	Total	2,390	100%

Based upon 2,258 valid cases out of 2,390 total cases.

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2242: 122A08A:-CHL,HB WK1.,W = 0

Item Number: 06160

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	758	31.7 %
2	SOMEWHAT:(2)	887	37.1 %
3	ACCEPTBL:(3)	577	24.1 %
4	DESIRBL:(4)	134	5.6 %
	Missing Data		
-9	MISSING:(-9)	34	1.4 %
	Total	2,390	100%

Based upon 2,356 valid cases out of 2,390 total cases.

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2243: 122A08B:-CHL,HB WK1.,W.5

Item Number: 06170

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	109	4.6 %
2	SOMEWHAT:(2)	601	25.1 %
3	ACCEPTBL:(3)	1380	57.7 %
4	DESIRBL:(4)	266	11.1 %
	Missing Data		
-9	MISSING:(-9)	34	1.4 %
	Total	2,390	100%

Based upon 2,356 valid cases out of 2,390 total cases.

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2244: 122A08C:-CHL,HB/WF WK 1.

Item Number: 06180

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	198	8.3 %
2	SOMEWHAT:(2)	318	13.3 %
3	ACCEPTBL:(3)	1135	47.5 %
4	DESIRBL:(4)	692	29.0 %
	Missing Data		
-9	MISSING:(-9)	47	2.0 %
	Total	2,390	100%

Based upon 2,343 valid cases out of 2,390 total cases.

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2245: 122A08D:-CHL,HB/WF WK .5

Item Number: 06190

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	524	21.9 %
2	SOMEWHAT:(2)	837	35.0 %
3	ACCEPTBL:(3)	723	30.3 %
4	DESIRBL:(4)	250	10.5 %
	Missing Data		
-9	MISSING:(-9)	56	2.3 %
	Total	2,390	100%

Based upon 2,334 valid cases out of 2,390 total cases.

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2246: 122A08E:-CHL,W WK 1.,H.5

Item Number: 06200

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	824	34.5 %
2	SOMEWHAT:(2)	834	34.9 %
3	ACCEPTBL:(3)	625	26.2 %
4	DESIRBL:(4)	68	2.8 %
	Missing Data		
-9	MISSING:(-9)	39	1.6 %
	Total	2,390	100%

Based upon 2,351 valid cases out of 2,390 total cases.

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2247: 122A08F:-CHL,W WK 1.,H = 0

Item Number: 06210

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	1671	69.9 %
2	SOMEWHAT:(2)	397	16.6 %
3	ACCEPTBL:(3)	200	8.4 %
4	DESIRBL:(4)	84	3.5 %
	Missing Data		
-9	MISSING:(-9)	38	1.6 %
	Total	2,390	100%

Based upon 2,352 valid cases out of 2,390 total cases.

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2248: 122A09A:PSCH,HB WK1.,W = 0

Item Number: 06220

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	334	14.0 %
2	SOMEWHAT:(2)	565	23.6 %
3	ACCEPTBL:(3)	957	40.0 %
4	DESIRBL:(4)	492	20.6 %
	Missing Data		
-9	MISSING:(-9)	42	1.8 %

Value	Label	Unweighted Frequency	%
	Total	2,390	100%

Based upon 2,348 valid cases out of 2,390 total cases.

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2249: 122A09B:PSCH,HB WK1.,W.5

Item Number: 06230

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	123	5.1 %
2	SOMEWHAT:(2)	530	22.2 %
3	ACCEPTBL:(3)	1264	52.9 %
4	DESIRBL:(4)	427	17.9 %
	Missing Data		
-9	MISSING:(-9)	46	1.9 %
	Total	2,390	100%

Based upon 2,344 valid cases out of 2,390 total cases.

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2250: 122A09C:PSCH,HB/WF WK 1.

Item Number: 06240

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	815	34.1 %
2	SOMEWHAT:(2)	610	25.5 %
3	ACCEPTBL:(3)	609	25.5 %
4	DESIRBL:(4)	304	12.7 %
	Missing Data		
-9	MISSING:(-9)	52	2.2 %
	Total	2,390	100%

Based upon 2,338 valid cases out of 2,390 total cases.

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2251: 122A09D:PSCH,HB/WF WK .5

Item Number: 06250

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	557	23.3 %
2	SOMEWHAT:(2)	838	35.1 %
3	ACCEPTBL:(3)	735	30.8 %
4	DESIRBL:(4)	197	8.2 %
	Missing Data		
-9	MISSING:(-9)	63	2.6 %
	Total	2,390	100%

Based upon 2,327 valid cases out of 2,390 total cases.

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2252: 122A09E:PSCH,WF WK1.,H.5

Item Number: 06260

Imagine you are married and have one or more pre-school children. How would you feel about each of the following

working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	777	32.5 %
2	SOMEWHAT:(2)	835	34.9 %
3	ACCEPTBL:(3)	619	25.9 %
4	DESIRBL:(4)	108	4.5 %
	Missing Data		
-9	MISSING:(-9)	51	2.1 %
	Total	2,390	100%

Based upon 2,339 valid cases out of 2,390 total cases.

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2253: 122A09F:PSCH,WF WK1.,H = 0

Item Number: 06270

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	1354	56.7 %
2	SOMEWHAT:(2)	477	20.0 %
3	ACCEPTBL:(3)	409	17.1 %
4	DESIRBL:(4)	104	4.4 %
	Missing Data		
-9	MISSING:(-9)	46	1.9 %
	Total	2,390	100%

Based upon 2,344 valid cases out of 2,390 total cases.

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2254: 122A10A:H WK,W -WK,W CCR

Item Number: 06280

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

A: Wife does all child care

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	704	29.5 %
2	SOMEWHAT:(2)	653	27.3 %
3	ACCEPTBL:(3)	709	29.7 %
4	DESIRBL:(4)	275	11.5 %
	Missing Data		
-9	MISSING:(-9)	49	2.1 %
	Total	2,390	100%

Based upon 2,341 valid cases out of 2,390 total cases.

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2255: 122A10B:H WK,W -WK,W>CCR

Item Number: 06290

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

B: Wife does most of it

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	284	11.9 %
2	SOMEWHAT:(2)	675	28.2 %
3	ACCEPTBL:(3)	1015	42.5 %

Value	Label	Unweighted Frequency	%
4	DESIRBL:(4)	366	15.3 %
	Missing Data		
-9	MISSING:(-9)	50	2.1 %
	Total	2,390	100%

Based upon 2,340 valid cases out of 2,390 total cases.

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2256: 122A10C:H WK,W -WK, = CHCR

Item Number: 06300

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

C: Both do it equally

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	82	3.4 %
2	SOMEWHAT:(2)	301	12.6 %
3	ACCEPTBL:(3)	864	36.2 %
4	DESIRBL:(4)	1091	45.6 %
	Missing Data		
-9	MISSING:(-9)	52	2.2 %
	Total	2,390	100%

Based upon 2,338 valid cases out of 2,390 total cases.

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2257: 122A10D:H WK,W -WK,H>CCR

Item Number: 06310

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for

the day-to-day care of the child(ren)?

D: Husband does most of it

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	929	38.9 %
2	SOMEWHAT:(2)	984	41.2 %
3	ACCEPTBL:(3)	358	15.0 %
4	DESIRBL:(4)	68	2.8 %
	Missing Data		
-9	MISSING:(-9)	51	2.1 %
	Total	2,390	100%

Based upon 2,339 valid cases out of 2,390 total cases.

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2258: 122A10E:H WK,W -WK,H CCR

Item Number: 06320

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

E: Husband does all of it

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	1752	73.3 %
2	SOMEWHAT:(2)	387	16.2 %
3	ACCEPTBL:(3)	145	6.1 %
4	DESIRBL:(4)	54	2.3 %
	Missing Data		
-9	MISSING:(-9)	52	2.2 %
	Total	2,390	100%

Based upon 2,338 valid cases out of 2,390 total cases.

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2259: 122A11 :INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%
1	NO INTRST:(1)	275	11.5 %
2	VRV LITTLE:(2)	523	21.9 %
3	SOME:(3)	988	41.3 %
4	A LOT:(4)	388	16.2 %
5	VRV GRT:(5)	175	7.3 %
	Missing Data		
-9	MISSING:(-9)	41	1.7 %
	Total	2,390	100%

Based upon 2,349 valid cases out of 2,390 total cases.

Location: 132-133 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2260: 122A12 :GOVT PPL -DSHNST

Item Number: 06340

Do you think some of the people running the government are crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are"
3="Some are" 4="Hardly any are" 5="None at all are crooked or dishonest"

Value	Label	Unweighted Frequency	%
1	MOST:(1)	620	25.9 %
2	QUITE:(2)	857	35.9 %
3	SOME:(3)	800	33.5 %
4	HARDLY:(4)	52	2.2 %
5	NONE:(5)	14	0.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	47	2.0 %
	Total	2,390	100%

Based upon 2,343 valid cases out of 2,390 total cases.

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2261: 122A13 :GOVT DSNT WASTE\$

Item Number: 06350

Do you think the government wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money is wasted" 5="No tax money is wasted"

Value	Label	Unweighted Frequency	%
1	NEARLY ALL:(1)	341	14.3 %
2	A LOT:(2)	1104	46.2 %
3	SOME:(3)	760	31.8 %
4	A LITTLE:(4)	124	5.2 %
5	NO WASTE:(5)	13	0.5 %
	Missing Data		
-9	MISSING:(-9)	48	2.0 %
	Total	2,390	100%

Based upon 2,342 valid cases out of 2,390 total cases.

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2262: 122A14 :NEVER TRUST GOVT

Item Number: 06360

How much of the time do you think you can trust the government in Washington to do what is right?

1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

Value	Label	Unweighted Frequency	%
1	ALM ALWAYS:(1)	60	2.5 %

Value	Label	Unweighted Frequency	%
2	OFTEN:(2)	517	21.6 %
3	SOMETIME:(3)	1111	46.5 %
4	SELDOM:(4)	503	21.0 %
5	NEVER:(5)	150	6.3 %
	Missing Data		
-9	MISSING:(-9)	49	2.1 %
	Total	2,390	100%

Based upon 2,341 valid cases out of 2,390 total cases.

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2263: 122A15 :GVT PPL DK DOING

Item Number: 06370

Do you feel that the people running the government are smart people who usually know what they are doing?

1="They almost always know what they are doing" 2="They usually know what they are doing" 3="They sometimes know what they are doing" 4="They seldom know what they are doing" 5="They never know what they are doing"

Value	Label	Unweighted Frequency	%
1	ALM ALWAYS:(1)	170	7.1 %
2	USUALLY:(2)	947	39.6 %
3	SOMETIME:(3)	890	37.2 %
4	SELDOM:(4)	253	10.6 %
5	NEVER:(5)	80	3.3 %
	Missing Data		
-9	MISSING:(-9)	50	2.1 %
	Total	2,390	100%

Based upon 2,340 valid cases out of 2,390 total cases.

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2264: 122A16 :GOVT RUN FOR PPL

Item Number: 06380

Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the

benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run for a few big interests" 3="Run some for the big interests, some for the people" 4="Usually run for the benefit of all the people" 5="Nearly always run for the benefit of all the people"

Value	Label	Unweighted Frequency	%
1	NR ALWYS FEW:(1)	387	16.2 %
2	USUALLY FEW:(2)	685	28.7 %
3	SOME BOTH:(3)	1012	42.3 %
4	USUALLY ALL:(4)	199	8.3 %
5	NR ALWYS ALL:(5)	47	2.0 %
	Missing Data		
-9	MISSING:(-9)	60	2.5 %
	Total	2,390	100%

Based upon 2,330 valid cases out of 2,390 total cases.

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2265: 122A17A:DO OR PLN VOTE

Item Number: 06390

Have you ever done, or do you plan to do, the following things?

A: Vote in a public election

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	167	7.0 %
2	DK:(2)	253	10.6 %
3	PROB WILL:(3)	1813	75.9 %
4	ALRDY DONE:(4)	114	4.8 %
	Missing Data		
-9	MISSING:(-9)	43	1.8 %
	Total	2,390	100%

Based upon 2,347 valid cases out of 2,390 total cases.

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2266: 122A17B:DO OR PLN WRITE

Item Number: 06400

Have you ever done, or do you plan to do, the following things?

B: Write to public officials

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	963	40.3 %
2	DK:(2)	937	39.2 %
3	PROB WILL:(3)	250	10.5 %
4	ALRDY DONE:(4)	194	8.1 %
	Missing Data		
-9	MISSING:(-9)	46	1.9 %
	Total	2,390	100%

Based upon 2,344 valid cases out of 2,390 total cases.

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2267: 122A17C:DO OR PLN GIVE \$

Item Number: 06410

Have you ever done, or do you plan to do, the following things?

C: Give money to a political candidate or cause

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1192	49.9 %
2	DK:(2)	784	32.8 %
3	PROB WILL:(3)	308	12.9 %
4	ALRDY DONE:(4)	58	2.4 %
	Missing Data		
-9	MISSING:(-9)	48	2.0 %
	Total	2,390	100%

Based upon 2,342 valid cases out of 2,390 total cases.

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2268: 122A17D:DO OR PLN WK CPG

Item Number: 06420

Have you ever done, or do you plan to do, the following things?

D: Work in a political campaign

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1553	65.0 %
2	DK:(2)	589	24.6 %
3	PROB WILL:(3)	130	5.4 %
4	ALRDY DONE:(4)	63	2.6 %
	Missing Data		
-9	MISSING:(-9)	55	2.3 %
	Total	2,390	100%

Based upon 2,335 valid cases out of 2,390 total cases.

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2269: 122A17E:DO OR PLN DEMNST

Item Number: 06430

Have you ever done, or do you plan to do, the following things?

E: Participate in a lawful demonstration

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1089	45.6 %
2	DK:(2)	878	36.7 %
3	PROB WILL:(3)	306	12.8 %
4	ALRDY DONE:(4)	69	2.9 %
	Missing Data		
-9	MISSING:(-9)	48	2.0 %

Value	Label	Unweighted Frequency	%
	Total	2,390	100%

Based upon 2,342 valid cases out of 2,390 total cases.

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2270: 122A17F:DO OR PLN BOYCOT

Item Number: 06440

Have you ever done, or do you plan to do, the following things?

F: Boycott certain products or stores

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	996	41.7 %
2	DK:(2)	844	35.3 %
3	PROB WILL:(3)	353	14.8 %
4	ALRDY DONE:(4)	146	6.1 %
	Missing Data		
-9	MISSING:(-9)	51	2.1 %
	Total	2,390	100%

Based upon 2,339 valid cases out of 2,390 total cases.

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2271: 122A18A:US SHD DISARM

Item Number: 06450

How much do you agree or disagree with each of the following statements?

A: The U.S. should begin a gradual program of disarming whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	606	25.4 %
2	MOST DIS:(2)	342	14.3 %
3	NEITHER:(3)	972	40.7 %
4	MOST AGR:(4)	268	11.2 %
5	AGREE:(5)	111	4.6 %
	Missing Data		
-9	MISSING:(-9)	91	3.8 %
	Total	2,390	100%

Based upon 2,299 valid cases out of 2,390 total cases.

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2272: 122A18B:US GO WAR FR OTH

Item Number: 05690

How much do you agree or disagree with each of the following statements?

B: There may be times when the U.S. should go to war to protect the rights of other countries

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	275	11.5 %
2	MOST DIS:(2)	415	17.4 %
3	NEITHER:(3)	568	23.8 %
4	MOST AGR:(4)	722	30.2 %
5	AGREE:(5)	341	14.3 %
	Missing Data		
-9	MISSING:(-9)	69	2.9 %
	Total	2,390	100%

Based upon 2,321 valid cases out of 2,390 total cases.

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2273: 122A18C:US WAR PRTCT ECN

Item Number: 06460

How much do you agree or disagree with each of the following statements?

C: The U.S. should be willing to go to war to protect its own economic interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	213	8.9 %
2	MOST DIS:(2)	299	12.5 %
3	NEITHER:(3)	676	28.3 %
4	MOST AGR:(4)	728	30.5 %
5	AGREE:(5)	402	16.8 %
	Missing Data		
-9	MISSING:(-9)	72	3.0 %
	Total	2,390	100%

Based upon 2,318 valid cases out of 2,390 total cases.

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2274: 122A18D:US ONLY WAR DFNS

Item Number: 06470

How much do you agree or disagree with each of the following statements?

D: The only good reason for the U.S. to go to war is to defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	142	5.9 %
2	MOST DIS:(2)	245	10.3 %
3	NEITHER:(3)	410	17.2 %
4	MOST AGR:(4)	789	33.0 %
5	AGREE:(5)	734	30.7 %
	Missing Data		
-9	MISSING:(-9)	70	2.9 %
	Total	2,390	100%

Based upon 2,320 valid cases out of 2,390 total cases.

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2275: 122A18E:-US MIL PWR>USSR

Item Number: 06480

How much do you agree or disagree with each of the following statements?

E: The U.S. does not need to have greater military power than Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	590	24.7 %
2	MOST DIS:(2)	437	18.3 %
3	NEITHER:(3)	835	34.9 %
4	MOST AGR:(4)	276	11.5 %
5	AGREE:(5)	178	7.4 %
	Missing Data		
-9	MISSING:(-9)	74	3.1 %
	Total	2,390	100%

Based upon 2,316 valid cases out of 2,390 total cases.

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2276: 122A18F:US NEED>PWR OTHS

Item Number: 06490

How much do you agree or disagree with each of the following statements?

F: The U.S. ought to have much more military power than any other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	211	8.8 %

Value	Label	Unweighted Frequency	%
2	MOST DIS:(2)	297	12.4 %
3	NEITHER:(3)	843	35.3 %
4	MOST AGR:(4)	461	19.3 %
5	AGREE:(5)	508	21.3 %
	Missing Data		
-9	MISSING:(-9)	70	2.9 %
	Total	2,390	100%

Based upon 2,320 valid cases out of 2,390 total cases.

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2277: 122A18G:US FRN PLCY NRRW

Item Number: 06500

How much do you agree or disagree with each of the following statements?

G: Our present foreign policy is based on our own narrow economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	90	3.8 %
2	MOST DIS:(2)	124	5.2 %
3	NEITHER:(3)	1161	48.6 %
4	MOST AGR:(4)	637	26.7 %
5	AGREE:(5)	291	12.2 %
	Missing Data		
-9	MISSING:(-9)	87	3.6 %
	Total	2,390	100%

Based upon 2,303 valid cases out of 2,390 total cases.

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2279: 122A19A:FRQ FIGHT PARNTS

Item Number: 06520

This section deals with activities which may be against the

rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

A: . . . Argued or had a fight with either of your parents?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

[Data from the Western Region intentionally obliterated.]

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	238	10.0 %
2	ONCE:(2)	179	7.5 %
3	TWICE:(3)	222	9.3 %
4	3-4TIMES:(4)	443	18.5 %
5	5+ TIMES:(5)	627	26.2 %
	Missing Data		
-9	MISSING:(-9)	681	28.5 %
	Total	2,390	100%

Based upon 1,709 valid cases out of 2,390 total cases.

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2280: 122A19B:FRQ HIT SUPRVISR

Item Number: 06530

During the LAST 12 MONTHS, how often have you . . .

B: . . . Hit an instructor or supervisor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2280	95.4 %
2	ONCE:(2)	23	1.0 %
3	TWICE:(3)	12	0.5 %
4	3-4TIMES:(4)	7	0.3 %
5	5+ TIMES:(5)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	52	2.2 %

Value	Label	Unweighted Frequency	%
	Total	2,390	100%

Based upon 2,338 valid cases out of 2,390 total cases.

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2281: 122A19C:FRQ FGT WRK/SCHL

Item Number: 06540

During the LAST 12 MONTHS, how often have you . . .

C: . . . Gotten into a serious fight in school or at work?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2090	87.4 %
2	ONCE:(2)	145	6.1 %
3	TWICE:(3)	47	2.0 %
4	3-4TIMES:(4)	32	1.3 %
5	5+ TIMES:(5)	22	0.9 %
	Missing Data		
-9	MISSING:(-9)	54	2.3 %
	Total	2,390	100%

Based upon 2,336 valid cases out of 2,390 total cases.

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2282: 122A19D:FRQ GANG FIGHT

Item Number: 06550

During the LAST 12 MONTHS, how often have you . . .

D: . . . Taken part in a fight where a group of your friends were against another group?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1996	83.5 %
2	ONCE:(2)	177	7.4 %
3	TWICE:(3)	91	3.8 %
4	3-4TIMES:(4)	43	1.8 %
5	5+ TIMES:(5)	32	1.3 %
	Missing Data		
-9	MISSING:(-9)	51	2.1 %
	Total	2,390	100%

Based upon 2,339 valid cases out of 2,390 total cases.

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2283: 122A19E:FRQ HURT SM1 BAD

Item Number: 06560

During the LAST 12 MONTHS, how often have you . . .

E: . . . Hurt someone badly enough to need bandages or a doctor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2096	87.7 %
2	ONCE:(2)	151	6.3 %
3	TWICE:(3)	48	2.0 %
4	3-4TIMES:(4)	18	0.8 %
5	5+ TIMES:(5)	25	1.0 %
	Missing Data		
-9	MISSING:(-9)	52	2.2 %
	Total	2,390	100%

Based upon 2,338 valid cases out of 2,390 total cases.

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2284: 122A19F:FRQ THREAT WEAPN

Item Number: 06570

During the LAST 12 MONTHS, how often have you . . .

F: . . . Used a knife or gun or some other thing (like a club)
to get something from a person?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2276	95.2 %
2	ONCE:(2)	30	1.3 %
3	TWICE:(3)	19	0.8 %
4	3-4TIMES:(4)	3	0.1 %
5	5+ TIMES:(5)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	53	2.2 %
	Total	2,390	100%

Based upon 2,337 valid cases out of 2,390 total cases.

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2285: 122A19G:FRQ STEAL <\$50

Item Number: 06580

During the LAST 12 MONTHS, how often have you . . .

G: . . . Taken something not belonging to you worth
under \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1800	75.3 %
2	ONCE:(2)	258	10.8 %
3	TWICE:(3)	116	4.9 %
4	3-4TIMES:(4)	76	3.2 %
5	5+ TIMES:(5)	82	3.4 %
	Missing Data		
-9	MISSING:(-9)	58	2.4 %
	Total	2,390	100%

Based upon 2,332 valid cases out of 2,390 total cases.

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2286: 122A19H:FRQ STEAL >\$50

Item Number: 06590

During the LAST 12 MONTHS, how often have you . . .

H: . . . Taken something not belonging to you worth over \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2166	90.6 %
2	ONCE:(2)	82	3.4 %
3	TWICE:(3)	37	1.5 %
4	3-4TIMES:(4)	17	0.7 %
5	5+ TIMES:(5)	34	1.4 %
	Missing Data		
-9	MISSING:(-9)	54	2.3 %
	Total	2,390	100%

Based upon 2,336 valid cases out of 2,390 total cases.

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2287: 122A19I:FRQ SHOPLIFT

Item Number: 06600

During the LAST 12 MONTHS, how often have you . . .

I: . . . Taken something from a store without paying for it?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1815	75.9 %
2	ONCE:(2)	204	8.5 %
3	TWICE:(3)	118	4.9 %
4	3-4TIMES:(4)	90	3.8 %

Value	Label	Unweighted Frequency	%
5	5+ TIMES:(5)	107	4.5 %
	Missing Data		
-9	MISSING:(-9)	56	2.3 %
	Total	2,390	100%

Based upon 2,334 valid cases out of 2,390 total cases.

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2288: 122A19J:FRQ CAR THEFT

Item Number: 06610

During the LAST 12 MONTHS, how often have you . . .

J: . . . Taken a car that didn't belong to someone in your family without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2250	94.1 %
2	ONCE:(2)	42	1.8 %
3	TWICE:(3)	20	0.8 %
4	3-4TIMES:(4)	10	0.4 %
5	5+ TIMES:(5)	15	0.6 %
	Missing Data		
-9	MISSING:(-9)	53	2.2 %
	Total	2,390	100%

Based upon 2,337 valid cases out of 2,390 total cases.

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2289: 122A19K:FRQ STEAL CAR PT

Item Number: 06620

During the LAST 12 MONTHS, how often have you . . .

K: . . . Taken part of a car without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2273	95.1 %
2	ONCE:(2)	23	1.0 %
3	TWICE:(3)	21	0.9 %
4	3-4TIMES:(4)	4	0.2 %
5	5+ TIMES:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	59	2.5 %
	Total	2,390	100%

Based upon 2,331 valid cases out of 2,390 total cases.

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2290: 122A19L:FRQ TRESPAS BLDG

Item Number: 06630

During the LAST 12 MONTHS, how often have you . . .

L: . . . Gone into some house or building when you weren't supposed to be there?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1819	76.1 %
2	ONCE:(2)	247	10.3 %
3	TWICE:(3)	139	5.8 %
4	3-4TIMES:(4)	69	2.9 %
5	5+ TIMES:(5)	58	2.4 %
	Missing Data		
-9	MISSING:(-9)	58	2.4 %
	Total	2,390	100%

Based upon 2,332 valid cases out of 2,390 total cases.

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2291: 122A19M:FRQ ARSON

Item Number: 06640

During the LAST 12 MONTHS, how often have you . . .

M: . . . Set fire to someone's property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2284	95.6 %
2	ONCE:(2)	30	1.3 %
3	TWICE:(3)	8	0.3 %
4	3-4TIMES:(4)	3	0.1 %
5	5+ TIMES:(5)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	59	2.5 %
	Total	2,390	100%

Based upon 2,331 valid cases out of 2,390 total cases.

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2292: 122A19N:FRQ DMG SCH PPTY

Item Number: 06650

During the LAST 12 MONTHS, how often have you . . .

N: . . . Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2142	89.6 %
2	ONCE:(2)	86	3.6 %
3	TWICE:(3)	46	1.9 %
4	3-4TIMES:(4)	24	1.0 %
5	5+ TIMES:(5)	28	1.2 %
	Missing Data		
-9	MISSING:(-9)	64	2.7 %
	Total	2,390	100%

Based upon 2,326 valid cases out of 2,390 total cases.

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2293: 122A190:FRQ DMG WK PRPTY

Item Number: 06660

During the LAST 12 MONTHS, how often have you . . .

O: . . . Damaged property at work on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2264	94.7 %
2	ONCE:(2)	29	1.2 %
3	TWICE:(3)	16	0.7 %
4	3-4TIMES:(4)	9	0.4 %
5	5+ TIMES:(5)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	63	2.6 %
	Total	2,390	100%

Based upon 2,327 valid cases out of 2,390 total cases.

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2508: 122A19P:ARRSTD/TKN 2 POL

Item number: 25880

During the LAST 12 MONTHS, how often have you . . .

P: . . . Been arrested and taken to a police station?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2188	91.5 %
2	ONCE:(2)	98	4.1 %
3	TWICE:(3)	24	1.0 %
4	3-4TIMES:(4)	14	0.6 %
5	5+ TIMES:(5)	6	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	60	2.5 %
	Total	2,390	100%

Based upon 2,330 valid cases out of 2,390 total cases.

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2295: 122A20A:SM1 ROB YRS <\$50

Item Number: 06680

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

A. . . Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1475	61.7 %
2	ONCE:(2)	508	21.3 %
3	TWICE:(3)	195	8.2 %
4	3-4TIMES:(4)	96	4.0 %
5	5+ TIMES:(5)	55	2.3 %
	Missing Data		
-9	MISSING:(-9)	61	2.6 %
	Total	2,390	100%

Based upon 2,329 valid cases out of 2,390 total cases.

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2296: 122A20B:SM1 ROB YRS >\$50

Item Number: 06690

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or

More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1721	72.0 %
2	ONCE:(2)	413	17.3 %
3	TWICE:(3)	125	5.2 %
4	3-4TIMES:(4)	52	2.2 %
5	5+ TIMES:(5)	19	0.8 %
	Missing Data		
-9	MISSING:(-9)	60	2.5 %
	Total	2,390	100%

Based upon 2,330 valid cases out of 2,390 total cases.

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2297: 122A20C:SM1 DMG YR PRPTY

Item Number: 06700

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property
(your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1725	72.2 %
2	ONCE:(2)	347	14.5 %
3	TWICE:(3)	162	6.8 %
4	3-4TIMES:(4)	69	2.9 %
5	5+ TIMES:(5)	24	1.0 %
	Missing Data		
-9	MISSING:(-9)	63	2.6 %
	Total	2,390	100%

Based upon 2,327 valid cases out of 2,390 total cases.

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2298: 122A20D:SM1 INJR U W/WPN

Item Number: 06710

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2244	93.9 %
2	ONCE:(2)	49	2.1 %
3	TWICE:(3)	19	0.8 %
4	3-4TIMES:(4)	9	0.4 %
5	5+ TIMES:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	59	2.5 %
	Total	2,390	100%

Based upon 2,331 valid cases out of 2,390 total cases.

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2299: 122A20E:SM1 THRTN U W/WP

Item Number: 06720

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1969	82.4 %
2	ONCE:(2)	200	8.4 %
3	TWICE:(3)	73	3.1 %
4	3-4TIMES:(4)	46	1.9 %
5	5+ TIMES:(5)	38	1.6 %
	Missing Data		
-9	MISSING:(-9)	64	2.7 %
	Total	2,390	100%

Based upon 2,326 valid cases out of 2,390 total cases.

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2300: 122A20F:SM1 INJR YU -WPN

Item Number: 06730

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1985	83.1 %
2	ONCE:(2)	176	7.4 %
3	TWICE:(3)	82	3.4 %
4	3-4TIMES:(4)	40	1.7 %
5	5+ TIMES:(5)	41	1.7 %
	Missing Data		
-9	MISSING:(-9)	66	2.8 %
	Total	2,390	100%

Based upon 2,324 valid cases out of 2,390 total cases.

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2301: 122A20G:SM1 THRT U W/INJ

Item Number: 06740

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1794	75.1 %
2	ONCE:(2)	205	8.6 %

Value	Label	Unweighted Frequency	%
3	TWICE:(3)	130	5.4 %
4	3-4TIMES:(4)	74	3.1 %
5	5+ TIMES:(5)	122	5.1 %
	Missing Data		
-9	MISSING:(-9)	65	2.7 %
	Total	2,390	100%

Based upon 2,325 valid cases out of 2,390 total cases.

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2302: 122A21A:EASY GT MARIJUAN

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	175	7.3 %
2	VRD DIFF:(2)	78	3.3 %
3	FRLY DIF:(3)	136	5.7 %
4	FRLY EAS:(4)	561	23.5 %
5	VRD EASY:(5)	1373	57.4 %
	Missing Data		
-9	MISSING:(-9)	67	2.8 %
	Total	2,390	100%

Based upon 2,323 valid cases out of 2,390 total cases.

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2303: 122A21B:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	518	21.7 %
2	VRY DIFF:(2)	452	18.9 %
3	FRLY DIF:(3)	667	27.9 %
4	FRLY EAS:(4)	486	20.3 %
5	VRY EASY:(5)	172	7.2 %
	Missing Data		
-9	MISSING:(-9)	95	4.0 %
	Total	2,390	100%

Based upon 2,295 valid cases out of 2,390 total cases.

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2304: 122A21C:EASY GT PSYDELIC

Item Number: 06770

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Some other hallucinogen (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	465	19.5 %
2	VRY DIFF:(2)	376	15.7 %
3	FRLY DIF:(3)	587	24.6 %
4	FRLY EAS:(4)	611	25.6 %
5	VRY EASY:(5)	270	11.3 %
	Missing Data		
-9	MISSING:(-9)	81	3.4 %
	Total	2,390	100%

Based upon 2,309 valid cases out of 2,390 total cases.

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2305: 122A21D:EASY GT AMPHTMNS

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: Amphetamines (uppers, speed, Adderall, Ritalin, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	458	19.2 %
2	VRY DIFF:(2)	320	13.4 %
3	FRLY DIF:(3)	443	18.5 %
4	FRLY EAS:(4)	571	23.9 %
5	VRY EASY:(5)	506	21.2 %
	Missing Data		
-9	MISSING:(-9)	92	3.8 %
	Total	2,390	100%

Based upon 2,298 valid cases out of 2,390 total cases.

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2522: 122A21E:EASY GT SED/BARB

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Sedatives/barbiturates (downers)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	554	23.2 %
2	VRY DIFF:(2)	459	19.2 %
3	FRLY DIF:(3)	592	24.8 %
4	FRLY EAS:(4)	444	18.6 %
5	VRY EASY:(5)	248	10.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	93	3.9 %
	Total	2,390	100%

Based upon 2,297 valid cases out of 2,390 total cases.

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2307: 122A21F:EASY GT TRANQLIZ

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Tranquilizers

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	796	33.3 %
2	VRY DIFF:(2)	604	25.3 %
3	FRLY DIF:(3)	539	22.6 %
4	FRLY EAS:(4)	229	9.6 %
5	VRY EASY:(5)	121	5.1 %
	Missing Data		
-9	MISSING:(-9)	101	4.2 %
	Total	2,390	100%

Based upon 2,289 valid cases out of 2,390 total cases.

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2308: 122A21G:EASY GT COCAINE

Item Number: 06810

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly

Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	623	26.1 %
2	VRY DIFF:(2)	484	20.3 %
3	FRLY DIF:(3)	510	21.3 %
4	FRLY EAS:(4)	432	18.1 %
5	VRY EASY:(5)	263	11.0 %
	Missing Data		
-9	MISSING:(-9)	78	3.3 %
	Total	2,390	100%

Based upon 2,312 valid cases out of 2,390 total cases.

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2309: 122A21H:EASY GT HEROIN

Item Number: 06820

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

H: Heroin

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	772	32.3 %
2	VRY DIFF:(2)	580	24.3 %
3	FRLY DIF:(3)	499	20.9 %
4	FRLY EAS:(4)	293	12.3 %
5	VRY EASY:(5)	160	6.7 %
	Missing Data		
-9	MISSING:(-9)	86	3.6 %
	Total	2,390	100%

Based upon 2,304 valid cases out of 2,390 total cases.

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2310: 122A21I:EASY GT NARCOTIC

Item Number: 06830

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

I: Some other narcotic (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	451	18.9 %
2	VRY DIFF:(2)	295	12.3 %
3	FRLY DIF:(3)	404	16.9 %
4	FRLY EAS:(4)	600	25.1 %
5	VRY EASY:(5)	553	23.1 %
	Missing Data		
-9	MISSING:(-9)	87	3.6 %
	Total	2,390	100%

Based upon 2,303 valid cases out of 2,390 total cases.

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2101: 122B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1424	59.6 %
2	1-2X:(2)	372	15.6 %
3	OCCASNLY:(3)	243	10.2 %
4	REG PAST:(4)	111	4.6 %
5	REG NOW:(5)	172	7.2 %
	Missing Data		
-9	MISSING:(-9)	68	2.8 %
	Total	2,390	100%

Based upon 2,322 valid cases out of 2,390 total cases.

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

V2102: 122B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	1919	80.3 %
2	<1 CIG/D:(2)	182	7.6 %
3	1-5/DAY:(3)	131	5.5 %
4	1/2 PK:(4)	52	2.2 %
5	1 PK:(5)	24	1.0 %
6	1 1/2 PK:(6)	8	0.3 %
7	2+ PKS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	69	2.9 %
	Total	2,390	100%

Based upon 2,321 valid cases out of 2,390 total cases.

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

V2103: 122B03:EVER DRINK

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	722	30.2 %
2	YES:(2)	1572	65.8 %
	Missing Data		
-9	MISSING:(-9)	96	4.0 %
	Total	2,390	100%

Based upon 2,294 valid cases out of 2,390 total cases.

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2104: 122B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	723	30.3 %
2	1-2X:(2)	166	6.9 %
3	3-5X:(3)	240	10.0 %
4	6-9X:(4)	216	9.0 %
5	10-19X:(5)	257	10.8 %
6	20-39X:(6)	219	9.2 %
7	40+OCCAS:(7)	442	18.5 %
	Missing Data		
-9	MISSING:(-9)	127	5.3 %
	Total	2,390	100%

Based upon 2,263 valid cases out of 2,390 total cases.

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2105: 122B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	828	34.6 %
2	1-2X:(2)	346	14.5 %
3	3-5X:(3)	294	12.3 %
4	6-9X:(4)	237	9.9 %
5	10-19X:(5)	226	9.5 %
6	20-39X:(6)	165	6.9 %
7	40+OCCAS:(7)	162	6.8 %
	Missing Data		
-9	MISSING:(-9)	132	5.5 %
	Total	2,390	100%

Based upon 2,258 valid cases out of 2,390 total cases.

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2106: 122B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1315	55.0 %
2	1-2X:(2)	439	18.4 %
3	3-5X:(3)	241	10.1 %
4	6-9X:(4)	127	5.3 %
5	10-19X:(5)	82	3.4 %
6	20-39X:(6)	20	0.8 %
7	40+OCCAS:(7)	32	1.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	134	5.6 %
	Total	2,390	100%

Based upon 2,256 valid cases out of 2,390 total cases.

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2107: 122B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	409	17.1 %
2	FEW OCC:(2)	413	17.3 %
3	HALF OCC:(3)	220	9.2 %
4	MOST OCC:(4)	321	13.4 %
5	NRLY ALL:(5)	209	8.7 %
	Missing Data		
-9	MISSING:(-9)	818	34.2 %
	Total	2,390	100%

Based upon 1,572 valid cases out of 2,390 total cases.

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2108: 122B06:5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10"

or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1653	69.2 %
2	ONCE:(2)	224	9.4 %
3	TWICE:(3)	163	6.8 %
4	3-5X:(4)	116	4.9 %
5	6-9X:(5)	34	1.4 %
6	10+ TIME:(6)	27	1.1 %
	Missing Data		
-9	MISSING:(-9)	173	7.2 %
	Total	2,390	100%

Based upon 2,217 valid cases out of 2,390 total cases.

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2115: 122B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1260	52.7 %
2	1-2X:(2)	203	8.5 %
3	3-5X:(3)	132	5.5 %
4	6-9X:(4)	97	4.1 %
5	10-19X:(5)	122	5.1 %
6	20-39X:(6)	99	4.1 %
7	40+OCCAS:(7)	391	16.4 %
	Missing Data		
-9	MISSING:(-9)	86	3.6 %
	Total	2,390	100%

Based upon 2,304 valid cases out of 2,390 total cases.

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2116: 122B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1444	60.4 %
2	1-2X:(2)	237	9.9 %
3	3-5X:(3)	133	5.6 %
4	6-9X:(4)	81	3.4 %
5	10-19X:(5)	105	4.4 %
6	20-39X:(6)	70	2.9 %
7	40+OCCAS:(7)	230	9.6 %
	Missing Data		
-9	MISSING:(-9)	90	3.8 %
	Total	2,390	100%

Based upon 2,300 valid cases out of 2,390 total cases.

Location: 252-253 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2117: 122B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1795	75.1 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	171	7.2 %
3	3-5X:(3)	73	3.1 %
4	6-9X:(4)	56	2.3 %
5	10-19X:(5)	68	2.8 %
6	20-39X:(6)	48	2.0 %
7	40+OCCAS:(7)	89	3.7 %
Missing Data			
-9	MISSING:(-9)	90	3.8 %
Total		2,390	100%

Based upon 2,300 valid cases out of 2,390 total cases.

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2118: 122B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2227	93.2 %
2	1-2X:(2)	55	2.3 %
3	3-5X:(3)	17	0.7 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	8	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	68	2.8 %
Total		2,390	100%

Based upon 2,322 valid cases out of 2,390 total cases.

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2119: 122B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2261	94.6 %
2	1-2X:(2)	35	1.5 %
3	3-5X:(3)	13	0.5 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	67	2.8 %
	Total	2,390	100%

Based upon 2,323 valid cases out of 2,390 total cases.

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2120: 122B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2297	96.1 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	3	0.1 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	68	2.8 %
	Total	2,390	100%

Based upon 2,322 valid cases out of 2,390 total cases.

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2121: 122B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2150	90.0 %
2	1-2X:(2)	94	3.9 %
3	3-5X:(3)	47	2.0 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	70	2.9 %
	Total	2,390	100%

Based upon 2,320 valid cases out of 2,390 total cases.

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2122: 122B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2221	92.9 %
2	1-2X:(2)	71	3.0 %
3	3-5X:(3)	19	0.8 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	68	2.8 %
Total		2,390	100%

Based upon 2,322 valid cases out of 2,390 total cases.

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2123: 122B09C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2292	95.9 %
2	1-2X:(2)	23	1.0 %
3	3-5X:(3)	4	0.2 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	68	2.8 %
	Total	2,390	100%

Based upon 2,322 valid cases out of 2,390 total cases.

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2124: 122B10A:#X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2204	92.2 %
2	1-2X:(2)	66	2.8 %
3	3-5X:(3)	19	0.8 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	75	3.1 %
	Total	2,390	100%

Based upon 2,315 valid cases out of 2,390 total cases.

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2125: 122B10B:#X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2249	94.1 %
2	1-2X:(2)	36	1.5 %
3	3-5X:(3)	13	0.5 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	75	3.1 %
	Total	2,390	100%

Based upon 2,315 valid cases out of 2,390 total cases.

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2126: 122B10C:#X COKE/LAST30DA

Item Number: 00970

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2293	95.9 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	74	3.1 %
	Total	2,390	100%

Based upon 2,316 valid cases out of 2,390 total cases.

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2127: 122B11A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1977	82.7 %
2	1-2X:(2)	113	4.7 %
3	3-5X:(3)	81	3.4 %
4	6-9X:(4)	42	1.8 %
5	10-19X:(5)	42	1.8 %
6	20-39X:(6)	20	0.8 %
7	40+OCCAS:(7)	42	1.8 %
	Missing Data		
-9	MISSING:(-9)	73	3.1 %
	Total	2,390	100%

Based upon 2,317 valid cases out of 2,390 total cases.

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2128: 122B11B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2067	86.5 %
2	1-2X:(2)	117	4.9 %
3	3-5X:(3)	58	2.4 %
4	6-9X:(4)	27	1.1 %
5	10-19X:(5)	21	0.9 %
6	20-39X:(6)	14	0.6 %
7	40+OCCAS:(7)	15	0.6 %
	Missing Data		
-9	MISSING:(-9)	71	3.0 %
	Total	2,390	100%

Based upon 2,319 valid cases out of 2,390 total cases.

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2129: 122B11C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2212	92.6 %
2	1-2X:(2)	65	2.7 %
3	3-5X:(3)	19	0.8 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	71	3.0 %
	Total	2,390	100%

Based upon 2,319 valid cases out of 2,390 total cases.

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2045: 122B12A:#X ICE/LIFETIME

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2280	95.4 %
2	1-2X:(2)	20	0.8 %
3	3-5X:(3)	8	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	67	2.8 %
	Total	2,390	100%

Based upon 2,323 valid cases out of 2,390 total cases.

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2046: 122B12B:#X ICE/LAST12MO

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2296	96.1 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	65	2.7 %
	Total	2,390	100%

Based upon 2,325 valid cases out of 2,390 total cases.

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2047: 122B12C:#X ICE/LAST30DA

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2312	96.7 %
2	1-2X:(2)	6	0.3 %
3	3-5X:(3)	0	0.0 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	65	2.7 %
	Total	2,390	100%

Based upon 2,325 valid cases out of 2,390 total cases.

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2133: 122B13A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2157	90.3 %
2	1-2X:(2)	63	2.6 %
3	3-5X:(3)	36	1.5 %
4	6-9X:(4)	18	0.8 %
5	10-19X:(5)	21	0.9 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	67	2.8 %
	Total	2,390	100%

Based upon 2,323 valid cases out of 2,390 total cases.

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2134: 122B13B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2210	92.5 %
2	1-2X:(2)	54	2.3 %
3	3-5X:(3)	23	1.0 %
4	6-9X:(4)	18	0.8 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	68	2.8 %
	Total	2,390	100%

Based upon 2,322 valid cases out of 2,390 total cases.

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2135: 122B13C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2272	95.1 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	32	1.3 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	67	2.8 %
Total		2,390	100%

Based upon 2,323 valid cases out of 2,390 total cases.

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2136: 122B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2130	89.1 %
2	1-2X:(2)	82	3.4 %
3	3-5X:(3)	31	1.3 %
4	6-9X:(4)	27	1.1 %
5	10-19X:(5)	21	0.9 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	23	1.0 %
Missing Data			
-9	MISSING:(-9)	71	3.0 %
Total		2,390	100%

Based upon 2,319 valid cases out of 2,390 total cases.

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2137: 122B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2200	92.1 %
2	1-2X:(2)	59	2.5 %
3	3-5X:(3)	17	0.7 %
4	6-9X:(4)	18	0.8 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	70	2.9 %
	Total	2,390	100%

Based upon 2,320 valid cases out of 2,390 total cases.

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2138: 122B14C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2271	95.0 %
2	1-2X:(2)	27	1.1 %
3	3-5X:(3)	8	0.3 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	69	2.9 %
	Total	2,390	100%

Based upon 2,321 valid cases out of 2,390 total cases.

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2510: 122B15A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2295	96.0 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	73	3.1 %
	Total	2,390	100%

Based upon 2,317 valid cases out of 2,390 total cases.

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2511: 122B15B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using
a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2307	96.5 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	71	3.0 %
	Total	2,390	100%

Based upon 2,319 valid cases out of 2,390 total cases.

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2512: 122B15C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using
a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2310	96.7 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	73	3.1 %
	Total	2,390	100%

Based upon 2,317 valid cases out of 2,390 total cases.

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2513: 122B16A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2287	95.7 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	83	3.5 %
	Total	2,390	100%

Based upon 2,307 valid cases out of 2,390 total cases.

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2514: 122B16B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2297	96.1 %
2	1-2X:(2)	6	0.3 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	82	3.4 %
Total		2,390	100%

Based upon 2,308 valid cases out of 2,390 total cases.

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2515: 122B16C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2306	96.5 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	81	3.4 %
	Total	2,390	100%

Based upon 2,309 valid cases out of 2,390 total cases.

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2142: 122B17A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2000	83.7 %
2	1-2X:(2)	119	5.0 %
3	3-5X:(3)	60	2.5 %
4	6-9X:(4)	26	1.1 %
5	10-19X:(5)	36	1.5 %
6	20-39X:(6)	21	0.9 %
7	40+OCCAS:(7)	38	1.6 %
	Missing Data		
-9	MISSING:(-9)	90	3.8 %
	Total	2,390	100%

Based upon 2,300 valid cases out of 2,390 total cases.

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2143: 122B17B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2098	87.8 %
2	1-2X:(2)	97	4.1 %
3	3-5X:(3)	31	1.3 %
4	6-9X:(4)	25	1.0 %
5	10-19X:(5)	24	1.0 %
6	20-39X:(6)	14	0.6 %
7	40+OCCAS:(7)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	90	3.8 %
	Total	2,390	100%

Based upon 2,300 valid cases out of 2,390 total cases.

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2144: 122B17C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2215	92.7 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	48	2.0 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	92	3.8 %
	Total	2,390	100%

Based upon 2,298 valid cases out of 2,390 total cases.

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2145: 122B18A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2143	89.7 %
2	1-2X:(2)	87	3.6 %
3	3-5X:(3)	39	1.6 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	87	3.6 %
	Total	2,390	100%

Based upon 2,303 valid cases out of 2,390 total cases.

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2146: 122B18B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2242	93.8 %
2	1-2X:(2)	36	1.5 %
3	3-5X:(3)	18	0.8 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	87	3.6 %
	Total	2,390	100%

Based upon 2,303 valid cases out of 2,390 total cases.

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2147: 122B18C:#X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2288	95.7 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	88	3.7 %
	Total	2,390	100%

Based upon 2,302 valid cases out of 2,390 total cases.

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RESPONDENT_AGE: 122C01(R):AGE <>18 DICHOTOMY

Item Number:

Component variables: 1) Q.C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	1009	42.2 %
2	18+ YRS:(2)	1311	54.9 %
	Missing Data		
-9	MISSING:(-9)	70	2.9 %
	Total	2,390	100%

Based upon 2,320 valid cases out of 2,390 total cases.

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2150: 122C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	1127	47.2 %
2	FEMALE:(2)	1112	46.5 %
	Missing Data		
-9	MISSING:(-9)	151	6.3 %
	Total	2,390	100%

Based upon 2,239 valid cases out of 2,390 total cases.

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2151: 122C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.)
 Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").
 All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"

3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	243	10.2 %
2	WHITE:(2)	1398	58.5 %
3	HISPANIC:(3)	319	13.3 %
	Missing Data		
-9	MISSING:(-9)	430	18.0 %
	Total	2,390	100%

Based upon 1,960 valid cases out of 2,390 total cases.

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2152: 122C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	233	9.7 %
1	A FARM:(1)	84	3.5 %
2	COUNTRY:(2)	254	10.6 %
3	SM CITY:(3)	611	25.6 %
4	MED CITY:(4)	302	12.6 %
5	SUB MED:(5)	292	12.2 %
6	LGE CITY:(6)	215	9.0 %
7	SUB LGE:(7)	173	7.2 %
8	V-LGE CITY:(8)	131	5.5 %
9	SUB V-LGE:(9)	95	4.0 %
	Missing Data		
	Total	2,390	100%

Based upon 2,390 valid cases out of 2,390 total cases.

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2153: 122C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	87	3.6 %
2	ENGAGED:(2)	84	3.5 %
3	SEP/DIV:(3)	32	1.3 %
4	SINGLE:(4)	2120	88.7 %
	Missing Data		
-9	MISSING:(-9)	67	2.8 %
	Total	2,390	100%

Based upon 2,323 valid cases out of 2,390 total cases.

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2155: 122C7Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	625	26.2 %
1	MARKED:(1)	1695	70.9 %
	Missing Data		
-9	MISSING:(-9)	70	2.9 %
	Total	2,390	100%

Based upon 2,320 valid cases out of 2,390 total cases.

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2156: 122C7Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	236	9.9 %
1	MARKED:(1)	2084	87.2 %
	Missing Data		
-9	MISSING:(-9)	70	2.9 %
	Total	2,390	100%

Based upon 2,320 valid cases out of 2,390 total cases.

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2157: 122C7Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	739	30.9 %
1	MARKED:(1)	1581	66.2 %
	Missing Data		
-9	MISSING:(-9)	70	2.9 %
	Total	2,390	100%

Based upon 2,320 valid cases out of 2,390 total cases.

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V49: 122C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	146	6.1 %

Value	Label	Unweighted Frequency	%
1	ONE:(1)	688	28.8 %
2	TWO:(2)	623	26.1 %
3	THREE+:(3-4)	857	35.9 %
	Missing Data		
-9	MISSING:(-9)	76	3.2 %
	Total	2,390	100%

Based upon 2,314 valid cases out of 2,390 total cases.

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2163: 122C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	97	4.1 %
2	SOME HS:(2)	248	10.4 %
3	HS GRAD:(3)	585	24.5 %
4	SOME CLG:(4)	369	15.4 %
5	CLG GRAD:(5)	539	22.6 %
6	GRAD SCH:(6)	323	13.5 %
7	DK:(7)	154	6.4 %
	Missing Data		
-9	MISSING:(-9)	75	3.1 %
	Total	2,390	100%

Based upon 2,315 valid cases out of 2,390 total cases.

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2164: 122C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college"
6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	87	3.6 %
2	SOME HS:(2)	162	6.8 %
3	HS GRAD:(3)	529	22.1 %
4	SOME CLG:(4)	487	20.4 %
5	CLG GRAD:(5)	653	27.3 %
6	GRAD SCH:(6)	314	13.1 %
7	DK:(7)	81	3.4 %
	Missing Data		
-9	MISSING:(-9)	77	3.2 %
	Total	2,390	100%

Based upon 2,313 valid cases out of 2,390 total cases.

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2165: 122C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	305	12.8 %
2	YES/SOME:(2)	436	18.2 %
3	YES/MOST:(3)	434	18.2 %
4	YES/NRLY ALL:(4)	1139	47.7 %
	Missing Data		
-9	MISSING:(-9)	76	3.2 %
	Total	2,390	100%

Based upon 2,314 valid cases out of 2,390 total cases.

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2166: 122C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	236	9.9 %
2	MILD GOP:(2)	312	13.1 %
3	MILD DEM:(3)	307	12.8 %
4	STRG DEM:(4)	220	9.2 %
5	INDEPNDT:(5)	266	11.1 %
6	NO PREF:(6)	306	12.8 %
7	OTHER:(7)	36	1.5 %
8	DK/HVNT DECID:(8)	561	23.5 %
	Missing Data		
-9	MISSING:(-9)	146	6.1 %
	Total	2,390	100%

Based upon 2,244 valid cases out of 2,390 total cases.

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2167: 122C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	96	4.0 %
2	CONSERV:(2)	303	12.7 %
3	MODERATE:(3)	526	22.0 %
4	LIBERAL:(4)	348	14.6 %

Value	Label	Unweighted Frequency	%
5	VRy LIB:(5)	98	4.1 %
6	RADICAL:(6)	42	1.8 %
8	NONE/DK:(8)	873	36.5 %
	Missing Data		
-9	MISSING:(-9)	104	4.4 %
	Total	2,390	100%

Based upon 2,286 valid cases out of 2,390 total cases.

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2169: 122C13B:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	333	13.9 %
2	RARELY:(2)	556	23.3 %
3	1-2X/MO:(3)	260	10.9 %
4	1/WK OR+:(4)	514	21.5 %
	Missing Data		
-9	MISSING:(-9)	727	30.4 %
	Total	2,390	100%

Based upon 1,663 valid cases out of 2,390 total cases.

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2170: 122C13C:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	351	14.7 %
2	LITL IMP:(2)	414	17.3 %
3	PRTY IMP:(3)	419	17.5 %
4	VERY IMP:(4)	474	19.8 %
	Missing Data		
-9	MISSING:(-9)	732	30.6 %
	Total	2,390	100%

Based upon 1,658 valid cases out of 2,390 total cases.

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2171: 122C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2265	94.8 %
2	JUL-JAN:(2)	27	1.1 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	92	3.8 %
	Total	2,390	100%

Based upon 2,298 valid cases out of 2,390 total cases.

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2172: 122C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1259	52.7 %
2	GENERAL:(2)	756	31.6 %
3	VOC-TECH:(3)	92	3.8 %
4	OTH/DK:(4)	172	7.2 %
	Missing Data		
-9	MISSING:(-9)	111	4.6 %
	Total	2,390	100%

Based upon 2,279 valid cases out of 2,390 total cases.

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2173: 122C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	25	1.0 %
2	BELOW AVG:(2)	33	1.4 %
3	SLIGHT BELOW:(3)	112	4.7 %
4	AVERAGE:(4)	700	29.3 %
5	SLIGHT ABOVE:(5)	564	23.6 %
6	ABOVE AVG:(6)	642	26.9 %
7	FAR ABOVE:(7)	198	8.3 %
	Missing Data		
-9	MISSING:(-9)	116	4.9 %
	Total	2,390	100%

Based upon 2,274 valid cases out of 2,390 total cases.

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2174: 122C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	24	1.0 %
2	BELOW AVG:(2)	30	1.3 %
3	SLIGHT BELOW:(3)	114	4.8 %
4	AVERAGE:(4)	673	28.2 %
5	SLIGHT ABOVE:(5)	533	22.3 %
6	ABOVE AVG:(6)	677	28.3 %
7	FAR ABOVE:(7)	225	9.4 %
	Missing Data		
-9	MISSING:(-9)	114	4.8 %
	Total	2,390	100%

Based upon 2,276 valid cases out of 2,390 total cases.

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2175: 122C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1370	57.3 %
2	1 DAY:(2)	396	16.6 %
3	2 DAYS:(3)	210	8.8 %
4	3 DAYS:(4)	127	5.3 %
5	4-5 DAYS:(5)	88	3.7 %
6	6-10 DA:(6)	28	1.2 %
7	11+ DAYS:(7)	25	1.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	146	6.1 %
	Total	2,390	100%

Based upon 2,244 valid cases out of 2,390 total cases.

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2176: 122C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1518	63.5 %
2	1 DAY:(2)	292	12.2 %
3	2 DAYS:(3)	166	6.9 %
4	3 DAYS:(4)	106	4.4 %
5	4-5 DAYS:(5)	75	3.1 %
6	6-10 DA:(6)	31	1.3 %
7	11+ DAYS:(7)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	179	7.5 %
	Total	2,390	100%

Based upon 2,211 valid cases out of 2,390 total cases.

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2177: 122C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1248	52.2 %
2	1 DAY:(2)	453	19.0 %
3	2 DAYS:(3)	240	10.0 %
4	3 DAYS:(4)	136	5.7 %
5	4-5 DAYS:(5)	92	3.8 %
6	6-10 DA:(6)	38	1.6 %
7	11+ DAYS:(7)	32	1.3 %
	Missing Data		
-9	MISSING:(-9)	151	6.3 %
	Total	2,390	100%

Based upon 2,239 valid cases out of 2,390 total cases.

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2178: 122C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1616	67.6 %
2	1-2:(2)	405	16.9 %
3	3-5:(3)	169	7.1 %
4	6-10:(4)	59	2.5 %
5	11-20:(5)	14	0.6 %
6	21+:(6)	20	0.8 %
	Missing Data		
-9	MISSING:(-9)	107	4.5 %
	Total	2,390	100%

Based upon 2,283 valid cases out of 2,390 total cases.

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2179: 122C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	15	0.6 %
2	C-:(2)	37	1.5 %
3	C:(3)	97	4.1 %
4	C+:(4)	166	6.9 %
5	B-:(5)	260	10.9 %
6	B:(6)	375	15.7 %
7	B+:(7)	450	18.8 %
8	A-:(8)	456	19.1 %
9	A:(9)	412	17.2 %
	Missing Data		
-9	MISSING:(-9)	122	5.1 %
	Total	2,390	100%

Based upon 2,268 valid cases out of 2,390 total cases.

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2180: 122C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1269	53.1 %
2	PRB WONT:(2)	490	20.5 %

Value	Label	Unweighted Frequency	%
3	PRB WILL:(3)	269	11.3 %
4	DEF WILL:(4)	152	6.4 %
	Missing Data		
-9	MISSING:(-9)	210	8.8 %
	Total	2,390	100%

Based upon 2,180 valid cases out of 2,390 total cases.

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2181: 122C21B:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1467	61.4 %
2	PRB WONT:(2)	448	18.7 %
3	PRB WILL:(3)	175	7.3 %
4	DEF WILL:(4)	102	4.3 %
	Missing Data		
-9	MISSING:(-9)	198	8.3 %
	Total	2,390	100%

Based upon 2,192 valid cases out of 2,390 total cases.

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2182: 122C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	838	35.1 %
2	PRB WONT:(2)	400	16.7 %
3	PRB WILL:(3)	459	19.2 %
4	DEF WILL:(4)	472	19.7 %
	Missing Data		
-9	MISSING:(-9)	221	9.2 %
	Total	2,390	100%

Based upon 2,169 valid cases out of 2,390 total cases.

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2183: 122C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	147	6.2 %
2	PRB WONT:(2)	196	8.2 %
3	PRB WILL:(3)	484	20.3 %
4	DEF WILL:(4)	1412	59.1 %
	Missing Data		
-9	MISSING:(-9)	151	6.3 %
	Total	2,390	100%

Based upon 2,239 valid cases out of 2,390 total cases.

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2184: 122C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	328	13.7 %
2	PRB WONT:(2)	593	24.8 %
3	PRB WILL:(3)	740	31.0 %
4	DEF WILL:(4)	526	22.0 %
	Missing Data		
-9	MISSING:(-9)	203	8.5 %
	Total	2,390	100%

Based upon 2,187 valid cases out of 2,390 total cases.

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2185: 122C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1927	80.6 %
1	MARKED:(1)	323	13.5 %
	Missing Data		
-9	MISSING:(-9)	140	5.9 %
	Total	2,390	100%

Based upon 2,250 valid cases out of 2,390 total cases.

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2186: 122C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1893	79.2 %
1	MARKED:(1)	357	14.9 %
	Missing Data		
-9	MISSING:(-9)	140	5.9 %
	Total	2,390	100%

Based upon 2,250 valid cases out of 2,390 total cases.

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2187: 122C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1656	69.3 %
1	MARKED:(1)	594	24.9 %
	Missing Data		
-9	MISSING:(-9)	140	5.9 %
	Total	2,390	100%

Based upon 2,250 valid cases out of 2,390 total cases.

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2188: 122C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	393	16.4 %
1	MARKED:(1)	1857	77.7 %
	Missing Data		
-9	MISSING:(-9)	140	5.9 %
	Total	2,390	100%

Based upon 2,250 valid cases out of 2,390 total cases.

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2189: 122C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	917	38.4 %
1	MARKED:(1)	1333	55.8 %
	Missing Data		
-9	MISSING:(-9)	140	5.9 %
	Total	2,390	100%

Based upon 2,250 valid cases out of 2,390 total cases.

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2190: 122C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	2148	89.9 %
1	MARKED:(1)	102	4.3 %
	Missing Data		
-9	MISSING:(-9)	140	5.9 %
	Total	2,390	100%

Based upon 2,250 valid cases out of 2,390 total cases.

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2191: 122C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	950	39.7 %
2	5 OR <:(2)	246	10.3 %
3	6-10 HRS:(3)	217	9.1 %
4	11-15 HR:(4)	227	9.5 %
5	16-20 HR:(5)	257	10.8 %
6	21-25 HR:(6)	150	6.3 %
7	26-30 HR:(7)	109	4.6 %
8	30+ HRS:(8)	104	4.4 %
	Missing Data		
-9	MISSING:(-9)	130	5.4 %
	Total	2,390	100%

Based upon 2,260 valid cases out of 2,390 total cases.

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2192: 122C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"

7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1048	43.8 %
2	\$1-5:(2)	21	0.9 %
3	\$6-10:(3)	49	2.1 %
4	\$11-20:(4)	55	2.3 %
5	\$21-35:(5)	79	3.3 %
6	\$36-50:(6)	83	3.5 %
7	\$51-75:(7)	191	8.0 %
8	\$76-125:(8)	302	12.6 %
9	\$126-175:(9)	199	8.3 %
10	\$176+:(10)	200	8.4 %
	Missing Data		
-9	MISSING:(-9)	163	6.8 %
	Total	2,390	100%

Based upon 2,227 valid cases out of 2,390 total cases.

Location: 396-398 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2193: 122C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"

7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	931	39.0 %
2	\$1-5:(2)	98	4.1 %
3	\$6-10:(3)	164	6.9 %
4	\$11-20:(4)	385	16.1 %
5	\$21-35:(5)	242	10.1 %
6	\$36-50:(6)	156	6.5 %
7	\$51-75:(7)	73	3.1 %
8	\$76-125:(8)	59	2.5 %
9	\$126-175:(9)	22	0.9 %
10	\$176+: (10)	64	2.7 %
	Missing Data		
-9	MISSING:(-9)	196	8.2 %
	Total	2,390	100%

Based upon 2,194 valid cases out of 2,390 total cases.

Location: 399-401 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2194: 122C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"

6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	326	13.6 %
2	ONE:(2)	360	15.1 %
3	TWO:(3)	566	23.7 %
4	THREE:(4)	524	21.9 %
5	4-5:(5)	315	13.2 %
6	6-7:(6)	165	6.9 %
	Missing Data		
-9	MISSING:(-9)	134	5.6 %
	Total	2,390	100%

Based upon 2,256 valid cases out of 2,390 total cases.

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2195: 122C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	792	33.1 %
2	ONCE/MO:(2)	448	18.7 %
3	2-3X MO:(3)	355	14.9 %
4	ONCE WK:(4)	301	12.6 %
5	2-3X WK:(5)	206	8.6 %
6	3+ WEEK:(6)	122	5.1 %
	Missing Data		
-9	MISSING:(-9)	166	6.9 %
	Total	2,390	100%

Based upon 2,224 valid cases out of 2,390 total cases.

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2196: 122C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	492	20.6 %
2	1-10 MI:(2)	254	10.6 %
3	11-50:(3)	585	24.5 %
4	51-100:(4)	482	20.2 %
5	101-200:(5)	278	11.6 %
6	> 200:(6)	166	6.9 %
	Missing Data		
-9	MISSING:(-9)	133	5.6 %

Value	Label	Unweighted Frequency	%
	Total	2,390	100%

Based upon 2,257 valid cases out of 2,390 total cases.

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2197: 122C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"

4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1752	73.3 %
1	ONCE:(1)	300	12.6 %
2	TWICE:(2)	107	4.5 %
3	3 TIMES:(3)	37	1.5 %
4	4+ TIMES:(4)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	173	7.2 %
	Total	2,390	100%

Based upon 2,217 valid cases out of 2,390 total cases.

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2198: 122C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	444	18.6 %
1	ONE:(1)	13	0.5 %
2	TWO:(2)	4	0.2 %
3	THREE+:(3-4)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	1927	80.6 %
	Total	2,390	100%

Based upon 463 valid cases out of 2,390 total cases.

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2199: 122C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	443	18.5 %
1	ONE:(1)	18	0.8 %
2	TWO:(2)	4	0.2 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	1924	80.5 %
	Total	2,390	100%

Based upon 466 valid cases out of 2,390 total cases.

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2200: 122C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	455	19.0 %
1	ONE:(1)	6	0.3 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	1928	80.7 %
Total		2,390	100%

Based upon 462 valid cases out of 2,390 total cases.

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2201: 122C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="One" 2="Two" 3="Three" 4="Four or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1802	75.4 %
1	ONCE:(1)	320	13.4 %
2	TWICE:(2)	57	2.4 %
3	3 TIMES:(3)	17	0.7 %
4	4+ TIMES:(4)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	186	7.8 %
Total		2,390	100%

Based upon 2,204 valid cases out of 2,390 total cases.

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2202: 122C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	389	16.3 %
1	ONE:(1)	7	0.3 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	1991	83.3 %
Total		2,390	100%

Based upon 399 valid cases out of 2,390 total cases.

Location: 418-419 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2203: 122C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	378	15.8 %
1	ONE:(1)	16	0.7 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1993	83.4 %
	Total	2,390	100%

Based upon 397 valid cases out of 2,390 total cases.

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2204: 122C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	393	16.4 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	1993	83.4 %
	Total	2,390	100%

Based upon 397 valid cases out of 2,390 total cases.

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2500: 122D01A:4WKS ALC@SCHOOL

Item Number: 25690

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

A: . . . Under the influence of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2133	89.2 %
2	1 DAY:(2)	51	2.1 %
3	2 DAYS:(3)	25	1.0 %
4	3-5 DAYS:(4)	19	0.8 %
5	6-9 DAYS:(5)	6	0.3 %
6	10+ DAYS:(6)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	147	6.2 %
	Total	2,390	100%

Based upon 2,243 valid cases out of 2,390 total cases.

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2501: 122D01B:4WKS MJ/OTD@SCHL

Item Number: 25700

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

B: . . . Under the influence of marijuana or some other illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1978	82.8 %
2	1 DAY:(2)	66	2.8 %
3	2 DAYS:(3)	53	2.2 %
4	3-5 DAYS:(4)	60	2.5 %
5	6-9 DAYS:(5)	20	0.8 %
6	10+ DAYS:(6)	60	2.5 %
	Missing Data		
-9	MISSING:(-9)	153	6.4 %
	Total	2,390	100%

Based upon 2,237 valid cases out of 2,390 total cases.

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2502: 122D01C:4WKS TOBACCO@SCH

Item Number: 25710

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

C: . . . Smoking cigarettes or using chewing tobacco while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2071	86.7 %
2	1 DAY:(2)	35	1.5 %
3	2 DAYS:(3)	21	0.9 %
4	3-5 DAYS:(4)	27	1.1 %
5	6-9 DAYS:(5)	14	0.6 %
6	10+ DAYS:(6)	70	2.9 %
	Missing Data		
-9	MISSING:(-9)	152	6.4 %
	Total	2,390	100%

Based upon 2,238 valid cases out of 2,390 total cases.

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2503: 122D01D:4WKS WEAPON@SCHL

Item Number: 25720

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

D: . . . Carrying a weapon such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2156	90.2 %
2	1 DAY:(2)	23	1.0 %
3	2 DAYS:(3)	10	0.4 %
4	3-5 DAYS:(4)	12	0.5 %
5	6-9 DAYS:(5)	3	0.1 %

Value	Label	Unweighted Frequency	%
6	10+ DAYS:(6)	30	1.3 %
	Missing Data		
-9	MISSING:(-9)	156	6.5 %
	Total	2,390	100%

Based upon 2,234 valid cases out of 2,390 total cases.

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2504: 122D02A:#X TCHR INTRUPT

Item Number: 25730

During an average school week, about how many times . . .

A: . . . Do your teachers interrupt the class to deal with student misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	377	15.8 %
2	< 1/WK:(2)	518	21.7 %
3	1-2X/WK:(3)	545	22.8 %
4	3-5X/WK:(4)	443	18.5 %
5	6-9X/WK:(5)	187	7.8 %
6	10-19X/W:(6)	79	3.3 %
7	20+:(7)	88	3.7 %
	Missing Data		
-9	MISSING:(-9)	153	6.4 %
	Total	2,390	100%

Based upon 2,237 valid cases out of 2,390 total cases.

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2505: 122D02B:#X MISBHVR INT U

Item Number: 25740

During an average school week, about how many times . . .

B: . . . Does misbehavior or goofing off by other students
in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-
5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	817	34.2 %
2	< 1/WK:(2)	458	19.2 %
3	1-2X/WK:(3)	436	18.2 %
4	3-5X/WK:(4)	242	10.1 %
5	6-9X/WK:(5)	130	5.4 %
6	10-19X/W:(6)	58	2.4 %
7	20+:(7)	88	3.7 %
	Missing Data		
-9	MISSING:(-9)	161	6.7 %
	Total	2,390	100%

Based upon 2,229 valid cases out of 2,390 total cases.

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2506: 122D02C:#X U UNEXCSD LAT

Item Number: 25750

During an average school week, about how many times . . .

C: . . . Do you come to class late (after class has begun)
without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-
5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1100	46.0 %
2	< 1/WK:(2)	583	24.4 %
3	1-2X/WK:(3)	285	11.9 %
4	3-5X/WK:(4)	162	6.8 %
5	6-9X/WK:(5)	46	1.9 %
6	10-19X/W:(6)	19	0.8 %
7	20+:(7)	33	1.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	162	6.8 %
	Total	2,390	100%

Based upon 2,228 valid cases out of 2,390 total cases.

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2507: 122D03 :SCHL RULES FAIR

Item Number: 25760

Do you feel that the rules about student behavior in your school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No, mostly" 1="No"

Value	Label	Unweighted Frequency	%
1	NO:(1)	207	8.7 %
2	NO MSTLY:(2)	319	13.3 %
3	DK:(3)	232	9.7 %
4	YES MSTL:(4)	987	41.3 %
5	YES:(5)	488	20.4 %
	Missing Data		
-9	MISSING:(-9)	157	6.6 %
	Total	2,390	100%

Based upon 2,233 valid cases out of 2,390 total cases.

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2311: 122D04 :CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	88	3.7 %

Value	Label	Unweighted Frequency	%
2	QUITE:(2)	152	6.4 %
3	SOME DIS:(3)	160	6.7 %
4	NEITHER:(4)	234	9.8 %
5	SOME DIS:(5)	490	20.5 %
6	QUITE:(6)	825	34.5 %
7	COMPLETE:(7)	279	11.7 %
	Missing Data		
-9	MISSING:(-9)	162	6.8 %
	Total	2,390	100%

Based upon 2,228 valid cases out of 2,390 total cases.

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2312: 122D05A:HOW GD AS SPOUSE

Item Number: 06850

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

A: . . . As a husband or wife?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	29	1.2 %
2	NOT GOOD:(2)	36	1.5 %
3	FAIR GOOD:(3)	143	6.0 %
4	GOOD:(4)	631	26.4 %
5	VRY GOOD:(5)	1298	54.3 %
8	DK:(8)	88	3.7 %
	Missing Data		
-9	MISSING:(-9)	165	6.9 %
	Total	2,390	100%

Based upon 2,225 valid cases out of 2,390 total cases.

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2313: 122D05B:HOW GD AS PARENT

Item Number: 06860

How good do you think you would be . . .

B: . . . As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	34	1.4 %
2	NOT GOOD:(2)	48	2.0 %
3	FAIR GOOD:(3)	173	7.2 %
4	GOOD:(4)	598	25.0 %
5	VRY GOOD:(5)	1244	52.1 %
8	DK:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	293	12.3 %
	Total	2,390	100%

Based upon 2,097 valid cases out of 2,390 total cases.

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2314: 122D05C:HOW GD AS WORKER

Item Number: 06870

How good do you think you would be . . .

C: . . . As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	12	0.5 %
2	NOT GOOD:(2)	12	0.5 %
3	FAIR GOOD:(3)	89	3.7 %
4	GOOD:(4)	583	24.4 %
5	VRY GOOD:(5)	1477	61.8 %
8	DK:(8)	48	2.0 %
	Missing Data		
-9	MISSING:(-9)	169	7.1 %

Value	Label	Unweighted Frequency	%
	Total	2,390	100%

Based upon 2,221 valid cases out of 2,390 total cases.

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2328: 122D06A:2MCH COMPTN SCTY

Item Number: 07010

How much do you agree or disagree with each of the following statements?

A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	209	8.7 %
2	MOST DIS:(2)	228	9.5 %
3	NEITHER:(3)	510	21.3 %
4	MOST AGR:(4)	769	32.2 %
5	AGREE:(5)	473	19.8 %
	Missing Data		
-9	MISSING:(-9)	201	8.4 %
	Total	2,390	100%

Based upon 2,189 valid cases out of 2,390 total cases.

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2329: 122D06B:2MANY YNG SLOPPY

Item Number: 07020

How much do you agree or disagree with each of the following statements?

B: Too many young people are sloppy about their grooming and clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	177	7.4 %
2	MOST DIS:(2)	400	16.7 %
3	NEITHER:(3)	632	26.4 %
4	MOST AGR:(4)	611	25.6 %
5	AGREE:(5)	367	15.4 %
	Missing Data		
-9	MISSING:(-9)	203	8.5 %
	Total	2,390	100%

Based upon 2,187 valid cases out of 2,390 total cases.

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2330: 122D06C:2MUCH HARD ROCK

Item Number: 07030

How much do you agree or disagree with each of the following statements?

C: There is too much hard rock music on the radio these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	779	32.6 %
2	MOST DIS:(2)	442	18.5 %
3	NEITHER:(3)	754	31.5 %
4	MOST AGR:(4)	126	5.3 %
5	AGREE:(5)	82	3.4 %
	Missing Data		
-9	MISSING:(-9)	207	8.7 %
	Total	2,390	100%

Based upon 2,183 valid cases out of 2,390 total cases.

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2331: 122D06D:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following statements?

D: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	56	2.3 %
2	MOST DIS:(2)	61	2.6 %
3	NEITHER:(3)	274	11.5 %
4	MOST AGR:(4)	785	32.8 %
5	AGREE:(5)	1003	42.0 %
	Missing Data		
-9	MISSING:(-9)	211	8.8 %
	Total	2,390	100%

Based upon 2,179 valid cases out of 2,390 total cases.

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2332: 122D06E:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements?

E: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	266	11.1 %
2	MOST DIS:(2)	282	11.8 %
3	NEITHER:(3)	624	26.1 %
4	MOST AGR:(4)	670	28.0 %
5	AGREE:(5)	335	14.0 %
	Missing Data		
-9	MISSING:(-9)	213	8.9 %
	Total	2,390	100%

Based upon 2,177 valid cases out of 2,390 total cases.

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2333: 122D06F:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

F: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	299	12.5 %
2	MOST DIS:(2)	289	12.1 %
3	NEITHER:(3)	538	22.5 %
4	MOST AGR:(4)	735	30.8 %
5	AGREE:(5)	318	13.3 %
	Missing Data		
-9	MISSING:(-9)	211	8.8 %
	Total	2,390	100%

Based upon 2,179 valid cases out of 2,390 total cases.

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2433: 122D06G:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements?

G: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	92	3.8 %
2	MOST DIS:(2)	164	6.9 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	336	14.1 %
4	MOST AGR:(4)	826	34.6 %
5	AGREE:(5)	756	31.6 %
	Missing Data		
-9	MISSING:(-9)	216	9.0 %
	Total	2,390	100%

Based upon 2,174 valid cases out of 2,390 total cases.

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2434: 122D06H:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements?

H: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	94	3.9 %
2	MOST DIS:(2)	112	4.7 %
3	NEITHER:(3)	315	13.2 %
4	MOST AGR:(4)	738	30.9 %
5	AGREE:(5)	910	38.1 %
	Missing Data		
-9	MISSING:(-9)	221	9.2 %
	Total	2,390	100%

Based upon 2,169 valid cases out of 2,390 total cases.

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2435: 122D06I:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	54	2.3 %
2	MOST DIS:(2)	74	3.1 %
3	NEITHER:(3)	248	10.4 %
4	MOST AGR:(4)	844	35.3 %
5	AGREE:(5)	950	39.7 %
	Missing Data		
-9	MISSING:(-9)	220	9.2 %
	Total	2,390	100%

Based upon 2,170 valid cases out of 2,390 total cases.

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2436: 122D06J:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements?

J: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	93	3.9 %
2	MOST DIS:(2)	114	4.8 %
3	NEITHER:(3)	300	12.6 %
4	MOST AGR:(4)	738	30.9 %
5	AGREE:(5)	929	38.9 %
	Missing Data		
-9	MISSING:(-9)	216	9.0 %
	Total	2,390	100%

Based upon 2,174 valid cases out of 2,390 total cases.

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2437: 122D06K:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements?

K: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	872	36.5 %
2	MOST DIS:(2)	567	23.7 %
3	NEITHER:(3)	380	15.9 %
4	MOST AGR:(4)	222	9.3 %
5	AGREE:(5)	119	5.0 %
	Missing Data		
-9	MISSING:(-9)	230	9.6 %
	Total	2,390	100%

Based upon 2,160 valid cases out of 2,390 total cases.

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2438: 122D06L:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements?

L: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	858	35.9 %
2	MOST DIS:(2)	417	17.4 %
3	NEITHER:(3)	390	16.3 %
4	MOST AGR:(4)	308	12.9 %
5	AGREE:(5)	190	7.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	227	9.5 %
	Total	2,390	100%

Based upon 2,163 valid cases out of 2,390 total cases.

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2439: 122D06M:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following statements?

M: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	995	41.6 %
2	MOST DIS:(2)	489	20.5 %
3	NEITHER:(3)	377	15.8 %
4	MOST AGR:(4)	197	8.2 %
5	AGREE:(5)	101	4.2 %
	Missing Data		
-9	MISSING:(-9)	231	9.7 %
	Total	2,390	100%

Based upon 2,159 valid cases out of 2,390 total cases.

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2440: 122D06N:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1229	51.4 %
2	MOST DIS:(2)	363	15.2 %
3	NEITHER:(3)	323	13.5 %
4	MOST AGR:(4)	150	6.3 %
5	AGREE:(5)	97	4.1 %
	Missing Data		
-9	MISSING:(-9)	228	9.5 %
	Total	2,390	100%

Based upon 2,162 valid cases out of 2,390 total cases.

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2334: 122D07A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	563	23.6 %
2	A FEW:(2)	821	34.4 %
3	SOME:(3)	527	22.1 %
4	MOST:(4)	230	9.6 %
5	ALL:(5)	32	1.3 %
	Missing Data		
-9	MISSING:(-9)	217	9.1 %
	Total	2,390	100%

Based upon 2,173 valid cases out of 2,390 total cases.

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2335: 122D07B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	460	19.2 %
2	A FEW:(2)	587	24.6 %
3	SOME:(3)	568	23.8 %
4	MOST:(4)	466	19.5 %
5	ALL:(5)	94	3.9 %
	Missing Data		
-9	MISSING:(-9)	215	9.0 %
	Total	2,390	100%

Based upon 2,175 valid cases out of 2,390 total cases.

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2336: 122D07C:ALL FRD TAKE LSD

Item Number: 07090

How many of your friends would you estimate . . .

C: . . . Take LSD?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1688	70.6 %
2	A FEW:(2)	346	14.5 %
3	SOME:(3)	96	4.0 %
4	MOST:(4)	14	0.6 %
5	ALL:(5)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	232	9.7 %
	Total	2,390	100%

Based upon 2,158 valid cases out of 2,390 total cases.

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2337: 122D07D:ALL FRD TK PSYDL

Item Number: 07100

How many of your friends would you estimate . . .

D: . . . Take other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1531	64.1 %
2	A FEW:(2)	472	19.7 %
3	SOME:(3)	120	5.0 %
4	MOST:(4)	25	1.0 %
5	ALL:(5)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	228	9.5 %
	Total	2,390	100%

Based upon 2,162 valid cases out of 2,390 total cases.

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2338: 122D07E:ALL FRD TK AMPH

Item Number: 07110

How many of your friends would you estimate . . .

E: . . . Take amphetamines (uppers, speed, Adderall, Ritalin, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1488	62.3 %
2	A FEW:(2)	432	18.1 %
3	SOME:(3)	196	8.2 %
4	MOST:(4)	35	1.5 %
5	ALL:(5)	17	0.7 %
	Missing Data		
-9	MISSING:(-9)	222	9.3 %
	Total	2,390	100%

Based upon 2,168 valid cases out of 2,390 total cases.

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2523: 122D07F:ALL FRD TK SED/B

Item Number: 07135

How many of your friends would you estimate . . .

F: . . . Take sedatives/barbiturates (downers)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1783	74.6 %
2	A FEW:(2)	269	11.3 %
3	SOME:(3)	78	3.3 %
4	MOST:(4)	22	0.9 %
5	ALL:(5)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	227	9.5 %
	Total	2,390	100%

Based upon 2,163 valid cases out of 2,390 total cases.

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2341: 122D07G:ALL FRD TK TRNQL

Item Number: 07140

How many of your friends would you estimate . . .

G: . . . Take tranquilizers?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1873	78.4 %
2	A FEW:(2)	209	8.7 %
3	SOME:(3)	56	2.3 %
4	MOST:(4)	11	0.5 %
5	ALL:(5)	10	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	231	9.7 %
	Total	2,390	100%

Based upon 2,159 valid cases out of 2,390 total cases.

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2342: 122D07H:ALL FRD TK COKE

Item Number: 07150

How many of your friends would you estimate . . .

H: . . . Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1736	72.6 %
2	A FEW:(2)	313	13.1 %
3	SOME:(3)	76	3.2 %
4	MOST:(4)	7	0.3 %
5	ALL:(5)	13	0.5 %
	Missing Data		
-9	MISSING:(-9)	245	10.3 %
	Total	2,390	100%

Based upon 2,145 valid cases out of 2,390 total cases.

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2343: 122D07I:ALL FRD TK HERON

Item Number: 07160

How many of your friends would you estimate . . .

I: . . . Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1968	82.3 %
2	A FEW:(2)	129	5.4 %
3	SOME:(3)	31	1.3 %
4	MOST:(4)	5	0.2 %
5	ALL:(5)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	248	10.4 %
	Total	2,390	100%

Based upon 2,142 valid cases out of 2,390 total cases.

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2344: 122D07J:ALL FRD TK NARC

Item Number: 07170

How many of your friends would you estimate . . .

J: . . . Take other narcotics (codeine, Vicodin, OxyContin, Percocet, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1522	63.7 %
2	A FEW:(2)	419	17.5 %
3	SOME:(3)	152	6.4 %
4	MOST:(4)	31	1.3 %
5	ALL:(5)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	254	10.6 %
	Total	2,390	100%

Based upon 2,136 valid cases out of 2,390 total cases.

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2345: 122D07K:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate . . .

K: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1850	77.4 %
2	A FEW:(2)	209	8.7 %
3	SOME:(3)	47	2.0 %
4	MOST:(4)	13	0.5 %
5	ALL:(5)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	264	11.0 %
	Total	2,390	100%

Based upon 2,126 valid cases out of 2,390 total cases.

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2346: 122D07L:ALL FRD DRK ALCL

Item Number: 07190

How many of your friends would you estimate . . .

L: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	360	15.1 %
2	A FEW:(2)	303	12.7 %
3	SOME:(3)	393	16.4 %
4	MOST:(4)	712	29.8 %
5	ALL:(5)	375	15.7 %
	Missing Data		
-9	MISSING:(-9)	247	10.3 %
	Total	2,390	100%

Based upon 2,143 valid cases out of 2,390 total cases.

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2347: 122D07M:ALL FRD GT DRUNK

Item Number: 07200

How many of your friends would you estimate . . .

M: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	647	27.1 %
2	A FEW:(2)	534	22.3 %
3	SOME:(3)	495	20.7 %
4	MOST:(4)	342	14.3 %
5	ALL:(5)	121	5.1 %
	Missing Data		
-9	MISSING:(-9)	251	10.5 %
	Total	2,390	100%

Based upon 2,139 valid cases out of 2,390 total cases.

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2451: 122D07N:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate . . .

N: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1906	79.7 %
2	A FEW:(2)	171	7.2 %
3	SOME:(3)	44	1.8 %
4	MOST:(4)	6	0.3 %
5	ALL:(5)	13	0.5 %
	Missing Data		
-9	MISSING:(-9)	250	10.5 %
	Total	2,390	100%

Based upon 2,140 valid cases out of 2,390 total cases.

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2452: 122E01A:RSK COK PWDR 1-2

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

A: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	138	5.8 %
2	SLIGHT:(2)	371	15.5 %
3	MOD RISK:(3)	474	19.8 %
4	GRT RISK:(4)	1039	43.5 %
5	CANT SAY:(5)	104	4.4 %
	Missing Data		
-9	MISSING:(-9)	264	11.0 %
	Total	2,390	100%

Based upon 2,126 valid cases out of 2,390 total cases.

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2453: 122E01B:RSK COK PWDR OCC

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	94	3.9 %
2	SLIGHT:(2)	101	4.2 %
3	MOD RISK:(3)	475	19.9 %
4	GRT RISK:(4)	1346	56.3 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	107	4.5 %
	Missing Data		
-9	MISSING:(-9)	267	11.2 %
	Total	2,390	100%

Based upon 2,123 valid cases out of 2,390 total cases.

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2454: 122E01C:RSK COK PWDR REG

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	78	3.3 %
2	SLIGHT:(2)	41	1.7 %
3	MOD RISK:(3)	117	4.9 %
4	GRT RISK:(4)	1772	74.1 %
5	CANT SAY:(5)	109	4.6 %
	Missing Data		
-9	MISSING:(-9)	273	11.4 %
	Total	2,390	100%

Based upon 2,117 valid cases out of 2,390 total cases.

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2455: 122E01D:RSK CRACK 1-2X

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	109	4.6 %
2	SLIGHT:(2)	342	14.3 %
3	MOD RISK:(3)	441	18.5 %
4	GRT RISK:(4)	1100	46.0 %
5	CANT SAY:(5)	121	5.1 %
	Missing Data		
-9	MISSING:(-9)	277	11.6 %
	Total	2,390	100%

Based upon 2,113 valid cases out of 2,390 total cases.

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2456: 122E01E:RSK CRACK OCC

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	81	3.4 %
2	SLIGHT:(2)	66	2.8 %
3	MOD RISK:(3)	424	17.7 %
4	GRT RISK:(4)	1429	59.8 %
5	CANT SAY:(5)	124	5.2 %
	Missing Data		
-9	MISSING:(-9)	266	11.1 %
	Total	2,390	100%

Based upon 2,124 valid cases out of 2,390 total cases.

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2457: 122E01F:RSK CRACK REG

Item Number: 12506

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	82	3.4 %
2	SLIGHT:(2)	24	1.0 %
3	MOD RISK:(3)	93	3.9 %
4	GRT RISK:(4)	1791	74.9 %
5	CANT SAY:(5)	125	5.2 %
	Missing Data		
-9	MISSING:(-9)	275	11.5 %
	Total	2,390	100%

Based upon 2,115 valid cases out of 2,390 total cases.

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2534: 122E01G:RSK NARC 1-2X

Item number: 32600

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

G: . . . Try any narcotic other than heroin (codeine,
Vicodin, OxyContin, Percocet, etc.) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	180	7.5 %
2	SLIGHT:(2)	467	19.5 %
3	MOD RISK:(3)	471	19.7 %
4	GRT RISK:(4)	813	34.0 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	459	19.2 %

Value	Label	Unweighted Frequency	%
	Total	2,390	100%

Based upon 1,931 valid cases out of 2,390 total cases.

Location: 516-517 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2535: 122E01H:RSK NARC OCCAS

Item number: 32610

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

H: . . . Take any narcotic other than heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	92	3.8 %
2	SLIGHT:(2)	169	7.1 %
3	MOD RISK:(3)	531	22.2 %
4	GRT RISK:(4)	1141	47.7 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	457	19.1 %
	Total	2,390	100%

Based upon 1,933 valid cases out of 2,390 total cases.

Location: 518-519 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2536: 122E01I:RSK NARC REGLY

Item number: 32620

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

I: . . . Take any narcotic other than heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	84	3.5 %
2	SLIGHT:(2)	50	2.1 %
3	MOD RISK:(3)	226	9.5 %
4	GRT RISK:(4)	1573	65.8 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	457	19.1 %
	Total	2,390	100%

Based upon 1,933 valid cases out of 2,390 total cases.

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2537: 122E01J:RSK ADDERALL 1-2X

Item number: 32630

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

J: . . . Try Adderall once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	414	17.3 %
2	SLIGHT:(2)	502	21.0 %
3	MOD RISK:(3)	308	12.9 %
4	GRT RISK:(4)	565	23.6 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	601	25.1 %
	Total	2,390	100%

Based upon 1,789 valid cases out of 2,390 total cases.

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2538: 122E01K:RSK ADDERALL OCC

Item number: 32640

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

K: . . . Take Adderall occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	207	8.7 %
2	SLIGHT:(2)	357	14.9 %
3	MOD RISK:(3)	491	20.5 %
4	GRT RISK:(4)	732	30.6 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	603	25.2 %
	Total	2,390	100%

Based upon 1,787 valid cases out of 2,390 total cases.

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2458: 122E01L:RSK PCP 1-2X

Item Number: 12415

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Try PCP once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	114	4.8 %
2	SLIGHT:(2)	187	7.8 %
3	MOD RISK:(3)	360	15.1 %
4	GRT RISK:(4)	1084	45.4 %
5	CANT SAY:(5)	361	15.1 %
	Missing Data		
-9	MISSING:(-9)	284	11.9 %
	Total	2,390	100%

Based upon 2,106 valid cases out of 2,390 total cases.

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2476: 122E01M:RSK ICE 1-2X

Item Number: 24420

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Try crystal meth ("ice")?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	98	4.1 %
2	SLIGHT:(2)	116	4.9 %
3	MOD RISK:(3)	271	11.3 %
4	GRT RISK:(4)	1437	60.1 %
5	CANT SAY:(5)	188	7.9 %
	Missing Data		
-9	MISSING:(-9)	280	11.7 %
	Total	2,390	100%

Based upon 2,110 valid cases out of 2,390 total cases.

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2459: 122E02A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack"
cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2071	86.7 %
2	1-2X:(2)	28	1.2 %
3	3-5X:(3)	5	0.2 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	272	11.4 %
	Total	2,390	100%

Based upon 2,118 valid cases out of 2,390 total cases.

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2460: 122E02B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack"
cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2097	87.7 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	267	11.2 %
	Total	2,390	100%

Based upon 2,123 valid cases out of 2,390 total cases.

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2461: 122E02C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack"
cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2105	88.1 %
2	1-2X:(2)	6	0.3 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	270	11.3 %
	Total	2,390	100%

Based upon 2,120 valid cases out of 2,390 total cases.

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2403: 122E03A:#X PCP/LIFETIME

Item Number: 01181

On how many occasions (if any) have you used PCP . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2083	87.2 %
2	1-2X:(2)	15	0.6 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	276	11.5 %
	Total	2,390	100%

Based upon 2,114 valid cases out of 2,390 total cases.

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2404: 122E03B:#X PCP/LAST12MO

Item Number: 01182

On how many occasions (if any) have you used PCP . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2097	87.7 %
2	1-2X:(2)	13	0.5 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	272	11.4 %
	Total	2,390	100%

Based upon 2,118 valid cases out of 2,390 total cases.

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2405: 122E03C:#X PCP/LAST30DA

Item Number: 01183

On how many occasions (if any) have you used PCP . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2107	88.2 %
2	1-2X:(2)	6	0.3 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	271	11.3 %
Total		2,390	100%

Based upon 2,119 valid cases out of 2,390 total cases.

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2493: 122E04A:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2078	86.9 %
2	1-2X:(2)	15	0.6 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	8	0.3 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	9	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	273	11.4 %
	Total	2,390	100%

Based upon 2,117 valid cases out of 2,390 total cases.

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2494: 122E04B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2091	87.5 %
2	1-2X:(2)	13	0.5 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	271	11.3 %
	Total	2,390	100%

Based upon 2,119 valid cases out of 2,390 total cases.

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2495: 122E04C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take

them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2101	87.9 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	270	11.3 %
	Total	2,390	100%

Based upon 2,120 valid cases out of 2,390 total cases.

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2496: 122E05A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own?
(Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	24	1.0 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2359	98.7 %
	Total	2,390	100%

Based upon 31 valid cases out of 2,390 total cases.

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2497: 122E05B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	13	0.5 %
1	MARKED:(1)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	2359	98.7 %
	Total	2,390	100%

Based upon 31 valid cases out of 2,390 total cases.

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

V2516: 122E05C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	23	1.0 %
1	MARKED:(1)	2086	87.3 %
	Missing Data		
-9	MISSING:(-9)	281	11.8 %
	Total	2,390	100%

Based upon 2,109 valid cases out of 2,390 total cases.

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

V2462: 122E06A:GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

A: Try "crack" cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	5	0.2 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	6	0.3 %
4	GRADE 9:(4)	8	0.3 %
5	GRADE 10:(5)	3	0.1 %
6	GRADE 11:(6)	6	0.3 %
7	GRADE 12:(7)	10	0.4 %
8	NEVER:(8)	2031	85.0 %
	Missing Data		
-9	MISSING:(-9)	320	13.4 %
	Total	2,390	100%

Based upon 2,070 valid cases out of 2,390 total cases.

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2463: 122E06B:GR 1ST TR OT COK

Item Number: 05662

When (if ever) did you FIRST do each of the following things?

B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	5	0.2 %
4	GRADE 9:(4)	16	0.7 %
5	GRADE 10:(5)	10	0.4 %

Value	Label	Unweighted Frequency	%
6	GRADE 11:(6)	18	0.8 %
7	GRADE 12:(7)	24	1.0 %
8	NEVER:(8)	1992	83.3 %
	Missing Data		
-9	MISSING:(-9)	320	13.4 %
	Total	2,390	100%

Based upon 2,070 valid cases out of 2,390 total cases.

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2477: 122E06C:GR 1ST TRY ICE

Item Number: 24430

When (if ever) did you FIRST do each of the following things?

C: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	1	0.0 %
6	GRADE 11:(6)	3	0.1 %
7	GRADE 12:(7)	6	0.3 %
8	NEVER:(8)	2048	85.7 %
	Missing Data		
-9	MISSING:(-9)	323	13.5 %
	Total	2,390	100%

Based upon 2,067 valid cases out of 2,390 total cases.

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2498: 122E06D:GR 1ST TRY STRDS

Item Number: 23810

When (if ever) did you FIRST do each of the following things?

D: Try steroids (anabolic steroids)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	4	0.2 %
4	GRADE 9:(4)	5	0.2 %
5	GRADE 10:(5)	2	0.1 %
6	GRADE 11:(6)	6	0.3 %
7	GRADE 12:(7)	7	0.3 %
8	NEVER:(8)	2048	85.7 %
	Missing Data		
-9	MISSING:(-9)	315	13.2 %
	Total	2,390	100%

Based upon 2,075 valid cases out of 2,390 total cases.

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2464: 122E07A:EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following, if you wanted some?

A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	658	27.5 %
2	VRY DIFF:(2)	497	20.8 %
3	FRLY DIF:(3)	476	19.9 %
4	FRLY EAS:(4)	330	13.8 %
5	VRY EASY:(5)	138	5.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	291	12.2 %
	Total	2,390	100%

Based upon 2,099 valid cases out of 2,390 total cases.

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2465: 122E07B:EASY GT COK PWDR

Item Number: 06812

How difficult do you think it would be for you to get each of the following, if you wanted some?

B: Cocaine in powder form

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	639	26.7 %
2	VRY DIFF:(2)	471	19.7 %
3	FRLY DIF:(3)	446	18.7 %
4	FRLY EAS:(4)	371	15.5 %
5	VRY EASY:(5)	168	7.0 %
	Missing Data		
-9	MISSING:(-9)	295	12.3 %
	Total	2,390	100%

Based upon 2,095 valid cases out of 2,390 total cases.

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2466: 122E07C:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following, if you wanted some?

C: PCP

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	770	32.2 %
2	VRD DIFF:(2)	555	23.2 %
3	FRLY DIF:(3)	475	19.9 %
4	FRLY EAS:(4)	200	8.4 %
5	VRD EASY:(5)	93	3.9 %
	Missing Data		
-9	MISSING:(-9)	297	12.4 %
	Total	2,390	100%

Based upon 2,093 valid cases out of 2,390 total cases.

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2478: 122E07D:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following, if you wanted some?

D: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	782	32.7 %
2	VRD DIFF:(2)	588	24.6 %
3	FRLY DIF:(3)	428	17.9 %
4	FRLY EAS:(4)	185	7.7 %
5	VRD EASY:(5)	116	4.9 %
8	CANT SAY:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	291	12.2 %
	Total	2,390	100%

Based upon 2,099 valid cases out of 2,390 total cases.

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2499: 122E07E:EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following, if you wanted some?

E: Steroids (anabolic steroids)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	621	26.0 %
2	VRD DIFF:(2)	440	18.4 %
3	FRLY DIF:(3)	482	20.2 %
4	FRLY EAS:(4)	351	14.7 %
5	VRD EASY:(5)	200	8.4 %
8	CANT SAY:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	296	12.4 %
	Total	2,390	100%

Based upon 2,094 valid cases out of 2,390 total cases.

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2479: 122E08A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	475	19.9 %
2	DISAPPRV:(2)	840	35.1 %
3	STRG DIS:(3)	780	32.6 %
	Missing Data		
-9	MISSING:(-9)	295	12.3 %
	Total	2,390	100%

Based upon 2,095 valid cases out of 2,390 total cases.

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2480: 122E08B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1131	47.3 %
2	DISAPPRV:(2)	521	21.8 %
3	STRG DIS:(3)	447	18.7 %
	Missing Data		
-9	MISSING:(-9)	291	12.2 %
	Total	2,390	100%

Based upon 2,099 valid cases out of 2,390 total cases.

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2481: 122E08C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	915	38.3 %
2	DISAPPRV:(2)	579	24.2 %
3	STRG DIS:(3)	600	25.1 %
	Missing Data		
-9	MISSING:(-9)	296	12.4 %
	Total	2,390	100%

Based upon 2,094 valid cases out of 2,390 total cases.

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2482: 122E08D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	593	24.8 %
2	DISAPPRV:(2)	653	27.3 %
3	STRG DIS:(3)	844	35.3 %
	Missing Data		
-9	MISSING:(-9)	300	12.6 %
	Total	2,390	100%

Based upon 2,090 valid cases out of 2,390 total cases.

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2483: 122E08E:DAP COK PWD 1-2T

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	242	10.1 %
2	DISAPPRV:(2)	614	25.7 %
3	STRG DIS:(3)	1231	51.5 %
	Missing Data		
-9	MISSING:(-9)	303	12.7 %
	Total	2,390	100%

Based upon 2,087 valid cases out of 2,390 total cases.

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2484: 122E08F:DAP COK PWDR OCC

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	145	6.1 %
2	DISAPPRV:(2)	487	20.4 %
3	STRG DIS:(3)	1456	60.9 %
	Missing Data		
-9	MISSING:(-9)	302	12.6 %
	Total	2,390	100%

Based upon 2,088 valid cases out of 2,390 total cases.

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2485: 122E08G:DAP COK PWDR REG

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	102	4.3 %
2	DISAPPRV:(2)	379	15.9 %
3	STRG DIS:(3)	1606	67.2 %
	Missing Data		
-9	MISSING:(-9)	303	12.7 %
	Total	2,390	100%

Based upon 2,087 valid cases out of 2,390 total cases.

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2486: 122E08H:DAP TRY CRK 1-2T

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	154	6.4 %
2	DISAPPRV:(2)	530	22.2 %
3	STRG DIS:(3)	1402	58.7 %
	Missing Data		
-9	MISSING:(-9)	304	12.7 %
	Total	2,390	100%

Based upon 2,086 valid cases out of 2,390 total cases.

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2487: 122E08I:DAP CRACK OCC

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	105	4.4 %
2	DISAPPRV:(2)	418	17.5 %
3	STRG DIS:(3)	1559	65.2 %
	Missing Data		
-9	MISSING:(-9)	308	12.9 %
	Total	2,390	100%

Based upon 2,082 valid cases out of 2,390 total cases.

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2488: 122E08J:DAP CRACK REG

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	96	4.0 %
2	DISAPPRV:(2)	338	14.1 %
3	STRG DIS:(3)	1643	68.7 %
	Missing Data		
-9	MISSING:(-9)	313	13.1 %
	Total	2,390	100%

Based upon 2,077 valid cases out of 2,390 total cases.

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2489: 122E08K:DAP TRY DRK ALCL

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1439	60.2 %
2	DISAPPRV:(2)	352	14.7 %
3	STRG DIS:(3)	291	12.2 %
	Missing Data		
-9	MISSING:(-9)	308	12.9 %
	Total	2,390	100%

Based upon 2,082 valid cases out of 2,390 total cases.

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2490: 122E08L:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	601	25.1 %
2	DISAPPRV:(2)	853	35.7 %
3	STRG DIS:(3)	636	26.6 %
	Missing Data		
-9	MISSING:(-9)	300	12.6 %
	Total	2,390	100%

Based upon 2,090 valid cases out of 2,390 total cases.

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2491: 122E08M:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	248	10.4 %
2	DISAPPRV:(2)	612	25.6 %
3	STRG DIS:(3)	1225	51.3 %
	Missing Data		
-9	MISSING:(-9)	305	12.8 %
	Total	2,390	100%

Based upon 2,085 valid cases out of 2,390 total cases.

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2492: 122E08N:DAP 5+ DRK WKND5

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	682	28.5 %
2	DISAPPRV:(2)	541	22.6 %
3	STRG DIS:(3)	860	36.0 %
	Missing Data		
-9	MISSING:(-9)	307	12.8 %
	Total	2,390	100%

Based upon 2,083 valid cases out of 2,390 total cases.

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2428: 122E09A:FAVOR MLTY DRAFT

Item Number: 21060

The next two questions are about military service. Do you favor or oppose a military draft at the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed"

2="Mostly oppose" 1="Strongly oppose"

Value	Label	Unweighted Frequency	%
1	STRG OPPOS:(1)	662	27.7 %
2	MST OPPOS:(2)	389	16.3 %
3	NO OP/MXD:(3)	802	33.6 %
4	MOST FAVR:(4)	123	5.1 %
5	STRG FAVR:(5)	95	4.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	319	13.3 %
	Total	2,390	100%

Based upon 2,071 valid cases out of 2,390 total cases.

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2429: 122E09B:DRAFT INCL WOMEN

Item Number: 21070

Do you think any military draft in the U.S. should include women as well as men?

3="Yes" 2="Uncertain" 1="No"

Value	Label	Unweighted Frequency	%
1	NO:(1)	631	26.4 %
2	UNCERTN:(2)	711	29.7 %
3	YES:(3)	790	33.1 %
	Missing Data		
-9	MISSING:(-9)	258	10.8 %
	Total	2,390	100%

Based upon 2,132 valid cases out of 2,390 total cases.

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2371: 122E10 :R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences at school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot"

3="I like school some" 2="I don't like school very much"

1="I don't like school at all"

Value	Label	Unweighted Frequency	%
1	DONT LIKE@A:(1)	182	7.6 %
2	DONT LIKE VM:(2)	372	15.6 %

Value	Label	Unweighted Frequency	%
3	LIKE SOME:(3)	913	38.2 %
4	LIKE QUITEBIT:(4)	429	17.9 %
5	LIKE VRYMCH:(5)	231	9.7 %
	Missing Data		
-9	MISSING:(-9)	263	11.0 %
	Total	2,390	100%

Based upon 2,127 valid cases out of 2,390 total cases.

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2372: 122E11 :HRS/WK SPND HMWK

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	246	10.3 %
2	1-4 HRS:(2)	990	41.4 %
3	5-9 HRS:(3)	431	18.0 %
4	10-14HRS:(4)	204	8.5 %
5	15-19HRS:(5)	93	3.9 %
6	20-24HRS:(6)	76	3.2 %
7	25+ HRS:(7)	81	3.4 %
	Missing Data		
-9	MISSING:(-9)	269	11.3 %
	Total	2,390	100%

Based upon 2,121 valid cases out of 2,390 total cases.

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2445: 122E12A:SCH ACTV-PBLCTNS

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1671	69.9 %
2	SLIGHT:(2)	185	7.7 %
3	MODERATE:(3)	69	2.9 %
4	CONSDRBL:(4)	46	1.9 %
5	GRT EXT:(5)	121	5.1 %
	Missing Data		
-9	MISSING:(-9)	298	12.5 %
	Total	2,390	100%

Based upon 2,092 valid cases out of 2,390 total cases.

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2446: 122E12B:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1381	57.8 %
2	SLIGHT:(2)	160	6.7 %
3	MODERATE:(3)	133	5.6 %
4	CONSDRBL:(4)	89	3.7 %
5	GRT EXT:(5)	325	13.6 %
	Missing Data		
-9	MISSING:(-9)	302	12.6 %
	Total	2,390	100%

Based upon 2,088 valid cases out of 2,390 total cases.

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2447: 122E12C:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	912	38.2 %
2	SLIGHT:(2)	142	5.9 %
3	MODERATE:(3)	195	8.2 %
4	CONSDRBL:(4)	192	8.0 %
5	GRT EXT:(5)	643	26.9 %
	Missing Data		
-9	MISSING:(-9)	306	12.8 %
	Total	2,390	100%

Based upon 2,084 valid cases out of 2,390 total cases.

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2448: 122E12D:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	739	30.9 %
2	SLIGHT:(2)	274	11.5 %
3	MODERATE:(3)	337	14.1 %
4	CONSDRBL:(4)	295	12.3 %
5	GRT EXT:(5)	446	18.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	299	12.5 %
	Total	2,390	100%

Based upon 2,091 valid cases out of 2,390 total cases.

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2373: 122E13A:PRCL INFL SCL RN

Item Number: 07650

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	308	12.9 %
2	SOME:(2)	282	11.8 %
3	MODERATE:(3)	361	15.1 %
4	CONSDRBL:(4)	513	21.5 %
5	GREAT:(5)	628	26.3 %
	Missing Data		
-9	MISSING:(-9)	298	12.5 %
	Total	2,390	100%

Based upon 2,092 valid cases out of 2,390 total cases.

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2374: 122E13B:TCHR INFL SCL RN

Item Number: 07660

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate

Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	210	8.8 %
2	SOME:(2)	345	14.4 %
3	MODERATE:(3)	648	27.1 %
4	CONSDRBL:(4)	570	23.8 %
5	GREAT:(5)	315	13.2 %
	Missing Data		
-9	MISSING:(-9)	302	12.6 %
	Total	2,390	100%

Based upon 2,088 valid cases out of 2,390 total cases.

Location: 618-619 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2375: 122E13C:STDS INFL SCL RN

Item Number: 07670

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	554	23.2 %
2	SOME:(2)	433	18.1 %
3	MODERATE:(3)	434	18.2 %
4	CONSDRBL:(4)	331	13.8 %
5	GREAT:(5)	333	13.9 %
	Missing Data		
-9	MISSING:(-9)	305	12.8 %
	Total	2,390	100%

Based upon 2,085 valid cases out of 2,390 total cases.

Location: 620-621 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2376: 122E13D:PRTS INFL SCL RN

Item Number: 07680

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE:NO:(1)	574	24.0 %
2	SOME:(2)	576	24.1 %
3	MODERATE:(3)	481	20.1 %
4	CONSDRBL:(4)	273	11.4 %
5	GREAT:(5)	180	7.5 %
	Missing Data		
-9	MISSING:(-9)	306	12.8 %
	Total	2,390	100%

Based upon 2,084 valid cases out of 2,390 total cases.

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2377: 122E14 :HAD DRUG EDUCATN

Item Number: 07690

Have you had any drug education courses or lectures in school?

1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO QUESTION 20" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	509	21.3 %
2	WISH HAD:(2)	61	2.6 %
3	YES:(3)	1426	59.7 %
	Missing Data		
-9	MISSING:(-9)	394	16.5 %
	Total	2,390	100%

Based upon 1,996 valid cases out of 2,390 total cases.

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2378: 122E15 :DG ED,>DG INTRST

Item Number: 07840

Would you say that the information about drugs that you received in school classes or programs has . . . ?

1="Made you less interested in trying drugs" 2="Not changed your interest in trying drugs" 3="Made you more interested in trying drugs"

Value	Label	Unweighted Frequency	%
1	LESS INTERST:(1)	753	31.5 %
2	NO CHNGE:(2)	624	26.1 %
3	MORE INTERST:(3)	45	1.9 %
	Missing Data		
-9	MISSING:(-9)	968	40.5 %
	Total	2,390	100%

Based upon 1,422 valid cases out of 2,390 total cases.

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2379: 122E16A:DG ED,SPC COURSE

Item Number: 07850

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

A. A special course about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	986	41.3 %
1	MARKED:(1)	413	17.3 %
	Missing Data		
-9	MISSING:(-9)	991	41.5 %
	Total	2,390	100%

Based upon 1,399 valid cases out of 2,390 total cases.

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2380: 122E16B:DG ED,IN REG CRS

Item Number: 07860

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	476	19.9 %
1	MARKED:(1)	923	38.6 %
	Missing Data		
-9	MISSING:(-9)	991	41.5 %
	Total	2,390	100%

Based upon 1,399 valid cases out of 2,390 total cases.

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2381: 122E16C:DG ED,NT REG CRS

Item Number: 07870

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	976	40.8 %
1	MARKED:(1)	423	17.7 %
	Missing Data		
-9	MISSING:(-9)	991	41.5 %
	Total	2,390	100%

Based upon 1,399 valid cases out of 2,390 total cases.

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2382: 122E16D:DG ED,SPC DISCUS

Item Number: 07880

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1136	47.5 %
1	MARKED:(1)	263	11.0 %
	Missing Data		
-9	MISSING:(-9)	991	41.5 %
	Total	2,390	100%

Based upon 1,399 valid cases out of 2,390 total cases.

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2383: 122E17 :DG ED,GRT VALUE

Item Number: 07890

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"
4="Great value"

Value	Label	Unweighted Frequency	%
1	NO VALUE:(1)	350	14.6 %
2	SOME:(2)	540	22.6 %
3	CNSIDRBL:(3)	330	13.8 %
4	GT VALUE:(4)	188	7.9 %
	Missing Data		
-9	MISSING:(-9)	982	41.1 %
	Total	2,390	100%

Based upon 1,408 valid cases out of 2,390 total cases.

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2441: 122E18A:#X/2W DRIVE+ALCL

Item Number: 01811

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

A: . . . drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1897	79.4 %
2	ONCE:(2)	98	4.1 %
3	TWICE:(3)	43	1.8 %
4	3-5X:(4)	19	0.8 %
5	6-9X:(5)	2	0.1 %
6	10+ TIME:(6)	13	0.5 %
	Missing Data		
-9	MISSING:(-9)	318	13.3 %
	Total	2,390	100%

Based upon 2,072 valid cases out of 2,390 total cases.

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2442: 122E18B:#X/2W DRIVE+5DRK

Item Number: 01812

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

B: . . . having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1954	81.8 %
2	ONCE:(2)	51	2.1 %
3	TWICE:(3)	29	1.2 %
4	3-5X:(4)	17	0.7 %

Value	Label	Unweighted Frequency	%
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	325	13.6 %
	Total	2,390	100%

Based upon 2,065 valid cases out of 2,390 total cases.

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2517: 122E18C:#X/2W DRIVE+MJ

Item Number: 01813

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

C. . . . smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1822	76.2 %
2	ONCE:(2)	75	3.1 %
3	TWICE:(3)	52	2.2 %
4	3-5X:(4)	49	2.1 %
5	6-9X:(5)	16	0.7 %
6	10+ TIME:(6)	54	2.3 %
	Missing Data		
-9	MISSING:(-9)	322	13.5 %
	Total	2,390	100%

Based upon 2,068 valid cases out of 2,390 total cases.

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2518: 122E18D:#X/2W DRIVE+OTDG

Item Number: 01814

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

D. . . . using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2014	84.3 %
2	ONCE:(2)	16	0.7 %
3	TWICE:(3)	7	0.3 %
4	3-5X:(4)	11	0.5 %
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	331	13.8 %
	Total	2,390	100%

Based upon 2,059 valid cases out of 2,390 total cases.

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2443: 122E19A:#X/2W RIDE+ALCL

Item Number: 01815

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

A: . . . when the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1787	74.8 %
2	ONCE:(2)	154	6.4 %
3	TWICE:(3)	74	3.1 %
4	3-5X:(4)	33	1.4 %
5	6-9X:(5)	7	0.3 %
6	10+ TIME:(6)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	323	13.5 %
	Total	2,390	100%

Based upon 2,067 valid cases out of 2,390 total cases.

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2444: 122E19B:#X/2W RIDE+5DRK

Item Number: 01816

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

B: . . . when you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1928	80.7 %
2	ONCE:(2)	66	2.8 %
3	TWICE:(3)	38	1.6 %
4	3-5X:(4)	18	0.8 %
5	6-9X:(5)	2	0.1 %
6	10+ TIME:(6)	8	0.3 %
	Missing Data		
-9	MISSING:(-9)	330	13.8 %
	Total	2,390	100%

Based upon 2,060 valid cases out of 2,390 total cases.

Location: 648-649 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2519: 122E19C:#X/2W RIDE+MJ

Item Number: 01817

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

C. . . . when the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1685	70.5 %
2	ONCE:(2)	136	5.7 %
3	TWICE:(3)	89	3.7 %

Value	Label	Unweighted Frequency	%
4	3-5X:(4)	64	2.7 %
5	6-9X:(5)	33	1.4 %
6	10+ TIME:(6)	53	2.2 %
	Missing Data		
-9	MISSING:(-9)	330	13.8 %
	Total	2,390	100%

Based upon 2,060 valid cases out of 2,390 total cases.

Location: 650-651 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2520: 122E19D:#X/2W RIDE+OTDG

Item Number: 01818

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

D. . . . when the driver had been using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1996	83.5 %
2	ONCE:(2)	23	1.0 %
3	TWICE:(3)	17	0.7 %
4	3-5X:(4)	9	0.4 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	336	14.1 %
	Total	2,390	100%

Based upon 2,054 valid cases out of 2,390 total cases.

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2414: 122E20A:OFTN EAT BRKFST

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	155	6.5 %
2	SELDOM:(2)	416	17.4 %
3	SOMETIME:(3)	435	18.2 %
4	MST DAYS:(4)	261	10.9 %
5	NR EV DA:(5)	241	10.1 %
6	EVERYDAY:(6)	570	23.8 %
	Missing Data		
-9	MISSING:(-9)	312	13.1 %
	Total	2,390	100%

Based upon 2,078 valid cases out of 2,390 total cases.

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2415: 122E20B:OFTN EAT GN VEG

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	118	4.9 %
2	SELDOM:(2)	205	8.6 %
3	SOMETIME:(3)	494	20.7 %
4	MST DAYS:(4)	482	20.2 %
5	NR EV DA:(5)	366	15.3 %
6	EVERYDAY:(6)	411	17.2 %
	Missing Data		
-9	MISSING:(-9)	314	13.1 %
	Total	2,390	100%

Based upon 2,076 valid cases out of 2,390 total cases.

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2416: 122E20C:OFTN EAT FRUIT

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	63	2.6 %
2	SELDOM:(2)	111	4.6 %
3	SOMETIME:(3)	437	18.3 %
4	MST DAYS:(4)	543	22.7 %
5	NR EV DA:(5)	381	15.9 %
6	EVERYDAY:(6)	540	22.6 %
	Missing Data		
-9	MISSING:(-9)	315	13.2 %
	Total	2,390	100%

Based upon 2,075 valid cases out of 2,390 total cases.

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2417: 122E20D:OFTN EXERCISE

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	118	4.9 %
2	SELDOM:(2)	312	13.1 %
3	SOMETIME:(3)	436	18.2 %
4	MST DAYS:(4)	335	14.0 %
5	NR EV DA:(5)	377	15.8 %

Value	Label	Unweighted Frequency	%
6	EVERYDAY:(6)	475	19.9 %
	Missing Data		
-9	MISSING:(-9)	337	14.1 %
	Total	2,390	100%

Based upon 2,053 valid cases out of 2,390 total cases.

Location: 660-661 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2418: 122E20E:OFTN 7HRS SLEEP

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	108	4.5 %
2	SELDOM:(2)	297	12.4 %
3	SOMETIME:(3)	501	21.0 %
4	MST DAYS:(4)	494	20.7 %
5	NR EV DA:(5)	359	15.0 %
6	EVERYDAY:(6)	316	13.2 %
	Missing Data		
-9	MISSING:(-9)	315	13.2 %
	Total	2,390	100%

Based upon 2,075 valid cases out of 2,390 total cases.

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2419: 122E20F:OFTN SLEEP <SHLD

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day"

every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	163	6.8 %
2	SELDOM:(2)	248	10.4 %
3	SOMETIME:(3)	490	20.5 %
4	MST DAYS:(4)	376	15.7 %
5	NR EV DA:(5)	390	16.3 %
6	EVERYDAY:(6)	398	16.7 %
	Missing Data		
-9	MISSING:(-9)	325	13.6 %
	Total	2,390	100%

Based upon 2,065 valid cases out of 2,390 total cases.

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2139: 122R* :#X H/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2292	95.9 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	65	2.7 %

Value	Label	Unweighted Frequency	%
	Total	2,390	100%

Based upon 2,325 valid cases out of 2,390 total cases.

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2140: 122R* :#X H/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2306	96.5 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	64	2.7 %
	Total	2,390	100%

Based upon 2,326 valid cases out of 2,390 total cases.

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2141: 122R* :#X H/LAST30DA

Item Number: 01120

Component questions for "any heroin" measure: "On how many

occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin
WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2318	97.0 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	63	2.6 %
	Total	2,390	100%

Based upon 2,327 valid cases out of 2,390 total cases.

Location: 670-671 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83
2012	107	20	127	14,343	83

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.