SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Form 1 Data Codebook

Terms of Use

Information about Copyrighted Content

TABLE OF CONTENTS

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2009 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

_____

_____

A.   DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

B. EDUCATION. Educational lifestyle, values, experiences, and environments

C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.

D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G. RELIGION. Religious affiliation, practices, and views.

H. POLITICS. Political affiliation, activities, and views.

I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q   OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.

R. BACKGROUND. Demographic and family background characteristics, living arrangements.

S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

_____

_____

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

 In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2009 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	188	390	14,268
2	Form 1	638	1,287	2,392
3	Form 2	332	677	2,381
4	Form 3	358	730	2,357
5	Form 4	270	556	2,385
6	Form 5	327	667	2,371
7	Form 6	336	686	2,382

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119	[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)
[4] Variable Type: numeric (ISO)
[5] Range of Missing Values (M): -9
Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS

Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR
	C02. R'S BIRTH MONTH
	C04A-I, R'S RACE (9 categories)
	C07A-B. # OLDER BR/SR, # YOUNGER BR/SR
	C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)
	C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT
	D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT
	5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms
AGE <> 18 DICHOTOMY
1=younger than 18 years old,
2=18 years old or more
-9=missing data on birth year, or birth month if it is required
Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that
the questionnaire was administered.   If the birth year value indicates that the respondent is
18, then the month of administration is compared to the month of birth. If the questionnaire
was given before the month of birth, or if both were the same month, then the respondent is
determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy
1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing
data on Q. C04.
From 2006 on, each of the questionnaire forms contains the new version of the race question
which was introduced on half of the forms in 2005. The new version lists several different
response options and prompts the respondents to select all that apply to them.   In cases
where a respondent selected options which fell into more than one of the three recoded
categories (Black, White, Hispanic), the value for the recoded variable was deleted and
defined as missing.

C07A. R'S # SIBLINGS
Responses to questions C07A-B were combined and bracketed before original data were
deleted (see above)
0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING
0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)
*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]
  Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning
"crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]
  Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin
"using a needle" and heroin "WITHOUT using a needle".

Form 6
    A10. EVER HELD BACK
      1=No, 2=Yes

    A11. NEED SUMMER SCHL
      1=No, 2=Yes

    A12. EVER SUSPENDED
      1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

      The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

       For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series.   This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 28401

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Form 1 Data

CASEID	CASE IDENTIFICATION NUMBER
Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric
	Based upon 2392 valid cases out of 2392 total cases.

V1	YEAR OF ADMIN (4-DIGITS)
Location:	5-8 (width: 4; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
2009	2392	100.0 %	100.0%

Based upon 2392 valid cases out of 2392 total cases.

V3	091:FORM ID
Location:	9-10 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
1	2392	100.0 %	100.0%

Based upon 2392 valid cases out of 2392 total cases.

V4	091:Rs ID-SERIAL #
Location:	11-15 (width: 5; decimal: 0)
Variable Type:	numeric
	Based upon 2392 valid cases out of 2392 total cases.

V5	SAMPLING WEIGHT
Location:	16-21 (width: 6; decimal: 4)
Variable Type:	numeric
	Based upon 2392 valid cases out of 2392 total cases.

V13	SCH REG-4 CAT
Location:	22-23 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	
	Region of the country, based on Census categories, in which respondent's school is located.
	1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%	Valid %
1	NE:(1)	578	24.2 %	24.2%
2	NC:(2)	581	24.3 %	24.3%
3	S:(3)	731	30.6 %	30.6%
4	W:(4)	502	21.0 %	21.0%

Based upon 2392 valid cases out of 2392 total cases.

V16   LARGE MSA=1/NOT=0

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	1526	63.8 %	63.8%
1	LARGE MSA:(1)	866	36.2 %	36.2%

Based upon 2392 valid cases out of 2392 total cases.

V17   MSA/NON-MSA=0

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%	Valid %
0	NON-MSA:(0)	418	17.5 %	17.5%
1	MSA:(1)	1974	82.5 %	82.5%

Based upon 2392 valid cases out of 2392 total cases.

V1633   091A001:VRY HPY THS DAY

Location: 28-29 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01190

Question Number(s): 1A001

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%	Valid %
1	NT HAPPY:(1)	331	13.8 %	13.9%
2	PRTY HPY:(2)	1509	63.1 %	63.6%
3	VRY HPY:(3)	534	22.3 %	22.5%
-9 (M)	MISSING:(-9)	18	0.8 %	-

Based upon 2374 valid cases out of 2392 total cases.

V1634	**091A002A:US NEEDS PLANNG**

Location:	30-31 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01200

Question Number(s): 1A002A

How much do you agree or disagree with each of the following statements?

A: The nation needs much more long-range planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	31	1.3 %	1.3%
2	MOST DIS:(2)	65	2.7 %	2.8%
3	NEITHER:(3)	298	12.5 %	12.7%
4	MOST AGR:(4)	1011	42.3 %	42.9%
5	AGREE:(5)	950	39.7 %	40.3%
-9 (M)	MISSING:(-9)	37	1.5 %	-

Based upon 2355 valid cases out of 2392 total cases.

V1635	**091A002B:ENJOY FAST PACE**

Location:	32-33 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01210

Question Number(s): 1A002B

How much do you agree or disagree with each of the following statements?

B: I enjoy the fast pace and changes of today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	198	8.3 %	8.4%
2	MOST DIS:(2)	359	15.0 %	15.2%
3	NEITHER:(3)	753	31.5 %	31.9%
4	MOST AGR:(4)	741	31.0 %	31.4%
5	AGREE:(5)	306	12.8 %	13.0%
-9 (M)	MISSING:(-9)	35	1.5 %	-

Based upon 2357 valid cases out of 2392 total cases.

V1636	**091A002C:THG CHG 2 QUICK**

Location:	34-35 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01220

Question Number(s): 1A002C

How much do you agree or disagree with each of the following statements?

C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	189	7.9 %	8.0%
2	MOST DIS:(2)	435	18.2 %	18.5%

Value	Label	Unweighted Frequency	%	Valid %
3	NEITHER:(3)	645	27.0 %	27.4%
4	MOST AGR:(4)	663	27.7 %	28.2%
5	AGREE:(5)	423	17.7 %	18.0%
-9 (M)	MISSING:(-9)	37	1.5 %	-

Based upon 2355 valid cases out of 2392 total cases.

V1637	**091A002D:X AHEAD TOUGHER**

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01230

Question Number(s): 1A002D

How much do you agree or disagree with each of the following statements?

D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	307	12.8 %	13.1%
2	MOST DIS:(2)	432	18.1 %	18.4%
3	NEITHER:(3)	496	20.7 %	21.1%
4	MOST AGR:(4)	579	24.2 %	24.6%
5	AGREE:(5)	538	22.5 %	22.9%
-9 (M)	MISSING:(-9)	40	1.7 %	-

Based upon 2352 valid cases out of 2392 total cases.

V1638	**091A003:TM SPT ADLT MST**

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01240

Question Number(s): 1A003

Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY LITL:(1)	603	25.2 %	25.4%
2	SOME:(2)	933	39.0 %	39.3%
3	ABT HALF:(3)	633	26.5 %	26.6%
4	MOST:(4)	173	7.2 %	7.3%
5	NRLY ALL:(5)	35	1.5 %	1.5%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2377 valid cases out of 2392 total cases.

V1639	**091A004:LK MR TM ADLT**

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01250

Question Number(s): 1A004

Would you like to spend more time, or less time, with people over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	178	7.4 %	7.5%
2	SOM LESS:(2)	285	11.9 %	12.0%
3	SAM TIME:(3)	1550	64.8 %	65.3%
4	SOM MORE:(4)	312	13.0 %	13.2%
5	MCH MORE:(5)	47	2.0 %	2.0%
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2372 valid cases out of 2392 total cases.

V1640	**091A005:LK MR TM YG CHD**

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01260

Question Number(s): 1A005

Would you like to spend more time, or less time, working with
or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same
as now" 4="Somewhat more time" 5="Much more time"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	210	8.8 %	8.8%
2	SOM LESS:(2)	175	7.3 %	7.4%
3	SAM TIME:(3)	771	32.2 %	32.5%
4	SOM MORE:(4)	800	33.4 %	33.7%
5	MCH MORE:(5)	418	17.5 %	17.6%
-9 (M)	MISSING:(-9)	18	0.8 %	-

Based upon 2374 valid cases out of 2392 total cases.

V1641	**091A006A:SAT PRESENT JOB**

Location:	44-45 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01270

Question Number(s): 1A006A

The next questions ask how satisfied or dissatisfied you are
with several aspects of your life. For each question, mark
the circle that shows best how you feel. If you are neutral
about something, or are just as satisfied as you are
dissatisfied, mark the middle answer. How satisfied are you
with . . .

A: . . . Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	94	3.9 %	7.0%
2	-	56	2.3 %	4.1%
3	-	117	4.9 %	8.7%
4	NEUTRAL:(4)	301	12.6 %	22.3%
5	-	236	9.9 %	17.5%
6	-	300	12.5 %	22.2%
7	COMP SAT:(7)	248	10.4 %	18.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	1040	43.5 %	-

Based upon 1352 valid cases out of 2392 total cases.

V1642	**091A006B:SAT NEIGHBORHOD**

Location:	46-47 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01280

Question Number(s): 1A006B

How satisfied are you with . . .

B: . . . The neighborhood where you live?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	108	4.5 %	4.6%
2	-	91	3.8 %	3.8%
3	-	157	6.6 %	6.6%
4	NEUTRAL:(4)	476	19.9 %	20.1%
5	-	336	14.0 %	14.2%
6	-	560	23.4 %	23.6%
7	COMP SAT:(7)	645	27.0 %	27.2%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2373 valid cases out of 2392 total cases.

V1643	**091A006C:SAT PRSNL SAFTY**

Location:	48-49 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01290

Question Number(s): 1A006C

How satisfied are you with . . .

C: . . . Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	70	2.9 %	3.0%
2	-	68	2.8 %	2.9%
3	-	131	5.5 %	5.5%
4	NEUTRAL:(4)	404	16.9 %	17.1%
5	-	310	13.0 %	13.1%
6	-	603	25.2 %	25.5%
7	COMP SAT:(7)	783	32.7 %	33.1%
-9 (M)	MISSING:(-9)	23	1.0 %	-

Based upon 2369 valid cases out of 2392 total cases.

V1644	**091A006D:SAT OWN PROP SF**

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01300

Question Number(s): 1A006D

How satisfied are you with . . .

D: . . . The safety of things you own from being stolen or destroyed in your neighborhood, on your job, and in your school?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	112	4.7 %	4.7%
2	-	163	6.8 %	6.9%
3	-	269	11.2 %	11.4%
4	NEUTRAL:(4)	432	18.1 %	18.2%
5	-	404	16.9 %	17.1%
6	-	548	22.9 %	23.1%
7	COMP SAT:(7)	441	18.4 %	18.6%
-9 (M)	MISSING:(-9)	23	1.0 %	-

Based upon 2369 valid cases out of 2392 total cases.

V1645	**091A006E:SAT EDUC EXPRNC**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01310

Question Number(s): 1A006E

How satisfied are you with . . .

E: . . . Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	54	2.3 %	2.3%
2	-	70	2.9 %	3.0%
3	-	126	5.3 %	5.3%
4	NEUTRAL:(4)	400	16.7 %	16.9%
5	-	502	21.0 %	21.2%
6	-	752	31.4 %	31.8%
7	COMP SAT:(7)	461	19.3 %	19.5%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2365 valid cases out of 2392 total cases.

V1646	**091A006F:SAT OWN FRIENDS**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01320

Question Number(s): 1A006F

How satisfied are you with . . .

F: . . . Your friends and other people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	24	1.0 %	1.0%
2	-	25	1.0 %	1.1%
3	-	63	2.6 %	2.7%

Value	Label	Unweighted Frequency	%	Valid %
4	NEUTRAL:(4)	197	8.2 %	8.3%
5	-	275	11.5 %	11.6%
6	-	721	30.1 %	30.4%
7	COMP SAT:(7)	1063	44.4 %	44.9%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2368 valid cases out of 2392 total cases.

V1647	**091A006G:SAT GT ALNG PRN**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01330

Question Number(s): 1A006G

How satisfied are you with . . .

G: . . . The way you get along with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	93	3.9 %	3.9%
2	-	97	4.1 %	4.1%
3	-	168	7.0 %	7.1%
4	NEUTRAL:(4)	378	15.8 %	15.9%
5	-	363	15.2 %	15.3%
6	-	582	24.3 %	24.5%
7	COMP SAT:(7)	693	29.0 %	29.2%
-9 (M)	MISSING:(-9)	18	0.8 %	-

Based upon 2374 valid cases out of 2392 total cases.

V1648	**091A006H:SAT YOURSELF**

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01340

Question Number(s): 1A006H

How satisfied are you with . . .

H: . . . Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	53	2.2 %	2.2%
2	-	71	3.0 %	3.0%
3	-	107	4.5 %	4.5%
4	NEUTRAL:(4)	358	15.0 %	15.2%
5	-	350	14.6 %	14.8%
6	-	659	27.6 %	28.0%
7	COMP SAT:(7)	759	31.7 %	32.2%
-9 (M)	MISSING:(-9)	35	1.5 %	-

Based upon 2357 valid cases out of 2392 total cases.

V1649	**091A006I:SAT STD OF LVG**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01350

Question Number(s): 1A006I

How satisfied are you with . . .

I: . . . Your standard of living--the things you have like housing, car, furniture, recreation, and the like?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	39	1.6 %	1.6%
2	-	63	2.6 %	2.7%
3	-	113	4.7 %	4.8%
4	NEUTRAL:(4)	313	13.1 %	13.2%
5	-	371	15.5 %	15.7%
6	-	660	27.6 %	27.9%
7	COMP SAT:(7)	810	33.9 %	34.2%
-9 (M)	MISSING:(-9)	23	1.0 %	-

Based upon 2369 valid cases out of 2392 total cases.

V1650	**091A006J:SAT TIME FR THG**

Location:	62-63 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01360

Question Number(s): 1A006J

How satisfied are you with . . .

J: . . . The amount of time you have for doing things you want to do?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	135	5.6 %	5.7%
2	-	167	7.0 %	7.0%
3	-	315	13.2 %	13.3%
4	NEUTRAL:(4)	428	17.9 %	18.1%
5	-	516	21.6 %	21.8%
6	-	467	19.5 %	19.7%
7	COMP SAT:(7)	341	14.3 %	14.4%
-9 (M)	MISSING:(-9)	23	1.0 %	-

Based upon 2369 valid cases out of 2392 total cases.

V1651	**091A006K:SAT SPD LEISR**

Location:	64-65 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01370

Question Number(s): 1A006K

How satisfied are you with . . .

K: . . . The way you spend your leisure time--recreation, relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	62	2.6 %	2.6%
2	-	84	3.5 %	3.5%
3	-	197	8.2 %	8.3%
4	NEUTRAL:(4)	376	15.7 %	15.9%
5	-	474	19.8 %	20.0%
6	-	590	24.7 %	24.9%
7	COMP SAT:(7)	587	24.5 %	24.8%
-9 (M)	MISSING:(-9)	22	0.9 %	-

Based upon 2370 valid cases out of 2392 total cases.

V1652	**091A006L:SAT LIFE AS WHL**

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01380

Question Number(s): 1A006L

How satisfied are you with . . .

L: . . . Your life as a whole these days?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	52	2.2 %	2.2%
2	-	75	3.1 %	3.2%
3	-	146	6.1 %	6.2%
4	NEUTRAL:(4)	429	17.9 %	18.1%
5	-	520	21.7 %	22.0%
6	-	708	29.6 %	29.9%
7	COMP SAT:(7)	437	18.3 %	18.5%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2367 valid cases out of 2392 total cases.

V1653	**091A006M:SAT GOVT OPRTNG**

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01390

Question Number(s): 1A006M

How satisfied are you with . . .

M: . . . The way our national government is operating?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	314	13.1 %	13.3%
2	-	327	13.7 %	13.8%
3	-	425	17.8 %	17.9%
4	NEUTRAL:(4)	807	33.7 %	34.1%
5	-	310	13.0 %	13.1%
6	-	138	5.8 %	5.8%
7	COMP SAT:(7)	48	2.0 %	2.0%
-9 (M)	MISSING:(-9)	23	1.0 %	-

Based upon 2369 valid cases out of 2392 total cases.

V1654	**091A006N:SAT AMT OF FUN**

Location: | 70-71 (width: 2; decimal: 0)

Variable Type: | numeric

Range of Missing Values (M): | -9

Question:

Item Number: 01400

Question Number(s): 1A006N

How satisfied are you with . . .

N: . . . The amount of fun you are having?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	73	3.1 %	3.1%
2	-	96	4.0 %	4.0%
3	-	198	8.3 %	8.3%
4	NEUTRAL:(4)	392	16.4 %	16.5%
5	-	516	21.6 %	21.8%
6	-	603	25.2 %	25.4%

Value	Label	Unweighted Frequency	%	Valid %
7	COMP SAT:(7)	494	20.7 %	20.8%
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2372 valid cases out of 2392 total cases.

V1655	**091A007A:IMP B SUCCSS WK**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01410

Question Number(s): 1A007A

How important is each of the following to you in your life?

A: Being successful in my line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	31	1.3 %	1.3%
2	SOM IMPT:(2)	138	5.8 %	6.0%
3	QUITE IM:(3)	591	24.7 %	25.7%
4	EXTR IMP:(4)	1541	64.4 %	67.0%
-9 (M)	MISSING:(-9)	91	3.8 %	-

Based upon 2301 valid cases out of 2392 total cases.

V1656	**091A007B:IMP GD MRRG/FAM**

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01420

Question Number(s): 1A007B

How important is each of the following to you in your life?

B: Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	55	2.3 %	2.4%
2	SOM IMPT:(2)	156	6.5 %	6.8%
3	QUITE IM:(3)	351	14.7 %	15.2%
4	EXTR IMP:(4)	1740	72.7 %	75.6%
-9 (M)	MISSING:(-9)	90	3.8 %	-

Based upon 2302 valid cases out of 2392 total cases.

V1657	**091A007C:IMP LOTS OF $**

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01430

Question Number(s): 1A007C

How important is each of the following to you in your life?

C: Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	141	5.9 %	6.1%
2	SOM IMPT:(2)	672	28.1 %	29.2%
3	QUITE IM:(3)	898	37.5 %	39.1%
4	EXTR IMP:(4)	587	24.5 %	25.5%
-9 (M)	MISSING:(-9)	94	3.9 %	-

Based upon 2298 valid cases out of 2392 total cases.

V1658	**091A007D:IMP TM RCRN/HBY**

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01440

Question Number(s): 1A007D

How important is each of the following to you in your life?

D: Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	36	1.5 %	1.6%
2	SOM IMPT:(2)	462	19.3 %	20.0%
3	QUITE IM:(3)	1005	42.0 %	43.6%
4	EXTR IMP:(4)	803	33.6 %	34.8%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2306 valid cases out of 2392 total cases.

V1659	**091A007E:IMP STRG FRDSHP**

Location: 80-81 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01450

Question Number(s): 1A007E

How important is each of the following to you in your life?

E: Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	40	1.7 %	1.7%
2	SOM IMPT:(2)	147	6.1 %	6.4%
3	QUITE IM:(3)	564	23.6 %	24.6%
4	EXTR IMP:(4)	1545	64.6 %	67.3%
-9 (M)	MISSING:(-9)	96	4.0 %	-

Based upon 2296 valid cases out of 2392 total cases.

V1660	**091A007F:IMP STEADY WORK**

Location: 82-83 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01460

Question Number(s): 1A007F

How important is each of the following to you in your life?

F: Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	24	1.0 %	1.0%
2	SOM IMPT:(2)	88	3.7 %	3.8%
3	QUITE IM:(3)	521	21.8 %	22.6%
4	EXTR IMP:(4)	1670	69.8 %	72.5%
-9 (M)	MISSING:(-9)	89	3.7 %	-

Based upon 2303 valid cases out of 2392 total cases.

V1661	**091A007G:IMP CNTRBTN SOC**

Location: 84-85 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01470

Question Number(s): 1A007G

How important is each of the following to you in your life?

G: Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	115	4.8 %	5.0%
2	SOM IMPT:(2)	613	25.6 %	26.7%
3	QUITE IM:(3)	937	39.2 %	40.8%
4	EXTR IMP:(4)	632	26.4 %	27.5%
-9 (M)	MISSING:(-9)	95	4.0 %	-

Based upon 2297 valid cases out of 2392 total cases.

V1662	**091A007H:IMP LDR COMUNTY**

Location: 86-87 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01480

Question Number(s): 1A007H

How important is each of the following to you in your life?

H: Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	375	15.7 %	16.3%
2	SOM IMPT:(2)	828	34.6 %	36.1%
3	QUITE IM:(3)	666	27.8 %	29.0%
4	EXTR IMP:(4)	427	17.9 %	18.6%
-9 (M)	MISSING:(-9)	96	4.0 %	-

Based upon 2296 valid cases out of 2392 total cases.

V1663	**091A007I:IMP CHLD BTR OP**

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01490

Question Number(s): 1A007I

How important is each of the following to you in your life?

I: Being able to give my children better opportunities than
I've had

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	44	1.8 %	1.9%
2	SOM IMPT:(2)	129	5.4 %	5.6%
3	QUITE IM:(3)	495	20.7 %	21.6%
4	EXTR IMP:(4)	1623	67.9 %	70.8%
-9 (M)	MISSING:(-9)	101	4.2 %	-

Based upon 2291 valid cases out of 2392 total cases.

V1664	**091A007J:IMP LIV CLS PRN**

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 01500

Question Number(s): 1A007J

How important is each of the following to you in your life?

J: Living close to parents and relatives

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	329	13.8 %	14.3%
2	SOM IMPT:(2)	838	35.0 %	36.5%
3	QUITE IM:(3)	691	28.9 %	30.1%
4	EXTR IMP:(4)	439	18.4 %	19.1%
-9 (M)	MISSING:(-9)	95	4.0 %	-

Based upon 2297 valid cases out of 2392 total cases.

V1665	**091A007K:IMP GT AWY AREA**

Location:	92-93 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01510

Question Number(s): 1A007K

How important is each of the following to you in your life?

K: Getting away from this area of the country

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	990	41.4 %	43.1%
2	SOM IMPT:(2)	588	24.6 %	25.6%
3	QUITE IM:(3)	382	16.0 %	16.6%
4	EXTR IMP:(4)	338	14.1 %	14.7%
-9 (M)	MISSING:(-9)	94	3.9 %	-

Based upon 2298 valid cases out of 2392 total cases.

V1666	**091A007L:IMP CRRCT INEQL**

Location:	94-95 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01520

Question Number(s): 1A007L

How important is each of the following to you in your life?

L: Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	391	16.3 %	17.1%
2	SOM IMPT:(2)	904	37.8 %	39.4%
3	QUITE IM:(3)	633	26.5 %	27.6%
4	EXTR IMP:(4)	364	15.2 %	15.9%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2292 valid cases out of 2392 total cases.

V1667	**091A007M:IMP NEW XPRNCE**

Location:	96-97 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01530

Question Number(s): 1A007M

How important is each of the following to you in your life?

M: Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	120	5.0 %	5.2%
2	SOM IMPT:(2)	629	26.3 %	27.3%
3	QUITE IM:(3)	914	38.2 %	39.7%
4	EXTR IMP:(4)	637	26.6 %	27.7%
-9 (M)	MISSING:(-9)	92	3.8 %	-

Based upon 2300 valid cases out of 2392 total cases.

V1668	**091A007N:IMP FND PRPS LF**

Location:	98-99 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01540

Question Number(s): 1A007N

How important is each of the following to you in your life?

N: Finding purpose and meaning in my life

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	71	3.0 %	3.1%
2	SOM IMPT:(2)	200	8.4 %	8.7%
3	QUITE IM:(3)	597	25.0 %	26.0%
4	EXTR IMP:(4)	1429	59.7 %	62.2%
-9 (M)	MISSING:(-9)	95	4.0 %	-

Based upon 2297 valid cases out of 2392 total cases.

V1669	**091A008:PPL CAN B TRSTD**

Location:	100-101 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01550

Question Number(s): 1A008

Generally speaking, would you say that most people can be
trusted or that you can't be too careful in dealing with
people?

3="Most people can be trusted" 2="Don't know, undecided"
1="Can't be too careful"

Value	Label	Unweighted Frequency	%	Valid %
1	CAREFUL:(1)	1169	48.9 %	52.3%
2	DK:(2)	659	27.6 %	29.5%
3	TRST MST:(3)	407	17.0 %	18.2%
-9 (M)	MISSING:(-9)	157	6.6 %	-

Based upon 2235 valid cases out of 2392 total cases.

V1670	091A009:PPL TRY B HLPFL

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01560

Question Number(s): 1A009

Would you say that most of the time people try to be helpful or that they are mostly just looking out for themselves?

3="Try to be helpful" 2="Don't know, undecided" 1="Just looking out for themselves"

Value	Label	Unweighted Frequency	%	Valid %
1	FOR SELF:(1)	949	39.7 %	41.4%
2	DK:(2)	807	33.7 %	35.2%
3	TRY HELP:(3)	535	22.4 %	23.4%
-9 (M)	MISSING:(-9)	101	4.2 %	-

Based upon 2291 valid cases out of 2392 total cases.

V1671	091A010:PPL TRY BE FAIR

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01570

Question Number(s): 1A010

Do you think most people would try to take advantage of you if they got a chance or would they try to be fair?

3="Would try to be fair" 2="Don't know, undecided" 1="Would try to take advantage of you"

Value	Label	Unweighted Frequency	%	Valid %
1	TAKE ADV:(1)	1010	42.2 %	44.1%
2	DK:(2)	867	36.2 %	37.8%
3	TRY FAIR:(3)	414	17.3 %	18.1%
-9 (M)	MISSING:(-9)	101	4.2 %	-

Based upon 2291 valid cases out of 2392 total cases.

V1672	**091A011A:-OBY LW = -GD CTZ**

Location:	106-107 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01580

Question Number(s): 1A011A

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: I feel that you can't be a good citizen unless you always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	477	19.9 %	20.8%
2	MOST DIS:(2)	448	18.7 %	19.5%
3	NEITHER:(3)	563	23.5 %	24.5%
4	MOST AGR:(4)	627	26.2 %	27.3%
5	AGREE:(5)	179	7.5 %	7.8%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2294 valid cases out of 2392 total cases.

V1673	**091A011B:GD CTZN ALG GOV**

Location:	108-109 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01590

Question Number(s): 1A011B

How much do you agree or disagree with each statement below?

B: I feel good citizens should go along with whatever the government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	893	37.3 %	39.0%

Value	Label	Unweighted Frequency	%	Valid %
2	MOST DIS:(2)	579	24.2 %	25.3%
3	NEITHER:(3)	486	20.3 %	21.2%
4	MOST AGR:(4)	254	10.6 %	11.1%
5	AGREE:(5)	78	3.3 %	3.4%
-9 (M)	MISSING:(-9)	102	4.3 %	-

Based upon 2290 valid cases out of 2392 total cases.

V1674	**091A011C:GD CTZN CHG GOV**

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01600

Question Number(s): 1A011C

How much do you agree or disagree with each statement below?

C: I feel good citizens try to change the government policies they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	102	4.3 %	4.5%
2	MOST DIS:(2)	178	7.4 %	7.8%
3	NEITHER:(3)	730	30.5 %	31.9%
4	MOST AGR:(4)	745	31.1 %	32.6%
5	AGREE:(5)	530	22.2 %	23.2%
-9 (M)	MISSING:(-9)	107	4.5 %	-

Based upon 2285 valid cases out of 2392 total cases.

V1675	**091A011D:VOTE->MAJ IMPCT**

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01610

Question Number(s): 1A011D

How much do you agree or disagree with each statement below?

D: The way people vote has a major impact on how things are run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	153	6.4 %	6.7%
2	MOST DIS:(2)	213	8.9 %	9.3%
3	NEITHER:(3)	421	17.6 %	18.4%
4	MOST AGR:(4)	715	29.9 %	31.3%
5	AGREE:(5)	785	32.8 %	34.3%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2287 valid cases out of 2392 total cases.

V1676	**091A011E:CTZN GRP HV EFC**

Location:	114-115 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01620

Question Number(s): 1A011E

How much do you agree or disagree with each statement below?

E: People who get together in citizen action groups to influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	115	4.8 %	5.1%
2	MOST DIS:(2)	212	8.9 %	9.3%
3	NEITHER:(3)	756	31.6 %	33.2%
4	MOST AGR:(4)	796	33.3 %	35.0%
5	AGREE:(5)	396	16.6 %	17.4%
-9 (M)	MISSING:(-9)	117	4.9 %	-

Based upon 2275 valid cases out of 2392 total cases.

V1677	**091A011F:OUR SYST ST BS**

Location:	116-117 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 01630

Question Number(s): 1A011F

How much do you agree or disagree with each statement below?

F: Despite its many faults, our system of doing things is
still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	227	9.5 %	9.9%
2	MOST DIS:(2)	357	14.9 %	15.6%
3	NEITHER:(3)	826	34.5 %	36.2%
4	MOST AGR:(4)	572	23.9 %	25.1%
5	AGREE:(5)	300	12.5 %	13.1%
-9 (M)	MISSING:(-9)	110	4.6 %	-

Based upon 2282 valid cases out of 2392 total cases.

V1678   091A011G:US NEEDS GROWTH

Location:	118-119 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01640

Question Number(s): 1A011G

How much do you agree or disagree with each statement below?

G: America needs growth to survive, and that is going to
require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	730	30.5 %	32.0%
2	MOST DIS:(2)	496	20.7 %	21.8%
3	NEITHER:(3)	634	26.5 %	27.8%
4	MOST AGR:(4)	261	10.9 %	11.4%
5	AGREE:(5)	159	6.6 %	7.0%
-9 (M)	MISSING:(-9)	112	4.7 %	-

Based upon 2280 valid cases out of 2392 total cases.

	V1679	091A011H:LV THNGS TO GOD			

Location:	120-121 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01650

Question Number(s): 1A011H

How much do you agree or disagree with each statement below?

H: If we just leave things to God, they will turn out for the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	527	22.0 %	23.1%
2	MOST DIS:(2)	242	10.1 %	10.6%
3	NEITHER:(3)	596	24.9 %	26.2%
4	MOST AGR:(4)	420	17.6 %	18.4%
5	AGREE:(5)	493	20.6 %	21.6%
-9 (M)	MISSING:(-9)	114	4.8 %	-

Based upon 2278 valid cases out of 2392 total cases.

	V1680	091A011I:GO SCH ENJY XPR			

Location:	122-123 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01660

Question Number(s): 1A011I

How much do you agree or disagree with each statement below?

I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	164	6.9 %	7.2%
2	MOST DIS:(2)	196	8.2 %	8.6%

Value	Label	Unweighted Frequency	%	Valid %
3	NEITHER:(3)	446	18.6 %	19.5%
4	MOST AGR:(4)	898	37.5 %	39.2%
5	AGREE:(5)	585	24.5 %	25.6%
-9 (M)	MISSING:(-9)	103	4.3 %	-

Based upon 2289 valid cases out of 2392 total cases.

V1681	**091A011J:DO WL SC IMP/JB**

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01670

Question Number(s): 1A011J

How much do you agree or disagree with each statement below?

J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	70	2.9 %	3.1%
2	MOST DIS:(2)	62	2.6 %	2.7%
3	NEITHER:(3)	209	8.7 %	9.1%
4	MOST AGR:(4)	620	25.9 %	27.1%
5	AGREE:(5)	1327	55.5 %	58.0%
-9 (M)	MISSING:(-9)	104	4.3 %	-

Based upon 2288 valid cases out of 2392 total cases.

V1766	**091A012A:RSK OF CIG1+PK/**

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12360

Question Number(s): 1A012A

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	80	3.3 %	3.5%
2	SLIGHT:(2)	66	2.8 %	2.9%
3	MOD RISK:(3)	414	17.3 %	18.1%
4	GRT RISK:(4)	1646	68.8 %	71.8%
5	CANT SAY:(5)	85	3.6 %	3.7%
-9 (M)	MISSING:(-9)	101	4.2 %	-

Based upon 2291 valid cases out of 2392 total cases.

V1767	**091A012B:RSK OF MJ 1-2 X**

Location:	128-129 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12370

Question Number(s): 1A012B

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, grass) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	881	36.8 %	38.4%
2	SLIGHT:(2)	689	28.8 %	30.0%
3	MOD RISK:(3)	276	11.5 %	12.0%
4	GRT RISK:(4)	349	14.6 %	15.2%
5	CANT SAY:(5)	100	4.2 %	4.4%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2295 valid cases out of 2392 total cases.

V1768	**091A012C:RSK OF MJ OCSNL**

Location:	130-131 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 12380

Question Number(s): 1A012C

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	445	18.6 %	19.4%
2	SLIGHT:(2)	601	25.1 %	26.2%
3	MOD RISK:(3)	650	27.2 %	28.3%
4	GRT RISK:(4)	496	20.7 %	21.6%
5	CANT SAY:(5)	103	4.3 %	4.5%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2295 valid cases out of 2392 total cases.

V1769	**091A012D:RSK OF MJ REGLY**

Location: 132-133 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12390

Question Number(s): 1A012D

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	229	9.6 %	10.0%
2	SLIGHT:(2)	319	13.3 %	13.9%
3	MOD RISK:(3)	508	21.2 %	22.2%
4	GRT RISK:(4)	1125	47.0 %	49.2%
5	CANT SAY:(5)	107	4.5 %	4.7%
-9 (M)	MISSING:(-9)	104	4.3 %	-

Based upon 2288 valid cases out of 2392 total cases.

V1770	**091A012E:RSK COK PWDR 1-**				

Location:	134-135 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12501

Question Number(s): 1A012E

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	143	6.0 %	6.2%
2	SLIGHT:(2)	379	15.8 %	16.5%
3	MOD RISK:(3)	573	24.0 %	25.0%
4	GRT RISK:(4)	1007	42.1 %	43.9%
5	CANT SAY:(5)	190	7.9 %	8.3%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2292 valid cases out of 2392 total cases.

V1771	**091A012F:RSK COK PWDR OC**				

Location:	136-137 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12502

Question Number(s): 1A012F

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	79	3.3 %	3.4%

Value	Label	Unweighted Frequency	%	Valid %
2	SLIGHT:(2)	84	3.5 %	3.7%
3	MOD RISK:(3)	516	21.6 %	22.5%
4	GRT RISK:(4)	1425	59.6 %	62.2%
5	CANT SAY:(5)	186	7.8 %	8.1%
-9 (M)	MISSING:(-9)	102	4.3 %	-

Based upon 2290 valid cases out of 2392 total cases.

V1772	**091A012G:RSK COK PWDR RE**

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12503

Question Number(s): 1A012G

How much do you think people risk harming themselves (physically or in other ways), if they . . .

G: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	75	3.1 %	3.3%
2	SLIGHT:(2)	20	0.8 %	0.9%
3	MOD RISK:(3)	85	3.6 %	3.7%
4	GRT RISK:(4)	1926	80.5 %	84.0%
5	CANT SAY:(5)	186	7.8 %	8.1%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2292 valid cases out of 2392 total cases.

V1773	**091A012H:RSK CRACK 1-2X**

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12504

Question Number(s): 1A012H

How much do you think people risk harming themselves (physically or in other ways), if they . . .

H: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	107	4.5 %	4.7%
2	SLIGHT:(2)	291	12.2 %	12.7%
3	MOD RISK:(3)	505	21.1 %	22.1%
4	GRT RISK:(4)	1171	49.0 %	51.2%
5	CANT SAY:(5)	215	9.0 %	9.4%
-9 (M)	MISSING:(-9)	103	4.3 %	-

Based upon 2289 valid cases out of 2392 total cases.

V1774	**091A012I:RSK CRACK OCC**

Location:	142-143 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12505

Question Number(s): 1A012I

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	78	3.3 %	3.4%
2	SLIGHT:(2)	42	1.8 %	1.8%
3	MOD RISK:(3)	415	17.3 %	18.1%
4	GRT RISK:(4)	1536	64.2 %	67.0%
5	CANT SAY:(5)	222	9.3 %	9.7%
-9 (M)	MISSING:(-9)	99	4.1 %	-

Based upon 2293 valid cases out of 2392 total cases.

V1775	**091A012J:RSK CRACK REG**

Location:	144-145 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 12506

Question Number(s): 1A012J

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	83	3.5 %	3.6%
2	SLIGHT:(2)	5	0.2 %	0.2%
3	MOD RISK:(3)	57	2.4 %	2.5%
4	GRT RISK:(4)	1924	80.4 %	84.1%
5	CANT SAY:(5)	218	9.1 %	9.5%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2287 valid cases out of 2392 total cases.

V1776	**091A012K:RSK OF 1-2 DRIN**

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12510

Question Number(s): 1A012K

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	1153	48.2 %	50.3%
2	SLIGHT:(2)	680	28.4 %	29.7%
3	MOD RISK:(3)	195	8.2 %	8.5%
4	GRT RISK:(4)	201	8.4 %	8.8%
5	CANT SAY:(5)	62	2.6 %	2.7%
-9 (M)	MISSING:(-9)	101	4.2 %	-

Based upon 2291 valid cases out of 2392 total cases.

V1777	091A012L:RSK OF 1-2 DR/D			

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12520

Question Number(s): 1A012L

How much do you think people risk harming themselves (physically or in other ways), if they . . .

L: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	313	13.1 %	13.7%
2	SLIGHT:(2)	652	27.3 %	28.5%
3	MOD RISK:(3)	765	32.0 %	33.4%
4	GRT RISK:(4)	490	20.5 %	21.4%
5	CANT SAY:(5)	69	2.9 %	3.0%
-9 (M)	MISSING:(-9)	103	4.3 %	-

Based upon 2289 valid cases out of 2392 total cases.

V1778	091A012M:RSK OF 4-5 DR/D			

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12530

Question Number(s): 1A012M

How much do you think people risk harming themselves (physically or in other ways), if they . . .

M: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	124	5.2 %	5.4%

Value	Label	Unweighted Frequency	%	Valid %
2	SLIGHT:(2)	181	7.6 %	7.9%
3	MOD RISK:(3)	535	22.4 %	23.4%
4	GRT RISK:(4)	1369	57.2 %	59.9%
5	CANT SAY:(5)	78	3.3 %	3.4%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2287 valid cases out of 2392 total cases.

V1779	**091A012N:RSK OF 5+DR/WKN**

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12540

Question Number(s): 1A012N

How much do you think people risk harming themselves (physically or in other ways), if they . . .

N: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	225	9.4 %	9.8%
2	SLIGHT:(2)	366	15.3 %	16.0%
3	MOD RISK:(3)	626	26.2 %	27.4%
4	GRT RISK:(4)	996	41.6 %	43.6%
5	CANT SAY:(5)	74	3.1 %	3.2%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2287 valid cases out of 2392 total cases.

V1808	**091A012O:RSK H -NDL 1-2X**

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29600

Question Number(s): 1A012O

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

O: . . . Try heroin once or twice without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	94	3.9 %	4.1%
2	SLIGHT:(2)	136	5.7 %	5.9%
3	MOD RISK:(3)	413	17.3 %	18.1%
4	GRT RISK:(4)	1378	57.6 %	60.3%
5	CANT SAY:(5)	266	11.1 %	11.6%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2287 valid cases out of 2392 total cases.

V1809	**091A012P:RSK H -NDL OCC**

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29610

Question Number(s): 1A012P

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

P: . . . Take heroin occasionally without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	83	3.5 %	3.6%
2	SLIGHT:(2)	28	1.2 %	1.2%
3	MOD RISK:(3)	200	8.4 %	8.7%
4	GRT RISK:(4)	1710	71.5 %	74.8%
5	CANT SAY:(5)	266	11.1 %	11.6%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2287 valid cases out of 2392 total cases.

V1780	**091A013A:EASY GT MARIJUA**

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

| Range of Missing Values (M): | -9 |
| Question: | |

Item Number: 06750

Question Number(s): 1A013A

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	139	5.8 %	6.1%
2	VRY DIFF:(2)	90	3.8 %	3.9%
3	FRLY DIF:(3)	160	6.7 %	7.0%
4	FRLY EAS:(4)	519	21.7 %	22.8%
5	VRY EASY:(5)	1371	57.3 %	60.2%
-9 (M)	MISSING:(-9)	113	4.7 %	-

Based upon 2279 valid cases out of 2392 total cases.

V1781	**091A013B:EASY GT CRACK**

Location:	160-161 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06811

Question Number(s): 1A013B

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	332	13.9 %	14.6%
2	VRY DIFF:(2)	397	16.6 %	17.5%
3	FRLY DIF:(3)	746	31.2 %	32.8%
4	FRLY EAS:(4)	504	21.1 %	22.2%
5	VRY EASY:(5)	294	12.3 %	12.9%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2273 valid cases out of 2392 total cases.

V1782	**091A013C:EASY GT COK PWD**

Location:	162-163 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06812

Question Number(s): 1A013C

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	337	14.1 %	14.8%
2	VRY DIFF:(2)	451	18.9 %	19.9%
3	FRLY DIF:(3)	614	25.7 %	27.0%
4	FRLY EAS:(4)	537	22.4 %	23.6%
5	VRY EASY:(5)	332	13.9 %	14.6%
-9 (M)	MISSING:(-9)	121	5.1 %	-

Based upon 2271 valid cases out of 2392 total cases.

V1101	**091B001 :EVR SMK CIG,REG**

Location:	164-165 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00760

Question Number(s): 1B001

The following questions are about CIGARETTE SMOKING. Have
you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly"
4="Regularly in the past" 5="Regularly now"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2

through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1309	54.7 %	57.8%
2	1-2X:(2)	386	16.1 %	17.0%
3	OCCASNLY:(3)	264	11.0 %	11.7%
4	REG PAST:(4)	96	4.0 %	4.2%
5	REG NOW:(5)	210	8.8 %	9.3%
-9 (M)	MISSING:(-9)	127	5.3 %	-

Based upon 2265 valid cases out of 2392 total cases.

V1208	**091B001:EVR SMK CIG,REG**

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00760

Question Number(s): 1B001

The following questions are about CIGARETTE SMOKING. Have
you ever smoked cigarettes?

1="Never--GO TO QUESTION 6" 2="Once or twice" 3="Occasionally
but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1309	54.7 %	57.8%
2	1-2X:(2)	386	16.1 %	17.0%
3	OCCASNLY:(3)	264	11.0 %	11.7%
4	REG PAST:(4)	96	4.0 %	4.2%
5	REG NOW:(5)	210	8.8 %	9.3%
-9 (M)	MISSING:(-9)	127	5.3 %	-

Based upon 2265 valid cases out of 2392 total cases.

V1102	**091B002 :#CIGS SMKD/30DA**

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00780

Question Number(s): 1B002

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all [includes respondents who reported nonuse above]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1800	75.3 %	79.4%
2	<1 CIG/D:(2)	193	8.1 %	8.5%
3	1-5/DAY:(3)	144	6.0 %	6.4%
4	1/2PK/D:(4)	81	3.4 %	3.6%
5	1 PK/DA:(5)	33	1.4 %	1.5%
6	1 1/2 PK/D:(6)	4	0.2 %	0.2%
7	2+ PKS/D:(7)	11	0.5 %	0.5%
-9 (M)	MISSING:(-9)	126	5.3 %	-

Based upon 2266 valid cases out of 2392 total cases.

V1210	**091B002:#CIGS SMKD/30DA**

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00780

Question Number(s): 1B002

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DAILY:(1)	491	20.5 %	51.3%
2	<1 CIG/D:(2)	193	8.1 %	20.2%
3	1-5/DAY:(3)	144	6.0 %	15.0%
4	1/2 PK:(4)	81	3.4 %	8.5%

Value	Label	Unweighted Frequency	%	Valid %
5	1 PK:(5)	33	1.4 %	3.4%
6	1 1/2 PK/D:(6)	4	0.2 %	0.4%
7	2+ PKS:(7)	11	0.5 %	1.1%
-9 (M)	MISSING:(-9)	1435	60.0 %	-

Based upon 957 valid cases out of 2392 total cases.

V1752	**091B003:#CIG/DAY-30DAYS**

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00781

Question Number(s): 1B003

To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

01="None" 02="Less than one per day" 03="1 to 2" 04="3 to 7" 05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28 to 32" 10="33 to 37" 11="38 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	488	20.4 %	51.0%
2	<1/DAY:(2)	145	6.1 %	15.2%
3	1-2:(3)	70	2.9 %	7.3%
4	3-7:(4)	118	4.9 %	12.3%
5	8-12:(5)	55	2.3 %	5.7%
6	13-17:(6)	28	1.2 %	2.9%
7	18-22:(7)	19	0.8 %	2.0%
8	23-27:(8)	5	0.2 %	0.5%
9	28-32:(9)	3	0.1 %	0.3%
10	33-37:(10)	1	0.0 %	0.1%
11	38+:(11)	25	1.0 %	2.6%
-9 (M)	MISSING:(-9)	1435	60.0 %	-

Based upon 957 valid cases out of 2392 total cases.

V1211	**091B004A:*TRY STP SMK/FL**

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01690

Question Number(s): 1B004A

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	144	6.0 %	15.4%
2	NO:(2)	789	33.0 %	84.6%
-9 (M)	MISSING:(-9)	1459	61.0 %	-

Based upon 933 valid cases out of 2392 total cases.

V1754	**091B004B:#X TRY STOP SMK**

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01691

Question Number(s): 1B004B

How many times (if any) have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	592	24.7 %	64.0%
2	ONCE:(2)	169	7.1 %	18.3%
3	TWICE:(3)	87	3.6 %	9.4%
4	3-5X:(4)	53	2.2 %	5.7%
5	6-9X:(5)	7	0.3 %	0.8%
6	10+X:(6)	17	0.7 %	1.8%
-9 (M)	MISSING:(-9)	1467	61.3 %	-

Based upon 925 valid cases out of 2392 total cases.

V1212	**091B004C:*WNT STP SMK NW**

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01700

Question Number(s): 1B004C

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	135	5.6 %	14.4%
2	NO:(2)	246	10.3 %	26.2%
8	DNT SMOK:(8)	558	23.3 %	59.4%
-9 (M)	MISSING:(-9)	1453	60.7 %	-

Based upon 939 valid cases out of 2392 total cases.

V1810	091B005:USUAL CIG BRAND

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 30065

Question Number(s): 1B005

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites"
04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral"
09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit"
14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall"
19="Parliament" 20="Salem" 21="Vantage" 22="Virginia Slims"
23="Winston" 24="Other" 25="No Usual Brand"

Value	Label	Unweighted Frequency	%	Valid %
1	BASIC:(1)	6	0.3 %	0.8%
2	B&H:(2)	3	0.1 %	0.4%
3	B&W:(3)	6	0.3 %	0.8%
4	CAMBRIDGE:(4)	1	0.0 %	0.1%
5	CAMEL:(5)	88	3.7 %	11.2%
6	CAPRI:(6)	3	0.1 %	0.4%
10	KENT:(10)	1	0.0 %	0.1%
11	KOOL:(11)	20	0.8 %	2.5%
12	MARLBORO:(12)	273	11.4 %	34.6%
13	MERIT:(13)	1	0.0 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
14	MISTY:(14)	1	0.0 %	0.1%
17	NEWPORT:(17)	124	5.2 %	15.7%
18	PALLMALL:(18)	3	0.1 %	0.4%
19	PARLIAMENT:(19)	14	0.6 %	1.8%
20	SALEM:(20)	1	0.0 %	0.1%
22	VA SLIMS:(22)	3	0.1 %	0.4%
23	WINSTON:(23)	1	0.0 %	0.1%
24	OTHER:(24)	46	1.9 %	5.8%
25	NO USUAL:(25)	193	8.1 %	24.5%
-9 (M)	MISSING:(-9)	1604	67.1 %	-

Based upon 788 valid cases out of 2392 total cases.

V1213   **091B006:NO SMK IN 5 YR**

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01710

Question Number(s): 1B006

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	32	1.3 %	1.4%
2	PRB WILL:(2)	199	8.3 %	8.5%
3	PRB WONT:(3)	451	18.9 %	19.4%
4	DEF WONT:(4)	1646	68.8 %	70.7%
-9 (M)	MISSING:(-9)	64	2.7 %	-

Based upon 2328 valid cases out of 2392 total cases.

V1104   **091B007A:#X ALC/LIF SIPS**

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00810

Question Number(s): 1B007A

The next questions are about ALCOHOLIC BEVERAGES, including
beer, wine, liquor, and any other beverage that contains
alcohol. On how many occasions (if any) have you had alcohol
to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	459	19.2 %	20.1%
2	1-2X:(2)	276	11.5 %	12.1%
3	3-5X:(3)	285	11.9 %	12.5%
4	6-9X:(4)	235	9.8 %	10.3%
5	10-19X:(5)	283	11.8 %	12.4%
6	20-39X:(6)	237	9.9 %	10.4%
7	40+OCCAS:(7)	503	21.0 %	22.1%
-9 (M)	MISSING:(-9)	114	4.8 %	-

Based upon 2278 valid cases out of 2392 total cases.

V1214	**091B007A:#X ALC/LIF SIPS**

Location:	186-187 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00810

Question Number(s): 1B007A

The next questions are about ALCOHOLIC BEVERAGES, including
beer, wine, liquor, and any other beverage that contains
alcohol. On how many occasions (if any) have you had alcohol
to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	459	19.2 %	20.1%
2	1-2X:(2)	276	11.5 %	12.1%
3	3-5X:(3)	285	11.9 %	12.5%
4	6-9X:(4)	235	9.8 %	10.3%
5	10-19X:(5)	283	11.8 %	12.4%
6	20-39X:(6)	237	9.9 %	10.4%
7	40+OCCAS:(7)	503	21.0 %	22.1%
-9 (M)	MISSING:(-9)	114	4.8 %	-

Based upon 2278 valid cases out of 2392 total cases.

V1105   **091B007B:#X ALC/ANN SIPS**

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

Question Number(s): 1B007B

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	668	27.9 %	29.3%
2	1-2X:(2)	440	18.4 %	19.3%
3	3-5X:(3)	306	12.8 %	13.4%
4	6-9X:(4)	254	10.6 %	11.1%
5	10-19X:(5)	257	10.7 %	11.3%
6	20-39X:(6)	160	6.7 %	7.0%
7	40+OCCAS:(7)	196	8.2 %	8.6%
-9 (M)	MISSING:(-9)	111	4.6 %	-

Based upon 2281 valid cases out of 2392 total cases.

V1215   **091B007B:#X ALC/ANN SIPS**

Location:	190-191 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00820

Question Number(s): 1B007B

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	668	27.9 %	29.3%
2	1-2X:(2)	440	18.4 %	19.3%
3	3-5X:(3)	306	12.8 %	13.4%
4	6-9X:(4)	254	10.6 %	11.1%
5	10-19X:(5)	257	10.7 %	11.3%
6	20-39X:(6)	160	6.7 %	7.0%
7	40+OCCAS:(7)	196	8.2 %	8.6%
-9 (M)	MISSING:(-9)	111	4.6 %	-

Based upon 2281 valid cases out of 2392 total cases.

V1106   091B007C:#X ALC/30D SIPS

Location:	192-193 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00830

Question Number(s): 1B007C

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2

through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1225	51.2 %	54.0%
2	1-2X:(2)	481	20.1 %	21.2%
3	3-5X:(3)	257	10.7 %	11.3%
4	6-9X:(4)	148	6.2 %	6.5%
5	10-19X:(5)	88	3.7 %	3.9%
6	20-39X:(6)	22	0.9 %	1.0%
7	40+OCCAS:(7)	46	1.9 %	2.0%
-9 (M)	MISSING:(-9)	125	5.2 %	-

Based upon 2267 valid cases out of 2392 total cases.

V1216	**091B007C:#X ALC/30D SIPS**

Location:	194-195 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00830

Question Number(s): 1B007C

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1225	51.2 %	54.0%
2	1-2X:(2)	481	20.1 %	21.2%
3	3-5X:(3)	257	10.7 %	11.3%
4	6-9X:(4)	148	6.2 %	6.5%
5	10-19X:(5)	88	3.7 %	3.9%
6	20-39X:(6)	22	0.9 %	1.0%
7	40+OCCAS:(7)	46	1.9 %	2.0%
-9 (M)	MISSING:(-9)	125	5.2 %	-

Based upon 2267 valid cases out of 2392 total cases.

V1217	**091B008A:#X/YR ALC ALONE**

Location:	196-197 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01720

Question Number(s): 1B008A

IF YOU HAVE NOT HAD ANY BEER, WINE, LIQUOR, OR OTHER ALCOHOLIC BEVERAGE IN THE LAST TWELVE MONTHS, GO TO QUESTION 16.

When you used alcohol during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1277	53.4 %	79.3%
2	FEW TIME:(2)	237	9.9 %	14.7%
3	SOM TIME:(3)	63	2.6 %	3.9%
4	MST TIME:(4)	20	0.8 %	1.2%
5	EVRYTIME:(5)	13	0.5 %	0.8%
-9 (M)	MISSING:(-9)	782	32.7 %	-

Based upon 1610 valid cases out of 2392 total cases.

V1218	**091B008B:#X/YR ALC-2 PPL**

Location:	198-199 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01730

Question Number(s): 1B008B

When you used alcohol during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	407	17.0 %	25.3%
2	FEW TIME:(2)	638	26.7 %	39.7%

Value	Label	Unweighted Frequency	%	Valid %
3	SOM TIME:(3)	312	13.0 %	19.4%
4	MST TIME:(4)	157	6.6 %	9.8%
5	EVRYTIME:(5)	93	3.9 %	5.8%
-9 (M)	MISSING:(-9)	785	32.8 %	-

Based upon 1607 valid cases out of 2392 total cases.

V1219	**091B008C:#X/YR ALC@PARTY**

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01740

Question Number(s): 1B008C

When you used alcohol during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	244	10.2 %	15.2%
2	FEW TIME:(2)	261	10.9 %	16.3%
3	SOM TIME:(3)	201	8.4 %	12.5%
4	MST TIME:(4)	546	22.8 %	34.1%
5	EVRYTIME:(5)	350	14.6 %	21.8%
-9 (M)	MISSING:(-9)	790	33.0 %	-

Based upon 1602 valid cases out of 2392 total cases.

V1220	**091B008D:#X/YR ALC-DT/SP**

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01750

Question Number(s): 1B008D

When you used alcohol during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	842	35.2 %	52.9%
2	FEW TIME:(2)	304	12.7 %	19.1%
3	SOM TIME:(3)	208	8.7 %	13.1%
4	MST TIME:(4)	153	6.4 %	9.6%
5	EVRYTIME:(5)	84	3.5 %	5.3%
-9 (M)	MISSING:(-9)	801	33.5 %	-

Based upon 1591 valid cases out of 2392 total cases.

V1221	**091B008E:#X/YR ALC-ADLTS**

Location:	204-205 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01760

Question Number(s): 1B008E

When you used alcohol during the last year, how often did
you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	641	26.8 %	40.1%
2	FEW TIME:(2)	497	20.8 %	31.1%
3	SOM TIME:(3)	210	8.8 %	13.1%
4	MST TIME:(4)	140	5.9 %	8.8%
5	EVRYTIME:(5)	111	4.6 %	6.9%
-9 (M)	MISSING:(-9)	793	33.2 %	-

Based upon 1599 valid cases out of 2392 total cases.

V1222	**091B008F:#X/YR ALC-DATIM**

Location:	206-207 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 01770

Question Number(s): 1B008F

When you used alcohol during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1099	45.9 %	68.6%
2	FEW TIME:(2)	349	14.6 %	21.8%
3	SOM TIME:(3)	100	4.2 %	6.2%
4	MST TIME:(4)	31	1.3 %	1.9%
5	EVRYTIME:(5)	23	1.0 %	1.4%
-9 (M)	MISSING:(-9)	790	33.0 %	-

Based upon 1602 valid cases out of 2392 total cases.

V1223   **091B008G:#X/YR ALC@HOME**

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01780

Question Number(s): 1B008G

When you used alcohol during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	699	29.2 %	43.6%
2	FEW TIME:(2)	448	18.7 %	27.9%
3	SOM TIME:(3)	235	9.8 %	14.6%
4	MST TIME:(4)	125	5.2 %	7.8%
5	EVRYTIME:(5)	98	4.1 %	6.1%
-9 (M)	MISSING:(-9)	787	32.9 %	-

Based upon 1605 valid cases out of 2392 total cases.

V1224	091B008H:#X/YR ALC@SCHL

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01790

Question Number(s): 1B008H

When you used alcohol during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1477	61.7 %	91.9%
2	FEW TIME:(2)	94	3.9 %	5.8%
3	SOM TIME:(3)	15	0.6 %	0.9%
4	MST TIME:(4)	9	0.4 %	0.6%
5	EVRYTIME:(5)	12	0.5 %	0.7%
-9 (M)	MISSING:(-9)	785	32.8 %	-

Based upon 1607 valid cases out of 2392 total cases.

V1225	091B008I:#X/YR ALCIN CAR

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01810

Question Number(s): 1B008I

When you used alcohol during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1173	49.0 %	73.1%

Value	Label	Unweighted Frequency	%	Valid %
2	FEW TIME:(2)	271	11.3 %	16.9%
3	SOM TIME:(3)	120	5.0 %	7.5%
4	MST TIME:(4)	23	1.0 %	1.4%
5	EVRYTIME:(5)	18	0.8 %	1.1%
-9 (M)	MISSING:(-9)	787	32.9 %	-

Based upon 1605 valid cases out of 2392 total cases.

V1811	**091B008J:#X/YR ALC@PARK/B**

Location:	214-215 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30910

Question Number(s): 1B008J

When you used alcohol during the last year, how often did you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1137	47.5 %	70.8%
2	FEW TIME:(2)	245	10.2 %	15.3%
3	SOM TIME:(3)	154	6.4 %	9.6%
4	MST TIME:(4)	44	1.8 %	2.7%
5	EVRYTIME:(5)	25	1.0 %	1.6%
-9 (M)	MISSING:(-9)	787	32.9 %	-

Based upon 1605 valid cases out of 2392 total cases.

V1812	**091B008K:#X/YR ALC@BAR/RT**

Location:	216-217 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30920

Question Number(s): 1B008K

When you used alcohol during the last year, how often did you use it in each of the following situations?

K. At a bar or restaurant

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1192	49.8 %	74.2%
2	FEW TIME:(2)	230	9.6 %	14.3%
3	SOM TIME:(3)	101	4.2 %	6.3%
4	MST TIME:(4)	43	1.8 %	2.7%
5	EVRYTIME:(5)	40	1.7 %	2.5%
-9 (M)	MISSING:(-9)	786	32.9 %	-

Based upon 1606 valid cases out of 2392 total cases.

V1226	**091B009A:ALC EXPERIMENT**

Location:	218-219 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01820

Question Number(s): 1B009A

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	757	31.6 %	48.2%
1	MARKED:(1)	815	34.1 %	51.8%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1227	**091B009B:ALC RELAX**

Location:	220-221 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01830

Question Number(s): 1B009B

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	893	37.3 %	56.8%
1	MARKED:(1)	679	28.4 %	43.2%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1228	**091B009C:ALC GET HIGH**

Location:	222-223 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01840

Question Number(s): 1B009C

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1023	42.8 %	65.1%
1	MARKED:(1)	549	23.0 %	34.9%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1229	**091B009D:ALC SEEK INSGHT**

Location:	224-225 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01850

Question Number(s): 1B009D

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1479	61.8 %	94.1%
1	MARKED:(1)	93	3.9 %	5.9%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1230	**091B009E:ALC GD TM FRNDS**

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01860

Question Number(s): 1B009E

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	423	17.7 %	26.9%
1	MARKED:(1)	1149	48.0 %	73.1%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1231	**091B009F:ALC FIT IN GRP**

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01870

Question Number(s): 1B009F

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1487	62.2 %	94.6%
1	MARKED:(1)	85	3.6 %	5.4%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1232	**091B009G:ALC GET AWY PRB**

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01880

Question Number(s): 1B009G

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1231	51.5 %	78.3%
1	MARKED:(1)	341	14.3 %	21.7%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1233	**091B009H:ALC BOREDOM**

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01890

Question Number(s): 1B009H

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1224	51.2 %	77.9%
1	MARKED:(1)	348	14.5 %	22.1%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1234	**091B009I:ALC ANGR/FRSTRN**

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01900

Question Number(s): 1B009I

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1327	55.5 %	84.4%
1	MARKED:(1)	245	10.2 %	15.6%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1235	**091B009J:ALC GT THRU DAY**

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01910

Question Number(s): 1B009J

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1526	63.8 %	97.1%
1	MARKED:(1)	46	1.9 %	2.9%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1236	**091B009K:ALC INCRS EF DR**

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01920

Question Number(s): 1B009K

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1495	62.5 %	95.1%
1	MARKED:(1)	77	3.2 %	4.9%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1237	**091B009L:ALC DECRS EF DR**

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01930

Question Number(s): 1B009L

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1560	65.2 %	99.2%
1	MARKED:(1)	12	0.5 %	0.8%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1238	**091B009M:ALC GET SLEEP**

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01940

Question Number(s): 1B009M

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1480	61.9 %	94.1%
1	MARKED:(1)	92	3.8 %	5.9%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1239	**091B009N:ALC TASTES GOOD**

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01950

Question Number(s): 1B009N

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

N. Because it tastes good

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	987	41.3 %	62.8%
1	MARKED:(1)	585	24.5 %	37.2%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1240	**091B009O:ALC I AM HOOKED**

Location:	246-247 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01960

Question Number(s): 1B009O

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

O. Because I am "hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1540	64.4 %	98.0%
1	MARKED:(1)	32	1.3 %	2.0%
-9 (M)	MISSING:(-9)	820	34.3 %	-

Based upon 1572 valid cases out of 2392 total cases.

V1241	**091B010:#X DRK ENF FL H**

Location:	248-249 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01970

Question Number(s): 1B010

When you drink alcoholic beverages, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT HIGH:(1)	421	17.6 %	26.4%

Value	Label	Unweighted Frequency	%	Valid %
2	LIT HIGH:(2)	459	19.2 %	28.8%
3	MOD HIGH:(3)	556	23.2 %	34.9%
4	VRY HIGH:(4)	156	6.5 %	9.8%
-9 (M)	MISSING:(-9)	800	33.4 %	-

Based upon 1592 valid cases out of 2392 total cases.

V1242	**091B011:DRK AL,HI24+HR**

Location:	250-251 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01980

Question Number(s): 1B011

When you drink alcoholic beverages, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	N GET HI:(1)	439	18.4 %	27.7%
2	1-2 HRS:(2)	514	21.5 %	32.4%
3	3-6 HRS:(3)	539	22.5 %	34.0%
4	7-24 HRS:(4)	78	3.3 %	4.9%
5	>24 HRS:(5)	15	0.6 %	0.9%
-9 (M)	MISSING:(-9)	807	33.7 %	-

Based upon 1585 valid cases out of 2392 total cases.

V1824	**091B012:4+DRK ROW/2WK**

Location:	252-253 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00845

Question Number(s): 1B012

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink,

shot glass of liquor, or the equivalent.

Think back over the LAST TWO WEEKS. How many times (if any)
have you had four or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	962	40.2 %	61.3%
2	ONCE:(2)	220	9.2 %	14.0%
3	TWICE:(3)	186	7.8 %	11.9%
4	3-5X:(4)	142	5.9 %	9.1%
5	6-9X:(5)	34	1.4 %	2.2%
6	10+ TIME:(6)	25	1.0 %	1.6%
-9 (M)	MISSING:(-9)	823	34.4 %	-

Based upon 1569 valid cases out of 2392 total cases.

V1108	091B013 :5+DRK ROW/LST 2

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Question Number(s): 1B013

During the last two weeks, how many times (if any) have you
had five or more drinks in a row?

1="None" [includes respondents who reported nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10
or more times"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1774	74.2 %	78.6%
2	ONCE:(2)	197	8.2 %	8.7%
3	TWICE:(3)	139	5.8 %	6.2%
4	3-5X:(4)	101	4.2 %	4.5%
5	6-9X:(5)	25	1.0 %	1.1%
6	10+ TIME:(6)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	135	5.6 %	-

Based upon 2257 valid cases out of 2392 total cases.

V1243	091B013:5+DRK ROW/LST 2

Location:	256-257 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00850

Question Number(s): 1B013

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1106	46.2 %	69.6%
2	ONCE:(2)	197	8.2 %	12.4%
3	TWICE:(3)	139	5.8 %	8.7%
4	3-5X:(4)	101	4.2 %	6.4%
5	6-9X:(5)	25	1.0 %	1.6%
6	10+ TIME:(6)	21	0.9 %	1.3%
-9 (M)	MISSING:(-9)	803	33.6 %	-

Based upon 1589 valid cases out of 2392 total cases.

V1825	091B014A:10+DRK ROW/2WK

Location:	258-259 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00853

Question Number(s): 1B014A

During the last two weeks, how many times (if any) have you had 10 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1368	57.2 %	85.7%
2	ONCE:(2)	95	4.0 %	5.9%
3	TWICE:(3)	62	2.6 %	3.9%

Value	Label	Unweighted Frequency	%	Valid %
4	3-5X:(4)	42	1.8 %	2.6%
5	6-9X:(5)	13	0.5 %	0.8%
6	10+ TIME:(6)	17	0.7 %	1.1%
-9 (M)	MISSING:(-9)	795	33.2 %	-

Based upon 1597 valid cases out of 2392 total cases.

V1826	**091B014B:15+DRK ROW/2WK**

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00855

Question Number(s): 1B014B

During the last two weeks, how many times (if any) have you had 15 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1463	61.2 %	91.5%
2	ONCE:(2)	55	2.3 %	3.4%
3	TWICE:(3)	39	1.6 %	2.4%
4	3-5X:(4)	20	0.8 %	1.3%
5	6-9X:(5)	8	0.3 %	0.5%
6	10+ TIME:(6)	14	0.6 %	0.9%
-9 (M)	MISSING:(-9)	793	33.2 %	-

Based upon 1599 valid cases out of 2392 total cases.

V1247	**091B015:*TRY STP ALC/FL**

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02020

Question Number(s): 1B015

Have you ever tried to stop using alcoholic beverages and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	61	2.6 %	3.8%
2	NO:(2)	1533	64.1 %	96.2%
-9 (M)	MISSING:(-9)	798	33.4 %	-

Based upon 1594 valid cases out of 2392 total cases.

V1805	**091B016A:#XDRUNK/LIFETIM**

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25020

Question Number(s): 1B016A

On how many occasions (if any) have you been drunk or very
high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	920	38.5 %	42.9%
2	1-2X:(2)	392	16.4 %	18.3%
3	3-5X:(3)	241	10.1 %	11.2%
4	6-9X:(4)	150	6.3 %	7.0%
5	10-19X:(5)	133	5.6 %	6.2%
6	20-39X:(6)	117	4.9 %	5.4%
7	40+OCCAS:(7)	194	8.1 %	9.0%
-9 (M)	MISSING:(-9)	245	10.2 %	-

Based upon 2147 valid cases out of 2392 total cases.

V1806	**091B016B:#XDRUNK/LAST12M**

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25030

Question Number(s): 1B016B

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1124	47.0 %	52.5%
2	1-2X:(2)	414	17.3 %	19.3%
3	3-5X:(3)	204	8.5 %	9.5%
4	6-9X:(4)	135	5.6 %	6.3%
5	10-19X:(5)	111	4.6 %	5.2%
6	20-39X:(6)	70	2.9 %	3.3%
7	40+OCCAS:(7)	82	3.4 %	3.8%
-9 (M)	MISSING:(-9)	252	10.5 %	-

Based upon 2140 valid cases out of 2392 total cases.

V1807	**091B016C:#XDRUNK/LAST30D**

Location:	268-269 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25040

Question Number(s): 1B016C

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1560	65.2 %	73.0%
2	1-2X:(2)	328	13.7 %	15.3%
3	3-5X:(3)	132	5.5 %	6.2%
4	6-9X:(4)	69	2.9 %	3.2%
5	10-19X:(5)	25	1.0 %	1.2%
6	20-39X:(6)	10	0.4 %	0.5%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	14	0.6 %	0.7%
-9 (M)	MISSING:(-9)	254	10.6 %	-

Based upon 2138 valid cases out of 2392 total cases.

V1248	**091B017:NO ALC IN 5 YR**

Location:	270-271 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02030

Question Number(s): 1B017

Do you think you will be drinking alcoholic beverages five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	593	24.8 %	25.5%
2	PRB WILL:(2)	1051	43.9 %	45.3%
3	PRB WONT:(3)	305	12.8 %	13.1%
4	DEF WONT:(4)	372	15.6 %	16.0%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2321 valid cases out of 2392 total cases.

V1109	**091B018A:#X HASH/LIFETIM**

Location:	272-273 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02040

Question Number(s): 1B018A

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2080	87.0 %	90.3%
2	1-2X:(2)	90	3.8 %	3.9%
3	3-5X:(3)	42	1.8 %	1.8%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	19	0.8 %	0.8%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	45	1.9 %	2.0%
-9 (M)	MISSING:(-9)	89	3.7 %	-

Based upon 2303 valid cases out of 2392 total cases.

V1249   **091B018A:#X HASH/LIFETIM**

Location:	274-275 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02040

Question Number(s): 1B018A

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2080	87.0 %	90.3%
2	1-2X:(2)	90	3.8 %	3.9%
3	3-5X:(3)	42	1.8 %	1.8%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	19	0.8 %	0.8%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	45	1.9 %	2.0%
-9 (M)	MISSING:(-9)	89	3.7 %	-

Based upon 2303 valid cases out of 2392 total cases.

V1110	091B018B:#X HASH/LAST12M

Location:	276-277 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02050

Question Number(s): 1B018B

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2143	89.6 %	93.0%
2	1-2X:(2)	80	3.3 %	3.5%
3	3-5X:(3)	23	1.0 %	1.0%
4	6-9X:(4)	21	0.9 %	0.9%
5	10-19X:(5)	6	0.3 %	0.3%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	87	3.6 %	-

Based upon 2305 valid cases out of 2392 total cases.

V1250	091B018B:#X HASH/LAST12M

Location:	278-279 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02050

Question Number(s): 1B018B

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2143	89.6 %	93.0%
2	1-2X:(2)	80	3.3 %	3.5%
3	3-5X:(3)	23	1.0 %	1.0%
4	6-9X:(4)	21	0.9 %	0.9%
5	10-19X:(5)	6	0.3 %	0.3%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	87	3.6 %	-

Based upon 2305 valid cases out of 2392 total cases.

V1111	**091B018C:#X HASH/LAST30D**

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02060

Question Number(s): 1B018C

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2222	92.9 %	96.4%
2	1-2X:(2)	39	1.6 %	1.7%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	87	3.6 %	-

Based upon 2305 valid cases out of 2392 total cases.

V1251	**091B018C:#X HASH/LAST30D**

Location:	282-283 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02060

Question Number(s): 1B018C

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2222	92.9 %	96.4%
2	1-2X:(2)	39	1.6 %	1.7%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	87	3.6 %	-

Based upon 2305 valid cases out of 2392 total cases.

V1112	**091B019A:#X MARJ/LIFETIM**

Location:	284-285 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02070

Question Number(s): 1B019A

On how many occasions (if any) have you used marijuana . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2

through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1304	54.5 %	56.8%
2	1-2X:(2)	244	10.2 %	10.6%
3	3-5X:(3)	137	5.7 %	6.0%
4	6-9X:(4)	94	3.9 %	4.1%
5	10-19X:(5)	93	3.9 %	4.1%
6	20-39X:(6)	98	4.1 %	4.3%
7	40+OCCAS:(7)	324	13.5 %	14.1%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2294 valid cases out of 2392 total cases.

V1252	**091B019A:#X MARJ/LIFETIM**

Location:	286-287 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02070

Question Number(s): 1B019A

On how many occasions (if any) have you used marijuana . . .

A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1304	54.5 %	56.8%
2	1-2X:(2)	244	10.2 %	10.6%
3	3-5X:(3)	137	5.7 %	6.0%
4	6-9X:(4)	94	3.9 %	4.1%
5	10-19X:(5)	93	3.9 %	4.1%
6	20-39X:(6)	98	4.1 %	4.3%
7	40+OCCAS:(7)	324	13.5 %	14.1%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2294 valid cases out of 2392 total cases.

V1113	**091B019B:#X MARJ/LAST12M**

| Location: | 288-289 (width: 2; decimal: 0) |
| Variable Type: | numeric |

| Range of Missing Values (M): | -9 |
| Question: | |

Item Number: 02080

Question Number(s): 1B019B

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1519	63.5 %	66.3%
2	1-2X:(2)	209	8.7 %	9.1%
3	3-5X:(3)	131	5.5 %	5.7%
4	6-9X:(4)	84	3.5 %	3.7%
5	10-19X:(5)	80	3.3 %	3.5%
6	20-39X:(6)	74	3.1 %	3.2%
7	40+OCCAS:(7)	195	8.2 %	8.5%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2292 valid cases out of 2392 total cases.

| **V1253** | **091B019B:#X MARJ/LAST12M** |

Location:	290-291 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02080

Question Number(s): 1B019B

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1519	63.5 %	66.3%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	209	8.7 %	9.1%
3	3-5X:(3)	131	5.5 %	5.7%
4	6-9X:(4)	84	3.5 %	3.7%
5	10-19X:(5)	80	3.3 %	3.5%
6	20-39X:(6)	74	3.1 %	3.2%
7	40+OCCAS:(7)	195	8.2 %	8.5%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2292 valid cases out of 2392 total cases.

V1114	**091B019C:#X MARJ/LAST30D**

Location:	292-293 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02090

Question Number(s): 1B019C

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1798	75.2 %	78.4%
2	1-2X:(2)	181	7.6 %	7.9%
3	3-5X:(3)	72	3.0 %	3.1%
4	6-9X:(4)	52	2.2 %	2.3%
5	10-19X:(5)	52	2.2 %	2.3%
6	20-39X:(6)	53	2.2 %	2.3%
7	40+OCCAS:(7)	86	3.6 %	3.7%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2294 valid cases out of 2392 total cases.

V1254	**091B019C:#X MARJ/LAST30D**

Location:	294-295 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02090

Question Number(s): 1B019C

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1798	75.2 %	78.4%
2	1-2X:(2)	181	7.6 %	7.9%
3	3-5X:(3)	72	3.0 %	3.1%
4	6-9X:(4)	52	2.2 %	2.3%
5	10-19X:(5)	52	2.2 %	2.3%
6	20-39X:(6)	53	2.2 %	2.3%
7	40+OCCAS:(7)	86	3.6 %	3.7%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2294 valid cases out of 2392 total cases.

V1115	**091B019X:#XMJ+HS/LIFETIM**

Location:	296-297 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00860

Question Number(s): 1B019X

Component questions are "On how many occasions (if any) have you used hashish in your lifetime?" (Item 02040) and "On how many occasions (if any) have you used marijuana in your lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1299	54.3 %	56.8%
2	1-2X:(2)	228	9.5 %	10.0%
3	3-5X:(3)	148	6.2 %	6.5%
4	6-9X:(4)	90	3.8 %	3.9%
5	10-19X:(5)	99	4.1 %	4.3%
6	20-39X:(6)	93	3.9 %	4.1%
7	40+OCCAS:(7)	329	13.8 %	14.4%
-9 (M)	MISSING:(-9)	106	4.4 %	-

Based upon 2286 valid cases out of 2392 total cases.

V1116	**091B019Y:#XMJ+HS/LAST12M**

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00870

Question Number(s): 1B019Y

Component questions are "On how many occasions (if any) have you used hashish during the last 12 months?" (Item 02050) and "On how many occasions (if any) have you used marijuana during the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1513	63.3 %	66.3%
2	1-2X:(2)	198	8.3 %	8.7%
3	3-5X:(3)	134	5.6 %	5.9%
4	6-9X:(4)	82	3.4 %	3.6%
5	10-19X:(5)	86	3.6 %	3.8%
6	20-39X:(6)	69	2.9 %	3.0%
7	40+OCCAS:(7)	201	8.4 %	8.8%
-9 (M)	MISSING:(-9)	109	4.6 %	-

Based upon 2283 valid cases out of 2392 total cases.

V1117	**091B019Z:#XMJ+HS/LAST30D**

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00880

Question Number(s): 1B019Z

Component questions are "On how many occasions (if any) have
you used hashish during the last 30 days?" (Item 02060) and
"On how many occasions (if any) have you used marijuana
during the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1791	74.9 %	78.3%
2	1-2X:(2)	175	7.3 %	7.7%
3	3-5X:(3)	76	3.2 %	3.3%
4	6-9X:(4)	48	2.0 %	2.1%
5	10-19X:(5)	54	2.3 %	2.4%
6	20-39X:(6)	47	2.0 %	2.1%
7	40+OCCAS:(7)	95	4.0 %	4.2%
-9 (M)	MISSING:(-9)	106	4.4 %	-

Based upon 2286 valid cases out of 2392 total cases.

V1255   **091B020A:#X/YR MJ ALONE**

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02100

Question Number(s): 1B020A

IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE
MONTHS GO TO QUESTION 28.

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	477	19.9 %	62.6%
2	FEW TIME:(2)	148	6.2 %	19.4%
3	SOM TIME:(3)	92	3.8 %	12.1%
4	MST TIME:(4)	19	0.8 %	2.5%
5	EVRYTIME:(5)	26	1.1 %	3.4%
-9 (M)	MISSING:(-9)	1630	68.1 %	-

Based upon 762 valid cases out of 2392 total cases.

V1256	**091B020B:#X/YR MJ-2 PPL**

Location:	304-305 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02110

Question Number(s): 1B020B

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	48	2.0 %	6.3%
2	FEW TIME:(2)	223	9.3 %	29.2%
3	SOM TIME:(3)	136	5.7 %	17.8%
4	MST TIME:(4)	216	9.0 %	28.3%
5	EVRYTIME:(5)	140	5.9 %	18.3%
-9 (M)	MISSING:(-9)	1629	68.1 %	-

Based upon 763 valid cases out of 2392 total cases.

V1257	**091B020C:#X/YR MJ@PARTY**

Location:	306-307 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02120

Question Number(s): 1B020C

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	203	8.5 %	26.7%
2	FEW TIME:(2)	163	6.8 %	21.4%
3	SOM TIME:(3)	155	6.5 %	20.4%
4	MST TIME:(4)	133	5.6 %	17.5%
5	EVRYTIME:(5)	107	4.5 %	14.1%
-9 (M)	MISSING:(-9)	1631	68.2 %	-

Based upon 761 valid cases out of 2392 total cases.

V1258	**091B020D:#X/YR MJ-DT/SP**

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02130

Question Number(s): 1B020D

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	428	17.9 %	56.7%
2	FEW TIME:(2)	129	5.4 %	17.1%
3	SOM TIME:(3)	77	3.2 %	10.2%
4	MST TIME:(4)	69	2.9 %	9.1%
5	EVRYTIME:(5)	52	2.2 %	6.9%
-9 (M)	MISSING:(-9)	1637	68.4 %	-

Based upon 755 valid cases out of 2392 total cases.

V1259	**091B020E:#X/YR MJ-ADLTS**

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02140

Question Number(s): 1B020E

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	515	21.5 %	68.1%
2	FEW TIME:(2)	118	4.9 %	15.6%
3	SOM TIME:(3)	55	2.3 %	7.3%
4	MST TIME:(4)	37	1.5 %	4.9%
5	EVRYTIME:(5)	31	1.3 %	4.1%
-9 (M)	MISSING:(-9)	1636	68.4 %	-

Based upon 756 valid cases out of 2392 total cases.

V1260	**091B020F:#X/YR MJ-DATIME**

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02150

Question Number(s): 1B020F

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	256	10.7 %	33.6%
2	FEW TIME:(2)	172	7.2 %	22.6%

Value	Label	Unweighted Frequency	%	Valid %
3	SOM TIME:(3)	187	7.8 %	24.6%
4	MST TIME:(4)	76	3.2 %	10.0%
5	EVRYTIME:(5)	70	2.9 %	9.2%
-9 (M)	MISSING:(-9)	1631	68.2 %	-

Based upon 761 valid cases out of 2392 total cases.

V1261	**091B020G:#X/YR MJ@HOME**

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02160

Question Number(s): 1B020G

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	384	16.1 %	50.7%
2	FEW TIME:(2)	146	6.1 %	19.3%
3	SOM TIME:(3)	104	4.3 %	13.7%
4	MST TIME:(4)	76	3.2 %	10.0%
5	EVRYTIME:(5)	48	2.0 %	6.3%
-9 (M)	MISSING:(-9)	1634	68.3 %	-

Based upon 758 valid cases out of 2392 total cases.

V1262	**091B020H:#X/YR MJ@SCHL**

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02170

Question Number(s): 1B020H

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	626	26.2 %	82.3%
2	FEW TIME:(2)	83	3.5 %	10.9%
3	SOM TIME:(3)	28	1.2 %	3.7%
4	MST TIME:(4)	7	0.3 %	0.9%
5	EVRYTIME:(5)	17	0.7 %	2.2%
-9 (M)	MISSING:(-9)	1631	68.2 %	-

Based upon 761 valid cases out of 2392 total cases.

V1263	**091B020I:#X/YR MJIN CAR**

Location:	318-319 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02190

Question Number(s): 1B020I

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	237	9.9 %	31.2%
2	FEW TIME:(2)	185	7.7 %	24.4%
3	SOM TIME:(3)	152	6.4 %	20.0%
4	MST TIME:(4)	130	5.4 %	17.1%
5	EVRYTIME:(5)	55	2.3 %	7.2%
-9 (M)	MISSING:(-9)	1633	68.3 %	-

Based upon 759 valid cases out of 2392 total cases.

V1813	**091B020J:#X/YR MJ@PARK/BH**

Location:	320-321 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 30930

Question Number(s): 1B020J

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	390	16.3 %	51.3%
2	FEW TIME:(2)	152	6.4 %	20.0%
3	SOM TIME:(3)	109	4.6 %	14.3%
4	MST TIME:(4)	60	2.5 %	7.9%
5	EVRYTIME:(5)	49	2.0 %	6.4%
-9 (M)	MISSING:(-9)	1632	68.2 %	-

Based upon 760 valid cases out of 2392 total cases.

V1264	**091B021:#X OVL MJ+ ALC**

Location: 322-323 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 02200

Question Number(s): 1B021

How many of the times when you used marijuana or hashish
during the last year did you use it along with alcohol--that
is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	267	11.2 %	35.5%
2	FEW TIME:(2)	235	9.8 %	31.2%
3	SOM TIME:(3)	154	6.4 %	20.5%
4	MST TIME:(4)	56	2.3 %	7.4%
5	EVRYTIME:(5)	40	1.7 %	5.3%
-9 (M)	MISSING:(-9)	1640	68.6 %	-

Based upon 752 valid cases out of 2392 total cases.

V1265	091B022A:MJ EXPERIMENT

Location:	324-325 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02210

Question Number(s): 1B022A

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	267	11.2 %	35.6%
1	MARKED:(1)	483	20.2 %	64.4%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1266	091B022B:MJ RELAX

Location:	326-327 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02220

Question Number(s): 1B022B

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	274	11.5 %	36.5%
1	MARKED:(1)	476	19.9 %	63.5%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1267	091B022C:MJ GET HIGH

Location:	328-329 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02230

Question Number(s): 1B022C

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	235	9.8 %	31.3%
1	MARKED:(1)	515	21.5 %	68.7%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1268   091B022D:MJ SEEK INSIGHT

Location:	330-331 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02240

Question Number(s): 1B022D

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	558	23.3 %	74.4%
1	MARKED:(1)	192	8.0 %	25.6%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1269   091B022E:MJ GD TM FRNDS

Location:	332-333 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 02250

Question Number(s): 1B022E

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	241	10.1 %	32.1%
1	MARKED:(1)	509	21.3 %	67.9%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1270	**091B022F:MJ FIT IN GRP**

Location:	334-335 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02260

Question Number(s): 1B022F

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	711	29.7 %	94.8%
1	MARKED:(1)	39	1.6 %	5.2%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1271	**091B022G:MJ GET AWY PRB**

Location:	336-337 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 02270

Question Number(s): 1B022G

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	533	22.3 %	71.1%
1	MARKED:(1)	217	9.1 %	28.9%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1272	**091B022H:MJ BOREDOM**

Location: 338-339 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 02280

Question Number(s): 1B022H

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	501	20.9 %	66.8%
1	MARKED:(1)	249	10.4 %	33.2%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1273	**091B022I:MJ ANGR/FRUSTRN**

Location: 340-341 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 02290

Question Number(s): 1B022I

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	588	24.6 %	78.4%
1	MARKED:(1)	162	6.8 %	21.6%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1274	**091B022J:MJ GET THRU DAY**

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02300

Question Number(s): 1B022J

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	640	26.8 %	85.3%
1	MARKED:(1)	110	4.6 %	14.7%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1275	**091B022K:MJ INCRS EF DRG**

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02310

Question Number(s): 1B022K

What have been the most important reasons for your using

marijuana or hashish? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	673	28.1 %	89.7%
1	MARKED:(1)	77	3.2 %	10.3%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1276	**091B022L:MJ DECRS EF DRG**

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02320

Question Number(s): 1B022L

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	736	30.8 %	98.1%
1	MARKED:(1)	14	0.6 %	1.9%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1277	**091B022M:MJ I AM HOOKED**

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02330

Question Number(s): 1B022M

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	719	30.1 %	95.9%
1	MARKED:(1)	31	1.3 %	4.1%
-9 (M)	MISSING:(-9)	1642	68.6 %	-

Based upon 750 valid cases out of 2392 total cases.

V1278	**091B023:MJ/HSH,VRY HIGH**

Location:	350-351 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02340

Question Number(s): 1B023

When you use marijuana or hashish, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT HIGH:(1)	37	1.5 %	4.9%
2	LIT HIGH:(2)	144	6.0 %	19.0%
3	MOD HIGH:(3)	345	14.4 %	45.6%
4	VRY HIGH:(4)	231	9.7 %	30.5%
-9 (M)	MISSING:(-9)	1635	68.4 %	-

Based upon 757 valid cases out of 2392 total cases.

V1279	**091B024:MJ/HSH,HI 24+HR**

Location:	352-353 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02350

Question Number(s): 1B024

When you use marijuana or hashish, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to

six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	N GET HI:(1)	46	1.9 %	6.1%
2	1-2 HRS:(2)	381	15.9 %	50.6%
3	3-6 HRS:(3)	284	11.9 %	37.7%
4	7-24 HRS:(4)	30	1.3 %	4.0%
5	>24 HRS:(5)	12	0.5 %	1.6%
-9 (M)	MISSING:(-9)	1639	68.5 %	-

Based upon 753 valid cases out of 2392 total cases.

V1280	**091B025:JOINT/DA LST MO**

Location:	354-355 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02360

Question Number(s): 1B025

During the LAST MONTH, about how many marijuana cigarettes
(joints, reefers), or the equivalent, did you smoke a day,
on the average? (If you shared them with other people, count
only the amount YOU smoked.)

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day"
5="4-6 a day" 6="7-10 a day" 7="11 or more a day"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	264	11.0 %	38.6%
2	<1/DAY:(2)	203	8.5 %	29.7%
3	1/DAY:(3)	70	2.9 %	10.2%
4	2-3/DAY:(4)	74	3.1 %	10.8%
5	4-6/DAY:(5)	41	1.7 %	6.0%
6	7-10/DAY:(6)	14	0.6 %	2.0%
7	11+/DAY:(7)	18	0.8 %	2.6%
-9 (M)	MISSING:(-9)	1708	71.4 %	-

Based upon 684 valid cases out of 2392 total cases.

V1281	**091B026:OZS.MJ LST MO/6**

Location:	356-357 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 02370

Question Number(s): 1B026

Do you know how much marijuana you have used (in ounces) during the LAST MONTH?

1="None" 2="Less than 1/2 ounce" 3="About 1/2 ounce" 4="About 1 ounce" 5="About 2 ounces" 6="3 to 5 ounces" 7="6 or more ounces" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	218	9.1 %	31.9%
2	< 1/2 OZ:(2)	114	4.8 %	16.7%
3	1/2 OZ:(3)	55	2.3 %	8.0%
4	1 OZ:(4)	56	2.3 %	8.2%
5	2 OZ:(5)	38	1.6 %	5.6%
6	3-5 OZ:(6)	29	1.2 %	4.2%
7	6+ OZ:(7)	33	1.4 %	4.8%
8	DK:(8)	141	5.9 %	20.6%
-9 (M)	MISSING:(-9)	1708	71.4 %	-

Based upon 684 valid cases out of 2392 total cases.

V1282	**091B027:*TRY STP MJ FL**

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02380

Question Number(s): 1B027

Have you ever tried to stop using marijuana or hashish and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	53	2.2 %	7.0%
2	NO:(2)	700	29.3 %	93.0%
-9 (M)	MISSING:(-9)	1639	68.5 %	-

Based upon 753 valid cases out of 2392 total cases.

V1706	**091B028:MJ/HSH EVR DLY**

Location:	360-361 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21180

Question Number(s): 1B028

Thinking back over your whole life, has there ever been a period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="No--GO TO QUESTION 32" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1908	79.8 %	84.9%
2	YES:(2)	339	14.2 %	15.1%
-9 (M)	MISSING:(-9)	145	6.1 %	-

Based upon 2247 valid cases out of 2392 total cases.

V1707	**091B029:GR 1ST DAILY MJ**

Location:	362-363 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21190

Question Number(s): 1B029

How old were you when you first smoked marijuana or hashish that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)" 4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	42	1.8 %	10.5%
2	GRADE 7-8:(2)	95	4.0 %	23.7%
3	GRADE 9:(3)	101	4.2 %	25.2%
4	GRADE 10:(4)	54	2.3 %	13.5%
5	GRADE 11:(5)	73	3.1 %	18.2%
6	GRADE 12:(6)	36	1.5 %	9.0%
-9 (M)	MISSING:(-9)	1991	83.2 %	-

Based upon 401 valid cases out of 2392 total cases.

V1708	091B030:RECENT DAILY MJ

Location:	364-365 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21200

Question Number(s): 1B030

How recently did you use marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more years ago"

Value	Label	Unweighted Frequency	%	Valid %
1	PAST MON:(1)	128	5.4 %	33.7%
2	2 MO AGO:(2)	39	1.6 %	10.3%
3	3-9 MO:(3)	69	2.9 %	18.2%
4	ABT 1 YR:(4)	51	2.1 %	13.4%
5	ABT 2 YR:(5)	40	1.7 %	10.5%
6	3+ YRS:(6)	53	2.2 %	13.9%
-9 (M)	MISSING:(-9)	2012	84.1 %	-

Based upon 380 valid cases out of 2392 total cases.

V1709	091B031:#X DAILY MJ/LFT

Location:	366-367 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21210

Question Number(s): 1B031

Over your whole lifetime, during how many months have you used marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year" 4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5 years" 7="6 to 9 years" 8="10 or more years"

Value	Label	Unweighted Frequency	%	Valid %
1	<3 MON:(1)	121	5.1 %	31.6%
2	3-9 MO:(2)	82	3.4 %	21.4%
3	ABT 1 YR:(3)	41	1.7 %	10.7%

Value	Label	Unweighted Frequency	%	Valid %
4	1 1/2 YR:(4)	23	1.0 %	6.0%
5	ABT 2 YR:(5)	40	1.7 %	10.4%
6	3-5 YRS:(6)	55	2.3 %	14.4%
7	6-9 YRS:(7)	10	0.4 %	2.6%
8	10+ YRS:(8)	11	0.5 %	2.9%
-9 (M)	MISSING:(-9)	2009	84.0 %	-

Based upon 383 valid cases out of 2392 total cases.

V1283	**091B032:NO MJ/HSH IN5YR**

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02390

Question Number(s): 1B032

Do you think you will be using marijuana or hashish five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	101	4.2 %	4.4%
2	PRB WILL:(2)	255	10.7 %	11.2%
3	PRB WONT:(3)	461	19.3 %	20.3%
4	DEF WONT:(4)	1457	60.9 %	64.1%
-9 (M)	MISSING:(-9)	118	4.9 %	-

Based upon 2274 valid cases out of 2392 total cases.

V1118	**091B033A:#X LSD/LIFETIME**

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

Question Number(s): 1B033A

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2158	90.2 %	96.4%
2	1-2X:(2)	44	1.8 %	2.0%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	153	6.4 %	-

Based upon 2239 valid cases out of 2392 total cases.

V1284	**091B033A:#X LSD/LIFETIME**

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00890

Question Number(s): 1B033A

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2158	90.2 %	96.4%
2	1-2X:(2)	44	1.8 %	2.0%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	7	0.3 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	153	6.4 %	-

Based upon 2239 valid cases out of 2392 total cases.

V1119	**091B033B:#X LSD/LAST 12M**

Location:	374-375 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00900

Question Number(s): 1B033B

On how many occasions (if any) have you used LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2187	91.4 %	97.5%
2	1-2X:(2)	40	1.7 %	1.8%
3	3-5X:(3)	8	0.3 %	0.4%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	150	6.3 %	-

Based upon 2242 valid cases out of 2392 total cases.

V1285	**091B033B:#X LSD/LAST 12M**

Location:	376-377 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00900

Question Number(s): 1B033B

On how many occasions (if any) have you used LSD) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2187	91.4 %	97.5%
2	1-2X:(2)	40	1.7 %	1.8%
3	3-5X:(3)	8	0.3 %	0.4%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	150	6.3 %	-

Based upon 2242 valid cases out of 2392 total cases.

V1120	**091B033C:#X LSD/LAST 30D**

Location:	378-379 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00910

Question Number(s): 1B033C

On how many occasions (if any) have you used LSD) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2227	93.1 %	99.2%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	147	6.1 %	-

Based upon 2245 valid cases out of 2392 total cases.

V1286	091B033C:#X LSD/LAST 30D

Location:	380-381 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00910

Question Number(s): 1B033C

On how many occasions (if any) have you used LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2227	93.1 %	99.2%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	147	6.1 %	-

Based upon 2245 valid cases out of 2392 total cases.

V1287	091B034A:#X/YR LSD ALONE

Location:	382-383 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02400

Question Number(s): 1B034A

IF YOU HAVE NOT TAKEN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 41.

When you used LSD during the last year, how often did you use
it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	46	1.9 %	80.7%
2	FEW TIME:(2)	3	0.1 %	5.3%
3	SOM TIME:(3)	2	0.1 %	3.5%
4	MST TIME:(4)	1	0.0 %	1.8%
5	EVRYTIME:(5)	5	0.2 %	8.8%
-9 (M)	MISSING:(-9)	2335	97.6 %	-

Based upon 57 valid cases out of 2392 total cases.

V1288	091B034B:#X/YR LSD-2 PPL

Location:	384-385 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02410

Question Number(s): 1B034B

When you used LSD during the last year, how often did you use
it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	15	0.6 %	27.3%
2	FEW TIME:(2)	12	0.5 %	21.8%
3	SOM TIME:(3)	7	0.3 %	12.7%
4	MST TIME:(4)	7	0.3 %	12.7%
5	EVRYTIME:(5)	14	0.6 %	25.5%
-9 (M)	MISSING:(-9)	2337	97.7 %	-

Based upon 55 valid cases out of 2392 total cases.

V1289	091B034C:#X/YR LSD@PARTY

| Location: | 386-387 (width: 2; decimal: 0) |

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02420

Question Number(s): 1B034C

When you used LSD during the last year, how often did you use
it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	28	1.2 %	50.0%
2	FEW TIME:(2)	10	0.4 %	17.9%
3	SOM TIME:(3)	7	0.3 %	12.5%
4	MST TIME:(4)	2	0.1 %	3.6%
5	EVRYTIME:(5)	9	0.4 %	16.1%
-9 (M)	MISSING:(-9)	2336	97.7 %	-

Based upon 56 valid cases out of 2392 total cases.

V1290   091B034D:#X/YR LSD-DT/SP

Location:	388-389 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02430

Question Number(s): 1B034D

When you used LSD during the last year, how often did you use
it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	40	1.7 %	70.2%
2	FEW TIME:(2)	8	0.3 %	14.0%
3	SOM TIME:(3)	3	0.1 %	5.3%
4	MST TIME:(4)	1	0.0 %	1.8%
5	EVRYTIME:(5)	5	0.2 %	8.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2335	97.6 %	-

Based upon 57 valid cases out of 2392 total cases.

V1291	**091B034E:#X/YR LSD-ADLTS**

Location:	390-391 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02440

Question Number(s): 1B034E

When you used LSD during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	38	1.6 %	67.9%
2	FEW TIME:(2)	3	0.1 %	5.4%
3	SOM TIME:(3)	7	0.3 %	12.5%
4	MST TIME:(4)	2	0.1 %	3.6%
5	EVRYTIME:(5)	6	0.3 %	10.7%
-9 (M)	MISSING:(-9)	2336	97.7 %	-

Based upon 56 valid cases out of 2392 total cases.

V1292	**091B034F:#X/YR LSD-DATIM**

Location:	392-393 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02450

Question Number(s): 1B034F

When you used LSD during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	40	1.7 %	70.2%
2	FEW TIME:(2)	5	0.2 %	8.8%
3	SOM TIME:(3)	3	0.1 %	5.3%
4	MST TIME:(4)	6	0.3 %	10.5%
5	EVRYTIME:(5)	3	0.1 %	5.3%
-9 (M)	MISSING:(-9)	2335	97.6 %	-

Based upon 57 valid cases out of 2392 total cases.

V1293	**091B034G:#X/YR LSD@HOME**

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02460

Question Number(s): 1B034G

When you used LSD during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	32	1.3 %	56.1%
2	FEW TIME:(2)	8	0.3 %	14.0%
3	SOM TIME:(3)	5	0.2 %	8.8%
4	MST TIME:(4)	7	0.3 %	12.3%
5	EVRYTIME:(5)	5	0.2 %	8.8%
-9 (M)	MISSING:(-9)	2335	97.6 %	-

Based upon 57 valid cases out of 2392 total cases.

V1294	**091B034H:#X/YR LSD@SCHL**

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02470

Question Number(s): 1B034H

When you used LSD during the last year, how often did you use

it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	49	2.0 %	84.5%
2	FEW TIME:(2)	3	0.1 %	5.2%
3	SOM TIME:(3)	4	0.2 %	6.9%
5	EVRYTIME:(5)	2	0.1 %	3.4%
-9 (M)	MISSING:(-9)	2334	97.6 %	-

Based upon 58 valid cases out of 2392 total cases.

V1295	**091B034I:#X/YR LSDIN CAR**

Location:	398-399 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02490

Question Number(s): 1B034I

When you used LSD during the last year, how often did you use
it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	33	1.4 %	57.9%
2	FEW TIME:(2)	9	0.4 %	15.8%
3	SOM TIME:(3)	8	0.3 %	14.0%
4	MST TIME:(4)	4	0.2 %	7.0%
5	EVRYTIME:(5)	3	0.1 %	5.3%
-9 (M)	MISSING:(-9)	2335	97.6 %	-

Based upon 57 valid cases out of 2392 total cases.

V1296	**091B035A:#X OVL LSD+ ALC**

Location:	400-401 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 02500

Question Number(s): 1B035A

How many of the times when you used LSD during the last year
did you use it along with each of the following drugs--that
is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	31	1.3 %	60.8%
2	FEW TIME:(2)	6	0.3 %	11.8%
3	SOM TIME:(3)	3	0.1 %	5.9%
4	MST TIME:(4)	6	0.3 %	11.8%
5	EVRYTIME:(5)	5	0.2 %	9.8%
-9 (M)	MISSING:(-9)	2341	97.9 %	-

Based upon 51 valid cases out of 2392 total cases.

V1297	091B035B:#X OVL LSD+ MJ

Location: 402-403 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 02510

Question Number(s): 1B035B

How many of the times when you used LSD during the last year
did you use it along with each of the following drugs--that
is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	17	0.7 %	29.8%
2	FEW TIME:(2)	9	0.4 %	15.8%
3	SOM TIME:(3)	5	0.2 %	8.8%
4	MST TIME:(4)	4	0.2 %	7.0%
5	EVRYTIME:(5)	22	0.9 %	38.6%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2335	97.6 %	-

Based upon 57 valid cases out of 2392 total cases.

V1298	**091B036A:LSD EXPERIMENT**			

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02520

Question Number(s): 1B036A

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	14	0.6 %	25.9%
1	MARKED:(1)	40	1.7 %	74.1%
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1299	**091B036B:LSD RELAX**			

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02530

Question Number(s): 1B036B

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	50	2.1 %	92.6%
1	MARKED:(1)	4	0.2 %	7.4%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1300	**091B036C:LSD GET HIGH**

Location:	408-409 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02540

Question Number(s): 1B036C

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	30	1.3 %	55.6%
1	MARKED:(1)	24	1.0 %	44.4%
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1301	**091B036D:LSD SEEK INSGHT**

Location:	410-411 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02550

Question Number(s): 1B036D

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	35	1.5 %	64.8%
1	MARKED:(1)	19	0.8 %	35.2%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1302	**091B036E:LSD GD TM FRNDS**			

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02560

Question Number(s): 1B036E

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	33	1.4 %	61.1%
1	MARKED:(1)	21	0.9 %	38.9%
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1303	**091B036F:LSD FIT IN GRP**			

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02570

Question Number(s): 1B036F

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	52	2.2 %	96.3%
1	MARKED:(1)	2	0.1 %	3.7%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1304	**091B036G:LSD GT AWY PRB**			

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02580

Question Number(s): 1B036G

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	51	2.1 %	94.4%
1	MARKED:(1)	3	0.1 %	5.6%
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1305	**091B036H:LSD BOREDOM**			

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02590

Question Number(s): 1B036H

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	48	2.0 %	88.9%
1	MARKED:(1)	6	0.3 %	11.1%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1306	**091B036I:LSD ANGR/FRSTRN**			

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02600

Question Number(s): 1B036I

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	53	2.2 %	98.1%
1	MARKED:(1)	1	0.0 %	1.9%
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1307	**091B036J:LSD GT THRU DAY**			

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02610

Question Number(s): 1B036J

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	54	2.3 %	100.0%
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1308	**091B036K:LSD INCRS EF DR**

Location:	424-425 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02620

Question Number(s): 1B036K

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	53	2.2 %	98.1%
1	MARKED:(1)	1	0.0 %	1.9%
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1309	**091B036L:LSD DCRS EF DRG**

Location:	426-427 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02630

Question Number(s): 1B036L

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	54	2.3 %	100.0%
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1310	**091B036M:LSD I AM HOOKED**

Location:	428-429 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02640

Question Number(s): 1B036M

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	52	2.2 %	96.3%
1	MARKED:(1)	2	0.1 %	3.7%
-9 (M)	MISSING:(-9)	2338	97.7 %	-

Based upon 54 valid cases out of 2392 total cases.

V1311	**091B037:LSD,GET VERY HI**

Location:	430-431 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02650

Question Number(s): 1B037

When you take LSD, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT HIGH:(1)	5	0.2 %	9.1%
2	LIT HIGH:(2)	4	0.2 %	7.3%
3	MOD HIGH:(3)	9	0.4 %	16.4%
4	VRY HIGH:(4)	37	1.5 %	67.3%
-9 (M)	MISSING:(-9)	2337	97.7 %	-

Based upon 55 valid cases out of 2392 total cases.

V1312	**091B038:LSD,HIGH 24+ HR**

| Location: | 432-433 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):	-9	
Question:		

Item Number: 02660

Question Number(s): 1B038

When you take LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	N GET HI:(1)	6	0.3 %	10.9%
2	1-2 HRS:(2)	3	0.1 %	5.5%
3	3-6 HRS:(3)	18	0.8 %	32.7%
4	7-24 HRS:(4)	24	1.0 %	43.6%
5	>24 HRS:(5)	4	0.2 %	7.3%
-9 (M)	MISSING:(-9)	2337	97.7 %	-

Based upon 55 valid cases out of 2392 total cases.

V1313	**091B039:1+ BAD TRIP LSD**

Location:	434-435 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02670

Question Number(s): 1B039

Have you ever had a "bad trip" on LSD?

1="No" 2="Yes, once" 3="Yes, more than once"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	36	1.5 %	58.1%
2	ONCE:(2)	23	1.0 %	37.1%
3	> ONCE:(3)	3	0.1 %	4.8%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1314	**091B040:*TRY STP LSD/FL**

Location:	436-437 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 02680

Question Number(s): 1B040

Have you ever tried to stop using LSD and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	7	0.3 %	11.3%
2	NO:(2)	55	2.3 %	88.7%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1315	**091B041:NO LSD IN 5 YRS**

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02690

Question Number(s): 1B041

Do you think you will be using LSD five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	24	1.0 %	1.1%
2	PRB WILL:(2)	26	1.1 %	1.2%
3	PRB WONT:(3)	145	6.1 %	6.8%
4	DEF WONT:(4)	1937	81.0 %	90.9%
-9 (M)	MISSING:(-9)	260	10.9 %	-

Based upon 2132 valid cases out of 2392 total cases.

V1121	**091B042A:#X PSYD/LIFETIM**

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00920

Question Number(s): 1B042A

The next questions are about HALLUCINOGENS OTHER THAN LSD.
This group would include the following drugs: Mescaline,
Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions
(if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2057	86.0 %	92.9%
2	1-2X:(2)	85	3.6 %	3.8%
3	3-5X:(3)	30	1.3 %	1.4%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	178	7.4 %	-

Based upon 2214 valid cases out of 2392 total cases.

V1316	**091B042A:#X PSYD/LIFETIM**

Location:	442-443 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00920

Question Number(s): 1B042A

The next questions are about HALLUCINOGENS OTHER THAN LSD.
This group would include the following drugs: Mescaline,
Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions
(if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2057	86.0 %	92.9%
2	1-2X:(2)	85	3.6 %	3.8%
3	3-5X:(3)	30	1.3 %	1.4%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	178	7.4 %	-

Based upon 2214 valid cases out of 2392 total cases.

V1122	**091B042B:#X PSYD/LAST12M**

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00930

Question Number(s): 1B042B

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2107	88.1 %	95.2%
2	1-2X:(2)	66	2.8 %	3.0%
3	3-5X:(3)	21	0.9 %	0.9%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	179	7.5 %	-

Based upon 2213 valid cases out of 2392 total cases.

V1317	**091B042B:#X PSYD/LAST12M**

Location:	446-447 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00930

Question Number(s): 1B042B

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2107	88.1 %	95.2%
2	1-2X:(2)	66	2.8 %	3.0%
3	3-5X:(3)	21	0.9 %	0.9%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	179	7.5 %	-

Based upon 2213 valid cases out of 2392 total cases.

V1123	**091B042C:#X PSYD/LAST30D**

Location:	448-449 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00940

Question Number(s): 1B042C

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2

through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2172	90.8 %	98.1%
2	1-2X:(2)	29	1.2 %	1.3%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	178	7.4 %	-

Based upon 2214 valid cases out of 2392 total cases.

V1318	**091B042C:#X PSYD/LAST30D**

Location:	450-451 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00940

Question Number(s): 1B042C

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2172	90.8 %	98.1%
2	1-2X:(2)	29	1.2 %	1.3%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	178	7.4 %	-

Based upon 2214 valid cases out of 2392 total cases.

V1319	**091B043:PSYD,GT VERY HI**

Location:	452-453 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02700

Question Number(s): 1B043

IF YOU HAVE NOT TAKEN ANY HALLUCINOGENS OTHER THAN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 46.

When you take hallucinogens other than LSD how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT HIGH:(1)	4	0.2 %	4.0%
2	LIT HIGH:(2)	4	0.2 %	4.0%
3	MOD HIGH:(3)	31	1.3 %	30.7%
4	VRY HIGH:(4)	62	2.6 %	61.4%
-9 (M)	MISSING:(-9)	2291	95.8 %	-

Based upon 101 valid cases out of 2392 total cases.

V1320	**091B044:PSYD,HI 24+ HRS**
Location:	454-455 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02710

Question Number(s): 1B044

When you take hallucinogens other than LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	N GET HI:(1)	4	0.2 %	3.9%
2	1-2 HRS:(2)	22	0.9 %	21.6%
3	3-6 HRS:(3)	40	1.7 %	39.2%
4	7-24 HRS:(4)	31	1.3 %	30.4%
5	>24 HRS:(5)	5	0.2 %	4.9%
-9 (M)	MISSING:(-9)	2290	95.7 %	-

Based upon 102 valid cases out of 2392 total cases.

V1321	091B045A:TKN YR,MESCALIN

Location:	456-457 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02720

Question Number(s): 1B045A

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

A. Mescaline

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	93	3.9 %	90.3%
1	MARKED:(1)	10	0.4 %	9.7%
-9 (M)	MISSING:(-9)	2289	95.7 %	-

Based upon 103 valid cases out of 2392 total cases.

V1322	091B045B:TKN YR,PEYOTE

Location:	458-459 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02730

Question Number(s): 1B045B

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

B. Peyote

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	94	3.9 %	91.3%
1	MARKED:(1)	9	0.4 %	8.7%
-9 (M)	MISSING:(-9)	2289	95.7 %	-

Based upon 103 valid cases out of 2392 total cases.

V1323	091B045C:TKN YR,PSILOCYB

Location:	460-461 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02740

Question Number(s): 1B045C

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

C. Psilocybin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	11	0.5 %	10.7%
1	MARKED:(1)	92	3.8 %	89.3%
-9 (M)	MISSING:(-9)	2289	95.7 %	-

Based upon 103 valid cases out of 2392 total cases.

V1324	091B045D:TKN YR,PCP

Location:	462-463 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02750

Question Number(s): 1B045D

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

D. PCP

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	89	3.7 %	86.4%
1	MARKED:(1)	14	0.6 %	13.6%
-9 (M)	MISSING:(-9)	2289	95.7 %	-

Based upon 103 valid cases out of 2392 total cases.

V1325	091B045E:TKN YR,CNCT THC

Location:	464-465 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 02760

Question Number(s): 1B045E

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

E. Concentrated THC

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	78	3.3 %	75.7%
1	MARKED:(1)	25	1.0 %	24.3%
-9 (M)	MISSING:(-9)	2289	95.7 %	-

Based upon 103 valid cases out of 2392 total cases.

V1326   091B045F:TKN YR,OTH PSYD

Location:	466-467 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02770

Question Number(s): 1B045F

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	77	3.2 %	74.8%
1	MARKED:(1)	26	1.1 %	25.2%
-9 (M)	MISSING:(-9)	2289	95.7 %	-

Based upon 103 valid cases out of 2392 total cases.

V1327   091B045G:TKN YR,DK NAME

Location:	468-469 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 02780

Question Number(s): 1B045G

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

G. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	88	3.7 %	85.4%
1	MARKED:(1)	15	0.6 %	14.6%
-9 (M)	MISSING:(-9)	2289	95.7 %	-

Based upon 103 valid cases out of 2392 total cases.

V1710	**091B046A:#X DIETPILL/LFT**

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21220

Question Number(s): 1B046A

The next questions are about some non-prescription drugs. Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim(R), Dietac(R), and others. On how many occasions (if any) have you taken such non-prescription diet pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2042	85.4 %	90.8%
2	1-2X:(2)	78	3.3 %	3.5%
3	3-5X:(3)	37	1.5 %	1.6%
4	6-9X:(4)	27	1.1 %	1.2%
5	10-19X:(5)	21	0.9 %	0.9%
6	20-39X:(6)	10	0.4 %	0.4%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	33	1.4 %	1.5%
-9 (M)	MISSING:(-9)	144	6.0 %	-

Based upon 2248 valid cases out of 2392 total cases.

| **V1711** | **091B046B:#X DIETPILL/12M** |

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21230

Question Number(s): 1B046B

On how many occasions (if any) have you taken such non-prescription diet pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2113	88.3 %	93.9%
2	1-2X:(2)	59	2.5 %	2.6%
3	3-5X:(3)	30	1.3 %	1.3%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	8	0.3 %	0.4%
7	40+OCCAS:(7)	16	0.7 %	0.7%
-9 (M)	MISSING:(-9)	142	5.9 %	-

Based upon 2250 valid cases out of 2392 total cases.

| **V1712** | **091B046C:#X DIETPILL/30D** |

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21240

Question Number(s): 1B046C

On how many occasions (if any) have you taken such non-prescription diet pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2188	91.5 %	97.2%
2	1-2X:(2)	33	1.4 %	1.5%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	142	5.9 %	-

Based upon 2250 valid cases out of 2392 total cases.

V1713	**091B047A:#X STA-AWAK/LFT**

Location:	476-477 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21250

Question Number(s): 1B047A

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), Wake(R), Caffedrine(R), and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2091	87.4 %	92.9%
2	1-2X:(2)	76	3.2 %	3.4%
3	3-5X:(3)	33	1.4 %	1.5%
4	6-9X:(4)	13	0.5 %	0.6%
5	10-19X:(5)	8	0.3 %	0.4%

Value	Label	Unweighted Frequency	%	Valid %
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	140	5.9 %	-

Based upon 2252 valid cases out of 2392 total cases.

V1714	**091B047B:#X STA-AWAK/12M**

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21260

Question Number(s): 1B047B

On how many occasions (if any) have you taken such
non-prescription stay-awake pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2150	89.9 %	95.5%
2	1-2X:(2)	54	2.3 %	2.4%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	140	5.9 %	-

Based upon 2252 valid cases out of 2392 total cases.

V1715	**091B047C:#X STA-AWAK/30D**

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21270

Question Number(s): 1B047C

On how many occasions (if any) have you taken such

non-prescription stay-awake pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2206	92.2 %	98.0%
2	1-2X:(2)	23	1.0 %	1.0%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	6	0.3 %	0.3%
5	10-19X:(5)	4	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	140	5.9 %	-

Based upon 2252 valid cases out of 2392 total cases.

V1716	**091B048A:#X LOOKALIK/LFT**

Location:	482-483 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21280

Question Number(s): 1B048A

In addition to non-prescription diet and stay-awake pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2158	90.2 %	95.8%
2	1-2X:(2)	47	2.0 %	2.1%
3	3-5X:(3)	18	0.8 %	0.8%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	11	0.5 %	0.5%
-9 (M)	MISSING:(-9)	139	5.8 %	-

Based upon 2253 valid cases out of 2392 total cases.

V1717	**091B048B:#X LOOKALIK/12M**

Location:	484-485 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21290

Question Number(s): 1B048B

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2194	91.7 %	97.3%
2	1-2X:(2)	32	1.3 %	1.4%
3	3-5X:(3)	11	0.5 %	0.5%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	5	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	137	5.7 %	-

Based upon 2255 valid cases out of 2392 total cases.

V1718	**091B048C:#X LOOKALIK/30D**

Location:	486-487 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21300

Question Number(s): 1B048C

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2229	93.2 %	98.8%
2	1-2X:(2)	12	0.5 %	0.5%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	137	5.7 %	-

Based upon 2255 valid cases out of 2392 total cases.

V1328	091B049:DR TOLD TK AMPH

Location:	488-489 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02790

Question Number(s): 1B049

The next questions are about AMPHETAMINES, which doctors have prescribed to help people lose weight or to give people more energy. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines are sometimes called: Uppers, Ups, Speed, Bennies, Dexies, Pep Pills, Diet Pills, Meth or Crystal Meth. They include the following drugs: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine. IN YOUR ANSWERS ABOUT AMPHETAMINES, DO NOT INCLUDE ANY NON-PRESCRIPTION OR OVER-THE-COUNTER DRUGS. Have you ever taken amphetamines because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2075	86.7 %	92.2%
2	YES BUT:(2)	42	1.8 %	1.9%
3	YES 1ST:(3)	133	5.6 %	5.9%
-9 (M)	MISSING:(-9)	142	5.9 %	-

Based upon 2250 valid cases out of 2392 total cases.

V1127	**091B050A:#X AMPH/LIFETIM**

Location:	490-491 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00980

Question Number(s): 1B050A

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2049	85.7 %	92.0%
2	1-2X:(2)	69	2.9 %	3.1%
3	3-5X:(3)	25	1.0 %	1.1%
4	6-9X:(4)	21	0.9 %	0.9%
5	10-19X:(5)	16	0.7 %	0.7%
6	20-39X:(6)	17	0.7 %	0.8%
7	40+OCCAS:(7)	29	1.2 %	1.3%
-9 (M)	MISSING:(-9)	166	6.9 %	-

Based upon 2226 valid cases out of 2392 total cases.

V1329	**091B050A:#X AMPH/LIFETIM**

Location:	492-493 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 00980

Question Number(s): 1B050A

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2049	85.7 %	92.0%
2	1-2X:(2)	69	2.9 %	3.1%
3	3-5X:(3)	25	1.0 %	1.1%
4	6-9X:(4)	21	0.9 %	0.9%
5	10-19X:(5)	16	0.7 %	0.7%
6	20-39X:(6)	17	0.7 %	0.8%
7	40+OCCAS:(7)	29	1.2 %	1.3%
-9 (M)	MISSING:(-9)	166	6.9 %	-

Based upon 2226 valid cases out of 2392 total cases.

V1128	091B050B:#X AMPH/LAST12M

Location:	494-495 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00990

Question Number(s): 1B050B

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2110	88.2 %	94.8%
2	1-2X:(2)	41	1.7 %	1.8%
3	3-5X:(3)	25	1.0 %	1.1%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	11	0.5 %	0.5%
7	40+OCCAS:(7)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	166	6.9 %	-

Based upon 2226 valid cases out of 2392 total cases.

V1330	**091B050B:#X AMPH/LAST12M**

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

Question Number(s): 1B050B

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2110	88.2 %	94.8%
2	1-2X:(2)	41	1.7 %	1.8%
3	3-5X:(3)	25	1.0 %	1.1%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	11	0.5 %	0.5%
7	40+OCCAS:(7)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	166	6.9 %	-

Based upon 2226 valid cases out of 2392 total cases.

V1129	**091B050C:#X AMPH/LAST30D**

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01000

Question Number(s): 1B050C

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2163	90.4 %	97.1%
2	1-2X:(2)	28	1.2 %	1.3%
3	3-5X:(3)	17	0.7 %	0.8%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	165	6.9 %	-

Based upon 2227 valid cases out of 2392 total cases.

V1331   **091B050C:#X AMPH/LAST30D**

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01000

Question Number(s): 1B050C

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2163	90.4 %	97.1%
2	1-2X:(2)	28	1.2 %	1.3%
3	3-5X:(3)	17	0.7 %	0.8%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	165	6.9 %	-

Based upon 2227 valid cases out of 2392 total cases.

V1332	**091B051A:#X/YR AMPH ALNE**

Location:	502-503 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02800

Question Number(s): 1B051A

IF YOU HAVE NOT TAKEN AMPHETAMINES IN THE LAST TWELVE MONTHS, GO TO QUESTION 59. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING AMPHETAMINES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 59.

When you used amphetamines during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	61	2.6 %	52.6%
2	FEW TIME:(2)	16	0.7 %	13.8%
3	SOM TIME:(3)	15	0.6 %	12.9%
4	MST TIME:(4)	12	0.5 %	10.3%
5	EVRYTIME:(5)	12	0.5 %	10.3%
-9 (M)	MISSING:(-9)	2276	95.2 %	-

Based upon 116 valid cases out of 2392 total cases.

V1333	**091B051B:#X/YR AMPH-2PPL**

Location:	504-505 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02810

Question Number(s): 1B051B

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	44	1.8 %	37.9%
2	FEW TIME:(2)	29	1.2 %	25.0%
3	SOM TIME:(3)	21	0.9 %	18.1%
4	MST TIME:(4)	11	0.5 %	9.5%
5	EVRYTIME:(5)	11	0.5 %	9.5%
-9 (M)	MISSING:(-9)	2276	95.2 %	-

Based upon 116 valid cases out of 2392 total cases.

V1334	**091B051C:#X/YR AMPH@PRTY**

Location:	506-507 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02820

Question Number(s): 1B051C

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	61	2.6 %	52.6%
2	FEW TIME:(2)	17	0.7 %	14.7%
3	SOM TIME:(3)	15	0.6 %	12.9%
4	MST TIME:(4)	15	0.6 %	12.9%

Value	Label	Unweighted Frequency	%	Valid %
5	EVRYTIME:(5)	8	0.3 %	6.9%
-9 (M)	MISSING:(-9)	2276	95.2 %	-

Based upon 116 valid cases out of 2392 total cases.

V1335	**091B051D:#X/YR AMPH-DT/S**

Location:	508-509 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02830

Question Number(s): 1B051D

When you used amphetamines during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	78	3.3 %	67.2%
2	FEW TIME:(2)	15	0.6 %	12.9%
3	SOM TIME:(3)	10	0.4 %	8.6%
4	MST TIME:(4)	6	0.3 %	5.2%
5	EVRYTIME:(5)	7	0.3 %	6.0%
-9 (M)	MISSING:(-9)	2276	95.2 %	-

Based upon 116 valid cases out of 2392 total cases.

V1336	**091B051E:#X/YR AMPH-ADLT**

Location:	510-511 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02840

Question Number(s): 1B051E

When you used amphetamines during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	69	2.9 %	60.0%
2	FEW TIME:(2)	18	0.8 %	15.7%
3	SOM TIME:(3)	9	0.4 %	7.8%
4	MST TIME:(4)	4	0.2 %	3.5%
5	EVRYTIME:(5)	15	0.6 %	13.0%
-9 (M)	MISSING:(-9)	2277	95.2 %	-

Based upon 115 valid cases out of 2392 total cases.

V1337	**091B051F:#X/YR AMPH-DATM**

Location:	512-513 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02850

Question Number(s): 1B051F

When you used amphetamines during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	41	1.7 %	35.7%
2	FEW TIME:(2)	24	1.0 %	20.9%
3	SOM TIME:(3)	15	0.6 %	13.0%
4	MST TIME:(4)	10	0.4 %	8.7%
5	EVRYTIME:(5)	25	1.0 %	21.7%
-9 (M)	MISSING:(-9)	2277	95.2 %	-

Based upon 115 valid cases out of 2392 total cases.

V1338	**091B051G:#X/YR AMPH@HOME**

Location:	514-515 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02860

Question Number(s): 1B051G

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	50	2.1 %	43.5%
2	FEW TIME:(2)	17	0.7 %	14.8%
3	SOM TIME:(3)	22	0.9 %	19.1%
4	MST TIME:(4)	13	0.5 %	11.3%
5	EVRYTIME:(5)	13	0.5 %	11.3%
-9 (M)	MISSING:(-9)	2277	95.2 %	-

Based upon 115 valid cases out of 2392 total cases.

V1339	**091B051H:#X/YR AMPH@SCHL**

Location:	516-517 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02880

Question Number(s): 1B051H

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	59	2.5 %	51.3%
2	FEW TIME:(2)	13	0.5 %	11.3%
3	SOM TIME:(3)	19	0.8 %	16.5%
4	MST TIME:(4)	11	0.5 %	9.6%
5	EVRYTIME:(5)	13	0.5 %	11.3%
-9 (M)	MISSING:(-9)	2277	95.2 %	-

Based upon 115 valid cases out of 2392 total cases.

V1340	**091B051I:#X/YR AMPH@CAR**

Location:	518-519 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02890

Question Number(s): 1B051I

When you used amphetamines during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	68	2.8 %	59.1%
2	FEW TIME:(2)	17	0.7 %	14.8%
3	SOM TIME:(3)	20	0.8 %	17.4%
4	MST TIME:(4)	4	0.2 %	3.5%
5	EVRYTIME:(5)	6	0.3 %	5.2%
-9 (M)	MISSING:(-9)	2277	95.2 %	-

Based upon 115 valid cases out of 2392 total cases.

V1838	**091B052A:AMPH SRC INTERNT**

Location:	520-521 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31690

Question Number(s): 1B052A

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	109	4.6 %	97.3%
1	MARKED:(1)	3	0.1 %	2.7%
-9 (M)	MISSING:(-9)	2280	95.3 %	-

Based upon 112 valid cases out of 2392 total cases.

V1873	**091B052B:AMPH SRC FRND-ASK**

Location:	522-523 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31701

Question Number(s): 1B052B

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	107	4.5 %	95.5%
1	MARKED:(1)	5	0.2 %	4.5%
-9 (M)	MISSING:(-9)	2280	95.3 %	-

Based upon 112 valid cases out of 2392 total cases.

V1874	**091B052C:AMPH SRC RLTV-ASK**

Location:	524-525 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31702

Question Number(s): 1B052C

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	105	4.4 %	93.8%
1	MARKED:(1)	7	0.3 %	6.2%
-9 (M)	MISSING:(-9)	2280	95.3 %	-

Based upon 112 valid cases out of 2392 total cases.

V1875	**091B052D:AMPH SRC FRND FREE**

Location:	526-527 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31711

Question Number(s): 1B052D

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	46	1.9 %	41.1%
1	MARKED:(1)	66	2.8 %	58.9%
-9 (M)	MISSING:(-9)	2280	95.3 %	-

Based upon 112 valid cases out of 2392 total cases.

V1876	**091B052E:AMPH SRC RLTV FREE**

Location:	528-529 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31711

Question Number(s): 1B052E

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	107	4.5 %	95.5%
1	MARKED:(1)	5	0.2 %	4.5%
-9 (M)	MISSING:(-9)	2280	95.3 %	-

Based upon 112 valid cases out of 2392 total cases.

V1877	**091B052F:AMPH SRC FRND BGHT**

Location:	530-531 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 31721

Question Number(s): 1B052F

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	56	2.3 %	50.0%
1	MARKED:(1)	56	2.3 %	50.0%
-9 (M)	MISSING:(-9)	2280	95.3 %	-

Based upon 112 valid cases out of 2392 total cases.

V1878	**091B052G:AMPH SRC RLTV BGHT**

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31722

Question Number(s): 1B052G

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	110	4.6 %	98.2%
1	MARKED:(1)	2	0.1 %	1.8%
-9 (M)	MISSING:(-9)	2280	95.3 %	-

Based upon 112 valid cases out of 2392 total cases.

V1842	**091B052H:AMPH SRC PRESCRP**

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31730

Question Number(s): 1B052H

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	90	3.8 %	80.4%
1	MARKED:(1)	22	0.9 %	19.6%
-9 (M)	MISSING:(-9)	2280	95.3 %	-

Based upon 112 valid cases out of 2392 total cases.

V1843	**091B052I:AMPH SRC DEALER**

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31740

Question Number(s): 1B052I

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	85	3.6 %	75.9%
1	MARKED:(1)	27	1.1 %	24.1%
-9 (M)	MISSING:(-9)	2280	95.3 %	-

Based upon 112 valid cases out of 2392 total cases.

V1844	**091B052J:AMPH SRC OTHER**

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31750

Question Number(s): 1B052J

Where did you get the amphetamines you used without a doctor's

orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	95	4.0 %	84.8%
1	MARKED:(1)	17	0.7 %	15.2%
-9 (M)	MISSING:(-9)	2280	95.3 %	-

Based upon 112 valid cases out of 2392 total cases.

V1345	**091B053A:AMPH EXPERIMENT**

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02940

Question Number(s): 1B053A

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	64	2.7 %	58.2%
1	MARKED:(1)	46	1.9 %	41.8%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1346	**091B053B:AMPH RELAX**

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02950

Question Number(s): 1B053B

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	76	3.2 %	69.1%
1	MARKED:(1)	34	1.4 %	30.9%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1347	**091B053C:AMPH GET HIGH**

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02960

Question Number(s): 1B053C

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	64	2.7 %	58.2%
1	MARKED:(1)	46	1.9 %	41.8%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1348	**091B053D:AMPH SK INSIGHT**

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02970

Question Number(s): 1B053D

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	94	3.9 %	85.5%
1	MARKED:(1)	16	0.7 %	14.5%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1349	**091B053E:AMPH GD TM FRND**

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02980

Question Number(s): 1B053E

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	77	3.2 %	70.0%
1	MARKED:(1)	33	1.4 %	30.0%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1350	**091B053F:AMPH FIT IN GRP**

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02990

Question Number(s): 1B053F

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	108	4.5 %	98.2%
1	MARKED:(1)	2	0.1 %	1.8%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1351	**091B053G:AMPH GT AWY PRB**

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03000

Question Number(s): 1B053G

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	94	3.9 %	85.5%
1	MARKED:(1)	16	0.7 %	14.5%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1352	**091B053H:AMPH BOREDOM**

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03010

Question Number(s): 1B053H

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	92	3.8 %	83.6%
1	MARKED:(1)	18	0.8 %	16.4%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1353	**091B053I:AMPH ANGR/FRSTN**

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03020

Question Number(s): 1B053I

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	101	4.2 %	91.8%
1	MARKED:(1)	9	0.4 %	8.2%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1354	**091B053J:AMPH GT THRU DA**

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03030

Question Number(s): 1B053J

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	90	3.8 %	81.8%
1	MARKED:(1)	20	0.8 %	18.2%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1355	**091B053K:AMPH INCR EF DR**

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03040

Question Number(s): 1B053K

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	94	3.9 %	85.5%
1	MARKED:(1)	16	0.7 %	14.5%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1356	**091B053L:AMPH DCRS EF DR**

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03050

Question Number(s): 1B053L

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	109	4.6 %	99.1%
1	MARKED:(1)	1	0.0 %	0.9%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1357	**091B053M:AMPH STAY AWAKE**

Location:	564-565 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03060

Question Number(s): 1B053M

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	71	3.0 %	64.5%
1	MARKED:(1)	39	1.6 %	35.5%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1358	**091B053N:AMPH GET>ENERGY**

Location:	566-567 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03070

Question Number(s): 1B053N

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	68	2.8 %	61.8%
1	MARKED:(1)	42	1.8 %	38.2%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1879	**091B053O:AMPH HELP STUDY**

Location:	568-569 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03075

Question Number(s): 1B053O

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

O. To help me study

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	70	2.9 %	63.6%
1	MARKED:(1)	40	1.7 %	36.4%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1359	**091B053P:AMPH LOSE WGHT**

Location:	570-571 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03080

Question Number(s): 1B053P

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

P. To help me lose weight

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	83	3.5 %	75.5%
1	MARKED:(1)	27	1.1 %	24.5%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1360	**091B053Q:AMPH I AM HOOKD**

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03090

Question Number(s): 1B053Q

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

Q. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	106	4.4 %	96.4%
1	MARKED:(1)	4	0.2 %	3.6%
-9 (M)	MISSING:(-9)	2282	95.4 %	-

Based upon 110 valid cases out of 2392 total cases.

V1361	**091B054:AMPH,GT VERY HI**

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03100

Question Number(s): 1B054

When you take amphetamines, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT HIGH:(1)	25	1.0 %	21.2%
2	LIT HIGH:(2)	18	0.8 %	15.3%

Value	Label	Unweighted Frequency	%	Valid %
3	MOD HIGH:(3)	32	1.3 %	27.1%
4	VRY HIGH:(4)	22	0.9 %	18.6%
5	N TK HI:(5)	21	0.9 %	17.8%
-9 (M)	MISSING:(-9)	2274	95.1 %	-

Based upon 118 valid cases out of 2392 total cases.

V1362	**091B055:AMPH,HI 24+ HRS**

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03110

Question Number(s): 1B055

When you take amphetamines, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	N GET HI:(1)	34	1.4 %	29.3%
2	1-2 HRS:(2)	13	0.5 %	11.2%
3	3-6 HRS:(3)	34	1.4 %	29.3%
4	7-24 HRS:(4)	32	1.3 %	27.6%
5	>24 HRS:(5)	3	0.1 %	2.6%
-9 (M)	MISSING:(-9)	2276	95.2 %	-

Based upon 116 valid cases out of 2392 total cases.

V1363	**091B056A:TKN YR,BENZDRIN**

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03120

Question Number(s): 1B056A

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Benzedrine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	103	4.3 %	94.5%
1	MARKED:(1)	6	0.3 %	5.5%
-9 (M)	MISSING:(-9)	2283	95.4 %	-

Based upon 109 valid cases out of 2392 total cases.

V1364	**091B056B:TKN YR,DEXEDRIN**

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03130

Question Number(s): 1B056B

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Dexedrine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	105	4.4 %	96.3%
1	MARKED:(1)	4	0.2 %	3.7%
-9 (M)	MISSING:(-9)	2283	95.4 %	-

Based upon 109 valid cases out of 2392 total cases.

V1365	**091B056C:TKN YR,METHDRIN**

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03140

Question Number(s): 1B056C

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Methedrine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	106	4.4 %	97.2%
1	MARKED:(1)	3	0.1 %	2.8%
-9 (M)	MISSING:(-9)	2283	95.4 %	-

Based upon 109 valid cases out of 2392 total cases.

V1366	**091B056D:TKN YR,RITALIN**

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03150

Question Number(s): 1B056D

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Ritalin (Methylphenidate)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	76	3.2 %	69.7%
1	MARKED:(1)	33	1.4 %	30.3%
-9 (M)	MISSING:(-9)	2283	95.4 %	-

Based upon 109 valid cases out of 2392 total cases.

V1845	**091B056E:TKN YR,ADDERALL**

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31760

Question Number(s): 1B056E

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Adderall

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	39	1.6 %	35.8%
1	MARKED:(1)	70	2.9 %	64.2%
-9 (M)	MISSING:(-9)	2283	95.4 %	-

Based upon 109 valid cases out of 2392 total cases.

V1846	**091B056F:TKN YR,CONCERTA**

Location:	588-589 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31770

Question Number(s): 1B056F

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Concerta

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	91	3.8 %	83.5%
1	MARKED:(1)	18	0.8 %	16.5%
-9 (M)	MISSING:(-9)	2283	95.4 %	-

Based upon 109 valid cases out of 2392 total cases.

V1369	**091B056G:TKN YR,METHAMPH**

Location:	590-591 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03180

Question Number(s): 1B056G

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Methamphetamine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	99	4.1 %	90.8%
1	MARKED:(1)	10	0.4 %	9.2%
-9 (M)	MISSING:(-9)	2283	95.4 %	-

Based upon 109 valid cases out of 2392 total cases.

V1764	**091B056H:TKN YR,CRYSMETH**

Location:	592-593 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03185

Question Number(s): 1B056H

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Crystal meth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	103	4.3 %	94.5%
1	MARKED:(1)	6	0.3 %	5.5%
-9 (M)	MISSING:(-9)	2283	95.4 %	-

Based upon 109 valid cases out of 2392 total cases.

V1370	**091B056I:TKN YR,OTH AMPH**

Location:	594-595 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03190

Question Number(s): 1B056I

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	83	3.5 %	76.1%
1	MARKED:(1)	26	1.1 %	23.9%
-9 (M)	MISSING:(-9)	2283	95.4 %	-

Based upon 109 valid cases out of 2392 total cases.

V1371	**091B056J:TKN YR,DNT KN N**

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03200

Question Number(s): 1B056J

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

J. Don't know the names of some amphetamines I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	89	3.7 %	81.7%
1	MARKED:(1)	20	0.8 %	18.3%
-9 (M)	MISSING:(-9)	2283	95.4 %	-

Based upon 109 valid cases out of 2392 total cases.

V1372	**091B057A:MTHD AMPH-MOUTH**

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03210

Question Number(s): 1B057A

What methods have you used for taking amphetamines
during the last year? (Mark all that apply.)

A. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	9	0.4 %	8.0%
1	MARKED:(1)	104	4.3 %	92.0%
-9 (M)	MISSING:(-9)	2279	95.3 %	-

Based upon 113 valid cases out of 2392 total cases.

V1765	**091B057B:MTHD AMPH-SMOKG**

Location:	600-601 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03215

Question Number(s): 1B057B

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	97	4.1 %	85.8%
1	MARKED:(1)	16	0.7 %	14.2%
-9 (M)	MISSING:(-9)	2279	95.3 %	-

Based upon 113 valid cases out of 2392 total cases.

V1373	**091B057C:MTHD AMPH-INJCT**

Location:	602-603 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03220

Question Number(s): 1B057C

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	109	4.6 %	96.5%
1	MARKED:(1)	4	0.2 %	3.5%
-9 (M)	MISSING:(-9)	2279	95.3 %	-

Based upon 113 valid cases out of 2392 total cases.

V1374	**091B057D:MTHD AMPH-OTHER**

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03230

Question Number(s): 1B057D

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

D. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	92	3.8 %	81.4%
1	MARKED:(1)	21	0.9 %	18.6%
-9 (M)	MISSING:(-9)	2279	95.3 %	-

Based upon 113 valid cases out of 2392 total cases.

V1375	**091B058:*TRY STP AMP/FL**

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03240

Question Number(s): 1B058

Have you ever tried to stop using amphetamines and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	11	0.5 %	9.4%
2	NO:(2)	106	4.4 %	90.6%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2275	95.1 %	-

Based upon 117 valid cases out of 2392 total cases.

V1376	**091B059:NO AMPH IN 5YR**

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03250

Question Number(s): 1B059

Do you think you will be using amphetamines without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	20	0.8 %	0.9%
2	PRB WILL:(2)	41	1.7 %	1.9%
3	PRB WONT:(3)	301	12.6 %	13.9%
4	DEF WONT:(4)	1798	75.2 %	83.2%
-9 (M)	MISSING:(-9)	232	9.7 %	-

Based upon 2160 valid cases out of 2392 total cases.

V1130	**091B060A:#X QUAD/LIFETIM**

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01010

Question Number(s): 1B060A

The next questions are about QUAALUDES (Methaqualone). Quaaludes are sometimes called: Soapers, Quads, Ludes. On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2197	91.8 %	99.2%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	177	7.4 %	-

Based upon 2215 valid cases out of 2392 total cases.

V1377	**091B060A:#X QUAD/LIFETIM**

Location:	612-613 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01010

Question Number(s): 1B060A

The next questions are about QUAALUDES (Methaqualone).
Quaaludes are sometimes called: Soapers, Quads, Ludes.
On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2197	91.8 %	99.2%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	177	7.4 %	-

Based upon 2215 valid cases out of 2392 total cases.

V1131	**091B060B:#X QUAD/LAST12M**

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01020

Question Number(s): 1B060B

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2204	92.1 %	99.5%
2	1-2X:(2)	6	0.3 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	177	7.4 %	-

Based upon 2215 valid cases out of 2392 total cases.

V1378	**091B060B:#X QUAD/LAST12M**

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01020

Question Number(s): 1B060B

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to

take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2204	92.1 %	99.5%
2	1-2X:(2)	6	0.3 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	177	7.4 %	-

Based upon 2215 valid cases out of 2392 total cases.

V1132	**091B060C:#X QUAD/LAST30D**

Location:	618-619 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01030

Question Number(s): 1B060C

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2209	92.3 %	99.7%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	177	7.4 %	-

Based upon 2215 valid cases out of 2392 total cases.

V1379	091B060C:#X QUAD/LAST30D

Location:	620-621 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01030

Question Number(s): 1B060C

On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2209	92.3 %	99.7%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	177	7.4 %	-

Based upon 2215 valid cases out of 2392 total cases.

V1827	091B061:DR TOLD TK SED

Location:	622-623 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03282

Question Number(s): 1B061

The next questions are about SEDATIVES, including
BARBITURATES, which doctors sometimes prescribe to
help people relax or get to sleep. Drugstores are not
supposed to sell them without a prescription. Sedatives
are sometimes called: Downs, Downers. They include the
following drugs: Phenobarbital, Seconal, Tuinal, Ambien,
Lunesta, Sonata. Have you ever taken sedatives because a
doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2072	86.6 %	93.5%
2	YES BUT:(2)	30	1.3 %	1.4%
3	YES 1ST:(3)	114	4.8 %	5.1%
-9 (M)	MISSING:(-9)	176	7.4 %	-

Based upon 2216 valid cases out of 2392 total cases.

V1133	**091B062A:#X SED/BARB/LIFE**

Location:	624-625 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01042

Question Number(s): 1B062A

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2081	87.0 %	93.7%
2	1-2X:(2)	60	2.5 %	2.7%
3	3-5X:(3)	26	1.1 %	1.2%
4	6-9X:(4)	22	0.9 %	1.0%
5	10-19X:(5)	15	0.6 %	0.7%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	11	0.5 %	0.5%
-9 (M)	MISSING:(-9)	172	7.2 %	-

Based upon 2220 valid cases out of 2392 total cases.

V1383	**091B062A:#X SED/BARB/LIFE**

Location:	626-627 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01042

Question Number(s): 1B062A

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2081	87.0 %	93.7%
2	1-2X:(2)	60	2.5 %	2.7%
3	3-5X:(3)	26	1.1 %	1.2%
4	6-9X:(4)	22	0.9 %	1.0%
5	10-19X:(5)	15	0.6 %	0.7%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	11	0.5 %	0.5%
-9 (M)	MISSING:(-9)	172	7.2 %	-

Based upon 2220 valid cases out of 2392 total cases.

V1134	**091B062B:#X SED/BARB/12MO**

Location:	628-629 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01052

Question Number(s): 1B062B

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2

through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2132	89.1 %	96.1%
2	1-2X:(2)	35	1.5 %	1.6%
3	3-5X:(3)	23	1.0 %	1.0%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	173	7.2 %	-

Based upon 2219 valid cases out of 2392 total cases.

V1384	**091B062B:#X SED/BARB/12MO**

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01052

Question Number(s): 1B062B

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2132	89.1 %	96.1%
2	1-2X:(2)	35	1.5 %	1.6%
3	3-5X:(3)	23	1.0 %	1.0%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	173	7.2 %	-

Based upon 2219 valid cases out of 2392 total cases.

V1135	**091B062C:#X SED/BARB/30DA**

Location:	632-633 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01062

Question Number(s): 1B062C

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2178	91.1 %	98.2%
2	1-2X:(2)	27	1.1 %	1.2%
3	3-5X:(3)	8	0.3 %	0.4%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	173	7.2 %	-

Based upon 2219 valid cases out of 2392 total cases.

V1385   091B062C:#X SED/BARB/30DA

Location:	634-635 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01062

Question Number(s): 1B062C

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2178	91.1 %	98.2%
2	1-2X:(2)	27	1.1 %	1.2%
3	3-5X:(3)	8	0.3 %	0.4%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	173	7.2 %	-

Based upon 2219 valid cases out of 2392 total cases.

V1847	**091B063A:TKN YR,!PHNOBRB**

Location:	636-637 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03611

Question Number(s): 1B063A

THE FOLLOWING QUESTION REFERS ONLY TO TAKING SEDATIVES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 64.

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

A: Phenobarbital

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	77	3.2 %	97.5%
1	MARKED:(1)	2	0.1 %	2.5%
-9 (M)	MISSING:(-9)	2313	96.7 %	-

Based upon 79 valid cases out of 2392 total cases.

V1848	**091B063B:TKN YR,!SECONAL**

Location:	638-639 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03621

Question Number(s): 1B063B

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

B: Seconal

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	79	3.3 %	100.0%
-9 (M)	MISSING:(-9)	2313	96.7 %	-

Based upon 79 valid cases out of 2392 total cases.

V1849	**091B063C:TKN YR,!TUINAL**

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03631

Question Number(s): 1B063C

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

C: Tuinal

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	79	3.3 %	100.0%
-9 (M)	MISSING:(-9)	2313	96.7 %	-

Based upon 79 valid cases out of 2392 total cases.

V1850	**091B063D:TKN YR,AMBIEN**

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31780

Question Number(s): 1B063D

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

D: Ambien

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	46	1.9 %	58.2%
1	MARKED:(1)	33	1.4 %	41.8%
-9 (M)	MISSING:(-9)	2313	96.7 %	-

Based upon 79 valid cases out of 2392 total cases.

V1851	**091B063E:TKN YR,LUNESTA**

Location:	644-645 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31790

Question Number(s): 1B063E

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

E: Lunesta

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	61	2.6 %	77.2%
1	MARKED:(1)	18	0.8 %	22.8%
-9 (M)	MISSING:(-9)	2313	96.7 %	-

Based upon 79 valid cases out of 2392 total cases.

V1852	**091B063F:TKN YR,SONATA**

Location:	646-647 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31800

Question Number(s): 1B063F

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

F: Sonata

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	76	3.2 %	96.2%
1	MARKED:(1)	3	0.1 %	3.8%
-9 (M)	MISSING:(-9)	2313	96.7 %	-

Based upon 79 valid cases out of 2392 total cases.

V1853	**091B063G:TKN YR,OTHR SED**

Location:	648-649 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03691

Question Number(s): 1B063G

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

G: Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	42	1.8 %	53.2%
1	MARKED:(1)	37	1.5 %	46.8%
-9 (M)	MISSING:(-9)	2313	96.7 %	-

Based upon 79 valid cases out of 2392 total cases.

V1854	**091B063H:TKN YR,!DNT KNW**

Location:	650-651 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03701

Question Number(s): 1B063H

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

H: Don't know the names of some sedatives I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	59	2.5 %	74.7%
1	MARKED:(1)	20	0.8 %	25.3%
-9 (M)	MISSING:(-9)	2313	96.7 %	-

Based upon 79 valid cases out of 2392 total cases.

V1828	**091B064:NO SED IN 5YR**

Location:	652-653 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03722

Question Number(s): 1B064

Do you think you will be using sedatives without a doctor's prescription five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	16	0.7 %	0.7%
2	PRB WILL:(2)	45	1.9 %	2.1%
3	PRB WONT:(3)	335	14.0 %	15.6%
4	DEF WONT:(4)	1754	73.3 %	81.6%
-9 (M)	MISSING:(-9)	242	10.1 %	-

Based upon 2150 valid cases out of 2392 total cases.

V1429	**091B065:DR TOLD TK TRNQ**

Location:	654-655 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03730

Question Number(s): 1B065

The next questions are about TRANQUILIZERS, which doctors sometimes prescribe to calm people down, quiet their nerves, or relax their muscles. They include the following drugs: Librium, Valium, Xanax, Soma, Serax, Ativan, Klonopin. Have you ever taken tranquilizers because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2130	89.0 %	95.8%
2	YES BUT:(2)	24	1.0 %	1.1%
3	YES 1ST:(3)	70	2.9 %	3.1%
-9 (M)	MISSING:(-9)	168	7.0 %	-

Based upon 2224 valid cases out of 2392 total cases.

V1136	**091B066A:#X TRQL/LIFETIM**

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

Question Number(s): 1B066A

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2055	85.9 %	93.0%
2	1-2X:(2)	60	2.5 %	2.7%
3	3-5X:(3)	30	1.3 %	1.4%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	17	0.7 %	0.8%
6	20-39X:(6)	15	0.6 %	0.7%
7	40+OCCAS:(7)	18	0.8 %	0.8%
-9 (M)	MISSING:(-9)	183	7.7 %	-

Based upon 2209 valid cases out of 2392 total cases.

V1430	**091B066A:#X TRQL/LIFETIM**

Location: 658-659 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01070

Question Number(s): 1B066A

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2055	85.9 %	93.0%
2	1-2X:(2)	60	2.5 %	2.7%
3	3-5X:(3)	30	1.3 %	1.4%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	17	0.7 %	0.8%
6	20-39X:(6)	15	0.6 %	0.7%
7	40+OCCAS:(7)	18	0.8 %	0.8%
-9 (M)	MISSING:(-9)	183	7.7 %	-

Based upon 2209 valid cases out of 2392 total cases.

V1137　　　　　**091B066B:#X TRQL/LAST12M**

Location:	660-661 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01080

Question Number(s): 1B066B

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2

through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2110	88.2 %	95.5%
2	1-2X:(2)	38	1.6 %	1.7%
3	3-5X:(3)	30	1.3 %	1.4%
4	6-9X:(4)	10	0.4 %	0.5%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	182	7.6 %	-

Based upon 2210 valid cases out of 2392 total cases.

V1431	**091B066B:#X TRQL/LAST12M**

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

Question Number(s): 1B066B

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2110	88.2 %	95.5%
2	1-2X:(2)	38	1.6 %	1.7%
3	3-5X:(3)	30	1.3 %	1.4%
4	6-9X:(4)	10	0.4 %	0.5%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	182	7.6 %	-

Based upon 2210 valid cases out of 2392 total cases.

V1138	**091B066C:#X TRQL/LAST30D**

Location: 664-665 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 01090

Question Number(s): 1B066C

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2156	90.1 %	97.6%
2	1-2X:(2)	32	1.3 %	1.4%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	182	7.6 %	-

Based upon 2210 valid cases out of 2392 total cases.

V1432   **091B066C:#X TRQL/LAST30D**

Location: 666-667 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 01090

Question Number(s): 1B066C

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2156	90.1 %	97.6%
2	1-2X:(2)	32	1.3 %	1.4%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	182	7.6 %	-

Based upon 2210 valid cases out of 2392 total cases.

V1433	**091B067A:#X/YR TRQL ALNE**

Location:	668-669 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03740

Question Number(s): 1B067A

IF YOU HAVE NOT TAKEN TRANQUILIZERS IN THE LAST TWELVE MONTHS,
GO TO QUESTION 74. THE FOLLOWING QUESTIONS REFER ONLY TO
TAKING TRANQUILIZERS WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE
NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 74.

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	51	2.1 %	53.1%
2	FEW TIME:(2)	19	0.8 %	19.8%
3	SOM TIME:(3)	13	0.5 %	13.5%
4	MST TIME:(4)	7	0.3 %	7.3%
5	EVRYTIME:(5)	6	0.3 %	6.2%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1434	091B067B:#X/YR TRQL-2PPL		

Location:	670-671 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03750

Question Number(s): 1B067B

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	23	1.0 %	23.2%
2	FEW TIME:(2)	32	1.3 %	32.3%
3	SOM TIME:(3)	20	0.8 %	20.2%
4	MST TIME:(4)	14	0.6 %	14.1%
5	EVRYTIME:(5)	10	0.4 %	10.1%
-9 (M)	MISSING:(-9)	2293	95.9 %	-

Based upon 99 valid cases out of 2392 total cases.

V1435	091B067C:#X/YR TRQL@PRTY		

Location:	672-673 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03760

Question Number(s): 1B067C

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	44	1.8 %	44.4%
2	FEW TIME:(2)	20	0.8 %	20.2%

Value	Label	Unweighted Frequency	%	Valid %
3	SOM TIME:(3)	17	0.7 %	17.2%
4	MST TIME:(4)	13	0.5 %	13.1%
5	EVRYTIME:(5)	5	0.2 %	5.1%
-9 (M)	MISSING:(-9)	2293	95.9 %	-

Based upon 99 valid cases out of 2392 total cases.

V1436	**091B067D:#X/YR TRQL-DT/S**

Location: 674-675 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03770

Question Number(s): 1B067D

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	61	2.6 %	62.2%
2	FEW TIME:(2)	14	0.6 %	14.3%
3	SOM TIME:(3)	13	0.5 %	13.3%
4	MST TIME:(4)	5	0.2 %	5.1%
5	EVRYTIME:(5)	5	0.2 %	5.1%
-9 (M)	MISSING:(-9)	2294	95.9 %	-

Based upon 98 valid cases out of 2392 total cases.

V1437	**091B067E:#X/YR TRQL-ADLT**

Location: 676-677 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03780

Question Number(s): 1B067E

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	67	2.8 %	67.7%
2	FEW TIME:(2)	17	0.7 %	17.2%
3	SOM TIME:(3)	10	0.4 %	10.1%
4	MST TIME:(4)	2	0.1 %	2.0%
5	EVRYTIME:(5)	3	0.1 %	3.0%
-9 (M)	MISSING:(-9)	2293	95.9 %	-

Based upon 99 valid cases out of 2392 total cases.

V1438	**091B067F:#X/YR TRQL-DATM**

Location: 678-679 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03790

Question Number(s): 1B067F

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	46	1.9 %	46.5%
2	FEW TIME:(2)	25	1.0 %	25.3%
3	SOM TIME:(3)	17	0.7 %	17.2%
4	MST TIME:(4)	8	0.3 %	8.1%
5	EVRYTIME:(5)	3	0.1 %	3.0%
-9 (M)	MISSING:(-9)	2293	95.9 %	-

Based upon 99 valid cases out of 2392 total cases.

V1439	**091B067G:#X/YR TRQL@HOME**

Location: 680-681 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03800

Question Number(s): 1B067G

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	38	1.6 %	38.8%
2	FEW TIME:(2)	21	0.9 %	21.4%
3	SOM TIME:(3)	17	0.7 %	17.3%
4	MST TIME:(4)	12	0.5 %	12.2%
5	EVRYTIME:(5)	10	0.4 %	10.2%
-9 (M)	MISSING:(-9)	2294	95.9 %	-

Based upon 98 valid cases out of 2392 total cases.

V1440 **091B067H:#X/YR TRQL@SCHL**

Location: 682-683 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03810

Question Number(s): 1B067H

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	61	2.6 %	62.2%
2	FEW TIME:(2)	19	0.8 %	19.4%
3	SOM TIME:(3)	12	0.5 %	12.2%
4	MST TIME:(4)	5	0.2 %	5.1%
5	EVRYTIME:(5)	1	0.0 %	1.0%
-9 (M)	MISSING:(-9)	2294	95.9 %	-

Based upon 98 valid cases out of 2392 total cases.

V1441	**091B067I:#X/YR TRQL@CAR**

Location:	684-685 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03830

Question Number(s): 1B067I

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	69	2.9 %	71.1%
2	FEW TIME:(2)	16	0.7 %	16.5%
3	SOM TIME:(3)	10	0.4 %	10.3%
4	MST TIME:(4)	2	0.1 %	2.1%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1855	**091B068A:TRQ SRC INTERNET**

Location:	686-687 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31810

Question Number(s): 1B068A

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	94	3.9 %	97.9%
1	MARKED:(1)	2	0.1 %	2.1%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1880	**091B068B:TRQ SRC FRND-ASK**

Location:	688-689 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31821

Question Number(s): 1B068B

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	91	3.8 %	94.8%
1	MARKED:(1)	5	0.2 %	5.2%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1881	**091B068C:TRQ SRC RLTV-ASK**

Location:	690-691 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31822

Question Number(s): 1B068C

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	85	3.6 %	88.5%
1	MARKED:(1)	11	0.5 %	11.5%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1882	091B068D:TRQ SRC FRND FREE

Location: 692-693 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31831

Question Number(s): 1B068D

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	32	1.3 %	33.3%
1	MARKED:(1)	64	2.7 %	66.7%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1883	091B068E:TRQ SRC RLTV FREE

Location: 694-695 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31832

Question Number(s): 1B068E

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	83	3.5 %	86.5%
1	MARKED:(1)	13	0.5 %	13.5%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1884	091B068F:TRQ SRC FRND BGHT

Location: 696-697 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31841

Question Number(s): 1B068F

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	53	2.2 %	55.2%
1	MARKED:(1)	43	1.8 %	44.8%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1885	091B068G:TRQ SRC RLTV BGHT

Location:	698-699 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31842

Question Number(s): 1B068G

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	95	4.0 %	99.0%
1	MARKED:(1)	1	0.0 %	1.0%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1859	091B068H:TRQ SRC PRESCRPT

Location:	700-701 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 31850

Question Number(s): 1B068H

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	84	3.5 %	87.5%
1	MARKED:(1)	12	0.5 %	12.5%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1860   091B068I:TRQ SRC DEALER

Location: 702-703 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31860

Question Number(s): 1B068I

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	76	3.2 %	79.2%
1	MARKED:(1)	20	0.8 %	20.8%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1861   091B068J:TRQ SRC OTHER

Location: 704-705 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31870

Question Number(s): 1B068J

Where did you get the tranquilizers you used without a
doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	83	3.5 %	86.5%
1	MARKED:(1)	13	0.5 %	13.5%
-9 (M)	MISSING:(-9)	2296	96.0 %	-

Based upon 96 valid cases out of 2392 total cases.

V1449	**091B069A:TRNQ EXPERIMENT**

Location:	706-707 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03910

Question Number(s): 1B069A

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	51	2.1 %	52.6%
1	MARKED:(1)	46	1.9 %	47.4%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1450	**091B069B:TRNQ RELAX**

Location:	708-709 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03920

Question Number(s): 1B069B

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	34	1.4 %	35.1%
1	MARKED:(1)	63	2.6 %	64.9%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1451	**091B069C:TRNQ GET HIGH**

Location: 710-711 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03930

Question Number(s): 1B069C

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	46	1.9 %	47.4%
1	MARKED:(1)	51	2.1 %	52.6%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1452	**091B069D:TRNQ SK INSIGHT**

Location: 712-713 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03940

Question Number(s): 1B069D

What have been the most important reasons for your

taking tranquilizers without a doctor's orders?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	91	3.8 %	93.8%
1	MARKED:(1)	6	0.3 %	6.2%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1453	**091B069E:TRNQ GD TM FRND**

Location:	714-715 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03950

Question Number(s): 1B069E

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	68	2.8 %	70.1%
1	MARKED:(1)	29	1.2 %	29.9%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1454	**091B069F:TRNQ FIT IN GRP**

Location:	716-717 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03960

Question Number(s): 1B069F

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?

(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	96	4.0 %	99.0%
1	MARKED:(1)	1	0.0 %	1.0%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1455	**091B069G:TRNQ GT AWY PRB**

Location: 718-719 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03970

Question Number(s): 1B069G

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	71	3.0 %	73.2%
1	MARKED:(1)	26	1.1 %	26.8%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1456	**091B069H:TRNQ BOREDOM**

Location: 720-721 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03980

Question Number(s): 1B069H

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	79	3.3 %	81.4%
1	MARKED:(1)	18	0.8 %	18.6%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1457	**091B069I:TRNQ ANGR/FRSTN**

Location:	722-723 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03990

Question Number(s): 1B069I

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	78	3.3 %	80.4%
1	MARKED:(1)	19	0.8 %	19.6%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1458	**091B069J:TRNQ GT THRU DA**

Location:	724-725 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04000

Question Number(s): 1B069J

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	85	3.6 %	87.6%
1	MARKED:(1)	12	0.5 %	12.4%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1459	**091B069K:TRNQ INCR EF DR**

Location: 726-727 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04010

Question Number(s): 1B069K

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	80	3.3 %	82.5%
1	MARKED:(1)	17	0.7 %	17.5%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1460	**091B069L:TRNQ DCRS EF DR**

Location: 728-729 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04020

Question Number(s): 1B069L

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	94	3.9 %	96.9%
1	MARKED:(1)	3	0.1 %	3.1%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1461	**091B069M:TRNQ GET SLEEP**

Location:	730-731 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04030

Question Number(s): 1B069M

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	64	2.7 %	66.0%
1	MARKED:(1)	33	1.4 %	34.0%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1696	**091B069N:TRNQ RLV PHYS P**

Location:	732-733 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04035

Question Number(s): 1B069N

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

N. To relieve physical pain

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	68	2.8 %	70.1%
1	MARKED:(1)	29	1.2 %	29.9%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1462	**091B069O:TRNQ I AM HOOKD**

Location:	734-735 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04040

Question Number(s): 1B069O

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

O. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	96	4.0 %	99.0%
1	MARKED:(1)	1	0.0 %	1.0%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1463	**091B070:TRNQ,GT VERY HI**

Location:	736-737 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04050

Question Number(s): 1B070

When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT HIGH:(1)	6	0.3 %	6.2%
2	LIT HIGH:(2)	20	0.8 %	20.6%
3	MOD HIGH:(3)	34	1.4 %	35.1%
4	VRY HIGH:(4)	28	1.2 %	28.9%
5	N TK HI:(5)	9	0.4 %	9.3%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1464	**091B071:TRNQ,HI 24+ HRS**

Location: 738-739 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04060

Question Number(s): 1B071

When you take tranquilizers, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	N GET HI:(1)	13	0.5 %	13.4%
2	1-2 HRS:(2)	19	0.8 %	19.6%
3	3-6 HRS:(3)	50	2.1 %	51.5%
4	7-24 HRS:(4)	15	0.6 %	15.5%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1465	**091B072A:TKN YR,LIBRIUM**

Location: 740-741 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04070

Question Number(s): 1B072A

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Librium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	93	3.9 %	97.9%
1	MARKED:(1)	2	0.1 %	2.1%
-9 (M)	MISSING:(-9)	2297	96.0 %	-

Based upon 95 valid cases out of 2392 total cases.

V1466	**091B072B:TKN YR,VALIUM**

Location: 742-743 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04080

Question Number(s): 1B072B

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Valium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	48	2.0 %	50.5%
1	MARKED:(1)	47	2.0 %	49.5%
-9 (M)	MISSING:(-9)	2297	96.0 %	-

Based upon 95 valid cases out of 2392 total cases.

V1814	**091B072C:TKN YR, XANAX**

Location: 744-745 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04095

Question Number(s): 1B072C

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Xanax

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	16	0.7 %	16.8%
1	MARKED:(1)	79	3.3 %	83.2%
-9 (M)	MISSING:(-9)	2297	96.0 %	-

Based upon 95 valid cases out of 2392 total cases.

V1862	**091B072D:TKN YR,SOMA**

Location: 746-747 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31880

Question Number(s): 1B072D

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Soma

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	77	3.2 %	81.1%
1	MARKED:(1)	18	0.8 %	18.9%
-9 (M)	MISSING:(-9)	2297	96.0 %	-

Based upon 95 valid cases out of 2392 total cases.

V1470	**091B072E:TKN YR,SERAX**

Location: 748-749 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04120

Question Number(s): 1B072E

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Serax

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	93	3.9 %	97.9%
1	MARKED:(1)	2	0.1 %	2.1%
-9 (M)	MISSING:(-9)	2297	96.0 %	-

Based upon 95 valid cases out of 2392 total cases.

V1863	**091B072F:TKN YR,ATIVAN**

Location:	750-751 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31890

Question Number(s): 1B072F

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Ativan

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	87	3.6 %	91.6%
1	MARKED:(1)	8	0.3 %	8.4%
-9 (M)	MISSING:(-9)	2297	96.0 %	-

Based upon 95 valid cases out of 2392 total cases.

V1864	**091B072G:TKN YR,KLONOPIN**

Location:	752-753 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31900

Question Number(s): 1B072G

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Klonopin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	63	2.6 %	66.3%
1	MARKED:(1)	32	1.3 %	33.7%
-9 (M)	MISSING:(-9)	2297	96.0 %	-

Based upon 95 valid cases out of 2392 total cases.

V1815	**091B072H:TKN YR,OTH TRNQ**

Location:	754-755 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04155

Question Number(s): 1B072H

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	73	3.1 %	76.8%
1	MARKED:(1)	22	0.9 %	23.2%
-9 (M)	MISSING:(-9)	2297	96.0 %	-

Based upon 95 valid cases out of 2392 total cases.

V1474	**091B072I:TKN YR,DNT KNW**

Location:	756-757 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04160

Question Number(s): 1B072I

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Don't know the names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	85	3.6 %	89.5%
1	MARKED:(1)	10	0.4 %	10.5%
-9 (M)	MISSING:(-9)	2297	96.0 %	-

Based upon 95 valid cases out of 2392 total cases.

V1475	**091B073:*TRY STP TRQ/FL**

Location: 758-759 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04170

Question Number(s): 1B073

Have you ever tried to stop using tranquilizers and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	4	0.2 %	4.1%
2	NO:(2)	93	3.9 %	95.9%
-9 (M)	MISSING:(-9)	2295	95.9 %	-

Based upon 97 valid cases out of 2392 total cases.

V1476	**091B074:NO TRNQ IN 5YR**

Location: 760-761 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04180

Question Number(s): 1B074

Do you think you will be using tranquilizers without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	18	0.8 %	0.8%
2	PRB WILL:(2)	37	1.5 %	1.7%

Value	Label	Unweighted Frequency	%	Valid %
3	PRB WONT:(3)	267	11.2 %	12.4%
4	DEF WONT:(4)	1834	76.7 %	85.1%
-9 (M)	MISSING:(-9)	236	9.9 %	-

Based upon 2156 valid cases out of 2392 total cases.

V1755   **091B075:EVR TK CRACK/FB**

Location: 762-763 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 22250

Question Number(s): 1B075

The next questions are about the use of different forms of cocaine, such as "crack", powder, freebase, or coca paste. Have you ever taken cocaine in "crack" form or in any other freebase form--that is, where you inhaled the fumes from smoking, heating, or burning it?

1="No--GO TO QUESTION 77" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2174	90.9 %	98.5%
2	YES:(2)	34	1.4 %	1.5%
-9 (M)	MISSING:(-9)	184	7.7 %	-

Based upon 2208 valid cases out of 2392 total cases.

V1756   **091B076A:#X CRACK/LIFTIM**

Location: 764-765 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 22260

Question Number(s): 1B076A

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions [Includes respondents who reported nonuse on preceding question]" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2181	91.2 %	98.7%
2	1-2X:(2)	12	0.5 %	0.5%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	182	7.6 %	-

Based upon 2210 valid cases out of 2392 total cases.

V1757	**091B076B:#X CRACK/LST12M**

Location:	766-767 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22270

Question Number(s): 1B076B

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2196	91.8 %	99.4%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	1	0.0 %	0.0%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	182	7.6 %	-

Based upon 2210 valid cases out of 2392 total cases.

V1758	**091B076C:#X CRACK/LST30D**

Location:	768-769 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

Question Number(s): 1B076C

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2202	92.1 %	99.6%
2	1-2X:(2)	4	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	182	7.6 %	-

Based upon 2210 valid cases out of 2392 total cases.

V1759 **091B077A:#XOTH COKE/LIFE**

Location: 770-771 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22320

Question Number(s): 1B077A

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2097	87.7 %	96.0%
2	1-2X:(2)	33	1.4 %	1.5%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	8	0.3 %	0.4%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	10	0.4 %	0.5%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+OCCAS:(7)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	208	8.7 %	-

Based upon 2184 valid cases out of 2392 total cases.

V1760	**091B077B:#XOTH COKE/12MO**

Location: 772-773 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 22330

Question Number(s): 1B077B

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2136	89.3 %	97.7%
2	1-2X:(2)	23	1.0 %	1.1%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	205	8.6 %	-

Based upon 2187 valid cases out of 2392 total cases.

V1761	**091B077C:#XOTH COKE/30DA**

Location: 774-775 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 22340

Question Number(s): 1B077C

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2168	90.6 %	99.1%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	205	8.6 %	-

Based upon 2187 valid cases out of 2392 total cases.

V1124	091R :#X COKE/LIFETIME

Location:	776-777 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00950

Question Number(s): 1B077X

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" (item 22260)

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? (item 22320)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2062	86.2 %	95.7%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	33	1.4 %	1.5%
3	3-5X:(3)	16	0.7 %	0.7%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	11	0.5 %	0.5%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+OCCAS:(7)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	238	9.9 %	-

Based upon 2154 valid cases out of 2392 total cases.

V1125	091R :#X COKE/LAST12MO

Location:	778-779 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00960

Question Number(s): 1B077Y

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" (item 22270)

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? (item 22330)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2100	87.8 %	97.4%
2	1-2X:(2)	24	1.0 %	1.1%
3	3-5X:(3)	10	0.4 %	0.5%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	237	9.9 %	-

Based upon 2155 valid cases out of 2392 total cases.

V1126	091R :#X COKE/LAST30DA

Location: 780-781 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

Question Number(s): 1B077Z

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" (item 22280)

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? (item 22340)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2135	89.3 %	99.1%
2	1-2X:(2)	6	0.3 %	0.3%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	238	9.9 %	-

Based upon 2154 valid cases out of 2392 total cases.

V1480	091B078A:#X/YR COKE ALNE

Location: 782-783 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04190

Question Number(s): 1B078A

IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE, ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 86.

When you used cocaine during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	43	1.8 %	69.4%
2	FEW TIME:(2)	7	0.3 %	11.3%
3	SOM TIME:(3)	7	0.3 %	11.3%
4	MST TIME:(4)	2	0.1 %	3.2%
5	EVRYTIME:(5)	3	0.1 %	4.8%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1481	091B078B:#X/YR COKE-2PPL

Location: 784-785 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04200

Question Number(s): 1B078B

When you used cocaine during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	15	0.6 %	23.8%
2	FEW TIME:(2)	17	0.7 %	27.0%
3	SOM TIME:(3)	7	0.3 %	11.1%
4	MST TIME:(4)	14	0.6 %	22.2%
5	EVRYTIME:(5)	10	0.4 %	15.9%
-9 (M)	MISSING:(-9)	2329	97.4 %	-

Based upon 63 valid cases out of 2392 total cases.

V1482 **091B078C:#X/YR COKE@PRTY**

Location:	786-787 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04210

Question Number(s): 1B078C

When you used cocaine during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	20	0.8 %	31.2%
2	FEW TIME:(2)	11	0.5 %	17.2%
3	SOM TIME:(3)	9	0.4 %	14.1%
4	MST TIME:(4)	12	0.5 %	18.8%
5	EVRYTIME:(5)	12	0.5 %	18.8%
-9 (M)	MISSING:(-9)	2328	97.3 %	-

Based upon 64 valid cases out of 2392 total cases.

V1483 **091B078D:#X/YR COKE-DT/S**

Location:	788-789 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04220

Question Number(s): 1B078D

When you used cocaine during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	46	1.9 %	74.2%
2	FEW TIME:(2)	5	0.2 %	8.1%

Value	Label	Unweighted Frequency	%	Valid %
3	SOM TIME:(3)	6	0.3 %	9.7%
4	MST TIME:(4)	1	0.0 %	1.6%
5	EVRYTIME:(5)	4	0.2 %	6.5%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1484	091B078E:#X/YR COKE-ADLT

Location: 790-791 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04230

Question Number(s): 1B078E

When you used cocaine during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	45	1.9 %	70.3%
2	FEW TIME:(2)	6	0.3 %	9.4%
3	SOM TIME:(3)	6	0.3 %	9.4%
4	MST TIME:(4)	4	0.2 %	6.2%
5	EVRYTIME:(5)	3	0.1 %	4.7%
-9 (M)	MISSING:(-9)	2328	97.3 %	-

Based upon 64 valid cases out of 2392 total cases.

V1485	091B078F:#X/YR COKE-DATM

Location: 792-793 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04240

Question Number(s): 1B078F

When you used cocaine during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	37	1.5 %	58.7%
2	FEW TIME:(2)	8	0.3 %	12.7%
3	SOM TIME:(3)	9	0.4 %	14.3%
4	MST TIME:(4)	6	0.3 %	9.5%
5	EVRYTIME:(5)	3	0.1 %	4.8%
-9 (M)	MISSING:(-9)	2329	97.4 %	-

Based upon 63 valid cases out of 2392 total cases.

V1486	**091B078G:#X/YR COKE@HOME**

Location: 794-795 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04250

Question Number(s): 1B078G

When you used cocaine during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	33	1.4 %	52.4%
2	FEW TIME:(2)	14	0.6 %	22.2%
3	SOM TIME:(3)	8	0.3 %	12.7%
4	MST TIME:(4)	7	0.3 %	11.1%
5	EVRYTIME:(5)	1	0.0 %	1.6%
-9 (M)	MISSING:(-9)	2329	97.4 %	-

Based upon 63 valid cases out of 2392 total cases.

V1487	**091B078H:#X/YR COKE@SCHL**

Location: 796-797 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04260

Question Number(s): 1B078H

When you used cocaine during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	47	2.0 %	75.8%
2	FEW TIME:(2)	8	0.3 %	12.9%
3	SOM TIME:(3)	4	0.2 %	6.5%
4	MST TIME:(4)	2	0.1 %	3.2%
5	EVRYTIME:(5)	1	0.0 %	1.6%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1488	091B078I:#X/YR COKE@CAR

Location: 798-799 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04280

Question Number(s): 1B078I

When you used cocaine during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	34	1.4 %	54.8%
2	FEW TIME:(2)	12	0.5 %	19.4%
3	SOM TIME:(3)	12	0.5 %	19.4%
4	MST TIME:(4)	3	0.1 %	4.8%
5	EVRYTIME:(5)	1	0.0 %	1.6%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1489	**091B079A:#X OVL COKE+ALC**

Location:	800-801 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04290

Question Number(s): 1B079A

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	22	0.9 %	34.9%
2	FEW TIME:(2)	13	0.5 %	20.6%
3	SOM TIME:(3)	11	0.5 %	17.5%
4	MST TIME:(4)	6	0.3 %	9.5%
5	EVRYTIME:(5)	11	0.5 %	17.5%
-9 (M)	MISSING:(-9)	2329	97.4 %	-

Based upon 63 valid cases out of 2392 total cases.

V1490	**091B079B:#X OVL COKE+MJ**

Location:	802-803 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04300

Question Number(s): 1B079B

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	21	0.9 %	33.3%
2	FEW TIME:(2)	9	0.4 %	14.3%
3	SOM TIME:(3)	9	0.4 %	14.3%
4	MST TIME:(4)	8	0.3 %	12.7%
5	EVRYTIME:(5)	16	0.7 %	25.4%
-9 (M)	MISSING:(-9)	2329	97.4 %	-

Based upon 63 valid cases out of 2392 total cases.

V1491	**091B079C:#X OVL COKE+LSD**

Location:	804-805 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04310

Question Number(s): 1B079C

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	52	2.2 %	88.1%
2	FEW TIME:(2)	1	0.0 %	1.7%
3	SOM TIME:(3)	5	0.2 %	8.5%
5	EVRYTIME:(5)	1	0.0 %	1.7%
-9 (M)	MISSING:(-9)	2333	97.5 %	-

Based upon 59 valid cases out of 2392 total cases.

V1492	**091B079D:#X OVL COKE+PSY**

Location:	806-807 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04320

Question Number(s): 1B079D

How many of the times when you used cocaine during the last

year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	52	2.2 %	85.2%
2	FEW TIME:(2)	1	0.0 %	1.6%
3	SOM TIME:(3)	5	0.2 %	8.2%
4	MST TIME:(4)	2	0.1 %	3.3%
5	EVRYTIME:(5)	1	0.0 %	1.6%
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1493	**091B079E:#X OVL COKE+AMP**

Location: 808-809 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04330

Question Number(s): 1B079E

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	48	2.0 %	82.8%
2	FEW TIME:(2)	2	0.1 %	3.4%
3	SOM TIME:(3)	4	0.2 %	6.9%
4	MST TIME:(4)	2	0.1 %	3.4%
5	EVRYTIME:(5)	2	0.1 %	3.4%
-9 (M)	MISSING:(-9)	2334	97.6 %	-

Based upon 58 valid cases out of 2392 total cases.

V1494	**091B079F:#X OVL COKE+QUA**

Location: 810-811 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04340

Question Number(s): 1B079F

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	55	2.3 %	93.2%
3	SOM TIME:(3)	1	0.0 %	1.7%
4	MST TIME:(4)	1	0.0 %	1.7%
5	EVRYTIME:(5)	2	0.1 %	3.4%
-9 (M)	MISSING:(-9)	2333	97.5 %	-

Based upon 59 valid cases out of 2392 total cases.

V1495   **091B079G:#X OVL COKE+BRB**

Location: 812-813 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04350

Question Number(s): 1B079G

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	54	2.3 %	94.7%
3	SOM TIME:(3)	1	0.0 %	1.8%
5	EVRYTIME:(5)	2	0.1 %	3.5%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2335	97.6 %	-

Based upon 57 valid cases out of 2392 total cases.

V1496	**091B079H:#X OVL COKE+TRN**

Location:	814-815 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04360

Question Number(s): 1B079H

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	50	2.1 %	84.7%
2	FEW TIME:(2)	3	0.1 %	5.1%
3	SOM TIME:(3)	2	0.1 %	3.4%
4	MST TIME:(4)	1	0.0 %	1.7%
5	EVRYTIME:(5)	3	0.1 %	5.1%
-9 (M)	MISSING:(-9)	2333	97.5 %	-

Based upon 59 valid cases out of 2392 total cases.

V1497	**091B080A:COKE EXPERIMENT**

Location:	816-817 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04370

Question Number(s): 1B080A

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	26	1.1 %	41.9%
1	MARKED:(1)	36	1.5 %	58.1%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1498 **091B080B:COKE RELAX**

Location: 818-819 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04380

Question Number(s): 1B080B

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	50	2.1 %	80.6%
1	MARKED:(1)	12	0.5 %	19.4%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1499 **091B080C:COKE GET HIGH**

Location: 820-821 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04390

Question Number(s): 1B080C

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	26	1.1 %	41.9%
1	MARKED:(1)	36	1.5 %	58.1%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1500	**091B080D:COKE SK INSIGHT**

Location: 822-823 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04400

Question Number(s): 1B080D

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	56	2.3 %	90.3%
1	MARKED:(1)	6	0.3 %	9.7%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1501	**091B080E:COKE GD TM FRND**

Location: 824-825 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04410

Question Number(s): 1B080E

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	36	1.5 %	58.1%
1	MARKED:(1)	26	1.1 %	41.9%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1502　　　　　　　　**091B080F:COKE FIT IN GRP**

Location: 826-827 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04420

Question Number(s): 1B080F

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	60	2.5 %	96.8%
1	MARKED:(1)	2	0.1 %	3.2%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1503　　　　　　　　**091B080G:COKE GT AWY PRB**

Location: 828-829 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04430

Question Number(s): 1B080G

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	54	2.3 %	87.1%
1	MARKED:(1)	8	0.3 %	12.9%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1504	**091B080H:COKE BOREDOM**

Location: 830-831 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04440

Question Number(s): 1B080H

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	52	2.2 %	83.9%
1	MARKED:(1)	10	0.4 %	16.1%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1505	**091B080I:COKE ANGR/FRSTN**

Location: 832-833 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04450

Question Number(s): 1B080I

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	56	2.3 %	90.3%
1	MARKED:(1)	6	0.3 %	9.7%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1506	**091B080J:COKE GT THRU DA**

Location: 834-835 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04460

Question Number(s): 1B080J

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	56	2.3 %	90.3%
1	MARKED:(1)	6	0.3 %	9.7%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1507	**091B080K:COKE INCR EF DR**

Location: 836-837 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04470

Question Number(s): 1B080K

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	56	2.3 %	90.3%
1	MARKED:(1)	6	0.3 %	9.7%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1508	091B080L:COKE DCRS EF DR

Location:	838-839 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04480

Question Number(s): 1B080L

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	60	2.5 %	96.8%
1	MARKED:(1)	2	0.1 %	3.2%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1509	091B080M:COKE STAY AWAKE

Location:	840-841 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04490

Question Number(s): 1B080M

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	47	2.0 %	75.8%
1	MARKED:(1)	15	0.6 %	24.2%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1510	**091B080N:COKE GET>ENERGY**

Location:	842-843 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04500

Question Number(s): 1B080N

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	46	1.9 %	74.2%
1	MARKED:(1)	16	0.7 %	25.8%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1511	**091B080O:COKE I AM HOOKD**

Location:	844-845 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04510

Question Number(s): 1B080O

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

O. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	57	2.4 %	91.9%
1	MARKED:(1)	5	0.2 %	8.1%
-9 (M)	MISSING:(-9)	2330	97.4 %	-

Based upon 62 valid cases out of 2392 total cases.

V1512	091B081:COK,GET VERY HI

Location: 846-847 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04520

Question Number(s): 1B081

When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take it to get high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT HIGH:(1)	6	0.3 %	9.5%
2	LIT HIGH:(2)	13	0.5 %	20.6%
3	MOD HIGH:(3)	16	0.7 %	25.4%
4	VRY HIGH:(4)	23	1.0 %	36.5%
5	N TK HI:(5)	5	0.2 %	7.9%
-9 (M)	MISSING:(-9)	2329	97.4 %	-

Based upon 63 valid cases out of 2392 total cases.

V1513	091B082:COK,HIGH 24+ HR

Location: 848-849 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04530

Question Number(s): 1B082

When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	N GET HI:(1)	12	0.5 %	19.0%
2	1-2 HRS:(2)	36	1.5 %	57.1%
3	3-6 HRS:(3)	8	0.3 %	12.7%
4	7-24 HRS:(4)	6	0.3 %	9.5%
5	>24 HRS:(5)	1	0.0 %	1.6%
-9 (M)	MISSING:(-9)	2329	97.4 %	-

Based upon 63 valid cases out of 2392 total cases.

V1514	**091B083:*TRY STP COK/FL**

Location: 850-851 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04540

Question Number(s): 1B083

Have you ever tried to stop using cocaine and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	8	0.3 %	12.7%
2	NO:(2)	55	2.3 %	87.3%
-9 (M)	MISSING:(-9)	2329	97.4 %	-

Based upon 63 valid cases out of 2392 total cases.

V1743	**091B084A:FRM COKE-POWDER**

Location: 852-853 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04531

Question Number(s): 1B084A

What forms of cocaine have you used? (Mark all that apply.)

A. Cocaine powder

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	4	0.2 %	6.6%
1	MARKED:(1)	57	2.4 %	93.4%
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1746	**091B084B:FRM COKE-CRACK**

Location:	854-855 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04534

Question Number(s): 1B084B

What forms of cocaine have you used? (Mark all that apply.)

B. "Crack" or "rock"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	46	1.9 %	75.4%
1	MARKED:(1)	15	0.6 %	24.6%
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1744	**091B084C:FRM COKE-FRBASE**

Location:	856-857 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04532

Question Number(s): 1B084C

What forms of cocaine have you used? (Mark all that apply.)

C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	46	1.9 %	75.4%
1	MARKED:(1)	15	0.6 %	24.6%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1745 — 091B084D:FRM COKE-PASTE

Location: 858-859 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04533

Question Number(s): 1B084D

What forms of cocaine have you used? (Mark all that apply.)

D. Coca paste

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	54	2.3 %	88.5%
1	MARKED:(1)	7	0.3 %	11.5%
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1515 — 091B085A:MTHD COKE SNORT

Location: 860-861 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04550

Question Number(s): 1B085A

What methods have you used for taking cocaine?
(Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	5	0.2 %	8.2%
1	MARKED:(1)	56	2.3 %	91.8%
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1516	**091B085B:MTHD COKE-SMOKE**

Location:	862-863 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04560

Question Number(s): 1B085B

What methods have you used for taking cocaine?
(Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	38	1.6 %	62.3%
1	MARKED:(1)	23	1.0 %	37.7%
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1517	**091B085C:MTHD COKE-INJCT**

Location:	864-865 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04570

Question Number(s): 1B085C

What methods have you used for taking cocaine?
(Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	58	2.4 %	95.1%
1	MARKED:(1)	3	0.1 %	4.9%
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1747	091B085D:MTHD COKE-INHAL

Location: 866-867 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04575

Question Number(s): 1B085D

What methods have you used for taking cocaine?
(Mark all that apply.)

D. Inhaling fumes

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	52	2.2 %	85.2%
1	MARKED:(1)	9	0.4 %	14.8%
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1518	091B085E:MTHD COKE-MOUTH

Location: 868-869 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04580

Question Number(s): 1B085E

What methods have you used for taking cocaine?
(Mark all that apply.)

E. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	44	1.8 %	72.1%
1	MARKED:(1)	17	0.7 %	27.9%
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1519	091B085F:MTHD COKE-OTHER

Location: 870-871 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04590

Question Number(s): 1B085F

What methods have you used for taking cocaine?
(Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	55	2.3 %	90.2%
1	MARKED:(1)	6	0.3 %	9.8%
-9 (M)	MISSING:(-9)	2331	97.4 %	-

Based upon 61 valid cases out of 2392 total cases.

V1520	**091B086:NO COKE IN 5YR**

Location:	872-873 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04600

Question Number(s): 1B086

Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	17	0.7 %	0.8%
2	PRB WILL:(2)	11	0.5 %	0.5%
3	PRB WONT:(3)	155	6.5 %	7.1%
4	DEF WONT:(4)	2007	83.9 %	91.6%
-9 (M)	MISSING:(-9)	202	8.4 %	-

Based upon 2190 valid cases out of 2392 total cases.

V1139	**091B087A:#X H/LIFETIME**

Location:	874-875 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 01100

Question Number(s): 1B087A

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2160	90.3 %	98.9%
2	1-2X:(2)	11	0.5 %	0.5%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	209	8.7 %	-

Based upon 2183 valid cases out of 2392 total cases.

V1521	091B087A:#X H/LIFETIME

Location: 876-877 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

Question Number(s): 1B087A

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2160	90.3 %	98.9%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	11	0.5 %	0.5%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	209	8.7 %	-

Based upon 2183 valid cases out of 2392 total cases.

V1140	**091B087B:#X H/LAST 12M**

Location: 878-879 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01110

Question Number(s): 1B087B

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2172	90.8 %	99.3%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	205	8.6 %	-

Based upon 2187 valid cases out of 2392 total cases.

V1522	**091B087B:#X H/LAST 12M**

Location: 880-881 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 01110

Question Number(s): 1B087B

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2172	90.8 %	99.3%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	205	8.6 %	-

Based upon 2187 valid cases out of 2392 total cases.

V1141	**091B087C:#X H/LAST 30D**

Location:	882-883 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01120

Question Number(s): 1B087C

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2178	91.1 %	99.7%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	207	8.7 %	-

Based upon 2185 valid cases out of 2392 total cases.

V1523	**091B087C:#X H/LAST 30D**

Location: 884-885 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

Question Number(s): 1B087C

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2178	91.1 %	99.7%
2	1-2X:(2)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	207	8.7 %	-

Based upon 2185 valid cases out of 2392 total cases.

V1564	**091B088:DR TOLD TK NARC**

Location: 886-887 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05020

Question Number(s): 1B088

The next questions are about NARCOTICS OTHER THAN HEROIN, which are sometimes prescribed by doctors. Drugstores are not supposed to sell them without a prescription. These include: Methadone, Codeine, OxyContin, Percodan, Opium, Demerol, Percocet, Ultram, Morphine, Vicodin. Have you ever

taken any narcotics other than heroin because a doctor told
you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1794	75.0 %	82.2%
2	YES BUT:(2)	71	3.0 %	3.3%
3	YES 1ST:(3)	317	13.3 %	14.5%
-9 (M)	MISSING:(-9)	210	8.8 %	-

Based upon 2182 valid cases out of 2392 total cases.

V1142	**091B089A:#X NARC/LIFETIM**

Location: 888-889 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

Question Number(s):   1B089A

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1929	80.6 %	88.4%
2	1-2X:(2)	104	4.3 %	4.8%
3	3-5X:(3)	44	1.8 %	2.0%
4	6-9X:(4)	36	1.5 %	1.6%
5	10-19X:(5)	25	1.0 %	1.1%
6	20-39X:(6)	20	0.8 %	0.9%
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	209	8.7 %	-

Based upon 2183 valid cases out of 2392 total cases.

V1565	**091B089A:#X NARC/LIFETIM**

Location:	890-891 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01130

Question Number(s): 1B089A

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1929	80.6 %	88.4%
2	1-2X:(2)	104	4.3 %	4.8%
3	3-5X:(3)	44	1.8 %	2.0%
4	6-9X:(4)	36	1.5 %	1.6%
5	10-19X:(5)	25	1.0 %	1.1%
6	20-39X:(6)	20	0.8 %	0.9%
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	209	8.7 %	-

Based upon 2183 valid cases out of 2392 total cases.

V1143	**091B089B:#X NARC/LAST12M**

Location:	892-893 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01140

Question Number(s): 1B089B

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2015	84.2 %	92.3%
2	1-2X:(2)	74	3.1 %	3.4%
3	3-5X:(3)	37	1.5 %	1.7%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	18	0.8 %	0.8%
6	20-39X:(6)	11	0.5 %	0.5%
7	40+OCCAS:(7)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	208	8.7 %	-

Based upon 2184 valid cases out of 2392 total cases.

V1566   091B089B:#X NARC/LAST12M

Location:	894-895 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01140

Question Number(s): 1B089B

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2015	84.2 %	92.3%
2	1-2X:(2)	74	3.1 %	3.4%
3	3-5X:(3)	37	1.5 %	1.7%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	18	0.8 %	0.8%
6	20-39X:(6)	11	0.5 %	0.5%
7	40+OCCAS:(7)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	208	8.7 %	-

Based upon 2184 valid cases out of 2392 total cases.

V1144   **091B089C:#X NARC/LAST30D**

Location: 896-897 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

Question Number(s): 1B089C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2105	88.0 %	96.4%
2	1-2X:(2)	47	2.0 %	2.2%
3	3-5X:(3)	11	0.5 %	0.5%
4	6-9X:(4)	13	0.5 %	0.6%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	209	8.7 %	-

Based upon 2183 valid cases out of 2392 total cases.

V1567   **091B089C:#X NARC/LAST30D**

Location: 898-899 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

Question Number(s): 1B089C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2105	88.0 %	96.4%
2	1-2X:(2)	47	2.0 %	2.2%
3	3-5X:(3)	11	0.5 %	0.5%
4	6-9X:(4)	13	0.5 %	0.6%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	209	8.7 %	-

Based upon 2183 valid cases out of 2392 total cases.

V1568	**091B090A:#X/YR NARC ALNE**

Location:	900-901 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05030

Question Number(s): 1B090A

IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST TWELVE MONTHS, GO TO QUESTION 98. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 98.

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	66	2.8 %	44.0%
2	FEW TIME:(2)	38	1.6 %	25.3%
3	SOM TIME:(3)	23	1.0 %	15.3%
4	MST TIME:(4)	12	0.5 %	8.0%
5	EVRYTIME:(5)	11	0.5 %	7.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2242	93.7 %	-

Based upon 150 valid cases out of 2392 total cases.

V1569	**091B090B:#X/YR NARC-2PPL**

Location:	902-903 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05040

Question Number(s): 1B090B

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	37	1.5 %	24.7%
2	FEW TIME:(2)	53	2.2 %	35.3%
3	SOM TIME:(3)	29	1.2 %	19.3%
4	MST TIME:(4)	24	1.0 %	16.0%
5	EVRYTIME:(5)	7	0.3 %	4.7%
-9 (M)	MISSING:(-9)	2242	93.7 %	-

Based upon 150 valid cases out of 2392 total cases.

V1570	**091B090C:#X/YR NARC@PRTY**

Location:	904-905 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05050

Question Number(s): 1B090C

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	79	3.3 %	52.7%
2	FEW TIME:(2)	25	1.0 %	16.7%
3	SOM TIME:(3)	24	1.0 %	16.0%
4	MST TIME:(4)	16	0.7 %	10.7%
5	EVRYTIME:(5)	6	0.3 %	4.0%
-9 (M)	MISSING:(-9)	2242	93.7 %	-

Based upon 150 valid cases out of 2392 total cases.

V1571	**091B090D:#X/YR NARC-DT/S**

Location:	906-907 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05060

Question Number(s): 1B090D

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	95	4.0 %	64.2%
2	FEW TIME:(2)	25	1.0 %	16.9%
3	SOM TIME:(3)	11	0.5 %	7.4%
4	MST TIME:(4)	8	0.3 %	5.4%
5	EVRYTIME:(5)	9	0.4 %	6.1%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1572	**091B090E:#X/YR NARC-ADLT**

Location:	908-909 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05070

Question Number(s): 1B090E

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	91	3.8 %	59.9%
2	FEW TIME:(2)	33	1.4 %	21.7%
3	SOM TIME:(3)	14	0.6 %	9.2%
4	MST TIME:(4)	7	0.3 %	4.6%
5	EVRYTIME:(5)	7	0.3 %	4.6%
-9 (M)	MISSING:(-9)	2240	93.6 %	-

Based upon 152 valid cases out of 2392 total cases.

V1573	**091B090F:#X/YR NARC-DATM**

Location:	910-911 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05080

Question Number(s): 1B090F

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	57	2.4 %	38.0%
2	FEW TIME:(2)	42	1.8 %	28.0%
3	SOM TIME:(3)	22	0.9 %	14.7%
4	MST TIME:(4)	24	1.0 %	16.0%
5	EVRYTIME:(5)	5	0.2 %	3.3%
-9 (M)	MISSING:(-9)	2242	93.7 %	-

Based upon 150 valid cases out of 2392 total cases.

V1574	**091B090G:#X/YR NARC@HOME**

Location:	912-913 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05090

Question Number(s): 1B090G

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	57	2.4 %	37.5%
2	FEW TIME:(2)	38	1.6 %	25.0%
3	SOM TIME:(3)	19	0.8 %	12.5%
4	MST TIME:(4)	26	1.1 %	17.1%
5	EVRYTIME:(5)	12	0.5 %	7.9%
-9 (M)	MISSING:(-9)	2240	93.6 %	-

Based upon 152 valid cases out of 2392 total cases.

V1575	**091B090H:#X/YR NARC@SCHL**

Location:	914-915 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05100

Question Number(s): 1B090H

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	93	3.9 %	61.2%
2	FEW TIME:(2)	28	1.2 %	18.4%
3	SOM TIME:(3)	17	0.7 %	11.2%
4	MST TIME:(4)	12	0.5 %	7.9%
5	EVRYTIME:(5)	2	0.1 %	1.3%
-9 (M)	MISSING:(-9)	2240	93.6 %	-

Based upon 152 valid cases out of 2392 total cases.

V1576	**091B090I:#X/YR NARC @CAR**

Location: 916-917 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05120

Question Number(s): 1B090I

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	102	4.3 %	68.0%
2	FEW TIME:(2)	27	1.1 %	18.0%
3	SOM TIME:(3)	13	0.5 %	8.7%
4	MST TIME:(4)	7	0.3 %	4.7%
5	EVRYTIME:(5)	1	0.0 %	0.7%
-9 (M)	MISSING:(-9)	2242	93.7 %	-

Based upon 150 valid cases out of 2392 total cases.

V1865	**091B091A:NARC SRC INTERNT**

Location: 918-919 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31910

Question Number(s): 1B091A

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	149	6.2 %	100.0%
-9 (M)	MISSING:(-9)	2243	93.8 %	-

Based upon 149 valid cases out of 2392 total cases.

V1886	**091B091B:NARC SRC FRND-ASK**

Location:	920-921 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31921

Question Number(s): 1B091B

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	140	5.9 %	94.0%
1	MARKED:(1)	9	0.4 %	6.0%
-9 (M)	MISSING:(-9)	2243	93.8 %	-

Based upon 149 valid cases out of 2392 total cases.

V1887	**091B091C:NARC SRC RLTV-ASK**

Location:	922-923 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31922

Question Number(s): 1B091C

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last

year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	122	5.1 %	81.9%
1	MARKED:(1)	27	1.1 %	18.1%
-9 (M)	MISSING:(-9)	2243	93.8 %	-

Based upon 149 valid cases out of 2392 total cases.

V1888	**091B091D:NARC SRC FRND FREE**

Location:	924-925 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31931

Question Number(s): 1B091D

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED""

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	69	2.9 %	46.3%
1	MARKED:(1)	80	3.3 %	53.7%
-9 (M)	MISSING:(-9)	2243	93.8 %	-

Based upon 149 valid cases out of 2392 total cases.

V1889	**091B091E:NARC SRC RLTV FREE**

Location:	926-927 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31932

Question Number(s): 1B091E

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED""

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	130	5.4 %	87.2%
1	MARKED:(1)	19	0.8 %	12.8%
-9 (M)	MISSING:(-9)	2243	93.8 %	-

Based upon 149 valid cases out of 2392 total cases.

V1890	**091B091F:NARC SRC FRND BGHT**

Location:	928-929 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31941

Question Number(s): 1B091F

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	94	3.9 %	63.1%
1	MARKED:(1)	55	2.3 %	36.9%
-9 (M)	MISSING:(-9)	2243	93.8 %	-

Based upon 149 valid cases out of 2392 total cases.

V1891	**091B091G:NARC SRC RLTV BGHT**

Location:	930-931 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31942

Question Number(s): 1B091G

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	145	6.1 %	97.3%
1	MARKED:(1)	4	0.2 %	2.7%
-9 (M)	MISSING:(-9)	2243	93.8 %	-

Based upon 149 valid cases out of 2392 total cases.

V1869	**091B091H:NARC SRC PRESCRP**

Location: 932-933 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31950

Question Number(s): 1B091H

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	101	4.2 %	67.8%
1	MARKED:(1)	48	2.0 %	32.2%
-9 (M)	MISSING:(-9)	2243	93.8 %	-

Based upon 149 valid cases out of 2392 total cases.

V1870	**091B091I:NARC SRC DEALER**

Location: 934-935 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31960

Question Number(s): 1B091I

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	127	5.3 %	85.2%
1	MARKED:(1)	22	0.9 %	14.8%
-9 (M)	MISSING:(-9)	2243	93.8 %	-

Based upon 149 valid cases out of 2392 total cases.

V1871	**091B091J:NARC SRC OTHER**

Location: 936-937 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31970

Question Number(s): 1B091J

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	134	5.6 %	89.9%
1	MARKED:(1)	15	0.6 %	10.1%
-9 (M)	MISSING:(-9)	2243	93.8 %	-

Based upon 149 valid cases out of 2392 total cases.

V1892	**091B092A:NARC SCRPT DENTST**

Location: 938-939 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32460

Question Number(s): 1B092A

If you took a narcotic drug wtihout a doctor's orders --
one for which you had a prescription in your name -- from
whom did you get this prescription? (Mark all that apply.)

A. A dentist

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	114	4.8 %	85.1%
1	MARKED:(1)	20	0.8 %	14.9%
-9 (M)	MISSING:(-9)	2258	94.4 %	-

Based upon 134 valid cases out of 2392 total cases.

V1893	**091B092B:NARC SCRPT ER DOC**

Location: 940-941 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32470

Question Number(s): 1B092B

If you took a narcotic drug wtihout a doctor's orders --
one for which you had a prescription in your name -- from
whom did you get this prescription? (Mark all that apply.)

B. An emergency room doctor

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	111	4.6 %	82.8%
1	MARKED:(1)	23	1.0 %	17.2%
-9 (M)	MISSING:(-9)	2258	94.4 %	-

Based upon 134 valid cases out of 2392 total cases.

V1894	**091B092C:NARC SCRPT OTH DOC**

Location: 942-943 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32480

Question Number(s): 1B092C

If you took a narcotic drug wtihout a doctor's orders --
one for which you had a prescription in your name -- from
whom did you get this prescription? (Mark all that apply.)

C. Another doctor

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	112	4.7 %	83.6%
1	MARKED:(1)	22	0.9 %	16.4%
-9 (M)	MISSING:(-9)	2258	94.4 %	-

Based upon 134 valid cases out of 2392 total cases.

V1895	**091B092D:NARC SCRPT DIDNT**

Location: 944-945 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32490

Question Number(s): 1B092D

If you took a narcotic drug wtihout a doctor's orders --
one for which you had a prescription in your name -- from
whom did you get this prescription? (Mark all that apply.)

D. I didn't use any narcotics from a prescription of mine
without a doctor's orders

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	50	2.1 %	37.3%
1	MARKED:(1)	84	3.5 %	62.7%
-9 (M)	MISSING:(-9)	2258	94.4 %	-

Based upon 134 valid cases out of 2392 total cases.

V1587	**091B093A:NARC EXPERIMENT**

Location: 946-947 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05230

Question Number(s): 1B092A

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	83	3.5 %	56.1%
1	MARKED:(1)	65	2.7 %	43.9%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1588	**091B093B:NARC RELAX**

Location:	948-949 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05240

Question Number(s): 1B092B

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	61	2.6 %	41.2%
1	MARKED:(1)	87	3.6 %	58.8%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1589	**091B093C:NARC GET HIGH**

Location:	950-951 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05250

Question Number(s): 1B092C

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	69	2.9 %	46.6%
1	MARKED:(1)	79	3.3 %	53.4%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1590   091B093D:NARC SK INSIGTS

Location:	952-953 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05260

Question Number(s): 1B092D

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	134	5.6 %	90.5%
1	MARKED:(1)	14	0.6 %	9.5%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1591   091B093E:NARC GD TM FRND

Location:	954-955 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05270

Question Number(s): 1B092E

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	114	4.8 %	77.0%
1	MARKED:(1)	34	1.4 %	23.0%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1592	**091B093F:NARC FIT IN GRP**

Location:	956-957 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05280

Question Number(s):   1B092F

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	145	6.1 %	98.0%
1	MARKED:(1)	3	0.1 %	2.0%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1593	**091B093G:NARC GT AWY PBM**

Location:	958-959 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05290

Question Number(s): 1B092G

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	119	5.0 %	80.4%
1	MARKED:(1)	29	1.2 %	19.6%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1594	**091B093H:NARC BOREDOM**

Location:	960-961 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05300

Question Number(s): 1B092H

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	118	4.9 %	79.7%
1	MARKED:(1)	30	1.3 %	20.3%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1595	**091B093I:NARC ANGR/FRSTN**

Location:	962-963 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05310

Question Number(s): 1B092I

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	124	5.2 %	83.8%
1	MARKED:(1)	24	1.0 %	16.2%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1596	**091B093J:NARC GT THRU DA**

Location: 964-965 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05320

Question Number(s): 1B092J

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	131	5.5 %	88.5%
1	MARKED:(1)	17	0.7 %	11.5%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1597	**091B093K:NARC INC EF DG**

Location: 966-967 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05330

Question Number(s): 1B092K

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	126	5.3 %	85.1%
1	MARKED:(1)	22	0.9 %	14.9%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1598	**091B093L:NARC DEC EF DG**

Location: 968-969 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05340

Question Number(s): 1B092L

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	143	6.0 %	96.6%
1	MARKED:(1)	5	0.2 %	3.4%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1599	**091B093M:NARC GET SLEEP**

Location: 970-971 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05350

Question Number(s): 1B092M

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	112	4.7 %	75.7%
1	MARKED:(1)	36	1.5 %	24.3%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1600	**091B093N:NARC SBST HERIN**

Location:	972-973 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05360

Question Number(s): 1B092N

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

N. As a substitute for heroin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	147	6.1 %	99.3%
1	MARKED:(1)	1	0.0 %	0.7%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1697	**091B093O:NARC RLV PHYS P**

Location:	974-975 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05363

Question Number(s): 1B092O

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

O. To relieve physical pain

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	83	3.5 %	56.1%
1	MARKED:(1)	65	2.7 %	43.9%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1698	**091B093P:NARC RLV COUGHN**

Location: 976-977 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05366

Question Number(s): 1B092P

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

P. To control coughing

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	138	5.8 %	93.2%
1	MARKED:(1)	10	0.4 %	6.8%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1601	**091B093Q:NARC I AM HOOKD**

Location: 978-979 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05370

Question Number(s): 1B092Q

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

Q. Because I am "hooked"--I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	144	6.0 %	97.3%
1	MARKED:(1)	4	0.2 %	2.7%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1602	**091B094:NARC,GT VERY HI**

Location: 980-981 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05380

Question Number(s): 1B093

When you take narcotics other than heroin how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT HIGH:(1)	7	0.3 %	4.7%
2	LIT HIGH:(2)	33	1.4 %	22.0%
3	MOD HIGH:(3)	59	2.5 %	39.3%
4	VRY HIGH:(4)	22	0.9 %	14.7%
5	N TK HI:(5)	29	1.2 %	19.3%
-9 (M)	MISSING:(-9)	2242	93.7 %	-

Based upon 150 valid cases out of 2392 total cases.

V1603	**091B095:NARC,HI 24+ HRS**

Location: 982-983 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05390

Question Number(s): 1B094

When you take narcotics other than heroin how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to

six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	N GET HI:(1)	25	1.0 %	16.9%
2	1-2 HRS:(2)	51	2.1 %	34.5%
3	3-6 HRS:(3)	58	2.4 %	39.2%
4	7-24 HRS:(4)	12	0.5 %	8.1%
5	>24 HRS:(5)	2	0.1 %	1.4%
-9 (M)	MISSING:(-9)	2244	93.8 %	-

Based upon 148 valid cases out of 2392 total cases.

V1604	091B096A:NARC TKN MTHDNE

Location:	984-985 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05400

Question Number(s): 1B095A

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Methadone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	122	5.1 %	83.0%
1	MARKED:(1)	25	1.0 %	17.0%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1605	091B096B:NARC TKN OPIUM

Location:	986-987 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05410

Question Number(s): 1B095B

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Opium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	126	5.3 %	85.7%
1	MARKED:(1)	21	0.9 %	14.3%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1606	**091B096C:NARC TKN MRPHNE**

Location: 988-989 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05420

Question Number(s): 1B095C

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Morphine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	113	4.7 %	76.9%
1	MARKED:(1)	34	1.4 %	23.1%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1607	**091B096D:NARC TKN CODEIN**

Location: 990-991 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05430

Question Number(s): 1B095D

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Codeine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	64	2.7 %	43.5%
1	MARKED:(1)	83	3.5 %	56.5%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1608	**091B096E:NARC TKN DEMROL**

Location:	992-993 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05440

Question Number(s): 1B095E

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

E. Demerol

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	133	5.6 %	90.5%
1	MARKED:(1)	14	0.6 %	9.5%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1816	**091B096F:NARC TKN VICODN**

Location:	994-995 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05445

Question Number(s): 1B095F

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

F. Vicodin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	43	1.8 %	29.3%
1	MARKED:(1)	104	4.3 %	70.7%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1817	**091B096G:NARC TKN OXYCON**

Location:	996-997 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05455

Question Number(s): 1B095G

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. OxyContin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	74	3.1 %	50.3%
1	MARKED:(1)	73	3.1 %	49.7%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1818	**091B096H:NARC TKN PERCET**

Location:	998-999 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05465

Question Number(s): 1B095H

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Percocet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	78	3.3 %	53.1%
1	MARKED:(1)	69	2.9 %	46.9%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1819	**091B096I:NARC TKN PERDAN**

Location: 1000-1001 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05475

Question Number(s): 1B095I

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Percodan

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	140	5.9 %	95.2%
1	MARKED:(1)	7	0.3 %	4.8%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1872	**091B096J:NARC TKN ULTRAM**

Location: 1002-1003 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31980

Question Number(s): 1B095J

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

J. Ultram

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	144	6.0 %	98.0%
1	MARKED:(1)	3	0.1 %	2.0%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1612	**091B096K:NARC TKN OTHER**

Location:	1004-1005 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05480

Question Number(s): 1B095K

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

K. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	131	5.5 %	89.1%
1	MARKED:(1)	16	0.7 %	10.9%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1613	**091B096L:NARC TKN DNT KN**

Location:	1006-1007 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05490

Question Number(s): 1B095L

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

L. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	138	5.8 %	93.9%
1	MARKED:(1)	9	0.4 %	6.1%
-9 (M)	MISSING:(-9)	2245	93.9 %	-

Based upon 147 valid cases out of 2392 total cases.

V1614	**091B097:TRY STP NARC/FL**

Location:	1008-1009 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05500

Question Number(s): 1B096

Have you ever tried to stop using narcotics other than heroin and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	9	0.4 %	6.0%
2	NO:(2)	141	5.9 %	94.0%
-9 (M)	MISSING:(-9)	2242	93.7 %	-

Based upon 150 valid cases out of 2392 total cases.

V1615	**091B098A:METH NARC SNORT**

Location:	1010-1011 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05510

Question Number(s): 1B097A

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	82	3.4 %	56.2%
1	MARKED:(1)	64	2.7 %	43.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2246	93.9 %	-

Based upon 146 valid cases out of 2392 total cases.

V1616   091B098B:METH NARC SMOKE

Location:	1012-1013 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05520

Question Number(s): 1B097B

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	130	5.4 %	89.0%
1	MARKED:(1)	16	0.7 %	11.0%
-9 (M)	MISSING:(-9)	2246	93.9 %	-

Based upon 146 valid cases out of 2392 total cases.

V1617   091B098C:METH NARC INJCT

Location:	1014-1015 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05530

Question Number(s): 1B097C

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	141	5.9 %	96.6%
1	MARKED:(1)	5	0.2 %	3.4%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2246	93.9 %	-

Based upon 146 valid cases out of 2392 total cases.

V1618	**091B098D:METH NARC MOUTH**

Location: 1016-1017 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05540

Question Number(s): 1B097D

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

D. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	9	0.4 %	6.2%
1	MARKED:(1)	137	5.7 %	93.8%
-9 (M)	MISSING:(-9)	2246	93.9 %	-

Based upon 146 valid cases out of 2392 total cases.

V1619	**091B098E:METH NARC OTHER**

Location: 1018-1019 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05550

Question Number(s): 1B097E

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

E. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	144	6.0 %	98.6%
1	MARKED:(1)	2	0.1 %	1.4%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2246	93.9 %	-

Based upon 146 valid cases out of 2392 total cases.

V1620	**091B099:NO NARC IN 5YR**

Location: 1020-1021 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05560

Question Number(s): 1B098

Do you think you will be using any narcotics other than heroin without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	19	0.8 %	0.9%
2	PRB WILL:(2)	47	2.0 %	2.1%
3	PRB WONT:(3)	251	10.5 %	11.5%
4	DEF WONT:(4)	1871	78.2 %	85.5%
-9 (M)	MISSING:(-9)	204	8.5 %	-

Based upon 2188 valid cases out of 2392 total cases.

V1762	**091B100:ATTND DRG TRTMN**

Location: 1022-1023 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22360

Question Number(s): 1B099

Have you ever attended a treatment program for alcohol or drug abuse where you stayed overnight?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

Value	Label	Unweighted Frequency	%	Valid %
1	NO/NVR:(1)	2178	91.1 %	99.4%
2	Y/-PSTYR:(2)	8	0.3 %	0.4%

Value	Label	Unweighted Frequency	%	Valid %
3	Y/PST YR:(3)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	200	8.4 %	-

Based upon 2192 valid cases out of 2392 total cases.

V1763	**091B101:RCV DRG COUNSEL**

Location: 1024-1025 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22370

Question Number(s): 1B100

Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

Value	Label	Unweighted Frequency	%	Valid %
1	NO/NVR:(1)	2138	89.4 %	97.6%
2	Y/-PSTYR:(2)	29	1.2 %	1.3%
3	Y/PST YR:(3)	23	1.0 %	1.1%
-9 (M)	MISSING:(-9)	202	8.4 %	-

Based upon 2190 valid cases out of 2392 total cases.

V1621	**091B102A:GR 1ST SMOK DLY**

Location: 1026-1027 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05570

Question Number(s): 1B101A

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	16	0.7 %	0.8%
2	GRADE 7:(2)	31	1.3 %	1.5%
3	GRADE 8:(3)	34	1.4 %	1.6%
4	GRADE 9:(4)	77	3.2 %	3.6%
5	GRADE 10:(5)	62	2.6 %	2.9%
6	GRADE 11:(6)	87	3.6 %	4.1%
7	GRADE 12:(7)	61	2.6 %	2.9%
8	NEVER:(8)	1762	73.7 %	82.7%
-9 (M)	MISSING:(-9)	262	11.0 %	-

Based upon 2130 valid cases out of 2392 total cases.

V1622	**091B102B:GR 1ST TRY ALC**

Location:	1028-1029 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05580

Question Number(s): 1B101B

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	111	4.6 %	5.4%
2	GRADE 7:(2)	128	5.4 %	6.3%
3	GRADE 8:(3)	255	10.7 %	12.5%
4	GRADE 9:(4)	408	17.1 %	19.9%
5	GRADE 10:(5)	274	11.5 %	13.4%
6	GRADE 11:(6)	278	11.6 %	13.6%
7	GRADE 12:(7)	162	6.8 %	7.9%
8	NEVER:(8)	431	18.0 %	21.1%
-9 (M)	MISSING:(-9)	345	14.4 %	-

Based upon 2047 valid cases out of 2392 total cases.

V1623	**091B102C:GR 1ST TRY MJ**

Location:	1030-1031 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05590

Question Number(s): 1B101C

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	48	2.0 %	2.2%
2	GRADE 7:(2)	67	2.8 %	3.1%
3	GRADE 8:(3)	90	3.8 %	4.2%
4	GRADE 9:(4)	198	8.3 %	9.3%
5	GRADE 10:(5)	171	7.1 %	8.0%
6	GRADE 11:(6)	166	6.9 %	7.8%
7	GRADE 12:(7)	138	5.8 %	6.5%
8	NEVER:(8)	1257	52.6 %	58.9%
-9 (M)	MISSING:(-9)	257	10.7 %	-

Based upon 2135 valid cases out of 2392 total cases.

V1624   **091B102D:GR 1ST TRY LSD**

Location:	1032-1033 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05600

Question Number(s): 1B101D

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	1	0.0 %	0.0%
3	GRADE 8:(3)	6	0.3 %	0.3%
4	GRADE 9:(4)	10	0.4 %	0.5%
5	GRADE 10:(5)	15	0.6 %	0.7%
6	GRADE 11:(6)	20	0.8 %	0.9%
7	GRADE 12:(7)	10	0.4 %	0.5%
8	NEVER:(8)	2112	88.3 %	97.1%
-9 (M)	MISSING:(-9)	218	9.1 %	-

Based upon 2174 valid cases out of 2392 total cases.

V1625	**091B102E:GR 1ST TRY PSY**

Location: 1034-1035 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05610

Question Number(s): 1B101E

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

E: Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.1%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	8	0.3 %	0.4%
4	GRADE 9:(4)	14	0.6 %	0.6%
5	GRADE 10:(5)	32	1.3 %	1.5%
6	GRADE 11:(6)	43	1.8 %	2.0%
7	GRADE 12:(7)	18	0.8 %	0.8%
8	NEVER:(8)	2042	85.4 %	94.4%
-9 (M)	MISSING:(-9)	230	9.6 %	-

Based upon 2162 valid cases out of 2392 total cases.

V1626	**091B102F:GR 1ST TRY AMP**

Location: 1036-1037 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 05620

Question Number(s): 1B101F

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.1%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	9	0.4 %	0.4%
4	GRADE 9:(4)	26	1.1 %	1.2%
5	GRADE 10:(5)	27	1.1 %	1.3%
6	GRADE 11:(6)	19	0.8 %	0.9%
7	GRADE 12:(7)	20	0.8 %	0.9%
8	NEVER:(8)	2017	84.3 %	95.0%
-9 (M)	MISSING:(-9)	269	11.2 %	-

Based upon 2123 valid cases out of 2392 total cases.

V1627	**091B102G:GR 1ST TRY QUA**

Location:	1038-1039 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05630

Question Number(s): 1B101G

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

G: Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
3	GRADE 8:(3)	2	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
4	GRADE 9:(4)	3	0.1 %	0.1%
5	GRADE 10:(5)	1	0.0 %	0.0%
6	GRADE 11:(6)	2	0.1 %	0.1%
7	GRADE 12:(7)	2	0.1 %	0.1%
8	NEVER:(8)	2167	90.6 %	99.5%
-9 (M)	MISSING:(-9)	215	9.0 %	-

Based upon 2177 valid cases out of 2392 total cases.

V1628	**091B102H:GR 1ST TRY BRB**

Location: 1040-1041 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05640

Question Number(s): 1B101H

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

H: Try barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	1	0.0 %	0.0%
3	GRADE 8:(3)	6	0.3 %	0.3%
4	GRADE 9:(4)	4	0.2 %	0.2%
5	GRADE 10:(5)	9	0.4 %	0.4%
6	GRADE 11:(6)	7	0.3 %	0.3%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	2151	89.9 %	98.6%
-9 (M)	MISSING:(-9)	210	8.8 %	-

Based upon 2182 valid cases out of 2392 total cases.

V1629	**091B102I:GR 1ST TRY TRN**

Location: 1042-1043 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05650

Question Number(s): 1B101I

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

I: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	8	0.3 %	0.4%
4	GRADE 9:(4)	22	0.9 %	1.0%
5	GRADE 10:(5)	28	1.2 %	1.3%
6	GRADE 11:(6)	24	1.0 %	1.1%
7	GRADE 12:(7)	13	0.5 %	0.6%
8	NEVER:(8)	2033	85.0 %	95.4%
-9 (M)	MISSING:(-9)	262	11.0 %	-

Based upon 2130 valid cases out of 2392 total cases.

V1630	**091B102J:GR 1ST TRY COK**

Location:	1044-1045 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05660

Question Number(s): 1B101J

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

J: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	6	0.3 %	0.3%
4	GRADE 9:(4)	17	0.7 %	0.8%

Value	Label	Unweighted Frequency	%	Valid %
5	GRADE 10:(5)	22	0.9 %	1.0%
6	GRADE 11:(6)	26	1.1 %	1.2%
7	GRADE 12:(7)	14	0.6 %	0.6%
8	NEVER:(8)	2083	87.1 %	95.9%
-9 (M)	MISSING:(-9)	220	9.2 %	-

Based upon 2172 valid cases out of 2392 total cases.

V1631	**091B102K:GR 1ST TRY HER**

Location:	1046-1047 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05670

Question Number(s): 1B101K

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

K: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	1	0.0 %	0.0%
4	GRADE 9:(4)	3	0.1 %	0.1%
5	GRADE 10:(5)	6	0.3 %	0.3%
6	GRADE 11:(6)	7	0.3 %	0.3%
7	GRADE 12:(7)	3	0.1 %	0.1%
8	NEVER:(8)	2156	90.1 %	99.0%
-9 (M)	MISSING:(-9)	214	8.9 %	-

Based upon 2178 valid cases out of 2392 total cases.

V1632	**091B102L:GR 1ST TRY NRC**

Location:	1048-1049 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05680

Question Number(s): 1B101L

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

L: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	4	0.2 %	0.2%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	15	0.6 %	0.7%
4	GRADE 9:(4)	37	1.5 %	1.8%
5	GRADE 10:(5)	45	1.9 %	2.1%
6	GRADE 11:(6)	51	2.1 %	2.4%
7	GRADE 12:(7)	24	1.0 %	1.1%
8	NEVER:(8)	1922	80.4 %	91.5%
-9 (M)	MISSING:(-9)	292	12.2 %	-

Based upon 2100 valid cases out of 2392 total cases.

V1748	**091B102M:GR 1ST SMOK EVR**

Location:	1050-1051 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05575

Question Number(s): 1B101M

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

M: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	137	5.7 %	6.6%
2	GRADE 7:(2)	77	3.2 %	3.7%
3	GRADE 8:(3)	128	5.4 %	6.1%
4	GRADE 9:(4)	164	6.9 %	7.9%

Value	Label	Unweighted Frequency	%	Valid %
5	GRADE 10:(5)	121	5.1 %	5.8%
6	GRADE 11:(6)	111	4.6 %	5.3%
7	GRADE 12:(7)	78	3.3 %	3.7%
8	NEVER:(8)	1266	52.9 %	60.8%
-9 (M)	MISSING:(-9)	310	13.0 %	-

Based upon 2082 valid cases out of 2392 total cases.

V1749	**091B102N:GR 1ST DRUNK**

Location:	1052-1053 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05585

Question Number(s): 1B101N

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

N: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	29	1.2 %	1.4%
2	GRADE 7:(2)	54	2.3 %	2.7%
3	GRADE 8:(3)	126	5.3 %	6.3%
4	GRADE 9:(4)	268	11.2 %	13.4%
5	GRADE 10:(5)	271	11.3 %	13.5%
6	GRADE 11:(6)	217	9.1 %	10.8%
7	GRADE 12:(7)	150	6.3 %	7.5%
8	NEVER:(8)	888	37.1 %	44.3%
-9 (M)	MISSING:(-9)	389	16.3 %	-

Based upon 2003 valid cases out of 2392 total cases.

V1783	**091B102O:GR 1ST TRY CRAC**

Location:	1054-1055 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05661

Question Number(s): 1B101O

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

O: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	3	0.1 %	0.1%
3	GRADE 8:(3)	1	0.0 %	0.0%
4	GRADE 9:(4)	6	0.3 %	0.3%
5	GRADE 10:(5)	5	0.2 %	0.2%
6	GRADE 11:(6)	2	0.1 %	0.1%
7	GRADE 12:(7)	2	0.1 %	0.1%
8	NEVER:(8)	2147	89.8 %	99.0%
-9 (M)	MISSING:(-9)	224	9.4 %	-

Based upon 2168 valid cases out of 2392 total cases.

V1784	**091B102P:GR 1ST TRY ICE**

Location:	1056-1057 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 24430

Question Number(s): 1B101P

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

P: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	7	0.3 %	0.3%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	3	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
4	GRADE 9:(4)	6	0.3 %	0.3%
5	GRADE 10:(5)	4	0.2 %	0.2%
6	GRADE 11:(6)	2	0.1 %	0.1%
7	GRADE 12:(7)	2	0.1 %	0.1%
8	NEVER:(8)	2166	90.6 %	98.9%
-9 (M)	MISSING:(-9)	201	8.4 %	-

Based upon 2191 valid cases out of 2392 total cases.

V1785	**091B103A:ALL FRD SMK CIG**

Location: 1058-1059 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07070

Question Number(s): 1B102A

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	435	18.2 %	19.7%
2	A FEW:(2)	826	34.5 %	37.5%
3	SOME:(3)	628	26.3 %	28.5%
4	MOST:(4)	293	12.2 %	13.3%
5	ALL:(5)	21	0.9 %	1.0%
-9 (M)	MISSING:(-9)	189	7.9 %	-

Based upon 2203 valid cases out of 2392 total cases.

V1786	**091B103B:ALL FRD SMK MAR**

Location: 1060-1061 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07080

Question Number(s): 1B102B

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	445	18.6 %	20.2%
2	A FEW:(2)	590	24.7 %	26.8%
3	SOME:(3)	669	28.0 %	30.4%
4	MOST:(4)	460	19.2 %	20.9%
5	ALL:(5)	40	1.7 %	1.8%
-9 (M)	MISSING:(-9)	188	7.9 %	-

Based upon 2204 valid cases out of 2392 total cases.

V1787	**091B103C:# FRNDS TK CRAC**
Location:	1062-1063 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07151

Question Number(s): 1B102C

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1797	75.1 %	81.9%
2	A FEW:(2)	326	13.6 %	14.9%
3	SOME:(3)	62	2.6 %	2.8%
4	MOST:(4)	6	0.3 %	0.3%
5	ALL:(5)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	197	8.2 %	-

Based upon 2195 valid cases out of 2392 total cases.

V1788	**091B103D:# FRNDS TK C PW**
Location:	1064-1065 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23990

Question Number(s): 1B102D

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1682	70.3 %	77.0%
2	A FEW:(2)	408	17.1 %	18.7%
3	SOME:(3)	73	3.1 %	3.3%
4	MOST:(4)	14	0.6 %	0.6%
5	ALL:(5)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	208	8.7 %	-

Based upon 2184 valid cases out of 2392 total cases.

V1789	**091B103E:ALL FRD DRK ALC**

Location: 1066-1067 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07190

Question Number(s): 1B102E

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	200	8.4 %	9.1%
2	A FEW:(2)	233	9.7 %	10.6%
3	SOME:(3)	424	17.7 %	19.3%
4	MOST:(4)	934	39.0 %	42.6%
5	ALL:(5)	402	16.8 %	18.3%
-9 (M)	MISSING:(-9)	199	8.3 %	-

Based upon 2193 valid cases out of 2392 total cases.

V1790	**091B103F:ALL FRD GT DRUN**

Location: 1068-1069 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07200

Question Number(s): 1B102F

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	563	23.5 %	25.6%
2	A FEW:(2)	606	25.3 %	27.6%
3	SOME:(3)	568	23.7 %	25.8%
4	MOST:(4)	368	15.4 %	16.7%
5	ALL:(5)	93	3.9 %	4.2%
-9 (M)	MISSING:(-9)	194	8.1 %	-

Based upon 2198 valid cases out of 2392 total cases.

V1148 **091C01(R):AGE <>18 DICHOTOMY**

Location: 1070-1071 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 1C001-2

Item comprised of responses to question C01 "In what year were you born?" (item 00010), question C02 "In what month were you born" (item 00020), and date of questionnaire administration recorded by interviewer.

1="younger than 18" 2="18 years of age or over"

Value	Label	Unweighted Frequency	%	Valid %
1	< 18:(1)	967	40.4 %	43.5%
2	18+:(2)	1254	52.4 %	56.5%
-9 (M)	MISSING:(-9)	171	7.1 %	-

Based upon 2221 valid cases out of 2392 total cases.

V1150 **091C003:Rs SEX**

Location: 1072-1073 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00030

Question Number(s): 1C003

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%	Valid %
1	MALE:(1)	1027	42.9 %	47.4%
2	FEMALE:(2)	1140	47.7 %	52.6%
-9 (M)	MISSING:(-9)	225	9.4 %	-

Based upon 2167 valid cases out of 2392 total cases.

V1151	**091C04(R):R'S RACE B/W/H**

Location:	1074-1075 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

Question Number(s): 1C004A-I

How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban
American; Puerto Rican; Other Hispanic or Latino; Asian
American; White (Caucasian); American Indian or Alaska Native;
Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American"
= 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or
"Cuban..." or "Puerto Rican" or "Other Hispanic..."). All
other responses, including those of respondents who fell into
more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%	Valid %
1	BLACK: (1)	216	9.0 %	11.2%
2	WHITE: (2)	1307	54.6 %	68.1%
3	HISPANIC: (3)	397	16.6 %	20.7%
-9 (M)	MISSING:(-9)	472	19.7 %	-

Based upon 1920 valid cases out of 2392 total cases.

V1152	**091C005:R SPD >TIM R-UR**

Location:	1076-1077 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00050

Question Number(s): 1C005

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%	Valid %
0	DK/MIXED:(0)	384	16.1 %	16.1%
1	FARM:(1)	93	3.9 %	3.9%
2	COUNTRY:(2)	220	9.2 %	9.2%
3	SML TOWN:(3)	540	22.6 %	22.6%
4	MED CITY:(4)	296	12.4 %	12.4%
5	SUBURB 4:(5)	194	8.1 %	8.1%
6	LRG CITY:(6)	267	11.2 %	11.2%
7	SUBURB 6:(7)	141	5.9 %	5.9%
8	VRYLG CY:(8)	176	7.4 %	7.4%
9	SUBURB 8:(9)	81	3.4 %	3.4%

Based upon 2392 valid cases out of 2392 total cases.

V1153	**091C006:R NOT MARRIED**

Location:	1078-1079 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00060

Question Number(s): 1C006

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	81	3.4 %	3.7%

Value	Label	Unweighted Frequency	%	Valid %
2	ENGAGED:(2)	103	4.3 %	4.7%
3	SEP/DIV:(3)	35	1.5 %	1.6%
4	SINGLE:(4)	1981	82.8 %	90.0%
-9 (M)	MISSING:(-9)	192	8.0 %	-

Based upon 2200 valid cases out of 2392 total cases.

V49	091C07(R):# SIBLINGS

Location:	1080-1081 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

Question Number(s): 1C007A-B

Component questions: "How many brothers and sisters do you
have? (Include stepbrothers and sisters and half-brothers
and sisters) a) Older brothers and sisters" (item 00075);
"b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six
or more"

For this dataset, responses to the two questions are added
and bracketed so that 3 is the highest category, meaning
"Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	144	6.0 %	6.6%
1	ONE:(1)	640	26.8 %	29.1%
2	TWO:(2)	603	25.2 %	27.4%
3	3 OR MORE:(3)	811	33.9 %	36.9%
-9 (M)	MISSING:(-9)	194	8.1 %	-

Based upon 2198 valid cases out of 2392 total cases.

V1155	091C07Cb(R):R'S HSHLD FATHER

Location:	1082-1083 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00090

Question Number(s): 1C007Cb

Which of the following people live in the same household with

you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	564	23.6 %	25.8%
1	MARKED:(1)	1626	68.0 %	74.2%
-9 (M)	MISSING:(-9)	202	8.4 %	-

Based upon 2190 valid cases out of 2392 total cases.

V1156	**091C07Cc(R):R'S HSHLD MOTHER**

Location:	1084-1085 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00100

Question Number(s): 1C007Cc

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	234	9.8 %	10.7%
1	MARKED:(1)	1956	81.8 %	89.3%
-9 (M)	MISSING:(-9)	202	8.4 %	-

Based upon 2190 valid cases out of 2392 total cases.

V1157	**091C07Cd(R):R'S HSHLD BR/SR**

Location:	1086-1087 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00110

Question Number(s): 1C007Cd

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"
"My child(ren)," "Other relative(s)," "Non-relative(s),"
"I live alone" -- have been deleted for reasons of
confidentiality.

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	719	30.1 %	32.8%
1	MARKED:(1)	1471	61.5 %	67.2%
-9 (M)	MISSING:(-9)	202	8.4 %	-

Based upon 2190 valid cases out of 2392 total cases.

V1163	**091C008:FATHR EDUC LEVE**

Location: 1088-1089 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

Question Number(s): 1C008

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	106	4.4 %	4.9%
2	SOME HS:(2)	228	9.5 %	10.5%
3	HS GRAD:(3)	563	23.5 %	25.9%
4	SOME CLG:(4)	367	15.3 %	16.9%
5	CLG GRAD:(5)	447	18.7 %	20.6%
6	GRAD SCH:(6)	289	12.1 %	13.3%
7	DK:(7)	171	7.1 %	7.9%
-9 (M)	MISSING:(-9)	221	9.2 %	-

Based upon 2171 valid cases out of 2392 total cases.

V1164	**091C009:MOTHR EDUC LEVE**

Location:	1090-1091 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00320

Question Number(s): 1C009

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	93	3.9 %	4.3%
2	SOME HS:(2)	193	8.1 %	8.9%
3	HS GRAD:(3)	494	20.7 %	22.7%
4	SOME CLG:(4)	453	18.9 %	20.8%
5	CLG GRAD:(5)	574	24.0 %	26.4%
6	GRAD SCH:(6)	259	10.8 %	11.9%
7	DK:(7)	107	4.5 %	4.9%
-9 (M)	MISSING:(-9)	219	9.2 %	-

Based upon 2173 valid cases out of 2392 total cases.

V1165	**091C010:MOTH PD JB R YN**

Location:	1092-1093 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00330

Question Number(s): 1C010

Did your mother have a paid job (half-time or more) during
the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes,
most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	298	12.5 %	13.8%
2	SOMETIME:(2)	419	17.5 %	19.4%
3	MOSTTIME:(3)	382	16.0 %	17.7%

Value	Label	Unweighted Frequency	%	Valid %
4	ALL TIME:(4)	1061	44.4 %	49.1%
-9 (M)	MISSING:(-9)	232	9.7 %	-

Based upon 2160 valid cases out of 2392 total cases.

V1166	091C011:Rs POLTL PRFNC

Location: 1094-1095 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00340

Question Number(s): 1C011

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%	Valid %
1	STRG GOP:(1)	216	9.0 %	10.5%
2	MILD GOP:(2)	258	10.8 %	12.5%
3	MILD DEM:(3)	333	13.9 %	16.1%
4	STRG DEM:(4)	281	11.7 %	13.6%
5	INDEPNDT:(5)	218	9.1 %	10.6%
6	NO PREF:(6)	309	12.9 %	15.0%
7	OTHER:(7)	41	1.7 %	2.0%
8	DK:(8)	406	17.0 %	19.7%
-9 (M)	MISSING:(-9)	330	13.8 %	-

Based upon 2062 valid cases out of 2392 total cases.

V1167	091C012:R POL BLF RADCL

Location: 1096-1097 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00350

Question Number(s): 1C012

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very liberal" 6="Radical" 8="None of

the above, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY CONS:(1)	106	4.4 %	5.0%
2	CONSERV:(2)	261	10.9 %	12.2%
3	MODERATE:(3)	505	21.1 %	23.6%
4	LIBERAL:(4)	348	14.5 %	16.3%
5	VRY LIB:(5)	104	4.3 %	4.9%
6	RADICAL:(6)	37	1.5 %	1.7%
8	NONE/DK:(8)	777	32.5 %	36.3%
-9 (M)	MISSING:(-9)	254	10.6 %	-

Based upon 2138 valid cases out of 2392 total cases.

V1169	**091C013B:R ATTND REL SVC**

Location:	1098-1099 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00370

Question Number(s): 1C013B

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	298	12.5 %	18.1%
2	RARELY:(2)	573	24.0 %	34.8%
3	1-2X/MO:(3)	253	10.6 %	15.4%
4	1/WK OR+:(4)	524	21.9 %	31.8%
-9 (M)	MISSING:(-9)	744	31.1 %	-

Based upon 1648 valid cases out of 2392 total cases.

V1170	**091C013C:RLGN IMP Rs LF**

Location:	1100-1101 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00380

Question Number(s): 1C013C

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	315	13.2 %	19.2%
2	LITL IMP:(2)	393	16.4 %	23.9%
3	PRTY IMP:(3)	457	19.1 %	27.8%
4	VERY IMP:(4)	479	20.0 %	29.1%
-9 (M)	MISSING:(-9)	748	31.3 %	-

Based upon 1644 valid cases out of 2392 total cases.

V1171	**091C014:WHEN R XPCT GRA**

Location: 1102-1103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

Question Number(s): 1C014

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%	Valid %
1	BY JUNE:(1)	2117	88.5 %	98.2%
2	JULY-JAN:(2)	24	1.0 %	1.1%
6	WONT:(6)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	237	9.9 %	-

Based upon 2155 valid cases out of 2392 total cases.

V1172	**091C015:Rs HS PROGRAM**

Location: 1104-1105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00400

Question Number(s): 1C015

Which of the following best describes your present high
school program?

1="Academic or college prep" 2="General" 3="Vocational,
technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	CLG PREP:(1)	1135	47.4 %	53.1%
2	GENERAL:(2)	700	29.3 %	32.7%
3	VOC-TECH:(3)	104	4.3 %	4.9%
4	OTH/DK:(4)	199	8.3 %	9.3%
-9 (M)	MISSING:(-9)	254	10.6 %	-

Based upon 2138 valid cases out of 2392 total cases.

V1173	**091C016:RT SF SCH AB>AV**

Location:	1106-1107 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00410

Question Number(s): 1C016

Compared with others your age throughout the country, how do
you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BLOW:(1)	42	1.8 %	2.0%
2	BELOW AV:(2)	26	1.1 %	1.2%
3	SL BELOW:(3)	89	3.7 %	4.2%
4	AVERAGE:(4)	650	27.2 %	30.6%
5	SL ABOVE:(5)	539	22.5 %	25.4%
6	ABOVE AV:(6)	634	26.5 %	29.8%
7	FAR ABOV:(7)	146	6.1 %	6.9%
-9 (M)	MISSING:(-9)	266	11.1 %	-

Based upon 2126 valid cases out of 2392 total cases.

V1174	**091C017:RT SF INTELL>AV**

Location:	1108-1109 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00420

Question Number(s): 1C017

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BLOW:(1)	33	1.4 %	1.5%
2	BELOW AV:(2)	23	1.0 %	1.1%
3	SL BELOW:(3)	83	3.5 %	3.9%
4	AVERAGE:(4)	635	26.5 %	29.8%
5	SL ABOVE:(5)	565	23.6 %	26.5%
6	ABOVE AV:(6)	626	26.2 %	29.3%
7	FAR ABOV:(7)	169	7.1 %	7.9%
-9 (M)	MISSING:(-9)	258	10.8 %	-

Based upon 2134 valid cases out of 2392 total cases.

V1175	**091C018A:#DA/4W SC MS IL**

Location: 1110-1111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00430

Question Number(s): 1C018A

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1196	50.0 %	57.0%
2	1 DAY:(2)	379	15.8 %	18.0%
3	2 DAYS:(3)	241	10.1 %	11.5%
4	3 DAYS:(4)	122	5.1 %	5.8%

Value	Label	Unweighted Frequency	%	Valid %
5	4-5 DAYS:(5)	110	4.6 %	5.2%
6	6-10 DA:(6)	35	1.5 %	1.7%
7	11+ DAYS:(7)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	292	12.2 %	-

Based upon 2100 valid cases out of 2392 total cases.

V1176	**091C018B:#DA/4W SC MS CU**

Location: 1112-1113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00440

Question Number(s): 1C018B

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1427	59.7 %	68.8%
2	1 DAY:(2)	311	13.0 %	15.0%
3	2 DAYS:(3)	152	6.4 %	7.3%
4	3 DAYS:(4)	86	3.6 %	4.1%
5	4-5 DAYS:(5)	50	2.1 %	2.4%
6	6-10 DA:(6)	21	0.9 %	1.0%
7	11+ DAYS:(7)	27	1.1 %	1.3%
-9 (M)	MISSING:(-9)	318	13.3 %	-

Based upon 2074 valid cases out of 2392 total cases.

V1177	**091C018C:#DA/4W SC MS OT**

Location: 1114-1115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

Question Number(s): 1C018C

During the LAST FOUR WEEKS, how many whole days of school

have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1158	48.4 %	55.9%
2	1 DAY:(2)	423	17.7 %	20.4%
3	2 DAYS:(3)	226	9.4 %	10.9%
4	3 DAYS:(4)	117	4.9 %	5.6%
5	4-5 DAYS:(5)	97	4.1 %	4.7%
6	6-10 DA:(6)	25	1.0 %	1.2%
7	11+ DAYS:(7)	25	1.0 %	1.2%
-9 (M)	MISSING:(-9)	321	13.4 %	-

Based upon 2071 valid cases out of 2392 total cases.

V1178	**091C019:#DA/4W SKP CLAS**

Location: 1116-1117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

Question Number(s): 1C019

During the LAST FOUR WEEKS, how often have you gone to school,
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	1534	64.1 %	72.3%
2	1-2:(2)	390	16.3 %	18.4%
3	3-5:(3)	120	5.0 %	5.7%
4	6-10:(4)	42	1.8 %	2.0%
5	11-20:(5)	13	0.5 %	0.6%
6	21+:(6)	24	1.0 %	1.1%
-9 (M)	MISSING:(-9)	269	11.2 %	-

Based upon 2123 valid cases out of 2392 total cases.

V1179	**091C020:R HS GRADE/D = 1**

Location:	1118-1119 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00470

Question Number(s): 1C020

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	16	0.7 %	0.8%
2	C-:(2)	42	1.8 %	2.0%
3	C:(3)	103	4.3 %	4.9%
4	C+:(4)	176	7.4 %	8.3%
5	B-:(5)	226	9.4 %	10.7%
6	B:(6)	335	14.0 %	15.8%
7	B+:(7)	441	18.4 %	20.8%
8	A-:(8)	390	16.3 %	18.4%
9	A:(9)	392	16.4 %	18.5%
-9 (M)	MISSING:(-9)	271	11.3 %	-

Based upon 2121 valid cases out of 2392 total cases.

V1180	**091C021A:R WL DO VOC/TEC**
Location:	1120-1121 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00480

Question Number(s): 1C021A

How likely is it that you will do each of the following things after high school?

A. Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1126	47.1 %	55.7%
2	PRB WONT:(2)	475	19.9 %	23.5%
3	PRB WILL:(3)	263	11.0 %	13.0%
4	DEF WILL:(4)	158	6.6 %	7.8%
-9 (M)	MISSING:(-9)	370	15.5 %	-

Based upon 2022 valid cases out of 2392 total cases.

V1181	**091C021B:R WL DO ARMD FC**

Location:	1122-1123 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00490

Question Number(s): 1C021B

How likely is it that you will do each of the following things after high school?

B. Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1387	58.0 %	70.9%
2	PRB WONT:(2)	341	14.3 %	17.4%
3	PRB WILL:(3)	129	5.4 %	6.6%
4	DEF WILL:(4)	98	4.1 %	5.0%
-9 (M)	MISSING:(-9)	437	18.3 %	-

Based upon 1955 valid cases out of 2392 total cases.

V1182	**091C021C:R WL DO 2YR CLG**

Location:	1124-1125 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00500

Question Number(s): 1C021C

How likely is it that you will do each of the following things after high school?

C. Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	812	33.9 %	39.8%
2	PRB WONT:(2)	344	14.4 %	16.8%
3	PRB WILL:(3)	425	17.8 %	20.8%
4	DEF WILL:(4)	461	19.3 %	22.6%
-9 (M)	MISSING:(-9)	350	14.6 %	-

Based upon 2042 valid cases out of 2392 total cases.

V1183	**091C021D:R WL DO 4YR CLG**

Location:	1126-1127 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00510

Question Number(s): 1C021D

How likely is it that you will do each of the following
things after high school?

D. Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	156	6.5 %	7.5%
2	PRB WONT:(2)	162	6.8 %	7.8%
3	PRB WILL:(3)	438	18.3 %	21.1%
4	DEF WILL:(4)	1324	55.4 %	63.7%
-9 (M)	MISSING:(-9)	312	13.0 %	-

Based upon 2080 valid cases out of 2392 total cases.

V1184	**091C021E:R WL DO GRD/PRF**

Location:	1128-1129 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00520

Question Number(s): 1C021E

How likely is it that you will do each of the following
things after high school?

E. Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	341	14.3 %	16.7%
2	PRB WONT:(2)	504	21.1 %	24.7%
3	PRB WILL:(3)	672	28.1 %	32.9%
4	DEF WILL:(4)	527	22.0 %	25.8%
-9 (M)	MISSING:(-9)	348	14.5 %	-

Based upon 2044 valid cases out of 2392 total cases.

V1185	**091C022A:R WNTDO VOC/TEC**

Location: 1130-1131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Question Number(s): 1C022A

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1800	75.3 %	86.5%
1	MARKED:(1)	280	11.7 %	13.5%
-9 (M)	MISSING:(-9)	312	13.0 %	-

Based upon 2080 valid cases out of 2392 total cases.

V1186	**091C022B:R WNTDO ARMD FC**

Location: 1132-1133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Question Number(s): 1C022B

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1810	75.7 %	87.0%
1	MARKED:(1)	270	11.3 %	13.0%
-9 (M)	MISSING:(-9)	312	13.0 %	-

Based upon 2080 valid cases out of 2392 total cases.

V1187	091C022C:R WNTDO 2YR CLG

Location: 1134-1135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00550

Question Number(s): 1C022C

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1537	64.3 %	73.9%
1	MARKED:(1)	543	22.7 %	26.1%
-9 (M)	MISSING:(-9)	312	13.0 %	-

Based upon 2080 valid cases out of 2392 total cases.

V1188	091C022D:R WNTDO 4YR CLG

Location: 1136-1137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00560

Question Number(s): 1C022D

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	387	16.2 %	18.6%
1	MARKED:(1)	1693	70.8 %	81.4%
-9 (M)	MISSING:(-9)	312	13.0 %	-

Based upon 2080 valid cases out of 2392 total cases.

V1189	**091C022E:R WNTDO GRD/PRF**

Location: 1138-1139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00570

Question Number(s): 1C022E

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	912	38.1 %	43.8%
1	MARKED:(1)	1168	48.8 %	56.2%
-9 (M)	MISSING:(-9)	312	13.0 %	-

Based upon 2080 valid cases out of 2392 total cases.

V1190	**091C022F:R WNTDO NONE**

Location: 1140-1141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00580

Question Number(s): 1C022F

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1964	82.1 %	94.4%
1	MARKED:(1)	116	4.8 %	5.6%
-9 (M)	MISSING:(-9)	312	13.0 %	-

Based upon 2080 valid cases out of 2392 total cases.

V1191	**091C023:HRS/W WRK SCHYR**

Location: 1142-1143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

Question Number(s): 1C023

On the average over the school year, how many hours per week
do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15
hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours"
8="More than 30 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	814	34.0 %	39.0%
2	5 OR <:(2)	206	8.6 %	9.9%
3	6-10 HRS:(3)	235	9.8 %	11.3%
4	11-15 HR:(4)	210	8.8 %	10.1%
5	16-20 HR:(5)	252	10.5 %	12.1%
6	21-25 HR:(6)	168	7.0 %	8.1%
7	26-30 HR:(7)	99	4.1 %	4.7%
8	30+ HRS:(8)	101	4.2 %	4.8%
-9 (M)	MISSING:(-9)	307	12.8 %	-

Based upon 2085 valid cases out of 2392 total cases.

V1192   **091C024A:R$/AVG WEEK JOB**

Location: 1144-1145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00600

Question Number(s): 1C024A

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5="$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	868	36.3 %	42.7%
2	$1-5:(2)	14	0.6 %	0.7%
3	$6-10:(3)	57	2.4 %	2.8%
4	$11-20:(4)	52	2.2 %	2.6%
5	$21-35:(5)	80	3.3 %	3.9%
6	$36-50:(6)	108	4.5 %	5.3%
7	$51-75:(7)	132	5.5 %	6.5%
8	$76-125:(8)	328	13.7 %	16.1%
9	$126-175:(9)	201	8.4 %	9.9%
10	$176+:(10)	194	8.1 %	9.5%
-9 (M)	MISSING:(-9)	358	15.0 %	-

Based upon 2034 valid cases out of 2392 total cases.

V1193   **091C024B:R$/AVG WEEK OTH**

Location: 1146-1147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00610

Question Number(s): 1C024B

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5="$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	806	33.7 %	40.2%
2	$1-5:(2)	107	4.5 %	5.3%
3	$6-10:(3)	188	7.9 %	9.4%
4	$11-20:(4)	317	13.3 %	15.8%
5	$21-35:(5)	231	9.7 %	11.5%
6	$36-50:(6)	149	6.2 %	7.4%
7	$51-75:(7)	69	2.9 %	3.4%
8	$76-125:(8)	68	2.8 %	3.4%
9	$126-175:(9)	13	0.5 %	0.6%
10	$176+:(10)	56	2.3 %	2.8%
-9 (M)	MISSING:(-9)	388	16.2 %	-

Based upon 2004 valid cases out of 2392 total cases.

V1194	091C025:#X/AV WK GO OUT

Location: 1148-1149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00620

Question Number(s): 1C025

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five" 6="Six or seven"

Value	Label	Unweighted Frequency	%	Valid %
1	< 1:(1)	227	9.5 %	11.0%
2	ONE:(2)	294	12.3 %	14.2%
3	TWO:(3)	602	25.2 %	29.1%
4	THREE:(4)	488	20.4 %	23.6%
5	4-5:(5)	322	13.5 %	15.5%
6	6-7:(6)	139	5.8 %	6.7%
-9 (M)	MISSING:(-9)	320	13.4 %	-

Based upon 2072 valid cases out of 2392 total cases.

V1195	091C026:#X DATE 3+/WK

Location: 1150-1151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

Question Number(s): 1C026

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	684	28.6 %	33.4%
2	1/MO OR<:(2)	305	12.8 %	14.9%
3	2-3/MO:(3)	324	13.5 %	15.8%
4	1/WK:(4)	306	12.8 %	14.9%
5	2-3/WK:(5)	285	11.9 %	13.9%
6	3+/WK:(6)	145	6.1 %	7.1%
-9 (M)	MISSING:(-9)	343	14.3 %	-

Based upon 2049 valid cases out of 2392 total cases.

V1196   **091C027:DRIVE>200 MI/WK**

Location:	1152-1153 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00640

Question Number(s): 1C027

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	467	19.5 %	22.6%
2	1-10 MI:(2)	200	8.4 %	9.7%
3	11-50:(3)	472	19.7 %	22.9%
4	51-100:(4)	474	19.8 %	23.0%
5	101-200:(5)	269	11.2 %	13.0%
6	> 200:(6)	180	7.5 %	8.7%
-9 (M)	MISSING:(-9)	330	13.8 %	-

Based upon 2062 valid cases out of 2392 total cases.

V1197	091C028:#X/12MO R TCKTD				

Location:	1154-1155 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00650

Question Number(s): 1C028

Within the LAST 12 MONTHS, how many times, if any, have you
received a ticket (OR been stopped and warned) for moving
violations, such as speeding, running a stop light, or
improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1559	65.2 %	78.1%
1	ONE:(1)	279	11.7 %	14.0%
2	TWO:(2)	96	4.0 %	4.8%
3	THREE:(3)	35	1.5 %	1.8%
4	4+:(4)	27	1.1 %	1.4%
-9 (M)	MISSING:(-9)	396	16.6 %	-

Based upon 1996 valid cases out of 2392 total cases.

V1198	091C29AR:#TCKTS AFT DRNK	

Location:	1156-1157 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00660

Question Number(s): 1C029A

How many of these tickets or warnings occurred after you
were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	414	17.3 %	94.5%
1	ONE:(1)	16	0.7 %	3.7%
2	TWO:(2)	7	0.3 %	1.6%
3	3 - 4 OR +:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1954	81.7 %	-

Based upon 438 valid cases out of 2392 total cases.

V1199	**091C29BR:#TCKTS AFT MARJ**

Location:	1158-1159 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00670

Question Number(s): 1C029B

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	419	17.5 %	96.3%
1	ONE:(1)	12	0.5 %	2.8%
2	TWO:(2)	2	0.1 %	0.5%
3	3 - 4 OR +:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	1957	81.8 %	-

Based upon 435 valid cases out of 2392 total cases.

V1200	**091C29CR:#TCKTS AFT OTDG**

Location:	1160-1161 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00680

Question Number(s): 1C029C

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	425	17.8 %	98.2%
1	ONE:(1)	4	0.2 %	0.9%
2	TWO:(2)	2	0.1 %	0.5%
3	3 - 4 OR +:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	1959	81.9 %	-

Based upon 433 valid cases out of 2392 total cases.

V1201	**091C030:#ACCIDNTS/12 MO**

Location:	1162-1163 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00690

Question Number(s): 1C030

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1645	68.8 %	83.0%
1	ONE:(1)	262	11.0 %	13.2%
2	TWO:(2)	58	2.4 %	2.9%
3	THREE:(3)	10	0.4 %	0.5%
4	4+:(4)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	409	17.1 %	-

Based upon 1983 valid cases out of 2392 total cases.

V1202	**091C31AR:#ACDTS AFT DRNK**

Location:	1164-1165 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00700

Question Number(s): 1C031A

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	327	13.7 %	95.9%
1	ONE:(1)	12	0.5 %	3.5%
2	TWO:(2)	2	0.1 %	0.6%
-9 (M)	MISSING:(-9)	2051	85.7 %	-

Based upon 341 valid cases out of 2392 total cases.

V1203	**091C31BR:#ACDTS AFT MARJ**

Location:	1166-1167 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00710

Question Number(s): 1C031B

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	331	13.8 %	97.1%
1	ONE:(1)	5	0.2 %	1.5%
2	TWO:(2)	5	0.2 %	1.5%
-9 (M)	MISSING:(-9)	2051	85.7 %	-

Based upon 341 valid cases out of 2392 total cases.

V1204	**091C31CR:#ACDTS AFT OTDG**

Location:	1168-1169 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00720

Question Number(s): 1C031C

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	335	14.0 %	98.2%
1	ONE:(1)	5	0.2 %	1.5%
2	TWO:(2)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2051	85.7 %	-

Based upon 341 valid cases out of 2392 total cases.

V1205   **091C032:Rs BRANCH SERV**

Location:	1170-1171 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00730

Question Number(s): 1C032

If you have not entered military service, and do not expect
to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast
Guard" 6="Uncertain"

Value	Label	Unweighted Frequency	%	Valid %
1	ARMY:(1)	67	2.8 %	29.5%
2	NAVY:(2)	21	0.9 %	9.3%
3	MARINES:(3)	36	1.5 %	15.9%
4	AIRFORCE:(4)	57	2.4 %	25.1%
5	COAST GD:(5)	7	0.3 %	3.1%

Value	Label	Unweighted Frequency	%	Valid %
6	UNCERTN:(6)	39	1.6 %	17.2%
-9 (M)	MISSING:(-9)	2165	90.5 %	-

Based upon 227 valid cases out of 2392 total cases.

V1206	**091C033:R XPCTS B OFFCR**

Location: 1172-1173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00740

Question Number(s): 1C033

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	43	1.8 %	18.5%
2	UNCERTN:(2)	79	3.3 %	34.1%
3	YES:(3)	110	4.6 %	47.4%
-9 (M)	MISSING:(-9)	2160	90.3 %	-

Based upon 232 valid cases out of 2392 total cases.

V1207	**091C034:R XPCTS MLTR CR**

Location: 1174-1175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00750

Question Number(s): 1C034

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	43	1.8 %	18.6%
2	UNCERTN:(2)	93	3.9 %	40.3%
3	YES:(3)	95	4.0 %	41.1%
-9 (M)	MISSING:(-9)	2161	90.3 %	-

Based upon 231 valid cases out of 2392 total cases.

V1682	091D001:R LIKES SCHOOL

Location:	1176-1177 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07630

Question Number(s): 1D001

The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a bit"
3="I like school some" 2="I don't like school very much"
1="I don't like school at all"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT@ALL:(1)	140	5.9 %	6.9%
2	NOT VMCH:(2)	267	11.2 %	13.2%
3	SOME:(3)	900	37.6 %	44.5%
4	LIK ALOT:(4)	520	21.7 %	25.7%
5	LIK VMCH:(5)	195	8.2 %	9.6%
-9 (M)	MISSING:(-9)	370	15.5 %	-

Based upon 2022 valid cases out of 2392 total cases.

V1683	091D002:*SC WRK NVR MNG

Location:	1178-1179 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05700

Question Number(s): 1D002

How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	111	4.6 %	5.5%
2	SELDOM:(2)	432	18.1 %	21.4%
3	SOMETIME:(3)	836	34.9 %	41.4%

Value	Label	Unweighted Frequency	%	Valid %
4	OFTEN:(4)	451	18.9 %	22.3%
5	ALWAYS:(5)	188	7.9 %	9.3%
-9 (M)	MISSING:(-9)	374	15.6 %	-

Based upon 2018 valid cases out of 2392 total cases.

V1684	**091D003:*MST COUR V DUL**

Location: 1180-1181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05710

Question Number(s): 1D003

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"
3="Fairly interesting" 2="Slightly dull" 1="Very dull"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY DULL:(1)	145	6.1 %	7.2%
2	SLTLY DU:(2)	417	17.4 %	20.7%
3	FRLY INT:(3)	882	36.9 %	43.8%
4	QUITE IN:(4)	482	20.2 %	23.9%
5	VRY EXCI:(5)	88	3.7 %	4.4%
-9 (M)	MISSING:(-9)	378	15.8 %	-

Based upon 2014 valid cases out of 2392 total cases.

V1685	**091D004:*LRN SCH NT IMP**

Location: 1182-1183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05720

Question Number(s): 1D004

How important do you think the things you are learning in
school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"
2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	130	5.4 %	6.5%
2	SLTLY IM:(2)	468	19.6 %	23.4%
3	FRLY IMP:(3)	573	24.0 %	28.7%
4	QUITE IM:(4)	494	20.7 %	24.7%
5	VRY IMPT:(5)	334	14.0 %	16.7%
-9 (M)	MISSING:(-9)	393	16.4 %	-

Based upon 1999 valid cases out of 2392 total cases.

V1686	**091D005:LOT CMPTN GRADE**

Location:	1184-1185 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05730

Question Number(s): 1D005

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great deal"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	212	8.9 %	10.6%
2	A LITTLE:(2)	451	18.9 %	22.5%
3	SOME:(3)	668	27.9 %	33.4%
4	QUITEBIT:(4)	459	19.2 %	22.9%
5	GRT DEAL:(5)	211	8.8 %	10.5%
-9 (M)	MISSING:(-9)	391	16.3 %	-

Based upon 2001 valid cases out of 2392 total cases.

V1687	**091D006:STDTS DSLK CHTG**

Location:	1186-1187 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05740

Question Number(s): 1D006

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it"
3="They would not care" 4="They would dislike it" 5="They
would dislike it very much"

Value	Label	Unweighted Frequency	%	Valid %
1	LIK VMCH:(1)	67	2.8 %	3.4%
2	LIKE IT:(2)	60	2.5 %	3.0%
3	NOT CARE:(3)	1569	65.6 %	78.6%
4	DISLIKE:(4)	210	8.8 %	10.5%
5	DLIK MCH:(5)	89	3.7 %	4.5%
-9 (M)	MISSING:(-9)	397	16.6 %	-

Based upon 1995 valid cases out of 2392 total cases.

V1688	**091D007:ST -LK PROV TCH**

Location: 1188-1189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05750

Question Number(s): 1D007

How do you think most of the students in your classes would
feel if you intentionally did things to make your teachers
angry?

1="They would like it very much" 2="They would like it"
3="They would not care" 4="They would dislike it" 5="They
would dislike it very much"

Value	Label	Unweighted Frequency	%	Valid %
1	LIK VMCH:(1)	98	4.1 %	5.0%
2	LIKE IT:(2)	203	8.5 %	10.3%
3	NOT CARE:(3)	930	38.9 %	47.0%
4	DISLIKE:(4)	598	25.0 %	30.2%
5	DLIK MCH:(5)	150	6.3 %	7.6%
-9 (M)	MISSING:(-9)	413	17.3 %	-

Based upon 1979 valid cases out of 2392 total cases.

V1689	**091D008:FRD NCG/TCH -LK**

Location: 1190-1191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05760

Question Number(s): 1D008

How often do you find that your friends encourage you to do
things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	769	32.1 %	38.9%
2	SELDOM:(2)	642	26.8 %	32.5%
3	SOMETIME:(3)	383	16.0 %	19.4%
4	OFTEN:(4)	138	5.8 %	7.0%
5	ALWAYS:(5)	46	1.9 %	2.3%
-9 (M)	MISSING:(-9)	414	17.3 %	-

Based upon 1978 valid cases out of 2392 total cases.

V1690	**091D009:R IN WK-STDY PG**

Location: 1192-1193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05770

Question Number(s): 1D009

Have you ever been in a work-study program--that is, a
program where you work on a job as part of your schooling?

1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for
about a year" 4="Yes, for about two years" 5="Yes, for more
than two years"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT EVER:(1)	1687	70.5 %	85.5%
2	HALF YR:(2)	115	4.8 %	5.8%
3	ABT 1 YR:(3)	117	4.9 %	5.9%
4	ABT 2 YR:(4)	34	1.4 %	1.7%
5	>2 YRS:(5)	19	0.8 %	1.0%
-9 (M)	MISSING:(-9)	420	17.6 %	-

Based upon 1972 valid cases out of 2392 total cases.

V1691	**091D010:#X/YR COUNS IND**

Location:	1194-1195 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05780

Question Number(s): 1D010

How many times this school year have you seen a counselor individually?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NO TIMES:(1)	470	19.6 %	23.8%
2	1 TIME:(2)	210	8.8 %	10.6%
3	2 TIMES:(3)	348	14.5 %	17.6%
4	3-4 TIME:(4)	528	22.1 %	26.8%
5	5-7 TIME:(5)	212	8.9 %	10.8%
6	8-10 TIM:(6)	98	4.1 %	5.0%
7	11+ TIME:(7)	106	4.4 %	5.4%
-9 (M)	MISSING:(-9)	420	17.6 %	-

Based upon 1972 valid cases out of 2392 total cases.

V1692	**091D011:#X/YR COUNS GRP**

Location:	1196-1197 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05790

Question Number(s): 1D011

How many times this school year have you seen a counselor as a part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NO TIMES:(1)	1206	50.4 %	61.3%
2	1 TIME:(2)	254	10.6 %	12.9%
3	2 TIMES:(3)	207	8.7 %	10.5%
4	3-4 TIME:(4)	176	7.4 %	8.9%
5	5-7 TIME:(5)	64	2.7 %	3.3%

Value	Label	Unweighted Frequency	%	Valid %
6	8-10 TIM:(6)	26	1.1 %	1.3%
7	11+ TIME:(7)	35	1.5 %	1.8%
-9 (M)	MISSING:(-9)	424	17.7 %	-

Based upon 1968 valid cases out of 2392 total cases.

V1693	**091D012:R LK C COUNS MR**

Location:	1198-1199 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05800

Question Number(s): 1D012

Would you have preferred to see a counselor more or less
often than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often"
2="A little less often" 1="Much less often"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	231	9.7 %	11.9%
2	LIT LESS:(2)	124	5.2 %	6.4%
3	AS OFTEN:(3)	972	40.6 %	50.3%
4	MOR OFTN:(4)	416	17.4 %	21.5%
5	MCH MORE:(5)	191	8.0 %	9.9%
-9 (M)	MISSING:(-9)	458	19.1 %	-

Based upon 1934 valid cases out of 2392 total cases.

V1694	**091D013:CSLNG VRY HLPFL**

Location:	1200-1201 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05810

Question Number(s): 1D013

How helpful have your sessions with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"
2="A little helpful" 1="Not at all helpful" 8="Did not see a
counselor this year."

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	154	6.4 %	7.9%
2	A LITTLE:(2)	294	12.3 %	15.0%
3	SOMEWHAT:(3)	365	15.3 %	18.6%
4	QUITE:(4)	432	18.1 %	22.1%
5	EXT HELP:(5)	352	14.7 %	18.0%
8	NO SEE:(8)	361	15.1 %	18.4%
-9 (M)	MISSING:(-9)	434	18.1 %	-

Based upon 1958 valid cases out of 2392 total cases.

V1699	**091D014A:CNSL COURSES**

Location:	1202-1203 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05811

Question Number(s): 1D014A

Would you have preferred more or less of each of the
following types of counseling in the last year?

A: Choosing what courses to take

5="Much more" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	114	4.8 %	6.0%
2	LIT LESS:(2)	39	1.6 %	2.1%
3	ABT RITE:(3)	806	33.7 %	42.4%
4	LIT MORE:(4)	457	19.1 %	24.1%
5	MCH MORE:(5)	484	20.2 %	25.5%
-9 (M)	MISSING:(-9)	492	20.6 %	-

Based upon 1900 valid cases out of 2392 total cases.

V1700	**091D014B:CNSL CL PROB**

Location:	1204-1205 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05812

Question Number(s): 1D014B

Would you have preferred more or less of each of the
following types of counseling in the last year?

B: Discussing problems with course work

5="Much more" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	175	7.3 %	9.3%
2	LIT LESS:(2)	65	2.7 %	3.4%
3	ABT RITE:(3)	968	40.5 %	51.2%
4	LIT MORE:(4)	368	15.4 %	19.5%
5	MCH MORE:(5)	315	13.2 %	16.7%
-9 (M)	MISSING:(-9)	501	20.9 %	-

Based upon 1891 valid cases out of 2392 total cases.

V1701	091D014C:CNSL TRBL R IN

Location: 1206-1207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05813

Question Number(s): 1D014C

Would you have preferred more or less of each of the
following types of counseling in the last year?

C: Discussing any trouble you've gotten into

5="Much more" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	300	12.5 %	16.0%
2	LIT LESS:(2)	94	3.9 %	5.0%
3	ABT RITE:(3)	1106	46.2 %	58.9%
4	LIT MORE:(4)	167	7.0 %	8.9%
5	MCH MORE:(5)	211	8.8 %	11.2%
-9 (M)	MISSING:(-9)	514	21.5 %	-

Based upon 1878 valid cases out of 2392 total cases.

V1702	091D014D:CNSL MILTRY PLN

Location:	1208-1209 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05814

Question Number(s): 1D014D

Would you have preferred more or less of each of the following types of counseling in the last year?

D: Discussing military plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	673	28.1 %	36.2%
2	LIT LESS:(2)	91	3.8 %	4.9%
3	ABT RITE:(3)	866	36.2 %	46.5%
4	LIT MORE:(4)	97	4.1 %	5.2%
5	MCH MORE:(5)	134	5.6 %	7.2%
-9 (M)	MISSING:(-9)	531	22.2 %	-

Based upon 1861 valid cases out of 2392 total cases.

V1703	**091D014E:CNSL EDUC PLANS**

Location:	1210-1211 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05815

Question Number(s): 1D014E

Would you have preferred more or less of each of the following types of counseling in the last year?

E: Discussing education or training plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	177	7.4 %	9.4%
2	LIT LESS:(2)	79	3.3 %	4.2%
3	ABT RITE:(3)	791	33.1 %	41.9%
4	LIT MORE:(4)	467	19.5 %	24.7%

Value	Label	Unweighted Frequency	%	Valid %
5	MCH MORE:(5)	375	15.7 %	19.9%
-9 (M)	MISSING:(-9)	503	21.0 %	-

Based upon 1889 valid cases out of 2392 total cases.

V1704	**091D014F:CNSL CAREER PLN**

Location: 1212-1213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05816

Question Number(s): 1D014F

Would you have preferred more or less of each of the following types of counseling in the last year?

F: Discussing career plans or job choice

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	131	5.5 %	6.9%
2	LIT LESS:(2)	51	2.1 %	2.7%
3	ABT RITE:(3)	683	28.6 %	36.2%
4	LIT MORE:(4)	511	21.4 %	27.1%
5	MCH MORE:(5)	510	21.3 %	27.0%
-9 (M)	MISSING:(-9)	506	21.2 %	-

Based upon 1886 valid cases out of 2392 total cases.

V1705	**091D014G:CNSL PRNL PROB**

Location: 1214-1215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05817

Question Number(s): 1D014G

Would you have preferred more or less of each of the following types of counseling in the last year?

G: Discussing personal problems

5="Much more" 4="A little more" 3="About right" 2="A little

less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	358	15.0 %	19.2%
2	LIT LESS:(2)	112	4.7 %	6.0%
3	ABT RITE:(3)	1003	41.9 %	53.8%
4	LIT MORE:(4)	164	6.9 %	8.8%
5	MCH MORE:(5)	229	9.6 %	12.3%
-9 (M)	MISSING:(-9)	526	22.0 %	-

Based upon 1866 valid cases out of 2392 total cases.

V1719	**091D015A:#DA HEADACHE**

Location:	1216-1217 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21310

Question Number(s): 1D015A

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	392	16.4 %	20.4%
2	1 DAY:(2)	341	14.3 %	17.7%
3	2 DAYS:(3)	390	16.3 %	20.3%
4	3-5 DAYS:(4)	398	16.6 %	20.7%
5	6-9 DAYS:(5)	208	8.7 %	10.8%
6	10-19 DA:(6)	119	5.0 %	6.2%
7	20+ DAYS:(7)	74	3.1 %	3.9%
-9 (M)	MISSING:(-9)	470	19.6 %	-

Based upon 1922 valid cases out of 2392 total cases.

V1720	**091D015B:#DA SORE THROAT**

Location:	1218-1219 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 21320

Question Number(s): 1D015B

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

B: Sore throat or hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	816	34.1 %	42.5%
2	1 DAY:(2)	331	13.8 %	17.3%
3	2 DAYS:(3)	313	13.1 %	16.3%
4	3-5 DAYS:(4)	295	12.3 %	15.4%
5	6-9 DAYS:(5)	103	4.3 %	5.4%
6	10-19 DA:(6)	46	1.9 %	2.4%
7	20+ DAYS:(7)	14	0.6 %	0.7%
-9 (M)	MISSING:(-9)	474	19.8 %	-

Based upon 1918 valid cases out of 2392 total cases.

V1721	**091D015C:#DA SINUS CONG**

Location: 1220-1221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21330

Question Number(s): 1D015C

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

C: Trouble with sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	520	21.7 %	27.2%
2	1 DAY:(2)	228	9.5 %	11.9%
3	2 DAYS:(3)	270	11.3 %	14.1%

Value	Label	Unweighted Frequency	%	Valid %
4	3-5 DAYS:(4)	416	17.4 %	21.7%
5	6-9 DAYS:(5)	243	10.2 %	12.7%
6	10-19 DA:(6)	153	6.4 %	8.0%
7	20+ DAYS:(7)	83	3.5 %	4.3%
-9 (M)	MISSING:(-9)	479	20.0 %	-

Based upon 1913 valid cases out of 2392 total cases.

V1722　091D015D:#DA COUGHING

Location:	1222-1223 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21340

Question Number(s): 1D015D

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1094	45.7 %	57.4%
2	1 DAY:(2)	249	10.4 %	13.1%
3	2 DAYS:(3)	182	7.6 %	9.5%
4	3-5 DAYS:(4)	220	9.2 %	11.5%
5	6-9 DAYS:(5)	95	4.0 %	5.0%
6	10-19 DA:(6)	45	1.9 %	2.4%
7	20+ DAYS:(7)	21	0.9 %	1.1%
-9 (M)	MISSING:(-9)	486	20.3 %	-

Based upon 1906 valid cases out of 2392 total cases.

V1723　091D015E:#DA CHEST COLD

Location:	1224-1225 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21350

Question Number(s): 1D015E

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1443	60.3 %	75.8%
2	1 DAY:(2)	161	6.7 %	8.5%
3	2 DAYS:(3)	97	4.1 %	5.1%
4	3-5 DAYS:(4)	128	5.4 %	6.7%
5	6-9 DAYS:(5)	52	2.2 %	2.7%
6	10-19 DA:(6)	14	0.6 %	0.7%
7	20+ DAYS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	489	20.4 %	-

Based upon 1903 valid cases out of 2392 total cases.

V1724	091D015F:#DA COUGH PHLM

Location:	1226-1227 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21360

Question Number(s): 1D015F

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

F: Coughing up phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1506	63.0 %	79.3%
2	1 DAY:(2)	108	4.5 %	5.7%
3	2 DAYS:(3)	85	3.6 %	4.5%
4	3-5 DAYS:(4)	106	4.4 %	5.6%
5	6-9 DAYS:(5)	44	1.8 %	2.3%

Value	Label	Unweighted Frequency	%	Valid %
6	10-19 DA:(6)	25	1.0 %	1.3%
7	20+ DAYS:(7)	24	1.0 %	1.3%
-9 (M)	MISSING:(-9)	494	20.7 %	-

Based upon 1898 valid cases out of 2392 total cases.

V1725	**091D015G:#DA SHORT BRTH**

Location: 1228-1229 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21370

Question Number(s): 1D015G

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

G: Shortness of breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1526	63.8 %	80.1%
2	1 DAY:(2)	133	5.6 %	7.0%
3	2 DAYS:(3)	84	3.5 %	4.4%
4	3-5 DAYS:(4)	86	3.6 %	4.5%
5	6-9 DAYS:(5)	26	1.1 %	1.4%
6	10-19 DA:(6)	24	1.0 %	1.3%
7	20+ DAYS:(7)	26	1.1 %	1.4%
-9 (M)	MISSING:(-9)	487	20.4 %	-

Based upon 1905 valid cases out of 2392 total cases.

V1726	**091D015H:#DA WHEEZING**

Location: 1230-1231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21380

Question Number(s): 1D015H

These next questions concern your health. During the LAST 30

DAYS, on how many days (if any) did you have the following problems or symptoms?

H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1632	68.2 %	86.0%
2	1 DAY:(2)	101	4.2 %	5.3%
3	2 DAYS:(3)	75	3.1 %	4.0%
4	3-5 DAYS:(4)	34	1.4 %	1.8%
5	6-9 DAYS:(5)	28	1.2 %	1.5%
6	10-19 DA:(6)	15	0.6 %	0.8%
7	20+ DAYS:(7)	13	0.5 %	0.7%
-9 (M)	MISSING:(-9)	494	20.7 %	-

Based upon 1898 valid cases out of 2392 total cases.

V1727	**091D015I:#DA TRBL REMEM**

Location:	1232-1233 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21390

Question Number(s): 1D015I

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

I: Trouble remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1200	50.2 %	63.3%
2	1 DAY:(2)	202	8.4 %	10.6%
3	2 DAYS:(3)	158	6.6 %	8.3%
4	3-5 DAYS:(4)	123	5.1 %	6.5%
5	6-9 DAYS:(5)	91	3.8 %	4.8%
6	10-19 DA:(6)	49	2.0 %	2.6%
7	20+ DAYS:(7)	74	3.1 %	3.9%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	495	20.7 %	-

Based upon 1897 valid cases out of 2392 total cases.

V1728	**091D015J:#DA DFCT THINK**

Location:	1234-1235 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21400

Question Number(s): 1D015J

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

J: Difficulty thinking or concentrating

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	933	39.0 %	49.1%
2	1 DAY:(2)	243	10.2 %	12.8%
3	2 DAYS:(3)	253	10.6 %	13.3%
4	3-5 DAYS:(4)	195	8.2 %	10.3%
5	6-9 DAYS:(5)	129	5.4 %	6.8%
6	10-19 DA:(6)	67	2.8 %	3.5%
7	20+ DAYS:(7)	80	3.3 %	4.2%
-9 (M)	MISSING:(-9)	492	20.6 %	-

Based upon 1900 valid cases out of 2392 total cases.

V1729	**091D015K:#DA TRBL LEARN**

Location:	1236-1237 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21410

Question Number(s): 1D015K

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

K: Trouble learning new things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1320	55.2 %	69.8%
2	1 DAY:(2)	196	8.2 %	10.4%
3	2 DAYS:(3)	151	6.3 %	8.0%
4	3-5 DAYS:(4)	113	4.7 %	6.0%
5	6-9 DAYS:(5)	53	2.2 %	2.8%
6	10-19 DA:(6)	28	1.2 %	1.5%
7	20+ DAYS:(7)	30	1.3 %	1.6%
-9 (M)	MISSING:(-9)	501	20.9 %	-

Based upon 1891 valid cases out of 2392 total cases.

V1730	**091D015L:#DA TRBL SLEEP**

Location:	1238-1239 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21420

Question Number(s): 1D015L

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

L: Trouble sleeping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	797	33.3 %	42.3%
2	1 DAY:(2)	235	9.8 %	12.5%
3	2 DAYS:(3)	253	10.6 %	13.4%
4	3-5 DAYS:(4)	236	9.9 %	12.5%
5	6-9 DAYS:(5)	139	5.8 %	7.4%
6	10-19 DA:(6)	105	4.4 %	5.6%
7	20+ DAYS:(7)	121	5.1 %	6.4%
-9 (M)	MISSING:(-9)	506	21.2 %	-

Based upon 1886 valid cases out of 2392 total cases.

V1731	091D015M:#DA TRBL START

Location:	1240-1241 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21430

Question Number(s): 1D015M

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

M: Trouble getting started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	733	30.6 %	38.7%
2	1 DAY:(2)	177	7.4 %	9.3%
3	2 DAYS:(3)	205	8.6 %	10.8%
4	3-5 DAYS:(4)	204	8.5 %	10.8%
5	6-9 DAYS:(5)	183	7.7 %	9.7%
6	10-19 DA:(6)	133	5.6 %	7.0%
7	20+ DAYS:(7)	261	10.9 %	13.8%
-9 (M)	MISSING:(-9)	496	20.7 %	-

Based upon 1896 valid cases out of 2392 total cases.

V1732	091D015N:#DA STAY HOME

Location:	1242-1243 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21440

Question Number(s): 1D015N

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

N: Stayed home most or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1147	48.0 %	60.5%
2	1 DAY:(2)	313	13.1 %	16.5%
3	2 DAYS:(3)	212	8.9 %	11.2%
4	3-5 DAYS:(4)	138	5.8 %	7.3%
5	6-9 DAYS:(5)	46	1.9 %	2.4%
6	10-19 DA:(6)	20	0.8 %	1.1%
7	20+ DAYS:(7)	20	0.8 %	1.1%
-9 (M)	MISSING:(-9)	496	20.7 %	-

Based upon 1896 valid cases out of 2392 total cases.

V1733	**091D016A:#X/12M DOC-CHEK**

Location:	1244-1245 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21450

Question Number(s): 1D016A

In the LAST 12 MONTHS, how many times (if any) have you seen
a doctor or other professional for each of the following?

A: For a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	755	31.6 %	38.7%
2	ONCE:(2)	774	32.4 %	39.7%
3	TWICE:(3)	308	12.9 %	15.8%
4	3-5X:(4)	78	3.3 %	4.0%
5	6-9X:(5)	20	0.8 %	1.0%
6	10+ TIME:(6)	14	0.6 %	0.7%
-9 (M)	MISSING:(-9)	443	18.5 %	-

Based upon 1949 valid cases out of 2392 total cases.

V1734	**091D016B:#X/12M DOC-FGHT**

Location:	1246-1247 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21460

Question Number(s): 1D016B

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

B: For an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1790	74.8 %	92.6%
2	ONCE:(2)	77	3.2 %	4.0%
3	TWICE:(3)	39	1.6 %	2.0%
4	3-5X:(4)	12	0.5 %	0.6%
5	6-9X:(5)	10	0.4 %	0.5%
6	10+ TIME:(6)	5	0.2 %	0.3%
-9 (M)	MISSING:(-9)	459	19.2 %	-

Based upon 1933 valid cases out of 2392 total cases.

V1735	091D016C:#X/12M DOC-INJ

Location:	1248-1249 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21470

Question Number(s): 1D016C

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

C: For any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1596	66.7 %	82.4%
2	ONCE:(2)	162	6.8 %	8.4%
3	TWICE:(3)	105	4.4 %	5.4%
4	3-5X:(4)	42	1.8 %	2.2%
5	6-9X:(5)	18	0.8 %	0.9%
6	10+ TIME:(6)	13	0.5 %	0.7%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	456	19.1 %	-

Based upon 1936 valid cases out of 2392 total cases.

V1736	**091D016D:#X/12M DOC-ILL**

Location:	1250-1251 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21480

Question Number(s): 1D016D

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

D: For some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1131	47.3 %	58.6%
2	ONCE:(2)	358	15.0 %	18.6%
3	TWICE:(3)	240	10.0 %	12.4%
4	3-5X:(4)	153	6.4 %	7.9%
5	6-9X:(5)	31	1.3 %	1.6%
6	10+ TIME:(6)	16	0.7 %	0.8%
-9 (M)	MISSING:(-9)	463	19.4 %	-

Based upon 1929 valid cases out of 2392 total cases.

V1737	**091D016E:#X/12M DOC-PSY**

Location:	1252-1253 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21490

Question Number(s): 1D016E

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

E: For some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1766	73.8 %	91.7%
2	ONCE:(2)	54	2.3 %	2.8%
3	TWICE:(3)	40	1.7 %	2.1%
4	3-5X:(4)	27	1.1 %	1.4%
5	6-9X:(5)	13	0.5 %	0.7%
6	10+ TIME:(6)	26	1.1 %	1.3%
-9 (M)	MISSING:(-9)	466	19.5 %	-

Based upon 1926 valid cases out of 2392 total cases.

V1738	**091D017A:#X/12M HSP-INJ**

Location:	1254-1255 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21500

Question Number(s): 1D017A

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

A: . . . because of an injury?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1823	76.2 %	95.1%
2	ONCE:(2)	54	2.3 %	2.8%
3	TWICE:(3)	20	0.8 %	1.0%
4	3-5X:(4)	11	0.5 %	0.6%
5	6-9X:(5)	4	0.2 %	0.2%
6	10+ TIME:(6)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	476	19.9 %	-

Based upon 1916 valid cases out of 2392 total cases.

V1739	**091D017B:#X/12M HSP-ILL**

Location:	1256-1257 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 21510

Question Number(s): 1D017B

In the LAST 12 MONTHS, how many times (if any) have you spent
one or more nights in the hospital . . .

B: . . . because of some physical illness?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1793	75.0 %	94.0%
2	ONCE:(2)	79	3.3 %	4.1%
3	TWICE:(3)	18	0.8 %	0.9%
4	3-5X:(4)	8	0.3 %	0.4%
5	6-9X:(5)	5	0.2 %	0.3%
6	10+ TIME:(6)	5	0.2 %	0.3%
-9 (M)	MISSING:(-9)	484	20.2 %	-

Based upon 1908 valid cases out of 2392 total cases.

V1740   091D018:RLTV PHY HEALTH

Location: 1258-1259 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 21520

Question Number(s): 1D018

Overall, relative to other people your age, do you think
your physical health over the past year has been . . . ?

1="Much poorer than average" 2="Somewhat poorer" 3="About
average" 4="Somewhat better" 5="Much better than average"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH <AVG:(1)	89	3.7 %	4.7%
2	SOM <AVG:(2)	226	9.4 %	11.9%
3	ABT AVRG:(3)	789	33.0 %	41.5%
4	SOM >AVG:(4)	467	19.5 %	24.5%
5	MCH >AVG:(5)	332	13.9 %	17.4%
-9 (M)	MISSING:(-9)	489	20.4 %	-

Based upon 1903 valid cases out of 2392 total cases.

V1791	**091D021A:DAP SMK 1PCK CI**

Location:	1260-1261 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08560

Question Number(s): 1D021A

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	532	22.2 %	27.8%
2	DISAPPRV:(2)	697	29.1 %	36.5%
3	STRG DIS:(3)	683	28.6 %	35.7%
-9 (M)	MISSING:(-9)	480	20.1 %	-

Based upon 1912 valid cases out of 2392 total cases.

V1792	**091D021B:DAP TRY MRJ 1-2**

Location:	1262-1263 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08570

Question Number(s): 1D021B

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	886	37.0 %	46.7%
2	DISAPPRV:(2)	513	21.4 %	27.0%
3	STRG DIS:(3)	498	20.8 %	26.3%
-9 (M)	MISSING:(-9)	495	20.7 %	-

Based upon 1897 valid cases out of 2392 total cases.

V1793	**091D021C:DAP SMK MRJ OCC**

Location:	1264-1265 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08580

Question Number(s): 1D021C

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	689	28.8 %	36.3%
2	DISAPPRV:(2)	551	23.0 %	29.0%
3	STRG DIS:(3)	658	27.5 %	34.7%
-9 (M)	MISSING:(-9)	494	20.7 %	-

Based upon 1898 valid cases out of 2392 total cases.

V1794	**091D021D:DAP SMK MRJ REG**

Location:	1266-1267 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08590

Question Number(s): 1D021D

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	444	18.6 %	23.6%
2	DISAPPRV:(2)	547	22.9 %	29.0%
3	STRG DIS:(3)	892	37.3 %	47.4%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	509	21.3 %	-

Based upon 1883 valid cases out of 2392 total cases.

V1795	**091D021E:DAP COK PWD 1-2**

Location: 1268-1269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23630

Question Number(s): 1D021E

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	259	10.8 %	13.7%
2	DISAPPRV:(2)	458	19.1 %	24.2%
3	STRG DIS:(3)	1174	49.1 %	62.1%
-9 (M)	MISSING:(-9)	501	20.9 %	-

Based upon 1891 valid cases out of 2392 total cases.

V1796	**091D021F:DAP COK PWDR OC**

Location: 1270-1271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23640

Question Number(s): 1D021F

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	191	8.0 %	10.1%
2	DISAPPRV:(2)	391	16.3 %	20.7%
3	STRG DIS:(3)	1307	54.6 %	69.2%
-9 (M)	MISSING:(-9)	503	21.0 %	-

Based upon 1889 valid cases out of 2392 total cases.

V1797	**091D021G:DAP COK PWDR RE**

Location:	1272-1273 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23650

Question Number(s): 1D021G

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	172	7.2 %	9.1%
2	DISAPPRV:(2)	317	13.3 %	16.8%
3	STRG DIS:(3)	1399	58.5 %	74.1%
-9 (M)	MISSING:(-9)	504	21.1 %	-

Based upon 1888 valid cases out of 2392 total cases.

V1798	**091D021H:DAP TRY CRK 1-2**

Location:	1274-1275 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23660

Question Number(s): 1D021H

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	203	8.5 %	10.8%
2	DISAPPRV:(2)	414	17.3 %	22.0%
3	STRG DIS:(3)	1268	53.0 %	67.3%
-9 (M)	MISSING:(-9)	507	21.2 %	-

Based upon 1885 valid cases out of 2392 total cases.

V1799	**091D021I:DAP CRACK OCC**

Location:	1276-1277 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23670

Question Number(s): 1D021I

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	169	7.1 %	9.0%
2	DISAPPRV:(2)	350	14.6 %	18.6%
3	STRG DIS:(3)	1363	57.0 %	72.4%
-9 (M)	MISSING:(-9)	510	21.3 %	-

Based upon 1882 valid cases out of 2392 total cases.

V1800	**091D021J:DAP CRACK REG**

Location:	1278-1279 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23680

Question Number(s): 1D021J

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	165	6.9 %	8.8%
2	DISAPPRV:(2)	293	12.2 %	15.7%
3	STRG DIS:(3)	1408	58.9 %	75.5%
-9 (M)	MISSING:(-9)	526	22.0 %	-

Based upon 1866 valid cases out of 2392 total cases.

V1801	**091D021K:DAP TRY DRK ALC**

Location:	1280-1281 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08710

Question Number(s): 1D021K

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage
(beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	1291	54.0 %	68.6%
2	DISAPPRV:(2)	293	12.2 %	15.6%
3	STRG DIS:(3)	298	12.5 %	15.8%
-9 (M)	MISSING:(-9)	510	21.3 %	-

Based upon 1882 valid cases out of 2392 total cases.

V1802	**091D021L:DAP 1-2 DRK/DAY**

Location:	1282-1283 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08720

Question Number(s): 1D021L

Individuals differ in whether or not they disapprove of

people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	641	26.8 %	34.0%
2	DISAPPRV:(2)	695	29.1 %	36.9%
3	STRG DIS:(3)	547	22.9 %	29.0%
-9 (M)	MISSING:(-9)	509	21.3 %	-

Based upon 1883 valid cases out of 2392 total cases.

V1803	**091D021M:DAP 4-5 DRK/DAY**

Location:	1284-1285 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08730

Question Number(s): 1D021M

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	307	12.8 %	16.3%
2	DISAPPRV:(2)	545	22.8 %	28.9%
3	STRG DIS:(3)	1032	43.1 %	54.8%
-9 (M)	MISSING:(-9)	508	21.2 %	-

Based upon 1884 valid cases out of 2392 total cases.

V1804	**091D021N:DAP 5+ DRK WKND**

Location:	1286-1287 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08740

Question Number(s): 1D021N

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	585	24.5 %	31.2%
2	DISAPPRV:(2)	464	19.4 %	24.8%
3	STRG DIS:(3)	823	34.4 %	44.0%
-9 (M)	MISSING:(-9)	520	21.7 %	-

Based upon 1872 valid cases out of 2392 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page.

Publications are divided into the following categories:

Monographs
Reference Volumes
Books
Journal Articles
Chapters
Research Reports
Occasional Papers
Congressional Testimony
Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.