

ICPSR 30985

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Lloyd D. Johnston

University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley

University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg

University of Michigan. Institute for Social Research. Survey Research Center

Form 5 Data Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/30985.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TABLE OF CONTENTS

INTRODUCTION.....	1
DATA COLLECTION DESCRIPTION	1
DATA COLLECTION PROCEDURES	1
SAMPLING INFORMATION	2
Stage 1: Geographic Areas.....	2
Stage 2: Schools	2
Stage 3: Students	2
School Recruiting Procedures	3
Advance Contact With Teachers and Students	3
Questionnaire Administration	3
Procedures for Protecting Confidentiality.	4
CONTENT AREAS AND QUESTIONNAIRE DESIGN	4
MEASUREMENT CONTENT AREAS	4
REPRESENTATIVENESS AND VALIDITY	6
School Participation.....	6
Student Participation.....	7
Validity of Self-Report Data	7
Accuracy of the Sample.....	7
Consistency and the Measurement of Trends	8
Interpreting Racial Differences	8
Differential Representation.....	9
Differential Response Tendencies.	9
Covariance With Other Factors	10
WEIGHTING INFORMATION	11
FILE STRUCTURE	11
CODEBOOK INFORMATION	12
ICPSR PROCESSING INFORMATION	14
Omitted Variables.....	14
Recoded Variables.....	15
Missing Data for Western Region.....	16
Questionnaire Form 1 Processing	16
Revised Question Text for the Core Dataset.....	17
 FREQUENCIES.....	 19
APPENDICES	191
Appendix A: Publications	193
Appendix B: Sample Size and Student Response Rates.....	195

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2010 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2010 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	189	392	15,127
2	Form 1	637	1,285	2,526
3	Form 2	329	671	2,536
4	Form 3	359	732	2,523
5	Form 4	270	556	2,496
6	Form 5	320	653	2,519
7	Form 6	336	686	2,527

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119

[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)

[4] Variable Type: numeric (ISO)

[5] Range of Missing Values (M): -9

Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS

Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3] Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 30985

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Form 5 Data

CASEID CASE IDENTIFICATION NUMBER

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric
Based upon 2519 valid cases out of 2519 total cases.

V1 YEAR OF ADMIN (4-DIGITS)

Location: 5-8 (width: 4; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2010	2519	100.0 %	100.0%

Based upon 2519 valid cases out of 2519 total cases.

V3 105:FORM ID

Location: 9-10 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	2519	100.0 %	100.0%

Based upon 2519 valid cases out of 2519 total cases.

V4 105:Rs ID-SERIAL

Location: 11-15 (width: 5; decimal: 0)
Variable Type: numeric
Based upon 2519 valid cases out of 2519 total cases.

V5 SAMPLING WEIGHT

Location: 16-21 (width: 6; decimal: 4)
Variable Type: numeric
Based upon 2519 valid cases out of 2519 total cases.

V13 SCH REG-4 CAT

Location: 22-23 (width: 2; decimal: 0)
Variable Type: numeric
Question: Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NORTHEAST:(1)	536	21.3 %	21.3%
2	NORTH CENTRL:(2)	620	24.6 %	24.6%
3	SOUTH:(3)	842	33.4 %	33.4%
4	WEST:(4)	521	20.7 %	20.7%

Based upon 2519 valid cases out of 2519 total cases.

V16	LARGE MSA=1/NOT=0
------------	--------------------------

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	1645	65.3 %	65.3%
1	LARGE MSA:(1)	874	34.7 %	34.7%

Based upon 2519 valid cases out of 2519 total cases.

V17	MSA/NON-MSA=0
------------	----------------------

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	454	18.0 %	18.0%
1	MSA:(1)	2065	82.0 %	82.0%

Based upon 2519 valid cases out of 2519 total cases.

V5208	105A01 :VRY HPY THS DAYS
--------------	---------------------------------

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%	Valid %
1	NT HAPPY:(1)	363	14.4 %	14.5%
2	PRTY HPY:(2)	1598	63.4 %	63.7%
3	VRV HPY:(3)	548	21.8 %	21.8%
-9 (M)	MISSING:(-9)	10	0.4 %	-

Based upon 2509 valid cases out of 2519 total cases.

V5209

105A02 :THK ABT SOC ISSU

Location: 30-31 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	99	3.9 %	4.0%
2	SELDOM:(2)	450	17.9 %	18.0%
3	SOMETIME:(3)	1282	50.9 %	51.2%
4	QUITE OFTN:(4)	544	21.6 %	21.7%
5	GREAT DEAL:(5)	130	5.2 %	5.2%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2505 valid cases out of 2519 total cases.

V5210

105A03A:WR/NT NUCLER WAR

Location: 32-33 (width: 2; decimal: 0)
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11660

Of all the problems facing the nation today, how often do you worry about each of the following?

A: Chance of nuclear war

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1030	40.9 %	41.2%
2	SELDOM:(2)	856	34.0 %	34.2%
3	SOMETIME:(3)	466	18.5 %	18.6%
4	OFTEN:(4)	148	5.9 %	5.9%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2500 valid cases out of 2519 total cases.

V5211

105A03B:WR/NT POP GROWTH

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11670

Of all the problems facing the nation today, how often do you worry about each of the following?

B: Population growth

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	871	34.6 %	34.8%
2	SELDOM:(2)	785	31.2 %	31.3%
3	SOMETIME:(3)	593	23.5 %	23.7%
4	OFTEN:(4)	255	10.1 %	10.2%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2504 valid cases out of 2519 total cases.

V5212

105A03C:WR/NT CRIME/VLNC

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11680

Of all the problems facing the nation today, how often do you worry about each of the following?

C: Crime and violence

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	125	5.0 %	5.0%
2	SELDOM:(2)	458	18.2 %	18.3%
3	SOMETIME:(3)	1087	43.2 %	43.4%
4	OFTEN:(4)	835	33.1 %	33.3%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2505 valid cases out of 2519 total cases.

V5213

105A03D:WR/NT POLLUTION

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11690

Of all the problems facing the nation today, how often do you worry about each of the following?

D: Pollution

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	407	16.2 %	16.3%
2	SELDOM:(2)	774	30.7 %	30.9%
3	SOMETIME:(3)	815	32.4 %	32.6%
4	OFTEN:(4)	506	20.1 %	20.2%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2502 valid cases out of 2519 total cases.

V5214

105A03E:WR/NT ENRGY SHRT

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11700

Of all the problems facing the nation today, how often do you worry about each of the following?

E: Energy shortages

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	856	34.0 %	34.2%
2	SELDOM:(2)	852	33.8 %	34.0%
3	SOMETIME:(3)	536	21.3 %	21.4%
4	OFTEN:(4)	259	10.3 %	10.3%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2503 valid cases out of 2519 total cases.

V5215

105A03F:WR/NT RACE RELTN

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11710

Of all the problems facing the nation today, how often do you worry about each of the following?

F: Race relations

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	671	26.6 %	26.9%
2	SELDOM:(2)	736	29.2 %	29.5%
3	SOMETIME:(3)	643	25.5 %	25.7%
4	OFTEN:(4)	449	17.8 %	18.0%
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2499 valid cases out of 2519 total cases.

V5216

105A03G:WR/NT HNCR/PVRTY

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11720

Of all the problems facing the nation today, how often do you worry about each of the following?

G: Hunger and poverty

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	303	12.0 %	12.1%
2	SELDOM:(2)	717	28.5 %	28.7%
3	SOMETIME:(3)	911	36.2 %	36.4%
4	OFTEN:(4)	569	22.6 %	22.8%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2500 valid cases out of 2519 total cases.

V5217 105A03H:WR/NT USE OPN LD

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11730

Of all the problems facing the nation today, how often do you worry about each of the following?

H: Using open land for housing or industry

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1091	43.3 %	43.6%
2	SELDOM:(2)	727	28.9 %	29.1%
3	SOMETIME:(3)	449	17.8 %	17.9%
4	OFTEN:(4)	235	9.3 %	9.4%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2502 valid cases out of 2519 total cases.

V5218 105A03I:WR/NT URBN DECAY

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11740

Of all the problems facing the nation today, how often do you worry about each of the following?

I: Urban decay

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1293	51.3 %	51.9%
2	SELDOM:(2)	759	30.1 %	30.5%
3	SOMETIME:(3)	317	12.6 %	12.7%
4	OFTEN:(4)	123	4.9 %	4.9%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2492 valid cases out of 2519 total cases.

V5219 105A03J:WR/NT ECON PRBLM

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11750

Of all the problems facing the nation today, how often do you worry about each of the following?

J: Economic problems

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	212	8.4 %	8.5%
2	SELDOM:(2)	412	16.4 %	16.5%
3	SOMETIME:(3)	916	36.4 %	36.6%
4	OFTEN:(4)	963	38.2 %	38.5%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2503 valid cases out of 2519 total cases.

V5220 105A03K:WR/NT DRUG ABUSE

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11760

Of all the problems facing the nation today, how often do you worry about each of the following?

K: Drug abuse

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	427	17.0 %	17.1%
2	SELDOM:(2)	728	28.9 %	29.1%
3	SOMETIME:(3)	742	29.5 %	29.6%
4	OFTEN:(4)	607	24.1 %	24.2%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2504 valid cases out of 2519 total cases.

V5221

105A04A:XPRC MK R GD SPS

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11770

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

A: . . . husband or wife?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POORLY:(1)	92	3.7 %	3.8%
2	NOT WELL:(2)	108	4.3 %	4.4%
3	FAIR WELL:(3)	479	19.0 %	19.5%
4	WELL:(4)	913	36.2 %	37.3%
5	VERY WELL:(5)	859	34.1 %	35.0%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2451 valid cases out of 2519 total cases.

V5222

105A04B:XPRC MK R GD PRT

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11780

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

B: . . . parent?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POORLY:(1)	87	3.5 %	3.5%
2	NOT WELL:(2)	127	5.0 %	5.1%
3	FAIR WELL:(3)	437	17.3 %	17.6%
4	WELL:(4)	801	31.8 %	32.2%
5	VERY WELL:(5)	1034	41.0 %	41.6%
-9 (M)	MISSING:(-9)	33	1.3 %	-

Based upon 2486 valid cases out of 2519 total cases.

V5223

105A04C:XPRC MK R GD WKR

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11790

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

C: . . . worker on a job?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POORLY:(1)	38	1.5 %	1.5%
2	NOT WELL:(2)	60	2.4 %	2.4%
3	FAIR WELL:(3)	327	13.0 %	13.2%
4	WELL:(4)	838	33.3 %	33.7%
5	VERY WELL:(5)	1220	48.4 %	49.1%
-9 (M)	MISSING:(-9)	36	1.4 %	-

Based upon 2483 valid cases out of 2519 total cases.

V5224

105A05A:PLC WRK LG CORPN

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11800

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A: Working in a large corporation

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	186	7.4 %	7.5%
2	SOMEWHAT:(2)	652	25.9 %	26.1%
3	ACCEPTBL:(3)	1240	49.2 %	49.7%
4	DESIRBL:(4)	418	16.6 %	16.7%
-9 (M)	MISSING:(-9)	23	0.9 %	-

Based upon 2496 valid cases out of 2519 total cases.

V5225

105A05B:PLC WRK SM BSNSS

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11810

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

B: Working in a small business

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	127	5.0 %	5.1%
2	SOMEWHAT:(2)	561	22.3 %	22.5%
3	ACCEPTBL:(3)	1467	58.2 %	58.8%
4	DESIRBL:(4)	339	13.5 %	13.6%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2494 valid cases out of 2519 total cases.

V5226 105A05C:PLC WRK GVT AGCY

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11820

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

C: Working in a government agency

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	462	18.3 %	18.6%
2	SOMEWHAT:(2)	674	26.8 %	27.1%
3	ACCEPTBL:(3)	925	36.7 %	37.2%
4	DESIRBL:(4)	428	17.0 %	17.2%
-9 (M)	MISSING:(-9)	30	1.2 %	-

Based upon 2489 valid cases out of 2519 total cases.

V5227 105A05D:PLC WRK MLTY SVC

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11830

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

D: Working in the military service

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	1040	41.3 %	41.7%
2	SOMEWHAT:(2)	624	24.8 %	25.0%
3	ACCEPTBL:(3)	563	22.4 %	22.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	DESIRBL:(4)	268	10.6 %	10.7%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2495 valid cases out of 2519 total cases.

V5228 105A05E:PLC WRK SCH/UNIV

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11840

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

E: Working in a school or university

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	486	19.3 %	19.5%
2	SOMEWHAT:(2)	705	28.0 %	28.3%
3	ACCEPTBL:(3)	922	36.6 %	37.0%
4	DESIRBL:(4)	379	15.0 %	15.2%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2492 valid cases out of 2519 total cases.

V5229 105A05F:PLC WRK PLC DEPT

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11850

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

F: Working in a police department or police agency

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	706	28.0 %	28.3%
2	SOMEWHAT:(2)	696	27.6 %	27.9%
3	ACCEPTBL:(3)	755	30.0 %	30.3%
4	DESIRBL:(4)	336	13.3 %	13.5%
-9 (M)	MISSING:(-9)	26	1.0 %	-

Based upon 2493 valid cases out of 2519 total cases.

V5230 105A05G:PLC WRK SOC SVCS

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11860

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

G: Working in a social service organization

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	529	21.0 %	21.3%
2	SOMEWHAT:(2)	861	34.2 %	34.6%
3	ACCEPTBL:(3)	830	32.9 %	33.4%
4	DESIRBL:(4)	267	10.6 %	10.7%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2487 valid cases out of 2519 total cases.

V5231 105A05H:PLC WRK SML GRP

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11870

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

H: Working with a small group of partners

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	243	9.6 %	9.8%
2	SOMEWHAT:(2)	761	30.2 %	30.6%
3	ACCEPTBL:(3)	1120	44.5 %	45.0%
4	DESIRBL:(4)	365	14.5 %	14.7%
-9 (M)	MISSING:(-9)	30	1.2 %	-

Based upon 2489 valid cases out of 2519 total cases.

V5232 105A05I:PLC WRK SLF EMPL

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11880

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

I: Working on your own (self-employed)

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	291	11.6 %	11.7%
2	SOMEWHAT:(2)	552	21.9 %	22.1%
3	ACCEPTBL:(3)	879	34.9 %	35.3%
4	DESIRBL:(4)	771	30.6 %	30.9%
-9 (M)	MISSING:(-9)	26	1.0 %	-

Based upon 2493 valid cases out of 2519 total cases.

V5233 105A06 :ENUF\$,NT WNT WRK

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WORK:(1)	1843	73.2 %	74.9%
2	NOT WORK:(2)	619	24.6 %	25.1%
-9 (M)	MISSING:(-9)	57	2.3 %	-

Based upon 2462 valid cases out of 2519 total cases.

V5234

105A07A:RCL CNTCT SCHOOL

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11890

The next questions are about race relations. How much have you gotten to know people of other races . . .

A: . . . In school?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	107	4.2 %	4.3%
2	LITTLE:(2)	362	14.4 %	14.5%
3	SOME:(3)	637	25.3 %	25.6%
4	A LOT:(4)	1362	54.1 %	54.7%
8	NOT APPL:(8)	20	0.8 %	0.8%
-9 (M)	MISSING:(-9)	31	1.2 %	-

Based upon 2488 valid cases out of 2519 total cases.

V5235

105A07B:RCL CNTCT NGHBD

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11900

The next questions are about race relations. How much have you gotten to know people of other races . . .

B: . . . In your neighborhood?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not

Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	717	28.5 %	28.8%
2	LITTLE:(2)	690	27.4 %	27.8%
3	SOME:(3)	533	21.2 %	21.4%
4	A LOT:(4)	431	17.1 %	17.3%
8	NOT APPL:(8)	115	4.6 %	4.6%
-9 (M)	MISSING:(-9)	33	1.3 %	-

Based upon 2486 valid cases out of 2519 total cases.

V5236 105A07C:RCL CNTCT CHURCH

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11910

The next questions are about race relations. How much have you gotten to know people of other races . . .

C: . . . In church?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	676	26.8 %	27.3%
2	LITTLE:(2)	512	20.3 %	20.7%
3	SOME:(3)	390	15.5 %	15.7%
4	A LOT:(4)	351	13.9 %	14.2%
8	NOT APPL:(8)	550	21.8 %	22.2%
-9 (M)	MISSING:(-9)	40	1.6 %	-

Based upon 2479 valid cases out of 2519 total cases.

V5237 105A07D:RCL CNTCT SPORTS

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11920

The next questions are about race relations. How much have you gotten to know people of other races . . .

D: . . . On sports teams?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	296	11.8 %	11.9%
2	LITTLE:(2)	346	13.7 %	13.9%
3	SOME:(3)	554	22.0 %	22.3%
4	A LOT:(4)	811	32.2 %	32.7%
8	NOT APPL:(8)	476	18.9 %	19.2%
-9 (M)	MISSING:(-9)	36	1.4 %	-

Based upon 2483 valid cases out of 2519 total cases.

V5238

105A07E:RCL CNTCT CLUBS

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11930

The next questions are about race relations. How much have you gotten to know people of other races . . .

E: . . . In clubs?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	461	18.3 %	18.6%
2	LITTLE:(2)	430	17.1 %	17.3%
3	SOME:(3)	529	21.0 %	21.3%
4	A LOT:(4)	581	23.1 %	23.4%
8	NOT APPL:(8)	482	19.1 %	19.4%
-9 (M)	MISSING:(-9)	36	1.4 %	-

Based upon 2483 valid cases out of 2519 total cases.

V5239

105A07F:RCL CNTCT JOB

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11940

The next questions are about race relations. How much have you gotten to know people of other races . . .

F: . . . On a job?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	320	12.7 %	12.9%
2	LITTLE:(2)	364	14.5 %	14.6%
3	SOME:(3)	527	20.9 %	21.2%
4	A LOT:(4)	767	30.4 %	30.8%
8	NOT APPL:(8)	509	20.2 %	20.5%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2487 valid cases out of 2519 total cases.

V5240

105A08 :B/W RLTNS WRSE

Location:

92-93 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 11950

Thinking about the country as a whole, would you say relations between white people and black people have been getting better, getting worse, or staying pretty much the same?

1="Better" 2="A little better" 3="Same" 4="A little worse" 5="Worse"

Value	Label	Unweighted Frequency	%	Valid %
1	BETTER:(1)	633	25.1 %	25.5%
2	LTL BTR:(2)	1046	41.5 %	42.1%
3	SAME:(3)	595	23.6 %	23.9%
4	LTL WRS:(4)	146	5.8 %	5.9%
5	WORSE:(5)	65	2.6 %	2.6%
-9 (M)	MISSING:(-9)	34	1.3 %	-

Based upon 2485 valid cases out of 2519 total cases.

V5241

105A09 :DNT HV DRVR LCNS

Location:

94-95 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 11960

The next questions are about driving. Do you have a driver's license?

1="Yes" 2="No, but I soon will--GO TO TOP OF NEXT COLUMN"
 3="No--GO TO TOP OF NEXT COLUMN"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	1700	67.5 %	73.0%
2	SOON:(2)	504	20.0 %	21.6%
3	NO:(3)	124	4.9 %	5.3%
-9 (M)	MISSING:(-9)	191	7.6 %	-

Based upon 2328 valid cases out of 2519 total cases.

V5242

105A10 :DONT OWN CAR

Location: 96-97 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 11970

Do you own a car?

1="Yes" 2="No, but I expect to own one in another year or two"
 3="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	1219	48.4 %	71.5%
2	EXPECT:(2)	345	13.7 %	20.2%
3	NO:(3)	141	5.6 %	8.3%
-9 (M)	MISSING:(-9)	814	32.3 %	-

Based upon 1705 valid cases out of 2519 total cases.

V5243

105A11 :NEVR USE OTHS CR

Location: 98-99 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 11980

Are you able to use someone else's car when you want to?

1="Yes, whenever I wish" 2="Yes, most of the time"
3="Sometimes" 4="Rarely" 5="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES WHNVR:(1)	489	19.4 %	28.8%
2	MOST TIME:(2)	742	29.5 %	43.6%
3	SOME TIME:(3)	323	12.8 %	19.0%
4	RARELY:(4)	95	3.8 %	5.6%
5	NEVER:(5)	51	2.0 %	3.0%
-9 (M)	MISSING:(-9)	819	32.5 %	-

Based upon 1700 valid cases out of 2519 total cases.

V5244

105A12 :R CUT DRIVING

Location: 100-101 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11990

Do you make an effort to cut down on driving, in order to save gasoline?

1="Not at all" 2="Not very much" 3="Yes, to some extent"
4="Yes, quite a bit" 8="Don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	293	11.6 %	17.2%
2	NOT VMCH:(2)	522	20.7 %	30.6%
3	YES SOME:(3)	663	26.3 %	38.9%
4	YES QUITE:(4)	193	7.7 %	11.3%
8	DK:(8)	33	1.3 %	1.9%
-9 (M)	MISSING:(-9)	815	32.4 %	-

Based upon 1704 valid cases out of 2519 total cases.

V5245

105A13 :R CUT ELECTRICTY

Location: 102-103 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12000

Do you make an effort to cut down on the amount of electricity you use, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent"
4="Yes, quite a bit" 8="Don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	308	12.2 %	12.4%
2	NOT VMCH:(2)	742	29.5 %	29.8%
3	YES SOME:(3)	1011	40.1 %	40.6%
4	YES QUITE:(4)	345	13.7 %	13.8%
8	DK:(8)	85	3.4 %	3.4%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2491 valid cases out of 2519 total cases.

V5246

105A14 :RDCE HEAT Rs HM

Location: 104-105 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12010

In the house or apartment where you live, is an effort made to reduce heat during the winter, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent"
4="Yes, quite a bit" 8="Don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	286	11.4 %	11.5%
2	NOT VMCH:(2)	557	22.1 %	22.4%
3	YES SOME:(3)	954	37.9 %	38.3%
4	YES QUITE:(4)	523	20.8 %	21.0%
8	DK:(8)	170	6.7 %	6.8%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2490 valid cases out of 2519 total cases.

V5247

105A15A:ENJOY SHOPPING

Location: 106-107 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12020

How do you feel about each of the following?

A: How much do you enjoy shopping for things like clothes, tapes and discs, sporting goods, and books?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	87	3.5 %	3.5%
2	NOT VMCH:(2)	369	14.6 %	14.8%
3	PRTY MCH:(3)	890	35.3 %	35.7%
4	VERY MCH:(4)	1147	45.5 %	46.0%
-9 (M)	MISSING:(-9)	26	1.0 %	-

Based upon 2493 valid cases out of 2519 total cases.

V5248 105A15B:CARE LATST FASHN

Location: 108-109 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:
Item Number: 12030

How do you feel about each of the following?

B: How much do you care about having the latest fashion in your clothes, tapes and discs, leisure activities, and so on?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	373	14.8 %	15.0%
2	NOT VMCH:(2)	946	37.6 %	38.0%
3	PRTY MCH:(3)	779	30.9 %	31.3%
4	VERY MCH:(4)	390	15.5 %	15.7%
-9 (M)	MISSING:(-9)	31	1.2 %	-

Based upon 2488 valid cases out of 2519 total cases.

V5249 105A15C:CR FAM HV NBR HV

Location: 110-111 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:
Item Number: 12040

How do you feel about each of the following?

C: How much do you care about whether your family has most

of the things your friends and neighbors have?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	934	37.1 %	37.6%
2	NOT VMCH:(2)	1121	44.5 %	45.1%
3	PRTY MCH:(3)	316	12.5 %	12.7%
4	VERY MCH:(4)	114	4.5 %	4.6%
-9 (M)	MISSING:(-9)	34	1.3 %	-

Based upon 2485 valid cases out of 2519 total cases.

V5250 105A16 :XPCT 2 OWN>PRNTS

Location: 112-113 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12050

When you are older, do you expect to own more possessions
 than your parents do now, or about the same, or less?
 I expect to own . . . ?

1="Much less than my parents" 2="Somewhat less than my
 parents" 3="About as much as my parents" 4="Somewhat more
 than my parents" 5="Much more than my parents"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	60	2.4 %	2.4%
2	SMWT LESS:(2)	166	6.6 %	6.7%
3	ABT AS MCH:(3)	818	32.5 %	33.0%
4	SMWT MORE:(4)	858	34.1 %	34.6%
5	MCH MORE:(5)	579	23.0 %	23.3%
-9 (M)	MISSING:(-9)	38	1.5 %	-

Based upon 2481 valid cases out of 2519 total cases.

V5251 105A17 :LST CNT OWN>PRNT

Location: 114-115 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12060

Compared with your parents, what is the smallest amount that
 you could be content or satisfied to own? The least I could

be content to own is . . . ?

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	242	9.6 %	9.8%
2	SMWT LESS:(2)	633	25.1 %	25.6%
3	ABT AS MCH:(3)	1013	40.2 %	41.0%
4	SMWT MORE:(4)	412	16.4 %	16.7%
5	MCH MORE:(5)	169	6.7 %	6.8%
-9 (M)	MISSING:(-9)	50	2.0 %	-

Based upon 2469 valid cases out of 2519 total cases.

V5252

105A18A:WRRY ABT OW CTRY

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12070

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: We ought to worry about our own country and let the rest of the world take care of itself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	440	17.5 %	17.8%
2	MOST DIS:(2)	529	21.0 %	21.4%
3	NEITHER:(3)	509	20.2 %	20.5%
4	MOST AGR:(4)	627	24.9 %	25.3%
5	AGREE:(5)	372	14.8 %	15.0%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2477 valid cases out of 2519 total cases.

V5253

105A18B:BTTR IF CTZ WRLD

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12080

How much do you agree or disagree with each statement below?

B: It would be better if we all felt more like citizens of the world than of any particular country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	301	11.9 %	12.2%
2	MOST DIS:(2)	301	11.9 %	12.2%
3	NEITHER:(3)	724	28.7 %	29.3%
4	MOST AGR:(4)	645	25.6 %	26.1%
5	AGREE:(5)	501	19.9 %	20.3%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2472 valid cases out of 2519 total cases.

V5254

105A18C:-SYMP TWD STARVG

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12090

How much do you agree or disagree with each statement below?

C: I find it hard to be sympathetic toward starving people in foreign lands, when there is so much trouble in our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	855	33.9 %	34.6%
2	MOST DIS:(2)	521	20.7 %	21.1%
3	NEITHER:(3)	464	18.4 %	18.8%
4	MOST AGR:(4)	375	14.9 %	15.2%
5	AGREE:(5)	253	10.0 %	10.3%
-9 (M)	MISSING:(-9)	51	2.0 %	-

Based upon 2468 valid cases out of 2519 total cases.

V5255

105A18D:MNR TY NT MY BSNS

Location: 122-123 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:
 Item Number: 12100

How much do you agree or disagree with each statement below?

D: Maybe some minority groups do get unfair treatment, but that's no business of mine

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	872	34.6 %	35.5%
2	MOST DIS:(2)	614	24.4 %	25.0%
3	NEITHER:(3)	548	21.8 %	22.3%
4	MOST AGR:(4)	234	9.3 %	9.5%
5	AGREE:(5)	189	7.5 %	7.7%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2457 valid cases out of 2519 total cases.

V5256 105A18E:UPST PL TR -FAIR

Location: 124-125 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:
 Item Number: 12110

How much do you agree or disagree with each statement below?

E: I get very upset when I see other people treated unfairly

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	93	3.7 %	3.8%
2	MOST DIS:(2)	141	5.6 %	5.7%
3	NEITHER:(3)	257	10.2 %	10.4%
4	MOST AGR:(4)	835	33.1 %	33.8%
5	AGREE:(5)	1147	45.5 %	46.4%
-9 (M)	MISSING:(-9)	46	1.8 %	-

Based upon 2473 valid cases out of 2519 total cases.

V5257 105A18F:HELP POOR W MY \$

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12120

How much do you agree or disagree with each statement below?

F: I would agree to a good plan to make a better life for the poor, even if it cost me money

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	208	8.3 %	8.4%
2	MOST DIS:(2)	286	11.4 %	11.6%
3	NEITHER:(3)	624	24.8 %	25.3%
4	MOST AGR:(4)	823	32.7 %	33.4%
5	AGREE:(5)	524	20.8 %	21.3%
-9 (M)	MISSING:(-9)	54	2.1 %	-

Based upon 2465 valid cases out of 2519 total cases.

V5258 105A18G:-MY PRB OT ND HP

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12130

How much do you agree or disagree with each statement below?

G: It's not really my problem if others are in trouble and need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	917	36.4 %	37.3%
2	MOST DIS:(2)	823	32.7 %	33.4%
3	NEITHER:(3)	450	17.9 %	18.3%
4	MOST AGR:(4)	194	7.7 %	7.9%
5	AGREE:(5)	77	3.1 %	3.1%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2461 valid cases out of 2519 total cases.

V5259 105A18H:RB CHNG ETG HABT

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12140

How much do you agree or disagree with each statement below?

H: Americans could change their eating habits to provide more food for the hungry people in other parts of the world, and at the same time be healthier themselves

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	158	6.3 %	6.4%
2	MOST DIS:(2)	181	7.2 %	7.3%
3	NEITHER:(3)	479	19.0 %	19.4%
4	MOST AGR:(4)	769	30.5 %	31.2%
5	AGREE:(5)	881	35.0 %	35.7%
-9 (M)	MISSING:(-9)	51	2.0 %	-

Based upon 2468 valid cases out of 2519 total cases.

V5260 105A18I:FAM BUYS THG -ND

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 10060

How much do you agree or disagree with each statement below?

I: My family and I often buy things we really don't need; we could get along with much less

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	290	11.5 %	14.8%
2	MOST DIS:(2)	360	14.3 %	18.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	NEITHER:(3)	446	17.7 %	22.8%
4	MOST AGR:(4)	547	21.7 %	28.0%
5	AGREE:(5)	312	12.4 %	16.0%
-9 (M)	MISSING:(-9)	564	22.4 %	-

Based upon 1955 valid cases out of 2519 total cases.

V5261

105A18J:FULLR LVS IF MRY

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12150

How much do you agree or disagree with each statement below?

J: Most people will have fuller and happier lives if they choose legal marriage rather than staying single, or just living with someone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	358	14.2 %	18.3%
2	MOST DIS:(2)	243	9.6 %	12.4%
3	NEITHER:(3)	704	27.9 %	36.0%
4	MOST AGR:(4)	375	14.9 %	19.2%
5	AGREE:(5)	275	10.9 %	14.1%
-9 (M)	MISSING:(-9)	564	22.4 %	-

Based upon 1955 valid cases out of 2519 total cases.

V5262

105A18K:ENCRG = INDP DT/SN

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12160

How much do you agree or disagree with each statement below?

K: Parents should encourage just as much independence in their daughters as in their sons

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	81	3.2 %	3.3%
2	MOST DIS:(2)	133	5.3 %	5.4%
3	NEITHER:(3)	362	14.4 %	14.7%
4	MOST AGR:(4)	624	24.8 %	25.3%
5	AGREE:(5)	1267	50.3 %	51.4%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2467 valid cases out of 2519 total cases.

V5263

105A18L:BNG MOTH V FULFL

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12170

How much do you agree or disagree with each statement below?

L: Being a mother and raising children is one of the most
fulfilling experiences a woman can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	129	5.1 %	5.3%
2	MOST DIS:(2)	126	5.0 %	5.1%
3	NEITHER:(3)	762	30.3 %	31.1%
4	MOST AGR:(4)	662	26.3 %	27.0%
5	AGREE:(5)	769	30.5 %	31.4%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2448 valid cases out of 2519 total cases.

V5264

105A18M:FTHR>TIME W CHLD

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12180

How much do you agree or disagree with each statement below?

M: Most fathers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	42	1.7 %	1.7%
2	MOST DIS:(2)	68	2.7 %	2.8%
3	NEITHER:(3)	483	19.2 %	19.6%
4	MOST AGR:(4)	850	33.7 %	34.5%
5	AGREE:(5)	1023	40.6 %	41.5%
-9 (M)	MISSING:(-9)	53	2.1 %	-

Based upon 2466 valid cases out of 2519 total cases.

V5265

105A18N:HSB MAK IMP DCSN

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12190

How much do you agree or disagree with each statement below?

N: The husband should make all the important decisions in the family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	812	32.2 %	41.4%
2	MOST DIS:(2)	396	15.7 %	20.2%
3	NEITHER:(3)	440	17.5 %	22.5%
4	MOST AGR:(4)	183	7.3 %	9.3%
5	AGREE:(5)	128	5.1 %	6.5%
-9 (M)	MISSING:(-9)	560	22.2 %	-

Based upon 1959 valid cases out of 2519 total cases.

V5266

105A19 :INTEREST IN GOVT

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%	Valid %
1	NO INTRST:(1)	264	10.5 %	10.7%
2	VRy LITTLE:(2)	536	21.3 %	21.8%
3	SOME:(3)	1089	43.2 %	44.3%
4	A LOT:(4)	393	15.6 %	16.0%
5	VRy GRT:(5)	176	7.0 %	7.2%
-9 (M)	MISSING:(-9)	61	2.4 %	-

Based upon 2458 valid cases out of 2519 total cases.

V5267 105A20A:CTB TO UNTD FUND

Location: 146-147 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12200

If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only. Are you likely to contribute to . . .

A: . . . The United Fund or other community charities?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF NOT:(1)	189	7.5 %	7.7%
2	PROB NOT:(2)	430	17.1 %	17.6%
3	DK:(3)	1018	40.4 %	41.6%
4	PROB WILL:(4)	600	23.8 %	24.5%
5	DEF WILL:(5)	118	4.7 %	4.8%
6	ALRDY HAV:(6)	90	3.6 %	3.7%
-9 (M)	MISSING:(-9)	74	2.9 %	-

Based upon 2445 valid cases out of 2519 total cases.

V5268 105A20B:CTB TO INTL RELF

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12210

Are you likely to contribute to . . .

B: . . . International relief organizations (CARE, UNICEF, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	191	7.6 %	7.8%
2	PROB NOT:(2)	365	14.5 %	14.9%
3	DK:(3)	849	33.7 %	34.7%
4	PROB WILL:(4)	672	26.7 %	27.4%
5	DEF WILL:(5)	196	7.8 %	8.0%
6	ALRDY HAV:(6)	176	7.0 %	7.2%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2449 valid cases out of 2519 total cases.

V5269 105A20C:CTB TO MNRTY GRP

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12220

Are you likely to contribute to . . .

C: . . . Minority group organizations (NAACP, SCLC, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	347	13.8 %	14.2%
2	PROB NOT:(2)	534	21.2 %	21.9%
3	DK:(3)	947	37.6 %	38.8%
4	PROB WILL:(4)	407	16.2 %	16.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	DEF WILL:(5)	164	6.5 %	6.7%
6	ALRDY HAV:(6)	39	1.5 %	1.6%
-9 (M)	MISSING:(-9)	81	3.2 %	-

Based upon 2438 valid cases out of 2519 total cases.

V5270 105A20D:CTB TO RELGS ORG

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12230

Are you likely to contribute to . . .

D: . . . Church or religious organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	296	11.8 %	12.1%
2	PROB NOT:(2)	296	11.8 %	12.1%
3	DK:(3)	490	19.5 %	20.1%
4	PROB WILL:(4)	514	20.4 %	21.1%
5	DEF WILL:(5)	347	13.8 %	14.2%
6	ALRDY HAV:(6)	498	19.8 %	20.4%
-9 (M)	MISSING:(-9)	78	3.1 %	-

Based upon 2441 valid cases out of 2519 total cases.

V5271 105A20E:CTB TO PLTCL PTY

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12240

Are you likely to contribute to . . .

E: . . . Political parties or organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	568	22.5 %	23.3%
2	PROB NOT:(2)	669	26.6 %	27.5%
3	DK:(3)	859	34.1 %	35.3%
4	PROB WILL:(4)	244	9.7 %	10.0%
5	DEF WILL:(5)	58	2.3 %	2.4%
6	ALRDY HAV:(6)	36	1.4 %	1.5%
-9 (M)	MISSING:(-9)	85	3.4 %	-

Based upon 2434 valid cases out of 2519 total cases.

V5272 105A20F:CTB TO CTZN LBBY

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12250

Are you likely to contribute to . . .

F: . . . Citizen lobbies (Common Cause, Public Citizen, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	351	13.9 %	14.4%
2	PROB NOT:(2)	596	23.7 %	24.5%
3	DK:(3)	1132	44.9 %	46.5%
4	PROB WILL:(4)	269	10.7 %	11.0%
5	DEF WILL:(5)	56	2.2 %	2.3%
6	ALRDY HAV:(6)	32	1.3 %	1.3%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2436 valid cases out of 2519 total cases.

V5273 105A20G:CTB TO VS DISEAS

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12260

Are you likely to contribute to . . .

G: . . . Charities to help fight diseases (cancer, heart

disease, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	103	4.1 %	4.2%
2	PROB NOT:(2)	131	5.2 %	5.4%
3	DK:(3)	410	16.3 %	16.8%
4	PROB WILL:(4)	822	32.6 %	33.6%
5	DEF WILL:(5)	625	24.8 %	25.6%
6	ALRDY HAV:(6)	353	14.0 %	14.4%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2444 valid cases out of 2519 total cases.

V5274 105A20H:CTB TO POP PRBMS

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12270

Are you likely to contribute to . . .

H: . . . Organizations concerned with population problems
(Planned Parenthood, ZPG, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	366	14.5 %	14.9%
2	PROB NOT:(2)	515	20.4 %	21.0%
3	DK:(3)	975	38.7 %	39.8%
4	PROB WILL:(4)	389	15.4 %	15.9%
5	DEF WILL:(5)	152	6.0 %	6.2%
6	ALRDY HAV:(6)	52	2.1 %	2.1%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2449 valid cases out of 2519 total cases.

V5275 105A20I:CTB TO ENVIR PBM

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12280

Are you likely to contribute to . . .

I: . . . Organizations concerned with environmental problems
(Sierra Club, Friends of the Earth, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably
Will" 5="Definitely Will" 6="Already Have"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	271	10.8 %	11.1%
2	PROB NOT:(2)	431	17.1 %	17.6%
3	DK:(3)	845	33.5 %	34.6%
4	PROB WILL:(4)	544	21.6 %	22.3%
5	DEF WILL:(5)	267	10.6 %	10.9%
6	ALRDY HAV:(6)	84	3.3 %	3.4%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2442 valid cases out of 2519 total cases.

V5503

105A23A:OFTN EAT BRKFST

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly
Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	157	6.2 %	6.4%
2	SELDOM:(2)	522	20.7 %	21.1%
3	SOMETIME:(3)	562	22.3 %	22.7%
4	MST DAYS:(4)	321	12.7 %	13.0%
5	NR EV DA:(5)	326	12.9 %	13.2%
6	EVERYDAY:(6)	583	23.1 %	23.6%
-9 (M)	MISSING:(-9)	48	1.9 %	-

Based upon 2471 valid cases out of 2519 total cases.

V5504 105A23B:OFTN EAT GN VEG

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	88	3.5 %	3.6%
2	SELDOM:(2)	206	8.2 %	8.4%
3	SOMETIME:(3)	595	23.6 %	24.1%
4	MST DAYS:(4)	627	24.9 %	25.4%
5	NR EV DA:(5)	511	20.3 %	20.7%
6	EVERYDAY:(6)	438	17.4 %	17.8%
-9 (M)	MISSING:(-9)	54	2.1 %	-

Based upon 2465 valid cases out of 2519 total cases.

V5505 105A23C:OFTN EAT FRUIT

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	48	1.9 %	2.0%
2	SELDOM:(2)	128	5.1 %	5.2%
3	SOMETIME:(3)	524	20.8 %	21.3%
4	MST DAYS:(4)	639	25.4 %	26.0%
5	NR EV DA:(5)	564	22.4 %	23.0%
6	EVERYDAY:(6)	553	22.0 %	22.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	63	2.5 %	-

Based upon 2456 valid cases out of 2519 total cases.

V5506

105A23D:OFTN EXERCISE

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics,
or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly
Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	96	3.8 %	3.9%
2	SELDOM:(2)	332	13.2 %	13.5%
3	SOMETIME:(3)	595	23.6 %	24.1%
4	MST DAYS:(4)	476	18.9 %	19.3%
5	NR EV DA:(5)	463	18.4 %	18.8%
6	EVERYDAY:(6)	506	20.1 %	20.5%
-9 (M)	MISSING:(-9)	51	2.0 %	-

Based upon 2468 valid cases out of 2519 total cases.

V5507

105A23E:OFTN 7HRS SLEEP

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly
Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	125	5.0 %	5.1%
2	SELDOM:(2)	390	15.5 %	15.8%
3	SOMETIME:(3)	647	25.7 %	26.2%
4	MST DAYS:(4)	573	22.7 %	23.2%
5	NR EV DA:(5)	426	16.9 %	17.3%
6	EVERYDAY:(6)	308	12.2 %	12.5%
-9 (M)	MISSING:(-9)	50	2.0 %	-

Based upon 2469 valid cases out of 2519 total cases.

V5508 105A23F:OFTN SLEEP<SHLD

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	169	6.7 %	6.9%
2	SELDOM:(2)	293	11.6 %	11.9%
3	SOMETIME:(3)	632	25.1 %	25.7%
4	MST DAYS:(4)	500	19.8 %	20.3%
5	NR EV DA:(5)	427	17.0 %	17.3%
6	EVERYDAY:(6)	442	17.5 %	17.9%
-9 (M)	MISSING:(-9)	56	2.2 %	-

Based upon 2463 valid cases out of 2519 total cases.

V5277 105A24A:DSCM WN COLLG ED

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12290

These questions are about whether you think women are discriminated against in each of the following areas.
To what extent are women discriminated against . . .

A: . . . In getting a college education?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	945	37.5 %	38.4%
2	VRy LITL:(2)	683	27.1 %	27.8%
3	SOME:(3)	341	13.5 %	13.9%
4	GOOD DEAL:(4)	78	3.1 %	3.2%
5	GREAT DL:(5)	67	2.7 %	2.7%
8	DK:(8)	344	13.7 %	14.0%
-9 (M)	MISSING:(-9)	61	2.4 %	-

Based upon 2458 valid cases out of 2519 total cases.

V5278 105A24B:DSCM WN LDRSHp

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12300

To what extent are women discriminated against . . .

B: . . . In gaining positions of leadership over men and women?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	281	11.2 %	11.4%
2	VRy LITL:(2)	302	12.0 %	12.3%
3	SOME:(3)	760	30.2 %	30.9%
4	GOOD DEAL:(4)	572	22.7 %	23.3%
5	GREAT DL:(5)	285	11.3 %	11.6%
8	DK:(8)	257	10.2 %	10.5%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2457 valid cases out of 2519 total cases.

V5279 105A24C:DSCM WN EXEC/BSN

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12310

To what extent are women discriminated against . . .

C: . . . In obtaining executive positions in business?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	303	12.0 %	12.4%
2	VRY LITL:(2)	376	14.9 %	15.3%
3	SOME:(3)	704	27.9 %	28.7%
4	GOOD DEAL:(4)	500	19.8 %	20.4%
5	GREAT DL:(5)	233	9.2 %	9.5%
8	DK:(8)	337	13.4 %	13.7%
-9 (M)	MISSING:(-9)	66	2.6 %	-

Based upon 2453 valid cases out of 2519 total cases.

V5280

105A24D:DSCM WN TOP/PRFN

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12320

To what extent are women discriminated against . . .

D: . . . In obtaining top jobs in the professions?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	350	13.9 %	14.3%
2	VRY LITL:(2)	416	16.5 %	17.0%
3	SOME:(3)	648	25.7 %	26.4%
4	GOOD DEAL:(4)	483	19.2 %	19.7%
5	GREAT DL:(5)	252	10.0 %	10.3%
8	DK:(8)	304	12.1 %	12.4%
-9 (M)	MISSING:(-9)	66	2.6 %	-

Based upon 2453 valid cases out of 2519 total cases.

V5281 105A24E:DSCM WN SKL LABR

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12330

To what extent are women discriminated against . . .

E: . . . In getting skilled labor jobs?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	322	12.8 %	13.2%
2	VRy LITL:(2)	382	15.2 %	15.6%
3	SOME:(3)	635	25.2 %	25.9%
4	GOOD DEAL:(4)	443	17.6 %	18.1%
5	GREAT DL:(5)	258	10.2 %	10.5%
8	DK:(8)	408	16.2 %	16.7%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2448 valid cases out of 2519 total cases.

V5282 105A24F:DSCM WN PLTCL OF

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12340

To what extent are women discriminated against . . .

F: . . . In getting elected to political office?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	274	10.9 %	11.2%
2	VRy LITL:(2)	325	12.9 %	13.3%
3	SOME:(3)	574	22.8 %	23.4%
4	GOOD DEAL:(4)	575	22.8 %	23.5%
5	GREAT DL:(5)	400	15.9 %	16.3%
8	DK:(8)	301	11.9 %	12.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2449 valid cases out of 2519 total cases.

V5283 105A24G:DSCM WN = PAY = WK

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12350

To what extent are women discriminated against . . .

G: . . . In getting equal pay for equal work?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	502	19.9 %	20.5%
2	VRY LITL:(2)	400	15.9 %	16.3%
3	SOME:(3)	531	21.1 %	21.6%
4	GOOD DEAL:(4)	363	14.4 %	14.8%
5	GREAT DL:(5)	321	12.7 %	13.1%
8	DK:(8)	337	13.4 %	13.7%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2454 valid cases out of 2519 total cases.

V5284 105A25A:RSK OF CIG1+PK/D

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	120	4.8 %	4.9%
2	SLIGHT:(2)	82	3.3 %	3.4%
3	MOD RISK:(3)	355	14.1 %	14.5%
4	GRT RISK:(4)	1825	72.4 %	74.7%
5	CANT SAY:(5)	62	2.5 %	2.5%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2444 valid cases out of 2519 total cases.

V5285

105A25B:RSK OF MJ 1-2 X

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	935	37.1 %	38.3%
2	SLIGHT:(2)	692	27.5 %	28.4%
3	MOD RISK:(3)	330	13.1 %	13.5%
4	GRT RISK:(4)	403	16.0 %	16.5%
5	CANT SAY:(5)	80	3.2 %	3.3%
-9 (M)	MISSING:(-9)	79	3.1 %	-

Based upon 2440 valid cases out of 2519 total cases.

V5286

105A25C:RSK OF MJ OCSNLY

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	517	20.5 %	21.2%
2	SLIGHT:(2)	627	24.9 %	25.7%
3	MOD RISK:(3)	636	25.2 %	26.1%
4	GRT RISK:(4)	574	22.8 %	23.5%
5	CANT SAY:(5)	86	3.4 %	3.5%
-9 (M)	MISSING:(-9)	79	3.1 %	-

Based upon 2440 valid cases out of 2519 total cases.

V5287

105A25D:RSK OF MJ REGLY

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	308	12.2 %	12.6%
2	SLIGHT:(2)	374	14.8 %	15.3%
3	MOD RISK:(3)	547	21.7 %	22.4%
4	GRT RISK:(4)	1129	44.8 %	46.2%
5	CANT SAY:(5)	86	3.4 %	3.5%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2444 valid cases out of 2519 total cases.

V5288

105A25E:RSK OF LSD 1-2 X

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12400

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

E: . . . Try LSD once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	197	7.8 %	8.1%
2	SLIGHT:(2)	381	15.1 %	15.6%
3	MOD RISK:(3)	562	22.3 %	23.1%
4	GRT RISK:(4)	833	33.1 %	34.2%
5	CANT SAY:(5)	465	18.5 %	19.1%
-9 (M)	MISSING:(-9)	81	3.2 %	-

Based upon 2438 valid cases out of 2519 total cases.

V5289 105A25F:RSK OF LSD REGLY

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12410

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take LSD regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	120	4.8 %	4.9%
2	SLIGHT:(2)	62	2.5 %	2.5%
3	MOD RISK:(3)	213	8.5 %	8.7%
4	GRT RISK:(4)	1583	62.8 %	65.0%
5	CANT SAY:(5)	459	18.2 %	18.8%
-9 (M)	MISSING:(-9)	82	3.3 %	-

Based upon 2437 valid cases out of 2519 total cases.

V5290 105A25G:RSK OF H 1-2 X

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12420

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Try heroin once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	158	6.3 %	6.5%
2	SLIGHT:(2)	237	9.4 %	9.7%
3	MOD RISK:(3)	488	19.4 %	20.0%
4	GRT RISK:(4)	1412	56.1 %	57.9%
5	CANT SAY:(5)	145	5.8 %	5.9%
-9 (M)	MISSING:(-9)	79	3.1 %	-

Based upon 2440 valid cases out of 2519 total cases.

V5291

105A25H:RSK OF H OCSNL

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12430

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Take heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	119	4.7 %	4.9%
2	SLIGHT:(2)	53	2.1 %	2.2%
3	MOD RISK:(3)	299	11.9 %	12.3%
4	GRT RISK:(4)	1822	72.3 %	74.8%
5	CANT SAY:(5)	143	5.7 %	5.9%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2436 valid cases out of 2519 total cases.

V5292

105A25I:RSK OF H REGLY

Location: 206-207 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12440

How much do you think people risk harming themselves
 (physically or in other ways), if they . . .

I: . . . Take heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	116	4.6 %	4.8%
2	SLIGHT:(2)	24	1.0 %	1.0%
3	MOD RISK:(3)	67	2.7 %	2.8%
4	GRT RISK:(4)	2079	82.5 %	85.6%
5	CANT SAY:(5)	144	5.7 %	5.9%
-9 (M)	MISSING:(-9)	89	3.5 %	-

Based upon 2430 valid cases out of 2519 total cases.

V5509 105A25J:RSK SED/BRB 1-2X

Location: 208-209 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12455

How much do you think people risk harming themselves
 (physically or in other ways), if they . . .

J: . . . Try sedatives/barbiturates (downers) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	211	8.4 %	8.7%
2	SLIGHT:(2)	486	19.3 %	20.0%
3	MOD RISK:(3)	575	22.8 %	23.7%
4	GRT RISK:(4)	660	26.2 %	27.2%
5	CANT SAY:(5)	497	19.7 %	20.5%
-9 (M)	MISSING:(-9)	90	3.6 %	-

Based upon 2429 valid cases out of 2519 total cases.

V5510 105A25K:RSK SED/BRB REGY

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12465

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Take sedatives/barbiturates regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	123	4.9 %	5.1%
2	SLIGHT:(2)	84	3.3 %	3.5%
3	MOD RISK:(3)	449	17.8 %	18.5%
4	GRT RISK:(4)	1269	50.4 %	52.3%
5	CANT SAY:(5)	502	19.9 %	20.7%
-9 (M)	MISSING:(-9)	92	3.7 %	-

Based upon 2427 valid cases out of 2519 total cases.

V5295 105A25L:RSK OF AMPH 1-2X

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12470

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Try amphetamines (uppers, pep pills, bennies,
speed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	207	8.2 %	8.5%
2	SLIGHT:(2)	374	14.8 %	15.4%
3	MOD RISK:(3)	575	22.8 %	23.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	GRT RISK:(4)	952	37.8 %	39.2%
5	CANT SAY:(5)	323	12.8 %	13.3%
-9 (M)	MISSING:(-9)	88	3.5 %	-

Based upon 2431 valid cases out of 2519 total cases.

V5296 105A25M:RSK OF AMPH REG

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12480

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Take amphetamines regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	128	5.1 %	5.3%
2	SLIGHT:(2)	65	2.6 %	2.7%
3	MOD RISK:(3)	347	13.8 %	14.3%
4	GRT RISK:(4)	1540	61.1 %	63.4%
5	CANT SAY:(5)	349	13.9 %	14.4%
-9 (M)	MISSING:(-9)	90	3.6 %	-

Based upon 2429 valid cases out of 2519 total cases.

V5297 105A25N:RSK OF COKE 1-2X

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12490

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

N: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	180	7.1 %	7.4%
2	SLIGHT:(2)	310	12.3 %	12.8%
3	MOD RISK:(3)	541	21.5 %	22.3%
4	GRT RISK:(4)	1270	50.4 %	52.3%
5	CANT SAY:(5)	128	5.1 %	5.3%
-9 (M)	MISSING:(-9)	90	3.6 %	-

Based upon 2429 valid cases out of 2519 total cases.

V5298 105A25O:RSK OF COKE REG

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12500

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

O: . . . Take cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	118	4.7 %	4.9%
2	SLIGHT:(2)	46	1.8 %	1.9%
3	MOD RISK:(3)	162	6.4 %	6.7%
4	GRT RISK:(4)	1972	78.3 %	81.3%
5	CANT SAY:(5)	128	5.1 %	5.3%
-9 (M)	MISSING:(-9)	93	3.7 %	-

Based upon 2426 valid cases out of 2519 total cases.

V5299 105A25P:RSK OF 1-2 DRINK

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

P: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	1073	42.6 %	44.1%
2	SLIGHT:(2)	811	32.2 %	33.3%
3	MOD RISK:(3)	237	9.4 %	9.7%
4	GRT RISK:(4)	247	9.8 %	10.1%
5	CANT SAY:(5)	66	2.6 %	2.7%
-9 (M)	MISSING:(-9)	85	3.4 %	-

Based upon 2434 valid cases out of 2519 total cases.

V5300

105A25Q:RSK OF 1-2 DR/DA

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

Q: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	309	12.3 %	12.7%
2	SLIGHT:(2)	620	24.6 %	25.4%
3	MOD RISK:(3)	835	33.1 %	34.2%
4	GRT RISK:(4)	601	23.9 %	24.7%
5	CANT SAY:(5)	73	2.9 %	3.0%
-9 (M)	MISSING:(-9)	81	3.2 %	-

Based upon 2438 valid cases out of 2519 total cases.

V5301

105A25R:RSK OF 4-5 DR/DA

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

R: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	160	6.4 %	6.6%
2	SLIGHT:(2)	158	6.3 %	6.5%
3	MOD RISK:(3)	552	21.9 %	22.7%
4	GRT RISK:(4)	1485	59.0 %	61.1%
5	CANT SAY:(5)	76	3.0 %	3.1%
-9 (M)	MISSING:(-9)	88	3.5 %	-

Based upon 2431 valid cases out of 2519 total cases.

V5302 105A25S:RSK OF 5+DR/WKND

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12540

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

S: . . . Have five or more drinks once or twice each
weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	247	9.8 %	10.2%
2	SLIGHT:(2)	350	13.9 %	14.4%
3	MOD RISK:(3)	653	25.9 %	26.9%
4	GRT RISK:(4)	1100	43.7 %	45.3%
5	CANT SAY:(5)	79	3.1 %	3.3%
-9 (M)	MISSING:(-9)	90	3.6 %	-

Based upon 2429 valid cases out of 2519 total cases.

V5483 105A25T:RSK OF COKE OCSN

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12495

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

T: . . . Take cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	130	5.2 %	5.3%
2	SLIGHT:(2)	105	4.2 %	4.3%
3	MOD RISK:(3)	407	16.2 %	16.7%
4	GRT RISK:(4)	1652	65.6 %	68.0%
5	CANT SAY:(5)	136	5.4 %	5.6%
-9 (M)	MISSING:(-9)	89	3.5 %	-

Based upon 2430 valid cases out of 2519 total cases.

V5484

105A25U:RSK OF SMKLSS RG

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12365

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

U: . . . Use smokeless tobacco regularly (chewing tobacco,
plug, dipping tobacco, snuff)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	202	8.0 %	8.3%
2	SLIGHT:(2)	426	16.9 %	17.5%
3	MOD RISK:(3)	691	27.4 %	28.4%
4	GRT RISK:(4)	983	39.0 %	40.4%
5	CANT SAY:(5)	129	5.1 %	5.3%
-9 (M)	MISSING:(-9)	88	3.5 %	-

Based upon 2431 valid cases out of 2519 total cases.

V5101 105B01 :EVR SMK CIG,REGL

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1404	55.7 %	57.3%
2	1-2X:(2)	505	20.0 %	20.6%
3	OCCASNLY:(3)	250	9.9 %	10.2%
4	REG PAST:(4)	105	4.2 %	4.3%
5	REG NOW:(5)	188	7.5 %	7.7%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2452 valid cases out of 2519 total cases.

V5102 105B02 :#CIGS SMKD/30DAY

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DAILY:(1)	2020	80.2 %	82.4%
2	<1 CIG/D:(2)	187	7.4 %	7.6%
3	1-5/DAY:(3)	139	5.5 %	5.7%
4	1/2 PK:(4)	56	2.2 %	2.3%
5	1 PK:(5)	29	1.2 %	1.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	1 1/2 PK:(6)	6	0.2 %	0.2%
7	2+ PKS:(7)	13	0.5 %	0.5%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2450 valid cases out of 2519 total cases.

V5103 105B03 :EVER DRINK

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, or any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	689	27.4 %	28.8%
2	YES:(2)	1701	67.5 %	71.2%
-9 (M)	MISSING:(-9)	129	5.1 %	-

Based upon 2390 valid cases out of 2519 total cases.

V5104 105B04A:#X ALC/LIF SIPS

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	690	27.4 %	29.3%
2	1-2X:(2)	196	7.8 %	8.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3-5X:(3)	261	10.4 %	11.1%
4	6-9X:(4)	263	10.4 %	11.2%
5	10-19X:(5)	254	10.1 %	10.8%
6	20-39X:(6)	221	8.8 %	9.4%
7	40+OCCAS:(7)	466	18.5 %	19.8%
-9 (M)	MISSING:(-9)	168	6.7 %	-

Based upon 2351 valid cases out of 2519 total cases.

V5105 105B04B:#X ALC/ANN SIPS

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	835	33.1 %	35.5%
2	1-2X:(2)	382	15.2 %	16.3%
3	3-5X:(3)	303	12.0 %	12.9%
4	6-9X:(4)	267	10.6 %	11.4%
5	10-19X:(5)	233	9.2 %	9.9%
6	20-39X:(6)	135	5.4 %	5.7%
7	40+OCCAS:(7)	194	7.7 %	8.3%
-9 (M)	MISSING:(-9)	170	6.7 %	-

Based upon 2349 valid cases out of 2519 total cases.

V5106 105B04C:#X ALC/30D SIPS

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

On how many occasions (if any) have you had alcoholic

beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1377	54.7 %	58.7%
2	1-2X:(2)	444	17.6 %	18.9%
3	3-5X:(3)	241	9.6 %	10.3%
4	6-9X:(4)	120	4.8 %	5.1%
5	10-19X:(5)	89	3.5 %	3.8%
6	20-39X:(6)	34	1.3 %	1.4%
7	40+OCCAS:(7)	41	1.6 %	1.7%
-9 (M)	MISSING:(-9)	173	6.9 %	-

Based upon 2346 valid cases out of 2519 total cases.

V5107

105B05 :#X DRK ENF FL HI

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	455	18.1 %	26.8%
2	FEW OCC:(2)	434	17.2 %	25.5%
3	HALF OCC:(3)	248	9.8 %	14.6%
4	MOST OCC:(4)	348	13.8 %	20.5%
5	NRLY ALL:(5)	215	8.5 %	12.6%
-9 (M)	MISSING:(-9)	819	32.5 %	-

Based upon 1700 valid cases out of 2519 total cases.

V5108

105B06 :5+DRK ROW/LST 2W

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1755	69.7 %	76.1%
2	ONCE:(2)	198	7.9 %	8.6%
3	TWICE:(3)	154	6.1 %	6.7%
4	3-5X:(4)	131	5.2 %	5.7%
5	6-9X:(5)	35	1.4 %	1.5%
6	10+ TIME:(6)	32	1.3 %	1.4%
-9 (M)	MISSING:(-9)	214	8.5 %	-

Based upon 2305 valid cases out of 2519 total cases.

V5115 105B07A:#XMJ+HS/LIFETIME

Location: 248-249 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1317	52.3 %	54.9%
2	1-2X:(2)	235	9.3 %	9.8%
3	3-5X:(3)	157	6.2 %	6.5%
4	6-9X:(4)	112	4.4 %	4.7%
5	10-19X:(5)	118	4.7 %	4.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X:(6)	117	4.6 %	4.9%
7	40+OCCAS:(7)	343	13.6 %	14.3%
-9 (M)	MISSING:(-9)	120	4.8 %	-

Based upon 2399 valid cases out of 2519 total cases.

V5116 105B07B:#XMJ+HS/LAST12MO

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1550	61.5 %	64.7%
2	1-2X:(2)	246	9.8 %	10.3%
3	3-5X:(3)	136	5.4 %	5.7%
4	6-9X:(4)	95	3.8 %	4.0%
5	10-19X:(5)	92	3.7 %	3.8%
6	20-39X:(6)	61	2.4 %	2.5%
7	40+OCCAS:(7)	215	8.5 %	9.0%
-9 (M)	MISSING:(-9)	124	4.9 %	-

Based upon 2395 valid cases out of 2519 total cases.

V5117 105B07C:#XMJ+HS/LAST30DA

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1874	74.4 %	78.3%
2	1-2X:(2)	186	7.4 %	7.8%
3	3-5X:(3)	89	3.5 %	3.7%
4	6-9X:(4)	52	2.1 %	2.2%
5	10-19X:(5)	60	2.4 %	2.5%
6	20-39X:(6)	59	2.3 %	2.5%
7	40+OCCAS:(7)	73	2.9 %	3.1%
-9 (M)	MISSING:(-9)	126	5.0 %	-

Based upon 2393 valid cases out of 2519 total cases.

V5118 105B08A:#X LSD/LIFETIME

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2343	93.0 %	96.5%
2	1-2X:(2)	53	2.1 %	2.2%
3	3-5X:(3)	15	0.6 %	0.6%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	91	3.6 %	-

Based upon 2428 valid cases out of 2519 total cases.

V5119 105B08B:#X LSD/LAST 12MO

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2376	94.3 %	97.9%
2	1-2X:(2)	34	1.3 %	1.4%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	91	3.6 %	-

Based upon 2428 valid cases out of 2519 total cases.

V5120 105B08C:#X LSD/LAST 30DA

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2408	95.6 %	99.2%
2	1-2X:(2)	12	0.5 %	0.5%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	92	3.7 %	-

Based upon 2427 valid cases out of 2519 total cases.

V5121

105B09A:#X PSYD/LIFETIME

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2254	89.5 %	92.8%
2	1-2X:(2)	103	4.1 %	4.2%
3	3-5X:(3)	38	1.5 %	1.6%
4	6-9X:(4)	13	0.5 %	0.5%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	6	0.2 %	0.2%
7	40+OCCAS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	89	3.5 %	-

Based upon 2430 valid cases out of 2519 total cases.

V5122

105B09B:#X PSYD/LAST12MO

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2318	92.0 %	95.4%
2	1-2X:(2)	74	2.9 %	3.0%
3	3-5X:(3)	22	0.9 %	0.9%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	90	3.6 %	-

Based upon 2429 valid cases out of 2519 total cases.

V5123 105B09C:#X PSYD/LAST30DA

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2384	94.6 %	98.2%
2	1-2X:(2)	37	1.5 %	1.5%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	92	3.7 %	-

Based upon 2427 valid cases out of 2519 total cases.

V5124 105B10A:#X COKE/LIFETIME

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2307	91.6 %	95.3%
2	1-2X:(2)	54	2.1 %	2.2%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	11	0.4 %	0.5%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	97	3.9 %	-

Based upon 2422 valid cases out of 2519 total cases.

V5125

105B10B:#X COKE/LAST12MO

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2352	93.4 %	97.1%
2	1-2X:(2)	34	1.3 %	1.4%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	6	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.2 %	0.2%
-9 (M)	MISSING:(-9)	98	3.9 %	-

Based upon 2421 valid cases out of 2519 total cases.

V5126 105B10C:#X COKE/LAST30DA

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2394	95.0 %	98.8%
2	1-2X:(2)	18	0.7 %	0.7%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2424 valid cases out of 2519 total cases.

V5127 105B11A:#X AMPH/LIFETIME

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any

non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2147	85.2 %	88.7%
2	1-2X:(2)	101	4.0 %	4.2%
3	3-5X:(3)	54	2.1 %	2.2%
4	6-9X:(4)	31	1.2 %	1.3%
5	10-19X:(5)	24	1.0 %	1.0%
6	20-39X:(6)	26	1.0 %	1.1%
7	40+OCCAS:(7)	38	1.5 %	1.6%
-9 (M)	MISSING:(-9)	98	3.9 %	-

Based upon 2421 valid cases out of 2519 total cases.

V5128

105B11B:#X AMPH/LAST12MO

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2240	88.9 %	92.6%
2	1-2X:(2)	78	3.1 %	3.2%
3	3-5X:(3)	36	1.4 %	1.5%
4	6-9X:(4)	18	0.7 %	0.7%
5	10-19X:(5)	21	0.8 %	0.9%
6	20-39X:(6)	11	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	99	3.9 %	-

Based upon 2420 valid cases out of 2519 total cases.

V5129 105B11C:#X AMPH/LAST30DA

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01000

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2335	92.7 %	96.5%
2	1-2X:(2)	42	1.7 %	1.7%
3	3-5X:(3)	13	0.5 %	0.5%
4	6-9X:(4)	16	0.6 %	0.7%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	99	3.9 %	-

Based upon 2420 valid cases out of 2519 total cases.

V5130 105B12A:#X ICE/LIFETIME

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled
the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2384	94.6 %	98.1%
2	1-2X:(2)	19	0.8 %	0.8%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	6	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.2 %	0.2%
-9 (M)	MISSING:(-9)	89	3.5 %	-

Based upon 2430 valid cases out of 2519 total cases.

V5131 105B12B:#X ICE/LAST12MO

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2405	95.5 %	99.0%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	90	3.6 %	-

Based upon 2429 valid cases out of 2519 total cases.

V5132 105B12C:#X ICE/LAST30DA

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2415	95.9 %	99.4%
2	1-2X:(2)	4	0.2 %	0.2%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	89	3.5 %	-

Based upon 2430 valid cases out of 2519 total cases.

V5133

105B13A:#X SED/BARB/LIFE

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2225	88.3 %	92.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	82	3.3 %	3.4%
3	3-5X:(3)	34	1.3 %	1.4%
4	6-9X:(4)	25	1.0 %	1.0%
5	10-19X:(5)	21	0.8 %	0.9%
6	20-39X:(6)	16	0.6 %	0.7%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	102	4.0 %	-

Based upon 2417 valid cases out of 2519 total cases.

V5134 105B13B:#X SED/BARB/12MO

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2300	91.3 %	95.2%
2	1-2X:(2)	47	1.9 %	1.9%
3	3-5X:(3)	25	1.0 %	1.0%
4	6-9X:(4)	20	0.8 %	0.8%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	6	0.2 %	0.2%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	104	4.1 %	-

Based upon 2415 valid cases out of 2519 total cases.

V5135 105B13C:#X SED/BARB/30DA

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01062

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2355	93.5 %	97.5%
2	1-2X:(2)	30	1.2 %	1.2%
3	3-5X:(3)	16	0.6 %	0.7%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	103	4.1 %	-

Based upon 2416 valid cases out of 2519 total cases.

V5136

105B14A:#X TRQL/LIFETIME

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm
people down, quiet their nerves, or relax their muscles.
Librium, Valium, and Xanax are all tranquilizers. On how
many occasions (if any) have you taken tranquilizers on
your own--that is, without a doctor telling you to take
them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2193	87.1 %	90.7%
2	1-2X:(2)	87	3.5 %	3.6%
3	3-5X:(3)	46	1.8 %	1.9%
4	6-9X:(4)	30	1.2 %	1.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	25	1.0 %	1.0%
6	20-39X:(6)	15	0.6 %	0.6%
7	40+OCCAS:(7)	22	0.9 %	0.9%
-9 (M)	MISSING:(-9)	101	4.0 %	-

Based upon 2418 valid cases out of 2519 total cases.

V5137 105B14B:#X TRQL/LAST12MO

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2270	90.1 %	93.9%
2	1-2X:(2)	57	2.3 %	2.4%
3	3-5X:(3)	38	1.5 %	1.6%
4	6-9X:(4)	23	0.9 %	1.0%
5	10-19X:(5)	11	0.4 %	0.5%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	102	4.0 %	-

Based upon 2417 valid cases out of 2519 total cases.

V5138 105B14C:#X TRQL/LAST30DA

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2342	93.0 %	97.0%
2	1-2X:(2)	38	1.5 %	1.6%
3	3-5X:(3)	18	0.7 %	0.7%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	104	4.1 %	-

Based upon 2415 valid cases out of 2519 total cases.

V5489

105B15A:#X H LIF USE NDL

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2385	94.7 %	98.9%
2	1-2X:(2)	13	0.5 %	0.5%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	107	4.2 %	-

Based upon 2412 valid cases out of 2519 total cases.

V5490 105B15B:#X H 12M USE NDL

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2393	95.0 %	99.2%
2	1-2X:(2)	10	0.4 %	0.4%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	107	4.2 %	-

Based upon 2412 valid cases out of 2519 total cases.

V5491 105B15C:#X H 30D USE NDL

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2401	95.3 %	99.5%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	3	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	107	4.2 %	-

Based upon 2412 valid cases out of 2519 total cases.

V5492

105B16A:#X H LIF W/O NDL

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2381	94.5 %	99.0%
2	1-2X:(2)	8	0.3 %	0.3%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	115	4.6 %	-

Based upon 2404 valid cases out of 2519 total cases.

V5493

105B16B:#X H 12M W/O NDL

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2389	94.8 %	99.3%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	113	4.5 %	-

Based upon 2406 valid cases out of 2519 total cases.

V5494 105B16C:#X H 30D W/O NDL

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2395	95.1 %	99.6%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	115	4.6 %	-

Based upon 2404 valid cases out of 2519 total cases.

V5139 105R* :#X H/LIFETIME

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2385	94.7 %	98.5%
2	1-2X:(2)	12	0.5 %	0.5%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	98	3.9 %	-

Based upon 2421 valid cases out of 2519 total cases.

V5140

105R* :#X H/LAST12MO

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01110

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2397	95.2 %	99.0%
2	1-2X:(2)	10	0.4 %	0.4%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	97	3.9 %	-

Based upon 2422 valid cases out of 2519 total cases.

V5141

105R* :#X H/LAST30DAY

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2407	95.6 %	99.4%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	6	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	98	3.9 %	-

Based upon 2421 valid cases out of 2519 total cases.

V5142 105B17A:#X NARC/LIFETIME

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2103	83.5 %	87.7%
2	1-2X:(2)	101	4.0 %	4.2%
3	3-5X:(3)	59	2.3 %	2.5%
4	6-9X:(4)	37	1.5 %	1.5%
5	10-19X:(5)	33	1.3 %	1.4%
6	20-39X:(6)	29	1.2 %	1.2%
7	40+OCCAS:(7)	37	1.5 %	1.5%
-9 (M)	MISSING:(-9)	120	4.8 %	-

Based upon 2399 valid cases out of 2519 total cases.

V5143 105B17B:#X NARC/LAST12MO

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2209	87.7 %	92.2%
2	1-2X:(2)	71	2.8 %	3.0%
3	3-5X:(3)	42	1.7 %	1.8%
4	6-9X:(4)	27	1.1 %	1.1%
5	10-19X:(5)	25	1.0 %	1.0%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	13	0.5 %	0.5%
-9 (M)	MISSING:(-9)	122	4.8 %	-

Based upon 2397 valid cases out of 2519 total cases.

V5144

105B17C:#X NARC/LAST30DA

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2317	92.0 %	96.7%
2	1-2X:(2)	38	1.5 %	1.6%
3	3-5X:(3)	16	0.6 %	0.7%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	123	4.9 %	-

Based upon 2396 valid cases out of 2519 total cases.

V5145

105B18A:#X INHL/LIFETIME

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2179	86.5 %	90.8%
2	1-2X:(2)	126	5.0 %	5.3%
3	3-5X:(3)	32	1.3 %	1.3%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	19	0.8 %	0.8%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	120	4.8 %	-

Based upon 2399 valid cases out of 2519 total cases.

V5146

105B18B:#X INHL/LAST12MO

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2328	92.4 %	97.2%
2	1-2X:(2)	34	1.3 %	1.4%
3	3-5X:(3)	8	0.3 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	15	0.6 %	0.6%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	123	4.9 %	-

Based upon 2396 valid cases out of 2519 total cases.

V5147 105B18C:#X INHL/LAST30DA

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2360	93.7 %	98.5%
2	1-2X:(2)	22	0.9 %	0.9%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	123	4.9 %	-

Based upon 2396 valid cases out of 2519 total cases.

V5148 105C01(R):AGE <>18 DICHOTOMY

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component questions: 1) "In what year were you born?" (item
and 3) date of questionnaire administration as recorded by
interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 18 YRS:(1)	1003	39.8 %	41.5%
2	18+ YRS:(2)	1411	56.0 %	58.5%
-9 (M)	MISSING:(-9)	105	4.2 %	-

Based upon 2414 valid cases out of 2519 total cases.

V5150

105C03 :Rs SEX

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00030

What is your sex?

1="Male" 2="Female"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE:(1)	1196	47.5 %	50.1%
2	FEMALE:(2)	1193	47.4 %	49.9%
-9 (M)	MISSING:(-9)	130	5.2 %	-

Based upon 2389 valid cases out of 2519 total cases.

V5151

105C04(R):R'S RACEB/W/H

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"

3="Hispanic" [see above]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BLACK:(1)	335	13.3 %	16.1%
2	WHITE:(2)	1388	55.1 %	66.7%
3	HISPANIC:(3)	359	14.3 %	17.2%
-9 (M)	MISSING:(-9)	437	17.3 %	-

Based upon 2082 valid cases out of 2519 total cases.

V5152 105C05 :R SPD >TIM R-URB

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DK/MIXED:(0)	294	11.7 %	11.7%
1	A FARM:(1)	105	4.2 %	4.2%
2	COUNTRY:(2)	221	8.8 %	8.8%
3	SM CITY:(3)	631	25.0 %	25.0%
4	MED CITY:(4)	330	13.1 %	13.1%
5	SUB MED:(5)	262	10.4 %	10.4%
6	LGE CITY:(6)	251	10.0 %	10.0%
7	SUB LGE:(7)	178	7.1 %	7.1%
8	V-LGE CITY:(8)	151	6.0 %	6.0%
9	SUB V-LGE:(9)	96	3.8 %	3.8%

Based upon 2519 valid cases out of 2519 total cases.

V5153 105C06 :R NOT MARRIED

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARRIED:(1)	125	5.0 %	5.2%
2	ENGAGED:(2)	115	4.6 %	4.7%
3	SEP/DIV:(3)	60	2.4 %	2.5%
4	SINGLE:(4)	2122	84.2 %	87.6%
-9 (M)	MISSING:(-9)	97	3.9 %	-

Based upon 2422 valid cases out of 2519 total cases.

V49 10C07R:# SIBLINGS

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	122	4.8 %	5.1%
1	ONE:(1)	647	25.7 %	26.8%
2	TWO:(2)	639	25.4 %	26.5%
3	THREE+:(3-4)	1003	39.8 %	41.6%
-9 (M)	MISSING:(-9)	108	4.3 %	-

Based upon 2411 valid cases out of 2519 total cases.

V5155 105C07Cb(R):R'S HSHLD FATHER

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	686	27.2 %	28.4%
1	MARKED:(1)	1727	68.6 %	71.6%
-9 (M)	MISSING:(-9)	106	4.2 %	-

Based upon 2413 valid cases out of 2519 total cases.

V5156 105C07Cc(R):R'S HSHLD MOTHER

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	294	11.7 %	12.2%
1	MARKED:(1)	2119	84.1 %	87.8%
-9 (M)	MISSING:(-9)	106	4.2 %	-

Based upon 2413 valid cases out of 2519 total cases.

V5157 105C07Cd(R):R'S HSHLD BR/SR

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"
"My child(ren)," "Other relative(s)," "Non-relative(s),"
"I live alone" -- have been deleted for reasons of
confidentiality.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	785	31.2 %	32.5%
1	MARKED:(1)	1628	64.6 %	67.5%
-9 (M)	MISSING:(-9)	106	4.2 %	-

Based upon 2413 valid cases out of 2519 total cases.

V5163

105C08 :FATHR EDUC LEVEL

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	116	4.6 %	4.8%
2	SOME HS:(2)	258	10.2 %	10.7%
3	HS GRAD:(3)	625	24.8 %	25.9%
4	SOME CLG:(4)	409	16.2 %	16.9%
5	CLG GRAD:(5)	529	21.0 %	21.9%
6	GRAD SCH:(6)	283	11.2 %	11.7%
7	DK:(7)	194	7.7 %	8.0%
-9 (M)	MISSING:(-9)	105	4.2 %	-

Based upon 2414 valid cases out of 2519 total cases.

V5164

105C09 :MOTHR EDUC LEVEL

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	108	4.3 %	4.5%
2	SOME HS:(2)	188	7.5 %	7.8%
3	HS GRAD:(3)	583	23.1 %	24.2%
4	SOME CLG:(4)	496	19.7 %	20.5%
5	CLG GRAD:(5)	643	25.5 %	26.6%
6	GRAD SCH:(6)	293	11.6 %	12.1%
7	DK:(7)	103	4.1 %	4.3%
-9 (M)	MISSING:(-9)	105	4.2 %	-

Based upon 2414 valid cases out of 2519 total cases.

V5165 105C10 :MOTH PD JB R YNG

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	319	12.7 %	13.3%
2	YES/SOME:(2)	459	18.2 %	19.1%
3	YES/MOST:(3)	438	17.4 %	18.2%
4	YES/NRLY ALL:(4)	1185	47.0 %	49.4%
-9 (M)	MISSING:(-9)	118	4.7 %	-

Based upon 2401 valid cases out of 2519 total cases.

V5166 105C11 :Rs POLTL PRFNC

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRG GOP:(1)	219	8.7 %	9.4%
2	MILD GOP:(2)	263	10.4 %	11.3%
3	MILD DEM:(3)	306	12.1 %	13.2%
4	STRG DEM:(4)	233	9.2 %	10.1%
5	INDEPNDT:(5)	248	9.8 %	10.7%
6	NO PREF:(6)	366	14.5 %	15.8%
7	OTHER:(7)	47	1.9 %	2.0%
8	DK/HVNT DECID:(8)	636	25.2 %	27.4%
-9 (M)	MISSING:(-9)	201	8.0 %	-

Based upon 2318 valid cases out of 2519 total cases.

V5167 105C12 :R POL BLF RADCL

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VRY CONS:(1)	118	4.7 %	4.9%
2	CONSERV:(2)	313	12.4 %	13.1%
3	MODERATE:(3)	542	21.5 %	22.6%
4	LIBERAL:(4)	330	13.1 %	13.8%
5	VRY LIB:(5)	111	4.4 %	4.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	RADICAL:(6)	35	1.4 %	1.5%
8	NONE/DK:(8)	945	37.5 %	39.5%
-9 (M)	MISSING:(-9)	125	5.0 %	-

Based upon 2394 valid cases out of 2519 total cases.

V5169 105C13B:R ATTND REL SVC

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	351	13.9 %	18.7%
2	RARELY:(2)	661	26.2 %	35.1%
3	1-2X/MO:(3)	313	12.4 %	16.6%
4	1/WK OR+:(4)	556	22.1 %	29.6%
-9 (M)	MISSING:(-9)	638	25.3 %	-

Based upon 1881 valid cases out of 2519 total cases.

V5170 105C13C:RLGN IMP Rs LF

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Responses from the Western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	373	14.8 %	19.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	LITL IMP:(2)	496	19.7 %	26.4%
3	PRTY IMP:(3)	505	20.0 %	26.8%
4	VERY IMP:(4)	508	20.2 %	27.0%
-9 (M)	MISSING:(-9)	637	25.3 %	-

Based upon 1882 valid cases out of 2519 total cases.

V5171 105C14 :WHEN R XPCT GRAD

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	JUNE:(1)	2323	92.2 %	97.8%
2	JUL-JAN:(2)	36	1.4 %	1.5%
6	DONT EXPCT:(6)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	143	5.7 %	-

Based upon 2376 valid cases out of 2519 total cases.

V5172 105C15 :Rs HS PROGRAM

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	CLG PREP:(1)	1283	50.9 %	54.1%
2	GENERAL:(2)	770	30.6 %	32.5%
3	VOC-TECH:(3)	106	4.2 %	4.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	OTH/DK:(4)	211	8.4 %	8.9%
-9 (M)	MISSING:(-9)	149	5.9 %	-

Based upon 2370 valid cases out of 2519 total cases.

V5173 105C16 :RT SF SCH AB>AVG

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BELOW:(1)	27	1.1 %	1.1%
2	BELOW AVG:(2)	47	1.9 %	2.0%
3	SLIGHT BELOW:(3)	106	4.2 %	4.5%
4	AVERAGE:(4)	797	31.6 %	33.8%
5	SLIGHT ABOVE:(5)	577	22.9 %	24.4%
6	ABOVE AVG:(6)	660	26.2 %	28.0%
7	FAR ABOVE:(7)	146	5.8 %	6.2%
-9 (M)	MISSING:(-9)	159	6.3 %	-

Based upon 2360 valid cases out of 2519 total cases.

V5174 105C17 :RT SF INTELL>AVG

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BELOW:(1)	22	0.9 %	0.9%
2	BELOW AVG:(2)	38	1.5 %	1.6%
3	SLIGHT BELOW:(3)	93	3.7 %	3.9%
4	AVERAGE:(4)	710	28.2 %	30.1%
5	SLIGHT ABOVE:(5)	629	25.0 %	26.6%
6	ABOVE AVG:(6)	668	26.5 %	28.3%
7	FAR ABOVE:(7)	202	8.0 %	8.6%
-9 (M)	MISSING:(-9)	157	6.2 %	-

Based upon 2362 valid cases out of 2519 total cases.

V5175

105C18A:#DA/4W SC MS ILL

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1392	55.3 %	59.9%
2	1 DAY:(2)	380	15.1 %	16.3%
3	2 DAYS:(3)	268	10.6 %	11.5%
4	3 DAYS:(4)	130	5.2 %	5.6%
5	4-5 DAYS:(5)	105	4.2 %	4.5%
6	6-10 DA:(6)	34	1.3 %	1.5%
7	11+ DAYS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	194	7.7 %	-

Based upon 2325 valid cases out of 2519 total cases.

V5176

105C18B:#DA/4W SC MS CUT

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1597	63.4 %	69.7%
2	1 DAY:(2)	303	12.0 %	13.2%
3	2 DAYS:(3)	142	5.6 %	6.2%
4	3 DAYS:(4)	115	4.6 %	5.0%
5	4-5 DAYS:(5)	73	2.9 %	3.2%
6	6-10 DA:(6)	33	1.3 %	1.4%
7	11+ DAYS:(7)	29	1.2 %	1.3%
-9 (M)	MISSING:(-9)	227	9.0 %	-

Based upon 2292 valid cases out of 2519 total cases.

V5177 105C18C:#DA/4W SC MS OTH

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1253	49.7 %	54.3%
2	1 DAY:(2)	475	18.9 %	20.6%
3	2 DAYS:(3)	260	10.3 %	11.3%
4	3 DAYS:(4)	141	5.6 %	6.1%
5	4-5 DAYS:(5)	103	4.1 %	4.5%
6	6-10 DA:(6)	46	1.8 %	2.0%
7	11+ DAYS:(7)	31	1.2 %	1.3%
-9 (M)	MISSING:(-9)	210	8.3 %	-

Based upon 2309 valid cases out of 2519 total cases.

V5178 105C19 :#DA/4W SKP CLASS

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1651	65.5 %	69.9%
2	1-2:(2)	431	17.1 %	18.2%
3	3-5:(3)	161	6.4 %	6.8%
4	6-10:(4)	68	2.7 %	2.9%
5	11-20:(5)	23	0.9 %	1.0%
6	21+:(6)	28	1.1 %	1.2%
-9 (M)	MISSING:(-9)	157	6.2 %	-

Based upon 2362 valid cases out of 2519 total cases.

V5179 105C20 :R HS GRADE/D = 1

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	37	1.5 %	1.6%
2	C-:(2)	54	2.1 %	2.3%
3	C:(3)	121	4.8 %	5.1%
4	C+:(4)	218	8.7 %	9.3%
5	B-:(5)	267	10.6 %	11.3%
6	B:(6)	421	16.7 %	17.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	B+:(7)	471	18.7 %	20.0%
8	A-:(8)	389	15.4 %	16.5%
9	A:(9)	378	15.0 %	16.0%
-9 (M)	MISSING:(-9)	163	6.5 %	-

Based upon 2356 valid cases out of 2519 total cases.

V5180

105C21A:R WL DO VOC/TEC

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1265	50.2 %	55.4%
2	PRB WONT:(2)	528	21.0 %	23.1%
3	PRB WILL:(3)	323	12.8 %	14.1%
4	DEF WILL:(4)	169	6.7 %	7.4%
-9 (M)	MISSING:(-9)	234	9.3 %	-

Based upon 2285 valid cases out of 2519 total cases.

V5181

105C21B:R WL DO ARMD FC

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1474	58.5 %	67.2%
2	PRB WONT:(2)	431	17.1 %	19.7%
3	PRB WILL:(3)	160	6.4 %	7.3%
4	DEF WILL:(4)	127	5.0 %	5.8%
-9 (M)	MISSING:(-9)	327	13.0 %	-

Based upon 2192 valid cases out of 2519 total cases.

V5182

105C21C:R WL DO 2YR CLG

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	862	34.2 %	38.2%
2	PRB WONT:(2)	394	15.6 %	17.4%
3	PRB WILL:(3)	503	20.0 %	22.3%
4	DEF WILL:(4)	499	19.8 %	22.1%
-9 (M)	MISSING:(-9)	261	10.4 %	-

Based upon 2258 valid cases out of 2519 total cases.

V5183

105C21D:R WL DO 4YR CLG

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	167	6.6 %	7.2%
2	PRB WONT:(2)	195	7.7 %	8.4%
3	PRB WILL:(3)	526	20.9 %	22.7%
4	DEF WILL:(4)	1430	56.8 %	61.7%
-9 (M)	MISSING:(-9)	201	8.0 %	-

Based upon 2318 valid cases out of 2519 total cases.

V5184

105C21E:R WL DO GRD/PRF

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	342	13.6 %	14.9%
2	PRB WONT:(2)	576	22.9 %	25.1%
3	PRB WILL:(3)	792	31.4 %	34.5%
4	DEF WILL:(4)	583	23.1 %	25.4%
-9 (M)	MISSING:(-9)	226	9.0 %	-

Based upon 2293 valid cases out of 2519 total cases.

V5185

105C22A:R WNTDO VOC/TEC

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1968	78.1 %	85.1%
1	MARKED:(1)	344	13.7 %	14.9%
-9 (M)	MISSING:(-9)	207	8.2 %	-

Based upon 2312 valid cases out of 2519 total cases.

V5186

105C22B:R WNTDO ARMD FC

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1967	78.1 %	85.1%
1	MARKED:(1)	345	13.7 %	14.9%
-9 (M)	MISSING:(-9)	207	8.2 %	-

Based upon 2312 valid cases out of 2519 total cases.

V5187

105C22C:R WNTDO 2YR CLG

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1672	66.4 %	72.3%
1	MARKED:(1)	640	25.4 %	27.7%
-9 (M)	MISSING:(-9)	207	8.2 %	-

Based upon 2312 valid cases out of 2519 total cases.

V5188 105C22D:R WNTDO 4YR CLG

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	425	16.9 %	18.4%
1	MARKED:(1)	1887	74.9 %	81.6%
-9 (M)	MISSING:(-9)	207	8.2 %	-

Based upon 2312 valid cases out of 2519 total cases.

V5189 105C22E:R WNTDO GRD/PRF

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	978	38.8 %	42.3%
1	MARKED:(1)	1334	53.0 %	57.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	207	8.2 %	-

Based upon 2312 valid cases out of 2519 total cases.

V5190

105C22F:R WNTDO NONE

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2195	87.1 %	94.9%
1	MARKED:(1)	117	4.6 %	5.1%
-9 (M)	MISSING:(-9)	207	8.2 %	-

Based upon 2312 valid cases out of 2519 total cases.

V5191

105C23 :HRS/W WRK SCHYR

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1007	40.0 %	43.4%
2	5 OR <:(2)	212	8.4 %	9.1%
3	6-10 HRS:(3)	235	9.3 %	10.1%
4	11-15 HR:(4)	201	8.0 %	8.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	16-20 HR:(5)	270	10.7 %	11.6%
6	21-25 HR:(6)	163	6.5 %	7.0%
7	26-30 HR:(7)	108	4.3 %	4.7%
8	30+ HRS:(8)	123	4.9 %	5.3%
-9 (M)	MISSING:(-9)	200	7.9 %	-

Based upon 2319 valid cases out of 2519 total cases.

V5192 105C24A:R\$/AVG WEEK JOB

Location: 400-402 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1073	42.6 %	47.2%
2	\$1-5:(2)	17	0.7 %	0.7%
3	\$6-10:(3)	70	2.8 %	3.1%
4	\$11-20:(4)	67	2.7 %	2.9%
5	\$21-35:(5)	80	3.2 %	3.5%
6	\$36-50:(6)	103	4.1 %	4.5%
7	\$51-75:(7)	147	5.8 %	6.5%
8	\$76-125:(8)	310	12.3 %	13.6%
9	\$126-175:(9)	207	8.2 %	9.1%
10	\$176+:(10)	200	7.9 %	8.8%
-9 (M)	MISSING:(-9)	245	9.7 %	-

Based upon 2274 valid cases out of 2519 total cases.

V5193 105C24B:R\$/AVG WEEK OTH

Location: 403-405 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	911	36.2 %	40.7%
2	\$1-5:(2)	123	4.9 %	5.5%
3	\$6-10:(3)	185	7.3 %	8.3%
4	\$11-20:(4)	358	14.2 %	16.0%
5	\$21-35:(5)	266	10.6 %	11.9%
6	\$36-50:(6)	168	6.7 %	7.5%
7	\$51-75:(7)	76	3.0 %	3.4%
8	\$76-125:(8)	73	2.9 %	3.3%
9	\$126-175:(9)	16	0.6 %	0.7%
10	\$176+:(10)	62	2.5 %	2.8%
-9 (M)	MISSING:(-9)	281	11.2 %	-

Based upon 2238 valid cases out of 2519 total cases.

V5194

105C25 :#X/AV WK GO OUT

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00620

During a typical week, on how many evenings do you go out
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"
6="Six or seven"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 1:(1)	267	10.6 %	11.6%
2	ONE:(2)	311	12.3 %	13.5%
3	TWO:(3)	601	23.9 %	26.1%
4	THREE:(4)	568	22.5 %	24.6%
5	4-5:(5)	374	14.8 %	16.2%
6	6-7:(6)	185	7.3 %	8.0%
-9 (M)	MISSING:(-9)	213	8.5 %	-

Based upon 2306 valid cases out of 2519 total cases.

V5195 105C26 :#X DATE 3+/WK

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	722	28.7 %	31.7%
2	ONCE/MO:(2)	374	14.8 %	16.4%
3	2-3X MO:(3)	355	14.1 %	15.6%
4	ONCE WK:(4)	339	13.5 %	14.9%
5	2-3X WK:(5)	326	12.9 %	14.3%
6	3+ WEEK:(6)	164	6.5 %	7.2%
-9 (M)	MISSING:(-9)	239	9.5 %	-

Based upon 2280 valid cases out of 2519 total cases.

V5196 105C27 :DRIVE>200 MI/WK

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	561	22.3 %	24.4%
2	1-10 MI:(2)	245	9.7 %	10.6%
3	11-50:(3)	586	23.3 %	25.5%
4	51-100:(4)	442	17.5 %	19.2%
5	101-200:(5)	304	12.1 %	13.2%
6	> 200:(6)	164	6.5 %	7.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	217	8.6 %	-

Based upon 2302 valid cases out of 2519 total cases.

V5197 105C28 :#X/12MO R TCKTD

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1773	70.4 %	77.7%
1	ONCE:(1)	312	12.4 %	13.7%
2	TWICE:(2)	113	4.5 %	5.0%
3	3 TIMES:(3)	50	2.0 %	2.2%
4	4+ TIMES:(4)	34	1.3 %	1.5%
-9 (M)	MISSING:(-9)	237	9.4 %	-

Based upon 2282 valid cases out of 2519 total cases.

V5198 105C29AR:#TCKTS AFT DRNK

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	468	18.6 %	93.0%
1	ONE:(1)	29	1.2 %	5.8%
2	TWO:(2)	5	0.2 %	1.0%
3	THREE+: (3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	2016	80.0 %	-

Based upon 503 valid cases out of 2519 total cases.

V5199 105C29BR:#TCKTS AFT MARJ

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	481	19.1 %	95.6%
1	ONE:(1)	14	0.6 %	2.8%
2	TWO:(2)	5	0.2 %	1.0%
3	THREE+: (3-4)	3	0.1 %	0.6%
-9 (M)	MISSING:(-9)	2016	80.0 %	-

Based upon 503 valid cases out of 2519 total cases.

V5200 105C29CR:#TCKTS AFT OTDG

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	494	19.6 %	98.6%
1	ONE:(1)	4	0.2 %	0.8%
2	TWO:(2)	3	0.1 %	0.6%
-9 (M)	MISSING:(-9)	2018	80.1 %	-

Based upon 501 valid cases out of 2519 total cases.

V5201 105C30 :#ACCIDNTS/12 MO

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury-- not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1875	74.4 %	83.2%
1	ONCE:(1)	291	11.6 %	12.9%
2	TWICE:(2)	68	2.7 %	3.0%
3	3 TIMES:(3)	12	0.5 %	0.5%
4	4+ TIMES:(4)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	266	10.6 %	-

Based upon 2253 valid cases out of 2519 total cases.

V5202 105C31AR:#ACDTS AFT DRNK

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	358	14.2 %	95.7%
1	ONE:(1)	13	0.5 %	3.5%
2	TWO:(2)	2	0.1 %	0.5%
3	THREE+: (3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2145	85.2 %	-

Based upon 374 valid cases out of 2519 total cases.

V5203 105C31BR:#ACDTS AFT MARJ

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	360	14.3 %	96.5%
1	ONE:(1)	10	0.4 %	2.7%
2	TWO:(2)	1	0.0 %	0.3%
3	THREE+: (3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	2146	85.2 %	-

Based upon 373 valid cases out of 2519 total cases.

V5204 105C31CR:#ACDTS AFT OTDG

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	367	14.6 %	98.9%
1	ONE:(1)	2	0.1 %	0.5%
2	TWO:(2)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	2148	85.3 %	-

Based upon 371 valid cases out of 2519 total cases.

V5205

105C32 :Rs BRANCH SERV

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ARMY:(1)	65	2.6 %	22.3%
2	NAVY:(2)	33	1.3 %	11.3%
3	MARINES:(3)	72	2.9 %	24.7%
4	AIR FORCE:(4)	68	2.7 %	23.4%
5	COAST GUARD:(5)	6	0.2 %	2.1%
6	UNCERTN:(6)	47	1.9 %	16.2%
-9 (M)	MISSING:(-9)	2228	88.4 %	-

Based upon 291 valid cases out of 2519 total cases.

V5206

105C33 :R XPCTS B OFFCR

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	55	2.2 %	18.2%
2	UNCERTN:(2)	130	5.2 %	43.0%
3	YES:(3)	117	4.6 %	38.7%
-9 (M)	MISSING:(-9)	2217	88.0 %	-

Based upon 302 valid cases out of 2519 total cases.

V5207

105C34 :R XPCTS MLTR CR

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	54	2.1 %	17.9%
2	UNCERTN:(2)	119	4.7 %	39.4%
3	YES:(3)	129	5.1 %	42.7%
-9 (M)	MISSING:(-9)	2217	88.0 %	-

Based upon 302 valid cases out of 2519 total cases.

V5303

105D01A:POS ATT TWD SELF

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12550

This section asks for your views and feelings about a number of different things. Do you agree or disagree with each of the following?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	63	2.5 %	2.7%
2	MOST DIS:(2)	134	5.3 %	5.8%
3	NEITHER:(3)	195	7.7 %	8.5%
4	MOST AGR:(4)	990	39.3 %	43.2%
5	AGREE:(5)	909	36.1 %	39.7%
-9 (M)	MISSING:(-9)	228	9.1 %	-

Based upon 2291 valid cases out of 2519 total cases.

V5304 105D01B:LUCK>IMP HRD WRK

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12560

Do you agree or disagree with each of the following?

B: Good luck is more important than hard work for success

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	815	32.4 %	35.7%
2	MOST DIS:(2)	744	29.5 %	32.5%
3	NEITHER:(3)	472	18.7 %	20.6%
4	MOST AGR:(4)	158	6.3 %	6.9%
5	AGREE:(5)	97	3.9 %	4.2%
-9 (M)	MISSING:(-9)	233	9.2 %	-

Based upon 2286 valid cases out of 2519 total cases.

V5305 105D01C:AM PRSN OF WORTH

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12570

Do you agree or disagree with each of the following?

C: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	58	2.3 %	2.5%
2	MOST DIS:(2)	116	4.6 %	5.1%
3	NEITHER:(3)	301	11.9 %	13.2%
4	MOST AGR:(4)	885	35.1 %	38.8%
5	AGREE:(5)	920	36.5 %	40.4%
-9 (M)	MISSING:(-9)	239	9.5 %	-

Based upon 2280 valid cases out of 2519 total cases.

V5306 105D01D:DO WELL AS OTHRS

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12580

Do you agree or disagree with each of the following?

D: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	33	1.3 %	1.4%
2	MOST DIS:(2)	75	3.0 %	3.3%
3	NEITHER:(3)	211	8.4 %	9.3%
4	MOST AGR:(4)	909	36.1 %	39.9%
5	AGREE:(5)	1049	41.6 %	46.1%
-9 (M)	MISSING:(-9)	242	9.6 %	-

Based upon 2277 valid cases out of 2519 total cases.

V5307 105D01E:TRY GT AHD,STOPD

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12590

Do you agree or disagree with each of the following?

E: Every time I try to get ahead, something or somebody

stops me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	396	15.7 %	17.4%
2	MOST DIS:(2)	662	26.3 %	29.0%
3	NEITHER:(3)	620	24.6 %	27.2%
4	MOST AGR:(4)	421	16.7 %	18.5%
5	AGREE:(5)	182	7.2 %	8.0%
-9 (M)	MISSING:(-9)	238	9.4 %	-

Based upon 2281 valid cases out of 2519 total cases.

V5308 105D01F:PLNNG MKS UNHPPY

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12600

Do you agree or disagree with each of the following?

F: Planning only makes a person unhappy since plans hardly
ever work out anyway

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	540	21.4 %	23.8%
2	MOST DIS:(2)	655	26.0 %	28.8%
3	NEITHER:(3)	550	21.8 %	24.2%
4	MOST AGR:(4)	336	13.3 %	14.8%
5	AGREE:(5)	190	7.5 %	8.4%
-9 (M)	MISSING:(-9)	248	9.8 %	-

Based upon 2271 valid cases out of 2519 total cases.

V5309 105D01G:ACPT LIFE->HAPPR

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12610

Do you agree or disagree with each of the following?

G: People who accept their condition in life are happier than those who try to change things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	342	13.6 %	15.1%
2	MOST DIS:(2)	392	15.6 %	17.3%
3	NEITHER:(3)	636	25.2 %	28.1%
4	MOST AGR:(4)	519	20.6 %	22.9%
5	AGREE:(5)	378	15.0 %	16.7%
-9 (M)	MISSING:(-9)	252	10.0 %	-

Based upon 2267 valid cases out of 2519 total cases.

V5310 105D01H:SATISFD W MYSELF

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12620

Do you agree or disagree with each of the following?

H: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	77	3.1 %	3.4%
2	MOST DIS:(2)	159	6.3 %	7.0%
3	NEITHER:(3)	276	11.0 %	12.2%
4	MOST AGR:(4)	798	31.7 %	35.2%
5	AGREE:(5)	956	38.0 %	42.2%
-9 (M)	MISSING:(-9)	253	10.0 %	-

Based upon 2266 valid cases out of 2519 total cases.

V5311 105D01I:PPL LK ME -CHANC

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12630

Do you agree or disagree with each of the following?

I: People like me don't have much of a chance to be successful in life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1287	51.1 %	56.8%
2	MOST DIS:(2)	455	18.1 %	20.1%
3	NEITHER:(3)	324	12.9 %	14.3%
4	MOST AGR:(4)	124	4.9 %	5.5%
5	AGREE:(5)	74	2.9 %	3.3%
-9 (M)	MISSING:(-9)	255	10.1 %	-

Based upon 2264 valid cases out of 2519 total cases.

V5312

105D01J:MY PLANS DO WORK

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12640

Do you agree or disagree with each of the following?

J: When I make plans, I am almost certain that I can make them work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	64	2.5 %	2.8%
2	MOST DIS:(2)	141	5.6 %	6.2%
3	NEITHER:(3)	418	16.6 %	18.5%
4	MOST AGR:(4)	1011	40.1 %	44.7%
5	AGREE:(5)	629	25.0 %	27.8%
-9 (M)	MISSING:(-9)	256	10.2 %	-

Based upon 2263 valid cases out of 2519 total cases.

V5313

105D01K:OFTN FEEL LONELY

Location: 454-455 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12650

Do you agree or disagree with each of the following?

K: A lot of times I feel lonely

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	692	27.5 %	30.9%
2	MOST DIS:(2)	553	22.0 %	24.7%
3	NEITHER:(3)	395	15.7 %	17.6%
4	MOST AGR:(4)	376	14.9 %	16.8%
5	AGREE:(5)	224	8.9 %	10.0%
-9 (M)	MISSING:(-9)	279	11.1 %	-

Based upon 2240 valid cases out of 2519 total cases.

V5314 105D01L:-MUCH TO B PROUD

Location: 456-457 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12660

Do you agree or disagree with each of the following?

L: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1034	41.0 %	46.3%
2	MOST DIS:(2)	553	22.0 %	24.8%
3	NEITHER:(3)	285	11.3 %	12.8%
4	MOST AGR:(4)	253	10.0 %	11.3%
5	AGREE:(5)	106	4.2 %	4.8%
-9 (M)	MISSING:(-9)	288	11.4 %	-

Based upon 2231 valid cases out of 2519 total cases.

V5315 105D01M:ALWYS SM1 HELP R

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12670

Do you agree or disagree with each of the following?

M: There is always someone I can turn to if I need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	104	4.1 %	4.7%
2	MOST DIS:(2)	100	4.0 %	4.5%
3	NEITHER:(3)	198	7.9 %	8.9%
4	MOST AGR:(4)	595	23.6 %	26.7%
5	AGREE:(5)	1228	48.7 %	55.2%
-9 (M)	MISSING:(-9)	294	11.7 %	-

Based upon 2225 valid cases out of 2519 total cases.

V5316 105D01N:I AM NO GOOD

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12680

Do you agree or disagree with each of the following?

N: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	923	36.6 %	41.6%
2	MOST DIS:(2)	449	17.8 %	20.2%
3	NEITHER:(3)	362	14.4 %	16.3%
4	MOST AGR:(4)	311	12.3 %	14.0%
5	AGREE:(5)	176	7.0 %	7.9%
-9 (M)	MISSING:(-9)	298	11.8 %	-

Based upon 2221 valid cases out of 2519 total cases.

V5317 105D01O:OFTN FL LEFT OUT

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12690

Do you agree or disagree with each of the following?

O: I often feel left out of things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	643	25.5 %	29.0%
2	MOST DIS:(2)	528	21.0 %	23.8%
3	NEITHER:(3)	434	17.2 %	19.5%
4	MOST AGR:(4)	421	16.7 %	19.0%
5	AGREE:(5)	194	7.7 %	8.7%
-9 (M)	MISSING:(-9)	299	11.9 %	-

Based upon 2220 valid cases out of 2519 total cases.

V5318 105D01P:PPL MASTER FATE

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12700

Do you agree or disagree with each of the following?

P: I believe a person is master of his/her own fate

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	146	5.8 %	6.6%
2	MOST DIS:(2)	104	4.1 %	4.7%
3	NEITHER:(3)	384	15.2 %	17.3%
4	MOST AGR:(4)	718	28.5 %	32.3%
5	AGREE:(5)	871	34.6 %	39.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	296	11.8 %	-

Based upon 2223 valid cases out of 2519 total cases.

V5319 105D01Q:USLY SM1 TALK TO

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12710

Do you agree or disagree with each of the following?

Q: There is usually someone I can talk to if I need to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	88	3.5 %	4.0%
2	MOST DIS:(2)	89	3.5 %	4.0%
3	NEITHER:(3)	182	7.2 %	8.2%
4	MOST AGR:(4)	561	22.3 %	25.3%
5	AGREE:(5)	1295	51.4 %	58.5%
-9 (M)	MISSING:(-9)	304	12.1 %	-

Based upon 2215 valid cases out of 2519 total cases.

V5320 105D01R:I DO WRONG THING

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12720

Do you agree or disagree with each of the following?

R: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1009	40.1 %	45.8%
2	MOST DIS:(2)	538	21.4 %	24.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	NEITHER:(3)	376	14.9 %	17.1%
4	MOST AGR:(4)	188	7.5 %	8.5%
5	AGREE:(5)	93	3.7 %	4.2%
-9 (M)	MISSING:(-9)	315	12.5 %	-

Based upon 2204 valid cases out of 2519 total cases.

V5321

105D01S:OFT WSH MOR FRND

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12730

Do you agree or disagree with each of the following?

S: I often wish I had more good friends

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	586	23.3 %	26.6%
2	MOST DIS:(2)	362	14.4 %	16.4%
3	NEITHER:(3)	429	17.0 %	19.5%
4	MOST AGR:(4)	461	18.3 %	20.9%
5	AGREE:(5)	364	14.5 %	16.5%
-9 (M)	MISSING:(-9)	317	12.6 %	-

Based upon 2202 valid cases out of 2519 total cases.

V5322

105D01T:PLANS->BTR RSLTS

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12740

Do you agree or disagree with each of the following?

T: Planning ahead makes things turn out better

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	119	4.7 %	5.4%
2	MOST DIS:(2)	149	5.9 %	6.8%
3	NEITHER:(3)	541	21.5 %	24.5%
4	MOST AGR:(4)	802	31.8 %	36.4%
5	AGREE:(5)	594	23.6 %	26.9%
-9 (M)	MISSING:(-9)	314	12.5 %	-

Based upon 2205 valid cases out of 2519 total cases.

V5323

105D01U:MY LIFE NT USEFL

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12750

Do you agree or disagree with each of the following?

U: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1182	46.9 %	53.9%
2	MOST DIS:(2)	455	18.1 %	20.7%
3	NEITHER:(3)	340	13.5 %	15.5%
4	MOST AGR:(4)	145	5.8 %	6.6%
5	AGREE:(5)	71	2.8 %	3.2%
-9 (M)	MISSING:(-9)	326	12.9 %	-

Based upon 2193 valid cases out of 2519 total cases.

V5324

105D01V:USLY FRDS BE WTH

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12760

Do you agree or disagree with each of the following?

V: I usually have a few friends around that I can get
together with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	142	5.6 %	6.5%
2	MOST DIS:(2)	130	5.2 %	5.9%
3	NEITHER:(3)	243	9.6 %	11.1%
4	MOST AGR:(4)	751	29.8 %	34.2%
5	AGREE:(5)	929	36.9 %	42.3%
-9 (M)	MISSING:(-9)	324	12.9 %	-

Based upon 2195 valid cases out of 2519 total cases.

V5414 105D01W:EAGR TO LEAV HOM

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13950

Do you agree or disagree with each of the following?

W: I am eager to leave home and live on my own--independent from my parents

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	174	6.9 %	7.9%
2	MOST DIS:(2)	171	6.8 %	7.8%
3	NEITHER:(3)	472	18.7 %	21.5%
4	MOST AGR:(4)	592	23.5 %	27.0%
5	AGREE:(5)	782	31.0 %	35.7%
-9 (M)	MISSING:(-9)	328	13.0 %	-

Based upon 2191 valid cases out of 2519 total cases.

V5415 105D01X:HEST PRT ADLT WL

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13960

Do you agree or disagree with each of the following?

X: I feel hesitant about taking a full-time job and becoming part of the "adult" world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	586	23.3 %	26.7%
2	MOST DIS:(2)	412	16.4 %	18.8%
3	NEITHER:(3)	436	17.3 %	19.9%
4	MOST AGR:(4)	456	18.1 %	20.8%
5	AGREE:(5)	301	11.9 %	13.7%
-9 (M)	MISSING:(-9)	328	13.0 %	-

Based upon 2191 valid cases out of 2519 total cases.

V5416 105D02A:%\$SAVE FUTR EDUC

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20830

Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into . . .

A: . . . Savings for your future education?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1037	41.2 %	48.0%
2	LITL (20%):(2)	432	17.1 %	20.0%
3	SOME(40%):(3)	274	10.9 %	12.7%
4	HALF(60%):(4)	197	7.8 %	9.1%
5	MOST(80%):(5)	118	4.7 %	5.5%
6	ALMST(99%):(6)	62	2.5 %	2.9%
7	ALL:(7)	40	1.6 %	1.9%
-9 (M)	MISSING:(-9)	359	14.3 %	-

Based upon 2160 valid cases out of 2519 total cases.

V5417 105D02B:%\$SAVE/SPEND CAR

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 20840

About how much of your past year's earnings have gone into . . .

B: . . . Savings or payments for a car or car expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1140	45.3 %	52.9%
2	LITL (20%):(2)	306	12.1 %	14.2%
3	SOME(40%):(3)	274	10.9 %	12.7%
4	HALF(60%):(4)	212	8.4 %	9.8%
5	MOST(80%):(5)	116	4.6 %	5.4%
6	ALMST(99%):(6)	58	2.3 %	2.7%
7	ALL:(7)	49	1.9 %	2.3%
-9 (M)	MISSING:(-9)	364	14.5 %	-

Based upon 2155 valid cases out of 2519 total cases.

V5418 105D02C:%\$SAVE OTHER

Location: 486-487 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 20850

About how much of your past year's earnings have gone into . . .

C: . . . Other savings for long-range purposes?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1028	40.8 %	47.9%
2	LITL (20%):(2)	437	17.3 %	20.4%
3	SOME(40%):(3)	291	11.6 %	13.6%
4	HALF(60%):(4)	162	6.4 %	7.5%
5	MOST(80%):(5)	122	4.8 %	5.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	ALMST(99%):(6)	58	2.3 %	2.7%
7	ALL:(7)	49	1.9 %	2.3%
-9 (M)	MISSING:(-9)	372	14.8 %	-

Based upon 2147 valid cases out of 2519 total cases.

V5419 105D02D:%\$SPEND ON SELF

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20860

About how much of your past year's earnings have gone into . . .

D: . . . Spending on your own needs and activities--things such as clothing, stereo, TV, tapes and discs, other possessions, movies, eating out, other recreation, hobbies, gifts for others, and other personal expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	269	10.7 %	12.6%
2	LITL (20%):(2)	386	15.3 %	18.1%
3	SOME(40%):(3)	343	13.6 %	16.1%
4	HALF(60%):(4)	365	14.5 %	17.1%
5	MOST(80%):(5)	361	14.3 %	16.9%
6	ALMST(99%):(6)	229	9.1 %	10.7%
7	ALL:(7)	178	7.1 %	8.4%
-9 (M)	MISSING:(-9)	388	15.4 %	-

Based upon 2131 valid cases out of 2519 total cases.

V5420 105D02E:%\$SPEND HELP FAM

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20870

About how much of your past year's earnings have gone into . . .

E: . . . Helping to pay family living expenses (groceries, housing, etc.)?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1164	46.2 %	54.9%
2	LITL (20%):(2)	458	18.2 %	21.6%
3	SOME(40%):(3)	232	9.2 %	10.9%
4	HALF(60%):(4)	115	4.6 %	5.4%
5	MOST(80%):(5)	63	2.5 %	3.0%
6	ALMST(99%):(6)	45	1.8 %	2.1%
7	ALL:(7)	42	1.7 %	2.0%
-9 (M)	MISSING:(-9)	400	15.9 %	-

Based upon 2119 valid cases out of 2519 total cases.

V5523

105D03:EVER AD STIM DR

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31460

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Cylert, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil.)

1="No--GO TO QUESTION 6" 2="Yes, in the past, but not now" 3="Yes, I take them now"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1956	77.6 %	92.2%
2	YES PAST:(2)	106	4.2 %	5.0%
3	YES NOW:(3)	59	2.3 %	2.8%
-9 (M)	MISSING:(-9)	398	15.8 %	-

Based upon 2121 valid cases out of 2519 total cases.

V5524 105D04:AGE 1ST AD STIM

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31470

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1-4 YRS:(1)	8	0.3 %	4.8%
2	5-9:(2)	52	2.1 %	31.0%
3	10-14:(3)	53	2.1 %	31.5%
4	15+ YRS:(4)	55	2.2 %	32.7%
-9 (M)	MISSING:(-9)	2351	93.3 %	-

Based upon 168 valid cases out of 2519 total cases.

V5525 105D05:# YRS TK AD STIM

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31480

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	<1 YEAR:(1)	44	1.7 %	25.9%
2	1 YEAR:(2)	14	0.6 %	8.2%
3	2 YRS:(3)	24	1.0 %	14.1%
4	3-5 YRS:(4)	54	2.1 %	31.8%
5	6-9 YRS:(5)	23	0.9 %	13.5%
6	10+ YRS:(6)	11	0.4 %	6.5%
-9 (M)	MISSING:(-9)	2349	93.3 %	-

Based upon 170 valid cases out of 2519 total cases.

V5526 105D06:EVER AD NONSTIM

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31490

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil)?

1="No" 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1864	74.0 %	89.2%
2	YES PAST:(2)	73	2.9 %	3.5%
3	YES NOW:(3)	41	1.6 %	2.0%
8	DONT KNOW:(8)	111	4.4 %	5.3%
-9 (M)	MISSING:(-9)	430	17.1 %	-

Based upon 2089 valid cases out of 2519 total cases.

V5552 105E01:# ENERGY DRINKS/DAY

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32540

"Energy drinks" are non-alcoholic beverages that usually contain high amounts of caffeine, including such drinks as Red Bull, Full Throttle, Monster, and Rockstar. They are usually sold in 8- or 16-ounce cans or bottles. About how many (if any) energy drinks do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four" 6="Five or six" 7="7 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1452	57.6 %	67.8%
1	< 1:(1)	447	17.7 %	20.9%
2	1:(2)	147	5.8 %	6.9%
3	2:(3)	54	2.1 %	2.5%
4	3:(4)	16	0.6 %	0.7%
5	4:(5)	6	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	5-6:(6)	2	0.1 %	0.1%
7	7 OR +:(7)	19	0.8 %	0.9%
-9 (M)	MISSING:(-9)	376	14.9 %	-

Based upon 2143 valid cases out of 2519 total cases.

V5553 105E02:# ENERGY SHOTS/DAY

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32550

Energy drinks are also sold as small "shots", that usually contain just 2 or 3 ounces. How many (if any) energy drink shots do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four"
6="Five or six" 7="7 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1916	76.1 %	89.4%
1	< 1:(1)	148	5.9 %	6.9%
2	1:(2)	39	1.5 %	1.8%
3	2:(3)	10	0.4 %	0.5%
4	3:(4)	17	0.7 %	0.8%
5	4:(5)	4	0.2 %	0.2%
6	5-6:(6)	3	0.1 %	0.1%
7	7 OR +:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	375	14.9 %	-

Based upon 2144 valid cases out of 2519 total cases.

V5554 105E03:# REG SOFT DRINKS/DAY

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32560

Regular (non-diet) soft drinks include Coke, Pepsi, Mountain Dew, Dr. Pepper, etc. How many (if any) 12-ounce cans or bottles (or the equivalent) of regular (non-diet) soft drinks do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four"

6="Five or six" 7="7 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	652	25.9 %	30.4%
1	< 1:(1)	547	21.7 %	25.5%
2	1:(2)	378	15.0 %	17.6%
3	2:(3)	303	12.0 %	14.1%
4	3:(4)	139	5.5 %	6.5%
5	4:(5)	62	2.5 %	2.9%
6	5-6:(6)	33	1.3 %	1.5%
7	7 OR +:(7)	30	1.2 %	1.4%
-9 (M)	MISSING:(-9)	375	14.9 %	-

Based upon 2144 valid cases out of 2519 total cases.

V5555

105E04:# DIET SOFT DRINKS/DAY

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32570

How many (if any) 12-ounce cans or bottles (or the equivalent) of diet soft drinks (like Diet Coke, Diet Pepsi, etc.) do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four"
6="Five or six" 7="7 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1354	53.8 %	63.4%
1	< 1:(1)	360	14.3 %	16.8%
2	1:(2)	210	8.3 %	9.8%
3	2:(3)	117	4.6 %	5.5%
4	3:(4)	47	1.9 %	2.2%
5	4:(5)	26	1.0 %	1.2%
6	5-6:(6)	10	0.4 %	0.5%
7	7 OR +:(7)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	382	15.2 %	-

Based upon 2137 valid cases out of 2519 total cases.

V5334

105E05A:I/MJ USR,>CREATV

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13060

The next questions ask about characteristics which some people associate with the use of particular drugs. We want to know what you think. Do YOU think that people who smoke marijuana several times a week tend to be . . .

A: . . . more creative than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	964	38.3 %	45.3%
2	YES:(2)	691	27.4 %	32.5%
3	NT SUR/NO OP:(3)	473	18.8 %	22.2%
-9 (M)	MISSING:(-9)	391	15.5 %	-

Based upon 2128 valid cases out of 2519 total cases.

V5335 105E05B:I/MJ USR,<SENSBL

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13070

Do YOU think that people who smoke marijuana several times a week tend to be . . .

B: . . . less sensible than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	678	26.9 %	31.9%
2	YES:(2)	1006	39.9 %	47.4%
3	NT SUR/NO OP:(3)	440	17.5 %	20.7%
-9 (M)	MISSING:(-9)	395	15.7 %	-

Based upon 2124 valid cases out of 2519 total cases.

V5336 105E05C:I/MJ USR,>INTRST

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13080

Do YOU think that people who smoke marijuana several times a week tend to be . . .

C: . . . more interesting people than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1004	39.9 %	47.3%
2	YES:(2)	692	27.5 %	32.6%
3	NT SUR/NO OP:(3)	428	17.0 %	20.2%
-9 (M)	MISSING:(-9)	395	15.7 %	-

Based upon 2124 valid cases out of 2519 total cases.

V5337 105E05D:I/MJ USR,<HRDWKG

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13090

Do YOU think that people who smoke marijuana several times a week tend to be . . .

D: . . . less hard-working than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	601	23.9 %	28.3%
2	YES:(2)	1135	45.1 %	53.4%
3	NT SUR/NO OP:(3)	389	15.4 %	18.3%
-9 (M)	MISSING:(-9)	394	15.6 %	-

Based upon 2125 valid cases out of 2519 total cases.

V5338 105E05E:I/MJ USR,>INDPND

Location: 516-517 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13100

Do YOU think that people who smoke marijuana several times a

week tend to be . . .

E: . . . more independent than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1089	43.2 %	51.3%
2	YES:(2)	549	21.8 %	25.9%
3	NT SUR/NO OP:(3)	484	19.2 %	22.8%
-9 (M)	MISSING:(-9)	397	15.8 %	-

Based upon 2122 valid cases out of 2519 total cases.

V5339 105E05F:I/MJ USR,>UNSTBL

Location: 518-519 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13110

Do YOU think that people who smoke marijuana several times a week tend to be . . .

F: . . . more emotionally unstable than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	733	29.1 %	34.5%
2	YES:(2)	940	37.3 %	44.3%
3	NT SUR/NO OP:(3)	450	17.9 %	21.2%
-9 (M)	MISSING:(-9)	396	15.7 %	-

Based upon 2123 valid cases out of 2519 total cases.

V5340 105E05G:I/MJ USR,>CNCRND

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13120

Do YOU think that people who smoke marijuana several times a week tend to be . . .

G: . . . more concerned about other people than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1291	51.3 %	61.1%
2	YES:(2)	329	13.1 %	15.6%
3	NT SUR/NO OP:(3)	493	19.6 %	23.3%
-9 (M)	MISSING:(-9)	406	16.1 %	-

Based upon 2113 valid cases out of 2519 total cases.

V5341 105E05H:I/MJ USR,>WKWLD

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13130

Do YOU think that people who smoke marijuana several times a week tend to be . . .

H: . . . more weak-willed than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	709	28.1 %	33.6%
2	YES:(2)	895	35.5 %	42.4%
3	NT SUR/NO OP:(3)	507	20.1 %	24.0%
-9 (M)	MISSING:(-9)	408	16.2 %	-

Based upon 2111 valid cases out of 2519 total cases.

V5342 105E05I:I/MJ USR,>CRMNL

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13140

Do YOU think that people who smoke marijuana several times a week tend to be . . .

I: . . . more criminal than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	746	29.6 %	35.3%
2	YES:(2)	905	35.9 %	42.9%
3	NT SUR/NO OP:(3)	460	18.3 %	21.8%
-9 (M)	MISSING:(-9)	408	16.2 %	-

Based upon 2111 valid cases out of 2519 total cases.

V5433

105E06A:SMKRS ENJOY LIFE

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21000

Do you agree or disagree?

A: Smokers know how to enjoy life more than non-smokers

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1291	51.3 %	61.0%
2	MOST DIS:(2)	188	7.5 %	8.9%
3	NEITHER:(3)	464	18.4 %	21.9%
4	MOST AGR:(4)	93	3.7 %	4.4%
5	AGREE:(5)	81	3.2 %	3.8%
-9 (M)	MISSING:(-9)	402	16.0 %	-

Based upon 2117 valid cases out of 2519 total cases.

V5434

105E06B:PRFR DATE N-SMKR

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21010

Do you agree or disagree?

B: I would prefer to date people who don't smoke

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	145	5.8 %	6.9%
2	MOST DIS:(2)	64	2.5 %	3.0%
3	NEITHER:(3)	369	14.6 %	17.5%
4	MOST AGR:(4)	264	10.5 %	12.5%
5	AGREE:(5)	1272	50.5 %	60.2%
-9 (M)	MISSING:(-9)	405	16.1 %	-

Based upon 2114 valid cases out of 2519 total cases.

V5435 105E06C:HARMFUL CIG EXAG

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21020

Do you agree or disagree?

C: The harmful effects of cigarettes have been exaggerated

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1043	41.4 %	49.6%
2	MOST DIS:(2)	374	14.8 %	17.8%
3	NEITHER:(3)	409	16.2 %	19.4%
4	MOST AGR:(4)	146	5.8 %	6.9%
5	AGREE:(5)	131	5.2 %	6.2%
-9 (M)	MISSING:(-9)	416	16.5 %	-

Based upon 2103 valid cases out of 2519 total cases.

V5436 105E06D:SMKR POOR JDGMNT

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21030

Do you agree or disagree?

D: I think that becoming a smoker reflects poor judgment

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	255	10.1 %	12.1%
2	MOST DIS:(2)	182	7.2 %	8.6%
3	NEITHER:(3)	557	22.1 %	26.4%
4	MOST AGR:(4)	415	16.5 %	19.7%
5	AGREE:(5)	700	27.8 %	33.2%
-9 (M)	MISSING:(-9)	410	16.3 %	-

Based upon 2109 valid cases out of 2519 total cases.

V5437 105E06E:DONT MIND SMOKNG

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21040

Do you agree or disagree?

E: I personally don't mind being around people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	694	27.6 %	32.9%
2	MOST DIS:(2)	359	14.3 %	17.0%
3	NEITHER:(3)	389	15.4 %	18.5%
4	MOST AGR:(4)	369	14.6 %	17.5%
5	AGREE:(5)	297	11.8 %	14.1%
-9 (M)	MISSING:(-9)	411	16.3 %	-

Based upon 2108 valid cases out of 2519 total cases.

V5438 105E06F:SMKG DIRTY HABIT

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21050

Do you agree or disagree?

F: Smoking is a dirty habit

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	150	6.0 %	7.1%
2	MOST DIS:(2)	99	3.9 %	4.7%
3	NEITHER:(3)	349	13.9 %	16.6%
4	MOST AGR:(4)	384	15.2 %	18.2%
5	AGREE:(5)	1124	44.6 %	53.4%
-9 (M)	MISSING:(-9)	413	16.4 %	-

Based upon 2106 valid cases out of 2519 total cases.

V5485 105E06G:DTEST NEAR SMKRS

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21055

Do you agree or disagree?

G: I strongly dislike being near people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	360	14.3 %	17.1%
2	MOST DIS:(2)	244	9.7 %	11.6%
3	NEITHER:(3)	473	18.8 %	22.4%
4	MOST AGR:(4)	318	12.6 %	15.1%
5	AGREE:(5)	712	28.3 %	33.8%
-9 (M)	MISSING:(-9)	412	16.4 %	-

Based upon 2107 valid cases out of 2519 total cases.

V5511 105E07A:#X FLVRDALC/LIFE

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31360

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink-- more than just a few sips . . .

A: . . . in your lifetime?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	758	30.1 %	36.6%
2	1-2X:(2)	302	12.0 %	14.6%
3	3-5X:(3)	245	9.7 %	11.8%
4	6-9X:(4)	220	8.7 %	10.6%
5	10-19X:(5)	203	8.1 %	9.8%
6	20-39X:(6)	156	6.2 %	7.5%
7	40+OCCAS:(7)	187	7.4 %	9.0%
-9 (M)	MISSING:(-9)	448	17.8 %	-

Based upon 2071 valid cases out of 2519 total cases.

V5512 105E07B:#X FLVRDALC/12MO

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31370

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink-- more than just a few sips . . .

B: . . . During the last 12 months?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1060	42.1 %	51.4%
2	1-2X:(2)	369	14.6 %	17.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3-5X:(3)	242	9.6 %	11.7%
4	6-9X:(4)	148	5.9 %	7.2%
5	10-19X:(5)	116	4.6 %	5.6%
6	20-39X:(6)	68	2.7 %	3.3%
7	40+OCCAS:(7)	61	2.4 %	3.0%
-9 (M)	MISSING:(-9)	455	18.1 %	-

Based upon 2064 valid cases out of 2519 total cases.

V5513 105E07C:#X FLVRDALC/30DA

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31380

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink-- more than just a few sips . . .

C: . . . During the last 30 days?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1550	61.5 %	75.2%
2	1-2X:(2)	291	11.6 %	14.1%
3	3-5X:(3)	108	4.3 %	5.2%
4	6-9X:(4)	59	2.3 %	2.9%
5	10-19X:(5)	27	1.1 %	1.3%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	19	0.8 %	0.9%
-9 (M)	MISSING:(-9)	458	18.2 %	-

Based upon 2061 valid cases out of 2519 total cases.

V5486 105E08A:#X CRACK/LIFETIM

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22260

Lately, there has been some attention paid to certain drugs, including "crack" (cocaine in chunks or rocks). On how many occasions have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2024	80.3 %	97.0%
2	1-2X:(2)	26	1.0 %	1.2%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	12	0.5 %	0.6%
-9 (M)	MISSING:(-9)	432	17.1 %	-

Based upon 2087 valid cases out of 2519 total cases.

V5487

105E08B:#X CRACK/LAST12M

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

On how many occasions have you used "crack" cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2043	81.1 %	97.8%
2	1-2X:(2)	17	0.7 %	0.8%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5488 105E08C:#X CRACK/LAST30D

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

On how many occasions have you used "crack" cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2062	81.9 %	98.7%
2	1-2X:(2)	10	0.4 %	0.5%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	430	17.1 %	-

Based upon 2089 valid cases out of 2519 total cases.

V5527 105E09A:#X STRD/LIFETIME

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2030	80.6 %	97.7%
2	1-2X:(2)	25	1.0 %	1.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	442	17.5 %	-

Based upon 2077 valid cases out of 2519 total cases.

V5528

105E09B:#X STRD/LAST12MO

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2048	81.3 %	98.6%
2	1-2X:(2)	11	0.4 %	0.5%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	441	17.5 %	-

Based upon 2078 valid cases out of 2519 total cases.

V5529

105E09C:#X STRD/LAST30DA

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2056	81.6 %	98.9%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	441	17.5 %	-

Based upon 2078 valid cases out of 2519 total cases.

V5530 105E10A:MTHD STRD-INJECT

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23790

What methods have you used for taking steroids on your own?
(Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	28	1.1 %	65.1%
1	MARKED:(1)	15	0.6 %	34.9%
-9 (M)	MISSING:(-9)	2476	98.3 %	-

Based upon 43 valid cases out of 2519 total cases.

V5531 105E10B:MTHD STRD-MOUTH

Location: 560-561 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 23800

What methods have you used for taking steroids on your own?
 (Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	10	0.4 %	23.3%
1	MARKED:(1)	33	1.3 %	76.7%
-9 (M)	MISSING:(-9)	2476	98.3 %	-

Based upon 43 valid cases out of 2519 total cases.

V5532 105E10C:HVNT USED STRDS

Location: 562-563 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 30940

What methods have you used for taking steroids on your own?
 (Mark all that apply.)

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported
 nonuse on preceding prevalence question]"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	40	1.6 %	1.9%
1	MARKED:(1)	2033	80.7 %	98.1%
-9 (M)	MISSING:(-9)	446	17.7 %	-

Based upon 2073 valid cases out of 2519 total cases.

V5496 105E11A:#X KETAMINE/12M

Location: 564-565 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

A. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2083	82.7 %	98.2%
2	1-2X:(2)	15	0.6 %	0.7%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	398	15.8 %	-

Based upon 2121 valid cases out of 2519 total cases.

V5499

105E11B:#X OXYCONTN/12MO

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2022	80.3 %	95.5%
2	1-2X:(2)	42	1.7 %	2.0%
3	3-5X:(3)	18	0.7 %	0.9%
4	6-9X:(4)	10	0.4 %	0.5%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	8	0.3 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	402	16.0 %	-

Based upon 2117 valid cases out of 2519 total cases.

V5500 105E11C:#X VICODIN/12MO

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1945	77.2 %	91.9%
2	1-2X:(2)	72	2.9 %	3.4%
3	3-5X:(3)	39	1.5 %	1.8%
4	6-9X:(4)	29	1.2 %	1.4%
5	10-19X:(5)	12	0.5 %	0.6%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	403	16.0 %	-

Based upon 2116 valid cases out of 2519 total cases.

V5550 105E11D:#X SALVIA/12MO

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32500

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1999	79.4 %	94.6%
2	1-2X:(2)	66	2.6 %	3.1%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	12	0.5 %	0.6%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	407	16.2 %	-

Based upon 2112 valid cases out of 2519 total cases.

V5551 105E11E:#X PROVIGIL/12MO

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32510

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . taken Provigil, a prescription stay-awake drug (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2073	82.3 %	98.4%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	413	16.4 %	-

Based upon 2106 valid cases out of 2519 total cases.

V5461 105E12 :#X/LAST12M PARTY

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21900

Over the LAST 12 MONTHS, about how often have you gone to parties?

1="Not at all--GO TO Q. 12" 2="Once a month or less" 3="2 or 3 times a month" 4="About once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	635	25.2 %	30.2%
2	1/MO OR <:(2)	623	24.7 %	29.7%
3	2-3/MO:(3)	432	17.1 %	20.6%
4	ABT ONCE/W:(4)	233	9.2 %	11.1%
5	2-3/WK:(5)	137	5.4 %	6.5%
6	>3/WK:(6)	40	1.6 %	1.9%
-9 (M)	MISSING:(-9)	419	16.6 %	-

Based upon 2100 valid cases out of 2519 total cases.

V5462 105E13A:PARTY-PPL OVR 30

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21910

Now think about the parties you went to in the last 12 months.
How often . . .

A: . . . Were people over age 30 present at least some of the time?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	731	29.0 %	48.1%
2	SELDOM:(2)	360	14.3 %	23.7%
3	SOMETIME:(3)	208	8.3 %	13.7%
4	MOST TIM:(4)	128	5.1 %	8.4%
5	ALWAYS:(5)	93	3.7 %	6.1%
-9 (M)	MISSING:(-9)	999	39.7 %	-

Based upon 1520 valid cases out of 2519 total cases.

V5463 105E13B:PARTY-ONE HI ALC

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21920

Now think about the parties you went to in the last 12 months.
How often . . .

B: . . . Did someone get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	267	10.6 %	17.6%
2	SELDOM:(2)	119	4.7 %	7.8%
3	SOMETIME:(3)	197	7.8 %	13.0%
4	MOST TIM:(4)	311	12.3 %	20.5%
5	ALWAYS:(5)	625	24.8 %	41.1%
-9 (M)	MISSING:(-9)	1000	39.7 %	-

Based upon 1519 valid cases out of 2519 total cases.

V5464 105E13C:PARTY-OTH HI ALC

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21930

Now think about the parties you went to in the last 12 months.
How often . . .

C: . . . Did most people get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	310	12.3 %	20.4%
2	SELDOM:(2)	140	5.6 %	9.2%
3	SOMETIME:(3)	229	9.1 %	15.1%
4	MOST TIM:(4)	387	15.4 %	25.5%
5	ALWAYS:(5)	451	17.9 %	29.7%
-9 (M)	MISSING:(-9)	1002	39.8 %	-

Based upon 1517 valid cases out of 2519 total cases.

V5465 105E13D:PARTY-YOU HI ALC

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21940

Now think about the parties you went to in the last 12 months.
How often . . .

D: . . . Did you get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	599	23.8 %	39.6%
2	SELDOM:(2)	177	7.0 %	11.7%
3	SOMETIME:(3)	264	10.5 %	17.5%
4	MOST TIM:(4)	255	10.1 %	16.9%
5	ALWAYS:(5)	216	8.6 %	14.3%
-9 (M)	MISSING:(-9)	1008	40.0 %	-

Based upon 1511 valid cases out of 2519 total cases.

V5466 105E13E:PARTY-PRESS ALCL

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21950

Now think about the parties you went to in the last 12 months.
How often . . .

E: . . . Did you feel pressure to drink alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	997	39.6 %	66.0%
2	SELDOM:(2)	262	10.4 %	17.4%
3	SOMETIME:(3)	143	5.7 %	9.5%
4	MOST TIM:(4)	65	2.6 %	4.3%
5	ALWAYS:(5)	43	1.7 %	2.8%
-9 (M)	MISSING:(-9)	1009	40.1 %	-

Based upon 1510 valid cases out of 2519 total cases.

V5467 105E13F:PARTY-PRS HI ALC

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21960

Now think about the parties you went to in the last 12 months.
How often . . .

F: . . . Did you feel pressure to drink enough to get high?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1114	44.2 %	73.7%
2	SELDOM:(2)	202	8.0 %	13.4%
3	SOMETIME:(3)	109	4.3 %	7.2%
4	MOST TIM:(4)	46	1.8 %	3.0%
5	ALWAYS:(5)	41	1.6 %	2.7%
-9 (M)	MISSING:(-9)	1007	40.0 %	-

Based upon 1512 valid cases out of 2519 total cases.

V5468 105E13G:PARTY-ONE HI MJ

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21970

Now think about the parties you went to in the last 12 months.
How often . . .

G: . . . Did someone get high on marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	488	19.4 %	32.3%
2	SELDOM:(2)	168	6.7 %	11.1%
3	SOMETIME:(3)	240	9.5 %	15.9%
4	MOST TIM:(4)	268	10.6 %	17.8%
5	ALWAYS:(5)	345	13.7 %	22.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	1010	40.1 %	-

Based upon 1509 valid cases out of 2519 total cases.

V5469

105E13H:PARTY-OTH HI MJ

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21980

Now think about the parties you went to in the last 12 months.
How often . . .

H: . . . Did most people get high on marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	573	22.7 %	37.9%
2	SELDOM:(2)	249	9.9 %	16.5%
3	SOMETIME:(3)	258	10.2 %	17.1%
4	MOST TIM:(4)	202	8.0 %	13.4%
5	ALWAYS:(5)	231	9.2 %	15.3%
-9 (M)	MISSING:(-9)	1006	39.9 %	-

Based upon 1513 valid cases out of 2519 total cases.

V5470

105E13I:PARTY-YOU HI MJ

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21990

Now think about the parties you went to in the last 12 months.
How often . . .

I: . . . Did you get high on marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	999	39.7 %	66.3%
2	SELDOM:(2)	134	5.3 %	8.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	SOMETIME:(3)	120	4.8 %	8.0%
4	MOST TIM:(4)	86	3.4 %	5.7%
5	ALWAYS:(5)	168	6.7 %	11.1%
-9 (M)	MISSING:(-9)	1012	40.2 %	-

Based upon 1507 valid cases out of 2519 total cases.

V5471

105E13J:PARTY-PRESS MJ

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22000

Now think about the parties you went to in the last 12 months.

How often . . .

J: . . . Did you feel pressure to use marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1253	49.7 %	83.1%
2	SELDOM:(2)	124	4.9 %	8.2%
3	SOMETIME:(3)	68	2.7 %	4.5%
4	MOST TIM:(4)	34	1.3 %	2.3%
5	ALWAYS:(5)	29	1.2 %	1.9%
-9 (M)	MISSING:(-9)	1011	40.1 %	-

Based upon 1508 valid cases out of 2519 total cases.

V5472

105E13K:PARTY-ONE HI OTD

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22010

Now think about the parties you went to in the last 12 months.

How often . . .

K: . . . Did someone get high on other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	970	38.5 %	64.5%
2	SELDOM:(2)	209	8.3 %	13.9%
3	SOMETIME:(3)	180	7.1 %	12.0%
4	MOST TIM:(4)	83	3.3 %	5.5%
5	ALWAYS:(5)	62	2.5 %	4.1%
-9 (M)	MISSING:(-9)	1015	40.3 %	-

Based upon 1504 valid cases out of 2519 total cases.

V5473

105E13L:PARTY-OTH HI OTD

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22020

Now think about the parties you went to in the last 12 months.
How often . . .

L: . . . Did most people get high on other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1070	42.5 %	71.2%
2	SELDOM:(2)	201	8.0 %	13.4%
3	SOMETIME:(3)	120	4.8 %	8.0%
4	MOST TIM:(4)	59	2.3 %	3.9%
5	ALWAYS:(5)	53	2.1 %	3.5%
-9 (M)	MISSING:(-9)	1016	40.3 %	-

Based upon 1503 valid cases out of 2519 total cases.

V5474

105E13M:PARTY-YOU HI OTD

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22030

Now think about the parties you went to in the last 12 months.
How often . . .

M: . . . Did you get high on other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1361	54.0 %	90.5%
2	SELDOM:(2)	56	2.2 %	3.7%
3	SOMETIME:(3)	43	1.7 %	2.9%
4	MOST TIM:(4)	21	0.8 %	1.4%
5	ALWAYS:(5)	23	0.9 %	1.5%
-9 (M)	MISSING:(-9)	1015	40.3 %	-

Based upon 1504 valid cases out of 2519 total cases.

V5475 105E13N:PARTY-PRESS OTDG

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22040

Now think about the parties you went to in the last 12 months.
How often . . .

N: . . . Did you feel pressure to use other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1397	55.5 %	92.9%
2	SELDOM:(2)	54	2.1 %	3.6%
3	SOMETIME:(3)	27	1.1 %	1.8%
4	MOST TIM:(4)	9	0.4 %	0.6%
5	ALWAYS:(5)	16	0.6 %	1.1%
-9 (M)	MISSING:(-9)	1016	40.3 %	-

Based upon 1503 valid cases out of 2519 total cases.

V5533 105E14A:SPORT/12M NONE

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31500

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

A: None

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1442	57.2 %	69.1%
1	MARKED:(1)	646	25.6 %	30.9%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5534 105E14B:SPORT/12M BASEBL

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31510

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

B: Baseball/Softball

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1786	70.9 %	85.5%
1	MARKED:(1)	302	12.0 %	14.5%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5535 105E14C:SPORT/12M BSKTBL

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31520

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

C: Basketball

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1675	66.5 %	80.2%
1	MARKED:(1)	413	16.4 %	19.8%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5556 105E14D:SPORT/12M CHEERLDG

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31525

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

D. Cheerleading / Spirit Squad

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1981	78.6 %	94.9%
1	MARKED:(1)	107	4.2 %	5.1%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5557 105E14E:SPORT/12M CREW

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31528

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

E. Crew

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2073	82.3 %	99.3%
1	MARKED:(1)	15	0.6 %	0.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5536 105E14F:SPORT/12M XCNTY

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31530

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

F: Cross country

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1999	79.4 %	95.7%
1	MARKED:(1)	89	3.5 %	4.3%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5558 105E14G:SPORT/12M EQUESTRN

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31535

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

G. Equestrian

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2063	81.9 %	98.8%
1	MARKED:(1)	25	1.0 %	1.2%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5537 105E14H:SPORT/12M FLDHKY

Location: 618-619 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31540

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

H: Field hockey

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2069	82.1 %	99.1%
1	MARKED:(1)	19	0.8 %	0.9%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5538 105E14I:SPORT/12M FOOTBL

Location: 620-621 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31550

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

I: Football

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1765	70.1 %	84.5%
1	MARKED:(1)	323	12.8 %	15.5%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5559 105E14J:SPORT/12M GOLF

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 31555

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

J. Golf

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1975	78.4 %	94.6%
1	MARKED:(1)	113	4.5 %	5.4%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5539 105E14K:SPORT/12M GYMNST

Location: 624-625 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 31560

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

K: Gymnastics

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2055	81.6 %	98.4%
1	MARKED:(1)	33	1.3 %	1.6%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5540 105E14L:SPORT/12M ICEHKY

Location: 626-627 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 31570

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

L: Ice hockey

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2029	80.5 %	97.2%
1	MARKED:(1)	59	2.3 %	2.8%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5541 105E14M:SPORT/12M LCRSSE

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31580

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

M: Lacrosse

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2027	80.5 %	97.1%
1	MARKED:(1)	61	2.4 %	2.9%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5543 105E14N:SPORT/12M SOCCER

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31600

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

N: Soccer

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1819	72.2 %	87.1%
1	MARKED:(1)	269	10.7 %	12.9%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5542

105E14O:SPORT/12M SWIM

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31590

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

O: Swimming/Diving

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1933	76.7 %	92.6%
1	MARKED:(1)	155	6.2 %	7.4%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5544

105E14P:SPORT/12M TENNIS

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31610

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

P: Tennis

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1959	77.8 %	93.8%
1	MARKED:(1)	129	5.1 %	6.2%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5545 105E14Q:SPORT/12M TRACK

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31620

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

Q: Track & Field

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1851	73.5 %	88.6%
1	MARKED:(1)	237	9.4 %	11.4%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5546 105E14R:SPORT/12M VLLYBL

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31630

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

R: Volleyball

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1921	76.3 %	92.0%
1	MARKED:(1)	167	6.6 %	8.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5560 105E14S:SPORT/12M WATER POLO

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31635

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

S. Water polo

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2060	81.8 %	98.7%
1	MARKED:(1)	28	1.1 %	1.3%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5547 105E14T:SPORT/12M WTLIFT

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31640

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

T: Weight lifting

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1853	73.6 %	88.7%
1	MARKED:(1)	235	9.3 %	11.3%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5548 105E14U:SPORT/12M WRESTL

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31650

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

U: Wrestling

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1975	78.4 %	94.6%
1	MARKED:(1)	113	4.5 %	5.4%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5549 105E14V:SPORT/12M OTHER

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31660

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

V: Other

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1740	69.1 %	83.3%
1	MARKED:(1)	348	13.8 %	16.7%
-9 (M)	MISSING:(-9)	431	17.1 %	-

Based upon 2088 valid cases out of 2519 total cases.

V5561 105E15:#DA/WK ACTV 60 MIN

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32520

During the LAST 7 DAYS, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you get out of breath some of the time.)

0="0 days" 1="1 day" 2="2 days" 3="3 days" 4="4 days"
5="5 days" 6="6 days" 7="7 days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 DAYS:(0)	322	12.8 %	15.3%
1	1 DAY:(1)	221	8.8 %	10.5%
2	2 DAYS:(2)	259	10.3 %	12.3%
3	3 DAYS:(3)	261	10.4 %	12.4%
4	4 DAYS:(4)	214	8.5 %	10.2%
5	5 DAYS:(5)	297	11.8 %	14.1%
6	6 DAYS:(6)	187	7.4 %	8.9%
7	7 DAYS:(7)	338	13.4 %	16.1%
-9 (M)	MISSING:(-9)	420	16.7 %	-

Based upon 2099 valid cases out of 2519 total cases.

V5562 105E16:#SEMESTERS/YR GYM

Location: 650-651 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32680

For how many semesters (if any) have you taken physical education (P.E.) or gym class this school year? (Don't count a general health class.)

0="None" 1="1 semester" 2="2 or more semesters"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	764	30.3 %	36.3%
1	1 SEMESTER:(1)	423	16.8 %	20.1%
2	2+ SEMESTERS:(2)	915	36.3 %	43.5%
-9 (M)	MISSING:(-9)	417	16.6 %	-

Based upon 2102 valid cases out of 2519 total cases.

V5563 105E17:#DA/WK GYM CLASS

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32530

On how many days per week (if any) have you had a physical education (P.E.) or gym class this semester?

0="0 days" 1="1 day" 2="2 days" 3="3 days" 4="4 days" 5="5 days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 DAYS:(0)	1230	48.8 %	58.6%
1	1 DAY:(1)	23	0.9 %	1.1%
2	2 DAYS:(2)	123	4.9 %	5.9%
3	3 DAYS:(3)	169	6.7 %	8.0%
4	4 DAYS:(4)	77	3.1 %	3.7%
5	5 DAYS:(5)	478	19.0 %	22.8%
-9 (M)	MISSING:(-9)	419	16.6 %	-

Based upon 2100 valid cases out of 2519 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.